WA 35 .2.1



by Diagnosis
United States, 1986

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
December, 1987

PSYCHIATRIC LENGTH OF STAY

This publication represents one volume in the first edition of the Psychiatric Length of Stay series:

Length of Stay by Psychiatric Diagnosis, United States, 1986
Length of Stay by Psychiatric Diagnosis, Northeastern Region, 1986
Length of Stay by Psychiatric Diagnosis, North Central Region, 1986
Length of Stay by Psychiatric Diagnosis, Southern Region, 1986
Length of Stay by Psychiatric Diagnosis, Western Region, 1986

The Length of Stay series has been published annually since 1964. The 1986 Length of Stay by Diagnosis and Operation books are available for the United States and for four geographic regions. In addition, the Length of Stay series includes the Geriatric Length of Stay by Diagnosis and Operation, United States, 1986 and Pediatric Length of Stay by Diagnosis and Operation, United States 1986. For further information, please write CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106 or call 800-521-6210 or 800-828-6762 in Michigan, Extension 3534.

CONTENTS

About CPHA and Publications iii

Preface iv

Description of the Database

Data Collection vi
Data Quality viii
Database Characteristics viii

Organization of Psychiatric Length of Stay Tables xiii

Explanation of Psychiatric Length of Stay Statistics xv

Application of Psychiatric Length of Stay Tables xvi

Complementary Data and Graphs xvii

Length of Stay Tables 1

Appendix 1: Hospital Service Type Definitions 175

Appendix 2: Teaching Intensity Program Calculation 176

Appendix 3: State Inclusions and Hospital Counts by Region 177

Appendix 4: *ICD-9-CM* Psychiatric Diagnosis Codes and English Descriptions 178

Appendix 5: English Descriptions and *ICD-9-CM* Psychiatric Diagnosis Codes 186

Appendix 6: Patient Characteristic Definitions Used in Graphs 193

ABOUT CPHA AND CPHA PUBLICATIONS

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and system development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of issue-oriented data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day-to-day activity of health care professionals in a variety of settings.

Copyright ©1987 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

PREFACE

The Psychiatric Length of Stay series represents the first edition of a new annual publication incorporating length of stay and accompanying facility and demographic data on psychiatric patients treated in nonfederal, short-term general hospitals in the United States.

CPHA initially developed its length of stay databases in 1964. Since then, the Length of Stay or LOS series, has become a well-known standard in the health care industry.

CPHA is committed to continuing its tradition of providing high quality normative data reference publications. CPHA recognizes that sustaining a tradition means responding to emerging information needs and issues important to long-time and new users. The new series makes it possible to focus on utilization and special length of stay issues for a particular hospital population: the psychiatric patient.

The growing number of people in the United States diagnosed with mental illness or psychiatric-related conditions make these volumes both timely and imperative.

PROJECT STAFF
1986 PSYCHIATRIC LENGTH OF STAY BOOKS

Jeanine A. DeLay, MA, Project Manager, Assistant Director
Joyce Beach, Senior Programmer
Lale A. Olson, Forms Analyst
James Chesney, PhD, Director

The Project Staff is indebted to many individuals who made this publication possible. Special thanks to other Research Services staff: Carol A. Prevost, BS, Research Associate, Linda E. Vanek, MSW, Product Manager, and Susan DesHarnais, PhD, Research Scientist, for publication design, research advice, and editing assistance, and Rhonda A. Gregory, Publications Assistant, for clerical assistance.

Appreciation is also extended to Sharon Glushyn, Steve Maggio, Margaret Price, and Cheryl V. Rafdal. Finally, we gratefully acknowledge the hospitals that support this book by making their data available.

DESCRIPTION OF THE DATABASE

DATA COLLECTION

Data in the Psychiatric Length of Stay books are compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, the books contain discharge data from hospitals participating in information systems other than PAS, including: Alabama Hospital Association, Colorado Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association.

The following steps describe the PAS method of storing and retrieving medical record data:

1. In each participating hospital, personnel transfer demographic and clinical data from the record of each discharged patient via microcomputer, magnetic tape, or PAS Case Abstract.

2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where its contents are entered into the computer system.

3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospital personnel.

4. Hospitals continually add data stored in the computer system's permanent history file dating back as far as 1955. Participating hospitals are given access to their own data through interactive systems, in-house computers, and paper reports. The stored aggregate data are standardized and maintained as custom databases, among them the length of stay database.

5. CPHA Publications uses this annually updated database to create the Psychiatric Length of Stay series and other normative data reference tools.

A graphic of the CPHA data collection system is shown on the next page.

CPHA'S DATA COLLECTION SYSTEM



CPHA's Database is maintained for:

- Print and electronic publications, e.g., 1986 Psychiatric Length of Stay series
- Contract research market analysis, forecasting, survey, and epidemiological investigations
- Policy research on major health care issues, e.g., cost containment, quality of care, equity
- On-line access and analysis by hospitals and other health industry groups

DATA QUALITY

Data quality is one of the primary concerns of CPHA. Although the hospital is ultimately responsible for the quality of its data, CPHA shares responsibility as the hospital's medical record processor. For this reason, CPHA goes to considerable length to prevent and correct errors by continually training hospital medical personnel in coding and abstracting methods, by routinely monitoring submitted data, and by carefully checking and editing the data for errors.

Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: sex-specific diagnosis with the wrong sex recorded, incalculable age or stay, and unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the psychiatric length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following record types are excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term general hospital
4. discharge to other short-term general hospital
5. discharge against medical advice

DATABASE CHARACTERISTICS

Data in the Psychiatric Length of Stay series are from 1,445 nonfederal, short-term general hospitals in the United States. Short-term hospitals have a median stay shorter than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term and specialty institutions, e.g., long-term psychiatric facilities and centers treating psychiatric patients exclusively, are excluded. The only specialty hospital data included in this series are from short-term pediatric hospitals.

The characteristics of all hospitals with discharge data included in the Psychiatric Length of Stay books are displayed in the tables on pages x-xii. Table definitions are as follows:

Public/Private Hospitals

A public hospital is a nonfederal government-operated hospital, e.g., state, county, city, or hospital authority. A private hospital includes both nongovernment investor or for-profit and not-for-profit owned or operated facilities.

Hospitals with or without a Psychiatric Unit or Beds

The 1985 Annual Survey of Hospitals compiled on magnetic tape by the American Hospital Association (1985 AHA magnetic tape), includes service and facility codes. Nonfederal, short-term general hospitals that recorded psychiatric or children's psychiatric acute care services, or claimed a facility with psychiatric acute care beds, are included in the hospitals with psychiatric unit/beds category. Nonfederal, short-term general hospitals that do not have psychiatric or children's psychiatric acute care services, and do not claim psychiatric beds, are included in the hospitals without a psychiatric unit/beds category. In addition, some hospitals in this group contract with another hospital or provider for psychiatric services.

Hospitals in both categories, however, can offer the following services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization. Appendix 1 includes definitions of these additional services.

Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1985 AHA magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Hospitals
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges.

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

Appendix 2 describes how the teaching intensity index is determined.

Average Occupancy

According to *AHA Hospital Statistics*, 1986 edition, the average occupancy of a hospital is "the ratio of the average daily census to the average number of beds, i.e., statistical beds, maintained during a particular reporting period."

Table 1
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

	PUBLIC HOSPITALS			PRIVATE HOSPITALS			UNKNOWN HOSPITALS*			TOTAL HOSPITALS		
	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL
Number of Hospitals												
Universe**	143	403	546	783	1,237	2,020	7	4	11	933	1,644	2,577
Sample	64	236	300	428	711	1,139	3	3	6	495	950	1,445
Hospitals as Percent of Universe												
Universe	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Sample	44.8	58.6	54.9	54.7	57.5	56.4	42.9	75.0	54.5	53.1	57.8	56.1
Number of Urban Hospitals												
Universe	77	90	167	565	702	1,267	5	0	5	647	792	1,439
Sample	25	54	79	281	364	645	0	0	0	306	418	724
Urban Hospitals as Percent of Universe												
Universe	53.8	22.3	30.6	72.2	56.8	62.7	71.4	0	45.5	69.3	48.2	55.8
Sample	17.5	13.4	14.5	35.9	29.4	31.9	0	0	0	32.8	25.4	28.1
Number of High/Medium Teaching Intensity Hospitals												
Universe	40	10	50	297	155	452	3	0	3	340	165	505
Sample	17	9	26	149	77	226	0	0	0	166	86	252
Number of High/Medium Teaching Intensity Hospitals as Percent of Universe												
Universe	28.0	2.5	9.2	37.9	12.5	22.4	42.9	0	27.3	36.4	10.0	19.6
Sample	11.9	2.2	4.8	19.0	6.2	11.2	0	0	0	17.8	5.2	9.8
Average Occupancy as Percent of Universe												
Universe	60.9	47.6	51.1	65.6	56.4	60.0	70.2	37.8	58.4	64.9	54.2	58.1
Sample	58.6	46.5	49.1	65.0	57.4	60.2	0	84.2	84.2	64.2	54.7	57.9

*The Unknown category means no information is available for the hospital characteristics.

**The Universe means all hospitals that have recorded the presence of a psychiatric unit or beds on the 1985 American Hospital Association magnetic tape. The Sample represents hospitals with these designations, i.e., presence of a psychiatric unit or beds, contributing data to the Psychiatric Length of Stay series.

Table 2
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

HOSPITALS WITH PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	495	100.0	201,835	100.0
Control				
Public	64	12.9	20,117	10.0
Private	428	86.5	180,799	89.6
Unknown***	3	.6	919	.4
Bedsize				
< 100 Beds	84	17.1	7,301	3.6
100-199	121	24.4	32,680	16.2
200-299	105	21.2	43,167	21.4
300-399	69	13.9	39,975	19.8
400-499	58	11.7	36,212	17.9
500+	55	11.1	41,581	20.6
Unknown	3	.6	919	.5
Teaching Intensity				
Low	329	66.5	101,008	50.0
Medium	105	21.2	65,292	32.4
High	61	12.3	35,535	17.6
Location				
Rural	173	35.0	37,036	18.3
Urban	306	61.8	161,416	80.0
Unknown	16	3.2	3,383	1.7

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percents is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

***The Unknown category means no information is available for the hospital characteristics.

Table 3
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	950	100.0	66,829	100.0
Control				
Public	236	24.8	11,401	17.1
Private	711	74.8	54,905	82.1
Unknown***	3	.4	523	.8
Bedsize				
<100 Beds	522	55.0	16,903	25.3
100-199	244	25.7	20,535	30.8
200-299	99	10.4	12,663	18.9
300-399	47	4.9	9,558	14.3
400-499	18	1.9	3,265	4.9
500+	18	1.9	3,410	5.1
Unknown	2	.2	495	.7
Teaching Intensity				
Low	864	91.0	53,059	79.4
Medium	65	6.8	10,456	15.6
High	21	2.2	3,314	5.0
Location				
Rural	524	55.2	19,153	28.7
Urban	418	44.0	45,674	68.3
Unknown	8	.8	2,002	3.0

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percents is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

***The Unknown category means no information is available for the hospital characteristics.

ORGANIZATION OF THE PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series is divided into separate volumes by geographic region. There are five volumes: Northeastern, North Central, Southern, Western, and the United States. The map below defines each of the 4 census regions. Appendix 3 lists the states comprising each region, and the number of hospitals and patients included in each volume.

Diagnosis Classification Categories

The tables in each regional and national volume are categorized by the widely used classification system, the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).*[1] This system includes both diagnosis and procedure numerical codes of three to five digits. The psychiatric length of stay tables are categorized by *ICD-9-CM* diagnosis code, beginning with code 290 and ending with code 314.9, expressed to the fourth digit. Diagnosis codes within the specified range with five digits are collapsed and incorporated into the four digit *ICD-9-CM* diagnosis codes. Appendix 4 lists the *ICD-9-CM* diagnosis codes in the psychiatric length of stay tables, their accompanying English description, and the page number in the particular volume where a table is located. Appendix 5 lists, in alphabetic order, the psychiatric diagnosis English description and accompanying numerical codes. For *ICD-9-CM* codes between 290-314.9 where there are no data, no listing is included.

[1] *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Hospital Service Type

The tables are also categorized by hospital service and facility. The divisions are:

a. Hospitals with a Psychiatric (Psy.) Unit/Beds - Nonfederal, short-term general hospitals recording psychiatric or pediatric psychiatric acute care services or claiming a facility with psychiatric acute care beds.

b. Hospitals without a Psychiatric (Psy.) Unit/Beds - Nonfederal, short-term general hospitals that do not have psychiatric or pediatric psychiatric acute care services and do not claim psychiatric acute care beds. In addition, hospitals in this group may contract with another hospital or provider for psychiatric acute care services. Hospitals in both groups can offer the following additional services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

Psychiatric Length of Stay Patient Variables

The psychiatric length of stay data are divided into two patient groups, by sex, and by eight age ranges.

Patient Groups

Patients in the psychiatric length of stay tables are grouped by *ICD-9-CM* psychiatric principal diagnosis and by the presence or absence of a psychiatric secondary diagnosis. The principal diagnosis code is the diagnosis that after study explains why the patient was admitted to the hospital.

Psychiatric Principal Diagnosis, Without Any Psychiatric Secondary Diagnosis (Psych Prin, No Psych 2nd Dx)

This group includes patients having a psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) only or patients having the specified psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) and a nonpsychiatric secondary diagnosis. For example, this group may include patients having the principal psychiatric diagnosis code specified in the table, as his/her only diagnosis. Alternatively, a patient having the principal psychiatric diagnosis specified in the table and diabetes (*ICD-9-CM* code 250.0), a nonpsychiatric secondary diagnosis, is also included in this category.

Psychiatric Principal Diagnosis, With One or More Psychiatric Secondary Diagnoses (Psych Prin, Psych 2nd Dx(s)

This group includes patients having a psychiatric principal diagnosis code between the code ranges *ICD-9-CM* 290-314.9 and one or more psychiatric secondary diagnoses (*ICD-9-CM* 290-314.9). These are patients with multiple psychiatric diagnoses.

Sex

Patients are distinguished as either male or female.

Age

Patients are in one of the following age groups recorded in years:

Newborn or 0 to 12
13-17
18-20
21-24
25-34
35-54
55-74
75+

The "all ages" group summarizes all the age groups by sex.

EXPLANATION OF PSYCHIATRIC LENGTH OF STAY STATISTICS

The data are sequenced by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For the psychiatric length of stay tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in one of the two patient groups, including sex and age groups. The Grand Total represents the total number of patients in a psychiatric diagnosis category (*ICD-9-CM* codes 290-314.9) within one of the two hospital service type categories.

APPLICATION OF PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series can be used as a valuable reference source in a variety of health care settings. Use of stay data allows the health care professional to compare regional and national norms to his/her own institution or client. Like the LOS series, the Psychiatric Length of Stay publications assist in projecting extended stay reviews, while recommending the most effective use of psychiatric patient care services. In focusing on the length of stay for a singular population, norms which take into account special characteristics can be developed and refined. Moreover, annual publication of Psychiatric Length of Stay allows the establishment of baselines to determine the applicability of the norms in particular psychiatric service settings. In addition, the Psychiatric Length of Stay series helps in forecasting and service planning.

The following steps are intended to provide a guide in situations where a health care professional wishes to determine a reasonable length of stay by using one of the Psychiatric Length of Stay regional or national volumes:

Step 1: Consult Appendix 4 or 5 at the back of the appropriate Psychiatric Length of Stay book for the particular diagnosis to be reviewed.

Step 2: Find the corresponding table in the Psychiatric Length of Stay book. The *ICD-9-CM* psychiatric diagnosis code number follows the English title of each table.

Step 3: Depending on the purpose of the review, find the appropriate table category:
Hospital Service Type
Patient Group
Sex
Age

Step 4: Go to the 50th percentile of stay for patients under review at the point where the 50th percentile column (7) of the table intersects the horizontal line labeling the pertinent patient variables and find the number of days.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, with more specific applications, by health care professionals in many diverse settings. The psychiatric length of stay tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Increasing concern about quality care, costs, and the need for more sophisticated hospital population-specific data to perform these quality and cost reviews will make the psychiatric length of stay tables an important new tool in the health care industry.

COMPLEMENTARY DATA AND GRAPHS

Accessing a special database affords the opportunity to explore other topics discussed in the literature and research on psychiatric length of stay. The value of the psychiatric length of stay norms is enhanced if users examine the bar graphs displayed on the next few pages.

Three issues often cited in the literature are: transfer patterns and average stay of psychiatric patients by payor, length of stay differences by hospital ownership, and regional variations in stay for similar diagnoses.

The graphs which follow offer a data profile drawn from the psychiatric length of stay database. All graphs display data for the total United States, except those describing regional variations in stay for similar diagnoses.

Transfer Patterns of Psychiatric Patients by Payor and Hospital Service Type

The bar graphs on pages xix-xxxii display by payor, the percent of psychiatric patients with particular demographic or clinical characteristics transferred upon discharge to one of the following:

1. another short-term general hospital
2. skilled nursing facility
3. intermediate care facility
4. other facility
5. home health service

Graph 1 depicts all patients with psychiatric principal diagnoses (*ICD-9-CM* 290-314.9) transferred from one of the two hospital service types. Graph 2 shows the same group of patients over 74 years who were transferred. Graphs 3 and 4 present the same patient group, using two simple severity of illness indicators: patients with one or more HCFA-defined complications and comorbidities (CCs) as any secondary diagnosis, and patients with two or more psychiatric secondary diagnoses. Graph 5 describes the transfer patterns of a different group of patients: those without a psychiatric principal diagnosis who have one or more psychiatric secondary diagnoses. Definitions of the HCFA complications and comorbidities are included in Appendix 6.

While most payor definitions are self-explanatory, the no insurance category (NO INS) includes self-pay and no charge patients. The other (OTH) category incorporates Title V, other government, and worker compensation patients. Detailed definitions of payor categories are part of Appendix 6.

Average Lengths of Stay (ALOS) of Psychiatric Patients by Payor and Hospital Service Type

Graphs 6-10 display the average stay of the same patient categories depicted in Graphs 1-5.

Average Lengths of Stay of Psychiatric Patients with Selected Psychiatric Principal Diagnoses by Hospital Ownership

Graph 11 presents the average stays for all patients with 10 prevalent psychiatric principal diagnoses. The diagnoses highlighted are:

ICD-9-CM Code	English Description
291.8	Other Specified Alcoholic Psychosis
295.3	Schizophrenic-Paranoid Type
300.4	Neurotic Depression
301.8	Other Personality Disorders
303.9	Other and Unspecified Alcohol Dependence
304.2	Cocaine Dependence
306.1	Respiratory Physiological Malfunction Arising from Mental Factors

ICD-9-CM Code	English Description
307.1	Anorexia Nervosa
309.0	Brief Depressive Reaction
314.0	Attention Deficit Disorder

Definitions for the private (PRIV) and public (PUB) hospital ownership types can be found on page viii.

Average Lengths of Stay for Patients with Selected *ICD-9-CM* Psychiatric Principal Diagnoses by Census Region

Graphs 12-14 depict the average stays by census region for patients with the same diagnoses highlighted in graph 11.

All data for the graphs were drawn from the 1986 psychiatric length of stay database. The section beginning on page 1 includes the psychiatric length of stay tables.

GRAPH 1

PERCENT ALL PSYCH PATIENTS

TRANSFERRED BY PAYOR



GRAPH 2

PERCENT ALL PSYCH PATIENTS 74 + YEARS

TRANSFERRED BY PAYOR



GRAPH 3

PERCENT ALL PSYCH PATIENTS WITH 1 + 2ND CCs



GRAPH 4

PERCENT PATIENTS WITH MULTIPLE PSYCH DXs



GRAPH 5

PERCENT PATIENTS WITH PSYCH 2ND DXs ONLY



GRAPH 6

ALOS ALL PSYCH PATIENTS

TRANSFERRED BY PAYOR



GRAPH 7

ALOS PSYCH PATIENTS 74+ YEARS

BY PAYOR AND HOSPITAL SERVICE



GRAPH 8

ALOS PSYCH PATIENTS WITH 1 + 2ND CCs

BY PAYOR AND HOSPITAL SERVICE



GRAPH 9

ALOS PATIENTS WITH MULTIPLE PSYCH DXs

BY PAYOR AND HOSPITAL SERVICE



GRAPH 10

ALOS PATIENTS WITH PSYCH 2ND DXs ONLY

BY PAYOR AND HOSPITAL SERVICE



GRAPH 11
ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL OWNERSHIP



GRAPH 12
REGIONAL ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL SERVICE



XXX

GRAPH 13
REGIONAL ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL SERVICE



GRAPH 14
REGIONAL ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL SERVICE



Psychiatric Length of Stay Diagnosis Tables

SENILE DEMENTIA UNCOMP (290.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	9.0	50	4	4	9	14	14	14	14	1	2.0		2	2	2	2	2	2	2
55-74	71	9.9	73	2	2	7	12	19	32	43	29	7.3	38	1	2	5	10	16	20	27
75 +	189	10.3	99	2	3	7	13	22	40	99+	124	9.0	112	2	2	6	10	19	30	99+
ALL AGES	262	10.2	91	2	2	7	13	22	34	94	154	8.6	99	2	2	6	10	19	27	98
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	3.0		3	3	3	3	3	3	3	2	4.5	1	4	4	4	5	5	5	5
55-74	95	12.0	159	2	3	8	14	28	34	74	47	7.3	19	2	3	6	11	14	15	17
75 +	347	9.7	106	2	2	7	12	21	32	99	174	8.4	108	1	2	6	10	19	33	99+
ALL AGES	444	10.2	117	2	2	7	13	22	32	78	223	8.1	89	1	2	6	10	16	27	99+
SUBTOTAL	**706**	**10.2**	**107**	**2**	**2**	**7**	**13**	**22**	**32**	**85**	**377**	**8.3**	**33**	**2**	**2**	**6**	**10**	**17**	**27**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	19	12.6	94	2	3	10	18	32	68	99+	2	6.0	8	4	4	8	77	99+	99+	99+
75 +	46	11.1	55	2	5	10	14	22	33	99+	18	11.3	73	3	4	9	13	25	33	36
ALL AGES	65	11.5	67	2	4	10	16	28	34	99+	20	10.8	68	3	4	8	13	31	65	99+
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	33	10.4	41	2	4	8	14	20	21	28	9	13.3	230	4	4	10	11	37	53	53
75 +	74	11.5	122	1	3	9	13	23	34	62	36	12.1	178	2	3	7	12	26	48	61
ALL AGES	107	11.1	98	2	3	8	14	21	29	60	45	12.3	185	2	4	9	12	27	49	61
SUBTOTAL	**172**	**11.3**	**85**	**2**	**4**	**9**	**14**	**23**	**33**	**91**	**65**	**11.8**	**149**	**3**	**4**	**8**	**12**	**28**	**49**	**94**
GRAND TOTAL	**878**	**10.4**	**103**	**2**	**2**	**7**	**13**	**22**	**32**	**91**	**442**	**8.8**	**102**	**2**	**2**	**6**	**10**	**18**	**30**	**99+**

PRESENILE DEMENTIA (290.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54	10	10.2	40	3	3	9	12	21	22	22	2	2.5	1	2	2	2	3	3	3	3
55-74	106	12.3	204	2	3	7	15	34	44	95	77	9.7	144	1	2	6	10	17	36	69
75 +	161	13.7	280	2	3	8	16	33	51	97	113	8.6	128	1	2	6	10	16	22	99 +
ALL AGES	277	13.1	240	2	3	8	16	33	48	96	193	8.9	133	1	2	6	10	16	28	92
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	21.0		21	21	21	21	21	21	21	1	2.0		2	2	2	2	2	2	2
35-54	14	16.2	376	1	1	11	28	71	93	99 +	1	1.0		1	1	1	1	1	1	1
55-74	135	12.7	141	2	3	9	16	30	54	99 +	73	8.5	63	2	3	6	12	17	24	99 +
75 +	250	10.5	87	2	3	8	13	22	30	56	203	8.1	48	2	2	7	10	16	22	99 +
ALL AGES	400	11.5	115	2	3	8	14	26	38	99 +	278	8.1	53	2	2	6	10	17	23	99 +
SUBTOTAL	**677**	**12.1**	**168**	**2**	**3**	**8**	**15**	**27**	**44**	**99 +**	**471**	**8.5**	**85**	**2**	**2**	**6**	**10**	**16**	**24**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	2.5	1	2	2	2	3	3	3	3										
35-54	4	14.8	252	3	3	9	25	38	38	38	1	12.0		12	12	12	12	12	12	12
55-74	35	12.2	92	1	2	9	16	28	31	42	7	6.4	38	1	1	4	12	16	16	16
75 +	26	13.0	53	3	5	12	17	21	27	34	19	7.9	40	2	2	7	9	18	23	26
ALL AGES	67	12.4	82	2	3	10	16	27	32	41	27	7.7	37	2	2	6	10	17	19	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	3	9.3	51	3	3	12	58	99 +	99 +	99 +	1	23.0		23	23	23	23	23	23	23
55-74	49	14.2	122	2	4	12	18	30	40	99 +	18	7.9	41	2	3	7	8	12	24	31
75 +	58	13.0	136	3	4	9	16	24	26	77	28	7.8	41	3	3	6	8	14	23	33
ALL AGES	111	13.3	128	3	3	10	17	25	39	99 +	47	8.2	44	3	3	6	9	15	24	33
SUBTOTAL	**178**	**13.0**	**109**	**2**	**3**	**10**	**17**	**26**	**36**	**94**	**74**	**8.0**	**41**	**2**	**2**	**6**	**9**	**16**	**23**	**33**
GRAND TOTAL	**855**	**12.3**	**155**	**2**	**3**	**9**	**15**	**27**	**39**	**99 +**	**545**	**8.4**	**79**	**2**	**2**	**6**	**10**	**16**	**23**	**99 +**

SENILE DELUSION/DEPRESS (290.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	59	16.3	132	3	4	15	20	35	43	46	13	12.5	141	3	3	11	14	54	90	99+
75 +	122	15.1	169	2	4	13	19	30	43	99+	41	9.8	105	2	3	7	15	26	71	99+
ALL AGES	181	15.5	156	3	4	13	20	34	43	99	54	10.5	111	2	3	8	15	30	84	99+
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	15.0	2	14	14	15	16	16	16	16										
55-74	79	16.7	171	4	5	14	21	31	44	97	20	11.5	77	2	3	10	17	31	65	99+
75 +	259	16.2	165	3	5	14	21	33	42	99+	75	12.0	203	2	2	6	13	28	41	74
ALL AGES	340	16.3	165	3	5	14	21	33	42	99+	95	11.9	175	2	2	7	14	28	41	90
SUBTOTAL	**521**	**16.0**	**163**	**3**	**4**	**13**	**20**	**33**	**42**	**99+**	**149**	**11.4**	**151**	**2**	**3**	**7**	**14**	**29**	**50**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	12	12.4	143	2	3	6	22	29	38	40	5	5.8	18	2	2	4	8	13	13	13
75 +	36	17.2	103	7	8	14	21	32	42	47	7	6.6	38	1	1	4	11	16	17	17
ALL AGES	48	16.0	114	4	5	13	21	31	40	47	12	6.3	27	1	1	4	10	14	17	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14										
55-74	38	19.4	270	3	5	14	24	49	89	99+	5	12.6	142	4	4	7	20	32	32	32
75 +	82	17.4	114	3	5	16	22	33	40	48	10	7.8	42	3	3	5	8	19	24	24
ALL AGES	121	18.0	161	3	5	15	23	39	48	99+	15	9.4	73	3	4	5	12	24	30	32
SUBTOTAL	**169**	**17.4**	**149**	**4**	**5**	**15**	**22**	**37**	**45**	**95**	**27**	**8.0**	**54**	**1**	**2**	**5**	**11**	**17**	**25**	**32**
GRAND TOTAL	**690**	**16.4**	**158**	**3**	**5**	**14**	**21**	**35**	**43**	**99+**	**176**	**10.9**	**137**	**2**	**2**	**7**	**14**	**26**	**45**	**99+**

SENILE DELIRIUM (290.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	51	13.4	164	1	2	9	17	28	35	70	24	8.5	40	2	2	7	12	15	21	30
75 +	174	10.4	96	1	2	8	15	24	29	90	121	8.9	56	2	2	7	11	17	24	37
ALL AGES	225	11.1	112	1	2	8	15	25	31	77	145	8.8	54	2	2	7	11	17	23	35
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	74	13.4	201	2	3	8	17	30	41	75	34	10.0	170	2	2	6	11	22	30	73
75 +	269	13.0	207	2	3	8	15	29	43	98	210	9.1	122	2	3	6	10	16	34	99 +
ALL AGES	343	13.1	205	2	3	8	15	29	41	94	244	9.2	129	2	3	6	10	17	32	99 +
SUBTOTAL	**568**	**12.3**	**169**	**2**	**2**	**8**	**15**	**28**	**38**	**92**	**389**	**9.1**	**100**	**2**	**2**	**6**	**11**	**17**	**30**	**87**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	16	12.1	80	2	4	8	15	26	33	35	8	11.6	76	3	4	9	17	25	26	26
75 +	26	11.9	367	2	3	7	9	55	88	99 +	24	8.0	33	2	2	7	11	14	22	26
ALL AGES	42	12.0	252	2	3	7	12	29	70	99 +	32	8.9	44	2	3	7	11	21	26	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	23.5	113	16	16	23	31	31	31	31	1	1.0		1	1	1	1	1	1	1
55-74	14	11.1	43	5	6	8	12	22	25	26	10	7.7	19	3	3	6	11	14	16	16
75 +	61	13.9	111	4	5	12	16	26	33	60	29	8.7	77	2	2	6	9	23	29	39
ALL AGES	77	13.6	101	4	5	11	16	26	30	58	40	8.3	61	1	2	6	9	16	28	39
SUBTOTAL	**119**	**13.0**	**154**	**3**	**4**	**9**	**15**	**26**	**37**	**90**	**72**	**8.5**	**54**	**2**	**2**	**6**	**10**	**18**	**26**	**37**
GRAND TOTAL	**687**	**12.4**	**167**	**2**	**3**	**8**	**15**	**27**	**38**	**91**	**461**	**9.0**	**93**	**2**	**2**	**6**	**11**	**17**	**28**	**84**

Total U.S. January - December 1986

ARTERIOSCLEROT DEMENTIA (290.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	20.0		20	20	20	20	20	20	20										
35-54	6	6.7	36	1	1	5	8	17	18	18	1	7.0		7	7	7	7	7	7	7
55-74	82	12.9	97	2	2	11	17	23	35	48	38	8.6	46	2	3	7	10	13	22	39
75 +	151	11.5	121	2	3	8	14	25	35	61	80	9.2	132	2	2	7	10	18	31	91
ALL AGES	240	11.9	111	2	3	9	16	23	35	58	119	9.0	103	2	3	7	10	17	23	80
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	8	7.0	56	1	1	4	11	19	21	21	1	6.0		6	6	6	6	6	6	6
55-74	86	14.7	143	4	5	11	19	29	49	87	41	8.8	62	3	3	6	11	23	34	99 +
75 +	218	11.2	94	2	3	9	14	22	30	77	129	9.9	65	2	3	8	13	20	27	99 +
ALL AGES	312	12.1	108	2	4	9	15	26	37	79	171	9.6	64	2	3	7	13	20	30	99 +
SUBTOTAL	**552**	**12.0**	**109**	**2**	**3**	**9**	**15**	**24**	**35**	**66**	**290**	**9.4**	**79**	**2**	**3**	**7**	**12**	**19**	**27**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	12.5	61	7	7	12	18	18	18	18										
55-74	37	11.7	83	2	3	9	14	28	31	41	14	8.9	30	2	2	7	13	16	20	21
75 +	30	15.5	335	3	4	10	18	30	52	95	16	14.1	416	2	2	6	12	44	68	77
ALL AGES	69	13.4	191	3	3	9	16	28	33	87	30	11.7	235	2	2	7	13	24	46	77
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	3	18.0	127	11	11	12	26	31	31	31										
55-74	31	17.0	188	3	5	13	20	39	45	61	7	11.3	85	3	3	8	16	27	29	29
75 +	42	12.4	68	2	4	11	16	23	30	38	17	12.7	190	2	3	10	14	28	49	59
ALL AGES	76	14.5	121	2	4	12	18	31	37	57	24	12.3	155	2	3	9	14	29	39	59
SUBTOTAL	**145**	**14.0**	**153**	**3**	**4**	**11**	**17**	**29**	**37**	**63**	**54**	**12.0**	**195**	**2**	**3**	**7**	**14**	**28**	**43**	**76**
GRAND TOTAL	**697**	**12.4**	**119**	**2**	**3**	**9**	**16**	**26**	**36**	**64**	**344**	**9.8**	**98**	**2**	**3**	**7**	**12**	**20**	**31**	**99 +**

SENILE PSYCHOSIS NEC (290.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	17.0		17	17	17	17	17	17	17
75 +	2	4.0	8	2	2	4	6	6	6	6										
ALL AGES	2	4.0	8	2	2	4	6	6	6	6	1	17.0		17	17	17	17	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	1	6.0		6	6	6	6	6	6	6										
SUBTOTAL	**3**	**4.7**	**5**	**2**	**2**	**6**	**6**	**6**	**6**	**6**	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	1	14.0		14	14	14	14	14	14	14										
SUBTOTAL	**1**	**14.0**		**14**	**14**	**14**	**14**	**14**	**14**	**14**										
GRAND TOTAL	**4**	**7.0**	**25**	**2**	**2**	**6**	**10**	**14**	**14**	**14**	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**

SENILE PSYCHOT COND NOS (290.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	2	15.0	98	8	8	15	22	22	22	22	1	11.0		11	11	11	11	11	11	11
ALL AGES	2	15.0	98	8	8	15	22	22	22	22	1	11.0		11	11	11	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	10.0		10	10	10	10	10	10	10	1	15.0		15	15	15	15	15	15	15
75 +	2	5.0	8	3	3	5	7	7	7	7	2	13.5	113	6	6	13	21	21	21	21
ALL AGES	3	6.7	12	3	3	7	9	10	10	10	3	14.0	57	6	6	15	19	21	21	21
SUBTOTAL	**5**	**10.0**	**52**	**3**	**3**	**8**	**13**	**22**	**22**	**22**	**4**	**13.3**	**38**	**6**	**6**	**13**	**18**	**21**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	1	9.0		9	9	9	9	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	2	20.0	338	7	7	20	33	33	33	33										
ALL AGES	2	20.0	338	7	7	20	33	33	33	33										
SUBTOTAL	**3**	**16.3**	**211**	**7**	**7**	**9**	**27**	**33**	**33**	**33**										
GRAND TOTAL	**8**	**12.4**	**99**	**3**	**4**	**8**	**16**	**30**	**33**	**33**	**4**	**13.3**	**38**	**6**	**6**	**13**	**18**	**21**	**21**	**21**

DELIRIUM TREMENS (291.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	2.0		2	2	2	2	2	2	2										
21-24	2	2.5	1	2	2	2	3	3	3	3	3	2.7	8	1	1	1	5	6	6	6
25-34	47	5.3	31	1	1	3	6	12	16	30	41	3.5	11	1	1	3	4	6	7	21
35-54	146	5.5	24	1	1	4	7	10	13	26	125	4.8	12	1	2	4	7	9	12	20
55-74	77	8.6	121	2	2	5	9	22	25	68	70	6.7	20	2	2	5	9	12	14	23
75 +	9	8.8	55	2	2	5	12	21	22	22	9	8.4	40	2	2	7	11	18	22	22
ALL AGES	282	6.4	54	1	2	4	7	13	20	31	248	5.2	17	1	2	4	7	11	12	22
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	10	5.6	15	1	1	5	8	11	12	12	11	3.6	6	1	1	3	6	7	8	8
35-54	25	4.9	6	1	2	5	6	8	9	11	23	4.0	6	1	2	3	4	7	11	12
55-74	20	7.9	22	1	3	7	10	12	18	23	17	5.6	15	1	2	4	8	12	14	15
75 +	4	11.8	19	5	5	13	14	15	15	15	2	3.0		3	3	3	3	3	3	3
ALL AGES	60	6.4	17	1	2	5	9	12	13	22	53	4.4	9	1	2	3	5	8	12	15
SUBTOTAL	**342**	**6.4**	**47**	**1**	**2**	**5**	**7**	**13**	**20**	**30**	**301**	**5.1**	**15**	**1**	**2**	**4**	**7**	**10**	**12**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	2.5	1	2	2	2	3	3	3	3										
18-20											3	3.0	7	1	1	2	5	6	6	6
21-24	6	4.7	6	1	1	4	7	8	8	8	11	10.5	112	1	1	5	19	28	28	28
25-34	149	6.2	54	1	2	4	7	12	17	43	139	9.6	147	1	2	5	10	28	31	43
35-54	474	6.7	40	2	2	5	8	13	18	32	340	7.1	56	1	2	5	7	19	28	31
55-74	206	8.6	42	2	3	7	11	17	25	32	164	8.4	50	2	2	6	10	19	23	33
75 +	19	13.1	81	2	3	12	17	25	35	39	18	9.1	101	2	2	5	11	19	34	44
ALL AGES	856	7.2	45	2	2	5	8	14	19	33	675	8.0	76	1	2	5	9	22	28	33
B. FEMALE																				
0-12 YRS.																				
13-17											1	6.0		6	6	6	6	6	6	6
18-20											4	15.5	212	1	1	16	28	29	29	29
21-24	5	3.6	3	2	2	4	5	6	6	6	3	20.7	207	4	4	28	29	30	30	30
25-34	42	7.0	86	1	1	4	8	18	25	52	41	8.5	118	1	1	4	7	27	28	44
35-54	75	10.0	97	2	3	7	12	22	31	52	98	7.6	66	1	2	5	7	26	28	31
55-74	64	8.1	59	2	2	6	10	18	23	44	57	9.6	108	2	2	6	10	24	29	57
75 +	10	6.4	16	1	1	6	9	12	14	14	5	5.0	8	2	2	4	8	8	8	8
ALL AGES	196	8.4	77	2	2	5	10	19	27	50	209	8.6	91	2	2	5	8	27	28	40
SUBTOTAL	**1052**	**7.4**	**51**	**2**	**2**	**5**	**9**	**15**	**21**	**33**	**884**	**8.2**	**79**	**1**	**2**	**5**	**9**	**24**	**28**	**34**
GRAND TOTAL	**1394**	**7.2**	**50**	**2**	**2**	**5**	**8**	**14**	**20**	**33**	**1185**	**7.4**	**65**	**1**	**2**	**5**	**8**	**20**	**28**	**32**

ALCOHOL AMNESTIC SYND (291.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	6	6.0	33	1	1	4	7	16	17	17	3	10.3	141	3	3	4	19	24	24	24
55-74	11	14.2	255	1	1	10	17	42	51	52	11	8.5	46	1	2	6	11	18	25	26
75 +	1	28.0		28	28	28	28	28	28	28	2	8.0	2	7	7	8	9	9	9	9
ALL AGES	19	11.8	184	1	1	7	17	32	44	52	16	8.8	50	2	3	6	10	23	25	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	1.0		1	1	1	1	1	1	1
21-24																				
25-34											1	5.0		5	5	5	5	5	5	5
35-54	1	19.0		19	19	19	19	19	19	19	1	54.0		54	54	54	54	54	54	54
55-74	7	17.3	147	4	5	12	30	31	31	31	3	8.3	9	5	5	10	10	10	10	10
75 +	2	11.5	181	2	2	11	21	21	21	21	2	11.5	25	8	8	11	15	15	15	15
ALL AGES	10	16.3	125	2	3	15	28	31	31	31	8	13.5	285	1	2	9	13	42	54	54
SUBTOTAL	**29**	**13.4**	**162**	**1**	**1**	**8**	**19**	**31**	**36**	**52**	**24**	**10.3**	**126**	**1**	**3**	**7**	**11**	**24**	**34**	**54**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	16	14.6	323	2	3	10	19	66	91	99 +	5	6.6	20	2	2	5	9	14	14	14
55-74	33	12.4	161	2	2	8	14	28	40	61	14	9.4	84	1	2	6	11	27	32	33
75 +	3	21.3	707	6	6	6	41	52	52	52	3	21.7	84	11	11	26	27	28	28	28
ALL AGES	54	13.2	224	2	2	8	15	31	59	99	22	10.4	87	1	2	7	11	27	30	33
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54	2	10.5	85	4	4	10	17	17	17	17	3	5.7	20	1	1	6	9	10	10	10
55-74	10	12.3	61	4	4	11	17	24	28	28	12	10.5	49	3	4	7	17	20	23	24
75 +	3	7.7	8	6	6	6	10	11	11	11	2	48.5	25	45	45	48	52	52	52	52
ALL AGES	17	10.3	51	1	4	9	14	20	26	28	17	14.1	209	2	3	8	18	41	50	52
SUBTOTAL	**71**	**12.5**	**183**	**2**	**3**	**8**	**15**	**29**	**51**	**94**	**39**	**12.0**	**140**	**1**	**2**	**7**	**16**	**27**	**40**	**52**
GRAND TOTAL	**100**	**12.8**	**174**	**1**	**2**	**8**	**17**	**30**	**46**	**87**	**63**	**11.4**	**132**	**1**	**3**	**7**	**13**	**26**	**37**	**54**

ALCOHOLIC DEMENTIA NEC (291.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2	3	7.0	108	1	1	10	59	99+	99+	99+
35-54	11	17.7	226	1	4	14	26	40	51	52	7	10.0	105	1	1	9	23	78	99+	99+
55-74	35	15.3	201	1	3	14	22	29	66	99+	30	13.7	216	2	2	8	19	28	41	72
75 +	10	10.1	35	1	2	10	17	51	96	99+	4	12.8	54	4	4	14	41	99+	99+	99+
ALL AGES	58	14.4	176	1	2	12	21	30	66	99+	44	12.5	175	1	2	10	20	38	99+	99+
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	12.0		12	12	12	12	12	12	12	3	4.7	16	1	1	4	8	9	9	9
35-54	4	7.5	94	2	2	3	13	22	22	22	3	19.7	338	4	4	15	34	40	40	40
55-74	12	13.3	201	1	1	9	17	33	49	52	15	9.7	47	3	3	8	11	20	27	29
75 +	7	9.6	14	5	5	9	11	16	17	17	3	23.3	28	18	18	24	27	28	28	28
ALL AGES	24	11.2	118	1	2	9	12	23	33	52	24	12.0	97	2	3	8	16	28	32	40
SUBTOTAL	**82**	**13.5**	**159**	**1**	**2**	**10**	**20**	**28**	**52**	**99+**	**68**	**12.4**	**144**	**1**	**2**	**8**	**20**	**29**	**70**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	1.5	1	1	1	1	2	2	2	2										
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	10	6.8	111	1	1	2	7	24	34	34	7	6.0	21	1	1	6	7	13	15	15
35-54	28	10.1	115	2	2	6	12	26	40	43	19	6.7	45	1	2	3	11	18	21	23
55-74	67	16.0	257	2	3	10	21	40	51	66	36	9.2	68	1	1	7	13	15	16	48
75 +	15	9.5	98	2	2	6	9	19	35	40	5	14.0	176	2	2	8	21	36	36	36
ALL AGES	123	12.7	200	1	2	7	17	34	44	66	67	8.5	65	1	2	6	13	16	19	46
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	1	31.0		31	31	31	31	31	31	31										
35-54	12	14.1	221	4	4	9	11	44	47	48	10	7.0	41	1	2	5	8	16	24	24
55-74	39	12.8	112	4	5	11	18	39	99+	99+	20	11.3	184	3	4	6	11	35	49	49
75 +	12	20.8	196	5	7	17	26	45	50	51	6	9.8	65	2	2	7	15	22	23	23
ALL AGES	65	14.6	155	4	4	11	19	43	65	99+	36	9.9	122	2	3	6	10	23	41	49
SUBTOTAL	**188**	**13.4**	**183**	**1**	**2**	**9**	**18**	**35**	**48**	**99+**	**103**	**9.0**	**84**	**1**	**2**	**6**	**12**	**16**	**24**	**49**
GRAND TOTAL	**270**	**13.4**	**176**	**1**	**2**	**9**	**18**	**32**	**48**	**99+**	**171**	**10.3**	**111**	**1**	**2**	**7**	**14**	**23**	**39**	**99+**

Total U.S. January - December 1986

ALCOHOL HALLUCINOSIS (291.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	2.0		2	2	2	2	2	2	2
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	10	6.0	35	1	1	3	11	15	18	18	8	3.0	4	1	1	3	4	6	7	7
35-54	29	6.2	89	1	1	3	5	16	32	42	11	4.2	6	2	2	3	5	8	11	11
55-74	12	7.1	35	2	2	5	9	14	23	24	4	4.0	2	3	3	4	5	6	6	6
75 +	2	5.5	25	2	2	5	9	9	9	9										
ALL AGES	54	6.3	61	1	1	4	7	13	23	42	24	3.7	4	1	2	3	5	6	8	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	2.5	1	2	2	2	3	3	3	3	3	5.0	37	1	1	2	9	12	12	12
35-54	6	5.3	15	2	2	4	9	11	11	11	4	8.0	7	6	6	7	10	12	12	12
55-74	8	4.9	4	2	2	5	6	8	9	9	4	3.8		3	3	4	4	4	4	4
75 +																				
ALL AGES	16	4.8	7	2	2	4	6	9	10	11	11	5.6	14	1	2	4	7	12	12	12
SUBTOTAL	**70**	**5.9**	**49**	**1**	**1**	**4**	**7**	**11**	**21**	**40**	**35**	**4.3**	**8**	**1**	**2**	**4**	**5**	**7**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	2.5	1	2	2	2	3	3	3	3										
13-17																				
18-20	2	6.5	61	1	1	6	12	12	12	12										
21-24	3	4.3	3	3	3	4	5	6	6	6										
25-34	44	8.3	87	2	2	5	8	22	32	44	23	5.3	130	1	1	3	4	7	25	57
35-54	71	7.0	26	2	2	5	8	15	18	25	48	5.1	44	1	1	4	6	8	14	45
55-74	21	11.8	199	1	2	6	14	31	45	60	17	8.5	26	2	3	6	13	17	18	18
75 +											4	8.0	145	1	1	2	14	26	26	26
ALL AGES	143	7.9	72	2	2	5	8	16	25	45	92	5.9	66	1	1	4	6	13	17	52
B. FEMALE																				
0-12 YRS.																				
13-17	2	1.5	1	1	1	1	2	2	2	2										
18-20																				
21-24	1	5.0		5	5	5	5	5	5	5	2	3.0	2	2	2	3	4	4	4	4
25-34	10	11.7	82	2	2	9	21	25	28	28	3	2.7		2	2	3	3	3	3	3
35-54	26	7.2	32	1	2	6	9	16	19	24	18	4.3	6	1	2	4	5	9	10	10
55-74	14	7.2	37	1	2	5	12	17	20	21	10	5.6	8	1	1	6	7	9	11	11
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	54	7.8	42	1	2	6	11	18	21	28	33	4.5	6	1	2	4	6	8	10	11
SUBTOTAL	**197**	**7.9**	**63**	**2**	**2**	**5**	**9**	**17**	**24**	**41**	**125**	**5.5**	**50**	**1**	**1**	**4**	**6**	**10**	**15**	**48**
GRAND TOTAL	**267**	**7.4**	**60**	**1**	**2**	**5**	**8**	**16**	**23**	**41**	**160**	**5.3**	**41**	**1**	**1**	**4**	**6**	**10**	**14**	**43**

PATHOLOGIC ALCOHOL INTOX (291.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	8.0	98	1	1	8	15	15	15	15	1	1.0		1	1	1	1	1	1	1
18-20	1	4.0		4	4	4	4	4	4	4										
21-24	2	2.0	2	1	1	2	3	3	3	3	1	30.0		30	30	30	30	30	30	30
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	2	2.5	1	2	2	2	3	3	3	3										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	9	3.7	19	1	1	2	3	11	15	15	2	15.5	421	1	1	15	30	30	30	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**10**	**3.4**	**18**	**1**	**1**	**2**	**3**	**9**	**15**	**15**	**2**	**15.5**	**421**	**1**	**1**	**15**	**30**	**30**	**30**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	33.0		33	33	33	33	33	33	33										
18-20	2	3.5	1	3	3	3	4	4	4	4	1	33.0		33	33	33	33	33	33	33
21-24	7	1.9	2	1	1	1	3	4	4	4										
25-34	10	3.3	6	1	1	2	6	7	8	8	2	19.0	648	1	1	19	37	37	37	37
35-54	2	1.5	1	1	1	1	2	2	2	2										
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	22	4.0	46	1	1	2	4	7	18	33	4	19.0	347	1	1	19	35	37	37	37
B. FEMALE																				
0-12 YRS.																				
13-17											2	7.5	85	1	1	7	14	14	14	14
18-20	1	2.0		2	2	2	2	2	2	2										
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
35-54	2	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	4	1.8		1	1	2	2	2	2	2	4	4.3	42	1	1	1	8	14	14	14
SUBTOTAL	**26**	**3.7**	**39**	**1**	**1**	**2**	**4**	**6**	**13**	**33**	**8**	**11.6**	**230**	**1**	**1**	**3**	**23**	**36**	**37**	**37**
GRAND TOTAL	**36**	**3.6**	**33**	**1**	**1**	**2**	**4**	**6**	**13**	**33**	**10**	**12.4**	**227**	**1**	**1**	**3**	**30**	**35**	**37**	**37**

ALCOHOLIC JEALOUSY (291.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54	5	16.4	53	10	10	13	21	28	28	28										
55-74																				
75 +																				
ALL AGES	6	14.8	59	7	7	12	19	27	28	28										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74																				
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**7**	**12.9**	**74**	**1**	**2**	**12**	**17**	**26**	**28**	**28**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	9	17.4	593	3	4	7	17	58	80	80	2	3.0		3	3	3	3	3	3	3
55-74																				
75 +	2	6.0	8	4	4	6	8	8	8	8										
ALL AGES	11	15.4	494	3	4	7	14	46	77	80	2	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	7.0	8	5	5	7	9	9	9	9										
55-74																				
75 +																				
ALL AGES	2	7.0	8	5	5	7	9	9	9	9										
SUBTOTAL	**13**	**14.1**	**423**	**3**	**4**	**7**	**11**	**35**	**72**	**80**	**2**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**20**	**13.7**	**290**	**2**	**3**	**8**	**14**	**26**	**54**	**80**	**3**	**3.3**	**1**	**3**	**3**	**3**	**4**	**4**	**4**	**4**

ALCOHOLIC PSYCHOSIS NEC (291.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	4.5	5	3	3	4	6	6	6	6										
13-17	1	5.0		5	5	5	5	5	5	5										
18-20	4	3.8	3	1	1	4	5	5	5	5	2	21.5	1	21	21	21	22	22	22	22
21-24	31	4.5	4	1	2	5	5	7	7	11	16	6.0	64	1	1	2	4	22	22	22
25-34	261	4.8	18	1	2	5	5	5	7	28	70	4.8	29	1	1	3	6	10	22	22
35-54	624	4.9	18	1	2	5	5	6	9	28	246	4.0	9	1	1	3	5	7	10	16
55-74	219	5.7	28	1	2	5	6	10	15	30	127	5.2	19	1	1	4	6	11	15	21
75 +	23	12.7	218	2	3	7	16	26	42	71	9	9.3	92	1	1	7	11	25	32	32
ALL AGES	1165	5.2	24	1	2	5	5	7	11	28	470	4.7	20	1	1	3	6	9	15	22
B. FEMALE																				
0-12 YRS.																				
13-17											2	1.0		1	1	1	1	1	1	1
18-20	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
21-24	14	4.5	6	1	2	5	5	6	11	12	2	3.5	5	2	2	3	5	5	5	5
25-34	61	4.8	7	1	2	5	5	9	10	17	31	3.1	5	1	1	2	4	7	7	10
35-54	126	4.7	17	1	1	5	5	6	9	28	59	3.9	15	1	1	3	5	7	9	22
55-74	63	5.8	19	2	2	5	6	12	16	22	41	6.1	19	1	2	5	7	11	17	23
75 +	4	7.5	36	2	2	6	11	16	16	16	4	4.8	3	2	2	5	6	6	6	6
ALL AGES	269	5.0	15	1	2	5	5	8	12	26	140	4.3	15	1	1	3	6	8	10	22
SUBTOTAL	**1434**	**5.2**	**22**	**1**	**2**	**5**	**5**	**7**	**11**	**28**	**610**	**4.6**	**19**	**1**	**1**	**3**	**6**	**9**	**14**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											2	3.5	1	3	3	3	4	4	4	4
13-17	2	5.0		5	5	5	5	5	5	5	1	22.0		22	22	22	22	22	22	22
18-20	6	4.2	3	1	1	5	5	6	6	6	16	7.2	53	1	1	5	7	22	26	27
21-24	62	7.9	63	1	2	5	10	20	29	32	64	7.2	65	1	1	4	6	23	24	27
25-34	633	5.9	34	1	2	5	5	10	22	29	545	4.9	20	1	2	4	5	6	9	27
35-54	1465	5.9	28	1	2	5	5	10	17	29	1253	4.9	12	2	2	5	5	6	8	23
55-74	432	7.2	45	2	2	5	8	18	22	33	449	5.4	17	2	2	5	5	9	12	27
75 +	38	7.7	39	1	2	5	10	17	21	28	18	6.1	38	2	2	4	6	12	22	28
ALL AGES	2638	6.2	33	1	2	5	5	12	21	30	2348	5.1	17	2	2	5	5	7	10	27
B. FEMALE																				
0-12 YRS.	3	5.0	12	3	3	3	8	9	9	9										
13-17											1	2.0		2	2	2	2	2	2	2
18-20	6	5.3	20	2	2	4	5	13	14	14	2	4.0	8	2	2	4	6	6	6	6
21-24	24	6.7	67	1	1	5	5	24	28	31	15	7.7	86	1	2	4	5	27	27	27
25-34	177	5.8	31	1	2	5	5	11	20	28	140	5.8	33	1	2	4	5	9	21	32
35-54	315	7.3	44	1	2	5	7	20	24	29	317	5.0	17	2	2	5	5	7	10	30
55-74	129	8.9	73	2	3	5	10	21	29	43	141	4.8	12	2	2	4	5	7	9	27
75 +	14	4.8	4	2	2	5	5	8	9	9	13	6.8	16	1	2	6	10	12	14	15
ALL AGES	668	7.1	47	1	2	5	7	17	24	31	629	5.2	21	2	2	4	5	8	10	29
SUBTOTAL	**3306**	**6.4**	**36**	**1**	**2**	**5**	**6**	**12**	**21**	**30**	**2977**	**5.1**	**18**	**2**	**2**	**5**	**5**	**7**	**10**	**27**
GRAND TOTAL	**4740**	**6.0**	**32**	**1**	**2**	**5**	**5**	**11**	**20**	**29**	**3587**	**5.0**	**18**	**1**	**2**	**4**	**5**	**7**	**11**	**27**

ALCOHOLIC PSYCHOSIS NOS (291.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	5	4.2	19	1	1	2	7	11	11	11	1	1.0		1	1	1	1	1	1	1
35-54	4	7.0	9	4	4	7	9	10	10	10	1	2.0		2	2	2	2	2	2	2
55-74	3	16.0	49	9	9	16	21	23	23	23	4	11.0	31	6	6	9	14	19	19	19
75 +											1	14.0		14	14	14	14	14	14	14
ALL AGES	15	6.7	42	1	1	5	10	16	21	23	7	8.7	42	1	1	9	13	18	19	19
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20																				
21-24	2	3.5	13	1	1	3	6	6	6	6										
25-34	1	9.0		9	9	9	9	9	9	9	1	2.0		2	2	2	2	2	2	2
35-54	3	10.0	31	4	4	11	14	15	15	15										
55-74	2	5.0	2	4	4	5	6	6	6	6										
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	10	6.7	19	1	1	6	9	13	15	15	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**25**	**6.7**	**31**	**1**	**1**	**6**	**10**	**15**	**18**	**23**	**8**	**7.9**	**41**	**1**	**1**	**7**	**12**	**17**	**19**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20											1	1.0		1	1	1	1	1	1	1
21-24	3	2.3	2	1	1	3	3	3	3	3										
25-34	3	7.0	61	2	2	3	13	16	16	16	2	4.5	5	3	3	4	6	6	6	6
35-54	11	5.3	14	1	1	4	8	11	13	13	1	2.0		2	2	2	2	2	2	2
55-74	6	11.0	28	6	6	9	16	19	19	19	3	4.0	7	2	2	3	6	7	7	7
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	24	7.1	31	1	2	5	10	16	18	19	8	3.1	5	1	1	2	5	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34	5	9.0	146	1	1	6	13	30	30	30	1	3.0		3	3	3	3	3	3	3
35-54	10	4.8	7	2	2	4	7	9	10	10	3	12.3	323	1	1	3	25	33	33	33
55-74	5	11.2	108	2	2	5	22	23	23	23	3	2.0	1	1	1	2	3	3	3	3
75 +	1	11.0		11	11	11	11	11	11	11	1	7.0		7	7	7	7	7	7	7
ALL AGES	21	7.6	62	1	1	5	8	22	26	30	9	6.0	106	1	1	3	4	23	33	33
SUBTOTAL	**45**	**7.3**	**45**	**1**	**2**	**5**	**9**	**18**	**22**	**30**	**17**	**4.6**	**58**	**1**	**1**	**3**	**4**	**7**	**24**	**33**
GRAND TOTAL	**70**	**7.1**	**40**	**1**	**1**	**5**	**9**	**16**	**22**	**29**	**25**	**5.7**	**52**	**1**	**1**	**3**	**7**	**14**	**22**	**33**

DRUG WITHDRAWAL SYNDROME (292.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	2	5.5	25	2	2	5	9	9	9	9
13-17	2	3.0	8	1	1	3	5	5	5	5	1	1.0		1	1	1	1	1	1	1
18-20	5	3.2	11	1	1	2	4	9	9	9	1	5.0		5	5	5	5	5	5	5
21-24	2	5.0	18	2	2	5	8	8	8	8	4	3.8	4	1	1	4	5	6	6	6
25-34	45	3.2	2	1	2	3	4	5	5	8	20	4.4	21	1	1	3	6	7	13	23
35-54	29	3.3	3	1	1	3	4	6	6	6	24	4.3	8	1	2	4	5	9	10	10
55-74	15	4.1	12	1	1	3	5	8	12	14	12	3.6	27	1	1	1	4	10	18	19
75 +	7	5.1	17	2	2	4	5	12	14	14	1	7.0		7	7	7	7	7	7	7
ALL AGES	106	3.5	5	1	1	3	4	5	8	14	68	4.2	15	1	1	3	6	8	10	22
B. FEMALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-17	1	6.0		6	6	6	6	6	6	6										
18-20	1	3.0		3	3	3	3	3	3	3	2	4.0		4	4	4	4	4	4	4
21-24	12	2.6	1	1	1	3	3	4	5	5	5	3.0	2	2	2	2	4	5	5	5
25-34	43	3.9	8	1	1	3	5	8	10	14	18	3.9	9	1	1	3	5	9	10	10
35-54	28	5.8	21	1	1	4	6	15	16	18	31	5.0	11	1	1	4	7	10	12	13
55-74	25	9.4	44	2	3	8	12	20	22	27	13	6.3	17	2	3	5	7	12	16	17
75 +	5	5.0	21	1	1	3	8	12	12	12	14	4.9	7	3	3	4	5	10	11	11
ALL AGES	116	5.5	24	1	1	4	7	12	17	23	83	4.8	10	1	2	4	6	10	11	16
SUBTOTAL	**222**	**4.6**	**15**	**1**	**1**	**3**	**5**	**9**	**14**	**20**	**151**	**4.5**	**13**	**1**	**1**	**4**	**6**	**9**	**11**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	6	15.3	118	1	2	16	22	29	30	30	12	5.2	5	1	1	6	7	8	9	9
18-20	13	7.9	67	2	2	4	11	22	22	22	35	5.9	31	1	2	5	6	8	22	28
21-24	23	10.4	92	2	2	5	22	26	27	27	85	7.2	50	2	2	5	7	14	28	30
25-34	177	6.4	67	1	2	3	6	18	24	49	597	5.4	25	2	2	4	6	8	16	28
35-54	109	5.8	33	1	2	4	5	13	21	30	318	4.9	17	2	2	4	5	7	10	27
55-74	20	8.6	39	2	2	7	12	18	21	23	25	4.4	7	1	2	4	5	6	11	13
75 +	8	6.4	30	2	2	4	8	16	18	18	6	3.5	3	2	2	3	5	6	6	6
ALL AGES	356	6.8	58	1	2	4	7	20	23	33	1078	5.4	24	2	2	4	6	8	14	28
B. FEMALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17	3	4.7	16	1	1	4	8	9	9	9	1	3.0		3	3	3	3	3	3	3
18-20	8	10.4	215	2	2	3	15	36	40	40	28	5.6	26	1	2	5	6	10	13	28
21-24	31	6.1	42	1	1	3	7	16	23	26	57	5.2	19	1	2	4	6	9	11	27
25-34	150	6.1	52	1	2	4	5	14	27	31	264	6.4	35	2	3	4	7	10	21	31
35-54	96	8.2	60	2	3	5	10	21	28	67	117	5.9	32	1	2	5	7	10	15	32
55-74	45	9.2	66	2	2	6	11	21	27	39	44	6.4	22	2	3	5	8	12	13	30
75 +	17	10.7	82	1	2	9	14	23	30	34	8	9.8	155	2	2	6	8	31	40	40
ALL AGES	351	7.4	60	1	2	4	8	20	28	39	519	6.2	32	2	2	4	7	10	18	31
SUBTOTAL	**707**	**7.1**	**59**	**1**	**2**	**4**	**8**	**20**	**26**	**36**	**1597**	**5.6**	**27**	**2**	**2**	**4**	**6**	**9**	**15**	**29**
GRAND TOTAL	**929**	**6.5**	**50**	**1**	**2**	**4**	**7**	**17**	**22**	**32**	**1748**	**5.6**	**25**	**2**	**2**	**4**	**6**	**9**	**14**	**29**

DRUG PARANOID/HALLUCINOS (292.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	13.5	313	1	1	13	26	26	26	26										
13-17	6	6.0	46	1	1	4	7	18	19	19	1	2.0		2	2	2	2	2	2	2
18-20	4	4.0	15	1	1	3	7	9	9	9	2	10.5	145	2	2	10	19	19	19	19
21-24	5	8.4	47	1	1	7	15	16	16	16										
25-34	10	7.8	73	1	1	4	9	23	26	26	6	2.5	6	1	1	2	3	7	7	7
35-54	8	6.4	44	1	1	4	8	18	21	21	1	5.0		5	5	5	5	5	5	5
55-74	16	11.1	188	1	2	6	13	34	46	51	18	6.4	50	1	1	4	7	13	25	31
75 +	16	5.5	16	1	1	5	7	10	14	16	4	3.5	2	2	2	3	4	5	5	5
ALL AGES	67	7.7	79	1	1	5	9	19	26	48	32	5.4	38	1	1	3	6	11	19	31
B. FEMALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
13-17	2	4.0		4	4	4	4	4	4	4	3	2.0	3	1	1	1	3	4	4	4
18-20	3	8.0	49	1	1	8	13	15	15	15										
21-24	6	5.2	40	1	1	1	10	15	16	16										
25-34	11	6.5	40	1	2	4	8	17	22	22	3	4.0	19	1	1	2	7	9	9	9
35-54	12	6.4	28	1	2	5	8	14	19	20	3	2.3	2	1	1	2	3	3	3	3
55-74	31	9.6	66	2	3	8	14	20	40	99 +	25	9.1	128	1	2	6	11	16	42	47
75 +	27	5.5	14	2	2	4	6	12	14	17	23	5.7	14	2	2	5	7	10	13	17
ALL AGES	94	7.0	40	1	2	5	10	16	19	74	58	6.7	65	1	1	4	7	13	17	47
SUBTOTAL	**161**	**7.3**	**56**	**1**	**1**	**5**	**10**	**16**	**21**	**50**	**90**	**6.2**	**56**	**1**	**1**	**4**	**7**	**13**	**17**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	9	11.4	124	1	1	10	24	26	27	27	2	2.0		2	2	2	2	2	2	2
18-20	13	12.7	160	1	1	10	19	30	42	45	2	5.5	13	3	3	5	8	8	8	8
21-24	15	10.7	391	2	2	5	9	15	64	81	5	13.8	208	2	2	6	29	30	30	30
25-34	32	6.7	52	1	1	4	8	22	24	27	9	14.9	160	1	1	12	28	28	28	28
35-54	20	6.7	51	1	1	4	7	21	23	24	5	2.8	3	1	1	3	4	5	5	5
55-74	13	5.8	20	2	2	5	7	14	16	16	7	10.9	80	1	2	8	16	25	27	27
75 +	9	7.4	14	3	3	6	11	12	12	12	5	9.6	153	1	1	5	14	31	31	31
ALL AGES	111	8.3	109	1	1	5	10	22	25	59	35	10.2	116	1	1	5	17	28	30	31
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	4	17.3	603	2	2	6	30	54	54	54	1	3.0		3	3	3	3	3	3	3
18-20	5	19.8	255	1	1	13	33	41	41	41	3	4.0	7	2	2	3	6	7	7	7
21-24	6	10.3	12	4	5	11	12	14	14	14	1	4.0		4	4	4	4	4	4	4
25-34	21	11.6	249	1	1	7	15	28	53	67	4	8.5	111	1	1	4	15	24	24	24
35-54	10	9.0	82	2	2	5	12	23	32	32	7	4.9	8	1	1	4	6	9	10	10
55-74	7	8.4	23	4	4	7	12	16	17	17	5	7.0	47	1	1	4	12	17	17	17
75 +	14	8.9	40	3	4	6	11	18	23	25	13	9.2	64	2	3	6	13	23	24	24
ALL AGES	68	11.0	150	1	2	7	13	23	41	65	34	7.1	46	1	2	4	8	21	24	24
SUBTOTAL	**179**	**9.3**	**126**	**1**	**1**	**6**	**11**	**22**	**27**	**63**	**69**	**8.7**	**82**	**1**	**1**	**5**	**10**	**27**	**28**	**31**
GRAND TOTAL	**340**	**8.4**	**93**	**1**	**1**	**5**	**10**	**18**	**25**	**55**	**159**	**7.3**	**68**	**1**	**1**	**4**	**8**	**19**	**28**	**40**

PATHOLOGIC DRUG INTOX (292.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	2.7	4	1	1	2	4	5	5	5	1	1.0		1	1	1	1	1	1	1
18-20	1	1.0		1	1	1	1	1	1	1	1	6.0		6	6	6	6	6	6	6
21-24	3	3.0	4	1	1	3	4	5	5	5	1	22.0		22	22	22	22	22	22	22
25-34											7	22.7	193	2	2	30	31	33	33	33
35-54	1	1.0		1	1	1	1	1	1	1	2	5.0	32	1	1	5	9	9	9	9
55-74	3	7.0	27	4	4	4	11	13	13	13	2	8.5	41	4	4	8	13	13	13	13
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	11	3.6	13	1	1	3	5	8	13	13	15	14.6	169	1	1	9	30	31	32	33
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24											2	18.0	578	1	1	18	35	35	35	35
25-34	1	2.0		2	2	2	2	2	2	2	3	23.0	247	5	5	30	33	34	34	34
35-54	2	10.0	128	2	2	10	18	18	18	18	1	3.0		3	3	3	3	3	3	3
55-74	3	3.7	2	2	2	4	5	5	5	5										
75 +											3	8.3	18	5	5	7	11	13	13	13
ALL AGES	7	4.9	35	1	1	2	5	15	18	18	9	14.8	198	1	2	7	31	35	35	35
SUBTOTAL	**18**	**4.1**	**20**	**1**	**1**	**3**	**5**	**11**	**16**	**18**	**24**	**14.7**	**171**	**1**	**1**	**8**	**30**	**33**	**34**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											5	38.0	514	8	8	38	49	71	71	71
18-20	1	1.0		1	1	1	1	1	1	1	4	33.5	59	29	29	30	38	45	45	45
21-24	1	6.0		6	6	6	6	6	6	6	6	25.5	209	1	2	32	36	37	37	37
25-34	3	13.0	172	1	1	11	23	27	27	27	10	21.5	182	1	1	30	30	31	31	31
35-54	2	5.5	1	5	5	5	6	6	6	6	6	19.3	284	2	2	19	36	37	37	37
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	7	8.1	82	1	1	6	10	24	27	27	32	25.3	269	1	2	30	35	39	45	71
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20											1	30.0		30	30	30	30	30	30	30
21-24	1	7.0		7	7	7	7	7	7	7	1	37.0		37	37	37	37	37	37	37
25-34	3	3.3	6	2	2	4	53	99 +	99 +	99 +	4	16.8	232	3	3	17	30	30	30	30
35-54	2	8.5	1	8	8	8	9	9	9	9	2	16.5	421	2	2	16	31	31	31	31
55-74	3	7.0	7	4	4	8	9	9	9	9	3	26.7	1106	5	5	10	51	65	65	65
75 +	3	4.0	12	2	2	2	7	8	8	8	1	7.0		7	7	7	7	7	7	7
ALL AGES	12	5.6	9	2	2	7	8	27	86	99 +	13	19.6	372	1	2	10	30	43	61	65
SUBTOTAL	**19**	**6.5**	**34**	**1**	**1**	**6**	**9**	**19**	**63**	**99 +**	**45**	**23.7**	**295**	**1**	**2**	**30**	**32**	**38**	**50**	**71**
GRAND TOTAL	37	5.4	27	1	1	4	8	12	23	99 +	69	20.6	266	1	2	29	31	37	42	70

OTHER DRUG MENTAL DIS (292.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	2	1.0		1	1	1	1	1	1	1
13-17	4	4.5	16	1	1	4	8	8	8	8	2	3.0	8	1	1	3	5	5	5	5
18-20	4	6.5	23	1	1	7	10	11	11	11	4	1.5		1	1	1	2	2	2	2
21-24	4	7.8	92	1	1	4	13	22	22	22										
25-34	17	8.0	174	1	1	5	6	31	44	48	9	2.4	3	1	1	2	3	5	6	6
35-54	27	5.4	31	1	1	3	5	14	17	24	10	6.2	40	1	1	4	5	17	21	21
55-74	60	7.1	72	1	1	4	7	16	32	39	41	6.4	30	1	1	7	8	11	14	33
75 +	54	7.0	43	1	2	5	8	15	18	39	41	5.4	11	2	2	5	7	9	11	18
ALL AGES	171	6.8	62	1	1	4	8	14	22	40	109	5.3	21	1	1	4	7	10	13	26
B. FEMALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10	2	6.0	8	4	4	6	8	8	8	8
13-17	5	13.4	353	1	1	4	21	46	46	46	3	2.0	1	1	1	2	3	3	3	3
18-20	4	3.0	16	1	1	1	5	9	9	9	1	1.0		1	1	1	1	1	1	1
21-24	6	8.2	69	1	1	5	17	20	20	20	4	1.0		1	1	1	1	1	1	1
25-34	15	4.8	12	1	1	4	8	9	12	13	6	3.3	4	2	2	3	4	7	7	7
35-54	36	4.6	15	1	1	4	6	11	12	17	11	4.6	15	1	1	4	6	11	12	12
55-74	82	9.0	130	1	2	6	12	17	22	73	51	6.1	28	1	1	4	8	12	14	29
75 +	103	6.5	27	1	2	5	8	12	16	28	68	5.1	12	1	2	4	7	10	11	15
ALL AGES	252	7.1	66	1	1	5	9	14	18	46	146	5.2	17	1	1	4	7	11	12	21
SUBTOTAL	**423**	**6.9**	**66**	**1**	**1**	**5**	**8**	**14**	**21**	**42**	**255**	**5.2**	**19**	**1**	**1**	**4**	**7**	**10**	**13**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	9	4.2	17	1	1	4	5	11	14	14	2	1.0		1	1	1	1	1	1	1
18-20	5	6.8	77	1	1	4	10	22	22	22	3	12.0	67	5	5	10	18	21	21	21
21-24	9	12.2	164	6	6	8	10	32	46	46	2	3.0	2	2	2	3	4	4	4	4
25-34	31	10.0	145	1	1	5	12	26	44	47	4	4.0	7	1	1	4	6	7	7	7
35-54	19	9.8	107	1	1	6	17	26	31	34	14	6.9	49	1	1	5	8	17	23	25
55-74	45	9.2	52	2	2	7	14	21	24	31	14	6.6	21	3	3	5	11	16	79	99+
75 +	25	9.1	26	2	3	8	12	17	19	22	20	5.6	13	2	2	5	7	11	14	16
ALL AGES	143	9.2	80	1	1	7	12	21	25	46	59	6.1	27	1	1	5	8	15	19	92
B. FEMALE																				
0-12 YRS.																				
13-17	7	13.7	96	1	2	16	18	28	30	30	2	1.0		1	1	1	1	1	1	1
18-20	6	6.2	28	1	1	4	10	14	15	15										
21-24	2	2.0	2	1	1	1	3	3	3	3										
25-34	22	7.6	57	1	2	4	13	18	23	29	9	7.9	76	1	1	5	10	22	29	29
35-54	31	9.7	58	1	2	7	14	24	26	27	12	6.2	41	1	2	3	8	15	22	23
55-74	67	8.6	80	2	2	6	10	20	26	52	32	7.9	79	1	1	6	8	17	33	41
75 +	56	9.4	71	2	3	7	11	19	22	47	40	7.0	26	1	2	5	9	16	18	20
ALL AGES	191	8.9	70	1	2	6	12	19	26	44	95	7.1	50	1	1	5	8	16	20	38
SUBTOTAL	**334**	**9.1**	**73**	**1**	**2**	**6**	**12**	**19**	**26**	**46**	**154**	**6.8**	**40**	**1**	**1**	**5**	**8**	**16**	**20**	**41**
GRAND TOTAL	**757**	**7.9**	**70**	**1**	**1**	**5**	**10**	**17**	**23**	**46**	**409**	**5.8**	**28**	**1**	**1**	**4**	**7**	**12**	**16**	**31**

DRUG MENTAL DISORDER NOS (292.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	49.0		49	49	49	49	49	49	49										
13-17	6	14.2	167	2	2	11	25	32	33	33	1	1.0		1	1	1	1	1	1	1
18-20	16	4.5	11	1	1	4	6	7	12	14										
21-24	10	5.8	18	1	1	6	9	49	96	99+	3	1.3		1	1	1	2	2	2	2
25-34	15	2.7	3	1	1	2	3	6	7	7	2	3.5	5	2	2	3	5	5	5	5
35-54	5	5.2	23	1	1	4	8	13	13	13	3	4.0		4	4	4	4	4	4	4
55-74	6	9.0	157	1	1	4	9	31	34	34	8	6.9	65	1	1	4	7	21	26	26
75 +	17	7.5	18	3	4	6	11	15	15	15	2	7.5	61	2	2	7	13	13	13	13
ALL AGES	76	6.8	64	1	1	4	7	15	30	86	19	4.9	35	1	1	3	5	11	20	26
B. FEMALE																				
0-12 YRS.																				
13-17	1	17.0		17	17	17	17	17	17	17	1	1.0		1	1	1	1	1	1	1
18-20	2	23.5	1013	1	1	23	46	46	46	46										
21-24	2	11.0	200	1	1	11	21	21	21	21										
25-34	6	9.5	84	2	2	6	14	25	26	26	3	4.3	1	4	4	4	5	5	5	5
35-54	11	5.6	25	1	1	5	8	13	18	18	7	11.1	194	1	1	5	12	35	41	41
55-74	19	8.9	51	2	3	7	12	21	25	25	12	3.2	6	1	1	3	4	6	9	10
75 +	12	9.6	37	4	5	7	12	20	23	24	8	6.1	24	1	1	5	8	14	16	16
ALL AGES	53	9.2	74	1	2	6	13	22	25	45	31	5.8	56	1	1	4	5	12	16	41
SUBTOTAL	**129**	**7.8**	**69**	**1**	**1**	**5**	**9**	**17**	**25**	**59**	**50**	**5.5**	**47**	**1**	**1**	**4**	**5**	**12**	**16**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	13.6	175	3	3	10	19	36	36	36	3	4.7	4	3	3	4	6	7	7	7
18-20	14	10.5	60	1	2	8	20	21	23	24	6	9.3	140	1	1	2	23	26	26	26
21-24	17	10.5	113	1	1	7	15	28	35	37	2	6.0	18	3	3	6	9	9	9	9
25-34	22	11.0	142	1	2	7	14	32	39	43	1	2.0		2	2	2	2	2	2	2
35-54	7	11.3	114	1	1	7	21	26	27	27	4	10.3	110	1	1	8	18	24	24	24
55-74	5	12.4	90	6	6	9	15	29	29	29	1	5.0		5	5	5	5	5	5	5
75 +	5	7.8	25	1	1	7	10	15	15	15	3	3.0	1	2	2	3	4	4	4	4
ALL AGES	75	10.9	101	1	1	7	15	27	35	42	20	7.0	64	1	1	3	8	23	25	26
B. FEMALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-20	5	7.2	62	1	1	5	12	20	20	20										
21-24	8	19.4	476	4	4	14	20	56	71	71										
25-34	8	8.3	32	2	3	7	11	17	20	20	4	12.0	164	1	1	11	23	25	25	25
35-54	8	14.8	99	5	5	11	25	28	28	28	5	10.8	43	2	2	13	16	17	17	17
55-74	8	10.8	41	2	2	11	16	19	19	19	6	8.5	136	1	1	4	6	29	32	32
75 +	5	4.4	12	1	1	3	7	9	9	9	5	5.0	4	2	2	6	6	7	7	7
ALL AGES	42	11.5	143	1	2	7	17	21	27	71	21	8.7	75	1	1	6	14	23	28	32
SUBTOTAL	**117**	**11.1**	**116**	**1**	**2**	**7**	**15**	**24**	**30**	**52**	**41**	**7.8**	**70**	**1**	**1**	**4**	**10**	**23**	**25**	**32**
GRAND TOTAL	**246**	**9.4**	**93**	**1**	**1**	**6**	**13**	**22**	**29**	**50**	**91**	**6.5**	**59**	**1**	**1**	**4**	**7**	**17**	**25**	**37**

ACUTE DELIRIUM (293.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	3	1.7		1	1	2	2	2	2	2
13-17	5	11.6	394	1	1	3	15	47	47	47	7	2.6	5	1	1	2	4	6	7	7
18-20	2	2.5	1	2	2	2	3	3	3	3	2	3.5	5	2	2	3	5	5	5	5
21-24	3	10.3	125	2	2	6	19	23	23	23	1	7.0		7	7	7	7	7	7	7
25-34	14	4.7	15	1	1	3	8	11	12	12	10	1.7	1	1	1	2	2	3	4	4
35-54	36	7.9	205	1	1	4	7	15	27	84	16	5.4	39	1	1	4	6	6	21	28
55-74	94	7.9	60	2	2	5	10	21	27	36	101	5.1	25	1	1	4	6	10	15	28
75 +	102	7.9	73	1	2	5	9	19	27	43	126	7.9	105	1	2	5	9	16	28	88
ALL AGES	257	7.8	87	1	2	5	9	19	27	46	266	6.2	65	1	1	4	7	13	18	46
B. FEMALE																				
0-12 YRS.	2	4.0	2	3	3	4	5	5	5	5	1	1.0		1	1	1	1	1	1	1
13-17	2	7.0	72	1	1	7	13	13	13	13	2	1.0		1	1	1	1	1	1	1
18-20	1	2.0		2	2	2	2	2	2	2	2	19.0	512	3	3	19	35	35	35	35
21-24	4	6.8	31	2	2	6	11	13	13	13										
25-34	15	16.7	485	1	2	10	17	47	75	84	5	3.6	4	2	2	3	5	7	7	7
35-54	29	5.1	17	1	1	4	6	13	14	17	22	4.0	26	1	1	3	4	7	17	25
55-74	153	8.0	91	1	2	5	9	15	25	52	126	5.7	38	1	2	4	7	10	13	42
75 +	194	7.5	57	2	2	6	8	14	22	55	181	6.9	55	1	2	5	8	13	17	48
ALL AGES	400	7.8	85	1	2	5	9	15	24	57	339	6.2	49	1	2	4	7	11	16	40
SUBTOTAL	**657**	**7.8**	**86**	**1**	**2**	**5**	**9**	**15**	**25**	**51**	**605**	**6.2**	**56**	**1**	**1**	**4**	**7**	**12**	**16**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
18-20	3	31.0	2611	1	1	2	68	90	90	90	1	1.0		1	1	1	1	1	1	1
21-24	2	12.0	18	9	9	12	15	15	15	15	1	4.0		4	4	4	4	4	4	4
25-34	5	9.4	58	2	2	7	13	22	22	22	4	7.3	97	1	1	3	13	22	22	22
35-54	23	7.7	38	1	1	5	11	17	19	22	8	3.8	13	1	1	2	5	10	11	11
55-74	49	9.7	55	2	2	7	13	20	27	35	33	8.5	86	1	2	6	9	16	28	48
75 +	64	9.7	55	1	2	8	13	19	23	37	30	8.1	58	1	1	7	8	18	25	35
ALL AGES	148	9.7	96	1	2	7	13	19	23	39	78	7.6	65	1	1	6	8	15	25	44
B. FEMALE																				
0-12 YRS.																				
13-17											1	37.0		37	37	37	37	37	37	37
18-20	1	40.0		40	40	40	40	40	40	40										
21-24	3	1.3		1	1	1	2	2	2	2	2	6.0	18	3	3	6	9	9	9	9
25-34	8	7.5	50	1	1	6	7	19	24	24	3	9.3	105	2	2	5	17	21	21	21
35-54	15	8.2	33	2	2	8	12	17	18	19	6	3.7	4	1	1	3	4	7	7	7
55-74	60	9.3	67	3	3	6	10	19	31	38	34	8.3	254	1	1	5	7	12	31	92
75 +	94	9.9	120	3	4	7	11	16	31	90	78	7.7	48	2	3	6	9	15	18	43
ALL AGES	181	9.5	95	2	3	7	10	18	30	73	124	7.9	109	1	2	5	8	15	22	61
SUBTOTAL	**329**	**9.6**	**95**	**2**	**2**	**7**	**12**	**19**	**28**	**64**	**202**	**7.8**	**91**	**1**	**2**	**5**	**8**	**15**	**24**	**49**
GRAND TOTAL	**986**	**8.4**	**89**	**1**	**2**	**6**	**10**	**17**	**26**	**52**	**807**	**6.6**	**65**	**1**	**1**	**5**	**7**	**13**	**19**	**47**

SUBACUTE DELIRIUM (293.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54	2	17.0	18	14	14	17	20	20	20	20	1	3.0		3	3	3	3	3	3	3
55-74	4	5.3	14	2	2	5	8	9	9	9	7	15.7	860	2	2	5	8	67	82	82
75 +	5	7.0	26	1	1	10	11	12	12	12	1	16.0		16	16	16	16	16	16	16
ALL AGES	12	7.8	35	1	1	8	11	16	19	20	10	13.0	607	1	1	4	8	49	82	82
B. FEMALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1										
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	4	5.8	29	1	1	4	10	13	13	13	4	4.5	10	2	2	3	6	9	9	9
75 +	5	12.6	91	2	2	13	21	23	23	23	4	4.0	13	1	1	3	6	9	9	9
ALL AGES	12	7.6	64	1	1	3	13	22	23	23	8	4.3	9	1	1	3	6	9	9	9
SUBTOTAL	**24**	**7.7**	**47**	**1**	**1**	**6**	**12**	**20**	**22**	**23**	**18**	**9.1**	**345**	**1**	**1**	**4**	**8**	**14**	**56**	**82**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	2	1.0		1	1	1	1	1	1	1	1	7.0		7	7	7	7	7	7	7
55-74	2	7.5	1	7	7	7	8	8	8	8	1	8.0		8	8	8	8	8	8	8
75 +	2	4.5	1	4	4	4	5	5	5	5										
ALL AGES	7	4.1	8	1	1	4	6	8	8	8	2	7.5	1	7	7	7	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	21.0		21	21	21	21	21	21	21										
35-54	2	5.5	1	5	5	5	6	6	6	6	1	6.0		6	6	6	6	6	6	6
55-74	3	10.7	55	3	3	11	16	18	18	18	2	7.5	61	2	2	7	13	13	13	13
75 +	2	2.5	1	2	2	2	3	3	3	3	3	6.3	17	2	2	7	9	10	10	10
ALL AGES	8	8.6	54	2	2	5	14	20	21	21	6	6.7	19	2	2	6	10	13	13	13
SUBTOTAL	**15**	**6.5**	**36**	**1**	**1**	**5**	**8**	**18**	**20**	**21**	**8**	**6.9**	**13**	**2**	**2**	**7**	**9**	**12**	**13**	**13**
GRAND TOTAL	39	7.3	41	1	1	5	11	19	21	23	26	8.4	240	1	2	5	8	13	29	82

OTH TRANSIENT ORG MENTAL (293.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	2	40.5	1405	14	14	40	67	67	67	67										
18-20	3	16.3	122	10	10	10	24	29	29	29										
21-24	14	30.6	449	3	5	24	50	65	67	68										
25-34	30	13.3	139	1	3	11	16	23	47	53	4	10.5	32	4	4	10	15	17	17	17
35-54	43	23.8	359	3	8	18	30	59	68	84	5	9.0	35	4	4	7	11	19	19	19
55-74	82	18.6	243	3	5	14	23	36	50	80	8	20.0	496	1	1	13	31	56	65	65
75 +	51	16.0	99	2	3	16	23	28	35	40	9	10.8	166	3	3	6	18	71	99 +	99 +
ALL AGES	226	19.1	254	3	4	15	25	37	54	74	26	13.2	224	2	3	7	19	41	70	99 +
B. FEMALE																				
0-12 YRS.	1	46.0		46	46	46	46	46	46	46										
13-17	4	15.3	113	1	1	18	23	24	24	24	1	1.0		1	1	1	1	1	1	1
18-20	2	6.0	32	2	2	6	10	10	10	10	2	20.0	722	1	1	19	39	39	39	39
21-24	7	17.3	237	5	5	9	32	40	41	41	1	3.0		3	3	3	3	3	3	3
25-34	27	16.6	119	2	4	16	28	34	44	99 +	5	15.8	407	1	1	6	26	50	50	50
35-54	37	16.0	178	2	4	14	20	32	48	61	6	8.8	106	1	1	3	21	23	23	23
55-74	97	20.4	226	3	4	18	26	45	59	99 +	8	9.4	40	1	2	9	12	19	22	22
75 +	88	17.4	140	3	5	14	25	34	37	86	14	18.0	262	3	5	12	25	49	53	54
ALL AGES	263	18.2	180	2	4	15	25	36	47	99 +	37	13.6	208	1	1	8	19	37	50	54
SUBTOTAL	**489**	**18.6**	**214**	**2**	**4**	**15**	**25**	**36**	**52**	**85**	**63**	**13.4**	**212**	**1**	**1**	**8**	**19**	**39**	**51**	**95**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	35.0		35	35	35	35	35	35	35										
13-17	3	10.0	109	3	3	5	18	22	22	22										
18-20	7	13.4	66	3	3	16	19	23	24	24	1	1.0		1	1	1	1	1	1	1
21-24	5	18.6	350	1	1	12	37	41	41	41										
25-34	32	19.3	194	5	6	16	27	34	50	62	5	12.4	124	2	2	11	19	30	30	30
35-54	46	18.0	238	2	4	15	24	37	54	71	8	9.5	52	2	2	9	13	21	23	23
55-74	47	13.4	119	2	4	11	18	26	40	50	2	6.5	1	6	6	6	7	7	7	7
75 +	27	13.0	62	5	6	12	15	19	26	45	1	4.0		4	4	4	4	4	4	4
ALL AGES	168	16.0	163	3	4	13	22	31	41	61	17	9.2	63	1	2	7	13	21	28	30
B. FEMALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-17	2	9.5	5	8	8	9	11	11	11	11										
18-20	3	13.0	43	7	7	12	18	20	20	20										
21-24	9	19.6	206	6	6	18	26	42	50	50	1	4.0		4	4	4	4	4	4	4
25-34	26	19.7	300	3	4	13	24	52	57	61	4	3.8	4	2	2	4	5	6	6	6
35-54	28	15.9	173	2	4	11	24	34	38	57	7	5.0	23	1	1	4	6	13	15	15
55-74	75	17.3	112	3	4	16	24	32	42	86	12	11.4	142	3	3	6	14	30	41	43
75 +	47	19.2	140	5	7	18	24	31	40	69	3	20.3	242	9	9	14	32	38	38	38
ALL AGES	191	17.8	156	3	5	16	24	33	45	66	27	9.3	112	1	2	5	11	23	39	43
SUBTOTAL	**359**	**17.0**	**158**	**3**	**4**	**14**	**23**	**33**	**42**	**62**	**44**	**9.3**	**90**	**1**	**2**	**6**	**12**	**23**	**32**	**43**
GRAND TOTAL	848	17.9	192	3	4	15	24	35	48	76	107	11.7	165	1	2	7	15	30	44	80

TRANSIENT ORG MENTAL NOS (293.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
18-20	1	21.0		21	21	21	21	21	21	21										
21-24	2	5.0	2	4	4	5	6	6	6	6	1	5.0		5	5	5	5	5	5	5
25-34	7	15.0	344	1	1	7	27	45	49	49	5	1.6	1	1	1	1	2	3	3	3
35-54	10	5.7	32	1	1	3	10	15	15	15	8	6.4	30	1	1	4	11	15	15	15
55-74	20	8.4	46	1	1	9	14	21	59	99+	17	6.0	43	1	1	4	10	23	71	99+
75 +	15	6.3	78	1	1	3	8	11	30	36	11	3.6	8	1	1	3	6	8	9	9
ALL AGES	56	8.2	90	1	1	4	11	20	34	96	43	4.8	26	1	1	3	7	13	19	99+
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
18-20											1	3.0		3	3	3	3	3	3	3
21-24																				
25-34	3	3.3	5	1	1	4	5	5	5	5	2	3.5	5	2	2	3	5	5	5	5
35-54	5	20.4	195	9	9	18	26	44	44	44	6	8.5	25	3	3	8	14	14	14	14
55-74	25	8.2	61	2	3	7	10	12	20	42	16	5.1	22	1	1	4	6	10	17	20
75 +	29	6.0	28	1	1	5	7	12	15	27	24	4.5	10	1	1	4	7	9	10	10
ALL AGES	63	7.8	65	1	2	6	10	13	22	44	50	5.1	15	1	1	4	7	10	14	20
SUBTOTAL	**119**	**8.0**	**76**	**1**	**1**	**6**	**11**	**18**	**29**	**64**	**93**	**4.9**	**21**	**1**	**1**	**4**	**7**	**10**	**14**	**68**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	1	2.0		2	2	2	2	2	2	2										
18-20	1	12.0		12	12	12	12	12	12	12	1	2.0		2	2	2	2	2	2	2
21-24	2	11.0	98	4	4	11	18	18	18	18										
25-34	5	11.6	158	4	4	7	14	34	34	34	3	2.7	2	1	1	3	4	4	4	4
35-54	5	17.2	54	7	7	21	22	24	24	24	3	4.0	19	1	1	2	7	9	9	9
55-74	6	11.2	188	1	1	7	11	35	38	38										
75 +	6	13.3	284	1	1	4	29	39	40	40	1	24.0		24	24	24	24	24	24	24
ALL AGES	27	12.2	140	1	2	7	20	33	38	40	8	5.8	60	1	1	3	6	19	24	24
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	4.5	13	2	2	4	7	7	7	7										
21-24	2	5.5	1	5	5	5	6	6	6	6	1	3.0		3	3	3	3	3	3	3
25-34	2	10.5	5	9	9	10	12	12	12	12	2	6.5	41	2	2	6	11	11	11	11
35-54	4	10.5	86	4	4	7	16	24	24	24	3	1.3		1	1	1	2	2	2	2
55-74	10	13.9	119	1	3	12	15	31	40	40	4	10.8	52	5	5	8	16	21	21	21
75 +	9	12.8	351	1	2	6	10	42	62	62	5	6.0	7	3	3	6	8	9	9	9
ALL AGES	29	11.6	158	1	3	8	13	24	41	62	15	6.2	28	1	1	5	9	11	19	21
SUBTOTAL	**56**	**11.9**	**147**	**1**	**2**	**8**	**13**	**29**	**39**	**61**	**23**	**6.0**	**38**	**1**	**1**	**4**	**9**	**13**	**22**	**24**
GRAND TOTAL	**175**	**9.2**	**102**	**1**	**1**	**6**	**11**	**22**	**35**	**59**	**116**	**5.2**	**23**	**1**	**1**	**4**	**7**	**11**	**15**	**51**

AMNESTIC SYNDROME (294.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	5	6.2	28	1	1	4	10	14	14	14	1	7.0		7	7	7	7	7	7	7
55-74	9	8.9	76	1	1	5	14	23	27	27	11	9.8	593	1	1	2	4	37	79	83
75 +	2	5.5	25	2	2	5	9	9	9	9	2	19.0	450	4	4	19	34	34	34	34
ALL AGES	17	7.2	52	1	1	5	10	17	24	27	14	10.9	503	1	1	3	7	39	73	83
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	2	7.0	32	3	3	7	11	11	11	11	1	2.0		2	2	2	2	2	2	2
55-74	10	4.0	4	1	1	4	5	7	8	8	7	1.9	3	1	1	1	2	5	6	6
75 +	7	7.7	41	2	2	5	14	16	16	16	6	2.7	5	1	1	2	3	7	7	7
ALL AGES	20	5.5	21	1	2	4	7	13	15	16	14	2.2	4	1	1	2	2	6	7	7
SUBTOTAL	**37**	**6.3**	**34**	**1**	**1**	**4**	**9**	**15**	**17**	**27**	**28**	**6.6**	**263**	**1**	**1**	**2**	**4**	**7**	**39**	**83**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	2	3.0	2	2	2	3	4	4	4	4	1	22.0		22	22	22	22	22	22	22
35-54	1	13.0		13	13	13	13	13	13	13										
55-74	2	10.0	8	8	8	10	12	12	12	12	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	6	6.8	25	2	2	6	12	13	13	13	2	12.0	200	2	2	12	22	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	1.0		1	1	1	1	1	1	1	1	12.0		12	12	12	12	12	12	12
55-74	1	7.0		7	7	7	7	7	7	7										
75 +	4	14.3	66	7	7	12	19	26	26	26										
ALL AGES	7	9.6	71	1	1	7	12	23	26	26	1	12.0		12	12	12	12	12	12	12
SUBTOTAL	**13**	**8.3**	**48**	**1**	**2**	**7**	**12**	**16**	**24**	**26**	**3**	**12.0**	**100**	**2**	**2**	**12**	**19**	**22**	**22**	**22**
GRAND TOTAL	**50**	**6.8**	**38**	**1**	**1**	**5**	**11**	**14**	**18**	**27**	**31**	**7.1**	**246**	**1**	**1**	**2**	**6**	**16**	**33**	**83**

DEMENTIA IN OTH DISEASES (294.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	8.0		8	8	8	8	8	8	8	1	27.0		27	27	27	27	27	27	27
35-54	9	15.6	421	2	2	10	14	48	69	69	1	50.0		50	50	50	50	50	50	50
55-74	20	13.7	108	1	2	10	19	34	68	99 +	13	10.7	87	1	3	7	13	25	33	35
75 +	19	8.3	86	1	1	7	10	15	31	42	10	8.6	31	3	3	6	12	17	21	21
ALL AGES	49	11.8	155	1	1	9	14	29	42	99 +	25	12.1	130	2	4	7	14	27	39	50
B. FEMALE																				
0-12 YRS.																				
13-17	1	62.0		62	62	62	62	62	62	62										
18-20																				
21-24	1	13.0		13	13	13	13	13	13	13										
25-34	4	8.0	17	4	4	8	11	12	12	12										
35-54	7	13.9	41	5	6	12	19	23	24	24	3	7.0	52	1	1	5	12	15	15	15
55-74	21	11.6	86	1	2	9	18	24	29	35	7	7.6	42	1	2	5	9	19	21	21
75 +	20	15.4	99	2	6	13	20	31	38	39	3	12.0	271	2	2	3	24	31	31	31
ALL AGES	54	14.0	123	1	4	12	17	25	37	61	13	8.5	79	1	1	5	11	23	29	31
SUBTOTAL	**103**	**13.0**	**137**	**1**	**2**	**10**	**16**	**26**	**40**	**83**	**38**	**10.8**	**114**	**1**	**2**	**6**	**13**	**25**	**33**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	84.0		84	84	84	84	84	84	84
21-24																				
25-34	2	15.5	61	10	10	15	21	21	21	21	1	21.0		21	21	21	21	21	21	21
35-54	2	14.5	181	5	5	14	24	24	24	24										
55-74	12	18.8	348	1	3	12	27	45	64	67	3	7.3	17	5	5	5	10	12	12	12
75 +	3	17.7	356	3	3	11	32	39	39	39	2	5.0		5	5	5	5	5	5	5
ALL AGES	19	17.8	269	2	3	11	23	37	54	67	7	19.6	842	5	5	5	19	71	84	84
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13	2	25.5	25	22	22	25	29	29	29	29
55-74	4	15.0	90	7	7	12	22	28	28	28	1	31.0		31	31	31	31	31	31	31
75 +	8	7.3	19	2	2	7	10	14	15	15	3	9.3	51	3	3	8	15	17	17	17
ALL AGES	13	10.1	48	2	3	8	13	18	26	28	6	18.3	128	3	3	19	29	31	31	31
SUBTOTAL	**32**	**14.7**	**189**	**2**	**3**	**10**	**20**	**34**	**39**	**67**	**13**	**19.0**	**475**	**3**	**4**	**12**	**24**	**42**	**76**	**84**
GRAND TOTAL	**135**	**13.4**	**148**	**1**	**2**	**10**	**17**	**29**	**39**	**73**	**51**	**12.9**	**211**	**1**	**3**	**7**	**18**	**30**	**35**	**84**

Total U.S. January - December 1986

ORGANIC BRAIN SYND NEC (294.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	11.0	2	10	10	11	12	12	12	12										
18-20	1	17.0		17	17	17	17	17	17	17	1	79.0		79	79	79	79	79	79	79
21-24	4	12.8	66	1	1	15	18	20	20	20										
25-34	10	13.6	36	4	4	15	19	20	20	20	3	12.7	5	10	10	13	14	15	15	15
35-54	12	10.8	40	2	2	10	16	19	20	20	3	30.7	678	10	10	22	50	60	60	60
55-74	28	10.9	38	2	3	10	15	19	21	26	4	10.5	40	2	2	13	38	99+	99+	99+
75 +	17	12.8	108	1	1	11	15	32	35	36	4	5.3	28	1	1	7	34	99+	99+	99+
ALL AGES	74	11.9	52	1	2	12	16	20	25	36	15	18.1	483	1	1	13	31	96	99+	99+
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	1	14.0		14	14	14	14	14	14	14										
18-20	1	22.0		22	22	22	22	22	22	22										
21-24																				
25-34	10	20.1	463	6	7	13	16	54	78	78	2	56.5	2521	21	21	92	98	99+	99+	99+
35-54	9	13.2	115	2	2	11	18	31	34	34	2	6.5	5	5	5	6	8	8	8	8
55-74	38	15.1	172	1	2	11	22	32	40	62	3	14.7	89	5	5	15	22	24	24	24
75 +	33	9.9	51	1	2	9	14	22	25	27	2	9.5	1	9	9	9	10	10	10	10
ALL AGES	93	13.5	155	1	2	11	16	28	34	71	9	21.0	754	5	5	12	24	96	99+	99+
SUBTOTAL	**167**	**12.8**	**109**	**1**	**2**	**11**	**16**	**24**	**32**	**59**	**24**	**19.2**	**558**	**1**	**3**	**13**	**23**	**98**	**99+**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	11.0		11	11	55	99+	99+	99+	99+										
13-17	3	18.7	422	3	3	11	34	42	42	42										
18-20	2	28.0	18	25	25	28	31	31	31	31	2	6.5	25	3	3	6	10	10	10	10
21-24	4	18.8	480	2	2	12	35	49	49	49	2	9.5	25	6	6	9	13	13	13	13
25-34	6	27.7	518	7	7	20	45	62	64	64	4	11.0	82	4	4	13	42	99+	99+	99+
35-54	9	14.4	99	3	3	13	23	28	29	29	6	25.7	660	4	5	27	62	94	99+	99+
55-74	17	15.5	112	2	4	12	19	34	36	37	4	11.8	148	4	4	6	18	30	30	30
75 +	6	12.0	32	6	6	11	18	19	19	19	5	14.2	120	4	4	9	23	30	30	30
ALL AGES	48	17.3	188	3	3	13	25	40	50	99+	23	15.1	252	3	4	9	28	70	99+	99+
B. FEMALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19										
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	2	15.0	50	10	10	15	20	20	20	20	1	10.0		10	10	10	10	10	10	10
25-34	4	9.8	44	3	3	10	15	16	16	16	1	17.0		17	17	17	17	17	17	17
35-54	7	17.1	94	2	3	21	25	27	27	27	1	3.0		3	3	3	3	3	3	3
55-74	11	12.5	40	4	6	9	16	23	23	23	4	13.0	103	6	6	9	19	28	28	28
75 +	12	12.0	33	4	4	13	15	20	22	22	2	5.5	5	4	4	5	7	7	7	7
ALL AGES	38	12.9	50	2	4	13	19	23	25	27	9	10.3	62	3	3	8	12	24	28	28
SUBTOTAL	**86**	**15.3**	**133**	**3**	**4**	**13**	**21**	**31**	**42**	**87**	**32**	**13.8**	**198**	**3**	**4**	**8**	**23**	**42**	**94**	**99+**
GRAND TOTAL	**253**	**13.7**	**117**	**2**	**3**	**12**	**17**	**26**	**34**	**64**	**56**	**16.1**	**353**	**2**	**4**	**10**	**23**	**64**	**99+**	**99+**

ORGANIC BRAIN SYND NOS (294.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	32.3	1728	4	4	13	63	80	80	80										
18-20	5	16.0	142	3	3	17	26	30	30	30	1	17.0		17	17	17	17	17	17	17
21-24	3	18.3	156	4	4	25	26	26	26	26	1	10.0		10	10	10	10	10	10	10
25-34	15	10.8	74	1	1	8	16	26	27	27	3	16.0	19	13	13	14	19	21	21	21
35-54	16	15.8	116	2	3	15	25	29	35	38	4	4.5	15	1	1	3	7	10	10	10
55-74	68	12.3	64	2	3	11	16	22	25	45	11	7.9	14	2	4	7	10	13	16	16
75 +	83	13.3	96	2	3	12	17	23	30	56	22	7.2	30	1	2	6	9	15	19	24
ALL AGES	193	13.4	108	2	3	12	17	25	29	56	42	8.0	30	1	2	7	10	16	19	24
B. FEMALE																				
0-12 YRS.																				
13-17	1	66.0		66	66	66	66	66	66	66										
18-20																				
21-24	2	9.5	1	9	9	9	10	10	10	10	1	14.0		14	14	14	14	14	14	14
25-34	5	9.4	13	4	4	10	12	13	13	13	1	4.0		4	4	4	4	4	4	4
35-54	16	11.3	82	2	3	8	13	28	32	34	6	22.2	407	7	7	17	23	57	61	61
55-74	86	15.9	181	2	4	12	21	35	46	62	17	13.0	197	3	4	8	12	36	50	55
75 +	130	14.9	145	3	5	12	20	28	45	99 +	17	10.2	95	2	2	7	10	28	34	36
ALL AGES	240	15.1	160	3	4	11	20	32	45	76	42	13.0	181	2	3	8	14	32	47	61
SUBTOTAL	**433**	**14.3**	**139**	**2**	**4**	**12**	**19**	**27**	**38**	**69**	**84**	**10.5**	**110**	**2**	**2**	**7**	**12**	**21**	**32**	**59**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	98.0		98	98	98	98	98	98	98
18-20	3	21.7	20	18	18	20	25	27	27	27	1	26.0		26	26	26	26	26	26	26
21-24	2	12.0	8	10	10	12	14	14	14	14										
25-34	11	10.9	39	4	4	10	14	21	22	22	1	4.0		4	4	4	4	4	4	4
35-54	14	22.1	402	2	7	17	27	40	73	82										
55-74	29	14.8	137	3	4	10	18	35	44	48	3	3.3	7	1	1	3	5	6	6	6
75 +	29	15.9	159	3	4	14	19	29	44	62	2	5.5	5	4	4	5	7	7	7	7
ALL AGES	88	16.0	172	3	4	13	20	30	43	74	8	18.6	1091	1	2	5	16	76	98	98
B. FEMALE																				
0-12 YRS.																				
13-17	1	83.0		83	83	83	83	83	83	83										
18-20	1	12.0		12	12	12	12	12	12	12										
21-24	1	28.0		28	28	28	28	28	28	28										
25-34	3	12.7	55	5	5	16	60	99 +	99 +	99 +										
35-54	13	14.1	80	2	4	10	19	25	33	35	2	19.5	113	12	12	19	27	27	27	27
55-74	38	17.8	153	1	4	16	27	31	39	58	3	9.3	109	1	1	6	17	21	21	21
75 +	37	13.5	140	1	3	9	20	25	39	56	6	14.5	50	4	5	13	22	23	23	23
ALL AGES	94	16.2	180	1	4	13	22	31	44	92	11	14.0	71	1	3	13	22	49	93	99 +
SUBTOTAL	**182**	**16.1**	**175**	**3**	**4**	**13**	**21**	**31**	**43**	**83**	**19**	**15.9**	**470**	**1**	**2**	**12**	**22**	**62**	**99**	**99 +**
GRAND TOTAL	**615**	**14.8**	**151**	**2**	**4**	**12**	**20**	**29**	**39**	**76**	**103**	**11.5**	**177**	**2**	**2**	**7**	**13**	**23**	**37**	**99**

SIMPLE SCHIZOPHRENIA (295.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-20																				
21-24	2	15.0	18	12	12	15	18	18	18	18										
25-34	5	11.8	103	1	1	8	17	28	28	28										
35-54	3	21.0	49	16	16	18	26	29	29	29										
55-74	8	9.3	20	2	3	10	13	14	15	15	2	4.0		4	4	4	4	4	4	4
75 +	11	15.1	70	3	5	13	20	27	32	32	3	29.7	811	8	8	19	51	62	62	62
ALL AGES	29	13.5	62	2	4	13	18	26	29	32	6	16.8	525	4	4	6	19	58	62	62
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	12.0		12	12	12	12	12	12	12										
21-24	2	23.5	13	21	21	23	26	26	26	26										
25-34	9	14.3	63	4	5	16	18	26	30	30										
35-54	5	6.0	23	2	2	3	10	13	13	13	2	11.0	50	6	6	11	16	16	16	16
55-74	15	16.3	83	3	8	14	22	27	35	38	1	22.0		22	22	22	22	22	22	22
75 +	17	17.0	260	4	5	12	32	85	99 +	99 +	2	5.5	41	1	1	5	10	10	10	10
ALL AGES	49	15.3	138	3	4	12	20	37	62	99 +	5	11.0	68	1	1	10	17	22	22	22
SUBTOTAL	**78**	**14.7**	**108**	**2**	**4**	**13**	**19**	**29**	**41**	**99 +**	**11**	**14.2**	**298**	**1**	**3**	**8**	**18**	**38**	**60**	**62**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	5	8.2	39	1	1	11	13	14	14	14										
35-54	2	27.5	1	27	27	27	28	28	28	28	1	9.0		9	9	9	9	9	9	9
55-74	3	8.7	40	4	4	6	13	16	16	16										
75 +	6	6.8	12	4	4	6	8	12	13	13										
ALL AGES	16	10.2	65	1	2	7	14	26	28	28	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	30.0		30	30	30	30	30	30	30										
25-34	1	50.0		50	50	50	50	50	50	50										
35-54	2	7.5	25	4	4	7	11	11	11	11	1	5.0		5	5	5	5	5	5	5
55-74	7	10.9	30	1	2	11	16	17	17	17	1	1.0		1	1	1	1	1	1	1
75 +	9	11.2	39	1	2	13	18	59	99 +	99 +	1	7.0		7	7	7	7	7	7	7
ALL AGES	20	13.6	121	1	3	12	17	38	72	99 +	3	4.3	10	1	1	5	6	7	7	7
SUBTOTAL	**36**	**12.1**	**96**	**1**	**2**	**11**	**16**	**28**	**43**	**99 +**	**4**	**5.5**	**12**	**1**	**1**	**6**	**8**	**9**	**9**	**9**
GRAND TOTAL	**114**	**13.8**	**107**	**2**	**4**	**12**	**18**	**29**	**42**	**99 +**	**15**	**11.9**	**230**	**1**	**1**	**7**	**14**	**22**	**52**	**62**

HEBEPHRENIA (295.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	16.0		16	16	16	16	16	16	16										
13-17	2	35.0	128	27	27	35	43	43	43	43										
18-20	3	7.7	20	3	3	8	11	12	12	12										
21-24	14	16.1	128	3	4	13	24	31	40	43	1	19.0		19	19	19	19	19	19	19
25-34	60	14.1	206	1	2	9	20	29	37	82	6	21.7	268	7	7	17	33	47	49	49
35-54	24	14.3	125	2	4	12	20	30	63	99+	5	13.8	61	2	2	17	19	21	21	21
55-74	2	9.5	1	9	9	9	10	10	10	10										
75 +																				
ALL AGES	106	14.5	172	2	3	10	20	30	43	91	12	18.2	159	2	5	17	20	38	47	49
B. FEMALE																				
0-12 YRS.																				
13-17	9	18.6	66	4	6	20	24	28	30	30										
18-20	4	21.5	270	11	11	14	30	46	46	46										
21-24	11	17.5	162	3	4	18	20	35	49	50										
25-34	32	16.5	193	2	3	12	25	31	35	71	2	4.5	25	1	1	4	8	8	8	8
35-54	43	16.5	273	2	4	13	21	31	45	90	4	10.5	76	3	3	8	16	23	23	23
55-74	19	17.7	103	6	7	15	22	31	42	48										
75 +											1	16.0		16	16	16	16	16	16	16
ALL AGES	118	17.1	192	2	4	14	23	31	42	77	7	9.6	57	1	1	8	14	22	23	23
SUBTOTAL	**224**	**15.9**	**183**	**2**	**3**	**13**	**22**	**30**	**43**	**86**	**19**	**15.0**	**135**	**1**	**2**	**16**	**19**	**29**	**42**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-20	4	14.3	88	4	4	13	20	27	27	27										
21-24	10	18.0	376	2	4	12	21	47	70	70	1	11.0		11	11	11	11	11	11	11
25-34	9	17.0	238	6	6	14	18	42	56	56	1	13.0		13	13	13	13	13	13	13
35-54	20	10.8	60	1	2	10	13	24	28	29	1	2.0		2	2	2	2	2	2	2
55-74	5	11.8	27	4	4	15	15	16	16	16	1	14.0		14	14	14	14	14	14	14
75 +																				
ALL AGES	49	13.7	152	2	4	12	15	26	30	70	4	10.0	30	2	2	12	13	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	7.0		7	7	7	7	7	7	7										
21-24	8	20.4	565	1	1	11	28	60	73	73	2	2.0		2	2	2	2	2	2	2
25-34	11	13.4	72	3	3	12	19	25	31	31	2	9.5	85	3	3	9	16	16	16	16
35-54	7	12.7	53	2	2	14	17	21	22	22										
55-74	4	9.0	5	6	6	9	10	11	11	11										
75 +																				
ALL AGES	31	14.3	182	2	3	11	17	28	31	73	4	5.8	46	2	2	3	9	16	16	16
SUBTOTAL	**80**	**13.9**	**163**	**2**	**3**	**12**	**16**	**27**	**30**	**72**	**8**	**7.9**	**38**	**2**	**2**	**7**	**13**	**15**	**16**	**16**
GRAND TOTAL	**304**	**15.4**	**177**	**2**	**3**	**12**	**20**	**29**	**40**	**78**	**27**	**12.9**	**115**	**2**	**2**	**11**	**17**	**23**	**35**	**49**

Total U.S. January - December 1986

CATATONIC SCHIZOPHRENIA (295.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	11.3	71	6	6	7	16	24	24	24										
18-20	12	16.1	161	1	3	15	21	36	43	44	2	5.0	8	3	3	5	7	7	7	7
21-24	7	20.0	103	10	10	16	28	34	35	35	4	20.8	415	6	6	13	32	51	51	51
25-34	28	15.9	164	1	2	13	27	31	36	53	7	9.7	186	1	1	5	8	34	40	40
35-54	25	13.4	102	3	3	9	20	28	35	39	6	11.3	26	5	5	11	15	18	18	18
55-74	7	28.[illegible]	335	2	4	28	44	49	50	50	2	8.0	2	7	7	8	9	9	9	9
75 +	2	22.5	41	18	18	22	27	27	27	27	1	2.0		2	2	2	2	2	2	2
ALL AGES	85	16.5	153	2	4	14	24	34	42	52	22	11.2	147	1	2	8	13	25	44	51
B. FEMALE																				
0-12 YRS.	1	12.0		12	12	12	12	12	12	12	1	1.0		1	1	1	1	1	1	1
13-17	2	68.5	181	59	59	68	78	78	78	78										
18-20	3	22.0	651	3	3	12	41	51	51	51	2	46.0	3698	3	3	46	89	89	89	89
21-24	14	10.9	36	1	2	10	14	20	20	20	6	9.0	98	1	1	6	10	26	28	28
25-34	27	20.5	199	2	3	19	27	40	43	62	7	7.0	62	1	1	1	15	18	18	18
35-54	52	16.1	185	1	3	11	23	35	48	54	12	5.2	16	1	2	4	6	11	15	16
55-74	32	16.1	274	1	2	12	20	36	82	99 +	9	13.2	143	4	5	8	16	34	42	42
75 +	2	1.5	1	1	1	1	2	2	2	2										
ALL AGES	133	17.1	242	1	2	13	23	38	52	92	37	10.2	249	1	1	5	10	20	37	89
SUBTOTAL	**218**	**16.9**	**205**	**1**	**3**	**13**	**23**	**36**	**47**	**82**	**59**	**10.6**	**208**	**1**	**1**	**7**	**12**	**20**	**41**	**86**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	9.0	128	1	1	17	79	99 +	99 +	99 +										
18-20	2	33.5	1625	5	5	33	62	62	62	62										
21-24	4	29.3	463	3	3	30	46	53	53	53										
25-34	10	17.8	378	1	1	8	29	51	54	54	1	11.0		11	11	11	11	11	11	11
35-54	10	23.2	276	2	2	25	29	47	53	53	5	4.2	8	2	2	3	5	9	9	9
55-74	1	1.0		1	1	1	1	1	1	1	2	2.0		2	2	2	2	2	2	2
75 +	1	7.0		7	7	7	7	7	7	7	1	8.0		8	8	8	8	8	8	8
ALL AGES	30	20.7	366	1	2	15	37	54	62	99 +	9	4.9	12	2	2	3	8	10	11	11
B. FEMALE																				
0-12 YRS.	1	51.0		51	51	51	51	51	51	51										
13-17																				
18-20	1	14.0		14	14	14	14	14	14	14										
21-24	5	31.0	768	6	6	19	45	77	77	77	1	22.0		22	22	22	22	22	22	22
25-34	8	15.8	16	11	11	14	19	22	23	23										
35-54	9	29.6	731	4	5	25	34	76	89	89	7	8.6	81	2	2	5	12	24	27	27
55-74	15	16.3	469	2	2	7	22	32	72	86	3	6.0		6	6	6	6	6	6	6
75 +	3	8.3	7	6	6	8	10	11	11	11	3	4.3	2	3	3	5	53	99 +	99 +	99 +
ALL AGES	42	21.0	457	3	4	14	25	53	81	89	14	8.1	57	2	2	6	12	27	82	99 +
SUBTOTAL	**72**	**20.9**	**413**	**2**	**3**	**14**	**28**	**53**	**75**	**97**	**23**	**6.8**	**41**	**2**	**2**	**5**	**9**	**22**	**49**	**99 +**
GRAND TOTAL	**290**	**17.8**	**262**	**1**	**3**	**13**	**25**	**39**	**53**	**90**	**82**	**9.5**	**163**	**1**	**2**	**6**	**10**	**21**	**41**	**96**

PARANOID SCHIZOPHRENIA (295.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	19.8	290	4	4	19	34	36	36	36	1	6.0		6	6	6	6	6	6	6
13-17	61	24.7	460	2	3	21	43	70	99+	99+	14	11.5	269	1	1	7	14	22	55	65
18-20	179	17.7	185	2	3	15	24	37	45	63	24	10.9	89	2	2	7	13	25	33	38
21-24	437	17.0	287	1	3	12	22	38	54	85	61	11.8	128	1	2	8	17	29	35	50
25-34	1908	14.3	170	1	3	11	19	31	42	70	232	13.5	204	1	2	8	18	29	43	77
35-54	1284	13.9	150	2	3	10	19	30	38	63	198	11.7	131	1	2	7	16	29	35	47
55-74	208	14.4	109	2	3	13	20	29	36	54	21	13.9	238	3	4	8	17	33	56	64
75 +	27	19.2	180	4	5	16	23	44	48	57	4	5.0	3	3	3	5	6	7	7	7
ALL AGES	4108	14.8	181	2	3	11	20	32	42	73	555	12.4	167	1	2	8	17	29	37	65
B. FEMALE																				
0-12 YRS.	6	14.5	98	4	5	12	16	31	33	33	1	6.0		6	6	6	6	6	6	6
13-17	26	20.5	265	2	3	20	28	46	51	62	2	33.0	1800	3	3	33	63	63	63	63
18-20	58	21.0	313	2	4	15	31	40	49	88	6	14.3	59	5	5	15	21	23	23	23
21-24	203	15.6	192	2	2	12	23	35	41	75	18	14.8	264	1	2	7	27	40	51	55
25-34	904	15.3	158	2	3	12	21	31	40	61	110	11.4	138	1	1	8	15	26	40	77
35-54	1436	15.0	137	2	3	13	20	30	39	63	165	10.9	104	1	2	7	15	25	31	48
55-74	699	17.1	160	3	5	14	22	33	41	64	96	13.8	171	1	2	9	19	32	47	84
75 +	75	17.8	96	3	7	17	25	33	36	86	17	11.2	48	3	3	11	15	22	25	25
ALL AGES	3407	15.7	156	2	3	13	21	32	40	63	415	12.0	139	1	2	8	16	28	38	62
SUBTOTAL	**7515**	**15.2**	**170**	**2**	**3**	**12**	**20**	**32**	**41**	**70**	**970**	**12.3**	**153**	**1**	**2**	**8**	**17**	**28**	**38**	**64**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	26.5	1301	1	1	26	52	52	52	52	1	7.0		7	7	7	7	7	7	7
13-17	22	17.1	266	1	1	16	25	56	75	99+										
18-20	65	18.1	206	2	3	14	26	39	48	95	6	10.8	81	3	3	7	15	26	27	27
21-24	181	14.2	174	1	3	10	18	30	41	68	32	13.8	198	1	1	8	19	36	44	45
25-34	574	14.3	159	2	3	11	20	30	37	69	99	11.0	177	1	2	6	15	29	46	99+
35-54	468	15.1	158	2	3	12	20	31	43	71	78	12.8	180	2	2	7	16	29	46	61
55-74	76	15.4	145	2	3	12	20	30	43	57	7	8.7	82	1	1	4	14	24	26	26
75 +	6	18.3	169	1	1	18	29	35	36	36	2	12.5	265	1	1	12	24	24	24	24
ALL AGES	1394	14.9	164	2	3	11	20	31	41	71	225	11.9	175	1	2	7	16	30	43	86
B. FEMALE																				
0-12 YRS.	2	21.0		21	21	21	21	21	21	21										
13-17	8	15.9	196	1	2	12	21	39	45	45										
18-20	18	14.9	115	1	2	14	22	31	37	38	3	13.0	91	2	2	18	19	19	19	19
21-24	76	18.7	179	2	6	17	24	37	49	63	8	5.9	14	2	2	4	8	12	13	13
25-34	263	16.9	190	3	4	13	22	36	45	73	36	8.9	77	2	3	7	9	18	42	99+
35-54	345	16.4	197	2	3	13	22	34	43	80	37	9.1	52	2	3	7	11	18	28	33
55-74	182	20.1	206	3	5	17	27	42	55	99+	11	19.8	313	3	3	14	29	46	62	63
75 +	28	17.8	145	4	4	15	27	35	42	46	4	6.8	57	2	2	4	11	18	18	18
ALL AGES	922	17.5	192	2	4	14	24	36	46	81	99	10.0	96	2	3	7	13	19	33	81
SUBTOTAL	**2316**	**15.9**	**178**	**2**	**3**	**12**	**21**	**34**	**43**	**75**	**324**	**11.3**	**152**	**1**	**2**	**7**	**15**	**29**	**39**	**86**
GRAND TOTAL	**9831**	**15.4**	**171**	**2**	**3**	**12**	**21**	**32**	**42**	**71**	**1294**	**12.0**	**154**	**1**	**2**	**7**	**16**	**28**	**38**	**65**

Total U.S. January - December 1986

AC SCHIZOPHRENIC EPISODE (295.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	18.5	313	6	6	31	83	99 +	99 +	99 +										
13-17	23	27.7	440	3	4	21	44	52	71	83	3	28.0	1803	2	2	5	59	77	77	77
18-20	36	19.3	232	1	4	16	27	41	47	62	2	7.5	61	2	2	7	13	13	13	13
21-24	56	14.0	147	2	3	10	21	29	34	59	10	8.0	15	1	2	7	11	13	14	14
25-34	63	12.2	131	1	3	9	17	24	32	65	8	10.8	88	3	3	5	21	23	23	23
35-54	26	18.1	255	1	1	16	22	32	51	77	11	8.5	40	1	1	9	11	18	22	22
55-74	4	11.8	59	2	2	13	18	19	19	19	5	9.8	159	2	2	4	14	32	32	32
75 +																				
ALL AGES	210	16.4	218	1	3	13	22	37	49	79	39	10.5	170	1	2	7	13	22	28	77
B. FEMALE																				
0-12 YRS.																				
13-17	18	26.2	583	1	3	24	41	82	99 +	99 +	1	12.0		12	12	12	12	12	12	12
18-20	19	22.0	247	6	7	19	29	47	55	61	7	14.6	409	1	1	6	18	50	58	58
21-24	33	17.5	141	1	3	16	24	38	50	99 +	5	6.2	20	3	3	5	7	14	14	14
25-34	72	14.5	126	1	2	12	21	30	37	46	7	7.6	36	1	1	7	13	16	16	16
35-54	45	14.4	117	2	2	14	20	29	35	45	15	7.1	29	1	1	6	11	17	17	17
55-74	22	13.9	136	1	2	10	17	33	40	42	6	6.2	25	3	3	4	7	15	16	16
75 +	2	10.5	13	8	8	10	13	13	13	13										
ALL AGES	211	16.5	186	1	2	14	23	35	44	99	41	8.3	92	1	1	5	11	16	18	58
SUBTOTAL	**421**	**16.5**	**200**	**1**	**3**	**14**	**23**	**37**	**46**	**87**	**80**	**9.4**	**129**	**1**	**1**	**6**	**12**	**19**	**23**	**71**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	7	40.9	557	7	9	47	50	73	79	79										
18-20	14	14.7	108	1	2	13	19	31	36	37	4	8.5	48	2	2	7	13	18	18	18
21-24	13	11.2	76	1	2	9	16	25	27	27	4	8.0	25	3	3	7	12	14	14	14
25-34	24	15.7	258	1	2	11	20	35	52	71	3	7.3	18	4	4	6	10	12	12	12
35-54	17	12.2	91	2	3	9	15	26	35	39	2	4.5	5	3	3	4	6	6	6	6
55-74	5	16.2	81	4	4	15	23	28	28	28	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	80	16.3	231	1	2	12	21	36	48	77	14	7.2	23	2	3	5	10	14	17	18
B. FEMALE																				
0-12 YRS.																				
13-17	12	17.8	235	3	3	14	25	43	50	51										
18-20	8	13.8	82	3	4	9	23	26	26	26	1	6.0		6	6	6	6	6	6	6
21-24	18	13.3	95	2	2	12	21	29	34	36	5	7.8	57	2	2	5	10	21	21	21
25-34	17	13.8	146	3	4	11	17	33	44	48	2	13.0	32	9	9	13	17	17	17	17
35-54	15	15.5	228	3	5	11	14	45	52	54	4	8.8	88	2	2	6	15	22	22	22
55-74	12	11.3	63	1	2	9	18	23	26	26	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	82	14.2	140	2	3	11	19	29	41	53	13	8.5	49	2	2	6	11	21	22	22
SUBTOTAL	**162**	**15.2**	**186**	**2**	**3**	**11**	**21**	**34**	**46**	**69**	**27**	**7.8**	**35**	**2**	**2**	**6**	**10**	**18**	**21**	**22**
GRAND TOTAL	**583**	**16.1**	**197**	**2**	**3**	**13**	**22**	**36**	**46**	**78**	**107**	**9.0**	**105**	**1**	**2**	**6**	**12**	**18**	**22**	**66**

LATENT SCHIZOPHRENIA (295.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	33.0	50	28	28	33	38	38	38	38										
18-20	1	7.0		7	7	7	7	7	7	7										
21-24	4	8.3	40	1	1	8	13	15	15	15	1	1.0		1	1	1	1	1	1	1
25-34	6	28.0	119	11	12	29	36	40	40	40										
35-54	7	13.1	33	7	7	14	14	22	24	24										
55-74																				
75 +																				
ALL AGES	20	18.3	141	3	6	14	26	37	39	40	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17											2	28.0	1352	2	2	28	54	54	54	54
18-20	1	63.0		63	63	63	63	63	63	63										
21-24	2	8.5	5	7	7	8	10	10	10	10										
25-34	12	6.6	22	2	2	5	8	15	16	16										
35-54	28	11.0	38	3	4	9	15	19	24	24										
55-74	4	17.0	21	13	13	16	20	23	23	23										
75 +																				
ALL AGES	47	11.4	96	2	3	9	15	20	24	63	2	28.0	1352	2	2	28	54	54	54	54
SUBTOTAL	**67**	**13.4**	**119**	**2**	**3**	**11**	**17**	**24**	**36**	**59**	**3**	**19.0**	**919**	**1**	**1**	**2**	**41**	**54**	**54**	**54**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	39.0		39	39	39	39	39	39	39										
18-20											1	39.0		39	39	39	39	39	39	39
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	2	12.0	2	11	11	12	13	13	13	13										
35-54	3	19.0	61	14	14	15	25	28	28	28										
55-74																				
75 +																				
ALL AGES	7	17.4	150	2	4	14	25	37	39	39	1	39.0		39	39	39	39	39	39	39
B. FEMALE																				
0-12 YRS.																				
13-17	2	50.0	2450	15	15	50	85	85	85	85										
18-20	1	10.0		10	10	10	10	10	10	10										
21-24	1	27.0		27	27	27	27	27	27	27										
25-34	8	16.6	310	3	4	10	20	47	56	56										
35-54	14	9.4	32	1	2	9	13	17	19	19										
55-74	2	11.0	50	6	6	11	16	16	16	16	1	9.0		9	9	9	9	9	9	9
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	29	14.9	293	2	3	10	15	27	57	85	1	9.0		9	9	9	9	9	9	9
SUBTOTAL	**36**	**15.4**	**261**	**2**	**3**	**12**	**16**	**28**	**51**	**85**	**2**	**24.0**	**450**	**9**	**9**	**24**	**39**	**39**	**39**	**39**
GRAND TOTAL	**103**	**14.1**	**168**	**2**	**3**	**11**	**16**	**27**	**38**	**73**	**5**	**21.0**	**580**	**1**	**1**	**9**	**43**	**54**	**54**	**54**

RESIDUAL SCHIZOPHRENIA (295.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	8.0	47	1	1	7	13	17	17	17										
13-17	9	14.3	226	1	1	10	35	68	99+	99+	2	10.0	72	4	4	10	16	16	16	16
18-20	65	16.0	237	1	2	11	21	43	49	60	5	7.2	8	4	4	7	9	11	11	11
21-24	236	15.8	201	2	4	12	20	35	47	72	12	16.3	250	1	2	11	31	39	47	48
25-34	807	14.9	199	1	2	11	20	32	43	73	39	15.4	208	1	2	10	24	34	47	59
35-54	625	13.8	129	1	2	10	19	29	34	56	35	10.5	155	1	2	6	13	20	43	58
55-74	187	14.2	132	2	4	11	18	30	35	61	10	14.8	180	5	5	10	19	35	50	50
75 +	14	17.0	118	1	5	16	20	30	41	44										
ALL AGES	1947	14.6	172	1	3	11	20	31	40	68	103	13.3	180	1	2	8	18	32	49	58
B. FEMALE																				
0-12 YRS.	2	15.5	313	3	3	15	28	28	28	28										
13-17	12	22.6	713	2	5	19	43	99+	99+	99+	1	11.0		11	11	11	11	11	11	11
18-20	40	16.9	156	2	4	14	26	32	40	57	2	15.5	221	5	5	15	26	26	26	26
21-24	169	16.0	209	2	3	11	21	37	48	72	8	13.0	222	4	5	7	12	38	49	49
25-34	507	14.4	160	2	3	11	19	31	40	60	19	12.9	194	2	2	6	19	29	45	57
35-54	848	14.6	141	2	3	12	20	32	40	61	49	14.2	219	2	3	10	19	27	36	94
55-74	510	16.6	158	2	4	14	22	34	44	78	38	14.1	280	1	2	9	16	27	57	77
75 +	37	12.6	64	3	4	11	18	26	32	99+	5	8.8	21	4	4	10	13	13	13	13
ALL AGES	2125	15.2	158	2	3	12	20	33	42	68	122	13.7	217	2	3	9	18	27	38	82
SUBTOTAL	**4072**	**14.9**	**165**	**2**	**3**	**11**	**20**	**32**	**42**	**68**	**225**	**13.5**	**200**	**2**	**2**	**9**	**18**	**30**	**43**	**74**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17	6	21.0	260	4	4	16	40	41	41	41										
18-20	23	10.8	69	1	3	8	15	25	28	31	1	34.0		34	34	34	34	34	34	34
21-24	90	12.9	142	1	2	9	19	33	45	82	3	6.0	19	3	3	4	9	11	11	11
25-34	296	14.3	167	2	3	11	19	30	41	59	29	8.1	51	1	1	6	13	20	21	26
35-54	248	15.3	177	2	3	11	20	32	43	62	10	7.2	25	1	1	7	11	14	15	15
55-74	64	18.4	270	3	5	15	22	41	46	91	3	6.0	3	4	4	7	7	7	7	7
75 +	4	8.5	20	5	5	7	11	15	15	15	3	9.0	19	6	6	10	57	99+	99+	99+
ALL AGES	732	14.7	176	2	3	11	19	32	43	63	49	8.2	52	1	1	6	13	20	26	99+
B. FEMALE																				
0-12 YRS.																				
13-17	4	27.0	690	3	3	20	44	64	64	64										
18-20	10	9.7	49	3	3	6	18	18	18	18	2	5.5	1	5	5	5	6	6	6	6
21-24	45	17.5	223	1	2	13	25	34	50	61	3	15.3	198	4	4	11	26	31	31	31
25-34	163	13.6	184	1	2	10	18	27	36	86	17	7.2	71	1	1	6	7	12	29	38
35-54	209	14.9	142	2	3	13	19	30	40	53	15	11.7	162	1	2	8	16	29	43	48
55-74	121	17.5	151	4	6	14	23	32	42	64	14	15.0	152	2	4	12	18	32	42	45
75 +	19	14.1	55	5	7	12	15	26	32	35	1	91.0		91	91	91	91	91	91	91
ALL AGES	571	15.3	162	2	3	12	20	31	40	63	52	12.6	248	1	2	7	15	30	44	90
SUBTOTAL	**1303**	**15.0**	**168**	**2**	**3**	**11**	**20**	**31**	**41**	**63**	**101**	**10.5**	**155**	**1**	**2**	**6**	**14**	**27**	**36**	**95**
GRAND TOTAL	**5375**	**14.9**	**167**	**2**	**3**	**11**	**20**	**32**	**41**	**66**	**326**	**12.6**	**187**	**1**	**2**	**8**	**16**	**29**	**38**	**80**

SCHIZOAFFECTIVE TYPE (295.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	28.8	453	4	4	27	43	56	56	56										
13-17	33	25.7	356	3	5	29	48	99+	99+	99+	4	23.0	655	4	4	14	40	60	60	60
18-20	81	17.3	364	1	2	11	20	39	61	93	5	12.4	45	2	2	13	17	20	20	20
21-24	216	18.6	262	3	3	15	24	37	53	96	21	13.5	115	3	3	12	16	29	38	47
25-34	638	15.9	171	2	4	13	21	34	41	57	45	16.2	224	2	4	12	20	31	58	65
35-54	547	14.9	163	2	3	11	21	32	40	61	55	16.3	247	2	3	12	19	35	39	87
55-74	124	17.9	140	4	5	16	25	35	53	99+	4	21.3	258	6	6	17	31	44	44	44
75 +	9	22.2	318	1	4	19	33	51	57	57	5	22.4	139	13	13	19	25	43	43	43
ALL AGES	1652	16.4	196	2	3	13	22	35	44	90	139	16.2	217	2	3	13	19	34	46	72
B. FEMALE																				
0-12 YRS.	4	29.8	466	4	4	29	43	57	57	57										
13-17	30	22.1	316	2	4	18	28	51	63	72	1	49.0		49	49	49	49	49	49	49
18-20	52	21.3	330	1	3	18	30	50	58	77	3	9.0	36	3	3	9	13	15	15	15
21-24	203	17.7	241	2	4	14	24	36	50	74	9	21.1	234	2	5	16	37	43	43	43
25-34	867	16.0	175	2	3	13	21	34	42	67	47	15.4	176	2	3	12	18	39	47	54
35-54	1300	16.3	170	3	4	13	21	32	42	72	106	15.3	162	1	3	12	21	33	39	60
55-74	453	19.1	189	3	5	15	25	37	48	64	43	17.9	200	3	5	15	19	38	43	77
75 +	25	20.6	175	6	7	15	28	42	47	51	5	30.6	510	10	10	21	44	67	67	67
ALL AGES	2934	16.9	187	3	4	13	22	34	44	71	214	16.5	189	2	3	14	21	37	46	68
SUBTOTAL	**4586**	**16.8**	**187**	**2**	**4**	**13**	**22**	**35**	**44**	**73**	**353**	**16.4**	**199**	**2**	**3**	**13**	**20**	**36**	**46**	**70**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	47.0	450	32	32	47	62	62	62	62										
13-17	24	33.3	621	6	7	31	43	69	92	95	3	48.7	1615	3	3	64	75	79	79	79
18-20	43	20.0	273	3	4	18	23	40	64	69	6	11.8	99	3	3	10	15	28	29	29
21-24	98	16.5	218	2	3	13	21	34	45	81	8	17.0	135	2	3	17	26	31	33	33
25-34	352	16.0	211	2	4	12	20	32	47	90	29	16.4	196	3	3	13	20	35	51	62
35-54	263	17.0	192	3	4	14	23	34	44	82	28	13.4	149	1	3	9	20	31	41	49
55-74	48	18.5	304	3	4	15	25	41	50	94	1	17.0		17	17	17	17	17	17	17
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	831	17.3	235	2	4	13	22	36	49	91	75	16.3	238	2	3	12	22	34	50	75
B. FEMALE																				
0-12 YRS.	2	33.5	221	23	23	33	44	44	44	44										
13-17	11	20.6	100	10	13	19	25	63	95	99+										
18-20	31	15.9	301	1	3	8	20	47	57	62	4	11.0	117	2	2	8	19	25	25	25
21-24	105	19.1	199	4	7	15	26	35	43	76	6	11.7	128	2	2	8	11	32	34	34
25-34	400	17.1	197	2	4	13	23	36	46	66	34	16.5	132	2	4	14	24	33	41	44
35-54	525	17.4	202	3	4	14	23	34	48	84	35	14.1	121	1	3	12	18	34	38	41
55-74	206	21.4	238	4	6	19	29	40	51	74	11	12.5	96	2	3	8	16	30	32	32
75 +	11	16.8	241	1	1	15	17	38	57	59	1	16.0		16	16	16	16	16	16	16
ALL AGES	1291	18.1	209	3	4	15	24	37	48	75	91	14.5	120	2	3	12	21	33	38	43
SUBTOTAL	**2122**	**17.8**	**219**	**3**	**4**	**14**	**23**	**36**	**48**	**84**	**166**	**15.3**	**173**	**2**	**3**	**12**	**22**	**33**	**40**	**64**
GRAND TOTAL	**6708**	**17.1**	**198**	**2**	**4**	**14**	**23**	**35**	**45**	**75**	**519**	**16.1**	**189**	**2**	**3**	**12**	**20**	**35**	**43**	**68**

SCHIZOPHRENIA NEC (295.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	5	9.8	19	2	2	12	12	12	12	12										
18-20	9	17.2	279	1	2	12	26	45	48	48	1	35.0		35	35	35	35	35	35	35
21-24	18	13.8	195	2	3	8	18	36	48	53	1	29.0		29	29	29	29	29	29	29
25-34	40	14.6	221	1	2	11	17	32	55	66	5	4.8	47	1	1	2	6	17	17	17
35-54	40	10.2	61	1	1	10	13	21	25	36	7	4.1	51	1	1	1	3	17	20	20
55-74	13	9.7	39	2	2	11	14	17	19	20	2	11.0	128	3	3	11	19	19	19	19
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	126	12.5	144	1	2	10	15	24	40	61	16	8.7	130	1	1	2	18	28	33	35
B. FEMALE																				
0-12 YRS.																				
13-17	4	23.8	214	5	5	24	33	41	41	41	1	32.0		32	32	32	32	32	32	32
18-20	7	12.1	89	2	3	8	17	27	29	29	1	36.0		36	36	36	36	36	36	36
21-24	17	16.5	203	4	5	9	24	44	49	49	1	7.0		7	7	7	7	7	7	7
25-34	38	13.2	146	2	3	10	16	29	37	61	3	14.7	340	4	4	4	28	36	36	36
35-54	65	13.0	142	2	2	10	16	24	40	62	16	7.0	35	1	2	5	9	17	20	21
55-74	28	15.3	82	2	7	14	19	26	31	44	11	15.7	500	1	2	7	11	57	69	70
75 +	6	5.3	26	2	2	3	7	14	15	15										
ALL AGES	165	13.8	135	2	3	11	18	29	39	59	33	12.2	244	1	2	6	12	36	47	70
SUBTOTAL	**291**	**13.2**	**140**	**1**	**2**	**11**	**16**	**27**	**40**	**60**	**49**	**11.1**	**205**	**1**	**1**	**5**	**14**	**34**	**37**	**70**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											2	45.5	3445	4	4	45	87	87	87	87
18-20	4	14.5	46	5	5	16	19	21	21	21	1	2.0		2	2	2	2	2	2	2
21-24	9	15.4	160	2	3	10	20	36	43	43	3	18.3	252	1	1	22	29	32	32	32
25-34	29	12.1	69	1	2	10	16	24	31	35	3	6.7	1	6	6	6	8	8	8	8
35-54	28	9.1	37	2	2	8	14	18	19	23	5	8.4	36	1	1	9	12	17	17	17
55-74	5	21.8	196	7	7	18	33	41	41	41	1	9.0		9	9	9	9	9	9	9
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	76	12.0	82	2	2	10	17	23	31	42	15	14.6	472	1	1	8	15	32	73	87
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-20	4	9.3	32	4	4	8	14	16	16	16										
21-24	9	13.9	153	2	2	9	24	33	34	34	1	11.0		11	11	11	11	11	11	11
25-34	33	11.9	90	1	3	9	16	26	33	36	2	26.0	242	15	15	26	37	37	37	37
35-54	27	14.0	155	2	3	10	22	29	39	55	3	5.3	13	2	2	5	8	9	9	9
55-74	10	20.1	191	1	3	17	29	40	42	42	4	8.0	37	2	2	7	13	15	15	15
75 +	4	25.0	403	6	6	20	38	53	53	53	1	2.0		2	2	2	2	2	2	2
ALL AGES	88	14.1	141	2	3	10	22	31	37	54	11	10.3	103	2	2	9	14	24	36	37
SUBTOTAL	**164**	**13.1**	**115**	**2**	**2**	**10**	**18**	**29**	**35**	**52**	**26**	**12.8**	**310**	**1**	**2**	**8**	**15**	**31**	**47**	**87**
GRAND TOTAL	**455**	**13.2**	**129**	**1**	**2**	**10**	**17**	**27**	**38**	**55**	**75**	**11.7**	**238**	**1**	**1**	**6**	**14**	**32**	**37**	**83**

SCHIZOPHRENIA NOS (295.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	38.5	126	27	27	37	47	52	52	52										
13-17	71	21.5	399	2	4	15	34	57	69	96	7	15.4	364	2	2	7	29	46	49	49
18-20	113	18.6	214	3	4	15	26	40	52	77	9	6.9	23	1	1	7	11	13	14	14
21-24	184	18.2	313	2	2	12	26	41	63	96	25	11.5	155	2	3	9	13	23	40	60
25-34	467	13.7	174	1	2	9	19	31	40	62	86	13.1	124	1	1	11	19	27	36	54
35-54	341	12.9	131	1	2	10	17	26	36	48	50	8.0	30	2	2	7	11	15	17	27
55-74	70	15.7	300	1	3	11	20	33	84	99 +	17	12.8	369	1	1	7	11	38	64	76
75 +	6	10.3	34	2	3	9	14	18	19	19										
ALL AGES	1256	15.2	213	1	2	11	21	34	44	85	194	11.4	129	1	2	8	15	24	35	58
B. FEMALE																				
0-12 YRS.	1	22.0		22	22	22	22	22	22	22										
13-17	48	19.3	308	2	3	15	26	54	59	99 +	5	15.2	29	9	9	15	20	22	22	22
18-20	50	16.3	136	1	6	13	21	37	44	99 +	5	6.0	31	2	2	2	11	13	13	13
21-24	125	15.3	175	2	3	11	21	30	37	66	12	4.3	38	1	1	2	5	11	21	23
25-34	384	15.1	212	1	3	11	19	32	46	82	29	8.9	191	1	1	4	8	23	32	70
35-54	480	15.2	186	2	3	11	19	31	41	73	64	14.2	252	2	3	10	18	28	39	89
55-74	206	17.2	200	3	4	14	22	38	46	78	31	12.8	199	1	1	6	17	30	48	57
75 +	13	10.2	55	1	2	8	15	22	23	23	2	2.5	1	2	2	2	3	3	3	3
ALL AGES	1307	15.7	195	2	3	12	20	32	45	79	148	11.7	200	1	1	7	16	27	33	77
SUBTOTAL	**2563**	**15.4**	**205**	**1**	**3**	**11**	**20**	**33**	**44**	**83**	**342**	**11.5**	**160**	**1**	**2**	**7**	**15**	**26**	**34**	**70**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	18.6	188	2	2	27	30	32	32	32										
13-17	33	22.0	301	1	4	16	33	50	53	59	4	22.3	901	2	2	10	42	66	66	66
18-20	41	14.4	149	2	3	10	19	35	45	99 +	7	11.4	102	2	2	8	20	26	27	27
21-24	94	15.4	194	2	3	12	20	32	42	72	8	9.5	46	1	1	9	16	17	18	18
25-34	175	13.2	195	1	2	9	18	30	43	75	30	13.2	176	2	3	8	14	31	44	59
35-54	124	15.0	232	1	2	10	19	33	48	79	24	12.5	156	1	1	7	22	29	39	44
55-74	45	15.5	166	2	3	12	21	31	38	68	3	4.3	2	3	3	5	5	5	5	5
75 +	2	14.5	145	6	6	14	23	23	23	23	1	2.0		2	2	2	2	2	2	2
ALL AGES	521	15.0	204	1	2	11	20	35	46	76	77	12.4	173	1	2	7	16	27	41	64
B. FEMALE																				
0-12 YRS.	4	29.0	418	1	1	32	42	50	50	50										
13-17	28	24.4	430	1	3	18	39	62	76	99 +	1	7.0		7	7	7	7	7	7	7
18-20	18	15.2	257	1	2	10	22	30	54	68	3	16.3	263	7	7	7	28	35	35	35
21-24	51	14.7	153	1	2	10	20	30	42	55	5	15.0	57	7	7	11	22	24	24	24
25-34	122	14.6	191	2	3	10	19	28	46	68	16	10.5	103	1	1	7	16	24	32	36
35-54	161	13.5	150	2	3	10	19	29	34	88	20	15.6	288	2	2	9	20	42	54	64
55-74	70	16.2	109	4	5	14	23	33	39	89	9	11.6	278	2	2	5	11	41	53	53
75 +	7	18.3	437	6	6	10	16	55	65	65	2	7.0	2	6	6	7	8	8	8	8
ALL AGES	461	15.3	186	2	3	12	21	31	46	78	56	13.0	190	2	2	7	17	34	43	63
SUBTOTAL	**982**	**15.1**	**197**	**1**	**2**	**11**	**20**	**33**	**46**	**77**	**133**	**12.7**	**178**	**1**	**2**	**7**	**16**	**28**	**43**	**64**
GRAND TOTAL	**3545**	**15.4**	**200**	**1**	**3**	**11**	**20**	**33**	**45**	**78**	**475**	**11.8**	**156**	**1**	**2**	**7**	**16**	**27**	**36**	**65**

MANIC DIS, SINGL EPISODE (296.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	7	21.0	61	14	14	19	28	32	33	33	3	3.0	4	1	1	3	4	5	5	5
18-20	7	9.6	55	3	3	8	11	22	25	25	1	1.0		1	1	1	1	1	1	1
21-24	10	19.1	504	1	1	14	22	51	79	79										
25-34	45	15.4	186	1	3	12	21	38	40	65	4	21.3	1285	2	2	4	40	75	75	75
35-54	35	12.4	109	1	2	11	18	23	30	50	5	12.6	63	3	3	11	19	23	23	23
55-74	36	12.7	75	2	4	11	18	26	32	34	7	4.4	8	2	2	4	6	8	9	9
75 +	3	31.7	566	15	15	21	49	59	59	59	3	8.0	25	3	3	8	12	13	13	13
ALL AGES	143	14.6	159	2	3	12	19	29	38	66	23	9.3	236	1	1	5	9	19	41	75
B. FEMALE																				
0-12 YRS.																				
13-17	2	38.5	761	19	19	38	58	58	58	58	1	3.0		3	3	3	3	3	3	3
18-20	9	15.1	88	2	3	14	19	29	33	33										
21-24	14	13.1	125	1	2	10	18	25	40	44										
25-34	39	14.5	89	2	3	14	21	27	31	38	2	9.0	128	1	1	9	17	17	17	17
35-54	95	11.7	80	1	2	9	15	27	32	36	9	10.2	94	1	1	7	14	27	27	27
55-74	72	14.6	104	3	4	12	20	27	35	54	13	7.4	30	1	2	6	9	17	19	19
75 +	14	14.8	73	2	4	17	18	24	31	33	2	12.0	50	7	7	12	17	17	17	17
ALL AGES	245	13.6	98	2	3	12	19	27	33	45	27	8.6	54	1	1	6	10	19	26	27
SUBTOTAL	**388**	**13.9**	**123**	**2**	**3**	**12**	**19**	**28**	**34**	**58**	**50**	**8.9**	**135**	**1**	**1**	**6**	**10**	**18**	**26**	**75**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	3	24.7	668	5	5	15	44	54	54	54	1	59.0		59	59	59	59	59	59	59
18-20	5	6.6	31	2	2	6	9	16	16	16										
21-24	9	10.7	38	1	2	12	15	18	20	20										
25-34	19	16.2	306	1	2	11	19	36	58	75	2	2.0	2	1	1	1	3	3	3	3
35-54	22	11.5	148	2	3	8	14	20	39	59										
55-74	6	10.8	69	3	3	9	15	23	24	24	2	6.5	13	4	4	6	9	9	9	9
75 +	1	77.0		77	77	77	77	77	77	77	2	3.5	1	3	3	3	4	4	4	4
ALL AGES	66	13.9	241	2	3	10	15	27	55	77	7	11.9	437	1	1	4	8	49	59	59
B. FEMALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19										
18-20	3	8.7	40	4	4	6	13	16	16	16										
21-24	1	13.0		13	13	13	13	13	13	13										
25-34	16	15.0	166	4	4	9	24	32	43	48										
35-54	30	15.4	256	3	4	13	18	26	31	90	2	3.0	8	1	1	2	5	5	5	5
55-74	20	12.6	90	3	3	8	21	25	30	34	5	4.4	18	2	2	3	5	12	12	12
75 +	4	21.5	140	9	9	20	30	37	37	37	2	3.5	1	3	3	3	4	4	4	4
ALL AGES	75	14.6	171	3	4	11	20	29	33	79	9	3.9	11	1	1	3	4	9	12	12
SUBTOTAL	**141**	**14.3**	**201**	**3**	**3**	**10**	**18**	**28**	**37**	**78**	**16**	**7.4**	**197**	**1**	**1**	**3**	**5**	**12**	**45**	**59**
GRAND TOTAL	**529**	**14.0**	**144**	**2**	**3**	**12**	**19**	**28**	**34**	**60**	**66**	**8.5**	**148**	**1**	**1**	**5**	**9**	**18**	**26**	**72**

MANIC, RECURRENT EPISODE (296.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	3	6.0	25	1	1	6	10	11	11	11										
21-24	4	8.0	33	1	1	8	12	14	14	14										
25-34	23	12.9	108	2	3	10	18	29	33	36	3	5.0	48	1	1	1	10	13	13	13
35-54	32	9.4	30	2	3	9	13	16	19	23										
55-74	24	14.8	66	2	3	12	22	28	46	99 +	1	15.0		15	15	15	15	15	15	15
75 +	6	21.2	448	4	4	14	27	58	61	61	1	3.0		3	3	3	3	3	3	3
ALL AGES	92	12.3	91	2	3	11	15	27	28	83	5	6.6	47	1	1	3	13	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	17.5	13	15	15	17	20	20	20	20										
21-24	5	12.0	77	4	4	12	17	25	25	25										
25-34	31	16.6	200	1	2	11	27	35	46	58	5	9.2	54	1	1	6	17	17	17	17
35-54	55	14.0	107	2	3	11	19	30	35	45	4	7.3	63	1	1	4	12	19	19	19
55-74	47	18.5	147	6	6	15	24	35	48	51	4	4.0	6	1	1	4	6	6	6	6
75 +	7	14.0	136	6	6	11	16	35	39	39	2	8.0	32	4	4	8	12	12	12	12
ALL AGES	147	16.0	138	2	3	13	21	32	41	51	15	7.1	38	1	1	5	11	17	19	19
SUBTOTAL	**239**	**14.5**	**125**	**2**	**3**	**12**	**20**	**29**	**37**	**58**	**20**	**7.0**	**37**	**1**	**1**	**5**	**12**	**17**	**18**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	11.0		11	11	11	11	11	11	11										
18-20	1	14.0		14	14	14	14	14	14	14										
21-24	4	5.5	25	3	3	3	8	13	13	13										
25-34	12	9.0	28	3	4	7	13	17	20	20	1	1.0		1	1	1	1	1	1	1
35-54	9	5.3	12	1	2	5	7	11	13	13										
55-74	10	15.2	60	8	8	13	19	27	34	34										
75 +																				
ALL AGES	37	9.6	44	3	3	8	13	18	20	34	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	1	20.0		20	20	20	20	20	20	20										
18-20	2	25.0	968	3	3	25	47	47	47	47										
21-24	2	18.0	72	12	12	18	24	24	24	24	1	4.0		4	4	4	4	4	4	4
25-34	15	13.1	115	1	1	9	20	30	34	36	2	5.5	13	3	3	5	8	8	8	8
35-54	23	15.3	95	5	6	11	21	28	34	42	3	2.7	2	1	1	3	4	4	4	4
55-74	14	18.4	208	1	3	14	32	40	44	45										
75 +	5	20.8	102	11	11	16	30	34	34	34	2	10.0	98	3	3	10	17	17	17	17
ALL AGES	62	16.4	137	2	4	13	23	35	40	47	8	5.4	26	1	1	4	6	14	17	17
SUBTOTAL	**99**	**13.9**	**111**	**3**	**3**	**11**	**20**	**30**	**37**	**46**	**9**	**4.9**	**25**	**1**	**1**	**3**	**5**	**13**	**17**	**17**
GRAND TOTAL	**338**	**14.3**	**121**	**2**	**3**	**11**	**20**	**30**	**37**	**52**	**29**	**6.3**	**34**	**1**	**1**	**4**	**9**	**17**	**17**	**19**

DEPR PSYCH, SINGL EPISOD (296.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	51	23.9	279	2	3	25	33	47	53	72	2	25.5	1013	3	3	25	48	48	48	48
13-17	273	24.1	346	3	5	21	34	51	71	99 +	22	22.9	353	1	2	18	34	50	61	62
18-20	102	14.3	188	1	2	11	20	38	51	99 +	11	13.3	101	2	2	15	21	26	32	32
21-24	186	10.7	66	1	2	9	14	22	28	41	19	10.7	96	1	1	7	17	27	30	31
25-34	647	13.4	163	1	2	9	18	30	38	58	80	8.1	79	1	1	5	9	20	30	42
35-54	1287	13.5	115	2	3	11	18	27	33	53	144	10.8	113	1	2	8	15	24	29	46
55-74	976	17.0	160	2	4	14	22	34	43	60	169	8.2	85	1	2	5	9	19	27	44
75 +	308	18.6	190	3	5	15	25	38	47	88	64	11.5	96	2	3	8	15	29	33	40
ALL AGES	3830	15.6	168	2	3	12	21	32	42	67	511	10.2	117	1	2	7	14	25	32	47
B. FEMALE																				
0-12 YRS.	57	29.2	324	2	6	29	43	57	64	98	2	15.0		15	15	15	15	15	15	15
13-17	499	22.2	380	2	3	18	32	58	72	99 +	51	14.0	184	1	1	12	28	39	88	99 +
18-20	197	13.8	199	1	1	9	19	32	45	62	24	12.8	173	1	1	6	23	32	38	44
21-24	345	13.0	136	1	2	10	18	29	39	54	33	8.5	119	1	1	4	11	22	24	54
25-34	1462	13.8	140	1	3	10	19	29	37	57	190	9.4	108	1	1	5	13	24	31	52
35-54	2544	14.9	143	2	3	12	20	30	40	61	307	10.0	121	1	2	6	12	23	32	60
55-74	2210	18.2	178	3	5	15	24	35	45	65	323	11.5	106	2	3	8	15	25	32	52
75 +	836	19.8	229	3	4	17	26	39	53	78	139	10.5	84	2	3	7	14	24	28	42
ALL AGES	8150	16.5	187	2	3	13	22	34	45	68	1069	10.6	115	1	2	7	14	25	32	57
SUBTOTAL	**11980**	**16.2**	**181**	**2**	**3**	**13**	**22**	**34**	**44**	**68**	**1580**	**10.5**	**115**	**1**	**2**	**7**	**14**	**25**	**32**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	71	33.2	446	4	7	32	51	70	89	99 +	8	54.9	802	23	23	66	97	99 +	99 +	99 +
13-17	330	28.5	519	3	5	23	47	69	93	99 +	23	23.3	715	1	1	13	37	77	99	99 +
18-20	130	15.3	238	2	3	11	21	30	43	97	10	22.1	774	1	2	9	39	68	86	86
21-24	210	15.3	218	2	3	11	21	31	48	76	26	13.2	299	1	2	6	10	36	46	76
25-34	831	13.1	111	2	3	10	19	27	32	53	77	8.4	79	1	1	5	10	22	28	43
35-54	1193	14.3	129	2	3	12	20	29	35	60	101	10.5	121	1	2	8	14	22	30	63
55-74	559	17.5	182	3	4	14	24	34	44	70	62	10.1	88	1	2	6	16	22	33	93
75 +	152	17.0	101	3	5	16	24	29	32	52	20	16.5	354	1	2	7	27	50	59	60
ALL AGES	3476	16.5	208	2	3	13	22	34	48	86	327	12.9	263	1	2	7	16	33	55	99 +
B. FEMALE																				
0-12 YRS.	33	26.7	427	1	5	21	46	61	93	99 +	4	51.8	306	27	27	55	62	69	69	69
13-17	477	27.8	444	3	5	25	42	65	87	99 +	44	24.8	746	1	2	12	49	71	98	99 +
18-20	191	17.7	244	2	3	14	23	43	50	88	16	7.3	106	1	1	2	9	21	34	39
21-24	364	14.8	185	2	3	11	20	34	44	79	32	15.1	512	1	1	5	14	52	75	84
25-34	1322	15.7	170	2	3	12	21	32	42	65	136	9.9	141	1	1	5	12	28	37	74
35-54	1706	15.9	164	2	4	13	21	31	41	76	182	9.3	70	1	2	7	13	21	29	40
55-74	1004	19.0	189	3	5	16	25	38	47	72	142	11.5	100	2	2	8	16	26	32	44
75 +	375	19.5	189	4	6	16	26	38	49	68	56	11.8	145	2	4	7	15	29	37	58
ALL AGES	5472	17.8	213	2	4	14	23	38	49	84	612	11.8	197	1	2	7	14	30	42	79
SUBTOTAL	**8948**	**17.3**	**211**	**2**	**4**	**14**	**23**	**37**	**49**	**85**	**939**	**12.2**	**220**	**1**	**2**	**7**	**15**	**31**	**46**	**97**
GRAND TOTAL	**20928**	**16.7**	**193**	**2**	**3**	**13**	**22**	**35**	**46**	**75**	**2519**	**11.1**	**155**	**1**	**2**	**7**	**14**	**27**	**36**	**72**

DEPR PSYCH, RECUR EPISOD (296.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	6	25.0	344	1	2	27	46	89	99+	99+											
13-17	59	17.8	175	2	3	18	28	39	49	99+		8	31.5	748	3	3	30	53	70	73	73
18-20	48	13.9	147	2	3	11	19	29	33	65		1	15.0		15	15	15	15	15	15	15
21-24	78	14.6	199	1	2	11	20	31	39	76		6	12.2	389	1	1	5	9	48	52	52
25-34	396	14.5	133	2	3	12	20	28	38	55		32	11.2	88	1	2	8	14	27	33	34
35-54	795	15.8	151	2	4	13	21	32	40	56		77	10.3	108	1	2	7	11	25	34	45
55-74	799	19.4	187	4	5	16	26	36	47	69		62	14.5	178	1	2	11	22	32	41	61
75 +	208	20.8	205	5	6	18	28	40	50	75		24	21.2	204	5	8	17	29	37	51	64
ALL AGES	2389	17.2	172	2	4	14	24	35	43	66		210	13.8	185	1	2	9	20	33	43	63
B. FEMALE																					
0-12 YRS.	14	21.9	291	1	2	17	35	47	56	59											
13-17	130	19.0	362	2	2	14	25	51	71	99+		17	22.4	625	1	1	15	34	58	78	87
18-20	85	12.5	200	1	1	7	17	36	44	61		5	5.4	59	1	1	2	8	19	19	19
21-24	195	13.3	138	1	2	10	18	28	39	54		13	3.8	10	1	1	2	5	9	11	11
25-34	971	14.5	170	2	3	11	19	30	40	69		71	10.5	156	1	1	5	16	24	33	67
35-54	2136	15.2	130	2	4	13	20	30	37	58		167	11.9	163	1	2	8	15	27	38	75
55-74	2294	20.5	194	4	6	18	28	38	48	79		199	16.2	209	2	3	12	22	36	48	66
75 +	848	22.7	228	4	7	20	29	42	56	84		95	16.5	173	2	3	14	22	33	41	93
ALL AGES	6673	17.9	186	3	4	15	24	35	44	72		567	14.1	198	1	2	10	19	31	43	80
SUBTOTAL	**9062**	**17.7**	**183**	**2**	**4**	**15**	**24**	**35**	**44**	**70**		**777**	**14.0**	**195**	**1**	**2**	**9**	**19**	**32**	**43**	**72**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	5	20.0	391	2	2	20	52	95	99+	99+											
13-17	86	23.2	526	2	3	15	35	61	83	98		8	13.6	349	2	2	8	11	45	59	59
18-20	72	15.2	155	2	3	13	21	38	59	99+		3	5.7	10	2	2	7	8	8	8	8
21-24	117	12.2	100	1	3	11	16	25	35	48		4	9.8	181	3	3	3	17	30	30	30
25-34	535	14.7	158	2	3	11	21	30	38	73		42	11.0	175	1	1	6	10	38	43	50
35-54	854	14.9	154	2	3	12	20	30	40	61		57	10.6	71	1	2	8	16	23	30	36
55-74	413	18.6	174	4	5	16	24	37	48	99+		31	9.4	33	1	2	7	14	18	19	22
75 +	102	20.0	209	5	6	15	28	43	52	87		16	18.3	374	2	4	13	25	40	66	77
ALL AGES	2184	16.0	178	2	3	13	21	32	44	77		161	11.3	136	1	2	7	15	25	36	58
B. FEMALE																					
0-12 YRS.	6	33.0	791	7	8	26	30	82	88	88		1	34.0		34	34	34	34	34	34	34
13-17	144	24.4	420	2	4	19	37	62	83	99+		16	16.6	427	1	2	9	20	51	64	69
18-20	124	15.7	221	2	3	10	22	35	49	67		12	7.4	51	1	1	5	10	19	24	25
21-24	300	15.8	211	2	3	11	21	36	51	95		14	6.2	51	1	2	5	7	10	25	30
25-34	1159	15.9	198	2	3	12	22	34	49	86		101	9.8	98	1	2	7	11	24	32	48
35-54	1819	16.9	179	3	4	14	23	34	42	74		142	9.6	64	2	2	7	12	20	27	44
55-74	1082	20.5	210	4	6	17	28	41	49	90		90	11.8	91	2	3	9	15	27	32	40
75 +	328	21.8	224	4	5	18	30	43	51	75		44	14.4	131	3	5	9	18	33	35	54
ALL AGES	4962	17.9	210	3	4	14	24	37	49	84		420	10.8	101	2	2	8	13	25	33	48
SUBTOTAL	**7146**	**17.3**	**201**	**3**	**4**	**14**	**24**	**36**	**47**	**82**		**581**	**10.9**	**111**	**1**	**2**	**7**	**13**	**25**	**33**	**50**
GRAND TOTAL	**16208**	**17.5**	**192**	**3**	**4**	**14**	**24**	**35**	**45**	**76**		**1358**	**12.7**	**161**	**1**	**2**	**9**	**17**	**29**	**39**	**62**

BIPOLAR AFFECTIVE, MANIC (296.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	49.0	8	47	47	49	51	51	51	51										
13-17	32	19.9	229	4	5	15	25	42	46	76	1	1.0		1	1	1	1	1	1	1
18-20	70	17.9	191	1	3	14	24	38	51	56	1	37.0		37	37	37	37	37	37	37
21-24	149	17.7	218	2	4	14	22	39	43	81	15	9.1	81	1	2	5	11	25	30	32
25-34	413	15.5	148	2	4	13	20	31	39	69	44	9.3	95	1	2	5	12	23	33	41
35-54	530	14.1	100	2	4	12	19	27	33	54	47	8.9	39	1	2	7	12	21	22	24
55-74	291	17.1	127	3	4	15	24	32	38	56	13	13.8	148	2	4	7	21	35	37	37
75 +	21	16.5	70	4	5	16	19	30	34	36	4	22.8	539	5	5	14	36	57	57	57
ALL AGES	1508	15.8	140	2	4	14	20	31	39	58	125	10.2	98	1	2	7	14	23	32	45
B. FEMALE																				
0-12 YRS.	1	57.0		57	57	57	57	57	57	57										
13-17	25	19.5	299	3	4	14	26	56	77	99 +										
18-20	76	16.2	121	2	4	14	20	31	43	48	3	9.0	28	3	3	11	12	13	13	13
21-24	115	16.3	207	3	4	14	20	32	43	78	17	14.5	231	3	4	10	17	20	52	70
25-34	571	16.1	144	2	4	13	21	30	39	62	37	14.7	105	2	3	12	20	32	35	38
35-54	1113	16.5	138	3	4	14	22	32	40	53	75	10.5	103	1	2	7	14	25	35	48
55-74	718	17.6	134	4	6	15	23	31	37	65	43	12.4	151	2	3	8	15	24	38	65
75 +	93	19.6	149	5	7	18	26	34	42	66	3	22.0	372	8	8	14	36	44	44	44
ALL AGES	2712	16.8	145	3	5	14	22	32	39	60	178	12.4	130	2	3	9	16	25	37	61
SUBTOTAL	**4220**	**16.5**	**141**	**3**	**4**	**14**	**21**	**31**	**39**	**60**	**303**	**11.5**	**117**	**2**	**2**	**8**	**15**	**25**	**35**	**54**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	51.0	288	39	39	51	63	63	63	63										
13-17	13	20.7	97	6	8	19	28	33	38	39										
18-20	27	20.7	313	3	6	16	24	50	59	74	3	11.3	263	1	1	3	23	30	30	30
21-24	47	16.6	168	3	5	12	24	31	36	75	8	11.3	152	2	2	5	19	31	32	32
25-34	157	15.3	153	2	3	13	21	31	44	69	24	9.0	50	2	3	7	12	20	27	28
35-54	196	16.2	149	2	3	14	23	33	45	83	31	9.2	164	2	2	6	9	15	27	72
55-74	75	19.6	196	6	8	16	24	38	44	81	7	9.3	107	3	3	7	9	27	32	32
75 +	7	16.3	85	7	8	12	24	30	31	31	1	6.0		6	6	6	6	6	6	6
ALL AGES	524	16.9	172	2	4	14	23	33	46	74	74	9.4	115	2	3	6	10	26	30	62
B. FEMALE																				
0-12 YRS.																				
13-17	8	28.8	789	1	2	22	55	95	99 +	99 +	1	24.0		24	24	62	99 +	99 +	99 +	99 +
18-20	16	17.6	135	1	2	16	23	34	40	42	5	7.0	9	4	4	6	9	11	11	11
21-24	37	20.8	199	5	6	16	25	45	53	55	4	6.3	7	4	4	6	8	10	10	10
25-34	156	16.7	149	3	4	15	21	30	38	65	13	14.9	136	1	2	15	21	29	40	43
35-54	217	15.8	148	2	3	14	21	31	37	56	31	13.5	191	2	3	9	17	26	28	74
55-74	145	19.4	190	4	6	16	27	35	46	66	14	14.7	160	2	2	9	26	32	39	41
75 +	22	19.2	114	3	4	19	26	35	38	40	3	14.0	93	3	3	18	20	21	21	21
ALL AGES	601	17.6	169	3	4	15	23	34	42	65	71	13.3	146	2	3	9	19	27	40	94
SUBTOTAL	**1125**	**17.3**	**169**	**3**	**4**	**15**	**23**	**34**	**44**	**69**	**145**	**11.3**	**133**	**2**	**3**	**7**	**15**	**27**	**31**	**75**
GRAND TOTAL	**5345**	**16.6**	**149**	**3**	**4**	**14**	**22**	**32**	**40**	**62**	**448**	**11.4**	**123**	**2**	**2**	**8**	**15**	**25**	**32**	**65**

BIPOLAR AFFECT, DEPRESS (296.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	16.7	113	10	10	11	24	29	29	29										
13-17	10	19.5	457	3	3	8	39	54	57	57										
18-20	20	18.2	379	1	2	13	23	38	65	84	2	14.5	25	11	11	14	18	18	18	18
21-24	30	13.0	64	4	5	11	19	25	29	34	3	5.7	22	2	2	4	9	11	11	11
25-34	135	14.8	116	2	3	13	19	32	40	48	15	13.9	116	3	3	10	19	33	37	39
35-54	218	15.4	183	2	3	12	20	31	44	64	21	11.1	61	1	2	10	17	24	25	25
55-74	134	16.3	137	3	4	13	24	33	38	71	9	18.4	197	1	3	10	30	37	39	39
75 +	21	18.6	289	3	4	15	26	53	86	99 +	4	26.3	225	8	8	26	36	45	45	45
ALL AGES	571	15.6	165	2	4	12	21	32	42	67	54	14.1	118	2	3	10	21	29	38	45
B. FEMALE																				
0-12 YRS.																				
13-17	13	15.2	148	4	6	13	17	27	47	52	1	3.0		3	3	3	3	3	3	3
18-20	24	11.9	180	1	1	8	16	32	70	99 +	1	6.0		6	6	6	6	6	6	6
21-24	38	14.4	104	4	6	11	21	25	35	52	2	4.5	1	4	4	4	5	5	5	5
25-34	225	15.0	130	3	4	12	19	27	40	59	17	13.6	127	2	3	7	27	29	33	35
35-54	495	15.6	128	2	4	14	21	30	37	57	28	11.5	84	1	3	9	17	23	33	38
55-74	371	20.5	203	4	5	18	28	39	47	94	24	20.0	212	3	6	17	23	43	54	56
75 +	68	20.7	217	5	6	16	25	43	55	61	19	23.6	228	6	7	20	39	42	50	55
ALL AGES	1234	17.1	163	3	4	14	23	35	43	64	92	16.3	175	3	3	12	22	39	42	56
SUBTOTAL	**1805**	**16.6**	**165**	**3**	**4**	**14**	**22**	**34**	**42**	**65**	**146**	**15.5**	**154**	**2**	**3**	**11**	**22**	**35**	**41**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17	12	21.2	194	2	2	21	29	41	48	49	2	60.0	2	59	59	60	61	61	61	61
18-20	14	15.8	122	3	4	13	22	33	34	34	1	2.0		2	2	2	2	2	2	2
21-24	24	18.5	322	2	4	13	24	43	57	79	3	5.3	3	4	4	5	6	7	7	7
25-34	84	13.3	130	2	3	11	18	24	36	88	6	7.3	14	1	2	8	9	12	12	12
35-54	129	15.0	122	3	4	14	20	28	36	70	16	14.1	102	3	3	12	20	28	35	38
55-74	45	17.0	98	3	5	17	22	34	35	41	5	16.2	135	7	7	13	21	36	36	36
75 +	10	20.9	220	4	5	18	38	69	97	99 +	4	15.0	117	3	3	15	24	26	26	26
ALL AGES	319	15.6	143	2	4	14	21	33	39	85	37	14.8	205	2	3	9	20	35	52	61
B. FEMALE																				
0-12 YRS.	1	48.0		48	48	48	48	48	48	48	1	51.0		51	51	51	51	51	51	51
13-17	16	28.2	777	2	6	15	52	92	99	99 +	1	6.0		6	6	6	6	6	6	6
18-20	11	12.8	45	4	7	12	15	22	29	30	1	4.0		4	4	4	4	4	4	4
21-24	28	17.0	191	2	4	12	22	40	45	52	3	7.7	10	4	4	9	10	10	10	10
25-34	142	14.4	135	2	3	11	20	30	38	66	11	14.2	56	3	5	14	20	24	29	29
35-54	243	16.3	158	3	4	14	21	31	43	63	24	10.4	88	1	2	7	13	26	32	36
55-74	104	21.7	215	5	7	18	29	39	46	78	15	20.6	343	3	3	11	42	44	49	51
75 +	21	22.2	250	4	6	20	37	47	81	99 +	4	18.5	2	17	17	18	19	20	20	20
ALL AGES	566	17.4	192	3	4	14	23	37	47	71	60	14.5	172	2	3	10	20	39	43	51
SUBTOTAL	**885**	**16.7**	**177**	**3**	**4**	**14**	**22**	**35**	**45**	**76**	**97**	**14.6**	**183**	**2**	**3**	**10**	**20**	**36**	**43**	**60**
GRAND TOTAL	**2690**	**16.7**	**167**	**3**	**4**	**14**	**22**	**34**	**43**	**68**	**243**	**15.1**	**166**	**2**	**3**	**10**	**21**	**36**	**42**	**56**

BIPOLAR AFFECTIVE, MIXED (296.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	45.7	1076	18	18	37	71	82	82	82	1	10.0		10	10	10	10	10	10	10
13-17	11	28.5	580	4	5	20	45	68	74	75	1	35.0		35	35	35	35	35	35	35
18-20	10	19.5	188	4	6	15	33	40	45	45	1	28.0		28	28	28	28	28	28	28
21-24	25	15.8	104	4	5	13	20	32	37	41	3	16.0	112	8	8	12	24	28	28	28
25-34	108	15.3	127	3	4	13	20	30	35	62	20	13.3	75	3	5	10	21	26	30	32
35-54	163	15.4	143	3	4	11	22	31	43	52	15	16.2	446	2	4	8	18	32	73	87
55-74	58	18.3	208	3	4	15	23	39	48	70	5	12.4	74	4	4	10	19	25	25	25
75 +	12	19.3	163	3	4	18	29	37	40	41	1	17.0		17	17	17	17	17	17	17
ALL AGES	390	16.6	175	3	4	13	22	34	42	67	47	15.1	193	4	5	10	20	28	33	87
B. FEMALE																				
0-12 YRS.																				
13-17	12	15.6	171	2	3	10	24	38	41	42	1	6.0		6	6	6	6	6	6	6
18-20	19	13.2	225	2	2	9	17	20	47	69	2	11.0	18	8	8	11	14	14	14	14
21-24	39	14.7	183	2	3	11	19	29	61	99 +	3	11.3	83	3	3	10	18	21	21	21
25-34	210	14.4	126	3	4	12	18	28	39	55	9	9.0	30	4	4	7	10	18	22	22
35-54	407	16.1	131	4	5	14	21	30	35	60	42	14.0	159	4	5	11	15	26	44	63
55-74	233	19.8	176	4	6	17	26	38	44	81	21	24.1	308	2	6	20	30	54	60	67
75 +	39	22.8	192	8	9	19	31	45	62	99 +	2	17.5	5	16	16	17	19	19	19	19
ALL AGES	959	16.8	152	3	4	14	21	32	42	71	80	15.9	194	3	5	12	19	31	54	66
SUBTOTAL	**1349**	**16.7**	**160**	**3**	**4**	**14**	**22**	**32**	**42**	**69**	**127**	**15.6**	**192**	**3**	**5**	**11**	**19**	**29**	**44**	**72**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	7	14.9	102	6	6	9	23	31	32	32										
18-20	11	24.8	938	1	1	8	50	75	83	84	1	11.0		11	11	11	11	11	11	11
21-24	29	16.2	204	2	4	13	17	39	53	59	2	7.0	32	3	3	7	11	11	11	11
25-34	77	18.0	232	3	4	12	23	35	48	83	4	9.8	79	1	1	8	16	22	22	22
35-54	96	15.6	125	3	4	14	22	30	38	49	12	17.3	216	1	3	12	26	43	43	43
55-74	30	17.5	123	4	5	16	23	34	41	45	5	24.4	636	5	5	17	33	68	68	68
75 +	3	36.7	1007	14	14	23	60	73	73	73										
ALL AGES	253	17.3	209	3	4	14	22	34	48	73	24	16.4	257	1	3	11	21	43	51	68
B. FEMALE																				
0-12 YRS.	1	22.0		22	22	61	99 +	99 +	99 +	99 +										
13-17	6	22.7	296	3	4	29	44	90	99 +	99 +										
18-20	12	15.7	180	2	3	11	25	37	40	40	1	2.0		2	2	2	2	2	2	2
21-24	15	20.2	219	6	6	15	27	51	52	52	1	4.0		4	4	4	4	4	4	4
25-34	104	17.4	159	3	4	16	21	32	41	70	11	10.6	60	4	4	7	15	22	28	29
35-54	147	15.3	142	2	4	12	21	30	36	57	15	10.9	67	3	4	7	13	29	29	29
55-74	82	21.2	199	4	6	19	27	39	49	71	2	5.5	13	3	3	5	8	8	8	8
75 +	6	17.5	140	5	5	15	22	36	38	38	1	18.0		18	18	18	18	18	18	18
ALL AGES	373	17.6	167	3	4	15	23	34	43	76	31	10.2	58	3	3	7	14	22	29	29
SUBTOTAL	**626**	**17.5**	**183**	**3**	**4**	**15**	**23**	**34**	**46**	**74**	**55**	**12.9**	**152**	**2**	**3**	**10**	**16**	**29**	**40**	**67**
GRAND TOTAL	**1975**	**17.0**	**166**	**3**	**4**	**14**	**22**	**33**	**42**	**72**	**182**	**14.8**	**180**	**3**	**4**	**10**	**18**	**29**	**42**	**68**

BIPOLAR AFFECTIVE NOS (296.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	22.8	185	4	4	20	35	38	38	38										
13-17	24	21.0	163	3	4	19	30	37	44	48										
18-20	29	17.2	162	4	5	13	24	34	44	55	2	3.0	8	1	1	3	5	5	5	5
21-24	40	17.9	146	4	5	15	24	36	43	54	7	12.3	44	4	5	11	15	23	25	25
25-34	157	14.3	165	1	2	10	19	30	38	58	7	9.7	80	3	3	6	14	25	27	27
35-54	197	14.8	141	1	3	12	19	30	38	58	25	14.8	449	1	2	8	13	33	77	88
55-74	76	15.5	116	3	4	14	21	29	39	51	6	10.8	120	5	5	7	8	30	33	33
75 +	20	17.5	111	3	5	15	24	35	37	38	2	7.5	5	6	6	7	9	9	9	9
ALL AGES	548	15.6	146	1	3	13	21	31	39	55	49	12.4	263	2	2	8	12	26	35	88
B. FEMALE																				
0-12 YRS.	5	34.8	514	10	10	38	51	65	65	65										
13-17	41	22.3	175	3	7	21	31	39	48	55										
18-20	27	13.4	56	3	4	13	19	26	27	27										
21-24	43	14.2	79	1	2	14	21	26	29	36	3	12.7	49	5	5	14	18	19	19	19
25-34	236	13.8	99	2	3	12	19	26	34	46	20	11.2	98	1	1	8	18	24	31	37
35-54	369	16.2	141	3	4	14	21	32	38	60	29	14.7	201	2	4	10	18	35	41	68
55-74	257	17.4	157	3	5	15	23	34	42	71	23	13.3	200	3	3	8	17	24	43	70
75 +	26	22.0	167	6	8	20	29	36	52	55	8	20.5	325	3	3	15	34	48	52	52
ALL AGES	1004	16.3	138	2	4	14	22	32	39	56	83	13.9	182	2	3	9	18	29	40	69
SUBTOTAL	**1552**	**16.0**	**143**	**2**	**3**	**13**	**21**	**31**	**39**	**55**	**132**	**13.4**	**209**	**2**	**3**	**9**	**16**	**28**	**40**	**76**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	26.3	397	4	4	33	40	42	42	42										
13-17	25	23.2	453	4	5	18	34	54	74	79	1	61.0		61	61	61	61	61	61	61
18-20	11	13.6	81	2	3	12	22	26	28	28										
21-24	43	17.4	171	2	6	14	22	29	48	65	3	17.7	81	11	11	14	24	28	28	28
25-34	143	17.2	158	2	4	16	22	29	39	64	10	9.7	24	4	4	9	15	17	18	18
35-54	157	16.7	201	2	3	13	21	34	43	67	17	8.5	54	2	2	6	12	20	26	28
55-74	40	17.8	106	4	6	16	25	29	34	53	3	22.3	207	10	10	19	33	38	38	38
75 +	6	20.2	130	11	11	15	28	39	40	40										
ALL AGES	428	17.4	188	2	4	14	23	33	44	67	34	12.4	144	2	3	10	15	28	36	61
B. FEMALE																				
0-12 YRS.	1	41.0		41	41	41	41	41	41	41										
13-17	37	31.1	487	2	5	27	43	65	79	83	1	71.0		71	71	85	99 +	99 +	99 +	99 +
18-20	18	24.2	531	2	4	14	42	56	76	86										
21-24	42	19.5	341	3	4	15	22	42	70	77	3	3.7	2	2	2	4	5	5	5	5
25-34	164	14.2	157	1	2	11	20	28	36	67	12	10.7	78	2	2	8	16	22	30	31
35-54	172	16.8	142	3	4	15	22	30	40	58	15	9.3	44	2	2	7	14	19	22	23
55-74	93	18.9	193	5	6	16	23	31	43	84	11	12.7	90	2	2	10	19	27	28	28
75 +	10	15.4	69	5	6	14	20	28	30	30	2	29.5	1405	3	3	29	56	56	56	56
ALL AGES	537	17.8	224	2	4	15	23	33	47	76	44	12.5	190	2	2	7	17	28	60	99 +
SUBTOTAL	**965**	**17.7**	**205**	**2**	**4**	**15**	**23**	**33**	**46**	**73**	**78**	**12.5**	**167**	**2**	**2**	**9**	**16**	**28**	**48**	**92**
GRAND TOTAL	**2517**	**16.6**	**169**	**2**	**4**	**14**	**22**	**32**	**42**	**66**	**210**	**13.0**	**194**	**2**	**3**	**9**	**16**	**28**	**40**	**79**

MANIC-DEPRESSIVE NEC/NOS (296.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	24.5	221	14	14	24	35	35	35	35										
13-17	33	17.7	285	2	3	14	27	39	71	99 +	7	23.7	366	1	3	19	34	54	58	58
18-20	20	13.2	176	1	1	8	18	35	43	50	2	3.0	8	1	1	3	5	5	5	5
21-24	32	12.9	123	1	2	12	19	24	31	51	3	13.7	159	4	4	9	23	28	28	28
25-34	92	12.7	128	2	3	10	16	25	36	62	13	5.5	29	1	1	3	9	15	16	16
35-54	131	14.0	177	2	4	10	18	28	36	78	19	6.1	40	1	1	3	10	16	20	21
55-74	77	14.0	161	2	3	10	18	30	43	62	13	7.3	39	1	1	5	9	16	22	24
75 +	13	14.8	131	1	3	15	19	27	42	46	2	2.0	2	1	1	2	3	3	3	3
ALL AGES	400	14.0	164	1	3	10	18	30	37	74	59	8.5	105	1	1	5	12	22	32	96
B. FEMALE																				
0-12 YRS.	3	9.3	23	4	4	11	12	13	13	13										
13-17	29	21.2	329	2	3	21	29	41	61	78	9	26.4	515	6	7	17	49	61	61	61
18-20	26	15.0	219	2	3	11	18	29	46	69										
21-24	41	12.2	119	1	2	9	16	31	33	45	8	8.3	59	1	1	5	11	22	24	24
25-34	203	13.8	142	1	2	10	18	30	38	53	42	21.1	209	2	4	21	30	33	41	78
35-54	283	14.9	183	2	3	11	20	34	43	73	53	16.7	266	1	2	12	28	38	52	73
55-74	216	16.0	132	2	4	13	22	34	38	54	37	11.1	98	2	3	7	16	24	31	46
75 +	41	19.1	236	2	4	15	26	40	53	64	6	6.3	20	1	1	5	11	12	12	12
ALL AGES	842	15.2	167	2	3	12	21	33	41	64	155	16.3	224	2	2	12	26	31	46	73
SUBTOTAL	**1242**	**14.8**	**166**	**2**	**3**	**11**	**20**	**32**	**40**	**66**	**214**	**14.1**	**204**	**1**	**1**	**9**	**22**	**31**	**45**	**75**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	19.7	379	1	1	13	34	49	52	52	1	60.0		60	60	60	60	60	60	60
13-17	41	25.5	503	1	3	21	37	65	91	99 +	4	16.8	618	3	3	30	99 +	99 +	99 +	99 +
18-20	20	21.5	431	3	4	15	35	48	69	82	1	30.0		30	30	30	30	30	30	30
21-24	48	15.6	143	2	2	14	24	34	37	48	3	4.3	3	3	3	4	5	6	6	6
25-34	113	12.3	128	1	3	9	16	26	29	65	12	15.3	286	2	2	8	23	39	58	61
35-54	154	15.7	189	2	3	12	21	31	44	65	15	13.3	490	2	4	8	10	17	73	92
55-74	41	19.2	145	4	7	16	27	35	44	53	3	6.0	1	5	5	6	7	7	7	7
75 +	3	34.7	669	5	5	46	51	53	53	53	1	18.0		18	18	18	18	18	18	18
ALL AGES	427	16.5	224	2	3	13	22	36	48	78	40	14.7	380	2	3	7	18	60	95	99 +
B. FEMALE																				
0-12 YRS.	3	35.0	1036	5	5	31	59	69	69	69	2	45.5	481	30	30	45	61	61	61	61
13-17	60	23.3	507	1	2	17	41	77	99 +	99 +	6	29.2	259	7	8	28	45	49	49	49
18-20	40	14.2	298	1	2	10	17	30	56	79										
21-24	56	14.2	245	2	2	9	17	32	47	78	4	21.5	191	6	6	20	31	39	39	39
25-34	213	15.9	253	1	2	11	21	34	44	89	17	17.1	291	1	3	12	29	58	86	99 +
35-54	248	16.5	201	2	3	13	22	35	44	99 +	25	12.2	81	3	4	12	20	25	27	33
55-74	102	20.9	273	3	6	16	28	40	56	85	24	11.8	123	1	2	7	17	31	36	38
75 +	30	14.4	126	3	3	11	18	32	43	45	5	9.4	60	4	4	6	12	23	23	23
ALL AGES	752	17.2	262	2	3	13	23	37	54	98	83	15.4	194	2	3	11	24	35	46	88
SUBTOTAL	**1179**	**16.9**	**250**	**2**	**3**	**13**	**23**	**36**	**52**	**92**	**123**	**15.2**	**251**	**2**	**3**	**8**	**24**	**39**	**61**	**99 +**
GRAND TOTAL	**2421**	**15.8**	**209**	**2**	**3**	**12**	**21**	**34**	**44**	**79**	**337**	**14.5**	**221**	**1**	**2**	**9**	**22**	**32**	**51**	**99 +**

AFFECT PSYCHOSES NEC/NOS (296.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	13.7	253	3	3	6	25	32	32	32										
13-17	5	18.6	200	2	2	19	32	34	34	34										
18-20	5	25.4	503	3	3	16	46	55	55	55										
21-24	8	16.6	193	2	3	12	25	39	41	41										
25-34	19	11.1	51	2	4	10	14	22	26	29	5	14.4	95	7	7	8	22	29	29	29
35-54	39	16.7	204	3	5	11	21	33	48	68	7	9.7	225	1	1	4	9	36	43	43
55-74	24	14.2	114	2	3	12	19	26	38	46	8	15.1	79	6	6	12	23	27	28	28
75 +	7	10.7	41	1	2	12	14	19	20	20	4	10.0	76	5	5	6	15	23	23	23
ALL AGES	110	15.2	159	2	3	11	20	33	43	60	24	12.5	116	1	3	8	21	28	33	43
B. FEMALE																				
0-12 YRS.																				
13-17	11	15.9	145	2	2	15	26	33	37	37	2	8.5	13	6	6	8	11	11	11	11
18-20	6	19.3	341	4	4	14	26	50	53	53										
21-24	10	8.0	44	1	1	6	11	19	22	22										
25-34	32	12.8	122	3	3	10	17	20	36	58	10	8.5	237	1	1	3	7	32	51	51
35-54	81	14.4	141	2	2	11	20	31	40	50	20	11.2	143	1	2	7	11	25	41	53
55-74	53	15.8	142	2	4	13	20	31	41	58	9	13.8	201	3	4	7	19	37	48	48
75 +	16	18.2	210	4	6	13	24	40	52	57	6	13.5	59	5	5	12	20	24	25	25
ALL AGES	209	14.7	145	2	3	11	19	31	40	57	47	11.3	151	1	2	7	12	24	48	53
SUBTOTAL	**319**	**14.9**	**149**	**2**	**3**	**11**	**20**	**31**	**41**	**57**	**71**	**11.7**	**138**	**1**	**2**	**7**	**15**	**26**	**42**	**53**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	4.3	13	1	1	4	7	8	8	8	1	35.0		35	35	35	35	35	35	35
13-17	11	25.6	499	1	2	18	49	55	56	56	1	2.0		2	2	2	2	2	2	2
18-20	5	12.6	131	2	2	9	17	32	32	32	2	2.0	2	1	1	1	3	3	3	3
21-24	9	16.0	164	2	3	8	28	31	33	33	1	29.0		29	29	29	29	29	29	29
25-34	32	15.2	215	1	2	10	25	30	35	71	3	3.7	2	2	2	4	5	5	5	5
35-54	36	12.8	149	1	2	8	15	30	40	53	4	9.3	36	4	4	7	13	18	18	18
55-74	25	16.2	139	3	6	12	22	32	42	48	2	5.0	18	2	2	5	8	8	8	8
75 +	2	11.5	145	3	3	11	20	20	20	20	4	13.0	72	3	3	14	20	21	21	21
ALL AGES	123	15.3	196	1	2	10	25	33	46	60	18	10.0	102	1	2	6	18	27	33	35
B. FEMALE																				
0-12 YRS.	3	36.3	2586	6	6	8	73	95	95	95										
13-17	8	21.9	248	3	4	20	32	46	49	49	2	41.0	338	28	28	54	88	99 +	99 +	99 +
18-20	4	9.5	51	4	4	7	14	20	20	20										
21-24	7	12.1	58	3	3	12	17	23	24	24										
25-34	55	15.1	238	2	3	10	19	31	64	99	12	7.1	25	1	2	5	12	14	15	15
35-54	66	14.5	163	1	3	10	22	40	46	91	12	12.9	101	1	2	11	24	25	26	26
55-74	48	18.3	145	4	6	15	22	35	45	56	16	14.6	178	2	3	11	18	41	44	45
75 +	7	26.3	139	7	9	25	37	39	39	39	2	6.5	25	3	3	6	10	10	10	10
ALL AGES	198	16.4	212	2	3	12	22	38	49	97	44	12.9	152	1	2	10	18	28	47	99 +
SUBTOTAL	**321**	**16.0**	**205**	**2**	**3**	**11**	**23**	**36**	**48**	**82**	**62**	**12.1**	**137**	**1**	**2**	**8**	**18**	**28**	**43**	**94**
GRAND TOTAL	**640**	**15.4**	**179**	**2**	**3**	**11**	**21**	**33**	**44**	**67**	**133**	**11.9**	**136**	**1**	**2**	**8**	**18**	**28**	**43**	**61**

Total U.S. January - December 1986

PARANOID STATE, SIMPLE (297.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74																				
75 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	2	12.5	41	8	8	12	17	17	17	17										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	42.0		42	42	42	42	42	42	42										
55-74																				
75 +	4	17.5	804	2	2	4	32	60	60	60										
ALL AGES	6	18.8	656	1	1	4	42	58	60	60										
SUBTOTAL	**8**	**17.3**	**480**	**1**	**1**	**6**	**29**	**55**	**60**	**60**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	6.0	8	4	4	6	8	8	8	8										
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +																				
ALL AGES	3	5.3	6	4	4	4	7	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											2	9.5	1	9	9	9	10	10	10	10
75 +	3	11.7	5	9	9	12	13	14	14	14	1	9.0		9	9	9	9	9	9	9
ALL AGES	3	11.7	5	9	9	12	13	14	14	14	3	9.3	1	9	9	9	10	10	10	10
SUBTOTAL	**6**	**8.5**	**17**	**4**	**4**	**8**	**12**	**14**	**14**	**14**	**3**	**9.3**	**1**	**9**	**9**	**9**	**10**	**10**	**10**	**10**
GRAND TOTAL	**14**	**13.5**	**286**	**1**	**2**	**8**	**14**	**44**	**56**	**60**	**3**	**9.3**	**1**	**9**	**9**	**9**	**10**	**10**	**10**	**10**

PARANOIA (297.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20	2	18.0	288	6	6	18	30	30	30	30										
21-24	3	13.3	263	4	4	4	25	32	32	32										
25-34	19	12.9	234	1	1	7	16	39	52	55	1	1.0		1	1	1	1	1	1	1
35-54	28	8.9	56	1	1	7	13	18	22	34	3	13.7	199	5	5	6	24	30	30	30
55-74	13	13.2	59	2	3	12	19	24	25	25	5	9.2	65	2	2	5	16	21	21	21
75 +	9	9.8	70	3	3	6	12	23	30	30	4	5.8	7	2	2	6	8	8	8	8
ALL AGES	75	11.1	112	1	2	7	14	24	32	53	13	8.5	72	1	1	5	10	23	29	30
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24	1	16.0		16	16	16	16	16	16	16										
25-34	15	12.7	80	2	3	11	18	26	30	32										
35-54	40	12.8	103	2	4	10	16	25	29	56	1	12.0		12	12	12	12	12	12	12
55-74	69	15.1	116	3	5	13	20	33	41	49	12	6.4	22	2	3	4	9	14	14	14
75 +	28	13.9	144	2	2	13	19	26	45	50	5	13.8	71	4	4	14	21	24	24	24
ALL AGES	153	14.1	111	2	4	12	19	27	36	51	19	8.4	43	1	2	5	14	18	22	24
SUBTOTAL	**228**	**13.1**	**113**	**2**	**3**	**11**	**17**	**26**	**34**	**52**	**32**	**8.4**	**53**	**1**	**2**	**5**	**14**	**20**	**24**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	15.0		15	15	15	15	15	15	15										
21-24	5	9.0	26	1	1	12	12	13	13	13										
25-34	18	12.9	179	2	2	7	19	37	42	44	3	4.3	6	3	3	3	6	7	7	7
35-54	22	10.6	54	3	4	8	14	20	27	32	1	3.0		3	3	3	3	3	3	3
55-74	13	13.3	95	3	5	12	16	24	38	41	3	9.0	37	5	5	6	13	16	16	16
75 +	3	19.0	133	8	8	18	28	31	31	31	1	5.0		5	5	5	5	5	5	5
ALL AGES	62	12.2	97	2	3	9	15	26	37	44	8	6.0	19	3	3	5	6	13	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	1	13.0		13	13	13	13	13	13	13										
25-34	8	21.9	93	2	6	23	28	32	34	34	1	4.0		4	4	4	4	4	4	4
35-54	22	16.9	112	2	4	16	25	34	36	38	2	20.5	421	6	6	20	35	35	35	35
55-74	24	13.5	139	2	2	10	16	32	40	49	2	5.5	5	4	4	5	7	7	7	7
75 +	12	17.3	180	3	4	14	21	34	51	54	3	11.0	97	3	3	8	18	22	22	22
ALL AGES	68	16.1	131	2	3	13	23	33	36	53	8	11.1	130	3	3	6	15	31	35	35
SUBTOTAL	**130**	**14.2**	**119**	**2**	**3**	**12**	**19**	**31**	**36**	**50**	**16**	**8.6**	**76**	**3**	**3**	**5**	**8**	**21**	**31**	**35**
GRAND TOTAL	**358**	**13.5**	**115**	**2**	**3**	**11**	**18**	**28**	**35**	**51**	**48**	**8.5**	**59**	**2**	**2**	**5**	**13**	**21**	**25**	**35**

PARAPHRENIA (297.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	3	16.0	259	1	1	14	28	33	33	33	1	6.0		6	6	6	6	6	6	6
75 +	3	22.0	327	5	5	20	36	41	41	41										
ALL AGES	6	19.0	245	1	1	17	33	40	41	41	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	9.0		9	9	9	9	9	9	9										
55-74	6	19.3	194	5	5	16	25	42	44	44	6	13.2	117	2	2	11	21	29	30	30
75 +	7	17.1	161	6	6	10	27	35	37	37	1	15.0		15	15	15	15	15	15	15
ALL AGES	14	17.5	155	5	6	12	26	38	43	44	7	13.4	100	2	2	14	19	28	30	30
SUBTOTAL	**20**	**18.0**	**169**	**3**	**5**	**14**	**26**	**39**	**42**	**44**	**8**	**12.5**	**92**	**2**	**2**	**11**	**18**	**27**	**30**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13										
55-74	3	43.7	626	16	16	50	61	65	65	65	1	10.0		10	10	10	10	10	10	10
75 +	4	33.5	230	24	24	27	42	56	56	56										
ALL AGES	8	34.8	377	13	14	27	53	62	65	65	1	10.0		10	10	10	10	10	10	10
B. FEMALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	15.5	221	5	5	15	26	26	26	26										
55-74	6	33.7	374	18	18	27	37	68	71	71										
75 +	11	27.5	339	7	9	27	34	56	65	66										
ALL AGES	20	28.3	314	6	8	26	34	58	68	71										
SUBTOTAL	**28**	**30.1**	**332**	**7**	**10**	**26**	**36**	**62**	**66**	**71**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**
GRAND TOTAL	**48**	**25.1**	**293**	**5**	**6**	**24**	**33**	**50**	**65**	**71**	**9**	**12.2**	**82**	**2**	**2**	**10**	**16**	**26**	**30**	**30**

SHARED PARANOID DISORDER (297.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74	2	25.0	800	5	5	25	45	45	45	45	1	3.0		3	3	3	3	3	3	3
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	4	14.8	406	3	3	5	25	45	45	45	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	5.5	5	4	4	5	7	7	7	7										
55-74	1	6.0		6	6	6	6	6	6	6	2	3.5	1	3	3	3	4	4	4	4
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	3	5.7	2	4	4	6	7	7	7	7	3	4.0	1	3	3	4	5	5	5	5
SUBTOTAL	**7**	**10.9**	**227**	**3**	**3**	**6**	**7**	**37**	**45**	**45**	**4**	**3.8**		**3**	**3**	**4**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	48.0		48	48	48	48	48	48	48										
21-24																				
25-34	2	7.5	13	5	5	7	10	10	10	10										
35-54																				
55-74																				
75 +																				
ALL AGES	3	21.0	553	5	5	10	38	48	48	48										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54	1	21.0		21	21	21	21	21	21	21										
55-74																				
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	3	11.0	84	3	3	9	18	21	21	21										
SUBTOTAL	**6**	**16.0**	**285**	**3**	**3**	**9**	**21**	**45**	**48**	**48**										
GRAND TOTAL	**13**	**13.2**	**241**	**3**	**3**	**6**	**13**	**46**	**48**	**48**	**4**	**3.8**		**3**	**3**	**4**	**4**	**5**	**5**	**5**

PARANOID STATES NEC (297.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	51.0		51	51	51	51	51	51	51										
18-20	1	7.0		7	7	7	7	7	7	7										
21-24																				
25-34	4	14.3	278	2	2	8	24	39	39	39										
35-54	1	34.0		34	34	34	34	34	34	34										
55-74	4	14.5	44	8	8	14	20	22	22	22										
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	12	17.6	248	2	3	9	28	43	50	51										
B. FEMALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9										
18-20																				
21-24																				
25-34	2	11.0	72	5	5	11	17	17	17	17										
35-54	6	8.3	23	3	3	8	13	14	14	14										
55-74	2	18.0	50	13	13	18	23	23	23	23	1	6.0		6	6	6	6	6	6	6
75 +	3	6.3	25	3	3	4	10	12	12	12										
ALL AGES	14	9.7	36	3	3	9	13	18	22	23	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**26**	**13.3**	**145**	**3**	**3**	**9**	**17**	**33**	**41**	**51**	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	10.5	85	4	4	10	17	17	17	17										
25-34	2	15.5	13	13	13	15	18	18	18	18										
35-54																				
55-74	1	26.0		26	26	26	26	26	26	26										
75 +																				
ALL AGES	5	15.6	64	4	4	17	20	26	26	26										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	31.0		31	31	31	31	31	31	31										
21-24	1	13.0		13	13	13	13	13	13	13										
25-34	4	16.0	90	4	4	16	22	27	27	27										
35-54	2	34.5	5	33	33	34	36	36	36	36	1	3.0		3	3	3	3	3	3	3
55-74	7	16.0	17	10	10	16	19	21	22	22										
75 +	3	9.7		9	9	9	11	11	11	11										
ALL AGES	18	17.7	79	6	9	16	22	32	35	36	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**23**	**17.2**	**75**	**4**	**8**	**16**	**21**	**31**	**34**	**36**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**49**	**15.2**	**112**	**3**	**4**	**13**	**19**	**32**	**36**	**51**	**2**	**4.5**	**5**	**3**	**3**	**4**	**6**	**6**	**6**	**6**

PARANOID STATE NOS (297.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	1	8.0		8	8	8	8	8	8	8										
18-20	8	9.4	138	1	1	4	14	30	35	35										
21-24	16	10.1	70	1	1	9	12	25	27	28										
25-34	53	11.5	88	1	2	9	18	27	30	35	4	10.5	178	1	1	5	19	30	30	30
35-54	73	11.8	97	2	3	9	16	25	31	49	10	18.6	318	2	4	12	17	51	57	57
55-74	49	17.3	174	1	3	14	24	40	45	51	10	8.3	114	1	1	4	10	24	37	37
75 +	28	16.6	196	4	4	13	20	40	52	58	5	4.4	7	3	3	3	5	9	9	9
ALL AGES	229	13.2	128	1	2	10	18	28	35	51	29	11.5	189	1	2	7	12	34	46	57
B. FEMALE																				
0-12 YRS.																				
13-17	1	25.0		25	25	25	25	25	25	25										
18-20	1	11.0		11	11	11	11	11	11	11										
21-24	9	12.4	76	2	3	7	19	25	27	27	1	34.0		34	34	34	34	34	34	34
25-34	59	11.7	119	2	3	9	15	24	32	64	3	6.3	57	2	2	2	12	15	15	15
35-54	134	12.5	104	1	2	10	17	25	33	52	5	8.4	42	1	1	9	12	18	18	18
55-74	115	13.8	114	2	3	11	18	28	33	52	18	10.3	43	1	2	9	17	20	22	23
75 +	65	17.8	284	2	4	13	22	37	60	75	16	10.0	44	1	3	9	15	20	21	21
ALL AGES	384	13.7	141	2	3	11	18	27	37	62	43	10.2	56	1	2	9	16	20	22	34
SUBTOTAL	**613**	**13.5**	**137**	**1**	**3**	**11**	**18**	**28**	**36**	**56**	**72**	**10.7**	**109**	**1**	**2**	**9**	**14**	**21**	**34**	**54**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	17.0		17	17	17	17	17	17	17										
13-17	7	41.7	434	15	17	40	50	74	80	80	1	6.0		6	6	6	6	6	6	6
18-20	8	7.1	11	3	3	7	10	11	12	12	2	15.0	2	14	14	15	16	16	16	16
21-24	13	10.5	30	1	3	12	16	17	18	18										
25-34	53	11.0	78	1	2	9	15	24	31	36	4	3.8	8	2	2	3	5	8	8	8
35-54	60	14.0	119	2	3	10	21	27	35	46	4	14.3	69	6	6	12	19	26	26	26
55-74	38	13.3	67	2	3	11	18	24	27	41	6	18.2	176	7	7	11	32	37	38	38
75 +	9	15.2	85	1	3	15	22	28	28	28	5	7.4	30	4	4	6	9	17	17	17
ALL AGES	189	13.6	125	2	2	10	19	27	35	49	22	11.5	93	2	3	8	14	28	34	38
B. FEMALE																				
0-12 YRS.																				
13-17	2	17.0	512	1	1	17	33	33	33	33										
18-20	4	14.0	186	1	1	13	25	29	29	29										
21-24	8	9.3	92	2	2	5	12	26	30	30	1	28.0		28	28	28	28	28	28	28
25-34	27	9.4	67	1	1	6	12	19	30	33										
35-54	57	16.8	175	3	4	13	22	35	46	63	7	8.1	50	2	2	6	14	19	20	20
55-74	67	18.8	182	4	7	15	24	36	47	71	14	7.6	25	2	3	6	10	16	18	18
75 +	35	20.1	215	3	5	16	26	45	49	54	11	15.7	237	2	3	10	17	43	52	53
ALL AGES	200	16.7	176	2	3	13	22	35	45	59	33	11.1	115	2	2	7	16	22	35	53
SUBTOTAL	**389**	**15.2**	**154**	**2**	**3**	**12**	**20**	**31**	**41**	**54**	**55**	**11.3**	**104**	**2**	**2**	**8**	**15**	**26**	**35**	**52**
GRAND TOTAL	**1002**	**14.2**	**143**	**1**	**3**	**11**	**19**	**29**	**38**	**54**	**127**	**11.0**	**105**	**2**	**2**	**8**	**15**	**21**	**34**	**54**

REACT DEPRESS PSYCHOSIS (298.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	39.0	18	36	36	39	42	42	42	42										
13-17	2	28.5	421	14	14	28	43	43	43	43										
18-20											2	3.0	2	2	2	3	4	4	4	4
21-24	3	5.7	52	1	1	2	11	14	14	14										
25-34	4	17.0	127	6	6	15	26	31	31	31	2	4.0	8	2	2	4	6	6	6	6
35-54	16	7.9	31	1	2	7	11	17	18	18	3	4.7	10	1	1	6	7	7	7	7
55-74	12	11.1	114	1	1	5	17	27	35	36	4	6.0	14	1	1	6	8	10	10	10
75 +	3	18.0	3	16	16	19	19	19	19	19	2	4.0	8	2	2	4	6	6	6	6
ALL AGES	42	12.7	128	1	2	9	18	32	39	43	13	4.6	8	1	1	6	6	8	10	10
B. FEMALE																				
0-12 YRS.																				
13-17	2	11.0	200	1	1	11	21	21	21	21	1	4.0		4	4	4	4	4	4	4
18-20																				
21-24	3	4.7	22	1	1	6	55	99 +	99 +	99 +										
25-34	17	8.6	48	1	2	8	12	17	24	28	4	3.0	1	2	2	3	4	4	4	4
35-54	30	12.6	88	1	2	10	19	24	29	40	2	2.5	5	1	1	2	4	4	4	4
55-74	39	15.9	158	2	4	14	21	28	35	72	12	10.3	71	2	3	6	17	23	26	26
75 +	15	12.9	79	4	6	8	16	30	31	31	6	10.3	16	6	6	10	13	16	16	16
ALL AGES	106	12.9	112	1	3	11	19	25	31	84	25	8.3	47	2	2	5	12	21	23	26
SUBTOTAL	**148**	**12.9**	**114**	**1**	**2**	**10**	**18**	**27**	**36**	**72**	**38**	**7.0**	**37**	**1**	**2**	**5**	**8**	**15**	**22**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-20	2	9.0	98	2	2	9	16	16	16	16										
21-24	3	2.0		2	2	2	2	2	2	2										
25-34	10	13.1	140	1	2	7	21	31	34	34	2	2.0	2	1	1	2	3	3	3	3
35-54	5	8.4	91	2	2	4	12	25	25	25	1	8.0		8	8	8	8	8	8	8
55-74	6	13.3	131	3	3	8	21	32	33	33	1	8.0		8	8	8	8	8	8	8
75 +											2	2.5	1	2	2	2	3	3	3	3
ALL AGES	26	10.7	108	1	2	6	19	29	33	34	7	4.1	8	1	1	3	7	8	8	8
B. FEMALE																				
0-12 YRS.	1	40.0	-	40	40	40	40	40	40	40										
13-17	2	9.5	145	1	1	9	18	18	18	18										
18-20	1	18.0		18	18	18	18	18	18	18										
21-24	2	18.5	13	16	16	18	21	21	21	21										
25-34	7	22.1	454	1	1	18	44	50	50	50	3	7.0	61	2	2	3	13	16	16	16
35-54	13	13.5	142	1	3	10	18	35	37	38	5	4.0	4	1	1	4	5	6	6	6
55-74	13	21.9	489	2	3	21	28	43	79	87	5	6.2	3	5	5	6	7	9	9	9
75 +	2	5.5	13	3	3	5	8	8	8	8	2	2.5	1	2	2	2	3	3	3	3
ALL AGES	41	18.0	301	1	2	13	26	39	50	87	15	5.1	13	1	2	5	6	9	14	16
SUBTOTAL	**67**	**15.2**	**235**	**1**	**2**	**10**	**21**	**34**	**41**	**81**	**22**	**4.8**	**11**	**1**	**2**	**4**	**6**	**8**	**12**	**16**
GRAND TOTAL	**215**	**13.6**	**152**	**1**	**2**	**10**	**19**	**30**	**36**	**77**	**60**	**6.2**	**28**	**1**	**2**	**5**	**7**	**13**	**19**	**26**

EXCITATIV TYPE PSYCHOSIS (298.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	8.0	2	7	7	8	9	9	9	9										
18-20	3	5.3	57	1	1	1	11	14	14	14										
21-24	6	7.3	40	1	1	7	7	18	19	19	2	17.0	512	1	1	17	33	33	33	33
25-34	7	7.9	55	1	1	5	15	19	19	19	3	1.3		1	1	1	2	2	2	2
35-54	15	4.9	13	1	1	5	6	8	13	15	5	9.0	49	1	1	8	15	18	18	18
55-74	5	10.8	97	3	3	8	13	28	28	28	13	12.2	160	1	2	7	15	38	40	40
75 +	6	6.0	21	1	1	5	11	12	12	12	10	10.8	42	1	3	11	12	19	26	26
ALL AGES	44	6.7	34	1	1	5	8	15	19	28	33	10.6	106	1	1	8	13	27	37	40
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	2	10.0	162	1	1	9	19	19	19	19	1	2.0		2	2	2	2	2	2	2
18-20	3	12.3	107	1	1	15	19	21	21	21	3	3.0	7	1	1	2	5	6	6	6
21-24	4	8.0	58	1	1	7	14	16	16	16	2	7.0	2	6	6	7	8	8	8	8
25-34	16	8.4	48	2	2	6	11	22	24	25	4	3.5	2	2	2	3	4	5	5	5
35-54	15	7.9	58	1	1	6	11	18	25	27	10	5.3	15	1	1	4	7	12	13	13
55-74	27	10.4	94	1	2	7	14	20	31	46	24	9.7	174	1	2	5	11	20	42	61
75 +	9	7.0	26	1	1	7	10	15	16	16	11	10.1	151	3	3	6	9	27	44	46
ALL AGES	76	9.0	66	1	1	7	13	20	24	41	56	7.8	111	1	2	5	8	15	29	60
SUBTOTAL	**120**	**8.2**	**54**	**1**	**1**	**6**	**12**	**18**	**22**	**34**	**89**	**8.9**	**109**	**1**	**1**	**6**	**11**	**17**	**34**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	8.0	32	4	4	8	12	12	12	12	1	8.0		8	8	8	8	8	8	8
18-20											1	7.0		7	7	7	7	7	7	7
21-24	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
25-34	6	7.2	34	1	1	6	12	15	15	15	7	3.4	2	2	2	3	5	5	5	5
35-54	7	6.6	1	5	5	7	8	72	99 +	99 +	7	8.7	206	1	1	5	5	34	41	41
55-74	4	10.5	34	3	3	11	15	16	16	16	5	7.2	36	3	3	4	11	17	17	17
75 +	1	4.0		4	4	4	4	4	4	4	6	7.2	31	1	1	6	11	15	16	16
ALL AGES	21	7.3	20	2	2	7	12	15	50	99 +	28	6.4	63	1	1	4	7	14	19	41
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
18-20											1	59.0		59	59	59	59	59	59	59
21-24	1	30.0		30	30	30	30	30	30	30	1	1.0		1	1	1	1	1	1	1
25-34	7	10.1	35	4	4	8	16	18	18	18	3	4.3	6	3	3	3	6	7	7	7
35-54	21	10.2	96	1	1	8	16	31	62	99 +	7	9.3	55	1	1	8	11	21	24	24
55-74	10	11.7	33	5	6	11	13	20	26	26	10	5.9	15	2	2	4	9	12	14	14
75 +	10	14.5	168	2	5	10	14	34	49	49	12	12.0	65	3	3	10	19	24	25	25
ALL AGES	50	11.6	92	1	2	10	14	27	36	99 +	35	9.8	119	1	2	7	12	23	25	59
SUBTOTAL	**71**	**10.4**	**72**	**1**	**2**	**9**	**14**	**23**	**35**	**99 +**	**63**	**8.3**	**95**	**1**	**2**	**5**	**10**	**18**	**24**	**57**
GRAND TOTAL	**191**	**9.0**	**62**	**1**	**1**	**7**	**13**	**19**	**27**	**78**	**152**	**8.6**	**104**	**1**	**1**	**5**	**10**	**17**	**32**	**59**

REACTIVE CONFUSION (298.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											2	1.5	1	1	1	1	2	2	2	2
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
55-74											2	6.0	8	4	4	6	8	8	8	8
75 +											5	6.2	17	1	1	7	9	11	11	11
ALL AGES	2	4.5	1	4	4	4	5	5	5	5	10	4.8	13	1	1	3	8	10	11	11
B. FEMALE																				
0-12 YRS.											3	2.0	1	1	1	2	3	3	3	3
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	5	7.6	72	1	1	3	13	21	21	21	2	2.5	5	1	1	2	4	4	4	4
35-54	3	4.0	7	1	1	5	6	6	6	6	1	2.0		2	2	2	2	2	2	2
55-74	5	7.4	160	1	1	2	10	30	30	30	4	2.3	2	1	1	2	3	4	4	4
75 +	4	10.3	2	8	8	10	11	12	12	12	6	5.2	8	1	1	5	6	10	10	10
ALL AGES	18	7.2	62	1	1	4	11	18	26	30	16	3.3	6	1	1	3	5	6	9	10
SUBTOTAL	**20**	**6.9**	**56**	**1**	**1**	**4**	**10**	**16**	**25**	**30**	**26**	**3.9**	**9**	**1**	**1**	**3**	**5**	**9**	**10**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	73.0		73	73	73	73	73	73	73
13-17																				
18-20	1	16.0		16	16	16	16	16	16	16										
21-24	1	11.0		11	11	11	11	11	11	11	1	1.0		1	1	1	1	1	1	1
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	3	6.0	19	1	1	8	9	9	9	9	1	1.0		1	1	1	1	1	1	1
55-74	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
75 +	3	5.3	5	3	3	6	7	7	7	7	1	2.0		2	2	2	2	2	2	2
ALL AGES	10	6.7	21	1	1	6	9	13	16	16	5	16.0	1016	1	1	2	20	73	73	73
B. FEMALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-20																				
21-24											1	2.0		2	2	2	2	2	2	2
25-34											3	7.7	30	2	2	8	12	13	13	13
35-54	5	14.8	237	3	3	7	24	40	40	40										
55-74	3	18.0	196	2	2	24	27	28	28	28	3	7.7	30	2	2	8	12	13	13	13
75 +	1	2.0		2	2	2	2	2	2	2	2	11.5	61	6	6	11	17	17	17	17
ALL AGES	9	14.4	193	2	2	7	25	35	40	40	10	7.3	30	2	2	7	13	15	17	17
SUBTOTAL	**19**	**10.4**	**111**	**1**	**2**	**7**	**15**	**26**	**35**	**40**	**15**	**10.2**	**328**	**1**	**1**	**3**	**12**	**17**	**59**	**73**
GRAND TOTAL	**39**	**8.6**	**84**	**1**	**1**	**5**	**11**	**23**	**29**	**40**	**41**	**6.2**	**130**	**1**	**1**	**3**	**7**	**12**	**15**	**73**

ACUTE PARANOID REACTION (298.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	3	6.3	17	2	2	7	9	10	10	10										
21-24	3	16.3	116	7	7	14	24	28	28	28										
25-34	16	10.9	87	1	1	7	19	25	28	29	1	4.0		4	4	4	4	4	4	4
35-54	19	11.9	54	1	1	12	18	22	23	23	2	3.5	1	3	3	3	4	4	4	4
55-74	9	10.1	77	2	3	7	13	25	26	26	2	5.5	1	5	5	5	6	6	6	6
75 +	5	11.0	42	5	5	9	13	22	22	22	4	3.3	2	1	1	3	4	5	5	5
ALL AGES	55	11.2	64	1	2	9	18	23	26	29	9	3.9	2	1	2	4	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17											2	23.0	968	1	1	23	45	45	45	45
18-20	2	15.0	128	7	7	15	23	23	23	23										
21-24	2	5.0	18	2	2	5	8	8	8	8	2	2.5	5	1	1	2	4	4	4	4
25-34	17	8.9	48	1	1	7	11	21	24	25										
35-54	27	9.6	25	3	4	10	13	16	18	21	5	7.8	34	4	4	6	10	18	18	18
55-74	16	13.8	81	4	5	12	18	28	31	32	8	8.0	45	2	2	6	10	20	22	22
75 +	9	12.9	95	1	2	11	20	27	31	31	5	5.2	18	1	1	5	9	10	10	10
ALL AGES	73	10.8	54	1	3	10	14	22	27	32	22	8.2	97	1	1	5	9	19	31	45
SUBTOTAL	**128**	**11.0**	**57**	**1**	**2**	**9**	**15**	**23**	**26**	**31**	**31**	**6.9**	**73**	**1**	**1**	**4**	**7**	**16**	**22**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	4	18.0	145	7	7	16	28	32	32	32										
21-24																				
25-34	19	9.2	48	1	1	8	11	22	23	24	2	3.0	8	1	1	3	5	5	5	5
35-54	14	17.6	293	2	2	13	18	52	56	57										
55-74	10	10.8	43	2	3	9	14	21	23	23	1	6.0		6	6	6	6	6	6	6
75 +	4	9.0	13	6	6	9	12	13	13	13	3	26.7	483	12	12	16	43	52	52	52
ALL AGES	51	12.5	126	1	2	9	16	24	32	57	6	15.3	352	1	1	9	16	48	52	52
B. FEMALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	8	8	8	8	8										
18-20																				
21-24	2	31.0	1568	3	3	31	59	59	59	59	1	10.0		10	10	10	10	10	10	10
25-34	11	8.8	56	2	3	7	10	20	28	29	2	5.0	2	4	4	5	6	6	6	6
35-54	7	13.4	32	6	6	13	18	21	21	21	3	7.0	36	1	1	7	11	13	13	13
55-74	15	14.9	71	1	2	15	20	32	80	99 +	3	10.0	21	5	5	11	13	14	14	14
75 +	12	20.2	147	3	7	19	25	39	46	47	3	8.7	51	4	4	5	14	17	17	17
ALL AGES	48	15.1	134	2	3	14	20	31	48	99 +	12	8.1	23	1	3	6	12	15	17	17
SUBTOTAL	**99**	**13.8**	**129**	**2**	**2**	**11**	**19**	**28**	**41**	**79**	**18**	**10.5**	**131**	**1**	**2**	**7**	**13**	**17**	**38**	**52**
GRAND TOTAL	**227**	**12.2**	**91**	**1**	**2**	**10**	**17**	**24**	**29**	**57**	**49**	**8.2**	**96**	**1**	**1**	**5**	**10**	**17**	**23**	**52**

PSYCHOGEN PARANOID PSYCH (298.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54	1	10.0		10	10	10	10	10	10	10											
55-74																					
75 +																					
ALL AGES	1	10.0		10	10	10	10	10	10	10											
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34	1	6.0		6	6	6	6	6	6	6											
35-54	1	36.0		36	36	36	36	36	36	36											
55-74	2	17.0	98	10	10	17	24	24	24	24											
75 +																					
ALL AGES	4	19.0	188	6	6	17	30	36	36	36											
SUBTOTAL	**5**	**17.2**	**157**	**6**	**6**	**10**	**27**	**36**	**36**	**36**											
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34	1	21.0		21	21	21	21	21	21	21											
35-54																					
55-74																					
75 +																					
ALL AGES	1	21.0		21	21	21	21	21	21	21											
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74	1	17.0		17	17	17	17	17	17	17											
75 +	1	32.0		32	32	32	32	32	32	32											
ALL AGES	2	24.5	113	17	17	24	32	32	32	32											
SUBTOTAL	**3**	**23.3**	**63**	**17**	**17**	**21**	**29**	**32**	**32**	**32**											
GRAND TOTAL	**8**	**19.5**	**117**	**6**	**7**	**19**	**28**	**35**	**36**	**36**											

REACT PSYCHOSIS NEC/NOS (298.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	16	11.3	140	1	1	7	17	33	38	39										
18-20	25	12.2	63	3	4	11	16	25	29	31	1	1.0		1	1	1	1	1	1	1
21-24	31	12.3	262	2	2	7	18	23	30	89	2	2.0	2	1	1	2	3	3	3	3
25-34	54	8.6	44	1	2	7	12	16	22	32	7	8.1	189	1	1	3	5	32	39	39
35-54	54	8.1	36	1	2	6	11	16	23	26	6	6.8	79	1	1	3	8	22	24	24
55-74	21	10.9	40	3	4	9	12	22	25	25	10	4.4	6	1	1	4	7	8	8	8
75 +	11	10.2	16	4	5	12	14	15	15	15	7	7.3	43	3	3	5	7	19	22	22
ALL AGES	212	9.9	83	1	2	8	13	20	25	37	34	5.9	60	1	1	4	6	10	24	39
B. FEMALE																				
0-12 YRS.	5	9.2	103	2	2	6	12	27	27	27										
13-17	19	9.7	84	1	2	7	14	25	29	33										
18-20	23	10.9	83	1	1	8	12	28	32	38	1	6.0		6	6	6	6	6	6	6
21-24	28	12.5	126	1	3	8	15	29	40	45	3	8.3	11	6	6	7	11	12	12	12
25-34	128	9.6	92	1	2	7	13	18	29	53	8	6.3	31	1	1	5	9	15	17	17
35-54	154	9.5	56	2	2	8	11	20	28	36	13	4.2	8	1	1	3	5	9	11	11
55-74	78	10.5	67	2	3	9	13	21	28	43	8	3.4	2	2	2	3	4	6	7	7
75 +	17	12.4	42	2	4	12	16	19	26	30	9	15.0	172	2	2	10	24	36	39	39
ALL AGES	452	10.1	74	1	2	8	13	21	29	45	42	7.1	61	1	2	5	8	14	26	39
SUBTOTAL	**664**	**10.0**	**78**	**1**	**2**	**8**	**13**	**20**	**28**	**39**	**76**	**6.5**	**61**	**1**	**1**	**4**	**7**	**12**	**23**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	45.0		45	45	45	45	45	45	45	1	27.0		27	27	27	27	27	27	27
13-17	12	18.8	337	1	2	17	40	66	94	99 +										
18-20	18	8.4	80	1	2	6	9	17	32	40	1	2.0		2	2	2	2	2	2	2
21-24	26	7.7	54	1	1	5	13	17	22	29	3	3.7	2	2	2	4	5	5	5	5
25-34	50	8.3	53	1	2	5	11	19	25	33	4	4.5	6	2	2	4	6	8	8	8
35-54	36	12.3	249	1	1	8	15	22	50	79	4	17.8	309	2	2	13	30	42	42	42
55-74	12	13.7	71	2	3	12	22	25	26	26	2	4.5	5	3	3	4	6	6	6	6
75 +	5	17.0	12	11	11	18	19	20	20	20	1	6.0		6	6	6	6	6	6	6
ALL AGES	160	10.8	136	1	2	8	15	23	36	77	16	9.0	124	2	2	5	8	26	37	42
B. FEMALE																				
0-12 YRS.																				
13-17	23	13.2	137	1	2	8	20	27	37	47										
18-20	12	8.8	49	1	1	7	10	21	24	25										
21-24	31	13.4	132	3	3	10	19	29	39	47	4	6.3	3	4	4	6	8	8	8	8
25-34	97	10.2	73	1	3	8	13	24	27	39	1	3.0		3	3	3	3	3	3	3
35-54	83	10.8	85	1	2	8	16	25	31	37	10	11.0	33	3	4	9	17	19	20	20
55-74	42	12.7	76	1	2	12	19	24	25	42	8	5.3	12	1	1	5	6	11	13	13
75 +	10	23.5	639	3	4	14	25	66	87	87	1	11.0		11	11	11	11	11	11	11
ALL AGES	298	11.7	108	1	2	9	17	25	31	46	24	8.0	25	1	3	7	11	17	19	20
SUBTOTAL	**458**	**11.4**	**117**	**1**	**2**	**8**	**16**	**25**	**31**	**56**	**40**	**8.4**	**63**	**2**	**2**	**6**	**10**	**18**	**23**	**42**
GRAND TOTAL	**1122**	**10.6**	**94**	**1**	**2**	**8**	**14**	**22**	**29**	**46**	**116**	**7.2**	**61**	**1**	**2**	**5**	**8**	**17**	**23**	**40**

PSYCHOSIS NOS (298.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	25	17.8	380	1	1	11	28	43	54	81	2	1.0		1	1	1	1	1	1	1
13-17	56	15.3	244	1	2	11	23	34	58	99	13	14.6	482	1	1	4	24	68	93	99+
18-20	51	12.8	206	1	2	8	15	29	34	84	6	15.5	81	2	3	14	25	26	26	26
21-24	89	11.4	121	1	2	8	17	26	32	52	10	6.5	42	1	1	4	12	17	21	21
25-34	203	10.4	97	1	2	8	15	21	27	41	39	5.0	31	1	1	4	6	11	18	28
35-54	211	10.5	137	1	2	7	13	22	34	57	58	5.4	48	1	1	4	6	9	17	46
55-74	294	9.3	78	1	2	7	13	20	27	43	147	6.0	23	1	2	5	8	11	16	27
75 +	232	10.9	124	1	2	7	14	22	31	57	166	7.8	42	2	2	6	10	19	22	36
ALL AGES	1161	10.8	127	1	2	7	14	23	31	57	441	6.9	51	1	1	5	8	15	22	57
B. FEMALE																				
0-12 YRS.	8	21.0	1020	1	1	9	23	75	97	97	6	3.3	4	2	2	3	4	7	7	7
13-17	43	16.6	302	1	2	10	22	46	68	99+	5	7.4	6	4	4	8	9	10	10	10
18-20	44	14.1	170	1	3	8	20	34	45	54	3	3.7	21	1	1	1	7	9	9	9
21-24	61	10.8	92	1	2	7	14	27	32	39	11	1.7	1	1	1	1	3	4	4	4
25-34	262	11.6	116	1	2	8	16	29	34	62	34	5.9	21	1	1	5	9	12	15	17
35-54	348	11.8	120	1	2	9	16	25	32	57	65	6.4	40	1	1	5	8	19	21	89
55-74	457	10.2	80	2	2	7	14	22	28	39	235	6.5	41	1	2	5	8	12	17	39
75 +	433	10.0	124	1	2	7	12	20	31	78	279	7.0	33	1	2	6	9	13	20	32
ALL AGES	1656	11.0	121	1	2	8	15	24	33	61	638	6.6	35	1	2	5	8	13	18	32
SUBTOTAL	**2817**	**10.9**	**124**	**1**	**2**	**8**	**14**	**23**	**32**	**58**	**1079**	**6.7**	**42**	**1**	**2**	**5**	**8**	**13**	**20**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	21.0	87	9	9	23	29	31	31	31										
13-17	51	21.7	244	3	5	18	34	44	56	99	1	3.0		3	3	3	3	3	3	3
18-20	37	15.4	341	1	2	10	18	30	67	80	5	2.6	3	1	1	3	5	90	99+	99+
21-24	59	11.8	105	1	2	9	16	27	34	47	14	5.9	16	1	1	5	8	11	14	15
25-34	139	10.1	92	1	1	7	15	24	30	45	15	9.5	53	2	3	7	15	26	78	99+
35-54	123	10.9	132	1	2	8	15	22	33	88	36	4.2	8	1	1	4	6	8	13	99+
55-74	123	12.3	144	2	3	8	15	28	35	62	50	7.4	56	1	2	5	8	15	26	41
75 +	66	9.7	49	1	1	8	15	18	22	30	52	6.0	24	1	2	5	7	12	19	21
ALL AGES	603	12.2	145	1	2	9	16	28	35	71	173	6.2	33	1	1	5	8	14	21	99+
B. FEMALE																				
0-12 YRS.	3	5.0	13	1	1	6	7	8	8	8										
13-17	25	22.0	414	4	5	14	31	50	65	91	1	10.0		10	10	10	10	10	10	10
18-20	28	17.2	500	1	2	8	18	58	73	85										
21-24	54	11.8	153	1	3	8	14	22	38	72	9	8.3	56	1	1	8	11	20	24	24
25-34	159	12.3	162	1	2	8	16	25	32	79	23	5.2	18	1	1	4	6	12	15	18
35-54	208	12.3	93	2	3	10	17	26	30	44	35	7.1	67	1	1	4	8	18	25	39
55-74	174	12.7	130	2	3	9	17	23	40	56	76	8.3	81	2	3	6	10	15	19	60
75 +	147	11.9	110	2	3	9	14	26	34	47	91	8.3	65	2	2	6	10	15	24	47
ALL AGES	798	12.7	149	2	3	9	16	27	35	63	235	7.8	66	1	2	5	9	15	21	42
SUBTOTAL	**1401**	**12.5**	**147**	**1**	**2**	**9**	**16**	**27**	**35**	**64**	**408**	**7.1**	**53**	**1**	**2**	**5**	**8**	**15**	**21**	**60**
GRAND TOTAL	**4218**	**11.5**	**130**	**1**	**2**	**8**	**15**	**25**	**34**	**62**	**1487**	**6.8**	**45**	**1**	**2**	**5**	**8**	**14**	**20**	**41**

INFANTILE AUTISM (299.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	16	14.1	369	1	2	6	34	90	99+	99+	6	21.8	618	2	2	11	43	60	62	62
13-17											1	6.0		6	6	6	6	6	6	6
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	16	14.1	369	1	2	6	34	90	99+	99+	7	19.6	548	2	2	11	35	58	62	62
B. FEMALE																				
0-12 YRS.	8	13.5	117	1	1	15	22	26	28	28	1	23.0		23	23	23	23	23	23	23
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	13.5	117	1	1	15	22	26	28	28	2	12.0	242	1	1	12	23	23	23	23
SUBTOTAL	**24**	**13.9**	**276**	**1**	**1**	**7**	**27**	**65**	**99+**	**99+**	**9**	**17.9**	**453**	**1**	**1**	**11**	**28**	**54**	**62**	**62**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	8	27.1	438	2	4	26	42	55	60	60										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	27.1	438	2	4	26	42	55	60	60										
B. FEMALE																				
0-12 YRS.	1	33.0		33	33	33	33	33	33	33										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	33.0		33	33	33	33	33	33	33										
SUBTOTAL	**9**	**27.8**	**385**	**2**	**5**	**33**	**41**	**54**	**60**	**60**										
GRAND TOTAL	**33**	**17.7**	**334**	**1**	**2**	**12**	**34**	**60**	**92**	**99+**	**9**	**17.9**	**453**	**1**	**1**	**11**	**28**	**54**	**62**	**62**

EARLY CHLD PSYCHOSES NEC (299.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	26	15.3	195	2	3	10	25	44	55	99+	1	25.0		25	25	62	99+	99+	99+	99+
13-17	3	35.0	409	12	12	43	48	50	50	50										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	29	17.3	242	2	3	12	28	45	50	99+	1	25.0		25	25	62	99+	99+	99+	99+
B. FEMALE																				
0-12 YRS.	10	25.8	628	4	4	18	29	68	83	83	2	49.5	761	30	30	49	69	69	69	69
13-17	4	12.8	101	2	2	11	20	26	26	26	1	22.0		22	22	22	22	22	22	22
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	14	22.1	494	2	4	13	26	57	77	83	3	40.3	636	22	22	30	59	69	69	69
SUBTOTAL	**43**	**18.9**	**318**	**2**	**3**	**12**	**27**	**47**	**63**	**99+**	**4**	**36.5**	**480**	**22**	**22**	**30**	**77**	**99+**	**99+**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	21	31.6	558	2	3	36	44	79	95	99+	3	47.3	1669	4	4	69	92	99+	99+	99+
13-17	5	44.6	664	13	13	35	67	78	78	78	1	34.0		34	34	34	34	34	34	34
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	26	34.1	580	3	4	35	45	77	92	99+	4	44.0	1154	4	4	53	89	99+	99+	99+
B. FEMALE																				
0-12 YRS.	3	38.7	990	8	8	54	85	99+	99+	99+	1	60.0		60	60	60	60	60	60	60
13-17	1	7.0		7	7	7	7	7	7	7										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	30.8	909	7	7	37	78	99+	99+	99+	1	60.0		60	60	60	60	60	60	60
SUBTOTAL	**30**	**33.7**	**593**	**3**	**5**	**36**	**48**	**82**	**99**	**99+**	**5**	**47.2**	**917**	**4**	**7**	**56**	**85**	**98**	**99+**	**99+**
GRAND TOTAL	**73**	**24.9**	**482**	**2**	**3**	**22**	**42**	**70**	**89**	**99+**	**9**	**42.4**	**675**	**5**	**15**	**53**	**81**	**99+**	**99+**	**99+**

EARLY CHLD PSYCHOSIS NOS (299.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	15	28.3	539	4	6	29	44	84	96	99+										
13-17	2	35.5	85	29	29	42	85	99+	99+	99+										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	17	29.2	479	4	6	29	46	95	99+	99+										
B. FEMALE																				
0-12 YRS.	4	51.0	691	27	27	45	70	87	87	87	1	13.0		13	13	13	13	13	13	13
13-17	1	6.0		6	6	6	6	6	6	6										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	42.0	923	6	6	37	61	87	87	87	1	13.0		13	13	13	13	13	13	13
SUBTOTAL	**22**	**32.1**	**571**	**5**	**6**	**30**	**50**	**88**	**99+**	**99+**	**1**	**13.0**		**13**	**13**	**13**	**13**	**13**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	8	46.4	1185	1	9	47	95	98	99+	99+	2	53.0	128	45	45	53	61	61	61	61
13-17	4	24.5	266	8	8	21	34	47	47	47										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	12	39.1	943	2	7	28	67	96	99	99+	2	53.0	128	45	45	53	61	61	61	61
B. FEMALE																				
0-12 YRS.	4	32.8	119	24	24	29	39	49	49	49										
13-17	1	14.0		14	14	14	14	14	14	14										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	29.0	163	14	14	28	35	49	49	49										
SUBTOTAL	**17**	**36.1**	**714**	**4**	**10**	**28**	**49**	**95**	**98**	**99+**	**2**	**53.0**	**128**	**45**	**45**	**53**	**61**	**61**	**61**	**61**
GRAND TOTAL	**39**	**33.8**	**623**	**5**	**6**	**29**	**49**	**95**	**99+**	**99+**	**3**	**39.7**	**593**	**13**	**13**	**45**	**57**	**61**	**61**	**61**

Total U.S. January - December 1986

ANXIETY STATES (300.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	13	7.7	161	1	1	2	8	31	40	42	7	1.7	1	1	1	2	2	3	3	3
13-17	18	12.6	237	1	1	5	18	42	44	44	13	1.7	2	1	1	1	2	4	6	6
18-20	24	5.8	49	1	1	3	7	15	21	30	9	3.2	5	1	1	3	4	7	7	7
21-24	39	7.4	71	1	1	4	10	25	26	31	15	2.5	3	1	1	2	3	5	6	6
25-34	147	6.7	57	1	1	4	10	16	22	34	72	2.8	4	1	1	2	4	6	8	9
35-54	282	6.0	49	1	1	4	7	15	21	37	157	2.7	4	1	1	2	3	6	7	15
55-74	160	6.1	31	1	1	4	8	14	18	29	103	3.1	5	1	1	3	4	6	8	11
75 +	32	6.7	67	1	1	4	7	17	19	42	41	3.5	15	1	1	2	4	7	14	18
ALL AGES	715	6.5	55	1	1	4	8	16	22	41	417	2.8	6	1	1	2	4	5	7	14
B. FEMALE																				
0-12 YRS.	7	5.7	43	1	1	3	6	17	20	20	2	1.0		1	1	1	1	1	1	1
13-17	34	10.9	205	1	1	5	13	33	42	61	29	2.1	2	1	1	2	3	4	5	5
18-20	25	6.0	42	1	1	3	10	17	20	23	20	3.5	10	1	1	3	5	6	10	15
21-24	59	7.3	81	1	1	4	9	18	31	39	24	3.2	20	1	1	2	3	5	12	23
25-34	269	6.5	41	1	1	5	9	15	18	31	155	3.2	7	1	1	2	4	6	8	14
35-54	442	6.5	46	1	1	4	8	15	22	32	323	3.3	14	1	1	3	4	6	8	23
55-74	386	6.1	37	1	1	4	8	13	18	28	289	3.6	8	1	1	3	4	6	8	13
75 +	138	6.3	55	1	2	4	7	14	18	36	142	3.9	9	1	1	3	5	9	10	14
ALL AGES	1360	6.5	49	1	1	4	8	15	20	33	984	3.4	10	1	1	3	4	6	8	16
SUBTOTAL	**2075**	**6.5**	**51**	**1**	**1**	**4**	**8**	**15**	**21**	**36**	**1401**	**3.3**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	15.0	280	1	1	10	26	39	39	39	1	1.0		1	1	1	1	1	1	1
13-17	16	17.3	293	1	3	10	24	48	55	57	6	10.2	169	1	1	4	14	33	35	35
18-20	27	10.7	146	1	1	5	16	22	44	47	2	14.0	162	5	5	14	23	23	23	23
21-24	38	9.6	95	1	1	7	14	20	25	52	7	7.4	88	2	2	4	8	24	28	28
25-34	148	10.3	78	1	2	8	14	22	30	39	39	4.2	38	1	1	3	4	6	18	33
35-54	243	8.9	65	1	2	6	14	20	24	30	82	4.5	32	1	1	3	4	10	18	28
55-74	92	9.9	78	1	2	7	15	23	28	39	41	5.5	33	1	1	4	6	13	19	29
75 +	14	10.9	38	1	3	11	15	17	22	24	11	3.6	8	1	1	3	6	7	8	8
ALL AGES	582	9.9	83	1	2	7	14	22	28	44	189	5.0	39	1	1	3	5	10	20	32
B. FEMALE																				
0-12 YRS.	4	3.5	10	1	1	2	5	8	8	8	3	16.7	645	1	1	3	35	46	46	46
13-17	29	14.3	298	1	2	10	18	52	74	99 +	8	2.6	8	1	1	1	3	7	9	9
18-20	25	11.3	106	1	2	7	19	27	30	38	6	4.3	8	1	1	5	6	8	8	8
21-24	71	12.2	222	1	1	7	19	29	30	89	24	3.9	7	1	1	3	5	7	10	12
25-34	287	10.5	90	1	2	7	14	25	30	41	84	4.7	27	1	1	3	5	9	16	29
35-54	432	11.1	116	1	2	8	15	25	32	56	148	4.9	28	1	1	3	6	10	14	29
55-74	270	10.8	99	1	2	8	14	21	25	49	116	4.2	11	1	1	4	5	8	10	19
75 +	92	9.6	65	2	2	7	14	21	25	37	29	4.6	10	1	1	4	7	10	11	13
ALL AGES	1210	10.9	112	1	2	8	15	24	30	54	418	4.6	24	1	1	3	5	8	12	28
SUBTOTAL	**1792**	**10.6**	**102**	**1**	**2**	**7**	**15**	**23**	**29**	**52**	**607**	**4.7**	**29**	**1**	**1**	**3**	**5**	**9**	**15**	**29**
GRAND TOTAL	**3867**	**8.4**	**79**	**1**	**1**	**5**	**11**	**20**	**25**	**44**	**2008**	**3.7**	**15**	**1**	**1**	**3**	**4**	**7**	**10**	**23**

HYSTERIA (300.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	15	2.4	2	1	1	2	3	4	6	6	13	4.8	86	1	1	1	5	13	31	35
13-17	22	6.2	138	1	1	3	4	12	33	56	20	2.6	4	1	1	2	4	5	7	8
18-20	25	4.1	41	1	1	2	4	8	14	33	7	3.3	12	1	1	2	3	9	11	11
21-24	23	5.3	51	1	1	3	5	9	19	36	20	3.2	15	1	1	2	4	6	13	18
25-34	49	4.2	11	1	1	3	5	9	12	16	24	3.4	5	1	1	2	5	7	8	9
35-54	51	5.5	35	1	1	3	7	14	18	29	37	4.6	11	1	1	4	6	8	12	17
55-74	27	3.7	8	1	1	3	5	8	10	11	21	4.2	14	1	1	4	5	9	12	15
75 +	4	2.5	2	1	1	2	3	4	4	4	10	4.7	12	1	1	4	5	10	14	14
ALL AGES	216	4.6	36	1	1	3	5	9	14	34	152	3.9	16	1	1	3	5	7	11	18
B. FEMALE																				
0-12 YRS.	22	4.5	22	1	1	3	5	9	16	22	18	6.9	248	1	1	3	4	11	47	69
13-17	82	10.7	302	1	1	4	9	27	54	89	43	4.5	82	1	1	2	3	10	17	55
18-20	38	7.4	161	1	1	4	7	15	35	68	20	2.8	4	1	1	2	4	6	7	8
21-24	55	4.3	16	1	1	3	6	8	10	21	38	2.7	9	1	1	1	3	7	10	14
25-34	129	7.9	133	1	1	5	9	18	22	95	93	5.1	75	1	1	2	5	9	21	53
35-54	180	7.5	127	1	1	4	7	15	27	60	110	4.4	13	1	1	4	6	9	10	57
55-74	67	5.9	32	1	1	4	8	13	19	28	75	4.0	14	1	1	3	4	8	10	21
75 +	24	6.5	44	1	1	4	9	15	24	25	30	4.3	11	1	1	3	5	9	10	16
ALL AGES	597	7.4	128	1	1	4	8	16	25	68	427	4.4	42	1	1	3	5	9	11	50
SUBTOTAL	**813**	**6.6**	**106**	**1**	**1**	**4**	**7**	**14**	**22**	**60**	**579**	**4.2**	**36**	**1**	**1**	**3**	**5**	**8**	**11**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	3.0		3	3	3	3	3	3	3	1	11.0		11	11	11	11	11	11	11
13-17	10	13.8	346	1	1	4	23	46	54	54	5	11.4	161	4	4	7	14	34	34	34
18-20	11	4.5	13	1	1	4	6	11	11	11	4	2.5	1	1	1	3	3	3	3	3
21-24	9	5.4	12	1	1	5	9	10	10	10	6	5.3	21	1	1	4	6	13	14	14
25-34	35	6.0	25	1	1	5	8	14	18	20	14	6.1	43	1	2	3	8	14	23	25
35-54	43	9.9	213	1	1	4	13	26	32	84	16	2.5	4	1	1	2	4	5	7	8
55-74	18	7.3	49	1	1	4	11	15	23	28	9	5.9	29	1	1	4	7	15	16	16
75 +	3	3.7	1	3	3	3	5	5	5	5	2	1.0		1	1	1	1	1	1	1
ALL AGES	132	7.7	115	1	1	4	9	19	28	59	57	5.1	36	1	1	3	6	13	15	33
B. FEMALE																				
0-12 YRS.	9	11.2	108	1	1	6	22	23	24	24	1	2.0		2	2	2	2	2	2	2
13-17	38	11.4	198	1	1	6	14	33	45	63	12	3.1	2	2	2	3	3	6	7	7
18-20	22	11.0	156	1	2	6	14	30	42	48	8	3.5	10	1	1	3	4	9	11	11
21-24	43	8.2	187	1	1	3	8	19	35	77	19	4.6	39	1	1	3	4	10	20	28
25-34	97	13.0	246	1	1	8	19	32	55	90	52	3.8	8	1	1	3	5	7	8	17
35-54	134	11.3	156	1	2	7	14	25	37	67	70	3.8	11	1	1	3	5	8	11	16
55-74	52	8.7	66	1	2	6	11	23	26	36	34	4.9	21	1	1	4	6	7	18	21
75 +	15	11.0	50	2	2	9	18	21	22	22	13	4.2	4	1	1	4	5	7	8	8
ALL AGES	410	11.0	169	1	1	7	14	24	38	75	209	4.0	14	1	1	3	5	8	10	21
SUBTOTAL	**542**	**10.2**	**157**	**1**	**1**	**6**	**13**	**23**	**36**	**74**	**266**	**4.3**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**24**
GRAND TOTAL	**1355**	**8.1**	**129**	**1**	**1**	**4**	**9**	**19**	**27**	**68**	**845**	**4.2**	**30**	**1**	**1**	**3**	**5**	**8**	**11**	**29**

PHOBIC DISORDERS (300.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	40.0		40	40	40	40	40	40	40	1	4.0		4	4	4	4	4	4	4
13-17	2	12.5	181	3	3	12	22	22	22	22	2	1.5	1	1	1	1	2	2	2	2
18-20	3	4.3	2	3	3	5	5	5	5	5										
21-24	4	7.8	108	1	1	4	14	23	23	23	1	18.0		18	18	18	18	18	18	18
25-34	5	6.6	12	3	3	7	10	10	10	10	2	6.5	13	4	4	6	9	9	9	9
35-54	16	10.2	52	1	1	10	13	20	26	28	1	6.0		6	6	6	6	6	6	6
55-74	3	12.3	148	3	3	8	21	26	26	26										
75 +	1	2.0		2	2	2	2	2	2	2	2	1.5	1	1	1	1	2	2	2	2
ALL AGES	35	9.8	83	1	1	8	12	23	27	40	9	5.2	30	1	1	4	7	14	18	18
B. FEMALE																				
0-12 YRS.	2	3.5	5	2	2	3	5	5	5	5	1	2.0		2	2	2	2	2	2	2
13-17	4	7.8	30	4	4	5	11	16	16	16	3	2.0	1	1	1	2	3	3	3	3
18-20	1	2.0		2	2	2	2	2	2	2										
21-24	7	6.6	21	1	1	4	11	12	12	12										
25-34	28	11.4	119	1	1	8	18	25	38	41	6	9.7	71	3	3	7	11	24	26	26
35-54	35	10.9	80	1	2	8	17	25	30	32	12	6.6	16	1	2	6	9	12	14	14
55-74	21	9.4	74	1	2	6	11	24	30	33	3	12.0	93	1	1	16	18	19	19	19
75 +	4	18.5	217	4	4	18	31	34	34	34	3	8.0	7	5	5	9	10	10	10	10
ALL AGES	102	10.4	88	1	2	7	16	25	31	39	28	7.3	36	1	1	5	10	15	20	26
SUBTOTAL	**137**	**10.2**	**87**	**1**	**2**	**7**	**15**	**25**	**30**	**40**	**37**	**6.8**	**34**	**1**	**1**	**4**	**9**	**16**	**19**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	3.0	8	1	1	3	5	5	5	5										
13-17	4	20.0	193	3	3	20	29	37	37	37	2	51.0	1058	28	28	51	74	74	74	74
18-20	3	16.7	89	7	7	17	24	26	26	26										
21-24	4	12.0	149	4	4	7	19	30	30	30										
25-34	12	14.4	508	1	1	6	17	41	76	82	1	5.0		5	5	5	5	5	5	5
35-54	32	14.2	77	4	5	12	20	28	28	33	3	5.7	21	3	3	3	9	11	11	11
55-74	11	18.5	102	2	4	21	26	30	33	33	2	5.0	18	2	2	5	8	8	8	8
75 +																				
ALL AGES	68	14.9	162	2	3	12	22	28	33	74	8	16.8	605	2	2	6	19	60	74	74
B. FEMALE																				
0-12 YRS.	1	33.0		33	33	33	33	33	33	33	1	99.0		99	99	99	99	99	99 +	99 +
13-17	5	28.2	1166	6	6	12	43	87	87	87										
18-20	4	10.8	30	6	6	10	15	17	17	17										
21-24	8	10.3	29	5	5	9	13	19	21	21	1	7.0		7	7	7	7	7	7	7
25-34	23	17.6	217	1	2	13	30	36	47	59	4	2.8	3	1	1	2	4	5	5	5
35-54	59	13.4	127	2	3	10	16	33	39	47	8	11.4	121	1	1	10	14	29	35	35
55-74	20	14.0	89	4	4	10	21	29	31	33	4	10.0	13	6	6	10	13	13	13	13
75 +	5	9.2	19	3	3	10	12	14	14	14										
ALL AGES	125	14.6	166	2	4	11	18	33	36	66	18	13.8	517	1	1	7	13	29	73	99
SUBTOTAL	**193**	**14.7**	**164**	**2**	**4**	**11**	**21**	**32**	**35**	**72**	**26**	**14.7**	**524**	**1**	**1**	**7**	**13**	**34**	**79**	**99**
GRAND TOTAL	**330**	**12.8**	**137**	**1**	**2**	**9**	**17**	**28**	**33**	**49**	**63**	**10.1**	**246**	**1**	**1**	**6**	**11**	**18**	**30**	**96**

Total U.S. January - December 1986

OBSESSIVE-COMPULSIVE DIS (300.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	2.5	5	1	1	2	4	4	4	4										
13-17	4	24.8	152	8	8	26	33	38	38	38	1	2.0		2	2	2	2	2	2	2
18-20	1	4.0		4	4	4	4	4	4	4										
21-24	7	26.6	604	4	5	16	51	62	63	63										
25-34	22	22.5	480	2	4	17	28	48	79	91	3	13.3	356	1	1	4	27	35	35	35
35-54	15	21.8	607	2	3	19	25	94	99 +	99 +										
55-74	2	30.0	162	21	21	30	39	39	39	39	1	3.0		3	3	3	3	3	3	3
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	54	21.9	462	2	4	17	28	58	86	99 +	5	9.0	213	1	1	3	12	35	35	35
B. FEMALE																				
0-12 YRS.	2	26.0	800	6	6	26	46	46	46	46	1	4.0		4	4	4	4	4	4	4
13-17	2	30.0	72	24	24	30	36	36	36	36										
18-20	2	1.5	1	1	1	1	2	2	2	2										
21-24	7	10.7	34	4	4	9	15	19	20	20	2	12.0	162	3	3	12	21	21	21	21
25-34	20	20.4	384	1	2	18	44	76	99 +	99 +	2	13.5	313	1	1	13	26	26	26	26
35-54	7	14.6	161	3	3	8	23	35	37	37	2	8.0	8	6	6	8	10	10	10	10
55-74	6	24.5	331	10	10	16	40	53	54	54	1	5.0		5	5	5	5	5	5	5
75 +	5	24.8	66	16	16	27	30	35	35	35	1	36.0		36	36	36	36	36	36	36
ALL AGES	51	19.0	266	2	3	16	31	47	64	99 +	9	12.4	152	1	2	6	22	32	36	36
SUBTOTAL	**105**	**20.5**	**365**	**2**	**3**	**17**	**28**	**51**	**73**	**99 +**	**14**	**11.2**	**161**	**1**	**1**	**5**	**21**	**35**	**36**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17	4	29.8	910	6	6	20	51	72	72	72	1	4.0		4	4	4	4	4	4	4
18-20	3	12.0	171	3	3	6	22	27	27	27	1	13.0		13	13	13	13	13	13	13
21-24	7	14.6	128	4	4	10	23	33	34	34										
25-34	13	13.4	123	2	2	9	20	29	38	40	4	31.8	897	9	9	22	54	73	73	73
35-54	12	25.2	416	12	13	17	26	55	80	84	2	13.5	61	8	8	13	19	19	19	19
55-74	7	16.0	115	4	4	16	26	30	31	31										
75 +	2	9.5	85	3	3	9	16	16	16	16										
ALL AGES	49	17.7	266	3	4	13	25	33	44	84	8	21.4	526	4	5	11	27	62	73	73
B. FEMALE																				
0-12 YRS.	1	57.0		57	57	57	57	57	57	57										
13-17	1	12.0		12	12	56	99 +	99 +	99 +	99 +	2	6.0	50	1	1	6	11	11	11	11
18-20	4	13.3	102	5	5	11	21	26	26	26										
21-24	5	12.6	82	6	6	11	16	28	28	28	1	7.0		7	7	7	7	7	7	7
25-34	18	22.6	502	2	3	18	27	62	80	83	1	23.0		23	23	23	23	23	23	23
35-54	15	27.1	216	3	8	28	39	46	46	46	1	3.0		3	3	3	3	3	3	3
55-74	15	22.5	400	2	3	16	27	48	70	77	1	11.0		11	11	11	11	11	11	11
75 +	2	21.5	113	14	14	21	29	29	29	29										
ALL AGES	61	22.6	339	3	4	18	30	47	76	98	6	9.3	62	1	1	9	11	22	23	23
SUBTOTAL	**110**	**20.4**	**310**	**3**	**4**	**16**	**28**	**43**	**71**	**90**	**14**	**16.2**	**346**	**1**	**3**	**10**	**19**	**39**	**65**	**73**
GRAND TOTAL	**215**	**20.5**	**333**	**2**	**4**	**16**	**28**	**46**	**72**	**99 +**	**28**	**13.7**	**251**	**1**	**2**	**8**	**20**	**35**	**40**	**73**

Total U.S. January - December 1986

NEUROTIC DEPRESSION (300.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	32	25.8	302	3	6	25	41	56	93	99+	1	2.0		2	2	2	2	2	2	2
13-17	195	23.2	386	2	3	17	37	56	69	99+	12	23.1	681	1	1	19	27	60	89	94
18-20	66	8.7	89	1	1	5	11	24	31	40	7	2.0	1	1	1	2	3	4	4	4
21-24	105	7.7	69	1	1	5	11	17	24	43	20	2.8	2	1	1	3	3	5	6	6
25-34	332	9.5	107	1	1	7	12	21	28	46	63	5.8	116	1	1	3	5	10	21	66
35-54	496	10.5	74	1	2	8	14	23	28	44	112	5.7	40	1	1	4	6	13	24	30
55-74	242	9.6	70	1	2	7	13	20	28	42	75	6.4	84	2	2	4	6	12	15	64
75 +	69	10.5	103	2	3	8	13	21	24	61	35	6.9	107	1	2	4	8	9	21	61
ALL AGES	1537	11.8	150	1	2	8	15	28	39	69	325	6.4	101	1	1	4	6	13	24	63
B. FEMALE																				
0-12 YRS.	41	25.2	280	4	6	23	37	55	79	99+	3	7.7	66	2	2	4	14	17	17	17
13-17	419	22.9	415	1	2	17	37	56	67	99+	42	10.3	336	1	1	4	8	28	52	88
18-20	153	9.0	116	1	1	6	12	18	30	82	28	5.4	89	1	1	3	5	9	18	51
21-24	204	8.4	84	1	1	6	11	18	29	45	33	5.1	35	1	1	3	6	11	23	25
25-34	778	9.8	92	1	2	7	13	22	28	45	181	6.0	42	1	1	4	7	13	20	35
35-54	1153	10.4	95	1	2	7	14	22	28	50	355	6.0	43	1	2	4	7	13	17	35
55-74	684	11.6	104	2	3	9	15	23	29	55	278	5.9	25	1	2	5	7	11	14	28
75 +	213	10.6	115	2	3	8	13	21	29	59	86	6.9	35	2	2	5	8	12	17	36
ALL AGES	3645	12.0	153	1	2	8	15	28	39	66	1006	6.2	51	1	2	4	7	12	17	36
SUBTOTAL	**5182**	**11.9**	**153**	**1**	**2**	**8**	**15**	**28**	**39**	**67**	**1331**	**6.2**	**64**	**1**	**1**	**4**	**7**	**12**	**18**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	101	36.9	473	7	11	35	51	78	90	99+	4	38.5	1014	11	11	63	77	99+	99+	99+
13-17	287	26.9	444	2	5	23	43	68	99+	99+	23	24.7	474	1	1	18	44	58	62	68
18-20	139	14.9	208	1	2	10	20	36	48	61	10	2.8	6	1	1	2	3	6	9	9
21-24	186	11.5	118	1	1	8	17	27	31	47	20	6.2	45	1	1	4	8	17	23	25
25-34	619	11.3	99	1	2	9	17	23	29	44	70	10.8	176	1	1	6	15	27	29	65
35-54	717	12.2	106	2	3	9	18	25	30	46	107	7.4	67	1	1	4	9	19	30	38
55-74	216	13.6	110	2	3	11	19	27	34	51	45	6.1	33	1	1	5	7	11	17	29
75 +	33	14.1	132	1	2	11	24	32	35	40	17	6.1	16	2	2	6	8	13	15	15
ALL AGES	2298	15.2	214	1	2	11	21	34	49	91	296	9.4	157	1	1	5	10	26	39	67
B. FEMALE																				
0-12 YRS.	48	34.0	552	4	5	32	59	80	99+	99+	4	33.0	1162	2	2	33	62	63	63	63
13-17	477	26.6	470	3	4	22	43	67	98	99+	34	13.0	298	1	2	7	23	97	99+	99+
18-20	159	14.3	185	1	2	10	20	34	43	67	14	8.4	79	1	1	5	14	22	27	29
21-24	287	11.2	136	1	1	7	16	25	30	60	32	6.2	50	1	2	4	6	14	28	30
25-34	920	12.0	107	1	2	9	17	26	33	53	128	7.9	90	1	1	5	9	22	27	45
35-54	1089	12.5	109	2	3	9	18	27	32	51	208	7.9	71	1	2	5	8	18	27	41
55-74	443	13.0	102	2	3	11	18	26	31	50	79	7.4	56	2	2	6	9	12	15	50
75 +	100	12.7	83	2	3	10	17	27	32	38	32	9.4	55	2	3	7	10	17	29	35
ALL AGES	3523	14.6	196	2	3	11	20	32	46	93	531	8.3	98	1	2	5	9	20	30	67
SUBTOTAL	**5821**	**14.8**	**205**	**2**	**2**	**11**	**21**	**33**	**47**	**92**	**827**	**8.7**	**119**	**1**	**1**	**5**	**10**	**22**	**30**	**66**
GRAND TOTAL	**11003**	**13.5**	**181**	**1**	**2**	**9**	**18**	**30**	**43**	**80**	**2158**	**7.2**	**86**	**1**	**1**	**4**	**8**	**15**	**25**	**59**

NEURASTHENIA (300.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											2	2.5	1	2	2	2	3	3	3	3
21-24	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7	4	2.3	1	1	1	2	3	3	3	3
55-74	1	2.0		2	2	2	2	2	2	2	2	1.5	1	1	1	1	2	2	2	2
75 +											2	4.5	1	4	4	4	5	5	5	5
ALL AGES	3	3.3	11	1	1	2	6	7	7	7	11	2.5	1	1	1	2	3	4	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-20																				
21-24											1	1.0		1	1	1	1	1	1	1
25-34											2	8.0	72	2	2	8	14	14	14	14
35-54	6	5.0	16	1	1	5	9	9	9	9	6	5.0	4	3	3	4	7	8	8	8
55-74	1	2.0		2	2	2	2	2	2	2	5	5.0	13	1	1	4	8	10	10	10
75 +	2	4.5	5	3	3	4	6	6	6	6	2	9.0	98	2	2	9	16	16	16	16
ALL AGES	10	4.4	11	1	1	3	8	9	9	9	16	5.6	20	1	1	4	8	14	15	16
SUBTOTAL	**13**	**4.2**	**10**	**1**	**1**	**3**	**7**	**9**	**9**	**9**	**27**	**4.3**	**15**	**1**	**1**	**3**	**5**	**10**	**14**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	4	10.3	160	2	2	5	18	29	29	29	2	3.5	1	3	3	3	4	4	4	4
35-54											3	8.7	29	3	3	9	13	14	14	14
55-74	1	1.0		1	1	1	1	1	1	1	3	3.3	2	2	2	4	4	4	4	4
75 +																				
ALL AGES	5	8.4	138	1	1	3	12	29	29	29	8	5.4	16	2	2	4	7	12	14	14
SUBTOTAL	**6**	**7.8**	**113**	**1**	**1**	**4**	**7**	**27**	**29**	**29**	**9**	**4.9**	**16**	**1**	**1**	**4**	**5**	**12**	**14**	**14**
GRAND TOTAL	**19**	**5.3**	**41**	**1**	**1**	**3**	**7**	**9**	**20**	**29**	**36**	**4.5**	**15**	**1**	**1**	**3**	**5**	**10**	**14**	**16**

DEPERSONALIZATION SYND (300.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	1	59.0		59	59	59	59	59	59	59										
18-20																				
21-24																				
25-34																				
35-54	1	19.0		19	19	19	19	19	19	19										
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	3	28.3	744	7	7	19	49	59	59	59										
SUBTOTAL	**3**	**28.3**	**744**	**7**	**7**	**19**	**49**	**59**	**59**	**59**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	51.0		51	51	51	51	51	51	51										
18-20																				
21-24	2	9.0	18	6	6	9	12	12	12	12										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	23.0	597	6	6	12	41	51	51	51										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	7.0	8	5	5	7	9	9	9	9	1	1.0		1	1	1	1	1	1	1
21-24	1	9.0		9	9	9	9	9	9	9										
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	20.0		20	20	20	20	20	20	20										
55-74																				
75 +																				
ALL AGES	5	9.2	43	3	3	9	12	20	20	20	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**8**	**14.4**	**245**	**3**	**4**	**9**	**16**	**42**	**51**	**51**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**11**	**18.2**	**362**	**3**	**4**	**9**	**20**	**54**	**59**	**59**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

HYPOCHONDRIASIS (300.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	2	3.5	1	3	3	3	4	4	4	4	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	3.5	1	3	3	3	4	4	4	4										
21-24																				
25-34	2	3.5	13	1	1	3	6	6	6	6										
35-54	2	5.5	1	5	5	5	6	6	6	6										
55-74	5	14.4	71	4	4	15	20	26	26	26	2	26.5	1105	3	3	26	50	50	50	50
75 +	2	14.5	181	5	5	14	24	24	24	24	1	3.0		3	3	3	3	3	3	3
ALL AGES	13	9.7	69	1	2	6	16	24	26	26	3	18.7	734	3	3	3	38	50	50	50
SUBTOTAL	**15**	**8.9**	**63**	**1**	**3**	**5**	**13**	**24**	**25**	**26**	**4**	**14.5**	**560**	**2**	**2**	**3**	**27**	**50**	**50**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-20																				
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	4	7.3	7	5	5	7	9	11	11	11	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	6	5.8	11	2	2	5	8	11	11	11	2	4.0	2	3	3	4	5	5	5	5
B. FEMALE																				
0-12 YRS.	2	23.5	481	8	8	23	39	39	39	39										
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24																				
25-34	2	5.5	13	3	3	5	8	8	8	8	1	21.0		21	21	21	21	21	21	21
35-54	2	17.0	98	10	10	17	24	24	24	24										
55-74	5	10.6	55	3	3	9	16	21	21	21										
75 +	5	13.0	124	3	3	11	21	29	29	29										
ALL AGES	17	12.4	115	2	3	9	19	28	35	39	1	21.0		21	21	21	21	21	21	21
SUBTOTAL	**23**	**10.7**	**94**	**2**	**2**	**8**	**14**	**25**	**32**	**39**	**3**	**9.7**	**96**	**3**	**3**	**5**	**17**	**21**	**21**	**21**
GRAND TOTAL	**38**	**10.0**	**81**	**1**	**3**	**6**	**15**	**24**	**28**	**39**	**7**	**12.4**	**320**	**2**	**2**	**3**	**17**	**44**	**50**	**50**

NEUROTIC DISORDERS NEC (300.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19										
18-20																				
21-24																				
25-34	3	2.0	1	1	1	2	3	3	3	3	1	21.0		21	21	21	21	21	21	21
35-54	7	11.3	75	1	2	10	16	25	27	27										
55-74	4	10.3	43	1	1	11	15	18	18	18	2	2.5	1	2	2	2	3	3	3	3
75 +	2	5.5	13	3	3	5	8	8	8	8										
ALL AGES	17	9.2	58	1	1	8	13	19	24	27	3	8.7	113	2	2	3	16	21	21	21
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
13-17	3	21.0	772	3	3	7	41	53	53	53	1	2.0		2	2	2	2	2	2	2
18-20											1	3.0		3	3	3	3	3	3	3
21-24	3	5.3	6	4	4	4	7	8	8	8	1	1.0		1	1	1	1	1	1	1
25-34	7	3.7	15	1	1	2	6	10	11	11	4	4.8	6	2	2	4	6	8	8	8
35-54	30	9.1	115	1	1	6	13	19	30	52	33	5.3	20	1	2	4	6	9	14	25
55-74	18	11.8	64	2	3	10	15	21	29	34	5	17.8	292	3	3	8	33	41	41	41
75 +	6	14.3	324	1	1	7	18	46	49	49	2	12.0	98	5	5	12	19	19	19	19
ALL AGES	68	10.0	128	1	1	7	13	21	35	53	48	6.6	58	1	2	4	6	14	26	41
SUBTOTAL	**85**	**9.8**	**114**	**1**	**1**	**7**	**13**	**20**	**31**	**53**	**51**	**6.7**	**60**	**1**	**2**	**4**	**6**	**17**	**25**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	45.0		45	45	45	45	45	45	45										
18-20	1	21.0		21	21	21	21	21	21	21										
21-24	2	5.5	25	2	2	5	9	9	9	9	1	2.0		2	2	2	2	2	2	2
25-34	8	8.5	15	4	4	8	11	14	15	15										
35-54	9	14.0	64	2	4	13	19	25	27	27	2	14.5	221	4	4	14	25	25	25	25
55-74	3	7.3	22	2	2	10	10	10	10	10	1	9.0		9	9	9	9	9	9	9
75 +	1	19.0		19	19	19	19	19	19	19	1	10.0		10	10	10	10	10	10	10
ALL AGES	25	12.5	90	2	2	10	18	22	31	45	5	10.0	82	2	2	9	14	25	25	25
B. FEMALE																				
0-12 YRS.	3	16.3	43	9	9	19	20	21	21	21										
13-17	4	23.0	255	10	10	18	33	46	46	46										
18-20	1	12.0		12	12	12	12	12	12	12										
21-24	5	17.4	467	2	2	6	28	54	54	54	2	4.5	5	3	3	4	6	6	6	6
25-34	18	9.8	92	1	1	8	11	15	33	44	2	16.5	421	2	2	16	31	31	31	31
35-54	51	14.4	278	3	3	9	19	24	52	97	2	7.0	8	5	5	7	9	9	9	9
55-74	31	14.7	120	3	4	10	21	33	41	41	1	4.0		4	4	4	4	4	4	4
75 +	2	20.0	288	8	8	20	32	32	32	32	1	11.0		11	11	11	11	11	11	11
ALL AGES	115	14.3	201	2	3	10	19	29	43	74	8	8.9	88	2	2	5	10	25	31	31
SUBTOTAL	**140**	**14.0**	**180**	**2**	**3**	**10**	**18**	**26**	**43**	**65**	**13**	**9.3**	**80**	**2**	**2**	**6**	**10**	**26**	**30**	**31**
GRAND TOTAL	**225**	**12.4**	**159**	**1**	**2**	**9**	**16**	**23**	**41**	**56**	**64**	**7.2**	**64**	**1**	**2**	**4**	**8**	**19**	**27**	**40**

NEUROTIC DISORDER NOS (300.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	9	8.0	198	1	1	3	5	31	45	45	2	2.0		2	2	2	2	2	2	2
13-17	19	5.8	74	1	1	3	5	19	30	32	10	1.4		1	1	1	2	3	3	3
18-20	14	4.3	34	1	1	2	5	9	20	23	3	1.7	1	1	1	1	2	3	3	3
21-24	12	3.3	21	1	1	2	3	11	15	16	3	2.7	8	1	1	1	5	6	6	6
25-34	30	4.0	27	1	1	2	5	8	12	27	18	2.6	5	1	1	2	3	7	8	9
35-54	45	9.2	75	1	1	5	17	23	27	30	16	2.7	4	1	1	2	4	6	7	8
55-74	30	8.1	56	1	1	5	12	21	24	27	29	5.8	46	1	2	3	6	11	23	32
75 +	24	6.2	15	1	2	6	8	11	15	15	23	5.0	27	1	1	4	7	9	16	26
ALL AGES	183	6.6	58	1	1	4	8	18	24	31	104	3.9	23	1	1	2	5	8	10	29
B. FEMALE																				
0-12 YRS.	5	3.0	2	2	2	3	4	5	5	5	2	1.0		1	1	1	1	1	1	1
13-17	34	5.2	62	1	1	2	6	12	16	43	26	1.8	2	1	1	1	2	4	5	6
18-20	21	2.6	18	1	1	1	3	5	12	20	6	1.3	1	1	1	1	1	3	3	3
21-24	20	5.7	71	1	1	2	8	11	25	38	10	3.1	25	1	1	1	3	10	17	17
25-34	34	6.6	29	1	1	6	11	15	17	20	22	2.2	3	1	1	2	3	5	6	6
35-54	58	6.0	29	1	1	4	9	14	17	23	28	3.5	7	1	1	3	5	7	9	11
55-74	44	9.4	67	2	2	6	14	24	29	99 +	35	4.4	8	1	1	4	6	10	11	99 +
75 +	45	11.1	156	2	3	7	13	28	40	61	33	7.5	24	3	3	7	9	15	19	22
ALL AGES	261	7.1	68	1	1	4	9	17	23	49	162	3.9	14	1	1	3	5	8	12	22
SUBTOTAL	**444**	**6.9**	**64**	**1**	**1**	**4**	**9**	**17**	**23**	**43**	**266**	**3.9**	**17**	**1**	**1**	**3**	**5**	**8**	**11**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	5.5	10	1	1	5	8	10	10	10	1	1.0		1	1	1	1	1	1	1
13-17	40	5.2	34	1	1	4	6	10	18	31	8	13.9	750	1	1	1	13	61	80	80
18-20	21	4.0	16	1	1	2	5	10	13	16	13	6.6	224	1	1	2	5	17	49	56
21-24	27	3.5	11	1	1	2	4	8	10	14	10	3.9	20	1	1	2	4	12	14	14
25-34	84	3.3	14	1	1	2	4	8	11	20	37	2.7	4	1	1	2	3	6	7	8
35-54	75	5.5	62	1	1	3	6	16	16	46	26	3.2	9	1	1	2	4	6	8	16
55-74	20	5.4	45	1	1	3	6	9	21	32	19	8.0	26	2	4	6	9	16	20	22
75 +	12	7.9	67	2	2	5	10	19	29	31	13	6.0	24	1	2	4	6	15	17	17
ALL AGES	285	4.6	34	1	1	3	6	10	16	32	127	5.1	83	1	1	3	5	10	16	61
B. FEMALE																				
0-12 YRS.	4	16.5	881	1	1	2	32	61	61	61	1	2.0		2	2	2	2	2	2	2
13-17	48	8.5	86	1	1	6	10	22	30	42	19	2.2	3	1	1	2	3	4	6	8
18-20	34	4.8	75	1	1	2	5	13	16	48	18	1.8	2	1	1	1	2	3	6	7
21-24	51	5.9	60	1	1	2	6	16	26	32	12	2.5	8	1	1	2	3	6	10	11
25-34	103	6.5	108	1	1	4	7	11	22	60	26	3.3	7	1	1	3	4	7	9	11
35-54	90	8.6	126	1	1	4	11	25	37	50	58	4.2	20	1	1	3	5	7	14	26
55-74	23	8.4	39	1	2	7	11	16	21	28	24	4.7	11	1	2	4	6	10	12	13
75 +	20	6.6	22	1	1	6	9	15	16	17	17	5.3	12	1	2	4	7	10	13	15
ALL AGES	373	7.3	98	1	1	4	8	15	29	49	175	3.6	13	1	1	3	4	7	11	17
SUBTOTAL	**658**	**6.1**	**72**	**1**	**1**	**3**	**7**	**14**	**21**	**45**	**302**	**4.3**	**42**	**1**	**1**	**3**	**5**	**8**	**13**	**24**
GRAND TOTAL	**1102**	**6.4**	**69**	**1**	**1**	**4**	**8**	**15**	**23**	**45**	**568**	**4.1**	**30**	**1**	**1**	**3**	**5**	**8**	**12**	**25**

Total U.S. January - December 1986

PARANOID PERSONALITY (301.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	10.0	32	6	6	10	14	14	14	14										
21-24	1	9.0		9	9	9	9	9	9	9										
25-34	7	10.6	42	4	4	10	11	21	24	24										
35-54	12	12.3	186	1	1	8	16	34	45	47	1	4.0		4	4	4	4	4	4	4
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	23	11.5	107	1	2	9	14	25	35	47	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	17.0		17	17	17	17	17	17	17										
21-24																				
25-34	9	20.0	855	1	1	8	20	69	94	94										
35-54	5	17.2	127	4	4	21	24	32	32	32	2	1.5	1	1	1	1	2	2	2	2
55-74	6	8.0	3	5	5	8	9	10	10	10	2	13.0	162	4	4	13	22	22	22	22
75 +	3	19.0	39	14	14	17	24	26	26	26										
ALL AGES	24	16.2	347	2	4	9	19	31	51	94	4	7.3	97	1	1	3	13	22	22	22
SUBTOTAL	**47**	**13.9**	**230**	**2**	**2**	**9**	**17**	**28**	**34**	**94**	**5**	**6.6**	**76**	**1**	**1**	**4**	**9**	**22**	**22**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	46.0		46	46	46	46	46	46	46										
18-20	2	5.5	13	3	3	5	8	8	8	8										
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	16	13.9	59	4	5	12	20	26	27	27										
35-54	14	11.8	40	3	4	11	16	22	22	22	3	5.0	9	2	2	5	7	8	8	8
55-74	2	5.0	2	4	4	5	6	6	6	6										
75 +	2	7.5	5	6	6	7	9	9	9	9										
ALL AGES	38	12.4	80	3	3	10	17	23	27	46	3	5.0	9	2	2	5	7	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	11.5	25	8	8	11	15	15	15	15										
35-54	2	22.5	1	22	22	22	23	23	23	23										
55-74	4	4.8	14	1	1	5	8	8	8	8	1	4.0		4	4	4	4	4	4	4
75 +	4	6.5	6	4	4	6	8	9	9	9										
ALL AGES	12	9.4	51	1	2	8	12	22	23	23	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**50**	**11.7**	**73**	**3**	**3**	**9**	**16**	**23**	**27**	**46**	**4**	**4.8**	**6**	**2**	**2**	**4**	**6**	**8**	**8**	**8**
GRAND TOTAL	**97**	**12.8**	**148**	**2**	**3**	**9**	**17**	**24**	**30**	**72**	**9**	**5.8**	**41**	**1**	**1**	**4**	**6**	**16**	**22**	**22**

AFFECTIVE PERSONALITY (301.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	22.0		22	22	61	99+	99+	99+	99+										
13-17	7	22.6	159	10	10	20	31	43	45	45										
18-20	3	7.3	1	7	7	7	8	8	8	8										
21-24	3	17.7	40	13	13	15	22	25	25	25										
25-34	9	11.8	18	6	7	10	15	18	18	18	1	3.0		3	3	3	3	3	3	3
35-54	15	8.8	33	2	3	9	11	18	19	20	3	7.0	31	2	2	6	11	13	13	13
55-74	10	19.7	42	11	12	18	26	28	29	29										
75 +																				
ALL AGES	49	14.3	74	3	5	13	20	27	33	99+	4	6.0	25	2	2	4	9	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17	7	16.7	119	1	3	26	47	99+	99+	99+										
18-20	2	32.5	5	31	31	32	34	34	34	34										
21-24	7	8.0	48	1	1	7	13	18	19	19										
25-34	23	12.8	89	1	2	9	21	27	30	31	2	10.0	32	6	6	10	14	14	14	14
35-54	35	11.2	79	1	2	8	15	23	28	41	3	5.0	1	4	4	5	6	6	6	6
55-74	29	16.6	185	2	3	12	23	41	45	51	1	3.0		3	3	3	3	3	3	3
75 +	2	22.5	313	10	10	22	35	35	35	35										
ALL AGES	105	13.8	123	1	2	10	21	30	41	99+	6	6.3	16	3	3	5	6	13	14	14
SUBTOTAL	**154**	**14.0**	**106**	**1**	**3**	**11**	**21**	**29**	**40**	**99+**	**10**	**6.2**	**17**	**2**	**2**	**5**	**6**	**13**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	22.3	237	5	5	31	67	99+	99+	99+										
18-20	6	20.7	247	1	2	19	25	46	48	48										
21-24	12	10.3	47	1	1	9	18	19	19	19										
25-34	23	10.7	179	1	1	6	10	32	45	46	4	5.5	32	2	2	3	9	14	14	14
35-54	26	11.3	71	2	3	8	15	24	31	34	1	4.0		4	4	4	4	4	4	4
55-74	3	11.7	55	4	4	12	17	19	19	19	2	5.0		5	5	5	5	5	5	5
75 +	3	16.7	113	10	10	11	24	29	29	29										
ALL AGES	76	12.4	122	1	1	9	19	29	41	86	7	5.1	17	2	2	4	5	12	14	14
B. FEMALE																				
0-12 YRS.																				
13-17	11	21.8	210	4	4	20	35	65	95	99+										
18-20	9	10.0	45	1	2	9	15	20	20	20										
21-24	9	15.1	72	4	5	12	22	27	29	29										
25-34	27	13.0	167	1	2	8	17	37	43	50	7	12.6	137	1	1	12	21	28	30	30
35-54	35	10.1	65	1	2	8	13	22	29	34	3	18.7	99	8	8	20	26	28	28	28
55-74	13	14.1	99	4	4	10	21	29	35	37										
75 +	2	15.0		15	15	15	15	15	15	15										
ALL AGES	106	13.0	116	1	3	10	19	29	40	72	10	14.4	123	1	1	16	21	29	30	30
SUBTOTAL	**182**	**12.8**	**117**	**1**	**2**	**9**	**19**	**29**	**40**	**83**	**17**	**10.6**	**97**	**1**	**1**	**5**	**20**	**27**	**29**	**30**
GRAND TOTAL	**336**	**13.3**	**113**	**1**	**3**	**10**	**19**	**29**	**40**	**99+**	**27**	**9.0**	**70**	**1**	**2**	**5**	**14**	**21**	**28**	**30**

SCHIZOID PERSONALITY (301.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	33.5	1301	8	8	33	59	59	59	59										
13-17	14	32.1	231	5	11	37	48	49	87	99+	1	56.0		56	56	56	56	56	56	56
18-20	15	13.8	117	1	3	11	16	32	35	36	3	17.3	216	4	4	15	28	33	33	33
21-24	11	14.4	112	1	3	12	16	33	35	35	1	17.0		17	17	17	17	17	17	17
25-34	23	13.2	100	2	3	13	19	30	32	33	2	1.0		1	1	1	1	1	1	1
35-54	11	11.7	145	1	1	8	19	32	37	37	2	14.5	365	1	1	14	28	28	28	28
55-74	3	16.0	175	6	6	11	26	31	31	31										
75 +																				
ALL AGES	79	17.2	202	2	3	14	29	39	48	88	9	17.3	356	1	1	15	29	47	56	56
B. FEMALE																				
0-12 YRS.	1	54.0		54	54	54	54	54	54	54										
13-17	6	19.5	157	2	2	24	28	32	33	33										
18-20	4	9.8	53	1	1	9	14	19	19	19										
21-24	7	9.7	53	2	2	11	13	20	22	22										
25-34	16	12.9	106	4	4	8	17	32	35	36	7	15.3	154	1	1	21	26	29	29	29
35-54	15	13.1	173	1	3	9	15	25	46	53	1	1.0		1	1	1	1	1	1	1
55-74	1	12.0		12	12	12	12	12	12	12	3	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	50	13.8	150	2	3	10	20	30	36	54	11	10.1	144	1	1	2	22	28	29	29
SUBTOTAL	**129**	**15.9**	**183**	**2**	**3**	**12**	**25**	**36**	**48**	**67**	**20**	**13.4**	**238**	**1**	**1**	**4**	**25**	**31**	**44**	**56**
2 PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	11	29.3	428	4	5	37	46	74	96	99+										
18-20	2	19.5	365	6	6	19	33	33	33	33										
21-24	12	15.8	188	1	2	12	19	42	43	43										
25-34	19	13.5	239	1	2	6	16	42	50	55	2	12.0	242	1	1	12	23	23	23	23
35-54	11	12.8	49	5	6	11	18	23	27	27										
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	56	17.0	251	2	4	9	28	43	53	97	3	8.3	162	1	1	1	18	23	23	23
B. FEMALE																				
0-12 YRS.																				
13-17	3	48.0	1084	28	28	58	93	99+	99+	99+	1	6.0		6	6	6	6	6	6	6
18-20	2	25.0	450	10	10	25	40	40	40	40										
21-24	1	5.0		5	5	5	5	5	5	5										
25-34	11	12.3	32	5	5	12	14	21	23	23	1	20.0		20	20	20	20	20	20	20
35-54	8	9.5	29	2	3	8	14	17	18	18	1	6.0		6	6	6	6	6	6	6
55-74	3	14.3	292	4	4	5	27	34	34	34										
75 +																				
ALL AGES	28	16.2	280	4	5	12	21	38	87	99+	3	10.7	64	6	6	6	17	20	20	20
SUBTOTAL	**84**	**16.7**	**259**	**3**	**4**	**11**	**23**	**43**	**57**	**99+**	**6**	**9.5**	**92**	**1**	**1**	**6**	**20**	**23**	**23**	**23**
GRAND TOTAL	**213**	**16.2**	**212**	**2**	**3**	**11**	**25**	**40**	**49**	**99+**	**26**	**12.5**	**202**	**1**	**1**	**5**	**23**	**29**	**38**	**56**

EXPLOSIVE PERSONALITY (301.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	9	9.6	51	1	1	9	12	21	25	25										
18-20	3	6.3	10	3	3	7	8	9	9	9										
21-24	7	7.3	34	1	1	6	12	16	16	16	1	1.0		1	1	1	1	1	1	1
25-34	12	5.8	25	2	2	3	7	14	17	18										
35-54	9	5.7	6	2	2	6	7	9	9	9										
55-74	4	14.0	73	2	2	16	20	21	21	21	1	7.0		7	7	7	7	7	7	7
75 +	3	5.7	16	2	2	5	9	10	10	10										
ALL AGES	48	7.4	33	1	2	6	10	15	19	25	2	4.0	18	1	1	3	7	7	7	7
B. FEMALE																				
0-12 YRS.	2	3.0		3	3	3	3	3	3	3										
13-17	1	21.0		21	21	21	21	21	21	21										
18-20	2	18.0	338	5	5	18	31	31	31	31										
21-24	1	1.0		1	1	50	99 +	99 +	99 +	99 +										
25-34	2	11.5	221	1	1	11	22	22	22	22										
35-54	1	18.0		18	18	18	18	18	18	18										
55-74	1	8.0		8	8	8	8	8	8	8	1	2.0		2	2	2	2	2	2	2
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	10	11.3	116	1	1	8	22	59	96	99 +	2	3.0	2	2	2	3	4	4	4	4
SUBTOTAL	**58**	**8.1**	**47**	**1**	**2**	7	**12**	**20**	**24**	**94**	**4**	**3.5**	7	**1**	**1**	**3**	**5**	7	7	7
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	14.0	288	2	2	14	26	26	26	26										
13-17	12	21.7	319	3	4	19	37	49	49	49										
18-20	7	7.1	37	1	1	6	12	15	16	16										
21-24	7	13.9	416	1	1	4	19	50	57	57										
25-34	19	10.4	59	1	2	9	17	21	25	28	1	2.0		2	2	2	2	2	2	2
35-54	8	7.9	31	1	2	7	10	17	19	19										
55-74	5	8.8	22	2	2	9	11	15	15	15										
75 +																				
ALL AGES	60	12.3	161	1	2	8	17	27	47	56	1	2.0		2	2	51	99 +	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	4	11.3	39	6	6	9	16	20	20	20										
18-20	3	4.7	9	2	2	4	7	8	8	8										
21-24	2	10.0	162	1	1	10	19	19	19	19										
25-34	3	12.7	24	8	8	12	16	18	18	18										
35-54	5	9.2	17	5	5	8	11	16	16	16	3	2.0	1	1	1	2	3	3	3	3
55-74	1	13.0		13	13	13	13	13	13	13										
75 +																				
ALL AGES	19	9.3	35	1	1	8	13	19	20	20	3	2.0	1	1	1	2	3	3	3	3
SUBTOTAL	**79**	**11.6**	**131**	**1**	**1**	**8**	**16**	**23**	**38**	**55**	**4**	**2.0**	**1**	**1**	**1**	**2**	**27**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**137**	**10.1**	**98**	**1**	**2**	7	**14**	**22**	**28**	**62**	**8**	**2.8**	**4**	**1**	**1**	**2**	**5**	**63**	**99 +**	**99 +**

COMPULSIVE PERSONALITY (301.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-20																				
21-24																				
25-34	8	6.8	37	1	1	4	10	17	19	19	1	18.0		18	18	18	18	18	18	18
35-54	4	16.8	233	4	4	12	26	39	39	39										
55-74																				
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	14	10.4	98	1	2	8	13	21	35	39	1	18.0		18	18	18	18	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	7.0		7	7	7	7	7	7	7										
25-34	3	23.0	279	8	8	20	36	41	41	41										
35-54	5	12.8	328	3	3	5	17	45	45	45										
55-74	2	10.0	32	6	6	10	14	14	14	14										
75 +																				
ALL AGES	11	14.5	225	3	3	8	18	43	45	45										
SUBTOTAL	**25**	**12.2**	**151**	**2**	**3**	**8**	**14**	**39**	**42**	**45**	**1**	**18.0**		**18**	**18**	**18**	**18**	**18**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	17.0		17	17	17	17	17	17	17										
13-17																				
18-20	4	7.5	50	3	3	4	11	18	18	18										
21-24	2	10.0		10	10	10	77	99 +	99 +	99 +										
25-34	2	3.0	2	2	2	3	4	4	4	4										
35-54	6	10.0	169	1	1	6	8	33	36	36										
55-74	7	12.6	83	4	4	11	14	28	31	31	1	17.0		17	17	17	17	17	17	17
75 +																				
ALL AGES	22	10.0	83	2	3	8	14	32	58	99 +	1	17.0		17	17	17	17	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17	1	21.0		21	21	60	99 +	99 +	99 +	99 +										
18-20	1	7.0		7	7	7	7	7	7	7										
21-24																				
25-34	7	7.1	39	1	1	5	13	16	16	16	1	7.0		7	7	7	7	7	7	7
35-54	5	12.4	28	4	4	14	16	18	18	18										
55-74	6	11.3	45	4	4	10	17	21	21	21	2	12.0	50	7	7	12	17	17	17	17
75 +																				
ALL AGES	20	10.4	42	1	3	11	16	21	57	99 +	3	10.3	34	7	7	7	15	17	17	17
SUBTOTAL	**42**	**10.2**	**61**	**1**	**3**	**10**	**16**	**22**	**55**	**99 +**	**4**	**12.0**	**33**	**7**	**7**	**12**	**17**	**17**	**17**	**17**
GRAND TOTAL	**67**	**11.0**	**93**	**1**	**3**	**8**	**15**	**27**	**41**	**99 +**	**5**	**13.2**	**32**	**7**	**7**	**17**	**17**	**18**	**18**	**18**

HISTRIONIC PERSONALITY (301.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14	1	4.0		4	4	4	4	4	4	4
13-17	2	21.0	800	1	1	20	41	41	41	41										
18-20																				
21-24	5	3.6	6	1	1	3	5	7	7	7	2	1.0		1	1	1	1	1	1	1
25-34	5	6.0	56	1	1	4	8	19	19	19	3	2.7	8	1	1	1	5	6	6	6
35-54	5	4.2	29	1	1	4	7	14	14	14	5	3.2	12	1	1	1	5	9	9	9
55-74	1	22.0		22	22	22	22	22	22	22	2	3.0	8	1	1	3	5	5	5	5
75 +																				
ALL AGES	19	7.9	105	1	1	4	12	21	32	41	13	2.8	7	1	1	1	4	7	9	9
B. FEMALE																				
0-12 YRS.	2	3.5	1	3	3	3	4	4	4	4	1	2.0		2	2	2	2	2	2	2
13-17	11	24.1	297	2	5	19	42	44	45	45	1	1.0		1	1	1	1	1	1	1
18-20	3	5.0	28	1	1	3	9	11	11	11	1	1.0		1	1	1	1	1	1	1
21-24	7	8.0	77	1	1	4	16	21	22	22	2	5.5	5	4	4	5	7	7	7	7
25-34	16	8.6	82	1	1	5	11	27	29	29	6	2.7	7	1	1	2	3	7	8	8
35-54	9	6.3	35	1	1	4	13	15	15	15	4	5.5	22	1	1	5	9	10	10	10
55-74	3	13.0	112	5	5	9	21	25	25	25										
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	52	11.2	151	1	1	6	15	31	42	45	15	3.5	11	1	1	2	6	9	10	10
SUBTOTAL	**71**	**10.3**	**140**	**1**	**1**	**5**	**14**	**28**	**41**	**45**	**28**	**3.2**	**9**	**1**	**1**	**2**	**5**	**9**	**9**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	2	4.5	13	2	2	4	7	7	7	7										
21-24											1	3.0		3	3	3	3	3	3	3
25-34	6	4.2	14	1	1	2	9	9	9	9										
35-54	3	10.7	153	3	3	4	20	25	25	25	2	2.0	2	1	1	2	3	3	3	3
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	13	5.3	43	1	1	3	7	12	23	25	3	2.3	2	1	1	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	7	11.6	85	1	2	11	17	26	28	28										
18-20	4	21.0	652	4	4	11	38	58	58	58										
21-24	5	4.0	14	1	1	3	6	10	10	10	4	4.0	18	1	1	3	7	10	10	10
25-34	26	9.1	72	1	1	6	13	24	25	27	1	3.0		3	3	3	3	3	3	3
35-54	23	9.4	54	1	2	7	14	20	26	28	2	4.5	1	4	4	4	5	5	5	5
55-74	4	11.3	13	6	6	12	14	14	14	14	2	4.5	1	4	4	4	5	5	5	5
75 +	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
ALL AGES	70	9.8	92	1	1	6	14	23	27	52	10	3.8	7	1	1	4	5	8	10	10
SUBTOTAL	**83**	**9.1**	**86**	**1**	**1**	**6**	**13**	**23**	**26**	**48**	**13**	**3.5**	**6**	**1**	**1**	**3**	**4**	**6**	**9**	**10**
GRAND TOTAL	**154**	**9.6**	**111**	**1**	**1**	**5**	**14**	**24**	**29**	**45**	**41**	**3.3**	**8**	**1**	**1**	**2**	**4**	**8**	**9**	**10**

DEPENDENT PERSONALITY (301.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-20	2	9.0	50	4	4	9	14	14	14	14										
21-24	3	7.7	4	6	6	7	9	10	10	10										
25-34	6	10.0	159	1	1	4	14	32	34	34										
35-54	5	4.0	14	1	1	2	8	8	8	8										
55-74	2	9.5	1	9	9	9	10	10	10	10										
75 +																				
ALL AGES	18	7.8	59	1	1	6	10	14	26	34	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	4	23.3	514	1	1	18	37	55	55	55										
18-20	4	3.5	14	1	1	2	6	9	9	9										
21-24	4	7.5	44	1	1	7	13	15	15	15										
25-34	15	11.3	106	1	2	10	17	31	32	32	1	12.0		12	12	12	12	12	12	12
35-54	11	8.2	104	1	2	6	8	21	37	38	3	14.7	165	4	4	11	24	29	29	29
55-74	6	14.2	187	1	1	10	20	37	39	39										
75 +																				
ALL AGES	44	10.9	146	1	1	7	13	31	38	55	4	14.0	113	4	4	11	20	29	29	29
SUBTOTAL	**62**	**10.0**	**121**	**1**	**1**	**7**	**11**	**25**	**36**	**53**	**5**	**11.8**	**109**	**3**	**3**	**11**	**16**	**29**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	5	9.4	83	3	3	5	14	25	25	25										
21-24	6	8.7	91	1	1	6	9	25	27	27	1	1.0		1	1	1	1	1	1	1
25-34	23	7.9	65	1	1	5	10	23	26	29	1	5.0		5	5	5	5	5	5	5
35-54	12	11.2	137	1	1	6	14	32	38	39	1	28.0		28	28	28	28	28	28	28
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	47	8.9	84	1	1	6	10	25	29	39	3	11.3	213	1	1	5	22	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17	4	25.3	572	4	4	22	45	52	52	52										
18-20	5	8.8	70	2	2	4	16	21	21	21										
21-24	8	5.8	20	1	1	4	8	13	15	15										
25-34	19	7.7	72	1	1	6	10	20	28	32	2	2.5	5	1	1	2	4	4	4	4
35-54	30	10.8	86	2	2	9	13	19	30	46	4	16.3	273	1	1	15	30	33	33	33
55-74	7	12.3	110	1	2	9	17	29	32	32	5	3.6	13	1	1	2	5	10	10	10
75 +	2	4.5	5	3	3	4	6	6	6	6										
ALL AGES	75	10.1	106	1	1	7	13	21	32	50	11	8.0	131	1	1	3	8	30	33	33
SUBTOTAL	**122**	**9.6**	**98**	**1**	**1**	**6**	**12**	**24**	**31**	**48**	**14**	**8.7**	**136**	**1**	**1**	**3**	**10**	**29**	**32**	**33**
GRAND TOTAL	**184**	**9.8**	**104**	**1**	**1**	**6**	**12**	**24**	**32**	**50**	**19**	**9.5**	**125**	**1**	**1**	**4**	**12**	**29**	**31**	**33**

ANTISOCIAL PERSONALITY (301.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	10	10.5	56	2	2	11	18	20	22	22										
18-20	13	6.4	76	1	1	3	7	17	30	33										
21-24	15	4.0	12	1	1	3	7	10	10	10	2	17.0	512	1	1	16	33	33	33	33
25-34	12	5.8	35	1	2	3	6	18	19	19	1	11.0		11	11	11	11	11	11	11
35-54	9	3.7	8	1	1	2	5	8	10	10	1	6.0		6	6	6	6	6	6	6
55-74	2	21.0	32	17	17	21	25	25	25	25										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	63	6.3	46	1	1	3	8	17	20	32	4	12.8	197	1	1	8	22	33	33	33
B. FEMALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17	1	1.0		1	1	1	1	1	1	1	2	4.5	13	2	2	4	7	7	7	7
18-20	1	7.0		7	7	7	7	7	7	7										
21-24	2	5.0	18	2	2	5	8	8	8	8										
25-34	9	12.3	196	1	1	5	24	34	35	35										
35-54	3	12.3	179	1	1	9	22	27	27	27										
55-74																				
75 +																				
ALL AGES	17	11.5	157	1	1	7	22	32	34	35	2	4.5	13	2	2	4	7	7	7	7
SUBTOTAL	**80**	**7.4**	**72**	**1**	**1**	**4**	**10**	**20**	**28**	**34**	**6**	**10.0**	**140**	**1**	**1**	**6**	**11**	**31**	**33**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17	10	9.9	70	1	1	8	13	23	28	28										
18-20	21	6.6	68	1	1	4	8	16	25	36	2	1.0		1	1	1	1	1	1	1
21-24	23	6.6	58	1	1	4	8	15	25	34	1	3.0		3	3	3	3	3	3	3
25-34	54	5.9	29	1	1	4	9	13	16	27	2	2.5	5	1	1	2	4	4	4	4
35-54	26	5.8	20	1	1	6	8	12	15	19	1	3.0		3	3	3	3	3	3	3
55-74	2	2.0	2	1	1	2	3	3	3	3										
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	138	6.6	44	1	1	4	9	15	19	34	6	2.2	2	1	1	2	3	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	2	6.5	5	5	5	6	8	8	8	8										
18-20	5	12.8	271	3	3	5	17	42	42	42										
21-24	3	10.7	179	1	1	5	21	26	26	26	1	3.0		3	3	3	3	3	3	3
25-34	10	7.0	41	1	1	6	8	17	23	23										
35-54	3	1.7	1	1	1	1	3	3	3	3										
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	24	7.8	92	1	1	5	8	23	31	42	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**162**	**6.8**	**51**	**1**	**1**	**5**	**8**	**15**	**21**	**36**	**7**	**2.3**	**1**	**1**	**1**	**3**	**3**	**4**	**4**	**4**
GRAND TOTAL	**242**	**7.0**	**58**	**1**	**1**	**4**	**9**	**17**	**25**	**35**	**13**	**5.8**	**76**	**1**	**1**	**3**	**6**	**15**	**30**	**33**

OTHER PERSONALITY DIS (301.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	38.5	1625	10	10	83	99+	99+	99+	99+										
13-17	24	26.2	400	1	1	27	42	66	77	99+										
18-20	28	12.2	164	1	3	7	18	31	35	54										
21-24	38	9.0	182	1	1	4	8	30	35	68	2	4.0	2	3	3	4	5	5	5	5
25-34	83	8.2	45	1	1	7	11	19	22	32	3	1.3		1	1	1	2	2	2	2
35-54	52	12.0	131	1	1	9	17	28	37	47	6	4.0	15	1	1	2	6	10	11	11
55-74	6	8.0	12	3	3	7	12	12	12	12										
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	234	11.7	174	1	1	7	15	31	44	99+	11	3.3	9	1	1	2	4	8	11	11
B. FEMALE																				
0-12 YRS.	1	83.0		83	83	83	83	83	83	83										
13-17	61	22.7	389	2	3	18	41	64	99+	99+	1	40.0		40	40	40	40	40	40	40
18-20	62	13.6	374	1	2	7	17	30	56	92	6	2.8	4	1	1	3	3	6	6	6
21-24	115	11.8	139	1	2	8	16	26	39	57	5	2.6	7	1	1	1	4	7	7	7
25-34	211	10.3	130	1	1	7	13	25	37	64	15	6.1	35	1	1	4	7	12	22	25
35-54	145	10.2	74	2	2	8	14	19	24	44	2	4.5	5	3	3	4	6	6	6	6
55-74	7	8.9	39	3	3	5	14	17	18	18	2	9.0	2	8	8	9	10	10	10	10
75 +	2	7.5	61	2	2	7	13	13	13	13	1	1.0		1	1	1	1	1	1	1
ALL AGES	604	12.2	189	1	2	8	15	28	42	90	32	5.9	60	1	1	4	7	11	24	40
SUBTOTAL	**838**	**12.1**	**184**	**1**	**2**	**8**	**15**	**29**	**43**	**92**	**43**	**5.2**	**48**	**1**	**1**	**3**	**6**	**10**	**17**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	46.8	725	21	21	42	67	82	82	82	1	3.0		3	3	3	3	3	3	3
13-17	33	23.9	361	3	4	21	34	52	58	77										
18-20	43	12.5	179	1	1	8	19	36	50	99+	2	13.5	313	1	1	13	26	26	26	26
21-24	55	8.7	105	1	2	6	10	21	30	52	2	26.0	1250	1	1	25	51	51	51	51
25-34	150	8.6	69	1	1	6	12	21	27	44	8	5.9	16	1	1	6	9	11	11	11
35-54	75	8.4	101	1	1	5	11	17	28	59	5	7.0	18	1	1	8	10	12	12	12
55-74	9	17.6	44	4	7	18	22	25	27	27	1	28.0		28	28	28	28	28	28	28
75 +	3	8.0	3	6	6	9	9	9	9	9	1	6.0		6	6	6	6	6	6	6
ALL AGES	372	11.0	156	1	1	7	14	27	40	75	20	9.9	150	1	1	7	10	27	39	51
B. FEMALE																				
0-12 YRS.	6	43.8	688	10	11	42	73	74	74	74										
13-17	45	23.2	440	1	3	19	40	85	99+	99+	4	11.5	226	3	3	5	50	99+	99+	99+
18-20	43	12.9	182	1	1	8	17	28	46	61	2	4.0	8	2	2	4	6	6	6	6
21-24	129	13.3	187	1	2	9	17	31	35	69	4	10.3	193	1	1	4	18	31	31	31
25-34	285	11.6	167	1	2	8	14	26	41	60	16	6.5	35	1	2	4	7	17	19	20
35-54	148	13.7	260	1	1	7	18	33	55	86	13	8.4	65	2	3	7	8	16	31	34
55-74	15	9.1	44	1	2	8	13	18	23	25	2	2.5	5	1	1	2	4	4	4	4
75 +	4	6.3	40	1	1	4	11	15	15	15	1	8.0		8	8	8	8	8	8	8
ALL AGES	675	13.5	224	1	2	8	18	32	50	86	42	7.6	68	1	2	5	8	22	34	99+
SUBTOTAL	**1047**	**12.6**	**201**	**1**	**1**	**8**	**16**	**30**	**47**	**82**	**62**	**8.4**	**93**	**1**	**1**	**5**	**9**	**26**	**34**	**94**
GRAND TOTAL	**1885**	**12.4**	**193**	**1**	**2**	**8**	**16**	**30**	**44**	**86**	**105**	**7.1**	**76**	**1**	**1**	**5**	**8**	**17**	**32**	**73**

PERSONALITY DISORDER NOS (301.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	6	29.3	742	1	1	25	58	64	65	65	2	3.5	5	2	2	3	5	5	5	5
18-20	15	4.6	28	1	1	3	6	14	18	19										
21-24	13	9.2	119	1	1	3	14	22	36	39	3	4.7	21	2	2	2	8	10	10	10
25-34	19	4.5	12	1	1	3	6	10	12	13	2	3.0	2	2	2	3	4	4	4	4
35-54	14	7.0	50	1	1	4	10	14	25	28	1	1.0		1	1	1	1	1	1	1
55-74	9	13.2	253	1	1	10	14	41	51	51										
75 +	3	8.7	68	2	2	6	15	18	18	18	1	11.0		11	11	11	11	11	11	11
ALL AGES	80	8.7	151	1	1	4	10	20	34	63	9	4.3	14	1	1	2	6	11	11	11
B. FEMALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17	14	19.5	578	2	4	12	29	39	83	95										
18-20	11	6.7	35	1	2	4	10	15	21	21	2	2.0	2	1	1	2	3	3	3	3
21-24	11	5.3	34	1	1	4	10	43	92	99 +	2	1.0		1	1	1	1	1	1	1
25-34	42	7.3	52	1	1	5	8	18	21	33	6	4.2	1	2	2	4	5	5	5	5
35-54	27	10.4	262	1	1	6	14	16	31	86	3	3.3	3	2	2	3	4	5	5	5
55-74	6	12.8	75	2	2	14	14	26	27	27	1	9.0		9	9	9	9	9	9	9
75 +	4	4.3	16	1	1	3	7	10	10	10	1	6.0		6	6	6	6	6	6	6
ALL AGES	116	9.4	171	1	1	5	13	20	30	97	15	3.7	5	1	1	4	5	6	8	9
SUBTOTAL	**196**	**9.1**	**162**	**1**	**1**	**5**	**12**	**20**	**30**	**91**	**24**	**4.0**	**8**	**1**	**1**	**3**	**5**	**9**	**10**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	21.5	365	8	8	21	35	35	35	35										
13-17	7	5.4	25	1	1	3	10	13	13	13	4	6.0	15	3	3	5	9	11	11	11
18-20	8	8.6	92	1	1	5	14	24	26	26	2	4.5	5	3	3	4	6	6	6	6
21-24	17	6.9	48	1	1	4	11	18	21	22	2	7.5	61	2	2	7	13	13	13	13
25-34	48	5.5	35	1	1	3	7	13	19	26	4	2.0	2	1	1	1	3	4	4	4
35-54	34	10.8	124	1	1	8	14	24	28	55	2	7.5	25	4	4	7	11	11	11	11
55-74	9	11.0	97	1	1	5	19	26	28	28	2	1.0		1	1	1	1	1	1	1
75 +	3	25.0	343	7	7	24	39	44	44	44	1	24.0		24	24	24	24	24	24	24
ALL AGES	128	8.4	87	1	1	5	12	22	26	46	17	5.7	37	1	1	3	8	13	20	24
B. FEMALE																				
0-12 YRS.																				
13-17	14	18.1	197	2	3	17	30	37	41	42	1	1.0		1	1	1	1	1	1	1
18-20	7	12.1	157	3	3	5	17	33	37	37	2	3.5	1	3	3	3	4	4	4	4
21-24	13	10.8	111	2	2	7	18	25	35	37	4	2.0	1	1	1	2	3	3	3	3
25-34	45	9.1	133	1	2	5	9	28	32	59	4	10.3	182	1	1	5	19	30	30	30
35-54	43	8.6	78	2	2	5	9	23	27	45	9	5.3	12	1	1	4	8	11	11	11
55-74	5	11.8	255	1	1	6	13	40	40	40	4	5.0	1	4	4	5	6	6	6	6
75 +	3	32.3	160	18	18	38	40	41	41	41	1	7.0		7	7	7	7	7	7	7
ALL AGES	130	10.9	137	2	2	6	15	30	37	48	25	5.3	34	1	1	4	6	10	16	30
SUBTOTAL	**258**	**9.6**	**114**	**1**	**1**	**5**	**13**	**26**	**32**	**45**	**42**	**5.5**	**34**	**1**	**1**	**4**	**7**	**11**	**17**	**30**
GRAND TOTAL	**454**	**9.4**	**135**	**1**	**1**	**5**	**13**	**23**	**32**	**59**	**66**	**4.9**	**25**	**1**	**1**	**4**	**6**	**11**	**12**	**29**

HOMOSEXUALITY (302.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	2.0		2	2	2	2	2	2	2										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	1.0		1	1	1	1	1	1	1
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1

ZOOPHILIA (302.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13										
55-74																				
75 +																				
ALL AGES	1	13.0		13	13	13	13	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	13.0		13	13	13	13	13	13	13										
GRAND TOTAL	1	13.0		13	13	13	13	13	13	13										

PEDOPHILIA (302.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	14.0	98	7	7	14	21	21	21	21										
25-34	1	4.0		4	4	4	4	4	4	4	2	6.5	25	3	3	6	10	10	10	10
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	3	10.7	81	4	4	7	17	21	21	21	3	4.7	22	1	1	3	8	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**3**	**10.7**	**81**	**4**	**4**	**7**	**17**	**21**	**21**	**21**	**3**	**4.7**	**22**	**1**	**1**	**3**	**8**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14										
18-20	1	21.0		21	21	21	21	21	21	21										
21-24	1	3.0		3	3	3	3	3	3	3										
25-34											1	2.0		2	2	2	2	2	2	2
35-54																				
55-74	1	13.0		13	13	13	13	13	13	13	1	3.0		3	3	3	3	3	3	3
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	4	12.8	53	3	3	13	17	21	21	21	3	4.3	11	2	2	3	7	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
SUBTOTAL	**5**	**11.4**	**50**	**3**	**3**	**13**	**16**	**21**	**21**	**21**	**3**	**4.3**	**11**	**2**	**2**	**3**	**7**	**8**	**8**	**8**
GRAND TOTAL	**8**	**11.1**	**53**	**3**	**3**	**10**	**17**	**21**	**21**	**21**	**6**	**4.5**	**13**	**1**	**1**	**3**	**8**	**10**	**10**	**10**

TRANSVESTISM (302.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	1.0		1	1	1	1	1	1	1										
GRAND TOTAL	1	1.0		1	1	1	1	1	1	1										

Total U.S. January - December 1986

EXHIBITIONISM (302.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	9.0		9	9	9	9	9	9	9										
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	13.0		13	13	13	13	13	13	13										
55-74																				
75 +																				
ALL AGES	3	8.3	26	3	3	9	12	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**4**	**6.5**	**30**	**1**	**1**	**6**	**11**	**13**	**13**	**13**										
GRAND TOTAL	**4**	**6.5**	**30**	**1**	**1**	**6**	**11**	**13**	**13**	**13**										

TRANS-SEXUALISM (302.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											12	6.8	19	1	1	7	10	13	14	14
25-34	5	8.4	43	4	4	6	10	20	20	20	2	3.5	5	2	2	3	5	5	5	5
35-54	14	8.9	56	1	2	6	15	19	24	26	16	10.1	107	1	1	6	13	28	33	35
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	19	8.8	50	1	2	6	14	19	23	26	31	8.2	65	1	1	6	10	18	29	35
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	9.0		9	9	9	9	9	9	9
21-24	1	20.0		20	20	20	20	20	20	20	13	7.7	6	2	3	9	9	9	9	9
25-34	14	10.3	51	2	4	7	20	21	21	21	74	8.4	5	2	3	9	9	10	10	12
35-54	5	9.0	27	5	5	7	10	18	18	18	52	8.6	9	2	3	9	9	10	11	22
55-74											5	9.2		9	9	9	10	10	10	10
75 +																				
ALL AGES	20	10.5	45	3	4	7	19	21	21	21	145	8.4	7	2	3	9	9	10	10	14
SUBTOTAL	**39**	**9.6**	**48**	**2**	**3**	**7**	**16**	**20**	**21**	**26**	**176**	**8.4**	**16**	**2**	**2**	**9**	**9**	**10**	**12**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	24.0		24	24	24	24	24	24	24										
55-74																				
75 +																				
ALL AGES	1	24.0		24	24	24	24	24	24	24										
SUBTOTAL	**1**	**24.0**		**24**	**24**	**24**	**24**	**24**	**24**	**24**										
GRAND TOTAL	**40**	**10.0**	**51**	**2**	**3**	**7**	**17**	**21**	**23**	**26**	**176**	**8.4**	**16**	**2**	**2**	**9**	**9**	**10**	**12**	**27**

PSYCHOSEX IDENTITY DIS (302.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	36.0	18	33	33	36	39	39	39	39										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	36.0	18	33	33	36	39	39	39	39										
B. FEMALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	30.0		30	30	30	30	30	30	30										
SUBTOTAL	**3**	**34.0**	**21**	**30**	**30**	**33**	**37**	**39**	**39**	**39**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**										
GRAND TOTAL	**4**	**26.5**	**239**	**4**	**4**	**31**	**36**	**39**	**39**	**39**										

PSYCHOSEXUAL DYSFUNCTION (302.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2	3	1.7	1	1	1	1	2	3	3	3
25-34	4	5.3	2	3	3	5	6	7	7	7	3	3.3	3	2	2	3	4	5	5	5
35-54	45	3.3	8	1	1	3	4	6	8	14	35	2.8	3	1	1	3	4	5	6	8
55-74	52	2.8	3	1	1	2	4	5	5	10	56	2.9	2	1	1	3	4	5	6	8
75 +	2	3.0	2	2	2	3	4	4	4	4	1	1.0		1	1	1	1	1	1	1
ALL AGES	104	3.1	5	1	1	3	4	6	7	13	98	2.8	3	1	1	3	4	5	6	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**105**	**3.1**	**5**	**1**	**1**	**2**	**4**	**6**	**7**	**13**	**99**	**2.8**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											2	3.0		3	3	3	3	3	3	3
55-74	2	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1	2	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**2**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**107**	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**7**	**13**	**101**	**2.8**	**3**	**1**	**1**	**3**	**3**	**5**	**6**	**8**

PSYCHOSEXUAL DIS NEC (302.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	17.0	2	16	16	17	18	18	18	18										
18-20																				
21-24																				
25-34											1	9.0		9	9	9	9	9	9	9
35-54	3	13.0	273	2	2	5	25	32	32	32										
55-74											1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	5	14.6	142	2	2	16	21	32	32	32	2	8.5	1	8	8	8	9	9	9	9
B. FEMALE																				
0-12 YRS.	1	50.0		50	50	50	50	50	50	50										
13-17	1	8.0		8	8	8	8	8	8	8										
18-20																				
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	1	14.0		14	14	14	14	14	14	14										
55-74																				
75 +																				
ALL AGES	4	19.3	432	5	5	11	32	50	50	50										
SUBTOTAL	**9**	**16.7**	**238**	**2**	**3**	**14**	**21**	**43**	**50**	**50**	**2**	**8.5**	**1**	**8**	**8**	**8**	**9**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	8	8	8	8	8										
18-20											1	24.0		24	24	24	24	24	24	24
21-24																				
25-34	5	10.8	10	6	6	11	13	14	14	14										
35-54	1	30.0		30	30	30	30	30	30	30										
55-74											1	14.0		14	14	14	14	14	14	14
75 +																				
ALL AGES	7	13.1	64	6	6	11	14	27	30	30	2	19.0	50	14	14	19	24	24	24	24
B. FEMALE																				
0-12 YRS.																				
13-17	2	16.0	2	15	15	16	17	17	17	17										
18-20																				
21-24	1	18.0		18	18	18	18	18	18	18										
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74																				
75 +																				
ALL AGES	4	14.0	30	6	6	16	17	18	18	18										
SUBTOTAL	**11**	**13.5**	**46**	**6**	**6**	**13**	**16**	**23**	**29**	**30**	**2**	**19.0**	**50**	**14**	**14**	**19**	**24**	**24**	**24**	**24**
GRAND TOTAL	**20**	**14.9**	**128**	**3**	**5**	**13**	**17**	**31**	**41**	**50**	**4**	**13.8**	**52**	**8**	**8**	**11**	**19**	**24**	**24**	**24**

PSYCHOSEXUAL DIS NOS (302.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	1	18.0		18	18	18	18	18	18	18	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17																				
18-20																				
21-24	1	5.0		5	5	5	5	5	5	5										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	5.0		5	5	5	5	5	5	5										
SUBTOTAL	**3**	**9.3**	**57**	**5**	**5**	**5**	**15**	**18**	**18**	**18**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**										
GRAND TOTAL	**4**	**8.5**	**40**	**5**	**5**	**6**	**12**	**18**	**18**	**18**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

AC ALCOHOL INTOXICATION (303.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	1.8	1	1	1	2	2	3	3	3	1	5.0		5	5	5	5	5	5	5
13-17	52	1.9	6	1	1	1	2	3	5	18	45	4.6	101	1	1	1	1	25	31	45
18-20	51	4.5	43	1	1	2	4	17	22	26	20	4.6	86	1	1	1	3	17	31	34
21-24	169	5.9	58	1	1	3	5	22	23	32	38	3.2	21	1	1	2	3	7	8	28
25-34	640	6.1	53	1	1	3	6	21	23	28	255	5.7	52	1	1	3	5	11	27	30
35-54	1241	5.7	45	1	1	3	5	16	23	29	645	5.7	54	1	1	3	5	13	27	31
55-74	531	6.3	38	1	2	4	7	14	22	30	354	5.8	48	1	1	4	6	13	24	33
75 +	51	6.6	33	1	2	4	7	16	21	23	26	5.3	19	1	1	4	5	11	15	21
ALL AGES	2741	5.8	46	1	1	3	6	17	23	29	1384	5.6	52	1	1	3	5	12	27	32
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	29	4.0	123	1	1	1	3	5	10	61	23	4.8	116	1	1	1	2	11	37	42
18-20	24	4.3	42	1	1	2	3	14	22	25	9	2.3	3	1	1	1	4	5	5	5
21-24	35	6.4	62	1	1	3	8	21	26	30	11	3.5	18	1	1	1	4	10	15	15
25-34	170	6.0	46	1	1	3	6	17	22	30	68	4.6	39	1	1	3	4	9	21	33
35-54	344	5.7	39	1	1	3	6	15	22	28	178	5.5	53	1	1	3	5	21	27	30
55-74	164	5.7	44	1	1	3	6	14	21	32	88	4.3	14	1	1	3	5	8	10	23
75 +	18	12.3	270	1	1	3	23	41	48	52	8	3.1	4	1	1	3	4	6	7	7
ALL AGES	784	5.8	52	1	1	3	6	16	23	32	386	4.8	43	1	1	3	5	9	23	32
SUBTOTAL	**3525**	**5.8**	**47**	**1**	**1**	**3**	**6**	**17**	**23**	**30**	**1770**	**5.5**	**50**	**1**	**1**	**3**	**5**	**11**	**27**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											4	8.5	30	4	4	7	12	16	16	16
13-17	49	12.0	191	1	1	4	21	33	42	42	49	21.1	299	1	1	26	33	42	47	61
18-20	77	9.4	135	1	1	4	11	29	38	42	48	11.3	149	1	1	5	19	29	38	50
21-24	238	7.8	71	1	1	5	9	22	28	32	183	12.1	123	1	1	7	22	29	31	40
25-34	1221	8.0	72	1	1	5	8	22	28	34	960	9.8	88	1	2	5	15	25	30	33
35-54	2072	7.6	60	1	2	5	7	21	27	31	1707	8.9	81	1	2	5	11	25	29	32
55-74	760	8.2	64	1	2	5	9	21	28	35	758	8.1	73	2	2	5	9	21	28	38
75 +	57	8.4	46	2	2	6	11	17	24	32	82	8.4	56	1	2	6	11	19	21	42
ALL AGES	4474	7.9	68	1	2	5	8	22	28	34	3791	9.3	89	1	2	5	13	25	30	35
B. FEMALE																				
0-12 YRS.																				
13-17	42	15.4	481	1	1	4	21	42	73	89	29	26.7	507	1	1	29	43	53	74	77
18-20	34	9.9	129	1	1	5	13	31	34	35	25	11.6	121	1	1	6	21	29	31	32
21-24	88	8.9	79	1	1	5	13	22	26	39	61	10.5	110	1	1	5	21	30	31	33
25-34	410	8.3	75	1	2	5	9	23	28	36	318	9.5	97	1	1	5	15	27	30	36
35-54	642	6.9	50	1	1	5	7	18	25	31	463	9.3	97	1	2	5	13	27	30	38
55-74	286	9.7	107	2	2	6	13	26	29	41	276	9.1	94	1	2	5	11	23	29	39
75 +	32	7.1	26	1	2	6	8	13	16	27	16	7.9	42	2	2	5	9	20	21	21
ALL AGES	1534	8.2	85	1	1	5	9	22	28	36	1188	9.8	114	1	2	5	14	28	30	41
SUBTOTAL	**6008**	**8.0**	**72**	**1**	**2**	**5**	**8**	**22**	**28**	**35**	**4979**	**9.4**	**95**	**1**	**2**	**5**	**13**	**26**	**30**	**37**
GRAND TOTAL	**9533**	**7.2**	**64**	**1**	**1**	**4**	**7**	**21**	**27**	**33**	**6749**	**8.4**	**86**	**1**	**1**	**4**	**9**	**24**	**29**	**35**

ALCOHOL DEPEND NEC/NOS (303.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	12.0	141	2	2	7	23	28	28	28	2	15.0	288	3	3	15	27	27	27	27
13-17	89	21.9	235	1	2	20	37	43	47	51	65	25.8	212	1	3	28	35	43	47	58
18-20	122	16.6	129	1	2	18	27	30	33	37	90	19.2	158	1	3	22	28	30	40	59
21-24	316	15.2	121	1	2	15	27	29	30	33	249	16.6	125	1	2	19	28	30	32	41
25-34	1892	13.7	116	1	2	9	25	28	30	33	1396	14.7	123	2	2	11	26	29	30	38
35-54	3613	13.1	109	2	3	7	23	28	30	34	2700	14.6	127	2	2	10	27	29	31	39
55-74	1470	13.2	107	2	3	9	22	28	30	36	1129	14.5	129	2	3	10	26	30	33	40
75 +	88	12.9	105	1	3	10	21	27	29	45	70	15.7	192	2	2	9	25	33	35	71
ALL AGES	7595	13.5	114	2	2	8	24	28	30	35	5701	14.9	130	2	2	11	27	29	31	41
B. FEMALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10	4	10.5	78	3	3	8	16	23	23	23
13-17	49	26.1	355	1	3	25	42	53	56	67	38	24.4	230	2	3	28	35	45	50	56
18-20	43	14.0	107	2	3	10	25	28	30	33	22	15.5	162	1	2	9	28	32	36	38
21-24	108	14.0	136	2	2	10	23	29	31	51	79	17.3	155	1	2	18	28	32	38	41
25-34	564	13.4	106	2	3	9	23	28	29	33	411	14.3	127	1	2	9	27	28	30	35
35-54	945	13.7	112	2	2	9	24	28	30	34	741	14.7	136	2	3	10	27	29	32	40
55-74	472	14.9	104	2	3	14	23	28	30	36	392	15.3	131	2	3	11	27	30	32	41
75 +	42	12.0	70	2	2	10	20	24	27	33	36	13.6	175	2	3	8	21	32	35	59
ALL AGES	2224	14.1	119	2	3	10	24	28	30	40	1723	15.0	140	2	3	10	27	30	32	42
SUBTOTAL	**9819**	**13.6**	**116**	**2**	**2**	**9**	**24**	**28**	**30**	**36**	**7424**	**14.9**	**133**	**2**	**2**	**11**	**27**	**29**	**32**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	16.8	82	6	6	19	22	29	29	29	4	20.0	105	5	5	24	26	27	27	27
13-17	534	28.2	225	4	7	29	42	45	50	61	219	28.8	235	2	6	30	39	46	54	72
18-20	305	19.2	155	2	3	21	28	32	37	49	203	19.6	153	2	2	22	29	32	36	50
21-24	613	18.0	120	2	3	21	28	30	31	40	378	17.0	131	2	3	19	28	30	32	41
25-34	2623	15.7	119	2	3	16	25	29	30	37	1633	16.1	122	2	3	16	27	29	31	39
35-54	2529	14.2	114	2	3	10	24	28	30	37	1423	14.0	125	2	3	10	25	29	31	40
55-74	798	14.1	108	2	3	11	23	28	29	40	491	13.6	131	2	3	9	21	30	33	47
75 +	59	17.0	128	4	4	16	28	32	38	94	36	10.4	66	2	2	7	14	25	28	28
ALL AGES	7466	16.3	137	2	3	16	26	30	35	45	4387	16.0	141	2	3	14	27	30	34	46
B. FEMALE																				
0-12 YRS.	3	23.0	444	3	3	21	39	45	45	45	2	31.0	50	26	26	31	36	36	36	36
13-17	265	27.9	237	3	6	28	42	45	49	71	147	28.1	230	2	5	30	38	43	48	71
18-20	124	20.9	175	1	3	24	28	33	44	57	76	19.5	187	1	2	21	29	39	42	50
21-24	236	16.1	135	2	3	17	26	30	31	40	117	17.4	135	2	3	20	28	31	33	37
25-34	877	14.9	128	2	3	11	25	29	32	42	523	15.5	123	2	3	12	27	29	31	41
35-54	827	14.7	118	2	3	11	25	29	31	39	505	14.2	120	2	2	10	25	29	31	39
55-74	338	16.6	155	2	3	15	27	31	38	52	201	14.5	127	2	3	10	24	30	34	44
75 +	26	18.5	132	4	5	16	28	34	36	37	17	11.4	105	3	4	7	20	27	34	38
ALL AGES	2696	16.8	156	2	3	16	27	31	38	50	1588	16.4	153	2	3	14	28	31	36	47
SUBTOTAL	**10162**	**16.4**	**143**	**2**	**3**	**16**	**26**	**30**	**35**	**46**	**5975**	**16.1**	**144**	**2**	**3**	**14**	**28**	**30**	**34**	**46**
GRAND TOTAL	**19981**	**15.0**	**132**	**2**	**3**	**12**	**25**	**29**	**32**	**44**	**13399**	**15.4**	**140**	**2**	**3**	**13**	**27**	**30**	**33**	**43**

Total U.S. January - December 1986

OPIOID TYPE DEPENDENCE (304.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	26.0		26	26	26	26	26	26	26										
13-17	1	8.0		8	8	8	8	8	8	8										
18-20	3	11.7	113	5	5	6	19	24	24	24	3	5.0	1	4	4	5	6	6	6	6
21-24	21	6.2	34	1	1	5	7	14	19	24	15	9.0	62	2	3	5	13	25	26	27
25-34	159	9.6	90	1	2	5	14	27	30	39	158	10.9	98	2	3	6	20	27	29	39
35-54	126	11.4	86	2	3	7	20	26	29	35	88	8.6	71	1	2	5	10	23	29	31
55-74	14	14.0	128	2	4	9	24	29	37	39	6	8.5	54	1	1	8	9	21	22	22
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	325	10.3	89	1	2	6	16	26	29	39	271	9.9	86	2	2	6	14	26	28	33
B. FEMALE																				
0-12 YRS.											1	35.0		35	35	35	35	35	35	35
13-17	2	6.5	1	6	6	6	7	7	7	7										
18-20	7	6.3	15	3	3	4	10	12	12	12	3	16.0	199	3	3	14	27	31	31	31
21-24	15	9.0	106	2	2	4	10	31	34	35	14	11.2	140	1	2	5	21	27	38	41
25-34	148	10.1	83	2	2	6	16	26	29	33	108	11.3	121	1	3	6	17	29	35	43
35-54	63	10.5	83	2	3	6	15	27	28	40	40	13.7	120	3	3	8	24	31	32	36
55-74	13	11.3	87	3	3	9	19	26	28	29	10	18.7	156	5	5	16	29	36	41	41
75 +	3	4.3	7	2	2	4	6	7	7	7	4	11.0	47	6	6	8	15	21	21	21
ALL AGES	251	10.0	81	2	3	6	14	26	29	35	180	12.5	125	2	3	7	22	30	35	41
SUBTOTAL	**576**	**10.2**	**85**	**2**	**2**	**6**	**15**	**26**	**29**	**38**	**451**	**10.9**	**103**	**2**	**3**	**6**	**18**	**28**	**30**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	4.7	30	1	1	2	9	11	11	11	3	16.3	116	4	4	22	23	23	23	23
18-20	7	12.9	111	4	4	8	22	29	30	30	4	10.5	138	3	3	5	17	28	28	28
21-24	35	10.9	90	2	2	6	20	27	28	29	21	9.6	80	1	2	5	15	25	29	31
25-34	276	12.9	111	2	3	8	21	28	30	46	219	12.5	114	2	3	7	22	29	31	38
35-54	203	12.7	99	2	3	8	21	28	29	38	168	14.1	132	2	3	10	23	28	31	42
55-74	8	12.6	36	4	5	13	16	21	22	22	10	14.5	132	4	4	11	23	32	35	35
75 +											4	13.3	90	5	5	10	19	27	27	27
ALL AGES	532	12.7	102	2	3	8	21	28	30	44	429	13.1	118	2	3	8	22	28	31	42
B. FEMALE																				
0-12 YRS.																				
13-17											1	68.0		68	68	68	68	68	68	68
18-20	10	8.2	23	2	3	7	11	16	16	16	11	11.7	124	3	3	8	13	30	39	40
21-24	32	9.7	70	2	3	7	11	26	28	29	31	11.5	87	2	2	8	22	26	28	30
25-34	234	10.9	79	2	3	7	15	26	29	40	131	13.4	122	2	3	9	23	30	34	39
35-54	98	10.2	86	2	3	6	11	25	30	42	69	13.5	123	2	3	9	24	29	35	43
55-74	20	13.5	96	3	3	10	21	28	31	33	19	11.5	64	3	4	8	16	25	28	29
75 +	5	23.0	120	5	5	28	29	33	33	33	3	6.3	6	5	5	5	8	9	9	9
ALL AGES	399	10.8	83	2	3	7	15	27	29	39	265	13.1	124	2	3	8	22	29	33	44
SUBTOTAL	**931**	**11.9**	**94**	**2**	**3**	**7**	**20**	**28**	**29**	**40**	**694**	**13.1**	**120**	**2**	**3**	**8**	**22**	**28**	**31**	**42**
GRAND TOTAL	**1507**	**11.2**	**92**	**2**	**3**	**7**	**18**	**27**	**29**	**39**	**1145**	**12.2**	**116**	**2**	**3**	**7**	**21**	**28**	**31**	**41**

BARBITURATE DEPENDENCE (304.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											2	2.0	2	1	1	2	3	3	3	3
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	8	17.3	101	1	3	21	24	29	30	30	15	11.5	125	1	2	7	14	32	32	32
35-54	15	14.2	157	3	4	7	27	34	37	38	11	8.5	55	1	1	7	13	21	22	22
55-74	6	7.7	101	1	1	4	9	25	27	27	8	18.8	178	3	3	20	31	34	34	34
75 +																				
ALL AGES	30	13.3	134	1	1	8	25	29	34	38	36	11.6	123	1	1	7	18	32	33	34
B. FEMALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10	1	20.0		20	20	20	20	20	20	20
18-20											3	4.0	1	3	3	4	5	5	5	5
21-24	3	10.0	12	6	6	12	12	12	12	12	3	11.3	121	5	5	5	19	24	24	24
25-34	24	14.1	112	1	2	12	20	27	33	45	19	14.2	155	1	2	8	25	32	39	42
35-54	37	17.8	230	3	4	15	26	29	34	86	27	15.3	128	3	3	12	28	31	35	37
55-74	23	16.8	100	2	4	19	25	28	32	38	16	17.7	79	3	6	18	26	28	29	29
75 +	5	28.6	1230	4	4	9	49	87	87	87	3	24.3	100	13	13	29	30	31	31	31
ALL AGES	93	16.8	209	2	4	14	24	29	36	87	72	15.3	122	2	3	14	26	30	34	41
SUBTOTAL	**123**	**16.0**	**190**	**1**	**3**	**12**	**25**	**29**	**36**	**86**	**108**	**14.1**	**123**	**2**	**2**	**10**	**25**	**30**	**33**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	46.0		46	46	46	46	46	46	46										
13-17	3	15.3	576	1	1	2	33	43	43	43	2	38.5	25	35	35	38	42	42	42	42
18-20	7	16.9	200	5	5	9	26	40	43	43	5	10.8	139	1	1	5	18	30	30	30
21-24	14	17.5	172	2	4	16	29	36	37	37										
25-34	42	13.7	147	2	3	9	24	30	38	44	33	13.2	84	3	4	14	18	27	32	33
35-54	39	16.2	133	1	2	13	27	32	35	37	28	13.3	136	1	2	8	22	33	35	40
55-74	20	21.2	96	6	8	21	27	35	38	40	12	13.1	154	1	2	7	27	30	35	36
75 +	4	13.0	377	1	1	4	23	42	42	42	3	18.0	49	10	10	21	22	23	23	23
ALL AGES	130	16.4	159	1	2	12	27	35	40	44	83	13.8	125	2	3	10	23	32	35	41
B. FEMALE																				
0-12 YRS.																				
13-17	2	33.5	13	31	31	33	36	36	36	36	1	6.0		6	6	6	6	6	6	6
18-20	1	23.0		23	23	23	23	23	23	23										
21-24	7	19.7	174	4	4	17	29	38	40	40	7	10.6	65	5	5	9	11	25	28	28
25-34	57	16.7	90	3	4	17	24	30	31	37	45	15.0	126	2	3	14	23	30	35	39
35-54	95	19.4	113	3	5	21	29	33	38	72	60	16.0	131	1	3	12	28	31	33	35
55-74	66	19.7	106	4	5	20	27	33	37	44	33	22.4	131	5	6	24	29	37	42	43
75 +	3	14.3	142	7	7	8	23	28	28	28	4	10.3	62	5	5	7	15	22	22	22
ALL AGES	231	18.9	108	3	5	20	28	32	37	41	150	16.6	134	2	4	14	28	32	35	42
SUBTOTAL	**361**	**18.0**	**127**	**2**	**4**	**19**	**28**	**32**	**37**	**44**	**233**	**15.6**	**132**	**2**	**4**	**13**	**27**	**32**	**35**	**42**
GRAND TOTAL	**484**	**17.5**	**143**	**2**	**4**	**17**	**27**	**32**	**37**	**45**	**341**	**15.1**	**130**	**2**	**3**	**13**	**26**	**31**	**35**	**42**

Total U.S. January - December 1986

COCAINE DEPENDENCE (304.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	15.5	313	3	3	15	28	28	28	28										
13-17	3	18.0	508	4	4	6	34	44	44	44	6	13.8	321	1	1	5	24	44	46	46
18-20	25	14.9	108	1	2	12	26	30	31	31	36	15.9	128	2	3	18	24	31	32	43
21-24	83	13.8	109	2	2	11	24	28	29	35	81	16.1	117	1	2	18	26	28	31	40
25-34	327	15.5	110	2	3	14	25	29	30	41	347	15.2	125	2	3	14	24	29	31	42
35-54	138	14.6	102	1	3	15	23	28	29	35	105	16.4	130	2	3	21	25	29	30	43
55-74	5	15.4	79	6	6	12	21	29	29	29										
75 +																				
ALL AGES	583	15.0	110	2	3	14	25	28	30	37	575	15.6	125	2	3	16	24	29	31	42
B. FEMALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13										
13-17	2	3.0	8	1	1	3	5	5	5	5	2	17.5	313	5	5	17	30	30	30	30
18-20	20	13.9	38	4	6	15	19	21	22	23	21	15.5	155	1	3	11	25	30	40	49
21-24	102	13.0	90	1	2	11	20	27	29	34	67	12.9	105	1	3	8	24	28	29	30
25-34	219	13.6	70	2	3	13	20	24	28	31	146	11.7	114	2	2	7	19	29	31	42
35-54	32	13.3	81	3	3	11	20	28	28	28	23	13.1	121	2	2	8	21	29	32	36
55-74																				
75 +																				
ALL AGES	376	13.4	74	2	3	12	20	26	28	31	259	12.5	116	2	3	8	22	29	30	42
SUBTOTAL	**959**	**14.4**	**95**	**2**	**3**	**13**	**22**	**28**	**29**	**35**	**834**	**14.6**	**125**	**2**	**3**	**10**	**24**	**29**	**31**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	18	30.5	666	1	3	27	41	76	85	87	26	28.1	317	3	4	29	36	44	64	79
18-20	71	18.7	122	2	4	21	27	31	36	44	64	21.0	111	2	3	23	29	31	34	46
21-24	171	17.5	101	2	3	20	25	30	32	39	165	19.7	97	2	4	22	27	30	34	38
25-34	592	16.9	103	2	3	20	25	29	30	38	502	18.2	114	2	3	21	27	30	33	42
35-54	227	17.5	99	2	3	20	26	29	31	37	182	16.7	115	3	3	20	24	28	30	43
55-74	3	20.7	79	12	12	20	27	30	30	30	4	12.3	115	4	4	8	19	28	28	28
75 +																				
ALL AGES	1083	17.5	113	2	3	20	25	29	31	42	943	18.6	120	2	3	22	27	30	34	43
B. FEMALE																				
0-12 YRS.	1	15.0		15	15	15	15	15	15	15										
13-17	17	20.8	372	1	2	16	35	43	63	73	11	27.0	227	3	4	30	40	45	48	48
18-20	47	17.7	112	3	4	20	25	30	41	99 +	29	19.0	142	2	3	23	28	33	34	39
21-24	102	14.9	100	2	3	13	22	28	31	39	78	17.4	154	1	3	21	28	29	38	46
25-34	277	13.8	94	2	3	11	21	28	29	36	175	14.8	121	2	3	13	24	29	33	42
35-54	68	14.9	71	4	5	15	21	26	27	31	30	15.1	107	3	4	13	24	29	33	34
55-74	1	30.0		30	30	30	30	30	30	30	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	513	14.8	104	2	3	14	22	28	30	45	324	16.2	138	2	3	17	26	30	35	42
SUBTOTAL	**1596**	**16.6**	**113**	**2**	**3**	**19**	**24**	**29**	**31**	**43**	**1267**	**18.0**	**125**	**2**	**3**	**21**	**27**	**30**	**34**	**42**
GRAND TOTAL	**2555**	**15.8**	**107**	**2**	**3**	**17**	**23**	**28**	**30**	**41**	**2101**	**16.7**	**126**	**2**	**3**	**19**	**25**	**30**	**33**	**42**

CANNABIS DEPENDENCE (304.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	71	29.5	191	6	9	31	41	44	48	57	47	28.0	257	3	7	29	37	46	58	77
18-20	12	16.8	135	4	5	15	23	35	38	39	17	17.6	179	1	2	21	29	34	36	37
21-24	17	14.3	101	3	3	12	23	29	32	33	12	24.4	64	5	14	26	29	32	35	35
25-34	33	20.2	79	3	6	22	28	29	30	31	17	21.0	155	2	3	22	30	35	37	38
35-54	8	25.3	59	13	14	26	29	36	38	38	4	13.8	168	1	1	12	24	29	29	29
55-74																				
75 +																				
ALL AGES	141	24.2	172	4	6	25	34	42	44	52	97	23.9	213	2	3	27	32	40	45	69
B. FEMALE																				
0-12 YRS.																				
13-17	19	26.9	270	1	3	30	40	45	50	53	12	27.6	336	2	3	28	35	51	67	70
18-20	2	29.5	5	28	28	29	31	31	31	31	4	29.5	19	24	24	30	33	33	33	33
21-24	5	9.4	53	3	3	6	14	21	21	21	3	17.0	631	2	2	3	35	46	46	46
25-34	4	22.0	161	3	3	28	29	29	29	29	7	23.6	119	4	6	26	32	35	35	35
35-54	4	11.8	129	2	2	9	21	26	26	26	3	33.7	101	22	22	38	40	41	41	41
55-74																				
75 +																				
ALL AGES	34	22.1	236	1	3	23	35	42	46	53	29	26.4	233	2	3	28	34	42	47	70
SUBTOTAL	**175**	**23.8**	**183**	**3**	**5**	**25**	**34**	**42**	**45**	**53**	**126**	**24.5**	**216**	**2**	**3**	**28**	**33**	**41**	**46**	**72**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	23.0	316	3	3	29	35	37	37	37	2	31.5	25	28	28	31	35	35	35	35
13-17	255	30.6	251	3	7	31	42	48	54	75	214	30.8	185	8	14	30	38	47	57	89
18-20	65	24.6	234	3	3	26	29	40	46	92	59	24.3	168	3	4	25	33	35	45	97
21-24	49	19.8	96	3	4	23	28	30	31	32	43	22.7	138	2	3	28	30	34	36	44
25-34	118	18.6	115	1	3	22	27	30	32	38	79	21.1	89	3	4	22	28	30	32	40
35-54	28	19.4	109	4	4	21	27	30	38	44	27	20.4	95	1	3	22	27	31	34	38
55-74	1	35.0		35	35	35	35	35	35	35										
75 +																				
ALL AGES	519	25.4	226	3	4	26	35	44	49	72	424	26.6	172	3	7	28	34	42	49	76
B. FEMALE																				
0-12 YRS.	2	31.0	98	24	24	31	38	38	38	38										
13-17	83	31.4	352	4	6	34	45	49	56	87	74	32.8	284	7	11	30	41	58	67	80
18-20	17	18.2	134	2	3	20	27	29	37	41	16	25.6	91	5	7	29	32	35	35	35
21-24	15	20.3	136	4	4	25	29	31	34	35	11	21.3	180	1	3	28	32	36	37	37
25-34	28	16.4	133	1	2	19	27	31	32	33	24	20.3	117	2	4	23	27	30	34	44
35-54	9	17.9	86	2	4	21	25	28	29	29	5	18.4	126	5	5	22	28	29	29	29
55-74																				
75 +																				
ALL AGES	154	25.4	287	2	4	25	37	46	49	86	130	28.1	241	5	6	29	35	45	60	78
SUBTOTAL	**673**	**25.4**	**239**	**3**	**4**	**26**	**35**	**45**	**49**	**75**	**554**	**26.9**	**191**	**4**	**7**	**28**	**35**	**42**	**51**	**77**
GRAND TOTAL	**848**	**25.1**	**227**	**3**	**4**	**25**	**35**	**44**	**48**	**71**	**680**	**26.5**	**194**	**3**	**5**	**28**	**34**	**42**	**49**	**76**

AMPHETAMINE DEPENDENCE (304.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	27.0		27	27	27	27	27	27	27	1	3.0		3	3	3	3	3	3	3
18-20	2	2.0	2	1	1	1	3	3	3	3	4	18.3	354	1	1	16	34	40	40	40
21-24	8	21.5	240	1	2	25	32	40	43	43	13	22.8	135	1	3	28	30	31	32	32
25-34	18	16.9	133	1	2	18	28	30	33	35	21	16.0	125	1	2	14	28	29	30	30
35-54	1	2.0		2	2	2	2	2	2	2	3	17.3	194	2	2	21	27	29	29	29
55-74																				
75 +																				
ALL AGES	30	17.0	168	1	1	17	29	32	35	43	42	18.1	151	1	2	23	29	30	31	40
B. FEMALE																				
0-12 YRS.																				
13-17	1	42.0		42	42	42	42	42	42	42	2	7.5	1	7	7	7	8	8	8	8
18-20	3	30.3	27	27	27	28	34	36	36	36	5	23.4	228	2	2	28	36	37	37	37
21-24	3	1.7		1	1	2	2	2	2	2	6	17.2	246	1	1	16	31	35	35	35
25-34	11	13.5	155	1	1	8	27	30	32	32	14	16.1	147	2	2	15	29	31	33	34
35-54	2	11.0	200	1	1	11	21	21	21	21	6	22.3	302	1	1	25	29	46	48	48
55-74	2	16.5	265	5	5	16	28	28	28	28										
75 +																				
ALL AGES	22	15.5	195	1	1	10	28	33	38	42	33	18.0	191	1	2	17	29	35	37	48
SUBTOTAL	**52**	**16.4**	**175**	**1**	**1**	**13**	**28**	**33**	**36**	**43**	**75**	**18.1**	**164**	**1**	**2**	**22**	**29**	**31**	**36**	**46**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	9	21.3	202	1	1	19	33	39	40	40	5	32.2	495	3	3	35	47	61	61	61
18-20	9	28.0	200	1	5	31	40	42	42	42	9	22.0	74	1	9	23	28	29	30	30
21-24	11	19.0	205	2	3	21	33	36	38	38	17	20.6	150	2	3	27	29	31	34	35
25-34	42	18.1	146	2	2	22	28	30	32	42	54	19.7	143	2	2	26	29	31	35	38
35-54	14	14.9	127	1	2	15	26	29	30	30	18	16.2	147	2	2	19	27	30	32	34
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	86	19.0	164	2	2	22	29	34	40	42	104	19.9	158	2	2	25	29	31	35	51
B. FEMALE																				
0-12 YRS.																				
13-17	4	28.8	364	4	4	31	43	49	49	49	10	25.5	125	5	8	27	30	39	46	46
18-20	6	17.5	145	5	5	18	28	30	30	30	12	15.4	136	4	4	14	23	30	39	41
21-24	13	13.5	104	1	2	18	21	27	27	27	11	20.3	113	4	4	24	29	31	32	32
25-34	32	19.8	190	2	4	20	29	35	41	56	21	20.7	125	3	4	28	30	31	31	31
35-54	10	18.1	152	1	4	17	24	35	44	44	9	20.7	98	5	5	24	28	31	33	33
55-74	3	28.7	46	22	22	28	34	36	36	36										
75 +																				
ALL AGES	68	19.1	170	2	3	20	28	35	42	55	63	20.4	122	4	4	24	29	31	33	45
SUBTOTAL	**154**	**19.0**	**167**	**2**	**2**	**21**	**28**	**34**	**41**	**49**	**167**	**20.1**	**143**	**2**	**3**	**24**	**29**	**31**	**35**	**45**
GRAND TOTAL	**206**	**18.4**	**168**	**1**	**2**	**21**	**28**	**34**	**40**	**46**	**242**	**19.4**	**153**	**2**	**3**	**24**	**29**	**31**	**35**	**46**

HALLUCINOGEN DEPENDENCE (304.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12										
18-20																				
21-24											1	2.0		2	2	2	2	2	2	2
25-34	2	11.0	200	1	1	11	21	21	21	21										
35-54																				
55-74																				
75 +																				
ALL AGES	3	11.3	101	1	1	12	19	21	21	21	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	18.0		18	18	18	18	18	18	18										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	18.0		18	18	18	18	18	18	18										
SUBTOTAL	**4**	**13.0**	**78**	**1**	**1**	**15**	**19**	**21**	**21**	**21**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	8	14.8	907	1	1	4	8	65	89	89	3	26.0	133	13	13	30	34	35	35	35
18-20	1	7.0		7	7	7	7	7	7	7	1	28.0		28	28	28	28	28	28	28
21-24											1	31.0		31	31	31	31	31	31	31
25-34	4	15.0	99	1	1	18	22	23	23	23	3	10.0	63	4	4	7	16	19	19	19
35-54																				
55-74																				
75 +																				
ALL AGES	13	14.2	560	1	1	6	16	36	79	89	8	20.9	139	4	5	23	30	34	35	35
B. FEMALE																				
0-12 YRS.																				
13-17	1	47.0		47	47	47	47	47	47	47	1	35.0		35	35	35	35	35	35	35
18-20	2	16.5	313	4	4	16	29	29	29	29	1	5.0		5	5	5	5	5	5	5
21-24																				
25-34																				
35-54											1	6.0		6	6	6	6	6	6	6
55-74																				
75 +																				
ALL AGES	3	26.7	464	4	4	29	42	47	47	47	3	15.3	292	5	5	6	28	35	35	35
SUBTOTAL	**16**	**16.6**	**533**	**1**	**1**	**6**	**22**	**45**	**76**	**89**	**11**	**19.4**	**161**	**4**	**5**	**19**	**31**	**35**	**35**	**35**
GRAND TOTAL	**20**	**15.9**	**435**	**1**	**1**	**8**	**21**	**38**	**68**	**89**	**12**	**17.9**	**174**	**2**	**3**	**16**	**30**	**35**	**35**	**35**

Total U.S. January - December 1986

DRUG DEPENDENCE NEC (304.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	1	1.0		1	1	1	1	1	1	1	2	12.0	98	5	5	12	19	19	19	19
18-20																				
21-24	6	12.2	95	1	1	13	21	21	21	21	1	3.0		3	3	3	3	3	3	3
25-34	10	10.3	82	1	1	7	17	24	28	28	8	14.1	208	1	1	6	27	36	38	38
35-54	10	12.5	109	2	3	9	25	28	29	29	5	8.0	71	2	2	3	14	21	21	21
55-74	2	7.0	2	6	6	7	8	8	8	8	2	7.0	50	2	2	7	12	12	12	12
75 +											1	14.0		14	14	14	14	14	14	14
ALL AGES	30	10.7	82	1	1	7	21	26	28	29	19	10.9	118	1	2	6	18	28	35	38
B. FEMALE																				
0-12 YRS.																				
13-17											2	1.5	1	1	1	1	2	2	2	2
18-20	1	8.0		8	8	8	8	8	8	8										
21-24	3	8.0	39	3	3	6	13	15	15	15	1	6.0		6	6	6	6	6	6	6
25-34	14	14.4	117	1	3	14	26	28	29	29	10	10.5	77	3	3	7	14	26	28	28
35-54	9	17.8	181	5	6	15	24	39	48	48	10	9.3	69	3	3	7	12	22	30	30
55-74	1	30.0		30	30	30	30	30	30	30	7	10.7	135	1	1	4	22	28	28	28
75 +																				
ALL AGES	28	15.1	132	3	3	13	24	29	32	48	30	9.4	79	1	2	6	12	27	28	30
SUBTOTAL	**58**	**12.8**	**110**	**1**	**2**	**8**	**21**	**28**	**29**	**47**	**49**	**10.0**	**92**	**1**	**2**	**6**	**14**	**27**	**30**	**38**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	22.0	534	2	2	18	35	59	59	59	2	23.5	5	22	22	23	25	25	25	25
18-20	5	21.6	484	1	1	21	33	56	56	56	2	19.0	648	1	1	19	37	37	37	37
21-24	6	18.2	225	4	4	16	28	38	39	39	2	23.0	32	19	19	23	27	27	27	27
25-34	13	20.8	69	4	10	21	26	30	33	34	11	11.2	186	1	1	4	22	33	39	40
35-54	11	9.9	86	2	2	6	16	25	30	30	8	17.5	222	4	4	13	28	39	43	43
55-74	3	16.7	55	9	9	17	22	24	24	24	4	21.0	98	7	7	24	28	28	28	28
75 +																				
ALL AGES	43	17.6	189	2	3	17	26	31	45	59	29	16.5	178	1	2	19	28	34	40	43
B. FEMALE																				
0-12 YRS.																				
13-17											2	41.5	1	41	41	41	42	42	42	42
18-20	1	2.0		2	2	2	2	2	2	2										
21-24	4	10.5	160	1	1	6	18	29	29	29	1	5.0		5	5	5	5	5	5	5
25-34	20	15.5	147	2	3	10	28	30	33	35	12	13.3	148	2	2	8	25	31	34	35
35-54	21	15.9	116	3	4	13	23	31	36	37	10	12.3	130	3	3	7	15	31	38	38
55-74	13	16.5	170	1	2	16	29	33	37	38	4	13.0	124	2	2	11	21	28	28	28
75 +	1	12.0		12	12	12	12	12	12	12	1	13.0		13	13	13	13	13	13	13
ALL AGES	60	15.2	136	2	3	12	27	31	35	38	30	14.5	166	2	3	9	25	36	41	42
SUBTOTAL	**103**	**16.2**	**158**	**2**	**3**	**14**	**27**	**30**	**36**	**57**	**59**	**15.5**	**169**	**1**	**2**	**10**	**28**	**36**	**41**	**43**
GRAND TOTAL	**161**	**15.0**	**142**	**2**	**3**	**12**	**25**	**29**	**34**	**55**	**108**	**13.0**	**141**	**1**	**2**	**7**	**23**	**29**	**38**	**42**

OPIOID/OTHER DRUG DEPEND (304.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	29.7	118	19	19	29	38	41	41	41	1	8.0		8	8	8	8	8	8	8
18-20	5	13.2	209	2	2	4	28	30	30	30	4	19.0	413	1	1	18	36	39	39	39
21-24	14	15.9	156	1	3	12	28	34	35	35	8	20.4	246	1	1	27	30	38	42	42
25-34	69	11.6	79	2	3	9	19	26	29	33	65	12.3	150	2	3	6	21	30	38	45
35-54	41	11.0	97	1	2	7	19	28	29	34	22	11.9	154	1	2	5	21	34	37	42
55-74	2	16.5	313	4	4	16	29	29	29	29	1	18.0		18	18	18	18	18	18	18
75 +																				
ALL AGES	134	12.4	104	2	2	9	21	29	32	36	101	13.1	166	1	2	6	23	34	39	44
B. FEMALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-17	3	32.7	1155	6	6	21	58	71	71	71	2	14.5	1	14	14	14	15	15	15	15
18-20	2	18.5	421	4	4	18	33	33	33	33	2	24.5	25	21	21	24	28	28	28	28
21-24	19	12.2	101	2	3	6	21	28	29	29	11	9.5	84	1	2	6	15	25	27	27
25-34	47	11.4	97	1	2	8	18	27	32	42	38	11.0	129	1	1	6	17	29	35	41
35-54	20	15.1	62	4	6	12	21	26	31	34	9	10.0	93	1	2	6	15	26	28	28
55-74	3	21.3	186	7	7	23	31	34	34	34	3	18.0	679	1	1	5	37	48	48	48
75 +	1	6.0		6	6	6	6	6	6	6	1	14.0		14	14	14	14	14	14	14
ALL AGES	96	13.5	129	2	3	10	21	28	33	58	66	11.5	128	1	1	6	18	28	34	47
SUBTOTAL	**230**	**12.9**	**113**	**2**	**2**	**9**	**21**	**28**	**33**	**41**	**167**	**12.5**	**150**	**1**	**2**	**6**	**21**	**30**	**38**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	6	39.5	1008	4	4	38	63	84	86	86	2	25.5	481	10	10	25	41	41	41	41
18-20	8	20.1	198	2	2	25	30	36	37	37	3	17.0	63	8	8	20	22	23	23	23
21-24	14	15.5	120	1	2	22	25	26	28	28	8	15.1	149	1	2	15	26	29	30	30
25-34	77	17.3	114	3	3	18	27	31	35	40	47	13.4	156	1	3	5	26	32	36	39
35-54	56	15.1	85	3	4	15	22	27	29	38	20	9.3	111	1	2	4	9	30	32	34
55-74	2	24.5	85	18	18	24	31	31	31	31	2	25.0	8	23	23	25	27	27	27	27
75 +	1	21.0		21	21	21	21	21	21	21										
ALL AGES	164	17.5	151	3	3	18	26	31	36	60	82	13.2	149	1	3	6	25	31	35	40
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3	1	32.0		32	32	32	32	32	32	32
18-20	1	2.0		2	2	2	2	2	2	2	5	14.2	196	4	4	4	29	31	31	31
21-24	11	11.1	70	1	1	9	18	23	28	28	1	4.0		4	4	4	4	4	4	4
25-34	67	13.3	95	2	4	9	22	28	28	35	34	14.6	183	2	3	6	30	32	39	44
35-54	26	14.0	78	3	4	13	21	27	29	29	6	5.0		4	4	5	5	6	6	6
55-74	5	37.4	1092	7	7	34	57	89	89	89	1	3.0		3	3	3	3	3	3	3
75 +	1	32.0		32	32	32	32	32	32	32										
ALL AGES	112	14.3	150	2	3	9	22	28	32	62	48	13.3	166	2	3	5	29	32	34	44
SUBTOTAL	**276**	**16.2**	**153**	**2**	**3**	**14**	**25**	**29**	**35**	**59**	**130**	**13.3**	**152**	**2**	**3**	**5**	**26**	**32**	**34**	**42**
GRAND TOTAL	**506**	**14.7**	**137**	**2**	**3**	**11**	**22**	**29**	**33**	**44**	**297**	**12.8**	**152**	**1**	**2**	**6**	**24**	**31**	**36**	**44**

COMB DRUG DEPENDENCE NEC (304.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	30	27.1	616	5	6	26	41	73	95	99+	44	34.6	233	4	7	38	46	47	56	59
18-20	18	18.9	131	2	3	18	29	31	35	38	14	19.1	196	1	2	22	30	34	43	46
21-24	20	16.2	186	2	3	10	28	34	38	42	13	26.3	130	5	5	28	31	42	43	43
25-34	53	17.7	154	2	3	15	29	33	37	43	49	16.6	124	1	2	21	27	29	31	33
35-54	9	21.0	252	1	2	21	34	43	48	48	17	13.5	147	1	2	7	22	30	38	42
55-74	1	21.0		21	21	21	21	21	21	21	2	18.5	265	7	7	18	30	30	30	30
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	131	20.0	277	2	4	18	30	38	47	97	140	23.0	235	2	3	24	31	45	46	57
B. FEMALE																				
0-12 YRS.											1	21.0		21	21	21	21	21	21	21
13-17	20	28.9	699	3	6	23	45	67	89	93	17	28.4	241	2	2	30	40	46	47	47
18-20	7	9.0	105	3	3	5	7	27	32	32	6	15.3	203	1	1	11	30	34	34	34
21-24	15	14.9	148	2	2	9	28	31	31	31	7	16.9	236	1	1	11	31	38	39	39
25-34	27	14.5	116	2	2	11	26	28	30	37	12	14.8	138	4	4	7	27	29	31	31
35-54	17	19.9	135	2	5	25	28	31	36	38	9	19.6	121	4	4	27	28	29	29	29
55-74	6	21.5	314	3	3	19	38	45	46	46	1	44.0		44	44	44	44	44	44	44
75 +											1	21.0		21	21	21	21	21	21	21
ALL AGES	92	18.7	289	2	3	14	28	38	46	90	54	21.0	207	2	3	25	30	40	44	47
SUBTOTAL	**223**	**19.5**	**280**	**2**	**3**	**16**	**29**	**38**	**47**	**94**	**194**	**22.4**	**229**	**2**	**3**	**24**	**30**	**45**	**46**	**57**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	41	30.9	505	4	7	32	42	71	83	99+	23	16.9	312	2	3	8	30	46	49	50
18-20	24	15.8	215	2	2	8	28	40	43	48	24	17.9	207	1	2	18	29	36	45	47
21-24	25	17.1	144	1	3	15	27	31	38	43	24	13.1	177	2	3	5	27	34	38	39
25-34	72	15.1	106	2	3	16	24	28	29	37	61	13.1	168	2	2	5	28	29	32	46
35-54	23	17.4	164	2	3	18	28	35	38	41	26	10.8	113	1	2	6	20	30	31	31
55-74	3	13.0	169	5	5	6	22	28	28	28	2	15.5	265	4	4	15	27	27	27	27
75 +	1	19.0		19	19	19	19	19	19	19										
ALL AGES	189	19.2	250	2	3	17	28	40	46	85	160	14.0	188	2	2	5	28	31	40	49
B. FEMALE																				
0-12 YRS.																				
13-17	21	30.0	599	5	6	29	40	69	84	93	11	19.2	463	2	2	5	36	55	56	56
18-20	8	13.9	94	1	2	13	22	27	27	27	6	11.0	136	2	2	6	19	30	31	31
21-24	17	18.1	135	2	3	20	28	32	35	37	24	12.1	178	2	3	5	17	35	42	43
25-34	38	18.0	120	4	5	19	27	30	38	38	31	8.6	92	1	2	5	7	28	29	30
35-54	21	16.2	136	1	2	18	28	30	33	35	23	9.0	97	2	2	5	8	28	31	32
55-74	7	19.9	161	5	5	20	33	36	36	36	5	14.2	177	1	1	7	28	30	30	30
75 +	1	28.0		28	28	28	28	28	28	28										
ALL AGES	113	19.8	232	2	4	20	28	36	40	83	100	11.1	163	2	2	5	13	31	35	55
SUBTOTAL	**302**	**19.4**	**244**	**2**	**4**	**18**	**28**	**38**	**43**	**84**	**260**	**12.9**	**179**	**2**	**2**	**5**	**27**	**31**	**39**	**50**
GRAND TOTAL	**525**	**19.4**	**260**	**2**	**3**	**18**	**28**	**38**	**46**	**90**	**454**	**17.0**	**221**	**2**	**2**	**9**	**29**	**39**	**45**	**55**

DRUG DEPENDENCE NOS (304.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	27	33.5	232	11	17	30	42	51	67	74	5	28.0	203	6	6	28	40	42	42	42
18-20	6	27.7	232	1	3	28	42	43	43	43	11	17.2	219	1	2	10	29	37	38	38
21-24	13	20.1	147	1	3	28	30	31	32	32	8	19.9	188	1	1	25	29	35	38	38
25-34	34	13.8	162	1	1	6	27	29	32	42	28	13.1	117	2	3	9	22	28	30	32
35-54	19	13.3	112	1	2	7	24	29	30	30	26	12.1	119	2	3	7	21	28	33	39
55-74	1	8.0		8	8	8	8	8	8	8	2	1.5	1	1	1	1	2	2	2	2
75 +											2	17.0	338	4	4	17	30	30	30	30
ALL AGES	100	20.6	242	1	2	24	29	41	43	70	82	14.7	156	1	2	10	28	30	38	41
B. FEMALE																				
0-12 YRS.																				
13-17	9	31.0	205	7	8	36	42	45	47	47	2	19.5	613	2	2	19	37	37	37	37
18-20	2	17.5	365	4	4	17	31	31	31	31	4	12.3	117	3	3	9	19	28	28	28
21-24	5	12.6	154	1	1	7	26	26	26	26	9	17.8	122	3	5	21	28	30	30	30
25-34	22	11.1	109	1	1	7	20	29	30	30	31	10.5	111	1	1	5	15	28	31	35
35-54	13	11.2	104	2	3	5	18	30	31	31	15	17.2	151	2	6	12	28	37	38	38
55-74	7	8.7	54	1	2	7	9	21	24	24	7	11.3	220	1	1	6	14	38	43	43
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	58	14.3	167	1	1	8	26	31	40	47	69	13.3	140	1	2	8	25	30	37	42
SUBTOTAL	**158**	**18.3**	**222**	**1**	**2**	**18**	**29**	**39**	**43**	**65**	**151**	**14.1**	**147**	**1**	**2**	**8**	**27**	**30**	**37**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	24	28.4	343	2	3	28	42	54	55	58	1	31.0		31	31	31	31	31	31	31
18-20	9	20.7	65	7	7	22	27	29	29	29	3	3.7	14	1	1	2	6	8	8	8
21-24	17	16.8	141	1	1	19	22	29	39	44	12	6.7	42	1	1	4	11	17	20	21
25-34	42	14.4	155	1	1	8	28	31	34	44	25	12.5	122	1	1	8	23	28	34	35
35-54	19	14.4	123	1	1	8	26	29	32	33	18	12.2	96	2	3	9	14	27	32	35
55-74	2	7.0	8	5	5	7	9	9	9	9										
75 +											2	10.0		10	10	10	10	10	10	10
ALL AGES	113	18.1	205	1	1	19	28	38	44	56	61	11.1	97	1	1	8	14	28	32	35
B. FEMALE																				
0-12 YRS.																				
13-17	20	24.4	267	3	4	28	37	45	49	52	3	8.3	38	3	3	7	13	15	15	15
18-20	5	7.8	41	3	3	5	12	18	18	18	2	17.5	545	1	1	17	34	34	34	34
21-24	12	15.9	92	2	3	19	23	28	28	28	1	10.0		10	10	10	10	10	10	10
25-34	33	11.2	110	1	2	6	21	28	31	34	29	16.3	136	2	3	10	27	32	35	42
35-54	19	12.6	181	1	1	6	23	35	42	44	20	9.3	129	1	1	5	10	29	36	43
55-74	9	15.4	155	2	2	12	24	34	36	36	7	9.1	89	2	2	7	11	26	29	29
75 +	1	46.0		46	46	46	46	46	46	46	1	1.0		1	1	1	1	1	1	1
ALL AGES	99	15.3	181	2	2	9	25	36	42	49	63	12.6	135	1	2	8	22	30	34	43
SUBTOTAL	**212**	**16.8**	**195**	**1**	**2**	**15**	**28**	**36**	**44**	**54**	**124**	**11.9**	**115**	**1**	**2**	**8**	**18**	**29**	**34**	**42**
GRAND TOTAL	**370**	**17.4**	**208**	**1**	**2**	**16**	**28**	**38**	**43**	**54**	**275**	**13.1**	**134**	**1**	**2**	**8**	**24**	**30**	**35**	**42**

ALCOHOL ABUSE (305.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	16	1.3	1	1	1	1	1	2	3	4	19	1.3		1	1	1	1	3	3	3
13-17	242	2.4	35	1	1	1	1	2	6	35	242	2.1	43	1	1	1	1	2	3	41
18-20	96	2.7	38	1	1	1	2	2	18	33	96	2.3	36	1	1	1	1	2	3	37
21-24	119	4.0	58	1	1	1	2	15	21	35	69	2.6	34	1	1	1	2	3	6	31
25-34	239	5.4	69	1	1	2	4	20	28	31	154	4.0	58	1	1	1	2	9	28	33
35-54	321	5.5	58	1	1	2	5	18	23	33	185	4.6	51	1	1	2	4	10	28	31
55-74	124	4.5	27	1	1	3	5	11	14	27	122	4.8	57	1	1	2	4	9	29	33
75 +	12	9.0	234	1	1	4	9	25	52	56	23	2.8	3	1	1	2	4	6	6	6
ALL AGES	1169	4.3	53	1	1	1	3	12	22	32	910	3.4	46	1	1	1	2	5	18	32
B. FEMALE																				
0-12 YRS.	19	3.0	44	1	1	1	2	4	18	30	12	2.3	12	1	1	1	1	8	11	12
13-17	192	2.3	38	1	1	1	1	2	6	37	151	3.5	66	1	1	1	2	6	21	43
18-20	44	1.9	22	1	1	1	1	2	3	32	55	2.4	37	1	1	1	1	2	4	36
21-24	43	3.6	46	1	1	1	2	10	21	32	37	1.9	11	1	1	1	1	3	5	21
25-34	100	4.2	51	1	1	1	3	10	17	38	71	3.1	35	1	1	1	2	6	13	30
35-54	94	4.6	51	1	1	3	5	11	16	42	69	3.4	29	1	1	1	3	9	12	30
55-74	55	4.9	47	1	1	3	5	15	22	32	50	4.1	44	1	1	2	4	7	12	35
75 +	11	5.1	10	2	2	5	7	10	11	11	11	3.1	17	1	1	2	3	9	14	15
ALL AGES	558	3.4	43	1	1	1	3	7	16	32	456	3.2	42	1	1	1	2	6	13	36
SUBTOTAL	**1727**	**4.0**	**50**	**1**	**1**	**1**	**3**	**10**	**21**	**32**	**1366**	**3.3**	**45**	**1**	**1**	**1**	**2**	**5**	**15**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	16.0	385	1	1	10	30	43	43	43	5	2.4	4	1	1	2	3	6	6	6
13-17	136	15.8	407	1	1	4	28	45	51	93	65	13.5	298	1	1	6	18	46	49	55
18-20	58	7.9	119	1	1	2	10	28	31	42	25	7.2	122	1	1	2	9	23	35	43
21-24	108	6.6	76	1	1	2	7	25	27	31	25	7.2	98	1	1	2	10	28	29	30
25-34	228	6.1	68	1	1	3	7	19	25	34	82	8.2	109	1	1	3	10	28	30	40
35-54	214	6.3	48	1	1	4	7	16	21	33	96	7.5	107	1	1	3	6	27	32	41
55-74	65	6.6	32	1	2	5	8	14	21	26	51	8.2	85	1	1	5	9	29	32	33
75 +	7	3.9	3	1	1	4	5	6	6	6	5	6.4	68	1	1	4	8	21	21	21
ALL AGES	820	8.0	134	1	1	3	8	24	31	50	354	8.7	142	1	1	3	10	29	33	49
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	109	14.5	431	1	1	3	24	45	56	88	60	9.1	199	1	1	2	7	32	46	53
18-20	26	4.9	44	1	1	2	5	15	19	29	10	4.2	82	1	1	1	2	16	30	30
21-24	47	6.1	71	1	1	2	8	21	26	34	18	2.0	4	1	1	1	2	5	7	8
25-34	105	6.7	110	1	1	2	6	21	28	50	59	5.5	69	1	1	2	5	21	29	34
35-54	136	5.7	53	1	1	3	6	16	27	30	51	6.7	84	1	1	3	6	26	29	32
55-74	53	8.7	91	1	2	5	10	26	28	49	29	5.8	64	1	1	3	5	20	27	30
75 +	4	7.5	108	1	1	3	13	23	23	23	2	5.5	25	2	2	5	9	9	9	9
ALL AGES	481	8.2	168	1	1	3	8	27	33	67	229	6.4	103	1	1	2	6	26	30	48
SUBTOTAL	**1301**	**8.1**	**146**	**1**	**1**	**3**	**8**	**25**	**32**	**56**	**583**	**7.8**	**128**	**1**	**1**	**3**	**7**	**28**	**32**	**49**
GRAND TOTAL	**3028**	**5.8**	**95**	**1**	**1**	**2**	**5**	**18**	**28**	**46**	**1949**	**4.7**	**74**	**1**	**1**	**1**	**3**	**10**	**28**	**43**

Total U.S. January - December 1986

TOBACCO USE DISORDER (305.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
55-74	1	14.0		14	14	14	14	14	14	14										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	4	5.0	37	1	1	2	8	14	14	14	2	2.0	2	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
35-54	3	4.7	14	2	2	3	7	9	9	9										
55-74																				
75 +																				
ALL AGES	4	4.3	10	2	2	3	6	9	9	9	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**8**	**4.6**	**21**	**1**	**1**	**3**	**6**	**12**	**14**	**14**	**3**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	50.0		50	50	50	50	50	50	50										
21-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54	1	12.0		12	12	12	12	12	12	12										
55-74																				
75 +																				
ALL AGES	3	23.0	553	7	7	12	40	50	50	50										
B. FEMALE																				
0-12 YRS.																				
13-17	2	50.0	2	49	49	50	51	51	51	51										
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	4	26.3	749	2	2	26	50	51	51	51										
SUBTOTAL	**7**	**24.9**	**561**	**2**	**2**	**12**	**50**	**51**	**51**	**51**										
GRAND TOTAL	**15**	**14.1**	**360**	**1**	**2**	**3**	**13**	**50**	**51**	**51**	**3**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**

CANNABIS ABUSE (305.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-17	13	20.3	229	1	1	27	34	36	40	41	17	34.1	399	2	6	39	51	54	64	69
18-20	2	13.0	242	2	2	13	24	24	24	24	7	11.4	310	1	1	2	21	41	45	45
21-24	4	17.0	325	1	1	16	32	35	35	35	3	14.0	217	1	1	11	25	30	30	30
25-34	5	11.2	100	2	2	6	21	23	23	23	10	15.5	151	2	2	17	27	29	29	29
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	25	17.7	200	1	1	21	30	35	37	41	38	22.6	387	1	1	23	39	52	54	69
B. FEMALE																				
0-12 YRS.																				
13-17	8	20.0	361	1	1	13	38	47	49	49	10	37.1	308	3	8	41	45	58	59	59
18-20											1	11.0		11	11	11	11	11	11	11
21-24	2	16.0	338	3	3	16	29	29	29	29	1	1.0		1	1	1	1	1	1	1
25-34	2	19.0	288	7	7	19	31	31	31	31	2	14.5	365	1	1	14	28	28	28	28
35-54																				
55-74																				
75 +																				
ALL AGES	12	19.2	288	1	1	13	32	44	48	49	14	29.4	411	1	1	34	43	57	59	59
SUBTOTAL	**37**	**18.2**	**221**	**1**	**1**	**16**	**31**	**35**	**42**	**49**	**52**	**24.4**	**396**	**1**	**1**	**26**	**41**	**52**	**57**	**69**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	24.0		24	24	24	24	24	24	24										
13-17	84	19.3	389	2	2	7	34	49	53	75	20	30.3	273	2	4	36	43	48	49	50
18-20	21	13.6	167	2	2	7	20	33	40	44	5	7.4	64	1	1	4	11	21	21	21
21-24	12	13.6	199	2	2	5	23	35	41	42	5	24.2	698	1	1	22	37	67	67	67
25-34	27	12.3	97	2	2	8	21	28	29	32	9	17.4	169	1	3	14	29	34	34	34
35-54	6	11.7	136	1	1	7	22	29	30	30	2	6.5	13	4	4	6	9	9	9	9
55-74																				
75 +																				
ALL AGES	151	16.5	285	2	2	7	28	44	49	69	41	22.8	317	1	2	22	39	47	49	67
B. FEMALE																				
0-12 YRS.																				
13-17	33	21.1	350	2	2	15	38	50	57	99 +	4	33.8	420	3	3	42	45	47	47	47
18-20	4	16.8	337	3	3	10	29	43	43	43	1	21.0		21	21	21	21	21	21	21
21-24	5	10.8	88	1	1	7	17	25	25	25	1	3.0		3	3	3	3	3	3	3
25-34	8	12.1	158	1	1	6	26	29	29	29	2	25.0	32	21	21	25	29	29	29	29
35-54	3	15.3	536	1	1	3	32	42	42	42	3	15.3	158	1	1	21	23	24	24	24
55-74																				
75 +																				
ALL AGES	53	18.1	301	1	2	11	35	43	54	98	11	23.2	266	1	2	21	39	45	47	47
SUBTOTAL	**204**	**16.9**	**289**	**2**	**2**	**7**	**29**	**43**	**49**	**73**	**52**	**22.9**	**300**	**1**	**2**	**22**	**39**	**46**	**49**	**67**
GRAND TOTAL	**241**	**17.1**	**278**	**1**	**2**	**7**	**30**	**43**	**49**	**70**	**104**	**23.7**	**343**	**1**	**1**	**23**	**40**	**48**	**53**	**68**

HALLUCINOGEN ABUSE (305.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	12	4.4	41	1	1	2	3	16	20	21	5	1.2		1	1	1	1	2	2	2
18-20	4	5.3	72	1	1	1	10	18	18	18										
21-24	4	1.8	1	1	1	1	2	3	3	3	2	1.0		1	1	1	1	1	1	1
25-34											4	3.3	10	1	1	2	5	8	8	8
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	21	3.9	35	1	1	1	3	16	19	21	11	1.9	5	1	1	1	2	5	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	2	1.0		1	1	1	1	1	1	1										
18-20											1	1.0		1	1	1	1	1	1	1
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	1.3		1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**24**	**3.6**	**31**	**1**	**1**	**1**	**3**	**14**	**19**	**21**	**12**	**1.8**	**4**	**1**	**1**	**1**	**2**	**4**	**7**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	8	10.6	228	1	1	2	18	37	42	42	5	10.6	86	1	1	14	17	22	22	22
18-20	8	6.0	90	1	1	2	5	22	29	29	2	1.0		1	1	1	1	1	1	1
21-24	4	8.3	126	1	1	3	15	25	25	25	2	1.5	1	1	1	1	2	2	2	2
25-34	4	6.8	23	2	2	6	10	13	13	13	4	7.3	99	1	1	3	13	22	22	22
35-54																				
55-74																				
75 +																				
ALL AGES	24	8.0	121	1	1	3	10	25	33	42	13	6.7	70	1	1	1	14	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-17	4	2.8	3	1	1	2	4	5	5	5	1	1.0		1	1	1	1	1	1	1
18-20	2	29.0		29	29	29	29	29	29	29										
21-24	2	21.0	98	14	14	21	28	28	28	28	1	10.0		10	10	10	10	10	10	10
25-34	1	10.0		10	10	10	10	10	10	10										
35-54																				
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	10	13.0	132	1	1	9	28	29	29	29	2	5.5	41	1	1	5	10	10	10	10
SUBTOTAL	**34**	**9.5**	**125**	**1**	**1**	**4**	**13**	**29**	**29**	**42**	**15**	**6.5**	**64**	**1**	**1**	**1**	**13**	**22**	**22**	**22**
GRAND TOTAL	**58**	**7.1**	**93**	**1**	**1**	**2**	**9**	**25**	**29**	**41**	**27**	**4.4**	**42**	**1**	**1**	**1**	**4**	**15**	**22**	**22**

BARBITURATE ABUSE (305.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	4	2.3	1	1	1	2	3	4	4	4										
35-54	2	3.0	8	1	1	3	5	5	5	5	5	6.8	10	4	4	6	9	11	11	11
55-74	2	5.0	2	4	4	5	6	6	6	6	2	14.5	265	3	3	14	26	26	26	26
75 +																				
ALL AGES	11	2.5	4	1	1	2	4	5	6	6	8	8.0	63	1	1	5	10	21	26	26
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	5	5.8	74	1	1	2	8	21	21	21	6	6.3	54	1	1	4	5	19	21	21
35-54	5	7.4	44	1	1	5	14	15	15	15	3	5.7	52	1	1	2	11	14	14	14
55-74	5	7.4	21	3	3	7	9	15	15	15	5	13.4	222	2	2	3	28	33	33	33
75 +	1	1.0		1	1	1	1	1	1	1	1	9.0		9	9	9	9	9	9	9
ALL AGES	18	6.0	37	1	1	4	7	15	19	21	15	8.7	103	1	1	4	13	26	31	33
SUBTOTAL	**29**	**4.7**	**27**	**1**	**1**	**3**	**5**	**14**	**16**	**21**	**23**	**8.5**	**85**	**1**	**1**	**4**	**11**	**26**	**29**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-20																				
21-24	4	7.8	97	1	1	4	14	22	22	22	1	15.0		15	15	15	15	15	15	15
25-34	13	11.4	105	1	2	6	17	29	30	30	8	2.3	1	1	1	3	3	3	3	3
35-54	8	5.8	11	1	1	6	7	11	12	12	5	8.6	91	1	1	6	12	25	25	25
55-74	4	8.5	24	2	2	9	12	14	14	14	1	3.0		3	3	3	3	3	3	3
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	30	8.7	66	1	1	6	12	23	29	30	16	5.1	41	1	1	3	5	14	22	25
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-20	3	16.3	214	1	1	18	27	30	30	30										
21-24	1	5.0		5	5	5	5	5	5	5										
25-34	16	11.3	42	2	3	10	15	21	22	22	10	2.6	4	1	1	2	3	5	7	7
35-54	14	11.8	73	1	3	8	19	25	26	26	6	10.2	107	2	2	5	20	25	26	26
55-74	5	19.4	194	4	4	13	31	39	39	39	5	10.2	7	6	6	11	12	13	13	13
75 +											1	14.0		14	14	14	14	14	14	14
ALL AGES	40	12.5	83	1	3	10	18	25	29	39	22	6.9	45	1	1	4	11	16	22	26
SUBTOTAL	**70**	**10.9**	**78**	**1**	**2**	**8**	**15**	**25**	**29**	**37**	**38**	**6.2**	**42**	**1**	**1**	**3**	**8**	**15**	**23**	**26**
GRAND TOTAL	**99**	**9.1**	**70**	**1**	**1**	**6**	**13**	**22**	**27**	**35**	**61**	**7.0**	**60**	**1**	**1**	**3**	**9**	**20**	**26**	**32**

OPIOID ABUSE (305.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17											1	2.0		2	2	2	2	2	2	2
18-20	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
21-24	6	8.2	114	1	1	3	10	27	29	29										
25-34	21	9.5	127	1	1	3	16	25	34	43	15	5.9	48	1	1	4	7	10	24	29
35-54	14	6.5	59	1	1	4	8	15	27	30	12	10.3	170	1	1	3	16	33	38	39
55-74											2	5.5	13	3	3	5	8	8	8	8
75 +																				
ALL AGES	43	8.0	96	1	1	3	11	24	29	43	32	7.2	90	1	1	4	7	25	30	39
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	5.0		5	5	5	5	5	5	5
21-24	4	6.3	28	1	1	5	10	13	13	13	1	13.0		13	13	13	13	13	13	13
25-34	12	11.5	146	2	3	5	21	31	34	34	10	7.2	92	2	2	4	6	21	34	34
35-54	4	4.5	16	1	1	3	7	10	10	10	5	10.6	145	3	3	6	13	32	32	32
55-74	3	8.7	21	5	5	7	12	14	14	14	4	18.5	307	2	2	15	31	42	42	42
75 +																				
ALL AGES	23	9.0	90	1	2	5	12	28	31	34	21	10.3	137	2	2	5	10	33	38	42
SUBTOTAL	**66**	**8.3**	**93**	**1**	**1**	**4**	**11**	**26**	**30**	**42**	**53**	**8.4**	**109**	**1**	**1**	**4**	**8**	**29**	**34**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2	2	4.0	8	2	2	4	6	6	6	6
18-20	2	36.0	338	23	23	36	49	49	49	49										
21-24	7	13.7	263	1	1	4	26	40	42	42	2	11.5	145	3	3	11	20	20	20	20
25-34	29	11.4	75	1	2	7	20	23	24	28	33	9.8	96	2	3	5	11	25	30	41
35-54	17	9.5	83	1	2	5	11	27	29	29	17	7.4	34	1	1	5	10	18	20	21
55-74	1	4.0		4	4	4	4	4	4	4	3	2.3	3	1	1	2	3	4	4	4
75 +	1	8.0		8	8	8	8	8	8	8	1	21.0		21	21	21	21	21	21	21
ALL AGES	58	11.7	118	1	2	7	20	27	30	48	58	8.8	73	1	2	5	11	21	26	40
B. FEMALE																				
0-12 YRS.																				
13-17	2	10.5	61	5	5	10	16	16	16	16										
18-20	2	4.5	1	4	4	4	5	5	5	5	1	11.0		11	11	11	11	11	11	11
21-24	4	10.0	79	3	3	7	15	23	23	23	6	4.7	11	1	1	4	5	10	11	11
25-34	23	7.9	54	1	2	5	10	20	25	29	18	7.2	27	2	2	5	9	13	19	23
35-54	20	10.0	64	3	3	7	14	24	28	29	2	4.5	5	3	3	4	6	6	6	6
55-74	1	11.0		11	11	11	11	11	11	11	3	8.0	127	1	1	2	16	21	21	21
75 +											2	13.5	1	13	13	13	14	14	14	14
ALL AGES	52	8.9	55	2	3	6	12	22	27	29	32	7.1	31	1	2	5	11	14	20	23
SUBTOTAL	**110**	**10.3**	**91**	**1**	**2**	**6**	**15**	**24**	**29**	**45**	**90**	**8.2**	**58**	**1**	**2**	**5**	**11**	**20**	**23**	**37**
GRAND TOTAL	**176**	**9.6**	**91**	**1**	**2**	**5**	**14**	**24**	**29**	**43**	**143**	**8.3**	**76**	**1**	**2**	**5**	**10**	**21**	**29**	**41**

COCAINE ABUSE (305.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	8.0		8	8	8	8	8	8	8
13-17	2	15.5	421	1	1	15	30	30	30	30	3	13.3	214	3	3	7	24	30	30	30
18-20	13	9.8	149	1	1	3	20	31	34	35	12	13.2	134	1	2	9	24	28	30	30
21-24	39	10.5	110	1	1	5	19	27	28	38	53	16.2	113	1	3	21	26	28	30	30
25-34	107	11.9	132	1	1	5	23	29	30	39	167	16.3	114	1	3	21	25	29	31	37
35-54	22	11.0	126	1	1	5	20	29	30	31	62	16.9	117	2	3	21	26	30	32	34
55-74											2	17.5	5	16	16	17	19	19	19	19
75 +																				
ALL AGES	183	11.4	127	1	1	5	22	28	30	37	300	16.3	112	2	3	21	26	30	30	35
B. FEMALE																				
0-12 YRS.																				
13-17	4	7.0	45	1	1	6	12	15	15	15	1	41.0		41	41	41	41	41	41	41
18-20	7	8.6	56	1	1	5	16	20	20	20	9	12.3	147	2	2	5	27	29	30	30
21-24	15	11.5	113	1	1	5	23	24	28	30	27	13.7	108	2	3	11	24	28	30	33
25-34	48	11.2	123	1	2	4	22	27	29	42	64	17.6	115	2	3	20	27	31	33	38
35-54	12	5.5	54	1	1	3	6	13	26	28	12	14.8	93	1	4	12	23	29	30	30
55-74																				
75 +																				
ALL AGES	86	10.0	105	1	1	4	21	24	28	38	113	16.1	120	2	3	17	26	30	33	40
SUBTOTAL	**269**	**11.0**	**119**	**1**	**1**	**4**	**22**	**28**	**30**	**37**	**413**	**16.2**	**115**	**2**	**3**	**20**	**26**	**30**	**31**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	12	20.3	229	2	3	28	31	38	41	41	4	13.5	146	1	1	13	23	27	27	27
18-20	28	12.1	142	1	1	8	21	29	36	43	17	12.0	120	1	2	10	21	30	32	33
21-24	38	11.4	97	2	2	5	21	25	28	31	37	18.7	109	1	2	22	26	30	31	32
25-34	152	12.4	123	1	2	7	22	29	30	44	193	15.2	118	2	2	18	26	28	30	37
35-54	43	13.2	107	1	2	12	22	28	29	38	51	16.1	116	2	3	18	26	30	30	33
55-74											1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	273	12.7	125	1	2	7	22	29	30	43	303	15.6	116	2	2	19	26	29	30	34
B. FEMALE																				
0-12 YRS.																				
13-17	14	16.0	295	1	1	6	33	44	45	45	7	17.6	346	1	1	14	34	44	46	46
18-20	3	12.7	165	2	2	9	22	27	27	27	10	14.5	149	1	1	14	27	28	29	29
21-24	36	8.7	86	1	1	4	13	25	29	32	25	13.6	141	1	1	13	26	30	34	37
25-34	67	10.2	95	1	1	6	14	29	30	34	47	14.9	136	1	1	12	25	30	31	42
35-54	10	6.9	80	1	1	3	12	21	29	29	10	8.0	88	1	1	4	6	25	27	27
55-74																				
75 +																				
ALL AGES	130	10.2	115	1	1	6	14	29	32	44	99	14.0	147	1	1	9	25	30	33	44
SUBTOTAL	**403**	**11.9**	**123**	**1**	**2**	**7**	**21**	**29**	**30**	**43**	**402**	**15.2**	**124**	**1**	**2**	**14**	**26**	**30**	**30**	**38**
GRAND TOTAL	**672**	**11.5**	**122**	**1**	**1**	**6**	**21**	**28**	**30**	**42**	**815**	**15.7**	**120**	**1**	**2**	**19**	**26**	**30**	**30**	**38**

AMPHETAMINE ABUSE (305.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7	3	26.3	408	5	5	29	41	45	45	45
18-20	1	1.0		1	1	1	1	1	1	1	1	23.0		23	23	23	23	23	23	23
21-24	2	4.0	18	1	1	4	7	7	7	7	3	1.7		1	1	2	2	2	2	2
25-34	6	5.5	25	1	1	3	9	13	14	14	7	22.3	108	4	6	25	28	34	36	36
35-54	1	1.0		1	1	1	1	1	1	1	2	3.0	8	1	1	3	5	5	5	5
55-74																				
75 +																				
ALL AGES	11	4.5	19	1	1	3	7	11	14	14	16	16.8	205	1	1	18	27	35	42	45
B. FEMALE																				
0-12 YRS.																				
13-17	3	9.7	96	3	3	5	17	21	21	21	1	30.0		30	30	30	30	30	30	30
18-20	3	2.0	3	1	1	1	3	4	4	4	1	3.0		3	3	3	3	3	3	3
21-24	2	1.5	1	1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
25-34	3	9.3	33	3	3	11	13	14	14	14	6	2.3	3	1	1	2	4	5	5	5
35-54																				
55-74																				
75 +																				
ALL AGES	11	6.0	43	1	1	3	9	17	21	21	9	5.3	88	1	1	2	4	20	30	30
SUBTOTAL	**22**	**5.3**	**29**	**1**	**1**	**3**	**7**	**14**	**17**	**21**	**25**	**12.7**	**188**	**1**	**1**	**5**	**25**	**30**	**38**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17	1	40.0		40	40	40	40	40	40	40	3	28.3	572	1	1	39	43	45	45	45
18-20	1	6.0		6	6	6	6	6	6	6	3	11.3	209	3	3	3	22	28	28	28
21-24	7	11.9	236	1	1	5	14	39	45	45	1	3.0		3	3	3	3	3	3	3
25-34	15	12.0	166	1	1	6	25	31	37	39	4	5.8	37	1	1	4	10	14	14	14
35-54	2	13.0	242	2	2	13	24	24	24	24	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	27	12.7	186	1	1	6	23	37	41	45	12	12.2	256	1	1	3	21	41	44	45
B. FEMALE																				
0-12 YRS.																				
13-17	7	23.3	417	4	4	17	43	49	50	50										
18-20	4	2.0	1	1	1	2	3	3	3	3	2	11.5	85	5	5	11	18	18	18	18
21-24	7	11.3	159	1	1	5	23	30	31	31	2	20.0	288	8	8	20	32	32	32	32
25-34	8	9.4	88	2	2	5	13	26	28	28	6	11.0	146	1	1	4	26	27	27	27
35-54	4	10.0	54	6	6	7	14	21	21	21	1	1.0		1	1	1	1	1	1	1
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	31	12.2	188	1	2	5	19	34	44	50	11	11.8	136	1	1	5	24	29	32	32
SUBTOTAL	**58**	**12.5**	**182**	**1**	**1**	**6**	**21**	**36**	**42**	**50**	**23**	**12.0**	**190**	**1**	**1**	**5**	**24**	**33**	**41**	**45**
GRAND TOTAL	**80**	**10.5**	**150**	**1**	**1**	**5**	**14**	**29**	**40**	**48**	**48**	**12.4**	**184**	**1**	**1**	**5**	**25**	**31**	**40**	**45**

ANTIDEPRESSANT ABUSE (305.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	2	2.5	1	2	2	2	3	3	3	3	3	1.7	1	1	1	1	3	3	3	3
SUBTOTAL	**4**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**	**4**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	5.5	5	4	4	5	7	7	7	7										
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	2	5.5	5	4	4	5	7	7	7	7	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	2.5	1	2	2	2	3	3	3	3	1	2.0		2	2	2	2	2	2	2
35-54	4	6.0	29	3	3	4	9	14	14	14	4	5.3	24	1	1	4	9	12	12	12
55-74	2	18.0	200	8	8	18	28	28	28	28	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	8	8.1	81	2	2	4	11	24	28	28	6	4.7	16	1	1	4	6	11	12	12
SUBTOTAL	**10**	**7.6**	**64**	**2**	**2**	**4**	**8**	**21**	**28**	**28**	**7**	**4.1**	**16**	**1**	**1**	**2**	**6**	**11**	**12**	**12**
GRAND TOTAL	**14**	**6.0**	**52**	**1**	**2**	**3**	**7**	**15**	**25**	**28**	**11**	**3.3**	**11**	**1**	**1**	**2**	**4**	**8**	**12**	**12**

DRUG ABUSE NEC/NOS (305.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	18.8	710	1	1	3	34	63	63	63	1	5.0		5	5	5	5	5	5	5
13-17	84	20.4	246	1	1	18	36	41	44	50	18	14.8	346	1	1	6	28	47	57	60
18-20	48	9.6	89	1	1	6	13	27	28	29	11	6.4	59	1	1	4	9	17	26	27
21-24	54	10.0	113	1	1	4	20	28	30	35	13	11.9	146	1	1	7	24	30	34	35
25-34	125	10.9	113	1	2	5	21	29	30	35	68	11.4	130	1	2	6	21	28	29	46
35-54	64	9.0	93	1	1	4	14	27	29	38	19	9.5	100	1	2	4	14	27	31	32
55-74	9	6.9	39	1	2	4	11	17	20	20	10	8.5	65	1	2	6	9	20	30	30
75 +	2	15.0	18	12	12	15	18	18	18	18										
ALL AGES	391	12.4	156	1	1	6	21	30	38	46	140	11.0	143	1	1	6	15	28	31	53
B. FEMALE																				
0-12 YRS.	2	45.5	421	31	31	45	60	60	60	60										
13-17	42	25.6	263	2	4	27	38	46	51	61	13	11.7	469	1	1	3	6	52	67	71
18-20	17	14.0	213	1	1	6	27	36	39	41	5	1.8	2	1	1	1	2	4	4	4
21-24	34	12.3	138	1	1	8	22	26	30	52	11	9.8	148	1	1	5	19	30	31	31
25-34	79	13.3	121	1	2	8	24	29	31	40	30	10.9	110	1	2	6	15	28	30	42
35-54	44	10.6	97	1	2	7	15	28	30	32	27	10.5	123	1	1	5	19	31	31	32
55-74	12	10.1	54	2	3	10	12	21	27	28	12	7.9	55	1	2	6	9	18	27	29
75 +	9	9.1	58	1	2	6	12	21	25	25	3	7.3	31	2	2	7	11	13	13	13
ALL AGES	239	14.8	179	1	2	10	26	32	42	54	101	9.9	146	1	1	5	11	29	31	59
SUBTOTAL	**630**	**13.3**	**166**	**1**	**1**	**7**	**22**	**31**	**39**	**49**	**241**	**10.5**	**145**	**1**	**1**	**5**	**14**	**29**	**31**	**53**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	13.5	41	9	9	13	18	18	18	18	1	18.0		18	18	18	18	18	18	18
13-17	143	29.5	324	2	6	29	44	54	59	76	21	11.2	155	1	1	6	21	38	65	99 +
18-20	43	12.7	209	1	1	5	22	34	39	62	14	13.1	192	1	1	7	27	32	40	43
21-24	61	11.0	111	1	1	6	21	29	33	92	13	10.2	87	2	3	6	16	27	28	28
25-34	135	10.8	131	1	1	6	16	28	33	59	48	10.9	87	1	1	8	17	27	29	34
35-54	79	8.0	59	1	1	6	10	21	27	30	27	8.7	81	1	1	5	14	21	30	33
55-74	8	13.9	209	1	1	9	22	37	41	41	6	13.2	62	2	2	14	20	21	21	21
75 +																				
ALL AGES	471	16.3	259	1	1	10	28	42	50	66	130	10.8	104	1	1	8	18	28	31	54
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17	74	20.8	384	1	2	29	42	60	63	94	27	13.6	277	1	1	6	21	37	50	70
18-20	16	15.8	138	1	2	8	21	34	38	39	11	7.5	69	1	1	4	9	21	27	28
21-24	34	8.1	94	1	1	5	11	17	25	49	16	5.6	19	1	1	5	8	13	14	14
25-34	98	11.4	131	1	2	7	16	28	36	52	38	6.9	48	1	1	5	8	17	25	29
35-54	53	11.3	94	1	2	8	16	28	34	37	21	7.6	75	1	2	4	10	18	28	37
55-74	24	10.9	68	2	3	8	16	23	28	28	4	11.3	41	7	7	8	15	21	21	21
75 +	4	12.8	43	6	6	13	18	19	19	19										
ALL AGES	304	15.3	234	1	2	9	22	37	49	65	117	8.6	109	1	1	5	10	21	29	54
SUBTOTAL	**775**	**15.9**	**249**	**1**	**1**	**9**	**25**	**41**	**50**	**66**	**247**	**9.8**	**106**	**1**	**1**	**6**	**14**	**26**	**30**	**46**
GRAND TOTAL	**1405**	**14.7**	**214**	**1**	**1**	**9**	**23**	**36**	**44**	**62**	**488**	**10.1**	**126**	**1**	**1**	**5**	**14**	**28**	**31**	**50**

PSYCHOGEN MUSCULSKEL DIS (306.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	3.0		3	3	3	3	3	3	3										
21-24																				
25-34	7	2.4	9	1	1	1	2	8	9	9	1	2.0		2	2	2	2	2	2	2
35-54	2	2.5	1	2	2	2	3	3	3	3	3	2.3	6	1	1	1	4	5	5	5
55-74	4	3.0	2	2	2	3	4	5	5	5	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	14	2.6	5	1	1	2	3	5	8	9	5	2.0	3	1	1	1	3	5	5	5
B. FEMALE																				
0-12 YRS.	2	5.0	18	2	2	5	8	8	8	8										
13-17	3	5.3	35	1	1	3	10	12	12	12	1	3.0		3	3	3	3	3	3	3
18-20	1	3.0		3	3	3	3	3	3	3										
21-24	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
25-34	6	4.8	36	1	1	2	7	15	16	16	3	3.3	11	1	1	2	6	7	7	7
35-54	6	4.3	7	2	2	3	7	8	8	8	6	4.3	15	1	1	3	7	11	11	11
55-74	3	17.3	104	11	11	12	25	29	29	29	1	2.0		2	2	2	2	2	2	2
75 +	1	3.0		3	3	3	3	3	3	3	2	3.5	5	2	2	3	5	5	5	5
ALL AGES	23	6.2	43	1	1	3	8	13	21	29	14	3.7	8	1	1	3	5	8	10	11
SUBTOTAL	**37**	**4.9**	**30**	**1**	**1**	**3**	**7**	**12**	**15**	**29**	**19**	**3.3**	**7**	**1**	**1**	**2**	**5**	**7**	**9**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	4.0		4	4	4	4	4	4	4
35-54	4	3.8	14	1	1	3	6	9	9	9	2	6.0	18	3	3	6	9	9	9	9
55-74	2	5.5	1	5	5	5	6	6	6	6										
75 +																				
ALL AGES	6	4.3	10	1	1	4	6	9	9	9	3	5.3	11	3	3	4	8	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	2.0		2	2	2	2	2	2	2
21-24	2	2.5	1	2	2	2	3	3	3	3										
25-34	2	15.0	392	1	1	15	29	29	29	29	1	19.0		19	19	19	19	19	19	19
35-54	4	14.5	214	1	1	12	26	32	32	32	5	3.6	1	2	2	4	4	5	5	5
55-74	2	15.0	18	12	12	15	18	18	18	18	4	16.0	127	6	6	13	23	32	32	32
75 +																				
ALL AGES	10	12.3	144	1	1	8	21	30	32	32	11	9.4	87	2	2	5	14	24	31	32
SUBTOTAL	**16**	**9.3**	**105**	**1**	**1**	**5**	**15**	**28**	**31**	**32**	**14**	**8.5**	**72**	**2**	**2**	**5**	**11**	**20**	**29**	**32**
GRAND TOTAL	**53**	**6.2**	**56**	**1**	**1**	**3**	**8**	**16**	**28**	**32**	**33**	**5.5**	**40**	**1**	**1**	**3**	**6**	**12**	**18**	**32**

PSYCHOGENIC RESPIR DIS (306.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	3.8	9	1	1	3	6	8	8	8										
13-17	5	2.2	1	1	1	2	3	4	4	4	4	2.8	4	1	1	2	4	5	5	5
18-20	5	1.4		1	1	1	2	2	2	2	4	1.8	2	1	1	1	3	4	4	4
21-24	3	1.0		1	1	1	1	1	1	1	3	5.0	19	2	2	3	8	10	10	10
25-34	18	1.5	1	1	1	1	2	3	3	3	10	2.7	2	1	1	3	3	5	5	5
35-54	35	2.7	3	1	1	2	4	5	7	7	34	2.3	2	1	1	2	3	4	6	6
55-74	21	2.7	4	1	1	2	3	5	8	9	15	2.4	3	1	1	2	3	4	7	8
75 +	9	6.9	43	2	2	4	9	17	23	23	10	5.1	17	1	1	3	10	11	11	11
ALL AGES	100	2.7	8	1	1	2	3	5	8	16	80	2.8	6	1	1	2	4	6	9	11
B. FEMALE																				
0-12 YRS.	6	2.7		2	2	3	3	3	3	3	6	2.0	2	1	1	2	2	5	5	5
13-17	3	2.7	1	2	2	2	4	4	4	4	15	2.2	2	1	1	2	3	4	6	6
18-20	5	1.4		1	1	1	2	2	2	2	8	3.4	2	1	1	3	4	5	5	5
21-24	8	3.0	3	1	1	3	4	5	5	5	4	1.5		1	1	1	2	2	2	2
25-34	14	3.3	14	1	1	2	3	9	12	13	29	3.1	8	1	1	2	4	8	9	12
35-54	50	3.1	5	1	1	3	4	4	6	14	43	2.8	2	1	1	2	4	5	6	7
55-74	55	4.1	25	1	1	3	5	7	9	35	50	3.8	27	1	1	3	4	6	6	38
75 +	22	3.0	6	1	1	2	3	7	9	11	26	3.4	3	1	2	3	4	7	7	8
ALL AGES	163	3.4	12	1	1	3	4	5	8	14	181	3.1	10	1	1	2	4	6	7	11
SUBTOTAL	**263**	**3.1**	**11**	**1**	**1**	**2**	**4**	**5**	**8**	**14**	**261**	**3.0**	**9**	**1**	**1**	**2**	**4**	**6**	**7**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	3	3.7	5	1	1	5	5	5	5	5	4	1.5		1	1	1	2	2	2	2
18-20	3	2.3	3	1	1	2	3	4	4	4	2	2.0	2	1	1	2	3	3	3	3
21-24	5	2.0	1	1	1	2	3	3	3	3	4	2.0	1	1	1	2	3	3	3	3
25-34	9	2.0	3	1	1	1	3	5	6	6	7	2.3	1	1	1	3	3	3	3	3
35-54	8	4.1	10	1	1	3	6	9	10	10	4	1.3		1	1	1	2	2	2	2
55-74	10	3.9	7	1	1	3	6	8	9	9	7	2.3	1	1	1	2	3	4	4	4
75 +	4	5.3	4	3	3	5	7	8	8	8	4	4.5	10	2	2	3	6	9	9	9
ALL AGES	42	3.3	6	1	1	3	5	7	9	10	33	2.3	2	1	1	2	3	3	4	9
B. FEMALE																				
0-12 YRS.																				
13-17	3	1.3		1	1	1	2	2	2	2	6	1.5		1	1	1	2	2	2	2
18-20	3	4.0	7	2	2	3	6	7	7	7	3	1.3		1	1	1	2	2	2	2
21-24											7	2.9	2	1	1	2	4	5	5	5
25-34	10	3.1	4	1	1	3	4	6	8	8	14	2.5	2	1	1	2	4	4	6	6
35-54	33	3.0	4	1	1	3	4	5	7	11	30	2.8	3	1	1	3	4	5	6	6
55-74	29	5.0	18	1	1	4	6	13	16	16	31	3.3	3	1	1	3	4	6	6	7
75 +	19	4.2	8	1	1	4	5	8	11	13	19	4.4	8	1	1	4	5	8	12	13
ALL AGES	97	3.8	10	1	1	3	4	7	11	16	110	3.1	4	1	1	3	4	5	6	11
SUBTOTAL	**139**	**3.7**	**8**	**1**	**1**	**3**	**4**	**7**	**10**	**16**	**143**	**2.9**	**3**	**1**	**1**	**2**	**4**	**5**	**6**	**10**
GRAND TOTAL	**402**	**3.3**	**10**	**1**	**1**	**3**	**4**	**6**	**8**	**15**	**404**	**3.0**	**7**	**1**	**1**	**2**	**4**	**5**	**6**	**11**

PSYCHOGEN CARDIOVASC DIS (306.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	5	2.6		2	2	3	3	3	3	3	5	2.4	1	1	1	3	3	3	3	3
35-54	16	4.9	10	2	2	4	6	11	11	11	4	2.5	3	1	1	2	4	4	4	4
55-74	22	3.2	3	1	1	3	5	6	7	7	10	4.7	27	1	1	3	4	13	18	18
75 +	10	5.9	20	1	1	4	9	13	14	14	8	4.8	6	2	2	4	7	9	9	9
ALL AGES	54	4.1	9	1	1	3	5	9	11	14	28	3.9	12	1	1	3	4	9	10	18
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34	2	3.5	1	3	3	3	4	4	4	4	6	3.2		2	2	3	4	4	4	4
35-54	5	6.6	36	1	1	4	11	16	16	16	8	3.9	1	2	2	4	5	5	5	5
55-74	16	3.1	2	1	1	3	4	4	6	7	8	4.3	19	1	1	3	4	12	15	15
75 +	7	2.6	1	1	1	3	3	4	4	4	6	3.3	3	2	2	3	4	6	6	6
ALL AGES	31	3.5	8	1	1	3	4	5	9	16	29	3.6	6	1	2	3	4	5	6	15
SUBTOTAL	**85**	**3.9**	**9**	**1**	**1**	**3**	**4**	**7**	**11**	**15**	**57**	**3.7**	**9**	**1**	**1**	**3**	**4**	**6**	**9**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17											1	1.0		1	1	1	1	1	1	1
18-20	3	3.0	3	1	1	4	4	4	4	4										
21-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	5	4.0	13	1	1	3	5	10	10	10	8	2.5	3	1	1	2	4	5	6	6
55-74	5	3.0	4	1	1	2	5	5	5	5	6	7.3	114	2	2	3	5	27	29	29
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	14	3.2	6	1	1	3	4	6	9	10	17	4.2	44	1	1	3	4	6	21	29
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17																				
18-20																				
21-24	1	5.0		5	5	5	5	5	5	5										
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	8	5.4	47	1	1	3	5	17	22	22	7	4.3	15	2	2	3	4	11	13	13
55-74	12	3.9	4	1	1	4	6	7	7	7	5	4.2	11	2	2	3	5	10	10	10
75 +	1	3.0		3	3	3	3	3	3	3	3	3.3	2	2	2	4	4	4	4	4
ALL AGES	24	4.4	17	1	2	4	5	6	11	22	15	4.1	10	2	2	3	4	10	12	13
SUBTOTAL	**38**	**3.9**	**13**	**1**	**1**	**3**	**5**	**6**	**9**	**22**	**32**	**4.2**	**26**	**1**	**1**	**3**	**4**	**7**	**13**	**29**
GRAND TOTAL	**123**	**3.9**	**10**	**1**	**1**	**3**	**5**	**7**	**10**	**18**	**89**	**3.9**	**15**	**1**	**1**	**3**	**4**	**6**	**10**	**25**

PSYCHOGENIC SKIN DISEASE (306.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	83.0		83	83	83	83	83	83	83										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES	1	83.0		83	83	83	83	83	83	83	1	10.0		10	10	10	10	10	10	10
SUBTOTAL	**1**	**83.0**		**83**	**83**	**83**	**83**	**83**	**83**	**83**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES											1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +											1	13.0		13	13	13	13	13	13	13
ALL AGES											1	13.0		13	13	13	13	13	13	13
SUBTOTAL											**2**	**9.5**	**25**	**6**	**6**	**9**	**13**	**13**	**13**	**13**
GRAND TOTAL	**1**	**83.0**		**83**	**83**	**83**	**83**	**83**	**83**	**83**	**3**	**9.7**	**11**	**6**	**6**	**10**	**12**	**13**	**13**	**13**

PSYCHOGENIC GI DISEASE (306.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	13	2.8	2	1	1	3	4	5	5	5	4	2.0	1	1	1	2	3	3	3	3
13-17	3	5.3	25	2	2	3	9	11	11	11	2	4.0		4	4	4	4	4	4	4
18-20	1	6.0		6	6	6	6	6	6	6										
21-24	5	5.2	19	2	2	2	10	10	10	10	1	1.0		1	1	1	1	1	1	1
25-34	5	3.4	4	2	2	3	4	7	7	7	3	3.0		3	3	3	3	3	3	3
35-54	9	4.2	8	1	1	4	5	8	10	10	4	6.5	33	3	3	4	10	15	15	15
55-74	10	6.0	21	1	2	4	8	13	16	16	9	4.4	9	2	2	4	5	9	11	11
75 +											3	3.7	2	2	2	4	5	5	5	5
ALL AGES	46	4.3	11	1	2	3	5	10	10	16	26	4.0	9	1	1	3	5	6	12	15
B. FEMALE																				
0-12 YRS.	10	4.3	20	1	1	3	5	11	16	16	8	3.0	4	1	1	3	4	6	7	7
13-17	7	5.0	4	3	3	5	6	8	9	9	7	9.3	155	1	2	4	8	31	37	37
18-20	3	5.7	2	4	4	6	7	7	7	7	2	3.0		3	3	3	3	3	3	3
21-24	3	5.0	7	2	2	6	7	7	7	7	8	8.4	171	1	1	3	9	31	39	39
25-34	10	5.1	6	2	2	6	7	8	8	8	18	4.9	5	2	2	4	6	8	10	10
35-54	32	4.1	8	1	1	4	5	7	11	14	19	6.6	63	1	1	4	7	12	26	37
55-74	21	5.0	8	1	2	4	6	9	12	13	17	4.1	4	1	2	4	5	8	64	99 +
75 +	11	4.5	4	2	2	4	7	8	8	8	11	3.5	5	2	2	3	4	7	9	9
ALL AGES	97	4.6	8	1	2	4	6	7	10	15	90	5.4	43	1	2	4	6	9	14	75
SUBTOTAL	**143**	**4.5**	**9**	**1**	**2**	**4**	**5**	**8**	**10**	**16**	**116**	**5.1**	**35**	**1**	**2**	**4**	**5**	**9**	**13**	**59**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	2.5	1	2	2	2	3	3	3	3	1	2.0		2	2	2	2	2	2	2
13-17	1	6.0		6	6	6	6	6	6	6										
18-20																				
21-24	3	5.3	11	3	3	4	8	9	9	9										
25-34	5	4.4	2	2	2	5	5	6	6	6	2	2.5	1	2	2	2	3	3	3	3
35-54	12	7.4	103	1	2	5	6	17	36	39	5	4.2	4	2	2	5	6	6	6	6
55-74	9	8.7	15	3	4	8	11	14	16	16	7	8.1	142	1	1	3	9	29	34	34
75 +	2	9.0	72	3	3	9	15	15	15	15	3	14.7	71	5	5	18	20	21	21	21
ALL AGES	34	6.9	44	2	3	5	8	12	16	39	18	7.2	76	1	2	3	6	20	29	34
B. FEMALE																				
0-12 YRS.	2	2.5	5	1	1	2	4	4	4	4	1	1.0		1	1	1	1	1	1	1
13-17	7	5.6	15	2	2	4	8	12	13	13	3	5.0	9	2	2	5	7	8	8	8
18-20	1	8.0		8	8	8	8	8	8	8	1	3.0		3	3	3	3	3	3	3
21-24	4	5.0	7	3	3	4	7	9	9	9	7	9.6	106	2	2	7	9	28	32	32
25-34	16	6.6	32	1	3	5	7	11	21	26	10	4.8	12	1	1	4	7	10	11	11
35-54	17	7.2	19	3	3	6	9	14	18	19	17	6.5	49	1	2	5	8	11	24	31
55-74	20	7.1	25	1	2	6	8	14	19	21	19	5.1	8	1	2	5	7	9	11	12
75 +	9	6.3	3	4	4	6	7	9	9	9	7	3.9	3	1	1	4	6	6	6	6
ALL AGES	76	6.6	19	2	3	6	8	10	17	25	65	5.7	29	1	2	5	7	10	11	32
SUBTOTAL	**110**	**6.7**	**27**	**2**	**3**	**6**	**8**	**11**	**16**	**31**	**83**	**6.0**	**39**	**1**	**2**	**5**	**7**	**11**	**19**	**33**
GRAND TOTAL	**253**	**5.4**	**18**	**1**	**2**	**4**	**7**	**10**	**13**	**21**	**199**	**5.5**	**37**	**1**	**2**	**4**	**6**	**10**	**14**	**38**

PSYCHOGENIC GU DISEASE (306.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	2.0	2	1	1	2	3	3	3	3										
13-17	1	7.0		7	7	7	7	7	7	7										
18-20																				
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4	2	3.5	1	3	3	3	4	4	4	4
35-54	1	2.0		2	2	2	2	2	2	2										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +	2	4.5	13	2	2	4	7	7	7	7	1	3.0		3	3	3	3	3	3	3
ALL AGES	8	3.5	5	1	1	3	5	7	7	7	3	3.3	1	3	3	3	4	4	4	4
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
13-17											2	4.0	2	3	3	4	5	5	5	5
18-20																				
21-24	3	2.0	1	1	1	2	3	3	3	3	1	2.0		2	2	2	2	2	2	2
25-34	4	9.3	65	2	2	7	15	20	20	20	1	3.0		3	3	3	3	3	3	3
35-54	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +	3	5.0	13	2	2	4	8	9	9	9										
ALL AGES	12	5.4	30	1	1	3	7	14	19	20	6	2.7	2	1	1	2	3	5	5	5
SUBTOTAL	**20**	**4.7**	**20**	**1**	**1**	**3**	**6**	**10**	**15**	**20**	**9**	**2.9**	**1**	**1**	**1**	**3**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	2	9.0	2	8	8	9	10	10	10	10										
55-74	2	4.0	8	2	2	4	6	6	6	6										
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	6	4.8	14	1	1	4	8	10	10	10	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17	2	6.5	1	6	6	6	7	7	7	7										
18-20											1	8.0		8	8	8	8	8	8	8
21-24																				
25-34											1	5.0		5	5	5	5	5	5	5
35-54	1	14.0		14	14	14	14	14	14	14	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +	3	3.3	17	1	1	1	6	8	8	8	1	7.0		7	7	7	7	7	7	7
ALL AGES	6	6.2	23	1	1	6	8	13	14	14	4	5.5	7	2	2	6	7	8	8	8
SUBTOTAL	**12**	**5.5**	**18**	**1**	**1**	**6**	**8**	**11**	**14**	**14**	**5**	**5.8**	**6**	**2**	**2**	**7**	**7**	**8**	**8**	**8**
GRAND TOTAL	**32**	**5.0**	**18**	**1**	**1**	**3**	**7**	**10**	**14**	**20**	**14**	**3.9**	**5**	**1**	**2**	**3**	**5**	**7**	**8**	**8**

PSYCHOGEN ENDOCRINE DIS (306.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3	1	33.0		33	33	33	33	33	33	33
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	2	3.0		3	3	3	3	3	3	3	1	33.0		33	33	33	33	33	33	33
SUBTOTAL	**2**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**	**1**	**33.0**		**33**	**33**	**33**	**33**	**33**	**33**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	2	3.0		3	3	3	3	3	3	3	1	33.0		33	33	33	33	33	33	33

PSYCHOGENIC SENSORY DIS (306.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	4.0		4	4	4	4	4	4	4
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	2	2.5	1	2	2	2	3	3	3	3	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

Total U.S. January - December 1986

PSYCHOGENIC DISORDER NEC (306.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	2.0		2	2	2	2	2	2	2										
18-20											2	5.5	5	4	4	5	7	7	7	7
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1	1	5.0		5	5	5	5	5	5	5
35-54	2	2.5	5	1	1	2	4	4	4	4	1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	5	2.0	2	1	1	2	3	4	4	4	4	5.0	2	4	4	5	6	7	7	7
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-20											3	3.7	9	1	1	3	6	7	7	7
21-24	1	3.0		3	3	3	3	3	3	3	3	2.3	1	2	2	2	3	3	3	3
25-34	3	5.7	8	4	4	4	8	9	9	9										
35-54	3	4.0	1	3	3	4	5	5	5	5										
55-74	4	8.5	57	2	2	8	15	16	16	16	2	4.0	2	3	3	4	5	5	5	5
75 +	2	3.0		3	3	3	3	3	3	3										
ALL AGES	14	5.2	21	1	2	4	5	14	16	16	8	3.3	3	1	1	3	4	6	7	7
SUBTOTAL	**19**	**4.4**	**17**	**1**	**1**	**3**	**4**	**12**	**15**	**16**	**12**	**3.8**	**4**	**1**	**2**	**4**	**5**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
35-54	2	5.0	2	4	4	5	6	6	6	6										
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	4	4.0	5	1	1	4	5	6	6	6	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17	1	85.0		85	85	85	85	85	85	85										
18-20																				
21-24											1	4.0		4	4	4	4	4	4	4
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	3	5.0	3	4	4	4	6	7	7	7	4	9.8	19	3	3	12	12	12	12	12
55-74	2	26.5	5	25	25	26	28	28	28	28										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	9	18.6	712	2	2	7	26	62	85	85	5	8.6	22	3	3	12	12	12	12	12
SUBTOTAL	**13**	**14.1**	**525**	**1**	**2**	**5**	**13**	**39**	**76**	**85**	**6**	**7.8**	**22**	**3**	**3**	**8**	**12**	**12**	**12**	**12**
GRAND TOTAL	**32**	**8.3**	**237**	**1**	**1**	**4**	**6**	**19**	**28**	**85**	**18**	**5.2**	**12**	**1**	**2**	**4**	**7**	**12**	**12**	**12**

PSYCHOGENIC DISORDER NOS (306.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
13-17	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
18-20																				
21-24																				
25-34	2	12.5	221	2	2	12	23	23	23	23	1	1.0		1	1	1	1	1	1	1
35-54	3	5.0	3	3	3	6	6	6	6	6	1	2.0		2	2	2	2	2	2	2
55-74	1	6.0		6	6	6	6	6	6	6										
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	9	6.3	42	2	2	5	6	16	23	23	4	2.0	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.	3	2.0	1	1	1	2	3	3	3	3	1	2.0		2	2	2	2	2	2	2
13-17	4	4.3	20	2	2	2	7	11	11	11	3	3.3	17	1	1	1	6	8	8	8
18-20	1	14.0		14	14	14	14	14	14	14	1	2.0		2	2	2	2	2	2	2
21-24																				
25-34	5	7.4	46	2	2	6	10	19	19	19	4	4.8	8	1	1	5	7	8	8	8
35-54	14	7.6	93	1	2	4	7	25	33	35	6	3.2	8	1	1	2	5	8	8	8
55-74	5	7.8	67	1	1	3	15	19	19	19	7	2.9	3	1	1	3	4	5	5	5
75 +	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
ALL AGES	33	6.8	59	1	2	3	7	19	23	35	23	3.3	6	1	1	2	5	8	8	8
SUBTOTAL	**42**	**6.7**	**54**	**1**	**2**	**4**	**7**	**19**	**23**	**35**	**27**	**3.1**	**5**	**1**	**1**	**2**	**5**	**7**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	19.0	361	3	3	14	33	40	40	40										
18-20	1	46.0		46	46	46	46	46	46	46										
21-24	1	4.0		4	4	4	4	4	4	4										
25-34	2	25.0	512	9	9	25	41	41	41	41	2	5.5	1	5	5	5	6	6	6	6
35-54	4	8.5	42	1	1	8	13	16	16	16										
55-74																				
75 +																				
ALL AGES	11	17.4	278	1	2	11	34	43	46	46	2	5.5	1	5	5	5	6	6	6	6
B. FEMALE																				
0-12 YRS.											2	2.0	2	1	1	2	3	3	3	3
13-17	2	4.5	1	4	4	4	5	5	5	5	1	3.0		3	3	3	3	3	3	3
18-20											1	3.0		3	3	3	3	3	3	3
21-24											1	14.0		14	14	14	14	14	14	14
25-34	7	10.9	83	3	3	7	18	25	26	26	2	3.0	2	2	2	3	4	4	4	4
35-54	11	14.6	124	1	2	12	25	31	32	32	4	13.3	150	4	4	9	21	31	31	31
55-74	5	4.2	3	2	2	5	5	6	6	6	6	10.5	42	4	4	9	15	20	21	21
75 +	2	4.0	2	3	3	4	5	5	5	5										
ALL AGES	27	10.2	88	2	3	5	13	28	31	32	17	8.6	63	1	2	5	12	20	27	31
SUBTOTAL	**38**	**12.3**	**147**	**2**	**3**	**7**	**14**	**32**	**41**	**46**	**19**	**8.3**	**57**	**1**	**2**	**5**	**11**	**19**	**26**	**31**
GRAND TOTAL	**80**	**9.3**	**106**	**1**	**2**	**5**	**12**	**25**	**33**	**44**	**46**	**5.2**	**33**	**1**	**1**	**4**	**6**	**12**	**16**	**31**

STAMMERING & STUTTERING (307.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-20																				
21-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74																				
75 +																				
ALL AGES	2	5.5	5	4	4	5	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	7.0		7	7	7	7	7	7	7										
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	2	5.0	8	3	3	5	7	7	7	7										
SUBTOTAL	**4**	**5.3**	**4**	**3**	**3**	**5**	**7**	**7**	**7**	**7**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	1.0		1	1	1	1	1	1	1
21-24																				
25-34	1	10.0		10	10	10	10	10	10	10										
35-54																				
55-74																				
75 +																				
ALL AGES	1	10.0		10	10	10	10	10	10	10	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**5**	**6.2**	**8**	**3**	**3**	**7**	**8**	**10**	**10**	**10**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

ANOREXIA NERVOSA (307.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	4	3.0	5	1	1	2	4	6	6	6
13-17	6	26.2	807	4	4	17	29	76	81	81	3	19.7	255	3	3	21	31	35	35	35
18-20	2	31.5	1405	5	5	31	58	58	58	58										
21-24											1	1.0		1	1	1	1	1	1	1
25-34	4	11.5	87	3	3	11	19	21	21	21	3	11.3	166	2	2	6	21	26	26	26
35-54	5	6.4	7	4	4	6	11	91	99+	99+										
55-74											1	6.0		6	6	6	6	6	6	6
75 +											1	16.0		16	16	16	16	16	16	16
ALL AGES	18	16.6	448	2	3	8	22	72	91	99+	13	9.8	124	1	1	6	17	28	34	35
B. FEMALE																				
0-12 YRS.	13	24.9	345	3	4	31	41	99+	99+	99+	6	33.7	1631	3	3	14	68	96	99	99+
13-17	85	26.2	421	3	4	23	45	60	76	99+	34	28.2	697	1	3	24	50	79	97	99+
18-20	50	27.7	567	3	4	25	47	69	90	99+	23	24.2	576	2	3	20	35	64	75	89
21-24	38	24.2	482	2	3	20	39	79	99+	99+	30	8.3	111	1	1	5	10	19	29	52
25-34	53	19.5	271	1	2	13	33	49	51	98	31	20.5	511	2	2	11	33	55	68	77
35-54	28	15.1	190	3	3	11	30	45	99+	99+	23	20.5	371	1	2	12	33	42	57	80
55-74	7	8.9	21	5	5	8	15	75	99+	99+	4	14.0	110	5	5	12	22	27	27	27
75 +	2	10.5	1	10	10	10	11	11	11	11	2	3.5	1	3	3	4	76	99+	99+	99+
ALL AGES	276	23.2	401	3	4	18	38	59	93	99+	153	20.5	523	1	2	10	35	61	79	99+
SUBTOTAL	**294**	**22.8**	**405**	**3**	**3**	**17**	**38**	**59**	**93**	**99+**	**166**	**19.7**	**497**	**1**	**2**	**9**	**32**	**57**	**77**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	15.7	288	3	3	9	28	35	35	35	2	65.5	113	58	58	65	73	73	73	73
13-17	5	41.6	414	26	26	39	75	97	99+	99+	2	63.0	8	61	61	63	65	65	65	65
18-20	4	45.3	318	24	24	44	56	68	68	68										
21-24																				
25-34	6	10.8	55	4	4	10	20	84	99+	99+	1	10.0		10	10	10	10	10	10	10
35-54	3	9.7	1	9	9	10	10	10	10	10	1	41.0		41	41	41	41	41	41	41
55-74	1	24.0		24	24	24	24	24	24	24	2	4.5	1	4	4	4	5	5	5	5
75 +											2	5.5	13	3	3	5	8	8	8	8
ALL AGES	22	25.2	412	4	5	24	44	77	99+	99+	10	32.8	864	3	3	25	61	69	73	73
B. FEMALE																				
0-12 YRS.	5	33.8	919	1	1	39	56	73	73	73	4	23.3	990	3	3	42	99+	99+	99+	99+
13-17	76	30.0	539	3	4	28	51	85	99+	99+	29	44.8	1009	3	4	54	94	99+	99+	99+
18-20	49	29.0	465	3	5	24	41	69	81	99+	18	36.7	874	2	4	43	52	95	98	99+
21-24	57	23.8	468	1	2	20	34	66	83	99+	14	26.1	508	4	5	23	38	51	77	85
25-34	104	25.3	408	2	3	21	39	51	67	92	35	21.7	316	1	2	17	37	47	63	99+
35-54	56	23.1	383	3	4	16	31	49	64	84	23	10.8	63	3	3	9	16	22	29	31
55-74	9	13.0	159	3	3	6	19	33	42	42	13	8.5	93	1	1	5	10	28	29	29
75 +	1	8.0		8	8	8	8	8	8	8	2	14.0	32	10	10	14	18	18	18	18
ALL AGES	357	26.0	453	2	4	21	42	65	82	99+	138	25.8	648	2	3	18	47	93	99+	99+
SUBTOTAL	**379**	**25.9**	**452**	**2**	**4**	**21**	**42**	**66**	**83**	**99+**	**148**	**26.3**	**658**	**2**	**3**	**18**	**48**	**92**	**99+**	**99+**
GRAND TOTAL	**673**	**24.6**	**431**	**2**	**4**	**20**	**41**	**63**	**85**	**99+**	**314**	**22.8**	**583**	**2**	**3**	**12**	**42**	**70**	**96**	**99+**

TICS (307.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	14	6.6	89	1	1	2	6	22	31	33	1	2.0		2	2	2	2	2	2	2
13-17	6	10.5	239	1	1	3	12	38	41	41										
18-20	3	13.3	3	12	12	14	14	14	14	14										
21-24	2	23.0	512	7	7	23	39	39	39	39										
25-34	1	37.0		37	37	37	37	37	37	37										
35-54											2	3.0	2	2	2	3	4	4	4	4
55-74	1	1.0		1	1	1	1	1	1	1										
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	28	10.7	158	1	1	4	13	36	39	41	3	2.7	1	2	2	2	4	4	4	4
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17											1	3.0		3	3	3	3	3	3	3
18-20																				
21-24																				
25-34	2	4.5	5	3	3	4	6	6	6	6										
35-54	1	4.0		4	4	4	4	4	4	4	1	5.0		5	5	5	5	5	5	5
55-74	2	6.0	8	4	4	6	8	8	8	8										
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	5	5.0	4	3	3	4	6	8	8	8	4	3.5	2	2	2	3	4	5	5	5
SUBTOTAL	**33**	**9.4**	**136**	**1**	**1**	**4**	**12**	**34**	**39**	**41**	**7**	**3.1**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	11	24.6	188	3	7	24	35	44	48	48	1	76.0		76	76	76	76	76	76	76
13-17	7	23.6	507	3	4	15	35	62	67	67	2	3.0		3	3	3	3	3	3	3
18-20											1	2.0		2	2	2	2	2	2	2
21-24																				
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14										
55-74																				
75 +																				
ALL AGES	19	23.7	278	3	5	20	35	45	58	67	4	21.0	1345	2	2	3	40	76	76	76
B. FEMALE																				
0-12 YRS.	2	30.0	722	11	11	30	49	49	49	49										
13-17	3	26.7	28	21	21	27	31	32	32	32	1	7.0		7	7	7	7	7	7	7
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54	2	3.0		3	3	3	3	3	3	3										
55-74	1	42.0		42	42	42	42	42	42	42	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	9	21.0	316	1	2	21	34	46	49	49	2	4.5	13	2	2	4	7	7	7	7
SUBTOTAL	**28**	**22.8**	**282**	**2**	**3**	**20**	**34**	**46**	**51**	**67**	**6**	**15.5**	**882**	**2**	**2**	**3**	**7**	**69**	**76**	**76**
GRAND TOTAL	**61**	**15.5**	**246**	**1**	**1**	**11**	**24**	**41**	**45**	**65**	**13**	**8.8**	**410**	**2**	**2**	**3**	**4**	**21**	**66**	**76**

STEREOTYPED MOVEMENTS (307.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	17.7	1435	1	1	2	4	86	95	95	1	3.0		3	3	3	3	3	3	3
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	17.7	1435	1	1	2	4	86	95	95	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.	2	2.0		2	2	2	2	2	2	2										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	2.0		2	2	2	2	2	2	2										
SUBTOTAL	8	13.8	1077	1	1	2	3	68	95	95	1	3.0		3	3	3	3	3	3	3
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	8	13.8	1077	1	1	2	3	68	95	95	1	3.0		3	3	3	3	3	3	3

Total U.S. January - December 1986

NONORGANIC SLEEP DISORD (307.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	3.1	6	1	1	2	4	7	8	8	2	1.5	1	1	1	1	2	2	2	2
13-17	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	2	2.0		2	2	2	2	2	2	2	3	7.7	133	1	1	1	16	21	21	21
35-54	2	2.0		2	2	2	2	2	2	2										
55-74											2	6.5	1	6	6	6	7	7	7	7
75 +	3	5.3	2	4	4	6	6	6	6	6	1	1.0		1	1	1	1	1	1	1
ALL AGES	19	3.1	4	1	1	2	4	7	8	8	9	4.6	43	1	1	1	6	15	21	21
B. FEMALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	7	3.0	13	1	1	2	3	9	11	11										
55-74	1	2.0		2	2	2	2	2	2	2	1	9.0		9	9	9	9	9	9	9
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	14	2.4	7	1	1	2	2	5	10	11	2	6.0	18	3	3	6	9	9	9	9
SUBTOTAL	**33**	**2.8**	**5**	**1**	**1**	**2**	**3**	**6**	**8**	**11**	**11**	**4.8**	**37**	**1**	**1**	**2**	**7**	**14**	**20**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	3.5	13	1	1	3	6	6	6	6										
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
35-54	2	2.0		2	2	2	2	2	2	2										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	6	2.5	3	1	1	2	2	6	6	6	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2	1	6.0		6	6	6	6	6	6	6
13-17																				
18-20											1	5.0		5	5	5	5	5	5	5
21-24																				
25-34	4	3.8	8	2	2	3	5	8	8	8	1	3.0		3	3	3	3	3	3	3
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	4	2.3		2	2	2	3	3	3	3										
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	11	2.8	4	1	1	2	3	6	8	8	4	4.5	2	3	3	4	5	6	6	6
SUBTOTAL	**17**	**2.7**	**3**	**1**	**1**	**2**	**3**	**6**	**7**	**8**	**5**	**4.4**	**1**	**3**	**3**	**4**	**5**	**6**	**6**	**6**
GRAND TOTAL	**50**	**2.7**	**5**	**1**	**1**	**2**	**3**	**6**	**8**	**11**	**16**	**4.7**	**25**	**1**	**1**	**3**	**6**	**9**	**17**	**21**

EATING DISORDERS NEC/NOS (307.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	12	17.0	534	1	1	6	22	55	74	77	6	18.5	1303	1	1	4	8	84	92	92
13-17	7	22.6	515	2	3	13	46	55	55	55	2	18.0	450	3	3	18	33	33	33	33
18-20	1	1.0		1	1	1	1	1	1	1	2	2.5	5	1	1	2	4	4	4	4
21-24	3	24.0	427	2	2	27	39	43	43	43	5	5.0	8	2	2	4	8	8	8	8
25-34	7	7.1	211	1	1	2	3	33	40	40	5	3.6	2	2	2	3	4	6	6	6
35-54	5	6.6	64	1	1	3	11	20	20	20	4	10.5	188	3	3	4	18	31	31	31
55-74											4	2.5	1	1	1	3	3	3	3	3
75 +	1	9.0		9	9	9	9	9	9	9	1	4.0		4	4	4	4	4	4	4
ALL AGES	36	14.6	374	1	1	6	19	45	55	77	29	8.7	313	1	1	3	5	22	36	92
B. FEMALE																				
0-12 YRS.	19	11.5	332	1	1	5	10	57	87	99 +	8	3.1	10	1	1	2	4	8	10	10
13-17	69	26.8	302	2	2	26	37	49	55	80	23	30.7	514	1	2	29	45	76	92	99 +
18-20	74	26.1	368	2	3	26	35	45	65	93	21	26.0	492	1	1	29	40	47	66	87
21-24	60	28.6	237	2	5	30	35	48	59	63	20	30.9	317	3	4	31	43	55	59	63
25-34	69	22.0	260	1	2	25	31	40	51	77	33	30.3	245	2	12	29	39	43	66	74
35-54	32	20.8	245	2	4	18	32	42	52	55	20	19.0	311	2	2	14	29	49	55	56
55-74	7	11.0	75	2	3	8	14	25	28	28	3	5.3	13	2	2	5	8	9	9	9
75 +	5	14.0	138	4	4	12	20	33	33	33	2	4.0	8	2	2	4	6	6	6	6
ALL AGES	335	24.0	303	2	3	26	34	45	55	82	130	25.4	386	1	2	26	39	50	63	91
SUBTOTAL	**371**	**23.1**	**316**	**1**	**2**	**24**	**33**	**45**	**55**	**82**	**159**	**22.3**	**415**	**1**	**2**	**22**	**36**	**47**	**60**	**92**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	18.3	179	3	3	25	26	27	27	27	1	6.0		6	6	6	6	6	6	6
13-17	2	33.0	32	29	29	37	84	99 +	99 +	99 +	2	46.5	85	40	40	46	53	53	53	53
18-20	3	6.3	17	4	4	4	9	11	11	11										
21-24	5	22.2	177	13	13	14	30	44	44	44	4	25.8	178	9	9	26	34	42	42	42
25-34	6	12.0	54	5	5	11	14	24	25	25	4	6.8	23	4	4	5	9	14	14	14
35-54	9	30.2	731	4	5	27	38	74	90	90	4	16.8	187	3	3	15	28	33	33	33
55-74	1	4.0		4	4	4	4	4	4	4	4	5.8	12	3	3	4	8	11	11	11
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	29	20.7	346	4	4	14	29	47	90	99 +	20	16.2	239	3	3	8	26	41	47	53
B. FEMALE																				
0-12 YRS.	7	23.4	465	7	7	14	37	59	63	63	2	2.5	1	2	2	2	3	3	3	3
13-17	92	28.0	379	4	7	28	42	70	90	99 +	20	28.0	375	4	5	28	39	67	82	99 +
18-20	87	24.1	312	2	5	21	32	48	53	92	39	30.6	435	1	2	31	43	57	62	89
21-24	75	26.1	378	3	4	27	38	60	90	99 +	34	30.1	350	2	6	31	42	60	65	69
25-34	139	23.7	394	1	3	20	34	47	63	99	57	27.7	282	3	5	28	39	47	52	83
35-54	71	24.5	318	2	4	24	39	42	59	99	33	23.2	475	2	3	24	31	57	61	88
55-74	8	20.9	271	6	6	11	40	41	41	41	13	15.5	445	1	1	7	27	68	93	99 +
75 +	1	4.0		4	4	4	4	4	4	4	6	17.8	239	5	5	9	35	39	40	40
ALL AGES	480	25.0	360	2	4	23	38	53	68	99 +	204	26.6	384	2	3	27	40	54	63	94
SUBTOTAL	**509**	**24.7**	**362**	**2**	**4**	**23**	**37**	**52**	**69**	**99 +**	**224**	**25.7**	**377**	**2**	**3**	**25**	**39**	**54**	**62**	**92**
GRAND TOTAL	**880**	**24.1**	**339**	**2**	**3**	**23**	**35**	**49**	**62**	**99 +**	**383**	**24.3**	**394**	**2**	**2**	**24**	**39**	**53**	**62**	**91**

ENURESIS (307.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	27.0		27	27	27	27	27	27	27
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	27.0		27	27	27	27	27	27	27
B. FEMALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	3	2.3	6	1	1	1	4	5	5	5	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**3**	**2.3**	**6**	**1**	**1**	**1**	**4**	**5**	**5**	**5**	**2**	**14.0**	**338**	**1**	**1**	**14**	**27**	**27**	**27**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	1	5.0		5	5	5	5	5	5	5										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	3.5	5	2	2	3	5	5	5	5										
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	**3**	**3.7**	**2**	**2**	**2**	**4**	**5**	**5**	**5**	**5**										
GRAND TOTAL	**6**	**3.0**	**4**	**1**	**1**	**3**	**5**	**5**	**5**	**5**	**2**	**14.0**	**338**	**1**	**1**	**14**	**27**	**27**	**27**	**27**

ENCOPRESIS (307.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	5.0	18	2	2	5	8	8	8	8	1	48.0		48	48	48	48	48	48	48
13-17	1	80.0		80	80	80	80	80	80	80										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	30.0	1884	2	2	8	62	80	80	80	1	48.0		48	48	48	48	48	48	48
B. FEMALE																				
0-12 YRS.	2	2.5	1	2	2	2	3	3	3	3	1	5.0		5	5	5	5	5	5	5
13-17	2	12.0	162	3	3	12	21	21	21	21										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	7.3	83	2	2	3	12	21	21	21	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**7**	**17.0**	**818**	**2**	**2**	**3**	**18**	**68**	**80**	**80**	**2**	**26.5**	**925**	**5**	**5**	**26**	**48**	**48**	**48**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	8	27.6	1011	2	2	14	44	80	93	93	1	2.0		2	2	51	99 +	99 +	99 +	99 +
13-17	1	25.0		25	25	25	25	25	25	25	1	30.0		30	30	30	30	30	30	30
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	9	27.3	886	2	2	21	40	76	93	93	2	16.0	392	2	2	30	82	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.	2	4.0	2	3	3	4	5	5	5	5	1	1.0		1	1	1	1	1	1	1
13-17	2	19.5	313	7	7	19	32	32	32	32	1	66.0		66	66	83	99 +	99 +	99 +	99 +
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	11.8	183	3	3	6	19	32	32	32	2	33.5	2113	1	1	66	91	99 +	99 +	99 +
SUBTOTAL	**13**	**22.5**	**694**	**2**	**3**	**8**	**33**	**59**	**87**	**93**	**4**	**24.8**	**934**	**1**	**1**	**48**	**99 +**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**20**	**20.6**	**703**	**2**	**2**	**7**	**28**	**65**	**86**	**93**	**6**	**25.3**	**750**	**1**	**1**	**39**	**83**	**99 +**	**99 +**	**99 +**

PSYCHALGIA (307.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	3.3	8	1	1	3	5	7	7	7	8	2.4		1	1	2	3	3	3	3
13-17	16	2.8	2	1	1	2	4	5	6	7	2	1.5	1	1	1	1	2	2	2	2
18-20	5	3.4	4	1	1	4	5	6	6	6	5	4.2	5	2	2	5	6	7	7	7
21-24	9	4.7	18	1	1	3	7	12	14	14	4	5.8	12	1	1	6	8	9	9	9
25-34	46	3.3	6	1	1	3	4	7	7	14	38	3.0	6	1	1	2	4	7	8	11
35-54	52	3.8	9	1	1	3	5	6	8	21	52	4.2	18	1	1	3	4	13	15	17
55-74	20	3.4	4	1	1	3	4	6	8	9	23	3.7	8	1	1	2	5	7	9	11
75 +	4	6.8	10	3	3	6	9	11	11	11	2	3.0		3	3	3	3	3	3	3
ALL AGES	156	3.6	7	1	1	3	5	7	8	14	134	3.7	10	1	1	3	5	7	11	17
B. FEMALE																				
0-12 YRS.	14	7.6	170	2	2	2	3	35	40	42	6	1.8	1	1	1	2	2	3	3	3
13-17	31	3.1	4	1	1	3	4	5	9	9	17	3.7	14	1	1	2	4	9	13	15
18-20	16	3.6	7	1	1	3	5	8	9	10	16	2.7	5	1	1	2	3	7	8	8
21-24	32	4.0	10	1	1	3	5	7	12	15	34	3.5	3	1	1	3	5	6	7	8
25-34	109	4.4	23	1	1	3	5	9	14	30	127	3.7	7	1	1	3	5	7	9	16
35-54	146	4.8	47	1	2	3	5	8	10	47	158	4.1	10	1	1	3	5	8	11	15
55-74	54	5.0	26	1	1	4	6	8	11	33	60	4.0	6	1	1	4	5	7	8	13
75 +	21	9.2	374	1	2	4	6	15	54	91	20	4.6	7	1	2	4	6	7	10	12
ALL AGES	423	4.8	51	1	1	3	5	8	11	36	438	3.9	8	1	1	3	5	7	9	15
SUBTOTAL	**579**	**4.5**	**39**	**1**	**1**	**3**	**5**	**8**	**10**	**33**	**572**	**3.8**	**9**	**1**	**1**	**3**	**5**	**7**	**9**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2										
13-17	9	5.2	81	1	1	2	3	19	29	29	2	7.5	61	2	2	7	13	13	13	13
18-20	3	3.0	7	1	1	2	5	6	6	6										
21-24	7	3.3	4	1	1	4	5	6	6	6	7	4.9	2	3	3	5	6	7	7	7
25-34	16	5.4	59	1	1	3	6	11	26	32	10	3.6	8	1	1	3	4	8	11	11
35-54	20	4.8	35	1	1	3	5	7	18	29	16	4.2	6	2	2	3	5	8	10	11
55-74	11	8.1	31	2	3	6	11	18	18	18	7	6.1	26	1	1	5	10	14	15	15
75 +	3	3.7	4	2	2	3	5	6	6	6	3	4.7	6	2	2	5	6	7	7	7
ALL AGES	71	5.1	39	1	1	3	6	9	18	31	45	4.6	11	1	2	4	5	11	12	15
B. FEMALE																				
0-12 YRS.	4	5.0	7	2	2	5	7	8	8	8	3	13.0	364	1	1	3	27	35	35	35
13-17	10	3.4	3	2	2	3	4	6	7	7	4	2.5	2	1	1	2	3	4	4	4
18-20	9	7.1	35	2	2	4	11	17	19	19	7	3.0	4	1	1	2	5	6	6	6
21-24	12	6.3	32	1	1	5	9	13	20	21	13	6.1	37	1	2	6	7	11	22	25
25-34	53	6.6	24	2	2	5	8	13	17	25	59	5.3	16	1	2	4	6	9	14	24
35-54	110	6.1	34	1	2	4	7	14	16	30	83	5.0	20	1	2	4	6	8	15	25
55-74	42	7.8	36	2	3	6	10	15	23	28	27	4.8	9	1	2	4	5	9	12	15
75 +	12	9.8	139	2	2	4	15	27	39	41	5	13.4	252	3	3	8	19	41	41	41
ALL AGES	252	6.6	35	2	2	5	8	14	17	28	201	5.3	28	1	2	4	6	9	15	30
SUBTOTAL	**323**	**6.3**	**36**	**1**	**2**	**4**	**7**	**13**	**18**	**30**	**246**	**5.2**	**25**	**1**	**2**	**4**	**6**	**9**	**14**	**26**
GRAND TOTAL	**902**	**5.1**	**39**	**1**	**1**	**4**	**6**	**10**	**14**	**32**	**818**	**4.2**	**14**	**1**	**1**	**3**	**5**	**8**	**11**	**17**

SPECIAL SYMPTOM NEC/NOS (307.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	9	3.8	16	1	1	2	5	11	13	13	4	1.8	1	1	1	2	2	3	3	3
13-17	1	2.0		2	2	2	2	2	2	2										
18-20	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
21-24	3	5.7	65	1	1	1	11	15	15	15	1	9.0		9	9	9	9	9	9	9
25-34	4	4.3	6	2	2	3	6	8	8	8	2	1.5	1	1	1	1	2	2	2	2
35-54	8	7.0	35	1	1	4	11	16	18	18	3	4.7	2	3	3	5	6	6	6	6
55-74	5	9.4	16	4	4	9	12	15	15	15	3	1.7	1	1	1	1	2	3	3	3
75 +	1	2.0		2	2	2	2	2	2	2	4	7.5	14	4	4	7	10	12	12	12
ALL AGES	32	5.6	24	1	1	4	8	14	15	18	18	3.8	11	1	1	3	5	9	11	12
B. FEMALE																				
0-12 YRS.	4	3.0	2	2	2	3	4	5	5	5	1	11.0		11	11	11	11	11	11	11
13-17	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
18-20	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
21-24																				
25-34	7	3.0	8	1	1	1	5	7	8	8										
35-54	7	6.4	171	1	1	1	3	29	36	36	4	3.3	3	2	2	3	4	6	6	6
55-74	5	5.4	5	3	3	6	7	8	8	8	5	5.0	7	2	2	5	6	9	9	9
75 +	6	14.2	599	2	2	4	8	58	64	64	7	5.0	9	2	2	3	8	9	9	9
ALL AGES	31	6.4	154	1	1	3	6	8	35	64	19	4.6	9	1	2	3	6	9	10	11
SUBTOTAL	**63**	**6.0**	**87**	**1**	**1**	**3**	**7**	**13**	**16**	**60**	**37**	**4.2**	**10**	**1**	**1**	**3**	**6**	**9**	**10**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-20	2	11.0	200	1	1	10	21	21	21	21										
21-24											2	16.0	200	6	6	16	26	26	26	26
25-34	1	1.0		1	1	1	1	1	1	1	2	1.0		1	1	1	1	1	1	1
35-54	5	7.0	34	1	1	6	12	14	14	14	5	2.8	5	1	1	2	4	6	6	6
55-74	5	9.0	109	2	2	4	13	27	27	27	2	18.5	313	6	6	18	31	31	31	31
75 +	10	9.0	41	2	3	7	13	19	24	24	2	5.5	13	3	3	5	8	8	8	8
ALL AGES	24	8.3	53	1	1	6	12	21	25	27	13	7.4	94	1	1	4	7	27	30	31
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	1	15.0		15	15	15	15	15	15	15
13-17	2	7.0	72	1	1	7	13	13	13	13										
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	2	3.0		3	3	3	3	3	3	3	2	3.5	13	1	1	3	6	6	6	6
35-54	4	4.3	15	1	1	3	7	9	9	9	1	8.0		8	8	8	8	8	8	8
55-74	8	4.5	4	2	2	4	6	7	8	8	9	2.2	2	1	1	2	3	4	4	4
75 +	3	9.0	31	4	4	8	13	15	15	15	9	5.7	17	1	1	5	7	12	15	15
ALL AGES	21	5.0	15	1	1	4	7	11	14	15	22	4.6	16	1	1	3	7	10	15	15
SUBTOTAL	**45**	**6.8**	**37**	**1**	**1**	**5**	**9**	**14**	**22**	**27**	**35**	**5.6**	**46**	**1**	**1**	**4**	**7**	**15**	**23**	**31**
GRAND TOTAL	**108**	**6.3**	**66**	**1**	**1**	**4**	**8**	**13**	**18**	**48**	**72**	**4.9**	**27**	**1**	**1**	**3**	**6**	**9**	**14**	**30**

STRESS REACT, EMOTIONAL (308.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	11.0		11	11	11	11	11	11	11
13-17	2	4.0	18	1	1	4	7	7	7	7	4	2.5	1	1	1	3	3	3	3	3
18-20	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
21-24	1	6.0		6	6	6	6	6	6	6	1	1.0		1	1	1	1	1	1	1
25-34	10	5.9	114	1	1	2	4	21	36	36	7	4.3	11	1	1	3	5	10	11	11
35-54	20	3.1	2	1	1	3	4	5	6	6	15	2.0	2	1	1	1	3	4	5	6
55-74	11	3.7	20	1	1	2	4	11	16	16	12	1.9	1	1	1	2	2	3	4	4
75 +	2	3.0	8	1	1	3	5	5	5	5	2	1.5	1	1	1	1	2	2	2	2
ALL AGES	47	3.9	30	1	1	3	4	6	9	36	43	2.5	5	1	1	2	3	5	8	11
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	6	16.2	410	1	1	5	38	45	46	46	3	1.7	1	1	1	1	2	3	3	3
18-20	5	5.0	29	1	1	4	7	14	14	14	2	1.0		1	1	1	1	1	1	1
21-24	4	2.0	1	1	1	2	3	3	3	3	2	4.5	1	4	4	4	5	5	5	5
25-34	16	4.6	36	1	1	3	5	7	20	26	21	3.0	4	1	1	3	4	6	7	7
35-54	35	4.7	21	1	1	3	6	8	17	22	37	2.3	2	1	1	2	3	5	6	6
55-74	24	3.5	6	1	1	3	5	7	9	10	38	2.7	3	1	1	2	4	4	5	9
75 +	9	4.7	12	1	2	3	5	11	13	13	8	3.8	3	1	1	4	5	6	6	6
ALL AGES	100	5.0	45	1	1	3	5	8	16	42	111	2.7	3	1	1	2	4	5	6	8
SUBTOTAL	**147**	**4.6**	**41**	**1**	**1**	**3**	**5**	**7**	**14**	**38**	**154**	**2.6**	**4**	**1**	**1**	**2**	**4**	**5**	**6**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	1	13.0		13	13	13	13	13	13	13	1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34	7	1.4	1	1	1	1	2	3	3	3	8	2.3	1	1	1	2	3	4	4	4
35-54	12	5.2	75	1	1	2	5	14	29	32	5	3.2	4	1	1	4	5	5	5	5
55-74	7	3.3	4	1	1	3	5	6	6	6	1	4.0		4	4	4	4	4	4	4
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	27	4.0	39	1	1	2	5	7	16	32	17	2.4	2	1	1	2	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	4	5.5	20	1	1	5	9	11	11	11	1	1.0		1	1	1	1	1	1	1
18-20	3	1.7	1	1	1	1	2	3	3	3	2	1.0		1	1	1	1	1	1	1
21-24	5	6.2	11	1	1	7	9	9	9	9	5	6.8	97	1	1	2	10	24	24	24
25-34	13	5.9	18	1	1	5	9	12	14	14	14	6.5	68	1	1	3	8	22	25	26
35-54	26	6.2	24	1	1	5	9	14	16	19	30	3.9	14	1	1	3	4	8	14	17
55-74	19	5.8	23	1	2	4	5	12	17	21	14	2.9	2	1	2	3	3	4	6	6
75 +	4	8.0	31	3	3	7	12	15	15	15	5	6.6	9	3	3	7	8	11	11	11
ALL AGES	74	5.9	21	1	1	5	9	12	15	21	71	4.5	27	1	1	3	5	10	17	26
SUBTOTAL	**101**	**5.4**	**26**	**1**	**1**	**4**	**7**	**12**	**14**	**26**	**88**	**4.1**	**23**	**1**	**1**	**3**	**4**	**8**	**15**	**25**
GRAND TOTAL	**248**	**4.9**	**35**	**1**	**1**	**3**	**6**	**10**	**14**	**36**	**242**	**3.2**	**11**	**1**	**1**	**2**	**4**	**6**	**8**	**22**

STRESS REACTION, FUGUE (308.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1	1	7.0		7	7	7	7	7	7	7
35-54	1	5.0		5	5	5	5	5	5	5	1	7.0		7	7	7	7	7	7	7
55-74																				
75 +																				
ALL AGES	2	3.0	8	1	1	3	5	5	5	5	3	5.0	12	1	1	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	1.0		1	1	1	1	1	1	1										
21-24																				
25-34	2	1.5	1	1	1	1	2	2	2	2										
35-54	1	1.0		1	1	1	1	1	1	1	2	1.5	1	1	1	1	2	2	2	2
55-74	2	3.5	1	3	3	3	4	4	4	4	2	2.5	1	2	2	2	3	3	3	3
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	7	1.9	1	1	1	1	3	4	4	4	5	2.4	1	1	1	2	3	4	4	4
SUBTOTAL	**9**	**2.1**	**2**	**1**	**1**	**1**	**3**	**5**	**5**	**5**	**8**	**3.4**	**6**	**1**	**1**	**3**	**5**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	12.0		12	12	12	12	12	12	12	1	4.0		4	4	4	4	4	4	4
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	1	12.0		12	12	12	12	12	12	12	2	2.5	5	1	1	2	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	3.0		3	3	3	3	3	3	3										
21-24																				
25-34																				
35-54	3	10.7	119	2	2	7	19	23	23	23	1	3.0		3	3	3	3	3	3	3
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	5	7.4	80	2	2	3	11	23	23	23	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**6**	**8.2**	**67**	**2**	**2**	**5**	**12**	**22**	**23**	**23**	**3**	**2.7**	**2**	**1**	**1**	**3**	**4**	**4**	**4**	**4**
GRAND TOTAL	**15**	**4.5**	**35**	**1**	**1**	**2**	**5**	**12**	**20**	**23**	**11**	**3.2**	**5**	**1**	**1**	**3**	**4**	**7**	**7**	**7**

STRESS REACT, PSYCHOMOT (308.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	1	11.0		11	11	11	11	11	11	11										
18-20	1	3.0		3	3	3	3	3	3	3										
21-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54											1	6.0		6	6	6	6	6	6	6
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	4	4.8	18	1	1	3	7	11	11	11	2	3.5	13	1	1	3	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	2.0		2	2	2	2	2	2	2
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +											2	8.5	5	7	7	8	10	10	10	10
ALL AGES	1	2.0		2	2	2	2	2	2	2	3	6.3	17	2	2	7	9	10	10	10
SUBTOTAL	**5**	**4.2**	**16**	**1**	**1**	**3**	**6**	**11**	**11**	**11**	**5**	**5.2**	**14**	**1**	**1**	**6**	**8**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	4.0		4	4	4	4	4	4	4
35-54	1	5.0		5	5	5	5	5	5	5										
55-74											1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	2	6.0	8	4	4	6	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74	1	41.0		41	41	41	41	41	41	41	1	8.0		8	8	8	8	8	8	8
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	2	21.5	761	2	2	21	41	41	41	41	2	5.5	13	3	3	5	8	8	8	8
SUBTOTAL	**3**	**16.0**	**471**	**2**	**2**	**5**	**32**	**41**	**41**	**41**	**4**	**5.8**	**6**	**3**	**3**	**6**	**8**	**8**	**8**	**8**
GRAND TOTAL	**8**	**8.6**	**181**	**1**	**1**	**3**	**8**	**32**	**41**	**41**	**9**	**5.4**	**10**	**1**	**1**	**6**	**8**	**9**	**10**	**10**

ACUTE STRESS REACT NEC (308.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	51.0		51	51	51	51	51	51	51	1	5.0		5	5	5	5	5	5	5
13-17	5	11.4	340	1	1	3	17	44	44	44	2	2.0	2	1	1	2	3	3	3	3
18-20	4	2.8	5	1	1	2	4	6	6	6	2	2.5	1	2	2	2	3	3	3	3
21-24	13	3.7	10	1	1	3	6	9	9	9	2	3.5	13	1	1	3	6	6	6	6
25-34	18	5.7	32	1	1	4	7	13	20	23	10	3.3	6	1	1	3	4	7	9	9
35-54	22	4.8	52	1	1	2	5	12	22	33	10	2.1	3	1	1	2	3	5	6	6
55-74	9	5.8	16	1	1	4	9	12	12	12	9	4.0	6	2	2	3	5	8	9	9
75 +	3	2.7	4	1	1	2	4	5	5	5										
ALL AGES	75	5.8	76	1	1	3	7	11	21	49	36	3.1	5	1	1	2	4	6	8	9
B. FEMALE																				
0-12 YRS.	7	11.6	216	1	1	4	21	36	39	39	1	4.0		4	4	4	4	4	4	4
13-17	16	17.8	516	1	1	5	35	61	64	64	4	2.0	1	1	1	2	3	3	3	3
18-20	8	7.1	93	1	1	3	9	24	29	29	4	3.8	17	1	1	2	6	10	10	10
21-24	14	5.3	40	1	1	3	6	11	23	26	4	2.5	3	1	1	2	4	4	4	4
25-34	45	5.7	50	1	1	3	7	14	17	39	13	2.7	3	1	1	2	4	5	6	6
35-54	32	5.5	35	1	1	3	6	15	20	25	25	3.2	6	1	1	2	4	6	8	12
55-74	16	3.6	11	1	1	3	4	6	12	15	9	5.0	40	1	1	2	7	16	17	17
75 +	3	8.3	21	4	4	8	12	13	13	13	4	3.3	4	1	1	3	5	6	6	6
ALL AGES	141	7.2	115	1	1	3	7	18	32	63	64	3.3	10	1	1	2	4	6	11	17
SUBTOTAL	**216**	**6.7**	**101**	**1**	**1**	**3**	**7**	**15**	**28**	**55**	**100**	**3.2**	**8**	**1**	**1**	**2**	**4**	**6**	**9**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	43.0	12	41	41	41	46	47	47	47										
13-17	10	16.1	405	1	1	4	37	75	98	99 +	1	5.0		5	5	5	5	5	5	5
18-20	8	9.4	103	1	1	6	14	26	30	30										
21-24	3	6.3	21	2	2	6	10	11	11	11										
25-34	27	8.3	54	1	2	5	16	20	21	23	5	8.4	77	2	2	5	13	23	23	23
35-54	36	9.1	112	1	1	5	12	25	34	39	3	4.0	1	3	3	4	5	5	5	5
55-74	4	9.5	23	3	3	10	13	14	14	14	1	22.0		22	22	22	22	22	22	22
75 +	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
ALL AGES	92	10.6	150	1	1	5	17	32	41	82	11	7.5	61	2	2	5	9	22	23	23
B. FEMALE																				
0-12 YRS.																				
13-17	22	21.1	319	1	1	20	34	51	77	99 +	4	1.8	2	1	1	1	3	4	4	4
18-20	12	12.8	155	1	1	10	20	30	39	41	3	2.0	3	1	1	1	3	4	4	4
21-24	14	15.1	200	1	1	10	20	39	48	51	4	2.3	1	1	1	2	3	3	3	3
25-34	42	9.3	111	1	1	4	15	20	35	46	7	2.4	1	1	1	3	3	4	4	4
35-54	44	10.0	111	1	1	6	14	23	37	42	17	2.7	3	1	1	2	3	6	7	7
55-74	11	5.5	26	1	1	4	8	14	17	17	6	3.8	6	1	1	3	6	7	7	7
75 +	4	4.5	10	1	1	4	7	8	8	8	4	4.3	6	2	2	4	6	7	7	7
ALL AGES	149	11.7	160	1	1	6	17	32	41	65	45	2.8	3	1	1	2	3	6	7	7
SUBTOTAL	**241**	**11.3**	**155**	**1**	**1**	**6**	**17**	**32**	**41**	**67**	**56**	**3.7**	**17**	**1**	**1**	**3**	**4**	**7**	**9**	**23**
GRAND TOTAL	**457**	**9.1**	**135**	**1**	**1**	**4**	**12**	**25**	**38**	**63**	**156**	**3.4**	**11**	**1**	**1**	**2**	**4**	**6**	**9**	**22**

STRESS REACT, MIXED DIS (308.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24	2	5.0	8	3	3	5	7	7	7	7	1	2.0		2	2	2	2	2	2	2
25-34											1	7.0		7	7	7	7	7	7	7
35-54	1	5.0		5	5	5	5	5	5	5	2	3.5	1	3	3	3	4	4	4	4
55-74	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	4	4.5	4	3	3	4	6	7	7	7	6	3.2	4	1	1	3	4	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	2.0	1	1	1	2	3	3	3	3										
35-54	2	10.0	162	1	1	10	19	19	19	19	4	3.5	9	1	1	3	6	7	7	7
55-74	1	1.0		1	1	1	1	1	1	1										
75 +	1	1.0		1	1	1	1	1	1	1	1	95.0		95	95	95	95	95	95	95
ALL AGES	7	4.0	44	1	1	1	3	16	19	19	5	21.8	1681	1	1	5	29	95	95	95
SUBTOTAL	**11**	**4.2**	**28**	**1**	**1**	**3**	**5**	**12**	**18**	**19**	**11**	**11.6**	**770**	**1**	**1**	**3**	**6**	**42**	**91**	**95**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14										
55-74																				
75 +																				
ALL AGES	1	14.0		14	14	14	14	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	1.0		1	1	1	1	1	1	1
25-34	4	11.8	171	2	2	7	20	31	31	31	2	1.0		1	1	1	1	1	1	1
35-54	2	15.0	72	9	9	15	21	21	21	21	2	7.0	18	4	4	7	10	10	10	10
55-74	3	8.3	35	4	4	6	13	15	15	15										
75 +																				
ALL AGES	9	11.3	90	2	3	9	16	27	31	31	5	3.4	15	1	1	1	5	10	10	10
SUBTOTAL	**10**	**11.6**	**80**	**2**	**3**	**9**	**15**	**26**	**31**	**31**	**5**	**3.4**	**15**	**1**	**1**	**1**	**5**	**10**	**10**	**10**
GRAND TOTAL	**21**	**7.7**	**65**	**1**	**1**	**5**	**10**	**20**	**25**	**31**	**16**	**9.1**	**532**	**1**	**1**	**3**	**6**	**10**	**69**	**95**

ACUTE STRESS REACT NOS (308.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	41.0		41	41	41	41	41	41	41										
13-17	3	2.7	4	1	1	2	4	5	5	5										
18-20	5	1.8	1	1	1	1	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
21-24	3	1.3		1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
25-34	7	8.9	243	1	1	4	6	36	44	44	6	2.5	3	1	1	2	4	5	5	5
35-54	12	1.8		1	1	2	2	3	3	3	10	3.3	8	1	1	2	6	8	9	9
55-74	4	5.3	10	2	2	5	8	9	9	9	6	1.8	1	1	1	2	2	3	3	3
75 +	3	4.7	8	3	3	3	7	8	8	8	2	8.0	2	7	7	8	9	9	9	9
ALL AGES	38	4.7	86	1	1	2	3	8	28	44	27	2.9	6	1	1	2	4	7	9	9
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	4	2.8		2	2	3	3	3	3	3										
18-20	4	5.8	11	1	1	6	8	9	9	9	2	2.0	2	1	1	2	3	3	3	3
21-24	8	6.3	37	2	2	4	8	17	20	20	2	4.5	13	2	2	4	7	7	7	7
25-34	14	2.7	7	1	1	2	3	5	10	11	4	7.3	110	1	1	2	13	23	23	23
35-54	16	2.3	1	1	1	2	3	4	5	5	12	2.9	3	1	1	3	4	5	7	7
55-74	10	2.0	1	1	1	2	3	4	4	4	6	2.7	1	2	2	2	4	4	4	4
75 +	2	5.0	8	3	3	5	7	7	7	7	1	1.0		1	1	1	1	1	1	1
ALL AGES	58	3.2	10	1	1	2	4	7	9	19	28	3.5	17	1	1	3	4	6	9	23
SUBTOTAL	**96**	**3.8**	**40**	**1**	**1**	**2**	**4**	**7**	**9**	**43**	**55**	**3.2**	**12**	**1**	**1**	**2**	**4**	**7**	**8**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-20	1	2.0		2	2	2	2	2	2	2										
21-24	7	2.0	1	1	1	2	3	4	4	4										
25-34	4	4.0	13	1	1	3	6	9	9	9	3	6.3	6	5	5	5	8	9	9	9
35-54	7	10.7	76	4	4	7	14	25	28	28	3	2.3	1	2	2	2	3	3	3	3
55-74	3	1.3		1	1	1	2	2	2	2	2	1.5	1	1	1	1	2	2	2	2
75 +																				
ALL AGES	23	5.3	39	1	1	3	6	13	19	28	8	3.6	7	1	1	3	5	8	9	9
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17											1	1.0		1	1	1	1	1	1	1
18-20	1	16.0		16	16	16	16	16	16	16										
21-24	5	4.2	7	1	1	5	6	7	7	7	4	3.3	1	2	2	3	4	5	5	5
25-34	9	8.3	58	2	2	6	11	21	26	26	4	5.8	5	3	3	5	7	9	9	9
35-54	16	11.5	169	1	1	7	18	26	42	49	9	3.7	4	1	1	3	5	7	7	7
55-74	4	6.0	25	1	1	5	9	13	13	13	4	4.8	5	3	3	4	6	8	8	8
75 +	3	7.7	54	2	2	5	13	16	16	16	2	2.5	1	2	2	2	3	3	3	3
ALL AGES	39	8.9	93	1	1	5	12	22	27	49	24	3.9	5	1	2	3	5	7	8	9
SUBTOTAL	**62**	**7.5**	**76**	**1**	**1**	**4**	**10**	**18**	**26**	**46**	**32**	**3.8**	**5**	**1**	**1**	**3**	**5**	**7**	**9**	**9**
GRAND TOTAL	**158**	**5.3**	**57**	**1**	**1**	**3**	**5**	**12**	**21**	**44**	**87**	**3.4**	**9**	**1**	**1**	**3**	**5**	**7**	**9**	**18**

BRIEF DEPRESSIVE REACT (309.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	24	17.0	201	2	4	12	22	39	47	55	1	3.0		3	3	3	3	3	3	3
13-17	223	12.0	168	1	1	8	16	29	40	72	19	6.3	81	1	1	3	6	18	29	37
18-20	145	6.6	68	1	1	4	8	13	22	46	12	6.8	142	1	1	2	4	29	37	38
21-24	148	5.0	34	1	1	3	7	12	17	33	16	9.6	271	1	1	3	7	28	52	62
25-34	380	6.0	38	1	1	4	8	13	19	36	36	3.2	11	1	1	2	4	6	7	20
35-54	367	6.8	44	1	1	5	9	15	20	33	42	3.7	14	1	1	2	4	9	12	17
55-74	124	8.8	84	1	2	6	11	19	23	51	27	5.5	69	1	1	3	6	9	16	45
75 +	45	10.2	160	1	3	6	10	21	38	73	8	5.6	26	2	2	3	8	14	16	16
ALL AGES	1456	7.6	79	1	1	5	10	17	24	44	161	5.1	67	1	1	3	5	10	20	44
B. FEMALE																				
0-12 YRS.	28	15.4	216	1	1	9	23	41	45	55	5	7.6	157	1	1	2	10	30	30	30
13-17	556	11.6	142	1	2	7	15	29	37	63	27	6.9	94	1	1	2	9	26	32	34
18-20	225	5.8	78	1	1	4	9	16	22	44	25	4.2	26	1	1	2	5	10	18	20
21-24	270	5.8	31	1	1	4	8	14	17	23	21	3.5	6	1	1	3	6	7	8	8
25-34	625	6.3	43	1	1	4	8	14	19	34	59	4.5	28	1	1	3	6	10	16	32
35-54	702	7.8	69	1	1	5	10	18	25	42	125	3.8	11	1	1	3	5	8	11	17
55-74	177	10.7	97	1	2	8	15	22	28	51	54	4.6	12	1	1	4	6	7	9	23
75 +	84	11.8	126	1	3	8	15	27	38	54	25	6.9	35	1	2	5	9	11	20	29
ALL AGES	2667	8.3	86	1	1	5	11	20	27	44	341	4.6	26	1	1	3	6	10	14	30
SUBTOTAL	**4123**	**8.1**	**83**	**1**	**1**	**5**	**10**	**19**	**26**	**44**	**502**	**4.8**	**38**	**1**	**1**	**3**	**5**	**10**	**16**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	12	23.9	333	3	6	20	35	52	61	63	1	2.0		2	2	2	2	2	2	2
13-17	192	15.6	290	2	2	10	21	42	55	99 +	9	8.4	212	1	1	2	6	33	46	46
18-20	157	7.7	53	1	1	6	11	16	22	38	15	4.2	25	1	1	2	5	6	17	21
21-24	232	7.9	68	1	1	6	10	17	25	39	14	4.3	58	1	1	2	4	9	25	30
25-34	547	7.5	51	1	1	5	10	17	21	33	55	4.9	38	1	1	3	5	13	21	30
35-54	453	7.7	43	1	1	6	10	16	21	33	37	4.1	21	1	1	3	5	8	12	26
55-74	83	11.5	100	1	2	9	15	24	31	49	11	4.0	11	1	1	4	6	9	12	12
75 +	21	12.8	50	3	3	13	18	25	59	99 +	4	6.0	47	1	1	3	10	16	16	16
ALL AGES	1697	8.9	91	1	1	6	12	20	27	49	146	4.7	42	1	1	3	5	11	21	31
B. FEMALE																				
0-12 YRS.	12	27.8	288	3	4	28	39	52	55	56	1	4.0		4	4	4	4	4	4	4
13-17	323	15.4	231	1	2	10	21	38	51	74	14	5.2	30	1	1	3	9	19	80	99 +
18-20	209	8.8	83	1	1	6	10	18	26	48	11	4.3	36	1	1	3	4	12	21	22
21-24	267	8.6	96	1	1	6	10	19	28	54	17	6.2	72	1	1	3	5	22	27	29
25-34	693	8.9	89	1	1	6	12	19	25	45	52	5.2	33	1	1	4	6	9	17	30
35-54	574	8.4	81	1	1	6	10	17	25	41	74	5.6	36	1	1	4	6	12	23	29
55-74	148	10.7	101	1	2	8	15	22	29	49	25	4.3	7	1	1	4	5	9	9	10
75 +	46	11.7	63	2	2	9	18	25	27	30	6	3.7	4	1	1	3	6	6	6	6
ALL AGES	2272	9.9	116	1	2	7	12	22	30	57	200	5.2	33	1	1	4	6	10	20	30
SUBTOTAL	**3969**	**9.5**	**105**	**1**	**1**	**6**	**12**	**21**	**29**	**56**	**346**	**5.0**	**36**	**1**	**1**	**3**	**5**	**10**	**21**	**30**
GRAND TOTAL	**8092**	**8.8**	**94**	**1**	**1**	**6**	**11**	**20**	**28**	**50**	**848**	**4.9**	**37**	**1**	**1**	**3**	**5**	**10**	**17**	**32**

PROLONG DEPRESSIVE REACT (309.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	8	21.5	802	1	3	8	29	72	83	83	1	1.0		1	1	1	1	1	1	1
18-20	6	5.2	13	1	1	5	9	9	9	9										
21-24	4	13.0	429	1	1	3	24	44	44	44	1	13.0		13	13	13	13	13	13	13
25-34	16	6.1	14	1	2	6	8	12	13	14	5	2.8	4	1	1	2	4	6	6	6
35-54	31	11.4	132	1	1	8	14	31	41	42	5	5.2	5	2	2	5	6	8	8	8
55-74	9	15.0	331	3	4	8	17	45	61	61	2	4.5	1	4	4	4	5	5	5	5
75 +	3	6.0	9	3	3	6	8	9	9	9	2	4.0	2	3	3	4	5	5	5	5
ALL AGES	78	11.1	201	1	1	7	11	24	43	77	16	4.4	10	1	1	4	6	8	11	13
B. FEMALE																				
0-12 YRS.	1	61.0		61	61	61	61	61	61	61										
13-17	18	13.8	136	1	1	12	19	30	37	42	4	14.0	129	2	2	12	22	29	29	29
18-20	7	21.0	569	1	1	12	36	59	64	64	2	4.5	5	3	3	4	6	6	6	6
21-24	10	14.8	336	1	2	7	16	48	53	53	1	4.0		4	4	4	4	4	4	4
25-34	28	11.9	134	2	3	7	15	28	45	45	6	7.8	123	1	1	3	7	28	30	30
35-54	46	12.7	155	1	1	10	17	22	34	69	18	5.3	35	1	1	3	5	11	21	26
55-74	27	8.8	27	3	3	8	14	16	17	18	10	8.7	64	2	2	5	14	21	28	28
75 +	6	7.2	25	3	3	6	9	15	16	16	7	8.3	20	3	3	8	12	14	14	14
ALL AGES	143	12.6	167	1	2	9	16	29	44	64	48	7.4	56	1	2	4	9	15	28	30
SUBTOTAL	**221**	**12.1**	**178**	**1**	**2**	**8**	**15**	**28**	**44**	**65**	**64**	**6.7**	**45**	**1**	**2**	**4**	**8**	**14**	**27**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	25.5	265	14	14	25	37	37	37	37										
13-17	11	13.5	106	2	2	10	24	27	28	28	1	1.0		1	1	1	1	1	1	1
18-20	9	13.4	376	3	3	3	15	47	61	61	1	2.0		2	2	2	2	2	2	2
21-24	7	7.7	46	1	1	7	9	19	21	21	1	2.0		2	2	2	2	2	2	2
25-34	31	10.9	107	1	2	7	15	25	32	45	6	8.5	87	2	2	5	8	25	27	27
35-54	33	8.8	108	1	1	7	10	18	25	56										
55-74	8	15.3	24	5	7	16	19	20	21	21	4	6.0	18	3	3	5	9	12	12	12
75 +	3	4.7	21	2	2	2	8	10	10	10	1	2.0		2	2	2	2	2	2	2
ALL AGES	104	11.0	120	1	2	7	15	25	29	58	14	5.9	45	1	2	3	6	13	24	27
B. FEMALE																				
0-12 YRS.																				
13-17	19	10.7	62	2	3	9	14	22	29	32	1	6.0		6	6	6	6	6	6	6
18-20	10	13.6	149	5	5	9	12	36	40	40	2	6.0	8	4	4	6	8	8	8	8
21-24	6	16.8	250	2	2	10	35	38	38	38	4	10.5	227	2	2	4	19	33	33	33
25-34	45	15.0	220	1	2	10	19	45	48	61	6	9.3	113	1	1	7	9	28	30	30
35-54	59	11.1	154	2	3	8	11	25	29	77	10	12.2	72	3	3	11	17	24	29	29
55-74	11	13.2	130	1	2	8	21	29	35	36	13	7.8	52	1	1	7	8	15	27	30
75 +	8	9.4	53	4	4	7	12	22	25	25	1	28.0		28	28	28	28	28	28	28
ALL AGES	158	12.6	157	2	2	9	16	29	39	60	37	9.9	84	1	2	7	12	29	30	33
SUBTOTAL	**262**	**12.0**	**142**	**1**	**2**	**8**	**16**	**26**	**36**	**60**	**51**	**8.8**	**76**	**1**	**2**	**6**	**9**	**27**	**30**	**33**
GRAND TOTAL	**483**	**12.0**	**159**	**1**	**2**	**8**	**15**	**26**	**41**	**61**	**115**	**7.6**	**60**	**1**	**2**	**5**	**8**	**17**	**29**	**31**

ADJUST REACT/OTH EMOTION (309.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	33	20.5	434	1	2	12	30	42	76	85		4	13.5	417	2	2	4	25	44	44	44
13-17	139	12.5	149	1	1	9	17	34	42	47		10	20.5	675	1	1	8	29	65	77	77
18-20	66	5.0	34	1	1	3	7	12	13	35		2	1.0		1	1	1	1	1	1	1
21-24	56	7.5	66	1	1	4	10	18	30	33		4	4.0	12	1	1	3	6	9	9	9
25-34	147	6.3	32	1	1	5	9	12	17	26		10	5.4	82	1	1	3	5	59	96	99+
35-54	141	6.9	46	1	1	5	9	15	21	35		21	7.1	99	1	1	3	5	30	30	30
55-74	45	10.6	94	1	2	9	13	19	29	57		7	12.0	92	2	2	10	19	26	28	28
75 +	11	9.6	31	1	3	9	13	17	21	21		4	3.3		2	2	3	4	4	4	4
ALL AGES	638	8.8	103	1	1	6	11	20	31	45		62	9.3	208	1	1	3	10	30	47	97
B. FEMALE																					
0-12 YRS.	32	12.5	142	1	2	10	15	39	45	99+		5	35.4	1110	2	2	35	65	75	75	75
13-17	218	13.1	195	1	1	8	20	34	42	67		17	10.7	284	1	1	3	22	55	86	99+
18-20	76	7.8	84	1	1	5	9	17	26	52		10	5.6	77	1	1	2	4	20	29	29
21-24	90	6.3	30	1	1	4	10	14	18	25		9	2.9	4	1	1	2	4	6	7	7
25-34	216	6.8	49	1	1	4	9	15	21	34		35	8.3	126	1	1	3	7	30	31	32
35-54	293	8.1	67	1	1	5	11	18	26	37		53	15.3	158	2	2	9	29	31	32	39
55-74	103	8.9	41	1	2	7	13	19	23	61		20	9.4	99	1	2	5	12	29	31	32
75 +	33	9.8	72	1	3	7	12	19	31	37		12	5.5	11	1	2	5	7	11	11	11
ALL AGES	1061	8.9	94	1	1	6	11	22	30	45		161	11.1	187	1	1	4	17	31	32	74
SUBTOTAL	**1699**	**8.9**	**96**	**1**	**1**	**6**	**11**	**21**	**30**	**45**		**223**	**10.6**	**193**	**1**	**1**	**4**	**14**	**31**	**32**	**83**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	34	28.4	375	4	4	30	42	48	52	87		1	2.0		2	2	2	2	2	2	2
13-17	101	18.0	311	2	3	13	28	44	57	95		3	18.7	112	7	7	21	26	28	28	28
18-20	61	9.0	79	1	1	7	12	22	27	43		5	11.8	185	1	1	7	18	35	35	35
21-24	73	8.6	77	1	1	6	9	19	29	45		2	10.0	2	9	9	10	11	11	11	11
25-34	204	7.6	59	1	2	5	10	17	24	32		29	6.3	84	1	1	3	5	22	30	34
35-54	180	7.9	55	1	1	6	10	19	26	33		27	13.4	134	1	1	12	26	30	31	31
55-74	44	9.0	32	3	4	7	11	18	22	26		9	18.0	195	1	1	16	30	35	39	39
75 +	2	14.0	98	7	7	21	80	99+	99+	99+											
ALL AGES	699	10.6	138	1	2	7	13	27	35	58		76	11.1	131	1	1	5	19	30	31	38
B. FEMALE																					
0-12 YRS.	14	29.2	642	1	1	23	48	91	98	99+		2	4.0	18	1	1	4	7	7	7	7
13-17	147	15.5	191	2	2	11	23	35	41	61		7	15.3	519	1	1	3	48	86	99+	99+
18-20	68	9.1	73	1	1	7	14	19	30	90		7	17.0	663	1	1	5	25	62	70	70
21-24	103	10.7	131	1	1	7	13	25	30	57		8	5.9	96	1	1	3	4	22	30	30
25-34	287	8.7	69	1	1	6	11	20	25	36		26	14.1	266	1	1	5	28	30	38	69
35-54	281	9.4	59	1	1	8	13	19	23	37		57	15.5	147	1	2	12	29	30	31	31
55-74	74	12.1	100	1	2	9	19	26	29	44		7	7.0	105	1	1	3	5	25	30	30
75 +	20	11.6	45	2	4	10	15	22	25	27		1	1.0		1	1	1	1	1	1	1
ALL AGES	994	10.7	111	1	2	8	14	24	32	56		115	13.8	215	1	1	6	28	30	32	80
SUBTOTAL	**1693**	**10.7**	**121**	**1**	**2**	**7**	**14**	**25**	**33**	**57**		**191**	**12.7**	**183**	**1**	**1**	**5**	**28**	**30**	**31**	**70**
GRAND TOTAL	**3392**	**9.8**	**109**	**1**	**1**	**6**	**13**	**23**	**32**	**54**		**414**	**11.6**	**188**	**1**	**1**	**5**	**24**	**30**	**32**	**76**

ADJUST REACT-CONDUCT DIS (309.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	17	25.1	305	2	4	23	39	52	58	60	1	26.0		26	26	63	99 +	99 +	99 +	99 +
13-17	46	17.4	335	2	2	13	23	42	69	99 +	6	13.5	145	1	1	14	29	86	99 +	99 +
18-20	12	4.8	16	1	1	3	8	10	13	14	2	2.0	2	1	1	1	3	3	3	3
21-24	10	8.1	82	1	1	4	19	22	23	23	2	1.5	1	1	1	1	2	2	2	2
25-34	12	7.3	87	1	1	5	10	18	32	34	5	8.2	99	1	1	2	16	23	23	23
35-54	10	5.5	33	1	1	3	8	15	18	18	2	13.5	265	2	2	13	25	25	25	25
55-74	1	2.0		2	2	2	2	2	2	2	4	5.8	55	2	2	2	10	17	17	17
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	109	14.0	255	1	1	8	20	36	50	99	22	9.3	108	1	1	3	23	38	99 +	99 +
B. FEMALE																				
0-12 YRS.	5	13.2	97	3	3	14	21	26	26	26	1	11.0		11	11	11	11	11	11	11
13-17	37	17.0	322	1	1	10	25	39	56	76	7	20.3	771	2	2	13	16	69	82	82
18-20	3	7.7	69	1	1	5	14	17	17	17	1	6.0		6	6	6	6	6	6	6
21-24	3	11.0	84	3	3	9	18	21	21	21	1	2.0		2	2	2	2	2	2	2
25-34	10	5.5	20	1	1	4	8	12	14	14	1	1.0		1	1	1	1	1	1	1
35-54	9	8.4	321	1	1	2	4	36	56	56	2	7.5	61	2	2	7	13	13	13	13
55-74	3	5.3	3	4	4	5	6	7	7	7										
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	71	12.7	239	1	1	7	16	36	49	72	13	13.6	453	1	2	11	14	29	72	82
SUBTOTAL	**180**	**13.5**	**248**	**1**	**1**	**8**	**20**	**36**	**50**	**91**	**35**	**10.9**	**231**	**1**	**1**	**6**	**16**	**30**	**94**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	15	29.2	254	6	9	31	41	53	54	54	1	53.0		53	53	53	53	53	53	53
13-17	37	14.3	192	2	2	8	28	40	46	99 +	3	2.7	8	1	1	1	5	6	6	6
18-20	3	10.3	147	1	1	6	19	24	24	24										
21-24	11	6.6	69	1	2	5	6	17	30	31	4	5.0	54	1	1	1	9	16	16	16
25-34	14	5.0	33	1	1	3	5	12	20	22	4	2.0	2	1	1	2	3	4	4	4
35-54	16	6.6	39	1	1	5	8	14	22	25	1	2.0		2	2	2	2	2	2	2
55-74	8	7.8	37	1	1	7	13	16	17	17	2	2.0		2	2	2	2	2	2	2
75 +	5	15.0	141	4	4	15	20	34	34	34	1	4.0		4	4	4	4	4	4	4
ALL AGES	109	12.7	181	1	1	7	18	35	43	72	16	6.2	170	1	1	2	4	15	42	53
B. FEMALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30	1	5.0		5	5	5	5	5	5	5
13-17	23	14.2	118	3	5	10	28	38	99 +	99 +	1	40.0		40	40	40	40	40	40	40
18-20	3	7.3	35	3	3	5	12	14	14	14	1	2.0		2	2	2	2	2	2	2
21-24	3	3.0	1	2	2	3	4	4	4	4										
25-34	10	7.7	39	1	1	8	14	16	17	17	1	2.0		2	2	2	2	2	2	2
35-54	8	4.5	18	1	1	3	6	12	14	14	1	18.0		18	18	18	18	18	18	18
55-74	4	10.0	59	3	3	8	16	20	20	20										
75 +	2	11.0	32	7	7	11	15	15	15	15										
ALL AGES	54	10.4	88	1	2	8	15	30	37	99 +	5	13.4	265	2	2	5	23	40	40	40
SUBTOTAL	**163**	**11.9**	**151**	**1**	**2**	**7**	**16**	**34**	**42**	**99 +**	**21**	**7.9**	**190**	**1**	**1**	**2**	**5**	**27**	**46**	**53**
GRAND TOTAL	**343**	**12.8**	**200**	**1**	**1**	**8**	**18**	**35**	**45**	**99 +**	**56**	**9.8**	**214**	**1**	**1**	**3**	**15**	**29**	**70**	**99 +**

ADJ REACT-EMOTION/CONDUC (309.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	38	21.2	227	1	2	24	32	45	53	99+		2	22.0	882	1	1	22	43	43	43	43
13-17	129	18.9	340	1	2	14	28	47	70	99+		5	10.0	44	4	4	15	79	99+	99+	99+
18-20	35	5.4	38	1	1	3	6	15	22	24		2	49.5	4513	2	2	49	97	97	97	97
21-24	28	8.5	52	1	1	6	12	16	18	36		3	8.3	121	2	2	2	16	21	21	21
25-34	69	7.7	110	1	1	3	9	19	38	45		14	6.4	33	1	2	4	6	17	19	20
35-54	52	7.2	66	1	1	4	8	18	25	42		6	4.8	7	2	2	5	6	9	9	9
55-74	9	6.0	35	1	1	4	7	16	20	20		1	6.0		6	6	6	6	6	6	6
75 +	4	8.8	34	4	4	7	13	17	17	17											
ALL AGES	364	12.8	220	1	1	7	18	36	46	98		33	10.4	314	1	2	5	14	43	99	99+
B. FEMALE																					
0-12 YRS.	27	21.4	427	2	5	14	32	55	97	99+		4	10.0	91	2	2	9	18	21	21	21
13-17	237	20.6	300	2	3	16	31	43	53	81		15	14.1	381	1	1	4	26	41	57	63
18-20	32	8.1	93	1	1	4	10	23	30	40		1	1.0		1	1	1	1	1	1	1
21-24	42	7.5	59	1	1	5	10	19	22	35		5	1.2		1	1	1	1	2	2	2
25-34	80	8.9	121	1	1	5	12	19	24	56		11	2.7	8	1	1	2	3	8	10	10
35-54	90	8.9	71	1	2	6	14	19	22	47		9	7.0	16	2	2	9	10	12	12	12
55-74	27	10.6	111	1	1	8	16	19	33	47		3	4.3	9	1	1	6	6	6	6	6
75 +	6	14.7	219	3	3	10	17	40	43	43		1	3.0		3	3	3	3	3	3	3
ALL AGES	541	14.6	235	1	2	9	20	36	47	79		49	7.5	147	1	1	3	9	19	38	63
SUBTOTAL	**905**	**13.9**	**229**	**1**	**1**	**8**	**19**	**36**	**46**	**89**		**82**	**8.7**	**213**	**1**	**1**	**4**	**9**	**22**	**49**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	25	23.8	332	2	7	19	37	49	60	73		2	46.5	2813	9	9	46	84	84	84	84
13-17	100	19.3	313	2	3	14	29	42	62	71		4	31.8	960	2	2	32	58	61	61	61
18-20	27	10.8	121	1	2	6	15	24	39	42											
21-24	56	5.7	61	1	1	3	6	14	24	43		6	3.7	8	1	1	3	5	9	9	9
25-34	129	8.0	55	1	1	6	10	18	24	36		18	6.2	24	1	2	5	8	13	18	20
35-54	67	8.5	56	1	1	6	13	17	21	40		13	3.8	6	1	1	4	6	7	8	8
55-74	19	12.4	95	1	3	9	16	22	36	45		1	3.0		3	3	3	3	3	3	3
75 +	10	7.7	38	1	2	5	13	17	18	18											
ALL AGES	433	11.7	167	1	2	7	15	28	40	64		44	9.3	273	1	1	4	8	15	57	84
B. FEMALE																					
0-12 YRS.	9	23.9	155	2	6	29	36	69	99+	99+		2	36.0	2450	1	1	36	71	71	71	71
13-17	145	19.1	321	2	3	14	29	42	55	94		4	8.5	12	5	5	8	11	13	13	13
18-20	30	8.6	54	1	1	6	15	20	24	24		4	11.8	87	1	1	11	19	23	23	23
21-24	48	7.4	34	1	2	5	10	17	19	23		7	8.0	21	4	4	6	12	15	15	15
25-34	124	7.8	100	1	1	5	9	16	27	50		9	9.6	163	1	1	3	14	31	40	40
35-54	101	9.3	90	1	2	7	12	18	23	54		4	3.8	1	2	2	4	5	5	5	5
55-74	35	11.2	169	1	2	6	11	30	44	53		5	4.2	7	3	3	3	5	9	9	9
75 +	9	16.1	105	4	5	14	25	31	31	31		1	27.0		27	27	27	27	27	27	27
ALL AGES	501	12.1	182	1	2	7	16	30	39	81		36	9.9	179	1	2	5	13	22	36	71
SUBTOTAL	**934**	**11.9**	**175**	**1**	**2**	**7**	**15**	**30**	**39**	**68**		**80**	**9.6**	**228**	**1**	**1**	**5**	**9**	**19**	**48**	**80**
GRAND TOTAL	**1839**	**12.9**	**202**	**1**	**1**	**7**	**17**	**33**	**43**	**75**		**162**	**9.1**	**220**	**1**	**1**	**4**	**9**	**21**	**47**	**99**

OTHER ADJUST REACTION (309.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	11	21.0	331	2	2	17	39	46	48	48										
13-17	15	9.1	53	1	1	6	16	18	22	24	3	20.3	286	1	1	28	31	32	32	32
18-20	8	3.4	6	1	1	3	5	7	8	8										
21-24	7	4.0	14	1	1	3	6	10	11	11	1	1.0		1	1	1	1	1	1	1
25-34	15	7.7	58	1	1	5	10	15	27	31	3	3.3	3	2	2	3	4	5	5	5
35-54	23	12.0	150	1	1	9	19	34	64	99+	7	6.7	63	1	1	3	9	21	23	23
55-74	4	7.8	57	1	1	6	13	18	18	18										
75 +											2	9.0	18	6	6	9	12	12	12	12
ALL AGES	83	10.2	129	1	1	5	14	28	43	83	16	8.6	103	1	1	4	11	27	31	32
B. FEMALE																				
0-12 YRS.	6	9.0	163	1	1	2	14	31	33	33	2	16.0	338	3	3	16	29	29	29	29
13-17	44	10.5	107	1	1	6	13	28	32	37	6	10.3	363	1	1	2	6	45	49	49
18-20	5	4.2	17	1	1	2	8	10	10	10	1	1.0		1	1	1	1	1	1	1
21-24	6	10.8	220	1	1	3	18	36	38	38										
25-34	33	13.2	153	1	2	11	18	29	33	60	3	3.0	3	1	1	4	4	4	4	4
35-54	38	14.6	204	1	2	10	19	38	55	99+	6	7.0	19	2	2	7	9	13	14	14
55-74	1	1.0		1	1	1	1	1	1	1	2	2.5	5	1	1	2	4	4	4	4
75 +	3	7.3	47	2	2	5	12	15	15	15										
ALL AGES	136	11.9	148	1	1	8	15	31	37	70	20	7.6	136	1	1	3	7	21	39	49
SUBTOTAL	**219**	**11.2**	**142**	**1**	**1**	**7**	**15**	**31**	**37**	**75**	**36**	**8.0**	**119**	**1**	**1**	**4**	**8**	**27**	**31**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	8.8	108	1	1	5	12	27	27	27	3	5.3	15	1	1	7	8	8	8	8
13-17	25	21.1	430	2	3	14	34	57	90	99+	1	1.0		1	1	1	1	1	1	1
18-20	5	11.0	118	1	1	7	19	27	27	27	2	2.0	2	1	1	2	3	3	3	3
21-24	2	5.0	32	1	1	5	9	9	9	9	3	2.7	1	2	2	2	4	4	4	4
25-34	33	13.5	175	1	1	11	18	25	46	62	5	2.4	2	1	1	2	3	5	5	5
35-54	76	11.9	146	1	1	8	16	29	39	54	1	1.0		1	1	1	1	1	1	1
55-74	9	14.3	236	2	4	9	16	39	53	53										
75 +	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
ALL AGES	156	13.6	205	1	1	9	19	33	45	86	16	2.7	5	1	1	2	3	7	8	8
B. FEMALE																				
0-12 YRS.	7	27.3	887	4	6	20	63	97	99+	99+										
13-17	38	20.5	400	3	3	14	29	49	83	99+	1	8.0		8	8	8	8	8	8	8
18-20	9	21.2	719	2	2	14	22	63	90	90	3	7.7	44	2	2	6	13	15	15	15
21-24	12	13.1	154	2	3	9	16	31	45	47										
25-34	35	17.2	346	2	2	8	23	49	62	67	3	6.7	6	4	4	7	8	9	9	9
35-54	47	15.4	242	2	2	11	22	26	38	98	2	12.0	162	3	3	12	21	21	21	21
55-74	7	17.7	448	3	3	10	25	55	61	61										
75 +	2	11.5	41	7	7	11	16	16	16	16	2	3.0	8	1	1	3	5	5	5	5
ALL AGES	157	17.8	351	2	3	12	24	46	67	99+	11	7.4	35	1	2	6	9	17	21	21
SUBTOTAL	**313**	**15.7**	**282**	**1**	**2**	**10**	**22**	**37**	**52**	**99**	**27**	**4.6**	**22**	**1**	**1**	**3**	**7**	**9**	**16**	**21**
GRAND TOTAL	**532**	**13.9**	**227**	**1**	**1**	**9**	**19**	**33**	**47**	**98**	**63**	**6.5**	**80**	**1**	**1**	**3**	**7**	**16**	**28**	**47**

ADJUSTMENT REACTION NOS (309.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	12.3	292	1	1	7	14	38	58	58	3	3.0	7	1	1	2	5	6	6	6
13-17	78	11.1	187	1	1	4	17	30	47	89	17	22.9	452	1	2	18	33	49	68	78
18-20	25	6.5	106	1	1	3	6	12	32	48	9	5.2	103	1	1	1	4	21	32	32
21-24	20	4.2	17	1	1	3	6	10	14	16	1	4.0		4	4	4	4	4	4	4
25-34	32	4.2	26	1	1	2	4	10	12	27	3	12.7	280	2	2	4	25	32	32	32
35-54	35	5.4	41	1	1	3	8	10	14	36	5	6.4	46	2	2	3	10	18	18	18
55-74	6	6.8	100	1	1	3	4	25	27	27	3	4.7	14	2	2	3	7	9	9	9
75 +	3	4.3	9	1	1	6	6	6	6	6										
ALL AGES	209	7.7	119	1	1	3	9	22	30	61	41	13.0	297	1	1	4	19	35	48	78
B. FEMALE																				
0-12 YRS.	17	12.1	192	1	1	7	14	39	43	44	1	1.0		1	1	50	99 +	99 +	99 +	99 +
13-17	109	8.9	106	1	1	4	13	27	33	39	30	5.8	45	1	1	3	8	17	22	22
18-20	34	6.4	93	1	1	3	8	12	36	41	10	4.0	35	1	1	2	5	13	20	20
21-24	27	6.2	49	1	1	3	7	19	24	25	6	2.0	2	1	1	1	2	5	5	5
25-34	70	5.1	26	1	1	3	7	11	17	24	14	3.6	9	1	1	2	5	8	10	11
35-54	63	5.2	19	1	1	3	7	12	15	17	18	4.1	27	1	1	2	4	8	17	23
55-74	17	11.9	147	1	2	7	18	27	41	48	7	6.3	41	1	1	4	7	17	20	20
75 +	5	8.2	51	2	2	4	14	19	19	19	1	1.0		1	1	1	1	1	1	1
ALL AGES	342	7.3	76	1	1	4	10	18	29	41	87	4.5	31	1	1	2	5	15	20	71
SUBTOTAL	**551**	**7.4**	**93**	**1**	**1**	**4**	**9**	**19**	**30**	**48**	**128**	**7.3**	**129**	**1**	**1**	**3**	**7**	**22**	**32**	**83**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	16	18.2	202	3	4	13	24	46	49	49	1	2.0		2	2	2	2	2	2	2
13-17	75	16.8	216	1	1	12	28	40	45	57	6	2.0	3	1	1	1	3	5	5	5
18-20	44	8.2	84	1	1	5	12	24	30	35	6	1.8	2	1	1	1	3	4	4	4
21-24	49	6.1	41	1	1	3	9	14	23	25	1	2.0		2	2	2	2	2	2	2
25-34	86	6.7	94	1	1	3	7	16	24	57	13	5.5	38	1	1	2	12	14	18	19
35-54	57	7.6	74	1	1	3	10	23	28	36	11	4.4	12	1	1	4	4	11	12	12
55-74	13	8.0	40	1	1	8	10	17	22	23	2	10.0	50	5	5	10	15	15	15	15
75 +	4	1.8	2	1	1	1	3	4	4	4	2	3.5	13	1	1	3	6	6	6	6
ALL AGES	344	9.7	129	1	1	5	13	27	35	49	42	4.1	20	1	1	2	4	12	14	19
B. FEMALE																				
0-12 YRS.	11	20.0	142	4	5	25	29	57	94	99 +	1	1.0		1	1	1	1	1	1	1
13-17	96	13.1	196	1	2	6	22	30	40	94	13	7.3	130	1	1	2	6	30	32	33
18-20	44	5.8	40	1	1	3	8	15	18	29	4	4.0	29	1	1	2	7	12	12	12
21-24	48	5.6	22	1	1	5	8	12	16	19	7	8.3	123	1	1	3	12	28	31	31
25-34	104	5.8	28	1	1	4	8	14	17	23	6	4.5	16	1	1	3	7	11	11	11
35-54	109	7.0	58	1	1	4	8	19	25	34	24	5.1	34	1	1	3	5	12	18	27
55-74	25	7.7	24	1	2	7	11	14	17	18	6	4.8	13	1	1	4	8	10	10	10
75 +	9	7.1	27	2	2	5	12	15	15	15	1	8.0		8	8	8	8	8	8	8
ALL AGES	446	8.1	86	1	1	5	10	21	29	45	62	5.8	56	1	1	3	7	14	28	33
SUBTOTAL	**790**	**8.8**	**105**	**1**	**1**	**5**	**12**	**24**	**30**	**48**	**104**	**5.1**	**42**	**1**	**1**	**3**	**5**	**12**	**18**	**32**
GRAND TOTAL	**1341**	**8.2**	**101**	**1**	**1**	**4**	**11**	**22**	**30**	**48**	**232**	**6.3**	**91**	**1**	**1**	**3**	**6**	**17**	**28**	**55**

FRONTAL LOBE SYNDROME (310.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-20											1	4.0		4	4	4	4	4	4	4
21-24	1	30.0		30	30	30	30	30	30	30										
25-34											1	5.0		5	5	5	5	5	5	5
35-54											1	3.0		3	3	3	3	3	3	3
55-74	4	8.0	15	5	5	7	11	13	13	13	3	8.0	13	5	5	7	11	12	12	12
75 +											1	18.0		18	18	18	18	18	18	18
ALL AGES	6	11.2	94	5	5	7	13	28	30	30	7	7.7	29	3	3	5	11	17	18	18
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	2	10.0	18	7	7	10	13	13	13	13										
55-74	1	13.0		13	13	13	13	13	13	13	2	13.0	2	12	12	13	14	14	14	14
75 +	2	10.0	8	8	8	10	12	12	12	12	1	10.0		10	10	10	10	10	10	10
ALL AGES	6	9.7	11	5	5	10	13	13	13	13	3	12.0	4	10	10	12	13	14	14	14
SUBTOTAL	**12**	**10.4**	**50**	**5**	**5**	**8**	**13**	**18**	**28**	**30**	**10**	**9.0**	**25**	**3**	**3**	**8**	**12**	**16**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	1	24.0		24	24	24	24	24	24	24										
75 +																				
ALL AGES	2	13.5	221	3	3	13	24	24	24	24										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	2	26.0	72	20	20	26	32	32	32	32										
35-54																				
55-74	2	25.5	613	8	8	25	43	43	43	43										
75 +	3	8.7		8	8	8	10	10	10	10										
ALL AGES	8	16.5	199	3	4	9	26	40	43	43										
SUBTOTAL	**10**	**15.9**	**181**	**3**	**3**	**9**	**24**	**37**	**43**	**43**										
GRAND TOTAL	**22**	**12.9**	**112**	**3**	**4**	**9**	**13**	**31**	**36**	**43**	**10**	**9.0**	**25**	**3**	**3**	**8**	**12**	**16**	**18**	**18**

Total U.S. January - December 1986

ORGANIC PERSONALITY SYND (310.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	42.8	52	36	36	41	46	54	55	55										
13-17	4	29.0	744	3	3	27	52	59	59	59	3	30.7	563	5	5	35	48	52	52	52
18-20	2	13.5	313	1	1	13	26	26	26	26	1	8.0		8	8	8	8	8	8	8
21-24	7	16.9	123	2	2	19	21	32	35	35	1	34.0		34	34	34	34	34	34	34
25-34	8	20.9	338	4	5	15	31	51	58	58	1	1.0		1	1	1	1	1	1	1
35-54	19	12.6	154	1	1	9	23	33	38	40	3	37.3	965	6	6	38	60	68	68	68
55-74	34	13.7	140	2	2	9	22	32	48	99+	7	3.7	5	1	1	5	6	6	6	6
75 +	27	8.3	48	1	2	7	10	17	27	30	13	6.5	17	2	3	5	9	13	15	16
ALL AGES	107	15.1	204	2	2	9	25	37	47	76	29	12.3	278	1	1	6	11	37	53	68
B. FEMALE																				
0-12 YRS.	2	11.5	221	1	1	11	22	22	22	22										
13-17	2	32.0	882	11	11	32	53	53	53	53										
18-20																				
21-24	5	34.2	1360	2	2	18	74	74	74	74										
25-34	9	19.2	296	6	7	11	25	49	56	56	4	24.3	800	2	2	15	44	64	64	64
35-54	7	13.3	95	5	5	10	15	30	34	34	3	8.3	22	3	3	11	11	11	11	11
55-74	26	15.1	189	3	5	10	21	29	48	62	8	5.5	23	1	1	4	7	14	16	16
75 +	49	12.3	161	2	2	7	16	28	34	69	24	6.3	16	2	2	6	10	15	99+	99+
ALL AGES	100	15.2	252	2	3	9	20	33	54	74	39	8.1	110	1	2	6	10	20	80	99+
SUBTOTAL	**207**	**15.1**	**227**	**2**	**2**	**9**	**21**	**36**	**53**	**74**	**68**	**9.9**	**182**	**1**	**2**	**6**	**11**	**34**	**64**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	4	47.0	686	12	12	51	65	74	74	74										
18-20	2	5.5	25	2	2	5	9	9	9	9										
21-24	4	19.5	883	3	3	5	35	64	64	64	2	6.5	1	6	6	6	7	7	7	7
25-34	7	9.9	78	2	2	5	15	24	26	26	6	13.7	264	1	1	5	28	39	40	40
35-54	23	13.8	130	1	3	11	20	28	41	44	8	10.9	237	2	2	5	10	37	48	48
55-74	18	12.9	151	2	3	9	20	42	77	99+	7	8.0	21	2	2	7	11	14	15	15
75 +	12	9.5	57	2	2	9	18	37	88	99+	6	17.8	852	3	3	6	12	70	77	77
ALL AGES	71	14.3	234	2	2	9	20	44	63	99+	29	11.9	277	2	2	6	12	35	49	77
B. FEMALE																				
0-12 YRS.	3	25.3	229	11	11	24	37	41	41	41										
13-17																				
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4	1	25.0		25	25	25	25	25	25	25
25-34	4	11.8	43	5	5	10	16	21	21	21	1	6.0		6	6	6	6	6	6	6
35-54	4	18.5	38	11	11	18	22	26	26	26										
55-74	11	20.8	342	2	3	17	25	54	56	56	5	4.4	12	1	1	4	6	10	10	10
75 +	16	12.4	65	2	3	12	18	25	26	27	2	6.5	13	4	4	6	9	9	9	9
ALL AGES	39	16.1	160	2	3	12	23	27	48	56	9	7.3	53	1	1	5	9	19	25	25
SUBTOTAL	**110**	**15.0**	**205**	**2**	**3**	**11**	**20**	**40**	**56**	**99+**	**38**	**10.8**	**226**	**1**	**2**	**6**	**10**	**27**	**45**	**77**
GRAND TOTAL	**317**	**15.1**	**218**	**2**	**3**	**10**	**21**	**37**	**53**	**82**	**106**	**10.2**	**197**	**1**	**2**	**6**	**11**	**32**	**53**	**99+**

POSTCONCUSSION SYNDROME (310.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	90	2.0	7	1	1	1	2	4	6	16	101	1.5	2	1	1	1	2	3	4	52
13-17	69	1.9	2	1	1	1	2	4	4	81	75	2.8	24	1	1	1	3	7	8	33
18-20	43	6.5	244	1	1	2	4	9	28	98	57	5.1	50	1	1	3	6	10	22	37
21-24	55	6.4	213	1	1	2	4	11	34	86	94	5.6	26	1	1	5	7	10	14	29
25-34	104	5.7	108	1	1	3	5	9	24	83	226	5.6	21	1	1	5	7	10	12	25
35-54	79	7.8	211	1	1	4	6	14	53	94	219	6.1	18	1	2	6	7	10	15	23
55-74	47	5.7	31	1	1	4	8	11	11	36	57	7.2	122	1	1	4	8	12	19	75
75 +	17	5.9	17	1	2	5	7	13	14	15	14	8.9	149	1	2	4	11	23	41	46
ALL AGES	504	5.0	108	1	1	2	5	8	15	82	843	5.1	32	1	1	4	7	10	13	32
B. FEMALE																				
0-12 YRS.	51	1.8	5	1	1	1	2	3	4	17	77	1.8	4	1	1	1	2	3	9	76
13-17	38	5.2	158	1	1	2	4	5	35	60	47	4.3	110	1	1	2	4	8	9	73
18-20	28	2.8	8	1	1	2	3	7	9	13	40	4.0	8	1	1	3	6	8	9	10
21-24	42	4.8	113	1	1	2	5	7	11	70	63	5.6	31	1	1	5	7	9	12	34
25-34	91	5.4	96	1	1	3	6	9	14	64	154	6.1	69	1	1	5	8	11	13	22
35-54	87	5.0	19	1	1	4	7	9	14	24	186	6.2	21	1	2	6	8	11	14	25
55-74	62	4.8	20	1	2	4	6	8	10	31	61	6.8	23	1	2	6	9	13	17	23
75 +	31	8.0	64	1	1	5	9	16	30	35	41	7.7	134	1	2	5	8	13	16	75
ALL AGES	430	4.7	59	1	1	3	5	9	13	39	669	5.5	46	1	1	4	7	10	13	30
SUBTOTAL	**934**	**4.9**	**85**	**1**	**1**	**2**	**5**	**9**	**14**	**69**	**1512**	**5.3**	**38**	**1**	**1**	**4**	**7**	**10**	**13**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	1.7		1	1	2	2	2	2	2	2	6.0	8	4	4	8	77	99 +	99 +	99 +
13-17	4	7.0	29	2	2	6	11	13	13	13										
18-20	6	6.7	43	1	1	3	14	16	16	16	2	16.5	365	3	3	16	30	30	30	30
21-24	4	4.3	26	1	1	2	7	12	12	12	5	2.0	2	1	1	1	3	4	4	4
25-34	21	4.8	13	1	1	4	7	11	12	13	7	3.7	4	1	1	4	5	6	6	6
35-54	23	9.2	82	1	2	6	12	22	29	37	10	6.8	32	1	2	5	9	16	20	20
55-74	8	7.5	79	1	2	5	7	22	29	29	4	9.5	136	3	3	4	16	27	27	27
75 +	3	15.3	72	10	10	11	21	25	25	25	5	9.4	65	2	2	8	12	23	23	23
ALL AGES	72	7.1	51	1	1	4	10	15	24	35	35	6.7	53	1	1	4	8	23	29	99 +
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
13-17	1	1.0		1	1	1	1	1	1	1	3	2.0		2	2	2	2	2	2	2
18-20	5	4.6	20	1	1	4	7	12	12	12	2	7.0	50	2	2	7	12	12	12	12
21-24	6	7.0	3	4	4	7	8	9	9	9	4	8.3	46	2	2	7	14	16	16	16
25-34	14	9.2	167	2	2	5	6	32	43	46	3	4.3	3	3	3	4	5	6	6	6
35-54	14	7.3	37	1	1	5	11	15	20	22	12	5.3	22	1	1	4	8	13	14	14
55-74	6	11.0	134	2	2	7	14	31	33	33	5	8.2	150	1	1	3	10	30	30	30
75 +	5	8.6	62	2	2	7	11	22	22	22	7	7.9	20	3	3	7	9	15	17	17
ALL AGES	52	7.8	77	1	1	5	9	16	30	46	37	6.2	36	1	1	4	8	14	17	30
SUBTOTAL	**124**	**7.4**	**62**	**1**	**1**	**5**	**9**	**15**	**24**	**39**	**72**	**6.4**	**44**	**1**	**1**	**4**	**8**	**16**	**26**	**84**
GRAND TOTAL	**1058**	**5.2**	**83**	**1**	**1**	**3**	**5**	**10**	**15**	**62**	**1584**	**5.3**	**39**	**1**	**1**	**4**	**7**	**10**	**14**	**31**

NONPSYCHOT BRAIN SYN NEC (310.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	15.0	200	5	5	15	25	25	25	25										
13-17											1	2.0		2	2	2	2	2	2	2
18-20	1	24.0		24	24	24	24	24	24	24										
21-24	1	9.0		9	9	9	9	9	9	9										
25-34	3	11.3	50	4	4	12	16	18	18	18										
35-54	4	7.8	20	3	3	7	11	14	14	14	2	13.0	162	4	4	13	22	22	22	22
55-74	10	15.5	245	4	5	9	17	41	56	56										
75 +	6	7.7	11	2	2	8	11	11	11	11	7	13.4	77	4	4	11	21	26	27	27
ALL AGES	27	12.2	119	3	4	9	14	25	30	56	10	12.2	81	2	3	10	22	25	27	27
B. FEMALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9										
18-20	3	18.7	238	3	3	19	30	34	34	34										
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	1	74.0		74	74	74	74	74	74	74	1	8.0		8	8	8	8	8	8	8
35-54	3	14.7	205	4	4	9	25	31	31	31	1	7.0		7	7	7	7	7	7	7
55-74	12	14.9	368	2	3	9	16	35	68	73	1	33.0		33	33	33	33	33	33	33
75 +	10	11.0	69	2	2	11	16	58	96	99 +	6	10.5	46	4	4	9	14	21	22	22
ALL AGES	31	15.3	314	2	3	11	18	46	74	99 +	9	12.3	91	4	4	8	16	29	33	33
SUBTOTAL	**58**	**13.9**	**221**	**2**	**3**	**9**	**17**	**31**	**65**	**98**	**19**	**12.3**	**80**	**3**	**4**	**10**	**20**	**25**	**30**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	99.0		99	99	99	99	99	99 +	99 +
18-20	1	45.0		45	45	45	45	45	45	45										
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	2	48.0	2888	10	10	48	86	86	86	86										
35-54	1	9.0		9	9	9	9	9	9	9										
55-74	4	15.8	171	3	3	13	24	34	34	34	2	12.5	25	9	9	12	16	16	16	16
75 +	2	30.5	41	26	26	30	35	35	35	35	1	2.0		2	2	2	2	2	2	2
ALL AGES	11	25.2	604	3	3	15	35	61	84	86	4	31.5	2058	2	2	12	57	99	99	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2	1	5.0		5	5	5	5	5	5	5
25-34	2	10.0	18	7	7	10	13	13	13	13										
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	4	9.5	36	4	4	8	13	18	18	18	1	14.0		14	14	14	14	14	14	14
75 +	4	16.3	248	3	3	11	26	39	39	39	1	3.0		3	3	3	3	3	3	3
ALL AGES	12	11.1	99	2	3	8	13	24	37	39	3	7.3	35	3	3	5	12	14	14	14
SUBTOTAL	**23**	**17.8**	**377**	**2**	**3**	**10**	**24**	**40**	**59**	**86**	**7**	**21.1**	**1209**	**2**	**2**	**9**	**15**	**82**	**99**	**99 +**
GRAND TOTAL	**81**	**15.0**	**265**	**2**	**3**	**9**	**18**	**34**	**63**	**96**	**26**	**14.7**	**363**	**2**	**3**	**9**	**16**	**27**	**46**	**99**

NONPSYCHOT BRAIN SYN NOS (310.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	5.0	32	1	1	5	9	9	9	9										
13-17	2	20.5	421	6	6	20	35	35	35	35	1	1.0		1	1	1	1	1	1	1
18-20	2	2.5	5	1	1	2	4	4	4	4	2	48.5	145	40	40	48	57	57	57	57
21-24	3	9.3	6	8	8	8	11	12	12	12	1	12.0		12	12	12	12	12	12	12
25-34	14	12.9	364	1	1	7	14	38	64	72	5	8.4	52	2	2	7	12	20	20	20
35-54	38	10.9	122	1	1	5	16	30	35	38	13	8.0	26	1	2	7	10	16	18	18
55-74	148	11.5	141	1	2	8	14	24	40	72	80	7.1	27	1	2	6	9	13	16	31
75 +	195	10.0	83	2	3	7	12	22	33	44	178	8.4	113	2	2	7	9	16	23	99 +
ALL AGES	404	10.7	118	1	2	7	13	24	35	66	280	8.3	94	1	2	6	10	16	20	99
B. FEMALE																				
0-12 YRS.	3	3.0	4	1	1	4	52	99 +	99 +	99 +	3	5.3	10	2	2	6	7	8	8	8
13-17	7	19.4	536	1	1	16	20	59	69	69										
18-20											2	6.5	41	2	2	6	11	11	11	11
21-24	3	4.7	10	1	1	6	53	99 +	99 +	99 +	1	7.0		7	7	7	7	7	7	7
25-34	7	11.6	68	3	3	12	18	23	24	24	3	14.7	104	6	6	12	22	26	26	26
35-54	28	6.1	14	1	2	6	9	11	14	14	15	8.9	150	1	2	3	10	26	41	46
55-74	138	10.9	98	2	3	8	14	22	26	62	82	6.2	39	1	2	5	7	11	24	99 +
75 +	367	10.3	106	2	2	7	13	23	36	99 +	329	8.9	106	1	2	6	11	18	32	99 +
ALL AGES	553	10.3	104	1	2	8	13	22	33	99 +	435	8.4	94	1	2	6	10	18	32	99 +
SUBTOTAL	**957**	**10.5**	**109**	**1**	**2**	**8**	**13**	**23**	**34**	**80**	**715**	**8.4**	**93**	**1**	**2**	**6**	**10**	**17**	**27**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	6	13.3	105	2	2	12	22	26	27	27	2	7.0	72	1	1	7	13	13	13	13
18-20	5	12.0	214	1	1	9	17	37	37	37	1	2.0		2	2	2	2	2	2	2
21-24	11	8.3	39	2	2	6	13	17	21	21	2	35.5	1405	9	9	35	62	62	62	62
25-34	25	17.7	230	2	3	16	28	43	48	54	2	3.0	2	2	2	3	4	4	4	4
35-54	56	12.4	133	1	1	11	18	24	37	58	12	5.3	42	1	1	3	5	15	23	24
55-74	100	13.8	169	2	3	10	17	27	35	74	36	8.0	93	2	2	5	8	17	22	56
75 +	97	9.6	47	2	4	8	12	17	24	75	41	9.4	67	2	3	8	13	20	34	99 +
ALL AGES	300	12.2	128	2	2	9	16	25	35	60	96	8.7	100	2	2	5	10	19	27	82
B. FEMALE																				
0-12 YRS.	2	43.5	113	36	36	43	51	51	51	51	1	17.0		17	17	58	99 +	99 +	99 +	99 +
13-17	3	9.3	87	3	3	5	16	20	20	20	1	2.0		2	2	2	2	2	2	2
18-20											1	5.0		5	5	5	5	5	5	5
21-24	4	2.0	4	1	1	1	3	5	5	5	3	2.7	8	1	1	1	5	6	6	6
25-34	10	5.1	10	2	2	4	8	10	11	11										
35-54	33	16.5	305	3	3	11	21	34	39	95	2	5.0	18	2	2	5	8	8	8	8
55-74	116	13.7	126	3	4	11	19	25	39	83	39	12.5	162	2	3	9	12	39	42	53
75 +	134	11.8	126	2	3	9	15	31	58	99 +	73	8.7	91	2	3	7	9	20	45	99 +
ALL AGES	302	12.9	149	2	3	10	16	28	47	99 +	120	9.7	113	2	3	7	12	24	45	99 +
SUBTOTAL	**602**	**12.6**	**137**	**2**	**3**	**9**	**16**	**27**	**40**	**99 +**	**216**	**9.3**	**106**	**2**	**2**	**6**	**11**	**21**	**41**	**99 +**
GRAND TOTAL	**1559**	**11.3**	**121**	**2**	**3**	**8**	**14**	**25**	**36**	**98**	**931**	**8.6**	**96**	**2**	**2**	**6**	**10**	**17**	**30**	**99 +**

DEPRESSIVE DISORDER NEC (311.)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	14	10.1	225	1	1	4	9	38	48	51	2	28.0	1152	4	4	28	52	52	52	52
13-17	59	10.4	189	1	1	5	13	23	43	67	14	4.5	65	1	1	2	3	9	27	32
18-20	21	7.6	60	1	1	4	10	15	24	34	13	3.3	6	1	1	2	5	7	8	8
21-24	41	8.8	68	1	1	7	11	24	28	31	7	1.7	1	1	1	2	2	3	3	3
25-34	118	8.7	84	1	1	6	13	21	27	74	32	7.3	46	1	1	5	10	19	22	28
35-54	236	8.8	96	1	1	5	12	19	28	48	70	5.6	56	1	1	4	7	9	15	51
55-74	153	10.1	78	2	2	7	14	22	32	38	80	7.2	67	2	2	5	8	14	20	51
75 +	76	10.2	119	1	2	6	11	23	34	51	45	7.7	31	2	3	6	9	16	19	30
ALL AGES	718	9.3	100	1	1	6	12	22	30	51	263	6.6	58	1	1	4	8	13	19	50
B. FEMALE																				
0-12 YRS.	11	12.1	198	1	2	5	13	39	43	43	2	16.5	313	4	4	16	29	29	29	29
13-17	116	12.2	300	1	1	4	15	30	44	88	30	7.0	152	1	1	3	4	23	43	49
18-20	56	8.1	120	1	1	4	10	22	28	53	15	10.8	525	1	1	3	8	23	74	91
21-24	94	7.0	47	1	1	4	12	16	21	30	44	3.6	31	1	1	2	4	5	10	37
25-34	327	9.1	120	1	1	6	11	20	29	49	123	6.8	85	1	1	3	7	20	28	44
35-54	484	9.1	72	1	1	6	13	19	27	39	233	5.4	40	1	1	4	6	10	17	39
55-74	392	11.6	106	2	2	8	15	26	31	46	184	6.3	25	1	2	5	8	12	17	26
75 +	177	10.3	93	2	3	7	14	23	27	55	106	8.4	124	1	2	6	10	16	24	70
ALL AGES	1657	9.9	110	1	1	6	14	22	29	49	737	6.4	71	1	1	4	7	12	22	42
SUBTOTAL	**2375**	**9.7**	**108**	**1**	**1**	**6**	**13**	**22**	**29**	**50**	**1000**	**6.4**	**68**	**1**	**1**	**4**	**7**	**12**	**21**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	14	23.4	698	2	2	15	42	86	96	99 +	4	32.5	1084	4	4	32	61	62	62	62
13-17	76	18.5	255	2	3	14	27	36	56	66	6	10.5	321	1	1	2	37	89	99 +	99 +
18-20	42	12.3	168	1	1	8	18	29	43	57	4	3.8	10	1	1	3	6	7	7	7
21-24	67	7.6	92	1	1	4	11	15	22	59	8	4.6	15	1	1	3	6	11	13	13
25-34	232	8.7	65	1	1	6	12	21	25	36	35	5.3	36	1	1	3	7	13	20	28
35-54	262	10.1	83	1	2	7	14	23	28	44	59	6.5	47	1	1	5	8	17	25	29
55-74	116	10.7	75	2	2	9	14	22	28	41	42	7.1	42	1	2	5	9	12	25	30
75 +	23	14.5	196	2	4	10	19	36	45	57	17	7.4	47	1	1	5	10	20	21	21
ALL AGES	832	10.8	120	1	2	8	14	25	32	58	175	7.1	82	1	1	4	8	17	26	61
B. FEMALE																				
0-12 YRS.	7	24.6	659	3	3	7	44	64	68	68	1	64.0		64	64	64	64	64	64	64
13-17	124	19.1	384	1	2	12	25	52	71	99 +	20	9.1	401	1	1	3	5	22	61	88
18-20	61	12.0	200	2	2	7	13	38	42	65	15	7.2	74	2	2	3	7	21	30	33
21-24	101	8.8	85	1	1	5	12	21	32	74	19	5.5	34	1	1	3	7	16	19	20
25-34	329	10.2	105	1	1	7	14	25	30	55	82	6.9	50	1	1	4	10	16	28	78
35-54	367	10.6	107	1	1	7	14	23	31	50	108	6.5	37	1	2	4	8	13	22	30
55-74	181	12.8	128	2	3	10	16	27	32	62	70	6.6	80	1	2	5	7	12	17	62
75 +	78	11.7	101	2	2	9	15	22	37	48	32	7.5	24	3	3	6	9	15	16	25
ALL AGES	1248	11.7	150	1	2	8	15	27	38	66	347	7.0	78	1	1	4	8	14	21	64
SUBTOTAL	**2080**	**11.4**	**137**	**1**	**2**	**8**	**15**	**26**	**35**	**64**	**522**	**7.0**	**80**	**1**	**1**	**4**	**8**	**15**	**23**	**63**
GRAND TOTAL	**4455**	**10.5**	**122**	**1**	**1**	**7**	**14**	**24**	**32**	**58**	**1522**	**6.6**	**72**	**1**	**1**	**4**	**8**	**13**	**22**	**47**

UNSOCIALIZED AGGRESSION (312.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	73	26.2	410	4	6	22	35	65	98	99 +	5	42.6	707	4	8	44	79	98	99 +	99 +
13-17	170	23.1	421	1	3	18	37	60	91	99 +	5	33.4	1206	3	5	70	99 +	99 +	99 +	99 +
18-20	7	7.4	16	1	1	8	11	11	11	11										
21-24	3	6.3	35	2	2	4	11	13	13	13										
25-34	4	9.5	62	4	4	6	14	21	21	21	1	27.0		27	27	27	27	27	27	27
35-54	3	9.0	112	1	1	5	17	21	21	21	1	10.0		10	10	10	10	10	10	10
55-74	1	29.0		29	29	29	29	29	29	29										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	262	23.0	404	1	4	19	32	60	92	99 +	12	34.8	782	3	4	44	91	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.	23	21.9	461	2	3	15	33	76	86	99 +	1	3.0		3	3	3	3	3	3	3
13-17	62	20.7	420	1	2	14	34	58	66	97	2	9.0	50	4	4	14	78	99 +	99 +	99 +
18-20	1	23.0		23	23	23	23	23	23	23										
21-24																				
25-34	3	5.3	2	4	4	6	6	6	6	6										
35-54																				
55-74																				
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	90	20.5	408	1	3	13	31	58	76	99 +	3	7.0	37	3	3	9	57	99 +	99 +	99 +
SUBTOTAL	**352**	**22.3**	**408**	**1**	**3**	**18**	**32**	**60**	**79**	**99 +**	**15**	**29.2**	**755**	**3**	**3**	**42**	**91**	**99 +**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	108	36.3	654	4	7	36	59	97	99 +	99 +	9	36.1	1394	3	3	27	89	97	99 +	99 +
13-17	198	27.9	540	3	4	23	42	76	94	99 +	9	20.2	245	4	4	22	40	70	99 +	99 +
18-20	1	4.0		4	4	4	4	4	4	4	1	29.0		29	29	29	29	29	29	29
21-24																				
25-34	4	3.8	4	2	2	4	5	6	6	6	2	4.0	2	3	3	4	5	5	5	5
35-54	2	5.5	5	4	4	5	7	7	7	7										
55-74	1	2.0		2	2	2	2	2	2	2	2	3.0	2	2	2	3	4	4	4	4
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	315	30.1	598	3	4	26	51	80	99 +	99 +	23	23.9	740	2	3	22	40	95	99 +	99 +
B. FEMALE																				
0-12 YRS.	28	26.7	316	2	4	23	43	57	68	99 +	1	40.0		40	40	99 +	99 +	99 +	99 +	99 +
13-17	57	36.9	620	3	5	37	56	82	98	99 +	3	45.3	77	39	39	42	52	55	55	55
18-20	3	23.0	603	2	2	17	42	50	50	50										
21-24	1	16.0		16	16	16	16	16	16	16										
25-34	1	19.0		19	19	19	19	19	19	19										
35-54											1	1.0		1	1	1	1	1	1	1
55-74	1	4.0		4	4	4	4	4	4	4										
75 +											1	11.0		11	11	11	11	11	11	11
ALL AGES	91	32.5	535	3	4	29	50	71	97	99 +	6	31.3	431	1	4	41	77	99 +	99 +	99 +
SUBTOTAL	**406**	**30.**	**580**	**3**	**4**	**27**	**50**	**79**	**99 +**	**99 +**	**29**	**25.4**	**669**	**2**	**3**	**23**	**45**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**758**	**26.8**	**517**	**2**	**4**	**21**	**43**	**72**	**97**	**99 +**	**44**	**26.7**	**684**	**3**	**3**	**29**	**68**	**99 +**	**99 +**	**99 +**

UNSOCIALIZ, UNAGGRESSIVE (312.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	14	32.6	817	2	5	35	54	89	97	99+	1	11.0		11	11	11	11	11	11	11
13-17	36	27.9	605	2	5	31	46	96	99+	99+	2	29.5	113	22	22	29	37	37	37	37
18-20	1	10.0		10	10	10	10	10	10	10										
21-24																				
25-34	2	10.5	25	7	7	10	14	14	14	14										
35-54																				
55-74																				
75 +																				
ALL AGES	53	28.1	638	2	5	28	45	91	99+	99+	3	23.3	173	11	11	22	33	37	37	37
B. FEMALE																				
0-12 YRS.	9	15.7	285	2	2	10	21	45	45	45	2	1.0		1	1	1	1	1	1	1
13-17	44	32.7	525	3	5	28	57	75	99+	99+										
18-20	1	20.0		20	20	20	20	20	20	20										
21-24																				
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	1	8.0		8	8	8	8	8	8	8										
75 +																				
ALL AGES	56	28.9	507	2	3	25	52	71	91	99+	2	1.0		1	1	1	1	1	1	1
SUBTOTAL	**109**	**28.5**	**566**	**2**	**4**	**25**	**49**	**82**	**99+**	**99+**	**5**	**14.4**	**235**	**1**	**1**	**11**	**26**	**37**	**37**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	22	28.3	461	2	4	30	48	76	99+	99+	3	72.3	212	60	60	69	83	88	88	88
13-17	67	33.5	909	3	3	23	59	85	91	99	1	30.0		30	30	30	30	30	30	30
18-20	1	4.0		4	4	4	4	4	4	4										
21-24																				
25-34																				
35-54	1	52.0		52	52	52	52	52	52	52										
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	92	31.8	794	3	3	25	57	84	93	99+	4	61.8	576	30	30	64	78	88	88	88
B. FEMALE																				
0-12 YRS.	8	35.0	777	1	3	36	57	67	72	72										
13-17	69	30.0	742	2	3	24	50	78	85	94	4	33.8	166	17	17	36	44	46	46	46
18-20	1	7.0		7	7	7	7	7	7	7	2	2.5	1	2	2	2	3	3	3	3
21-24																				
25-34	2	1.5	1	1	1	1	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	80	29.5	737	1	2	21	51	75	83	94	6	23.3	365	2	2	23	42	46	46	46
SUBTOTAL	**172**	**30.7**	**766**	**2**	**3**	**24**	**55**	**78**	**89**	**99+**	**10**	**38.7**	**790**	**2**	**2**	**36**	**60**	**78**	**88**	**88**
GRAND TOTAL	**281**	**29.9**	**684**	**2**	**3**	**25**	**53**	**80**	**92**	**99+**	**15**	**30.6**	**716**	**1**	**1**	**30**	**45**	**69**	**83**	**88**

SOCIALIZED CONDUCT DIS (312.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	43	33.9	573	4	7	36	54	82	99+	99+	6	25.5	1210	2	2	9	41	85	90	90
13-17	237	23.6	430	2	3	19	39	71	99+	99+	13	9.2	136	1	1	3	14	27	38	41
18-20	10	19.2	425	1	1	8	44	49	50	50	2	14.0	200	4	4	14	24	24	24	24
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74	1	31.0		31	31	31	31	31	31	31	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	292	24.9	461	2	3	20	42	71	99+	99+	22	13.7	436	1	1	4	15	41	61	90
B. FEMALE																				
0-12 YRS.	26	21.7	412	2	4	17	29	64	88	99+	5	13.2	337	1	1	8	45	94	99+	99+
13-17	248	22.6	382	2	3	17	33	57	72	99+	17	14.2	434	1	1	8	16	25	67	89
18-20	3	22.7	320	9	9	16	36	43	43	43	1	40.0		40	40	40	40	40	40	40
21-24	2	26.0	968	4	4	26	48	48	48	48	1	23.0		23	23	23	23	23	23	23
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	279	22.5	384	2	3	17	32	57	72	99+	24	15.4	393	1	1	9	23	45	92	99+
SUBTOTAL	**571**	**23.7**	**426**	**2**	**3**	**19**	**38**	**63**	**87**	**99+**	**46**	**14.6**	**404**	**1**	**1**	**7**	**22**	**41**	**89**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	73	36.4	513	5	7	40	50	76	96	99+	3	10.0	243	1	1	1	21	28	28	28
13-17	269	25.3	430	2	3	21	39	56	72	98	57	32.3	439	1	2	40	44	50	95	99+
18-20	14	16.9	167	1	2	13	29	36	38	38	6	30.5	246	3	5	33	39	47	48	48
21-24	1	16.0		16	16	16	16	16	16	16										
25-34											1	7.0		7	7	7	7	7	7	7
35-54																				
55-74																				
75 +																				
ALL AGES	357	27.2	459	2	3	24	42	60	78	99+	67	30.7	433	1	2	39	44	49	93	99+
B. FEMALE																				
0-12 YRS.	32	34.0	687	2	4	35	59	99	99+	99+	2	36.5	61	31	31	36	42	42	42	42
13-17	254	25.2	495	2	3	19	38	61	85	99+	33	28.3	249	2	3	33	43	55	99+	99+
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54	2	12.5	13	10	10	12	15	15	15	15										
55-74	1	11.0		11	11	11	11	11	11	11										
75 +																				
ALL AGES	291	25.9	517	2	3	20	40	70	89	99+	35	28.8	238	2	3	33	42	53	99+	99+
SUBTOTAL	**648**	**26.6**	**486**	**2**	**3**	**22**	**41**	**61**	**84**	**99+**	**102**	**30.1**	**360**	**1**	**2**	**38**	**44**	**49**	**97**	**99+**
GRAND TOTAL	**1219**	**25.3**	**456**	**2**	**3**	**20**	**40**	**62**	**85**	**99+**	**148**	**25.3**	**422**	**1**	**1**	**25**	**42**	**48**	**92**	**99+**

IMPULSE CONTROL DIS NEC (312.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	21.6	392	3	3	11	41	48	49	49	1	5.0		5	5	52	99+	99+	99+	99+
13-17	23	17.6	279	1	2	9	31	41	49	56	4	14.5	120	2	2	15	23	26	26	26
18-20	10	15.5	81	4	5	13	23	29	29	29										
21-24	13	11.4	196	3	3	7	14	28	49	54	1	4.0		4	4	4	4	4	4	4
25-34	34	11.2	120	1	2	8	14	27	36	46	1	5.0		5	5	5	5	5	5	5
35-54	16	8.5	184	1	1	3	10	22	45	54	1	5.0		5	5	5	5	5	5	5
55-74	7	12.0	148	1	1	11	18	32	35	35										
75 +	2	11.0	72	5	5	11	17	17	17	17	2	7.5	5	6	6	7	9	9	9	9
ALL AGES	112	13.2	188	1	1	8	19	35	45	55	10	9.2	63	2	3	6	18	56	96	99+
B. FEMALE																				
0-12 YRS.	1	38.0		38	38	38	38	38	38	38										
13-17	8	18.4	154	4	5	17	22	38	44	44	1	1.0		1	1	1	1	1	1	1
18-20	7	20.0	148	5	6	19	29	36	38	38										
21-24	4	5.5	14	1	1	5	8	10	10	10										
25-34	7	18.7	153	3	4	18	25	37	40	40										
35-54	5	17.0	520	2	2	7	25	57	57	57										
55-74																				
75 +																				
ALL AGES	32	17.6	195	2	4	14	25	39	44	57	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**144**	**14.2**	**191**	**1**	**2**	**9**	**21**	**36**	**44**	**56**	**11**	**8.5**	**62**	**1**	**2**	**6**	**15**	**48**	**93**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	18.4	47	8	8	22	23	25	25	25	1	99.0		99	99	99	99	99	99+	99+
13-17	30	14.5	221	1	1	10	22	42	48	53	4	26.3	899	2	2	19	50	65	65	65
18-20	22	12.9	66	2	3	11	18	25	30	32	2	3.0	2	2	2	3	4	4	4	4
21-24	12	8.5	135	1	1	5	9	21	41	44	1	3.0		3	3	3	3	3	3	3
25-34	28	11.2	104	2	2	7	16	27	31	41	4	13.0	102	1	1	13	21	24	24	24
35-54	20	8.7	65	2	2	7	9	19	29	35	2	11.0	8	9	9	11	13	13	13	13
55-74	16	18.5	243	2	3	14	30	42	45	47										
75 +	4	13.5	171	5	5	8	21	33	33	33										
ALL AGES	137	12.8	140	1	2	8	18	30	41	49	14	20.5	819	1	2	9	24	68	92	99
B. FEMALE																				
0-12 YRS.	1	26.0		26	26	26	26	26	26	26										
13-17	5	19.0	632	2	2	9	30	62	62	62										
18-20	2	19.5	25	16	16	19	23	23	23	23										
21-24	4	12.5	156	1	1	9	21	30	30	30	5	39.8	1396	4	4	43	57	98	98	98
25-34	9	9.3	21	4	5	8	13	16	17	17										
35-54	8	11.6	106	1	2	9	17	29	31	31	1	3.0		3	3	3	3	3	3	3
55-74	2	7.5	1	7	7	7	8	8	8	8										
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	32	13.1	148	1	2	9	17	27	31	62	6	33.7	1340	3	3	26	44	93	98	98
SUBTOTAL	**169**	**12.8**	**142**	**1**	**2**	**8**	**18**	**30**	**40**	**52**	**20**	**24.5**	**949**	**1**	**2**	**10**	**39**	**81**	**98**	**99**
GRAND TOTAL	**313**	**13.5**	**163**	**1**	**2**	**9**	**19**	**31**	**42**	**55**	**31**	**18.8**	**683**	**1**	**2**	**9**	**25**	**75**	**99**	**99+**

MIX DIS CONDUCT/EMOTION (312.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	12.0	162	3	3	12	21	21	21	21	1	4.0		4	4	4	4	4	4	4
13-17	5	15.0	202	4	4	5	30	32	32	32										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	14.1	165	3	3	5	27	31	32	32	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	13	15.8	110	6	7	10	23	33	37	38										
18-20																				
21-24																				
25-34																				
35-54	2	8.5	61	3	3	8	14	14	14	14										
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	15	14.8	106	4	6	10	21	32	36	38	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	**22**	**14.6**	**117**	**3**	**4**	**10**	**22**	**32**	**35**	**38**	**3**	**3.0**	**1**	**2**	**2**	**3**	4	4	4	4
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20	1	2.0		2	2	2	2	2	2	2
13-17	3	25.0	525	5	5	20	42	50	50	50										
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34											1	3.0		3	3	3	3	3	3	3
35-54	1	28.0		28	28	28	28	28	28	28										
55-74	1	12.0		12	12	12	12	12	12	12										
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	8	17.8	249	3	3	16	24	43	50	50	2	2.5	1	2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	3	6.7	10	3	3	8	9	9	9	9										
18-20																				
21-24																				
25-34	2	2.5	5	1	1	2	4	4	4	4										
35-54																				
55-74																				
75 +																				
ALL AGES	5	5.0	12	1	1	4	8	9	9	9										
SUBTOTAL	**13**	**12.8**	**193**	**1**	**2**	**8**	**20**	**32**	**47**	**50**	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**
GRAND TOTAL	**35**	**13.9**	**142**	**3**	**3**	**9**	**21**	**32**	**37**	**50**	**5**	**2.8**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**4**

OTHER CONDUCT DISTURB (312.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	9	7.3	174	1	1	3	7	71	99 +	99 +	4	2.0	1	1	1	2	3	3	3	3
13-17	7	15.6	294	1	1	6	27	44	47	47	1	1.0		1	1	1	1	1	1	1
18-20	2	1.0		1	1	1	1	1	1	1										
21-24	7	17.0	319	1	1	12	27	46	50	50										
25-34	5	5.6	45	1	1	3	9	17	17	17										
35-54	1	16.0		16	16	16	16	16	16	16										
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	32	10.9	198	1	1	5	17	43	50	99 +	5	1.8	1	1	1	2	2	3	3	3
B. FEMALE																				
0-12 YRS.	15	8.2	136	1	1	2	8	22	38	43	2	10.5	181	1	1	10	20	20	20	20
13-17	6	9.5	53	2	2	7	17	20	20	20	3	2.0	1	1	1	2	3	3	3	3
18-20	2	7.0	50	2	2	7	12	12	12	12	1	22.0		22	22	22	22	22	22	22
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	3	14.7	24	10	10	14	18	20	20	20										
35-54	2	13.0	72	7	7	13	19	19	19	19	1	3.0		3	3	3	3	3	3	3
55-74	1	1.0		1	1	1	1	1	1	1										
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	31	8.8	87	1	1	7	13	20	22	43	7	7.4	87	1	1	3	16	22	22	22
SUBTOTAL	**63**	**9.9**	**142**	**1**	**1**	**6**	**16**	**30**	**44**	**93**	**12**	**5.1**	**56**	**1**	**1**	**2**	**3**	**21**	**22**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	36.0	1352	10	10	36	62	62	62	62										
13-17	7	20.1	770	3	3	14	15	69	82	82										
18-20																				
21-24																				
25-34	5	5.2	17	2	2	4	7	12	12	12	2	5.0	32	1	1	4	9	9	9	9
35-54	2	3.0	2	2	2	3	4	4	4	4										
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	17	14.8	495	2	2	6	14	53	75	82	2	5.0	32	1	1	4	9	9	9	9
B. FEMALE																				
0-12 YRS.	1	27.0		27	27	27	27	27	27	27										
13-17	8	22.1	645	1	1	14	32	65	76	76										
18-20	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
21-24																				
25-34																				
35-54	1	29.0		29	29	29	29	29	29	29	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	12	20.8	450	1	1	15	28	50	72	76	2	2.0	2	1	1	2	3	3	3	3
SUBTOTAL	**29**	**17.3**	**468**	**1**	**2**	**10**	**20**	**53**	**76**	**82**	**4**	**3.5**	**14**	**1**	**1**	**2**	**6**	**9**	**9**	**9**
GRAND TOTAL	**92**	**12.2**	**253**	**1**	**1**	**6**	**17**	**33**	**50**	**92**	**16**	**4.7**	**44**	**1**	**1**	**2**	**3**	**19**	**21**	**22**

CONDUCT DISTURBANCE NOS (312.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	32	14.1	266	1	2	6	16	47	50	53	11	8.0	103	1	2	4	6	26	33	34
13-17	71	20.5	422	1	2	15	29	47	75	99	12	9.0	264	1	1	3	7	28	55	59
18-20	8	5.5	15	1	1	5	8	11	12	12	1	1.0		1	1	1	1	1	1	1
21-24	9	11.6	337	3	3	5	9	41	60	60	1	3.0		3	3	3	3	3	3	3
25-34	5	6.8	61	1	1	2	13	18	18	18	3	6.0	75	1	1	1	12	16	16	16
35-54	2	5.0	18	2	2	5	8	8	8	8	2	3.5	5	2	2	3	5	5	5	5
55-74	2	8.0		8	8	8	8	8	8	8										
75 +	3	7.7	36	2	2	7	12	14	14	14										
ALL AGES	132	16.2	340	1	2	8	25	45	56	98	30	7.5	146	1	1	3	6	18	34	59
B. FEMALE																				
0-12 YRS.	17	13.1	382	1	1	4	16	33	63	78	7	2.3	1	1	1	2	3	4	4	4
13-17	76	17.1	343	1	1	10	29	51	58	95	11	11.3	132	1	1	11	23	54	93	99 +
18-20	2	22.0		22	22	22	22	22	22	22	2	34.0	1922	3	3	34	65	65	65	65
21-24	3	4.7	9	2	2	4	7	8	8	8										
25-34	6	12.8	184	4	4	9	10	37	40	40										
35-54	6	11.3	44	2	2	13	16	19	19	19										
55-74																				
75 +	2	16.0	98	9	9	16	23	23	23	23										
ALL AGES	112	15.7	306	1	2	9	22	41	57	87	20	10.4	254	1	1	3	16	46	81	99 +
SUBTOTAL	**244**	**16.0**	**322**	**1**	**2**	**9**	**25**	**44**	**57**	**97**	**50**	**8.7**	**186**	**1**	**1**	**3**	**9**	**29**	**58**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	24	12.0	119	1	2	8	16	32	36	38	3	11.3	141	4	4	25	99 +	99 +	99 +	99 +
13-17	77	17.4	286	1	2	13	22	42	65	92	4	1.5	1	1	1	1	27	99 +	99 +	99 +
18-20	4	3.8	3	1	1	4	5	5	5	5	1	5.0		5	5	5	5	5	5	5
21-24	3	15.3	74	7	7	15	22	24	24	24										
25-34	6	21.2	1314	1	1	5	19	86	94	94										
35-54	3	4.7	2	3	3	5	6	6	6	6										
55-74	1	8.0		8	8	8	8	8	8	8	3	5.3	2	4	4	6	6	6	6	6
75 +																				
ALL AGES	118	15.6	280	1	2	11	19	37	58	96	11	5.5	46	1	1	5	25	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.	8	25.9	803	5	6	13	37	75	85	85										
13-17	49	14.6	125	2	2	13	23	30	37	44	5	22.0	620	2	2	17	32	64	64	64
18-20	3	4.3	13	1	1	4	7	8	8	8										
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	4	15.5	236	1	1	12	27	36	36	36										
35-54	7	6.9	17	2	2	6	11	13	13	13	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	73	14.4	201	1	2	11	20	30	38	78	6	18.5	569	1	1	11	22	60	64	64
SUBTOTAL	**191**	**15.1**	**250**	**1**	**2**	**11**	**20**	**35**	**51**	**90**	**17**	**10.1**	**247**	**1**	**1**	**5**	**23**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**435**	**15.6**	**290**	**1**	**2**	**9**	**22**	**39**	**56**	**94**	**67**	**9.0**	**200**	**1**	**1**	**4**	**14**	**44**	**98**	**99 +**

OVERANXIOUS DISORDER (313.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	19	24.1	182	2	6	26	37	68	99+	99+										
13-17	10	34.0	221	8	14	32	42	53	63	63										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	29	27.5	211	3	8	28	42	53	98	99+										
B. FEMALE																				
0-12 YRS.	7	23.6	590	2	3	19	56	90	99+	99+										
13-17	11	34.8	427	3	10	33	46	68	68	68										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	18	30.4	493	2	3	26	47	68	86	99+										
SUBTOTAL	**47**	**28.6**	**314**	**2**	**6**	**28**	**45**	**67**	**99+**	**99+**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	26	40.5	478	4	10	42	59	97	99+	99+										
13-17	28	31.3	288	6	10	28	43	54	81	99+										
18-20	1	16.0		16	16	16	16	16	16	16										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	55	35.4	391	5	10	38	49	80	99+	99+										
B. FEMALE																				
0-12 YRS.	8	42.3	471	21	23	40	57	97	99+	99+										
13-17	25	36.2	590	3	11	30	48	77	88	98										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	33	37.7	551	5	13	32	47	86	97	99+										
SUBTOTAL	**88**	**36.2**	**451**	**5**	**12**	**35**	**48**	**81**	**99**	**99+**										
GRAND TOTAL	**135**	**33.6**	**411**	**4**	**8**	**31**	**46**	**78**	**99+**	**99+**										

MISERY & UNHAPPINESS DIS (313.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS									HOSPITALS WITHOUT PSY. UNIT/BEDS								
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES					
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																			
A. MALE																			
0-12 YRS.	1	9.0		9	9	9	9	9	9	9									
13-17	1	25.0		25	25	25	25	25	25	25									
18-20																			
21-24																			
25-34																			
35-54																			
55-74																			
75 +																			
ALL AGES	2	17.0	128	9	9	17	25	25	25	25									
B. FEMALE																			
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17	2	34.5	2113	2	2	34	67	67	67	67									
18-20																			
21-24																			
25-34																			
35-54																			
55-74																			
75 +																			
ALL AGES	2	34.5	2113	2	2	34	67	67	67	67	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**4**	**25.8**	**845**	**2**	**2**	**17**	**46**	**67**	**67**	**67**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																			
A. MALE																			
0-12 YRS.																			
13-17																			
18-20																			
21-24																			
25-34																			
35-54																			
55-74																			
75 +																			
ALL AGES																			
B. FEMALE																			
0-12 YRS.	1	59.0		59	59	59	59	59	59	59									
13-17																			
18-20																			
21-24																			
25-34																			
35-54																			
55-74																			
75 +																			
ALL AGES	1	59.0		59	59	59	59	59	59	59									
SUBTOTAL	**1**	**59.0**		**59**	**59**	**59**	**59**	**59**	**59**	**59**									
GRAND TOTAL	**5**	**32.4**	**858**	**2**	**2**	**25**	**61**	**67**	**67**	**67**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

SENSITIVITY & WITHDRAWAL (313.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	23.0	722	4	4	23	42	42	42	42										
13-17	3	22.3	365	4	4	21	37	42	42	42										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	22.6	362	4	4	21	42	42	42	42										
B. FEMALE																				
0-12 YRS.	2	59.5	221	49	49	59	70	70	70	70	1	1.0		1	1	1	1	1	1	1
13-17	2	8.5	85	2	2	15	79	99 +	99 +	99 +										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	34.0	969	2	2	49	77	99 +	99 +	99 +	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**9**	**27.7**	**578**	**2**	**3**	**31**	**49**	**85**	**99 +**	**99 +**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	23.0		23	23	23	23	23	23	23	1	13.0		13	13	13	13	13	13	13
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	23.0		23	23	23	23	23	23	23	1	13.0		13	13	13	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17	3	30.7	198	18	18	28	41	46	46	46										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	30.7	198	18	18	28	41	46	46	46										
SUBTOTAL	**4**	**28.8**	**145**	**18**	**18**	**25**	**37**	**46**	**46**	**46**	**1**	**13.0**		**13**	**13**	**13**	**13**	**13**	**13**	**13**
GRAND TOTAL	**13**	**28.0**	**424**	**2**	**4**	**25**	**46**	**73**	**94**	**99 +**	**2**	**7.0**	**72**	**1**	**1**	**7**	**13**	**13**	**13**	**13**

RELATIONSHIP PROBLEMS (313.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	1	2.0		2	2	2	2	2	2	2										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	2	1.5	1	1	1	1	2	2	2	2										
GRAND TOTAL	2	1.5	1	1	1	1	2	2	2	2										

OTH EMOTIONAL DIS CHILD (313.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	50	30.0	423	2	8	28	43	57	81	99+	3	16.0	367	3	3	7	30	38	38	38
13-17	71	26.1	392	3	6	22	40	65	77	99+	5	41.8	585	7	7	48	62	64	64	64
18-20	4	3.8	6	1	1	3	5	7	7	7	1	43.0		43	43	43	43	43	43	43
21-24	1	25.0		25	25	25	25	25	25	25										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	126	27.0	403	2	5	22	41	60	80	99+	9	33.3	556	3	4	38	51	63	64	64
B. FEMALE																				
0-12 YRS.	34	26.4	381	2	3	27	41	58	77	99+	2	30.0	18	27	27	30	33	33	33	33
13-17	122	22.7	303	3	4	19	33	47	56	99	10	16.8	176	1	1	14	28	36	43	43
18-20	2	3.5	5	2	2	3	5	5	5	5										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	158	23.2	324	2	4	20	35	49	59	99+	12	19.0	172	1	2	16	29	36	42	43
SUBTOTAL	**284**	**24.9**	**360**	**2**	**4**	**21**	**39**	**52**	**72**	**99+**	**21**	**25.1**	**371**	**2**	**3**	**27**	**39**	**54**	**63**	**64**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	59	33.2	317	5	9	33	43	56	66	99+	7	47.1	452	28	28	38	61	80	84	84
13-17	83	30.2	453	3	7	29	45	71	96	99+	3	27.0	727	9	9	36	79	99+	99+	99+
18-20	5	8.0	105	1	1	4	11	26	26	26										
21-24																				
25-34	2	6.0	32	2	2	6	10	10	10	10										
35-54																				
55-74																				
75 +																				
ALL AGES	149	30.4	401	3	6	30	43	65	84	99+	10	41.1	555	9	12	38	61	90	99	99+
B. FEMALE																				
0-12 YRS.	34	33.8	378	12	15	32	46	87	99+	99+	5	40.2	1335	3	3	55	84	98	99+	99+
13-17	114	26.3	408	3	5	23	38	55	66	95	9	20.8	286	1	2	15	36	44	47	47
18-20	3	28.3	435	13	13	20	44	52	52	52										
21-24	1	22.0		22	22	22	22	22	22	22										
25-34	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
35-54	1	33.0		33	33	33	33	33	33	33										
55-74																				
75 +																				
ALL AGES	154	27.8	406	3	5	25	43	56	84	99+	14	26.4	702	1	2	16	46	84	96	99+
SUBTOTAL	**303**	**29.1**	**403**	**3**	**5**	**28**	**43**	**58**	**84**	**99+**	**24**	**32.5**	**670**	**2**	**3**	**34**	**58**	**84**	**99+**	**99+**
GRAND TOTAL	**587**	**27.0**	**390**	**3**	**5**	**24**	**41**	**55**	**78**	**99+**	**45**	**29.1**	**530**	**2**	**3**	**28**	**46**	**66**	**87**	**99+**

EMOTIONAL DIS CHILD NOS (313.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	19.2	453	3	3	4	42	43	43	43	1	4.0		4	4	4	4	4	4	4
13-17	3	25.7	1295	1	1	9	52	67	67	67	2	2.5	5	1	1	2	4	4	4	4
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	9	19.3	609	1	1	4	42	57	67	67	3	3.0	3	1	1	4	4	4	4	4
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	7	5.1	23	1	1	3	6	13	15	15										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	5.1	23	1	1	3	6	13	15	15	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**16**	**13.1**	**387**	**1**	**1**	**4**	**12**	**43**	**60**	**67**	**4**	**2.8**	**2**	**1**	**1**	**3**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	12.0		12	12	12	12	12	12	12										
13-17	2	9.0	2	8	8	9	10	10	10	10										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	10.0	4	8	8	10	11	12	12	12										
B. FEMALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17	5	3.2	7	1	1	2	5	7	7	7										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	3.2	7	1	1	2	5	7	7	7	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**8**	**5.8**	**17**	**1**	**1**	**6**	**9**	**11**	**12**	**12**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**24**	**10.7**	**269**	**1**	**1**	**4**	**9**	**42**	**50**	**67**	**5**	**3.0**	**2**	**1**	**1**	**4**	**4**	**4**	**4**	**4**

ATTENTION DEFICIT DIS (314.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	136	15.5	336	1	2	4	28	42	50	76	12	13.1	322	1	1	4	21	44	49	50
13-17	34	21.0	352	1	3	17	33	42	57	81	2	10.5	145	2	2	10	19	19	19	19
18-20	2	27.0	968	5	5	27	49	49	49	49	1	2.0		2	2	2	2	2	2	2
21-24	2	6.5	41	2	2	6	11	11	11	11										
25-34	2	17.5	545	1	1	17	34	34	34	34										
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +																				
ALL AGES	177	16.6	339	1	2	7	29	42	50	77	15	12.0	272	1	1	4	16	41	48	50
B. FEMALE																				
0-12 YRS.	33	16.8	263	2	2	11	28	36	54	64	5	25.8	1178	1	1	11	45	83	83	83
13-17	8	28.1	73	20	20	26	33	41	44	44										
18-20	1	10.0		10	10	10	10	10	10	10										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	42	18.8	239	2	2	18	29	36	49	64	5	25.8	1178	1	1	11	45	83	83	83
SUBTOTAL	**219**	**17.0**	**320**	**1**	**2**	**9**	**29**	**42**	**50**	**76**	**20**	**15.5**	**485**	**1**	**1**	**4**	**25**	**45**	**66**	**83**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	137	29.6	520	2	3	27	50	70	86	99 +	17	18.0	638	1	1	7	56	89	99 +	99 +
13-17	75	27.0	534	3	4	22	44	69	90	99 +	7	20.9	351	3	3	18	37	46	48	48
18-20	4	17.3	89	9	9	14	23	31	31	31										
21-24	3	17.0	259	2	2	15	29	34	34	34										
25-34	3	25.7	78	20	20	21	32	36	36	36										
35-54	3	20.3	66	12	12	21	26	28	28	28										
55-74																				
75 +																				
ALL AGES	225	28.2	501	3	3	25	44	67	88	99 +	24	18.8	539	1	1	8	48	71	99 +	99 +
B. FEMALE																				
0-12 YRS.	53	30.9	304	5	11	28	45	50	82	99 +	7	24.0	819	1	1	4	51	65	67	67
13-17	13	27.8	296	5	7	35	41	48	54	56										
18-20	1	6.0		6	6	6	6	6	6	6										
21-24																				
25-34	2	14.5	145	6	6	14	23	23	23	23										
35-54	2	16.5	145	8	8	16	25	25	25	25										
55-74																				
75 +																				
ALL AGES	71	29.1	303	5	7	27	43	54	63	99 +	7	24.0	819	1	1	4	51	65	67	67
SUBTOTAL	**296**	**28.4**	**454**	**3**	**4**	**26**	**44**	**65**	**84**	**99 +**	**31**	**20.0**	**581**	**1**	**1**	**7**	**49**	**68**	**96**	**99 +**
GRAND TOTAL	**515**	**23.6**	**426**	**2**	**2**	**20**	**38**	**57**	**73**	**99 +**	**51**	**18.2**	**539**	**1**	**1**	**5**	**37**	**65**	**81**	**99 +**

HYPERKINET W DEVEL DELAY (314.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2										
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	1	21.0		21	21	21	21	21	21	21										
18-20																				
21-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES	2	11.5	181	2	2	11	21	21	21	21	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**4**	**6.5**	**94**	**1**	**1**	**2**	**12**	**21**	**21**	**21**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**4**	**6.5**	**94**	**1**	**1**	**2**	**12**	**21**	**21**	**21**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

HYPERKINETIC CONDUCT DIS (314.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	25.0		25	25	25	25	25	25	25
13-17	1	64.0		64	64	64	64	64	64	64										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	64.0		64	64	64	64	64	64	64	1	25.0		25	25	25	25	25	25	25
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	64.0		64	64	64	64	64	64	64	1	25.0		25	25	25	25	25	25	25
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	42.0		42	42	42	42	42	42	42	2	47.0	288	35	35	47	59	59	59	59
13-17	1	48.0		48	48	48	48	48	48	48										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	45.0	18	42	42	45	48	48	48	48	2	47.0	288	35	35	47	59	59	59	59
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	2	45.0	18	42	42	45	48	48	48	48	2	47.0	288	35	35	47	59	59	59	59
GRAND TOTAL	3	51.3	134	42	42	48	60	64	64	64	3	39.7	301	25	25	35	53	59	59	59

OTHER HYPERKINETIC SYND (314.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	9.0		9	9	9	9	9	9	9
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	1	30.0		30	30	30	30	30	30	30										
21-24											1	4.0		4	4	4	4	4	4	4
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	15.5	421	1	1	15	30	30	30	30	2	6.5	13	4	4	6	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**15.5**	**421**	**1**	**1**	**15**	**30**	**30**	**30**	**30**	**2**	**6.5**	**13**	**4**	**4**	**6**	**9**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	35.0		35	35	35	35	35	35	35	2	39.0	128	31	31	39	47	47	47	47
13-17	3	12.0	108	6	6	6	20	24	24	24	2	27.0	1352	1	1	26	53	53	53	53
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	17.8	202	6	6	15	29	35	35	35	4	33.0	541	1	1	39	50	53	53	53
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**4**	**17.8**	**202**	**6**	**6**	**15**	**29**	**35**	**35**	**35**	**4**	**33.0**	**541**	**1**	**1**	**39**	**50**	**53**	**53**	**53**
GRAND TOTAL	**6**	**17.0**	**208**	**1**	**1**	**15**	**30**	**34**	**35**	**35**	**6**	**24.2**	**513**	**1**	**1**	**20**	**47**	**52**	**53**	**53**

HYPERKINETIC SYND NOS (314.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	2	11.5	181	2	2	11	21	21	21	21										
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	3	8.3	121	2	2	2	16	21	21	21	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2	1	14.0		14	14	14	14	14	14	14
13-17																				
18-20																				
21-24											1	5.0		5	5	5	5	5	5	5
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	2.0		2	2	2	2	2	2	2	2	3.0		3	3	3	3	3	3	3
55-74	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
75 +											2	3.0		3	3	3	3	3	3	3
ALL AGES	5	2.6	2	1	1	2	3	5	5	5	7	4.7	18	2	2	3	5	12	14	14
SUBTOTAL	**8**	**4.8**	**44**	**1**	**1**	**2**	**4**	**16**	**21**	**21**	**8**	**4.9**	**15**	**2**	**2**	**3**	**5**	**12**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12										
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	2	10.5	5	9	9	10	12	12	12	12										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	2	6.0	18	3	3	6	9	9	9	9										
75 +																				
ALL AGES	2	6.0	18	3	3	6	9	9	9	9										
SUBTOTAL	**4**	**8.3**	**13**	**3**	**3**	**9**	**11**	**12**	**12**	**12**										
GRAND TOTAL	**12**	**5.9**	**35**	**1**	**1**	**3**	**9**	**15**	**20**	**21**	**8**	**4.9**	**15**	**2**	**2**	**3**	**5**	**12**	**14**	**14**

ALL PSYCHIATRIC CODES

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1030	17.7	367	1	1	10	30	48	66	99 +	269	6.5	191	1	1	2	4	27	47	99 +
13-17	3267	17.9	335	1	1	12	29	45	63	99 +	896	12.0	295	1	1	2	20	42	50	80
18-20	2023	11.9	170	1	1	7	18	30	38	59	577	10.1	160	1	1	4	18	28	34	46
21-24	3625	12.7	180	1	1	8	19	29	37	71	1061	11.4	126	1	1	6	21	28	30	42
25-34	12559	12.1	140	1	2	8	18	28	33	56	4339	11.3	123	1	1	6	21	28	30	41
35-54	15835	11.5	117	1	2	7	17	27	31	48	6149	10.5	113	1	2	5	18	28	30	39
55-74	8126	12.9	132	1	2	9	19	28	34	56	3539	9.4	103	1	2	5	11	27	30	41
75 +	2956	12.6	146	2	3	9	17	28	38	65	1615	8.6	95	1	2	6	10	19	28	98
ALL AGES	49421	12.6	156	1	2	8	19	29	37	64	18445	10.4	124	1	1	5	16	28	30	47
B. FEMALE																				
0-12 YRS.	698	16.3	343	1	1	9	27	46	62	99 +	242	6.7	196	1	1	2	4	21	35	99 +
13-17	4303	17.6	325	1	1	11	27	45	59	99 +	885	10.8	268	1	1	3	13	38	48	99 +
18-20	1968	12.3	196	1	1	7	17	30	42	70	510	9.0	187	1	1	3	9	28	36	66
21-24	3495	11.9	150	1	1	8	17	28	36	63	855	8.7	119	1	1	4	9	27	31	47
25-34	12584	12.4	138	1	2	9	17	28	35	58	3116	9.3	117	1	1	5	11	27	30	47
35-54	19143	13.1	132	1	2	10	18	28	35	56	4621	8.9	104	1	1	5	11	25	30	43
55-74	13737	15.6	165	2	3	13	21	32	41	66	3801	9.0	98	1	2	5	11	22	29	52
75 +	6194	14.3	177	2	3	10	19	32	42	81	2847	8.5	89	1	2	6	10	18	28	81
ALL AGES	62122	13.9	166	1	2	10	19	30	40	66	16877	9.0	116	1	1	5	10	25	30	55
SUBTOTAL	**111543**	**13.3**	**163**	**1**	**2**	**9**	**19**	**29**	**38**	**66**	**35322**	**9.7**	**121**	**1**	**1**	**5**	**13**	**28**	**30**	**51**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	926	29.9	495	2	4	29	46	69	92	99 +	116	28.6	866	1	2	24	62	98	99 +	99 +
13-17	4056	24.1	401	2	3	20	39	54	70	99 +	940	24.8	358	1	2	27	38	49	61	99 +
18-20	2136	14.3	184	1	2	10	22	31	41	69	712	15.2	186	1	1	10	27	32	36	55
21-24	3728	12.7	139	1	2	9	21	28	32	52	1363	13.8	140	1	2	9	24	30	32	41
25-34	13444	12.1	123	1	2	8	20	28	30	48	6207	11.6	117	1	2	6	21	28	30	40
35-54	15001	11.4	113	1	2	7	17	27	30	49	6822	9.3	92	1	2	5	12	27	29	37
55-74	5440	12.8	128	2	3	9	18	28	34	56	2662	8.8	77	2	2	5	10	22	29	39
75 +	1246	13.2	127	2	3	10	18	28	35	76	613	8.9	95	1	2	6	11	21	28	59
ALL AGES	45977	13.6	173	1	2	9	21	30	40	69	19435	11.4	135	1	2	5	20	29	32	50
B. FEMALE																				
0-12 YRS.	433	28.3	470	2	4	27	45	72	99 +	99 +	62	26.0	760	1	1	26	61	99	99 +	99 +
13-17	4049	23.0	412	2	3	18	36	57	76	99 +	747	21.3	424	1	1	17	37	53	72	99 +
18-20	1866	14.3	205	1	2	9	21	32	44	72	487	14.0	242	1	1	6	25	34	44	82
21-24	3471	13.3	175	1	2	9	20	30	38	71	877	11.8	169	1	1	5	21	30	34	53
25-34	11577	13.0	155	1	2	9	19	28	36	64	3196	10.7	119	1	2	6	16	28	31	45
35-54	13366	13.4	148	1	2	10	19	29	36	62	3658	9.1	89	1	2	5	11	26	30	39
55-74	7007	15.9	173	2	3	13	22	33	42	71	2135	9.2	97	1	2	5	11	23	30	45
75 +	2546	15.0	156	2	3	11	20	32	42	65	910	9.1	89	2	2	6	10	19	28	55
ALL AGES	44315	14.9	194	1	2	11	21	32	44	79	12072	10.8	144	1	2	6	14	29	34	60
SUBTOTAL	**90292**	**14.2**	**185**	**1**	**2**	**10**	**21**	**31**	**42**	**75**	**31507**	**11.1**	**140**	**1**	**2**	**6**	**17**	**29**	**33**	**54**
GRAND TOTAL	**201835**	**13.7**	**173**	**1**	**2**	**9**	**20**	**30**	**40**	**70**	**66829**	**10.4**	**130**	**1**	**1**	**5**	**14**	**28**	**31**	**53**

APPENDIX 1

HOSPITAL SERVICE TYPE DEFINITIONS

To define the two hospital categories used in the Psychiatric Length of Stay series, the following steps were accomplished:

All specialty or long-term care hospitals, e.g., substance-abuse, orthopedic, or psychiatric, were deleted so that only nonfederal, short-term general hospitals remained in the psychiatric length of stay database. The exception is pediatric hospitals, specialty institutions, whose data were included.

Hospitals were then grouped according to whether the following service codes were recorded:

A. Hospital-based psychiatric acute care

B. Psychiatric acute care not available

C. Psychiatric acute care provided by another hospital or provider

D. Hospital-based pediatric psychiatric acute care

E. Pediatric psychiatric acute care not available

F. Pediatric psychiatric acute care provided by another hospital or provider

G. Psychiatric acute care beds set up

Hospitals in A, D, and G above were separated and labeled: hospitals with a psychiatric unit/beds. Hospitals in B, C, E, and F above were labeled: hospitals without a psychiatric unit/beds.

In addition, however, both hospital service types may offer one or more of these services as defined in the *AHA Guide*, 1986 Edition:

Psychiatric outpatient services

Hospital services for the diagnosis and treatment of psychiatric outpatients.

Clinical psychology services

One or more clinical psychologists who provide diagnostic or therapeutic services on a regular full-time schedule or intermittently.

Psychiatric consultation and education services

Provision of interpretive psychiatric consultation and education services to community agencies and workers such as schools, police, courts, public health nurses, welfare agencies, clergy, and so forth.The pupose is to expand the mental health knowledge and competence of personnel not working in the mental health field and to promote good mental health through improved understanding, attitudes, and behavioral patterns.

Psychiatric foster and/or home care program

Planned postdischarge psychiatric observation and care in the patient's place of residence or in an approved foster home.

Psychiatric emergency services

Hospital facilities for the provision of unscheduled outpatient care to psychiatric patients whose conditions are considered to require immediate care. Staff must be available 24 hours a day.

Partial hospitalization program

Organized hospital facilities and services for day care and/or night care of psychiatric patients who do not require inpatient care 24 hours a day.

APPENDIX 2

CALCULATION OF PROGRAM INTENSITY INDEX

The (Ip) of Phillip and Hai (1976) is used to place hospitals in one of three levels of teaching status. The formula is presented below.

$$Ip = 9.9\ (JCA) + 14.0\ (CP) + 28.0\ (RES) + 14.7\ (MS) + 13.3\ (PNS) + 20.1\ (COT)$$

JCA: Accreditation by Joint Commission of Accredition of Hospitals

CP: Cancer Program approved by American College of Surgeons

RES: Residency approved by American Medical Association

MS: Medical School Affiliation reported by American Medical Association

PNS: Hospital-controlled professional nursing school, reported by National League for Nursing

COT: Member of Council of Teaching Hospitals of the Association of American Medical Colleges

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

In the hospital characteristic tables of the Psychiatric Length of Stay series, the following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution
Ip value 25.0-74.9	Minor Teaching Institution
Ip value 75.0+	Major Teaching Institution

APPENDIX 3

STATE INCLUSIONS BY REGION

Northeast	North Central	South	West
Connecticut	Illinois	Alabama	Alaska
Maine	Indiana	Arkansas	Arizona
Massachusetts	Iowa	Delaware	California
New Hampshire	Kansas	District of Columbia	Colorado
New Jersey	Michigan	Florida	Hawaii
New York	Minnesota	Georgia	Idaho
Pennsylvania	Missouri	Kentucky	Montana
Rhode Island	Nebraska	Louisiana	Nevada
Vermont	North Dakota	Maryland	New Mexico
	Ohio	Mississippi	Oregon
	South Dakota	North Carolina	Utah
	Wisconsin	Oklahoma	Washington
		South Carolina	Wyoming
		Tennessee	
		Texa	
		Virginia	
		West Virginia	

The number and percent of hospitals and total patients by census region and hospital type included in the psychiatric length of stay tables is shown below.

	Hospitals with a Psych Unit/Beds				Hospitals without a Psych Unit/Beds			
Region	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx	%	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx	%
Northeast	130	26.3	44,556	22.1	174	18.3	10,397	15.6
North Central	154	31.1	77,149	38.2	331	34.9	22,858	34.2
South	93	18.8	37,236	18.4	217	22.8	12,439	18.6
West	118	23.8	42,894	21.3	228	24.0	21,135	31.6
U.S.	495	100.0	201,835	100.0	950	100.0	66,829	100.0

Appendix 4

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	English Description	Page Number
290	**Senile and presenile organic psychotic conditions**	
290.0	Senile dementia, uncomplicated	1
290.1	Presenile dementia	2
290.10	Presenile dementia, uncomplicated	2
290.11	Presenile dementia with delirium	2
290.12	Presenile dementia with delusional features	2
290.13	Presenile dementia with depressive features	2
290.2	Senile dementia with delusional or depressive features	3
290.20	Senile dementia with delusional features	3
290.21	Senile dementia with depressive features	3
290.3	Senile dementia with delirium	4
290.4	Arteriosclerotic dementia	5
290.40	Arteriosclerotic dementia, uncomplicated	5
290.41	Arteriosclerotic dementia with delirium	5
290.42	Arteriosclerotic dementia with delusional features	5
290.43	Arteriosclerotic dementia with depressive features	5
290.8	Other specified senile psychotic conditions	6
290.9	Unspecified senile psychotic condition	7
291	**Alcoholic psychoses**	
291.0	Alcohol withdrawal delirium	8
291.1	Alcohol amnestic syndrome	9
291.2	Other alcoholic dementia	10
291.3	Alcohol withdrawal hallucinosis	11
291.4	Idiosyncratic alcohol intoxication	12
291.5	Alcoholic jealousy	13
291.8	Other specified alcoholic psychosis	14
291.9	Unspecified alcoholic psychosis	15
292	**Drug psychoses**	
292.0	Drug withdrawal syndrome	16
292.1	Paranoid and/or hallucinatory states induced by drugs	17
292.11	Drug-induced organic delusional syndrome	17
292.12	Drug-induced hallucinosis	17
292.2	Pathological drug intoxication	18
292.8	Other specified drug-induced mental disorders	19
292.81	Drug-induced delirium	19
292.82	Drug-induced dementia	19
292.83	Drug-induced amnestic syndrome	19
292.84	Drug-induced organic affective syndrome	19
292.89	Other	19
292.9	Unspecified drug-induced mental disorder	20
293	**Transient organic psychotic conditions**	
293.0	Acute delirium	21
293.1	Subacute delirium	22
293.8	Other specified transient organic mental disorders	23
293.81	Organic delusional syndrome	23
293.82	Organic hallucinosis syndrome	23
293.83	Organic affective syndrome	23
293.89	Other	23
293.9	Unspecified transient organic mental disorder	24

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
294	**Other organic psychotic conditions (chronic)**	
294.0	Amnestic syndrome	25
294.1	Dementia in conditions classified elsewhere	26
294.8	Other specified organic brain syndromes (chronic)	27
294.9	Unspecified organic brain syndrome (chronic)	28
295	**Schizophrenic disorders**	
	Fifth-digit subclassification for use with 295: 0 unspecified 1 subchronic 2 chronic 3 subchronic with acute exacerbation 4 chronic with acute exacerbation 5 in remission	
295.0	Simple type	29
295.1	Disorganized type	30
295.2	Catatonic type	31
295.3	Paranoid type	32
295.4	Acute schizophrenic episode	33
295.5	Latent schizophrenia	34
295.6	Residual schizophrenia	35
295.7	Schizo-affective type	36
295.8	Other specified types of schizophrenia	37
295.9	Unspecified schizophrenia	38
296	**Affective psychoses**	
	Fifth-digit subclassification for use with 296.0-296.6: 0 unspecified 1 mild 2 moderate 3 severe, without mention of psychotic behavior 4 severe, specified as with psychotic behavior 5 in partial or unspecified remission 6 in full remission	
296.0	Manic disorder, single episode	39
296.1	Manic disorder, recurrent episode	40
296.2	Major depressive disorder, single episode	41
296.3	Major depressive disorder, recurrent episode	42
296.4	Bipolar affective disorder, manic	43
296.5	Bipolar affective disorder, depressed	44
296.6	Bipolar affective disorder, mixed	45
296.7	Bipolar affective disorder, unspecified	46
296.8	Manic-depressive psychosis, other and unspecified	47
296.80	Manic-depressive psychosis, unspecified	47
296.81	Atypical manic disorder	47
296.82	Atypical depressive disorder	47
296.89	Other	47
296.9	Other and unspecified affective psychoses	48
296.90	Unspecified affective psychosis	48
296.99	Other specified affective psychoses	48
297	**Paranoid states**	
297.0	Paranoid state, simple	49
297.1	Paranoia	50
297.2	Paraphrenia	51
297.3	Shared paranoid disorder	52

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
297.8	Other specified paranoid states	53
297.9	Unspecified paranoid state	54
298	**Other nonorganic psychoses**	
298.0	Depressive type psychosis	55
298.1	Excitative type psychosis	56
298.2	Reactive confusion	57
298.3	Acute paranoid reaction	58
298.4	Psychogenic paranoid psychosis	59
298.8	Other and unspecified reactive psychosis	60
298.9	Unspecified psychosis	61
299	**Psychoses with origin specific to childhood**	
	Fifth-digit subclassification for use with 299:	
	0 current or active state	
	1 residual state	
299.0	Infantile autism	62
299.8	Other specified early childhood psychoses	63
299.9	Unspecified	64
300	**Neurotic disorders**	
300.0	Anxiety states	65
300.00	Anxiety state, unspecified	65
300.01	Panic disorder	65
300.02	Generalized anxiety disorder	65
300.09	Other	65
300.1	Hysteria	66
300.10	Hysteria, unspecified	66
300.11	Conversion disorder	66
300.12	Psychogenic amnesia	66
300.13	Psychogenic fugue	66
300.14	Multiple personality	66
300.15	Dissociative disorder or reaction, unspecified	66
300.16	Factitious illness with psychological symptoms	66
300.19	Other and unspecified factitious illness	66
300.2	Phobic disorders	67
300.20	Phobia, unspecified	67
300.21	Agoraphobia with panic attacks	67
300.22	Agoraphobia without mention of panic attacks	67
300.23	Social phobia	67
300.29	Other isolated or simple phobias	67
300.3	Obsessive-compulsive disorders	68
300.4	Neurotic depression	69
300.5	Neurasthenia	70
300.6	Depersonalization syndrome	71
300.7	Hypochondriasis	72
300.8	Other neurotic disorders	73
300.81	Somatization disorder	73
300.89	Other	73
300.9	Unspecified neurotic disorder	74
301	**Personality disorders**	
301.0	Paranoid personality disorder	75
301.1	Affective personality disorder	76
301.10	Affective personality disorder, unspecified	76
301.11	Chronic hypomanic personality disorder	76

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
301.12	Chronic depressive personality disorder	76
301.13	Cyclothymic disorder	76
301.2	Schizoid personality disorder	77
301.20	Schizoid personality disorder, unspecified	77
301.21	Introverted personality	77
301.22	Schizotypal personality	77
301.3	Explosive personality disorder	78
301.4	Compulsive personality disorder	79
301.5	Histrionic personality disorder	80
301.50	Histrionic personality disorder, unspecified	80
301.51	Chronic factitious illness with physical symptoms	80
301.59	Other histrionic personality disorder	80
301.6	Dependent personality disorder	81
301.7	Antisocial personality disorder	82
301.8	Other personality disorders	83
301.81	Narcissistic personality	83
301.82	Avoidant personality	83
301.83	Borderline personality	83
301.84	Passive-aggressive personality	83
301.89	Other	83
301.9	Unspecified personality disorder	84
302	**Sexual deviations and disorders**	
302.0	Homosexuality	85
302.1	Zoophilia	86
302.2	Pedophilia	87
302.3	Transvestism	88
302.4	Exhibitionism	89
302.5	Trans-sexualism	90
302.50	With unspecified sexual history	90
302.51	With asexual history	90
302.52	With homosexual history	90
302.53	With heterosexual history	90
302.6	Disorders of psychosexual identity	91
302.7	Psychosexual dysfunction	92
302.70	Psychosexual dysfunction, unspecified	92
302.71	With inhibited sexual desire	92
302.72	With inhibited sexual excitement	92
302.73	With inhibited female orgasm	92
302.74	With inhibited male orgasm	92
302.75	With premature ejaculation	92
302.76	With functional dyspareunia	92
302.79	With other specified psychosexual dysfunctions	92
302.8	Other specified psychosexual disorders	93
302.81	Fetishism	93
302.82	Voyeurism	93
302.83	Sexual masochism	93
302.84	Sexual sadism	93
302.85	Gender identity disorder of adolescent or adult life	93
302.89	Other	93
302.9	Unspecified psychosexual disorder	94

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
303	**Alcohol dependence syndrome**	
	Fifth-digit subclassification for use with 303:	
	0 unspecified	
	1 continuous	
	2 episodic	
	3 in remission	
303.0	Acute alcoholic intoxication	95
303.9	Other and unspecified alcohol dependence	96
304	**Drug dependence**	
	Fifth-digit subclassification for use with 304:	
	0 unspecified	
	1 continuous	
	2 episodic	
	3 in remission	
304.0	Opioid type dependence	97
304.1	Barbiturate and similarly acting sedative or hypnotic dependence	98
304.2	Cocaine dependence	99
304.3	Cannabis dependence	100
304.4	Amphetamine and other psychostimulant dependence	101
304.5	Hallucinogen dependence	102
304.6	Other specified drug dependence	103
304.7	Combinations of opioid type drug with any other	104
304.8	Combinations of drug dependence excluding opioid type drug	105
304.9	Unspecified drug dependence	106
305	**Nondependent abuse of drugs**	
	Fifth-digit subclassification for use with 305:	
	0 unspecified	
	1 continuous	
	2 episodic	
	3 in remission	
305.0	Alcohol abuse	107
305.1	Tobacco use disorder	108
305.2	Cannabis abuse	109
305.3	Hallucinogen abuse	110
305.4	Barbiturate and similarly acting sedative or hypnotic abuse	111
305.5	Opioid abuse	112
305.6	Cocaine abuse	113
305.7	Amphetamine or related acting sympathomimetic abuse	114
305.8	Antidepressant type abuse	115
305.9	Other, mixed, or unspecified drug abuse	116
306	**Physiological malfunction arising from mental factors**	
306.0	Musculoskeletal	117
306.1	Respiratory	118
306.2	Cardiovascular	119
306.3	Skin	120
306.4	Gastrointestinal	121
306.5	Genitourinary	122
306.50	Psychogenic genitourinary malfunction, unspecified	122
306.51	Psychogenic vaginismus	122
306.52	Psychogenic dysmenorrhea	122
306.53	Psychogenic dysuria	122
306.59	Other	122
306.6	Endocrine	123

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
306.7	Organs of special sense	124
306.8	Other specified psychophysiological malfunction	125
306.9	Unspecified psychophysiological malfunction	126
307	**Special symptoms or syndromes, not elsewhere classified**	
307.0	Stammering and stuttering	127
307.1	Anorexia nervosa	128
307.2	Tics	129
307.20	Tic disorder, unspecified	129
307.21	Transient tic disorder of childhood	129
307.22	Chronic motor tic disorder	129
307.23	Gilles de la Tourette's disorder	129
307.3	Stereotyped repetitive movements	130
307.4	Specific disorders of sleep of nonorganic origin	131
307.40	Nonorganic sleep disorder, unspecified	131
307.41	Transient disorder of initiating or maintaining sleep	131
307.42	Persistent disorder of initiating or maintaining sleep	131
307.43	Transient disorder of initiating or maintaining wakefulness	131
307.44	Persistent disorder of initiating or maintaining wakefulness	131
307.45	Phase-shift disruption of 24-hour sleep-wake cycle	131
307.46	Somnambulism or night terrors	131
307.47	Other dysfunctions of sleep stages or arousal from sleep	131
307.48	Repetitive intrusions of sleep	131
307.49	Other	131
307.5	Other and unspecified disorders of eating	132
307.50	Eating disorder, unspecified	132
307.51	Bulimia	132
307.52	Pica	132
307.53	Psychogenic rumination	132
307.54	Psychogenic vomiting	132
307.59	Other	132
307.6	Enuresis	133
307.7	Encopresis	134
307.8	Psychalgia	135
307.80	Psychogenic pain, site unspecified	135
307.81	Tension headache	135
307.89	Other	135
307.9	Other and unspecified special symptoms or syndromes, not elsewhere classified	136
308	**Acute reaction to stress**	
308.0	Predominant disturbance of emotions	137
308.1	Predominant disturbance of consciousness	138
308.2	Predominant psychomotor disturbance	139
308.3	Other acute reactions to stress	140
308.4	Mixed disorders as reaction to stress	141
308.9	Unspecified acute reaction to stress	142
309	**Adjustment reaction**	
309.0	Brief depressive reaction	143
309.1	Prolonged depressive reaction	144
309.2	With predominant disturbance of other emotions	145
309.21	Separation anxiety disorder	145
309.22	Emancipation disorder of adolescence and early adult life	145
309.23	Specific academic or work inhibition	145
309.24	Adjustment reaction with anxious mood	145
309.28	Adjustment reaction with mixed emotional features	145

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
309.29	Other	145
309.3	With predominant disturbance of conduct	146
309.4	With mixed disturbance of emotions and conduct	147
309.8	Other specified adjustment reactions	148
309.81	Prolonged posttraumatic stress disorder	148
309.82	Adjustment reaction with physical symptoms	148
309.83	Adjustment reaction with withdrawal	148
309.89	Other	148
309.9	Unspecified adjustment reaction	149
310	**Specific nonpsychotic mental disorders due to organic brain damage**	
310.0	Frontal lobe syndrome	150
310.1	Organic personality syndrome	151
310.2	Postconcussion syndrome	152
310.8	Other specified nonpsychotic mental disorders following organic brain damage	153
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	154
311	**Depressive disorder, not elsewhere classified**	155
312	**Disturbance of conduct, not elsewhere classified** Fifth-digit subclassification for use with 312.0-312.2: 0 unspecified 1 mild 2 moderate 3 severe	
312.0	Undersocialized conduct disorder, aggressive type	156
312.1	Undersocialized conduct disorder, unaggressive type	157
312.2	Socialized conduct disorder	158
312.3	Disorders of impulse control, not elsewhere classified	159
312.30	Impulse control disorder, unspecified	159
312.31	Pathological gambling	159
312.32	Kleptomania	159
312.33	Pyromania	159
312.34	Intermittent explosive disorder	159
312.35	Isolated explosive disorder	159
312.39	Other	159
312.4	Mixed disturbance of conduct and emotions	160
312.8	Other specified disturbances of conduct, not elsewhere classified	161
312.9	Unspecified disturbance of conduct	162
313	**Disturbance of emotions specific to childhood and adolescence**	
313.0	Overanxious disorder	163
313.1	Misery and unhappiness disorder	164
313.2	Sensitivity, shyness, and social withdrawal disorder	165
313.21	Shyness disorder of childhood	165
313.22	Introverted disorder of childhood	165
313.23	Elective mutism	165
313.3	Relationship problems	166
313.8	Other or mixed emotional disturbances of childhood or adolescence	167
313.81	Oppositional disorder	167
313.82	Identity disorder	167
313.83	Academic underachievement disorder	167
313.89	Other	167
313.9	Unspecified emotional disturbance of childhood or adolescence	168
314	**Hyperkinetic syndrome of childhood**	
314.0	Attention deficit disorder	169
314.00	Without mention of hyperactivity	169

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
314.01	With hyperactivity	169
314.1	Hyperkinesis with developmental delay	170
314.2	Hyperkinetic conduct disorder	171
314.8	Other specified manifestations of hyperkinetic syndrome	172
314.9	Unspecified hyperkinetic syndrome	173
290-314.9	**All psychiatric diagnosis codes**	174

Appendix 5

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES

English Description	*ICD-9-CM* Code	Page Number
Academic underachievement disorder	313.83	167
Acute alcoholic intoxication	303.0	95
Acute delirium	293.0	21
Acute paranoid reaction	298.3	58
Acute schizophrenic episode	295.4	33
Adjustment reaction with anxious mood	309.24	145
Adjustment reaction with mixed emotional features	309.28	145
Adjustment reaction with physical symptoms	309.82	148
Adjustment reaction with withdrawal	309.83	148
Affective personality disorder	301.1	76
Affective psychoses	296.0-296.6	39-45
Fifth-digit subclassification for use with 296.0-296.6:		
0 unspecified		
1 mild		
2 moderate		
3 severe, without mention of psychotic behavior		
4 severe, specified as with psychotic behavior		
5 in partial or unspecified remission		
6 in full remission		
Agoraphobia with panic attacks	300.21	67
Agoraphobia without mention of panic attacks	300.22	67
Alcohol abuse	305.0	107
Alcohol amnestic syndrome	291.1	9
Alcohol dependence syndrome	303.0-303.9	95-96
Fifth-digit subclassification for use with 303:		
0 unspecified		
1 continuous		
2 episodic		
3 in remission		
Alcohol withdrawal delirium	291.0	8
Alcohol withdrawal hallucinosis	291.3	11
Alcoholic jealousy	291.5	13
Amnestic syndrome	294.0	25
Amphetamine and other psychostimulant dependence	304.4	101
Amphetamine or related acting sympathomimetic abuse	305.7	114
Anorexia nervosa	307.1	128
Antidepressant type abuse	305.8	115
Antisocial personality disorder	301.7	82
Anxiety state, unspecified	300.00	65
Anxiety states	300.0	65
Arteriosclerotic dementia	290.4	5
Arteriosclerotic dementia, uncomplicated	290.40	5
Arteriosclerotic dementia with delirium	290.41	5
Arteriosclerotic dementia with delusional features	290.42	5
Arteriosclerotic dementia with depressive features	290.43	5
Attention deficit disorder	314.0	169
Atypical depressive disorder	296.82	47
Atypical manic disorder	296.81	47
Avoidant personality	301.82	83

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Barbiturate and similarly acting sedative or hypnotic dependence	304.1	98
Barbiturate and similarly acting sedative or hypnotic abuse	305.4	111
Bipolar affective disorder, depressed	296.5	44
Bipolar affective disorder, manic	296.4	43
Bipolar affective disorder, mixed	296.6	45
Bipolar affective disorder, unspecified	296.7	46
Borderline personality	301.83	83
Brief depressive reaction	309.0	143
Bulimia	307.51	132
Cannabis abuse	305.2	109
Cannabis dependence	304.3	100
Cardiovascular	306.2	119
Catatonic type-Schizophrenic disorders	295.2	31
Chronic depressive personality disorder	301.12	76
Chronic factitious illness with physical symptoms	301.51	80
Chronic hypomanic personality disorder	301.11	76
Chronic motor tic disorder	307.22	129
Cocaine abuse	305.6	113
Cocaine dependence	304.2	99
Combinations of drug dependence excluding opioid type drug	304.8	105
Combinations of opioid type drug with any other	304.7	104
Compulsive personality disorder	301.4	79
Conversion disorder	300.11	66
Cyclothymic disorder	301.13	76
Dementia in conditions classified elsewhere	294.1	26
Dependent personality disorder	301.6	81
Depersonalization syndrome	300.6	71
Depressive disorder, not elsewhere classified	311	155
Depressive type psychosis	298.0	55
Disorders of impulse control, not elsewhere classified	312.3	159
Disorders of psychosexual identity	302.6	91
Disorganized type	295.1	30
Dissociative disorder or reaction, unspecified	300.15	66
Disturbance of conduct, not elsewhere classified	312.0-312.2	156-158
Fifth-digit subclassification for use with 312.0-312.2:		
0 unspecified		
1 mild		
2 moderate		
3 severe		
Drug dependence	304.0-304.9	97-106
Fifth-digit subclassification for use with 304:		
0 unspecified		
1 continuous		
2 episodic		
3 in remission		
Drug withdrawal syndrome	292.0	16
Drug-induced amnestic syndrome	292.83	19
Drug-induced delirium	292.81	19
Drug-induced dementia	292.82	19
Drug-induced hallucinosis	292.12	17
Drug-induced organic affective syndrome	292.84	19
Drug-induced organic delusional syndrome	292.11	17

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Eating disorder, unspecified	307.50	132
Elective mutism	313.23	165
Emancipation disorder of adolescence and early adult life	309.22	145
Encopresis	307.7	134
Endocrine-Physiological malfunction arising from mental factors	306.6	123
Enuresis	307.6	133
Excitative type psychosis	298.1	56
Exhibitionism	302.4	89
Explosive personality disorder	301.3	78
Factitious illness with psychological symptoms	300.16	66
Fetishism	302.81	93
Frontal lobe syndrome	310.0	150
Gastrointestinal-Physiological malfunction arising from mental factors	306.4	121
Gender identity disorder of adolescent or adult life	302.85	93
Generalized anxiety disorder	300.02	65
Genitourinary-Physiological malfuntion arising from mental factors	306.5	122
Gilles de la Tourette's disorder	307.23	129
Hallucinogen abuse	305.3	110
Hallucinogen dependence	304.5	102
Histrionic personality disorder	301.5	80
Histrionic personality disorder, unspecified	301.50	80
Homosexuality	302.0	85
Hyperkinesis with developmental delay	314.1	170
Hyperkinetic conduct disorder	314.2	171
Hypochondriasis	300.7	72
Hysteria	300.1	66
Hysteria, unspecified	300.10	66
Identity disorder	313.82	167
Idiosyncratic alcohol intoxication	291.4	12
Impulse control disorder, unspecified	312.30	159
Infantile autism	299.0	62
Intermittent explosive disorder	312.34	159
Introverted disorder of childhood	313.22	165
Introverted personality	301.21	77
Isolated explosive disorder	312.35	159
Kleptomania	312.32	159
Latent schizophrenia	295.5	34
Major depressive disorder, recurrent episode	296.3	42
Major depressive disorder, single episode	296.2	41
Manic disorder, recurrent episode	296.0	39
Manic disorder, single episode	296.1	40
Manic-depressive psychosis, other and unspecified	296.8	47
Manic-depressive psychosis, unspecified	296.80	47
Misery and unhappiness disorder	313.1	164
Mixed disorders as reaction to stress	308.4	141
Mixed disturbance of conduct and emotions	312.4	160
Multiple personality	300.14	66
Musculoskeletal-Physiological malfunction arising from mental factors	306.0	117
Narcissistic personality	301.81	83
Neurasthenia	300.5	70
Neurotic depression	300.4	69

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Nondependent abuse of drugs	305.0-305.9	107-116
Fifth-digit subclassification for use with 305:		
0 unspecified		
1 continuous		
2 episodic		
3 in remission		
Nonorganic sleep disorder, unspecified	307.40	131
Obsessive-compulsive disorders	300.3	68
Opioid abuse	305.5	112
Opioid type dependence	304.0	97
Oppositional disorder	313.81	167
Organic affective syndrome	293.83	23
Organic delusional syndrome	293.81	23
Organic hallucinosis syndrome	293.82	23
Organic personality syndrome	310.1	151
Organs of special sense-Physiological malfunction arising from mental factors	306.7	124
Other-Genitourinary physiological malfuntion arising from mental factors	306.59	122
Other-Specific disorders of sleep of nonorganic origin	307.49	131
Other-Other and unspecified disorders of eating	307.59	132
Other-Psychalgia	307.89	135
Other-Adjustment reaction w/predominant disturbance of other emotions	309.29	145
Other-Other specified adjustment reactions	309.89	148
Other-Disorders of impulse control not elsewhere classified	312.39	159
Other-Other or mixed emotional disturbances of childhood or adolescence	313.89	167
Other-Other specified drug-induced mental disorders	292.89	19
Other-Other specified transient organic mental disorders	293.89	23
Other-Manic-depressive psychoses, other and specified	296.89	47
Other-Anxiety states	300.09	65
Other-Other neurotic disorders	300.89	73
Other-Other personality disorders	301.89	83
Other-Other specified psychosexual disorders	302.89	93
Other acute reactions to stress	308.3	140
Other alcoholic dementia	291.2	10
Other and unspecified affective psychoses	296.9	48
Other and unspecified alcohol dependence	303.9	96
Other and unspecified disorders of eating	307.5	132
Other and unspecified factitious illness	300.19	66
Other and unspecified reactive psychosis	298.8	60
Other and unspecified special symptoms or syndromes,not elsewhere classified	307.9	136
Other dysfunctions of sleep stages or arousal from sleep	307.47	131
Other histrionic personality disorder	301.59	80
Other isolated or simple phobias	300.29	67
Other, mixed, or unspecified drug abuse	305.9	116
Other neurotic disorders	300.8	73
Other or mixed emotional disturbances of childhood or adolescence	313.8	167
Other personality disorders	301.8	83
Other specified adjustment reactions	309.8	148
Other specified affective psychoses	296.99	48
Other specified alcoholic psychosis	291.8	14
Other specified disturbances of conduct, not elsewhere classified	312.8	161
Other specified drug dependence	304.6	103

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Other specified drug-induced mental disorders	292.8	19
Other specified early childhood psychoses	299.8	63
Other specified manifestations of hyperkinetic syndrome	314.8	172
Other specified nonpsychotic mental disorders following organic brain damage	310.8	153
Other specified organic brain syndromes (chronic)	294.8	27
Other specified paranoid states	297.8	53
Other specified psychophysiological malfunction	306.8	125
Other specified psychosexual disorders	302.8	93
Other specified senile psychotic conditions	290.8	6
Other specified transient organic mental disorders	293.8	23
Other specified types of schizophrenia	295.8	37
Overanxious disorder	313.0	163
Panic disorder	300.01	65
Paranoia	297.1	50
Paranoid and/or hallucinatory states induced by drugs	292.1	17
Paranoid state, simple	297.0	49
Paranoid type-Schizophrenic disorders	295.3	32
Paraphrenia	297.2	51
Passive-aggressive personality	301.84	83
Pathological drug intoxication	292.2	18
Pathological gambling	312.31	159
Pedophilia	302.2	87
Persistent disorder of initiating or maintaining wakefulness	307.44	131
Persistent disorder of initiating or maintaining sleep	307.42	131
Phase-shift disruption of 24-hour sleep-wake cycle	307.45	131
Phobia, unspecified	300.20	67
Phobic disorders	300.2	67
Pica	307.52	132
Postconcussion syndrome	310.2	152
Predominant disturbance of consciousness	308.1	138
Predominant disturbance of emotions	308.0	137
Predominant psychomotor disturbance	308.2	139
Presenile dementia	290.1	2
Presenile dementia, uncomplicated	290.10	2
Presenile dementia with delirium	290.11	2
Presenile dementia with delusional features	290.12	2
Presenile dementia with depressive features	290.13	2
Prolonged depressive reaction	309.1	144
Prolonged posttraumatic stress disorder	309.81	148
Psychalgia	307.8	135
Psychogenic amnesia	300.12	66
Psychogenic dysmenorrhea	306.52	122
Psychogenic dysuria	306.53	122
Psychogenic fugue	300.13	66
Psychogenic genitourinary malfunction, unspecified	306.50	122
Psychogenic pain, site unspecified	307.80	135
Psychogenic paranoid psychosis	298.4	59
Psychogenic rumination	307.53	132
Psychogenic vaginismus	306.51	122
Psychogenic vomiting	307.54	132

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Psychoses with origin specific to childhood	299.0-299.9	62-64
Fifth-digit subclassification for use with 299:		
0 current or active state		
1 residual state		
Psychosexual dysfunction	302.7	92
Psychosexual dysfunction, unspecified	302.70	92
Pyromania	312.33	159
Reactive confusion	298.2	57
Relationship problems	313.3	166
Repetitive intrusions of sleep	307.48	131
Residual schizophrenia	295.6	35
Respiratory-Physiological malfunction arising from mental factors	306.1	118
Schizo-affective type-Schizophrenic disorders	295.7	36
Schizoid personality disorder	301.2	77
Schizoid personality disorder, unspecified	301.20	77
Schizophrenic disorders	295.0-295.9	29-38
Fifth-digit subclassification for use with 295:		
0 unspecified		
1 subchronic		
2 chronic		
3 subchronic with acute exacerbation		
4 chronic with acute exacerbation		
5 in remission		
Schizotypal personality	301.22	77
Senile dementia, uncomplicated	290.0	1
Senile dementia with delirium	290.3	4
Senile dementia with delusional or depressive features	290.2	3
Senile dementia with delusional features	290.20	3
Senile dementia with depressive features	290.21	3
Sensitivity, shyness, and social withdrawal disorder	313.2	165
Separation anxiety disorder	309.21	145
Sexual masochism	302.83	93
Sexual sadism	302.84	93
Shared paranoid disorder	297.3	52
Shyness disorder of childhood	313.21	165
Simple type-Schizophrenic disorders	295.0	29
Skin-Physiological malfunction arising from mental factors	306.3	120
Social phobia	300.23	67
Socialized conduct disorder	312.2	158
Somatization disorder	300.81	73
Somnambulism or night terrors	307.46	131
Specific academic or work inhibition	309.23	145
Specific disorders of sleep of nonorganic origin	307.4	131
Stammering and stuttering	307.0	127
Stereotyped repetitive movements	307.3	130
Subacute delirium	293.1	22
Tension headache	307.81	135
Tic disorder, unspecified	307.20	129
Tics	307.2	129
Tobacco use disorder	305.1	108
Trans-sexualism	302.5	90
Transient disorder of initiating or maintaining wakefulness	307.43	131

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Transient disorder of initiating or maintaining sleep	307.41	131
Transient tic disorder of childhood	307.21	129
Transvestism	302.3	88
Undersocialized conduct disorder, aggressive type	312.0	156
Undersocialized conduct disorder, unaggressive type	312.1	157
Unspecified-Psychoses with origin specific to childhood	299.9	64
Unspecified acute reaction to stress	308.9	142
Unspecified adjustment reaction	309.9	149
Unspecified affective psychosis	296.90	48
Unspecified alcoholic psychosis	291.9	15
Unspecified disturbance of conduct	312.9	162
Unspecified drug dependence	304.9	106
Unspecified drug-induced mental disorder	292.9	20
Unspecified emotional disturbance of childhood or adolescence	313.9	168
Unspecified hyperkinetic syndrome	314.9	173
Unspecified neurotic disorder	300.9	74
Unspecified nonpsychotic mental disorder following organic brain damage	310.9	154
Unspecified organic brain syndrome (chronic)	294.9	28
Unspecified paranoid state	297.9	54
Unspecified personality disorder	301.9	84
Unspecified psychophysiological malfunction	306.9	126
Unspecified psychosexual disorder	302.9	94
Unspecified psychosis	298.9	61
Unspecified schizophrenia	295.9	38
Unspecified senile psychotic condition	290.9	7
Unspecified transient organic mental disorder	293.9	24
Voyeurism	302.82	93
With asexual history-Trans-sexualism	302.51	90
With functional dyspareunia-Psychosexual dysfunction	302.76	92
With heterosexual history-Trans-sexualism	302.53	90
With homosexual history-Trans-sexualism	302.52	90
With hyperactivity-Attention deficit disorder	314.01	169
With inhibited female orgasm-Psychosexual dysfunction	302.73	92
With inhibited male orgasm-Psychosexual dysfunction	302.74	92
With inhibited sexual desire-Psychosexual dysfunction	302.71	92
With inhibited sexual excitement-Psychosexual dysfunction	302.72	92
With mixed disturbance of emotions and conduct-Adjustment reaction	309.4	147
With other specified psychosexual dysfunctions-Psychosexual dysfunction	302.79	92
With predominant disturbance of conduct-Adjustment reaction	309.3	146
With predominant disturbance of other emotions-Adjustment reaction	309.2	145
With premature ejaculation-Psychosexual dysfunction	302.75	92
With unspecified sexual history-Trans-sexualism	302.50	90
Without mention of hyperactivity-Attention deficit disorder	314.00	169
Zoophilia	302.1	86

APPENDIX 6

PATIENT CHARACTERISTIC DEFINITIONS USED IN GRAPHS

Complications and Comorbidities (CCs)

There are 2,979 *ICD-9-CM* diagnoses that have been distinguished by the Health Care Financing Administration (HCFA) as complications and comorbidities (CCs). These secondary diagnoses are used within the definitions of the Version 3 Diagnosis Related Group (DRG) classification system.

The HCFA definitions are:

A complication is a condition that arises during the hospital stay that prolongs length of stay by at least one day in approximately 75 percent of the cases.

A comorbidity is a preexisting condition that will, because of its presence with a specific diagnosis, cause an increase in length of stay by at least one day in approximately 75 percent of the cases.

To obtain a complete listing of the Version 3 DRG CCs, please contact 1-800-521-6210, Extension 3534.

Payor Categories

Insurance Company

Payment covered by any private or commercial insurance carrier except Blue Cross.

Self-Pay

Direct payment by the patient himself.

Other

Sources of payment not included in the other payor categories. Included here are payment by local or organized charities, such as Cerebral Palsy Foundation, or payment by relatives or friends of the patient.

Title V

Maternal and Child Health. Applies only to females age 60 or younger or males 21 or younger.

Other Government Agencies

Payment by local, state, or federal government agencies, except Medicare, Medicaid, and Title V.

Z 3850-2 2



by Diagnosis
United States, North Central Region, 1986

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
December, 1987

PSYCHIATRIC LENGTH OF STAY

This publication represents one volume in the first edition of the Psychiatric Length of Stay series:

Length of Stay by Psychiatric Diagnosis, United States, 1986
Length of Stay by Psychiatric Diagnosis, Northeastern Region, 1986
Length of Stay by Psychiatric Diagnosis, North Central Region, 1986
Length of Stay by Psychiatric Diagnosis, Southern Region, 1986
Length of Stay by Psychiatric Diagnosis, Western Region, 1986

The Length of Stay series has been published annually since 1964. The 1986 Length of Stay by Diagnosis and Operation books are available for the United States and for four geographic regions. In addition, the Length of Stay series includes the Geriatric Length of Stay by Diagnosis and Operation, United States, 1986 and Pediatric Length of Stay by Diagnosis and Operation, United States 1986. For further information, please write CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106 or call 800-521-6210 or 800-828-6762 in Michigan, Extension 3534.

CONTENTS

About CPHA and Publications iii

Preface iv

Description of the Database

Data Collection vi
Data Quality viii
Database Characteristics viii

Organization of Psychiatric Length of Stay Tables xiii

Explanation of Psychiatric Length of Stay Statistics xv

Application of Psychiatric Length of Stay Tables xvi

Complementary Data and Graphs xvii

Length of Stay Tables 1

Appendix 1: Hospital Service Type Definitions 169

Appendix 2: Teaching Intensity Program Calculation 170

Appendix 3: State Inclusions and Hospital Counts by Region 171

Appendix 4: *ICD-9-CM* Psychiatric Diagnosis Codes and English Descriptions 172

Appendix 5: English Descriptions and *ICD-9-CM* Psychiatric Diagnosis Codes 180

Appendix 6: Patient Characteristic Definitions Used in Graphs 187

ABOUT CPHA AND CPHA PUBLICATIONS

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and system development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of issue-oriented data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day-to-day activity of health care professionals in a variety of settings.

Copyright ©1987 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

PREFACE

The Psychiatric Length of Stay series represents the first edition of a new annual publication incorporating length of stay and accompanying facility and demographic data on psychiatric patients treated in nonfederal, short-term general hospitals in the United States.

CPHA initially developed its length of stay databases in 1964. Since then, the Length of Stay or LOS series, has become a well-known standard in the health care industry.

CPHA is committed to continuing its tradition of providing high quality normative data reference publications. CPHA recognizes that sustaining a tradition means responding to emerging information needs and issues important to long-time and new users. The new series makes it possible to focus on utilization and special length of stay issues for a particular hospital population: the psychiatric patient.

The growing number of people in the United States diagnosed with mental illness or psychiatric-related conditions make these volumes both timely and imperative.

PROJECT STAFF
1986 PSYCHIATRIC LENGTH OF STAY BOOKS

Jeanine A. DeLay, MA, Project Manager, Assistant Director
Joyce Beach, Senior Programmer
Lale A. Olson, Forms Analyst
James Chesney, PhD, Director

The Project Staff is indebted to many individuals who made this publication possible. Special thanks to other Research Services staff: Carol A. Prevost, BS, Research Associate, Linda E. Vanek, MSW, Product Manager, and Susan DesHarnais, PhD, Research Scientist, for publication design, research advice, and editing assistance, and Rhonda A. Gregory, Publications Assistant, for clerical assistance.

Appreciation is also extended to Sharon Glushyn, Steve Maggio, Margaret Price, and Cheryl V. Rafdal. Finally, we gratefully acknowledge the hospitals that support this book by making their data available.

DESCRIPTION OF THE DATABASE

DATA COLLECTION

Data in the Psychiatric Length of Stay books are compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, the books contain discharge data from hospitals participating in information systems other than PAS, including: Alabama Hospital Association, Colorado Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association.

The following steps describe the PAS method of storing and retrieving medical record data:

1. In each participating hospital, personnel transfer demographic and clinical data from the record of each discharged patient via microcomputer, magnetic tape, or PAS Case Abstract.

2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where its contents are entered into the computer system.

3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospital personnel.

4. Hospitals continually add data stored in the computer system's permanent history file dating back as far as 1955. Participating hospitals are given access to their own data through interactive systems, in-house computers, and paper reports. The stored aggregate data are standardized and maintained as custom databases, among them the length of stay database.

5. CPHA Publications uses this annually updated database to create the Psychiatric Length of Stay series and other normative data reference tools.

A graphic of the CPHA data collection system is shown on the next page.

CPHA'S DATA COLLECTION SYSTEM



CPHA's Database is maintained for:

- Print and electronic publications, e.g., 1986 Psychiatric Length of Stay series
- Contract research market analysis, forecasting, survey, and epidemiological investigations
- Policy research on major health care issues, e.g., cost containment, quality of care, equity
- On-line access and analysis by hospitals and other health industry groups

DATA QUALITY

Data quality is one of the primary concerns of CPHA. Although the hospital is ultimately responsible for the quality of its data, CPHA shares responsibility as the hospital's medical record processor. For this reason, CPHA goes to considerable length to prevent and correct errors by continually training hospital medical personnel in coding and abstracting methods, by routinely monitoring submitted data, and by carefully checking and editing the data for errors.

Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: sex-specific diagnosis with the wrong sex recorded, incalculable age or stay, and unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the psychiatric length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following record types are excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term general hospital
4. discharge to other short-term general hospital
5. discharge against medical advice

DATABASE CHARACTERISTICS

Data in the Psychiatric Length of Stay series are from 1,445 nonfederal, short-term general hospitals in the United States. Short-term hospitals have a median stay shorter than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term and specialty institutions, e.g., long-term psychiatric facilities and centers treating psychiatric patients exclusively, are excluded. The only specialty hospital data included in this series are from short-term pediatric hospitals.

The characteristics of all hospitals with discharge data included in the Psychiatric Length of Stay books are displayed in the tables on pages x-xii. Table definitions are as follows:

Public/Private Hospitals

A public hospital is a nonfederal government-operated hospital, e.g., state, county, city, or hospital authority. A private hospital includes both nongovernment investor or for-profit and not-for-profit owned or operated facilities.

Hospitals with or without a Psychiatric Unit or Beds

The 1985 Annual Survey of Hospitals compiled on magnetic tape by the American Hospital Association (1985 AHA magnetic tape), includes service and facility codes. Nonfederal, short-term general hospitals that recorded psychiatric or children's psychiatric acute care services, or claimed a facility with psychiatric acute care beds, are included in the hospitals with psychiatric unit/beds category. Nonfederal, short-term general hospitals that do not have psychiatric or children's psychiatric acute care services, and do not claim psychiatric beds, are included in the hospitals without a psychiatric unit/beds category. In addition, some hospitals in this group contract with another hospital or provider for psychiatric services.

Hospitals in both categories, however, can offer the following services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization. Appendix 1 includes definitions of these additional services.

Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1985 AHA magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Hospitals
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges.

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

Appendix 2 describes how the teaching intensity index is determined.

Average Occupancy

According to *AHA Hospital Statistics*, 1986 edition, the average occupancy of a hospital is "the ratio of the average daily census to the average number of beds, i.e., statistical beds, maintained during a particular reporting period."

Table 1
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

	PUBLIC HOSPITALS			PRIVATE HOSPITALS			UNKNOWN HOSPITALS*			TOTAL HOSPITALS		
	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL
Number of Hospitals												
Universe**	143	403	546	783	1,237	2,020	7	4	11	933	1,644	2,577
Sample	64	236	300	428	711	1,139	3	3	6	495	950	1,445
Hospitals as Percent of Universe												
Universe	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Sample	44.8	58.6	54.9	54.7	57.5	56.4	42.9	75.0	54.5	53.1	57.8	56.1
Number of Urban Hospitals												
Universe	77	90	167	565	702	1,267	5	0	5	647	792	1,439
Sample	25	54	79	281	364	645	0	0	0	306	418	724
Urban Hospitals as Percent of Universe												
Universe	53.8	22.3	30.6	72.2	56.8	62.7	71.4	0	45.5	69.3	48.2	55.8
Sample	17.5	13.4	14.5	35.9	29.4	31.9	0	0	0	32.8	25.4	28.1
Number of High/Medium Teaching Intensity Hospitals												
Universe	40	10	50	297	155	452	3	0	3	340	165	505
Sample	17	9	26	149	77	226	0	0	0	166	86	252
Number of High/Medium Teaching Intensity Hospitals as Percent of Universe												
Universe	28.0	2.5	9.2	37.9	12.5	22.4	42.9	0	27.3	36.4	10.0	19.6
Sample	11.9	2.2	4.8	19.0	6.2	11.2	0	0	0	17.8	5.2	9.8
Average Occupancy as Percent of Universe												
Universe	60.9	47.6	51.1	65.6	56.4	60.0	70.2	37.8	58.4	64.9	54.2	58.1
Sample	58.6	46.5	49.1	65.0	57.4	60.2	0	84.2	84.2	64.2	54.7	57.9

*The Unknown category means no information is available for the hospital characteristics.

**The Universe means all hospitals that have recorded the presence of a psychiatric unit or beds on the 1985 American Hospital Association magnetic tape. The Sample represents hospitals with these designations, i.e., presence of a psychiatric unit or beds, contributing data to the Psychiatric Length of Stay series.

Table 2
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

HOSPITALS WITH PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	495	100.0	201,835	100.0
Control				
Public	64	12.9	20,117	10.0
Private	428	86.5	180,799	89.6
Unknown***	3	.6	919	.4
Bedsize				
< 100 Beds	84	17.1	7,301	3.6
100-199	121	24.4	32,680	16.2
200-299	105	21.2	43,167	21.4
300-399	69	13.9	39,975	19.8
400-499	58	11.7	36,212	17.9
500+	55	11.1	41,581	20.6
Unknown	3	.6	919	.5
Teaching Intensity				
Low	329	66.5	101,008	50.0
Medium	105	21.2	65,292	32.4
High	61	12.3	35,535	17.6
Location				
Rural	173	35.0	37,036	18.3
Urban	306	61.8	161,416	80.0
Unknown	16	3.2	3,383	1.7

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percents is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

***The Unknown category means no information is available for the hospital characteristics.

Table 3
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	950	100.0	66,829	100.0
Control				
Public	236	24.8	11,401	17.1
Private	711	74.8	54,905	82.1
Unknown***	3	.4	523	.8
Bedsize				
< 100 Beds	522	55.0	16,903	25.3
100-199	244	25.7	20,535	30.8
200-299	99	10.4	12,663	18.9
300-399	47	4.9	9,558	14.3
400-499	18	1.9	3,265	4.9
500+	18	1.9	3,410	5.1
Unknown	2	.2	495	.7
Teaching Intensity				
Low	864	91.0	53,059	79.4
Medium	65	6.8	10,456	15.6
High	21	2.2	3,314	5.0
Location				
Rural	524	55.2	19,153	28.7
Urban	418	44.0	45,674	68.3
Unknown	8	.8	2,002	3.0

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percents is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

***The Unknown category means no information is available for the hospital characteristics.

ORGANIZATION OF THE PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series is divided into separate volumes by geographic region. There are five volumes: Northeastern, North Central, Southern, Western, and the United States. The map below defines each of the 4 census regions. Appendix 3 lists the states comprising each region, and the number of hospitals and patients included in each volume.

Diagnosis Classification Categories

The tables in each regional and national volume are categorized by the widely used classification system, the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).*[1] This system includes both diagnosis and procedure numerical codes of three to five digits. The psychiatric length of stay tables are categorized by *ICD-9-CM* diagnosis code, beginning with code 290 and ending with code 314.9, expressed to the fourth digit. Diagnosis codes within the specified range with five digits are collapsed and incorporated into the four digit *ICD-9-CM* diagnosis codes. Appendix 4 lists the *ICD-9-CM* diagnosis codes in the psychiatric length of stay tables, their accompanying English description, and the page number in the particular volume where a table is located. Appendix 5 lists, in alphabetic order, the psychiatric diagnosis English description and accompanying numerical codes. For *ICD-9-CM* codes between 290-314.9 where there are no data, no listing is included.

[1] *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Hospital Service Type

The tables are also categorized by hospital service and facility. The divisions are:

a. Hospitals with a Psychiatric (Psy.) Unit/Beds - Nonfederal, short-term general hospitals recording psychiatric or pediatric psychiatric acute care services or claiming a facility with psychiatric acute care beds.

b. Hospitals without a Psychiatric (Psy.) Unit/Beds - Nonfederal, short-term general hospitals that do not have psychiatric or pediatric psychiatric acute care services and do not claim psychiatric acute care beds. In addition, hospitals in this group may contract with another hospital or provider for psychiatric acute care services. Hospitals in both groups can offer the following additional services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

Psychiatric Length of Stay Patient Variables

The psychiatric length of stay data are divided into two patient groups, by sex, and by eight age ranges.

Patient Groups

Patients in the psychiatric length of stay tables are grouped by *ICD-9-CM* psychiatric principal diagnosis and by the presence or absence of a psychiatric secondary diagnosis. The principal diagnosis code is the diagnosis that after study explains why the patient was admitted to the hospital.

Psychiatric Principal Diagnosis, Without Any Psychiatric Secondary Diagnosis
(Psych Prin, No Psych 2nd Dx)

This group includes patients having a psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) only or patients having the specified psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) and a nonpsychiatric secondary diagnosis. For example, this group may include patients having the principal psychiatric diagnosis code specified in the table, as his/her only diagnosis. Alternatively, a patient having the principal psychiatric diagnosis specified in the table and diabetes (*ICD-9-CM* code 250.0), a nonpsychiatric secondary diagnosis, is also included in this category.

Psychiatric Principal Diagnosis, With One or More Psychiatric Secondary Diagnoses
(Psych Prin, Psych 2nd Dx(s)

This group includes patients having a psychiatric principal diagnosis code between the code ranges *ICD-9-CM* 290-314.9 and one or more psychiatric secondary diagnoses (*ICD-9-CM* 290-314.9). These are patients with multiple psychiatric diagnoses.

Sex

Patients are distinguished as either male or female.

Age

Patients are in one of the following age groups recorded in years:
Newborn or 0 to 12
13-17
18-20
21-24
25-34
35-54
55-74
75+

The "all ages" group summarizes all the age groups by sex.

EXPLANATION OF PSYCHIATRIC LENGTH OF STAY STATISTICS

The data are sequenced by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For the psychiatric length of stay tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in one of the two patient groups, including sex and age groups. The Grand Total represents the total number of patients in a psychiatric diagnosis category (*ICD-9-CM* codes 290-314.9) within one of the two hospital service type categories.

APPLICATION OF PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series can be used as a valuable reference source in a variety of health care settings. Use of stay data allows the health care professional to compare regional and national norms to his/her own institution or client. Like the LOS series, the Psychiatric Length of Stay publications assist in projecting extended stay reviews, while recommending the most effective use of psychiatric patient care services. In focusing on the length of stay for a singular population, norms which take into account special characteristics can be developed and refined. Moreover, annual publication of Psychiatric Length of Stay allows the establishment of baselines to determine the applicability of the norms in particular psychiatric service settings. In addition, the Psychiatric Length of Stay series helps in forecasting and service planning.

The following steps are intended to provide a guide in situations where a health care professional wishes to determine a reasonable length of stay by using one of the Psychiatric Length of Stay regional or national volumes:

Step 1: Consult Appendix 4 or 5 at the back of the appropriate Psychiatric Length of Stay book for the particular diagnosis to be reviewed.

Step 2: Find the corresponding table in the Psychiatric Length of Stay book. The *ICD-9-CM* psychiatric diagnosis code number follows the English title of each table.

Step 3: Depending on the purpose of the review, find the appropriate table category:
Hospital Service Type
Patient Group
Sex
Age

Step 4: Go to the 50th percentile of stay for patients under review at the point where the 50th percentile column (7) of the table intersects the horizontal line labeling the pertinent patient variables and find the number of days.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, with more specific applications, by health care professionals in many diverse settings. The psychiatric length of stay tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Increasing concern about quality care, costs, and the need for more sophisticated hospital population-specific data to perform these quality and cost reviews will make the psychiatric length of stay tables an important new tool in the health care industry.

COMPLEMENTARY DATA AND GRAPHS

Accessing a special database affords the opportunity to explore other topics discussed in the literature and research on psychiatric length of stay. The value of the psychiatric length of stay norms is enhanced if users examine the bar graphs displayed on the next few pages.

Three issues often cited in the literature are: transfer patterns and average stay of psychiatric patients by payor, length of stay differences by hospital ownership, and regional variations in stay for similar diagnoses.

The graphs which follow offer a data profile drawn from the psychiatric length of stay database. All graphs display data for the total United States, except those describing regional variations in stay for similar diagnoses.

Transfer Patterns of Psychiatric Patients by Payor and Hospital Service Type

The bar graphs on pages xix-xxxii display by payor, the percent of psychiatric patients with particular demographic or clinical characteristics transferred upon discharge to one of the following:

1. another short-term general hospital
2. skilled nursing facility
3. intermediate care facility
4. other facility
5. home health service

Graph 1 depicts all patients with psychiatric principal diagnoses (*ICD-9-CM* 290-314.9) transferred from one of the two hospital service types. Graph 2 shows the same group of patients over 74 years who were transferred. Graphs 3 and 4 present the same patient group, using two simple severity of illness indicators: patients with one or more HCFA-defined complications and comorbidities (CCs) as any secondary diagnosis, and patients with two or more psychiatric secondary diagnoses. Graph 5 describes the transfer patterns of a different group of patients: those without a psychiatric principal diagnosis who have one or more psychiatric secondary diagnoses. Definitions of the HCFA complications and comorbidities are included in Appendix 6.

While most payor definitions are self-explanatory, the no insurance category (NO INS) includes self-pay and no charge patients. The other (OTH) category incorporates Title V, other government, and worker compensation patients. Detailed definitions of payor categories are part of Appendix 6.

Average Lengths of Stay (ALOS) of Psychiatric Patients by Payor and Hospital Service Type

Graphs 6-10 display the average stay of the same patient categories depicted in Graphs 1-5.

Average Lengths of Stay of Psychiatric Patients with Selected Psychiatric Principal Diagnoses by Hospital Ownership

Graph 11 presents the average stays for all patients with 10 prevalent psychiatric principal diagnoses. The diagnoses highlighted are:

ICD-9-CM Code	English Description
291.8	Other Specified Alcoholic Psychosis
295.3	Schizophrenic-Paranoid Type
300.4	Neurotic Depression
301.8	Other Personality Disorders
303.9	Other and Unspecified Alcohol Dependence
304.2	Cocaine Dependence
306.1	Respiratory Physiological Malfunction Arising from Mental Factors

ICD-9-CM Code	English Description
307.1	Anorexia Nervosa
309.0	Brief Depressive Reaction
314.0	Attention Deficit Disorder

Definitions for the private (PRIV) and public (PUB) hospital ownership types can be found on page viii.

Average Lengths of Stay for Patients with Selected *ICD-9-CM* Psychiatric Principal Diagnoses by Census Region

Graphs 12-14 depict the average stays by census region for patients with the same diagnoses highlighted in graph 11.

All data for the graphs were drawn from the 1986 psychiatric length of stay database. The section beginning on page 1 includes the psychiatric length of stay tables.

GRAPH 1

PERCENT ALL PSYCH PATIENTS

TRANSFERRED BY PAYOR



GRAPH 2

PERCENT ALL PSYCH PATIENTS 74+ YEARS

TRANSFERRED BY PAYOR



GRAPH 3

PERCENT ALL PSYCH PATIENTS WITH 1+ 2ND CCs

TRANSFERRED BY PAYOR



GRAPH 4

PERCENT PATIENTS WITH MULTIPLE PSYCH DXs



GRAPH 5

PERCENT PATIENTS WITH PSYCH 2ND DXs ONLY



GRAPH 6

ALOS ALL PSYCH PATIENTS

TRANSFERRED BY PAYOR



GRAPH 7

ALOS PSYCH PATIENTS 74+ YEARS

BY PAYOR AND HOSPITAL SERVICE



GRAPH 8

ALOS PSYCH PATIENTS WITH 1 + 2ND CCs

BY PAYOR AND HOSPITAL SERVICE



GRAPH 9

ALOS PATIENTS WITH MULTIPLE PSYCH DXs

BY PAYOR AND HOSPITAL SERVICE



GRAPH 10

ALOS PATIENTS WITH PSYCH 2ND DXs ONLY

BY PAYOR AND HOSPITAL SERVICE



GRAPH 11
ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL OWNERSHIP



GRAPH 12
REGIONAL ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL SERVICE



GRAPH 13
REGIONAL ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL SERVICE



GRAPH 14
REGIONAL ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL SERVICE



Psychiatric Length of Stay Diagnosis Tables

SENILE DEMENTIA UNCOMP (290.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	30	8.2	26	2	2	7	11	16	18	21	8	6.3	32	2	2	4	6	16	20	20
75 +	66	9.8	51	3	4	7	13	23	26	89	36	7.1	42	2	2	5	9	13	23	31
ALL AGES	97	9.3	42	2	3	7	12	19	25	69	44	7.0	39	2	2	5	8	14	21	31
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3	1	5.0		5	5	5	5	5	5	5
55-74	35	11.4	77	2	4	8	14	28	31	37	15	6.4	11	1	2	6	9	12	12	12
75 +	133	8.7	49	2	3	7	11	17	21	43	45	6.4	29	1	2	4	8	13	17	28
ALL AGES	169	9.2	56	2	3	7	12	19	25	42	61	6.4	23	1	2	5	8	12	15	27
SUBTOTAL	**266**	**9.2**	**52**	**2**	**3**	**7**	**12**	**19**	**25**	**42**	**105**	**6.6**	**30**	**2**	**2**	**5**	**8**	**13**	**19**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	9	12.6	91	1	2	10	19	28	28	28										
75 +	24	11.2	48	2	5	11	13	20	26	33	4	11.5	126	3	3	7	18	28	28	28
ALL AGES	33	11.5	60	1	4	11	14	24	28	33	4	11.5	126	3	3	7	18	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	15	12.7	47	4	5	11	18	21	26	28	2	9.5	1	9	9	9	10	10	10	10
75 +	29	9.2	48	1	2	9	11	14	28	32	10	6.6	11	2	3	6	9	12	14	14
ALL AGES	44	10.4	49	2	4	9	13	20	28	32	12	7.1	10	2	4	6	9	11	14	14
SUBTOTAL	**77**	**10.9**	**53**	**1**	**4**	**10**	**14**	**21**	**28**	**33**	**16**	**8.2**	**36**	**2**	**3**	**7**	**9**	**14**	**24**	**28**
GRAND TOTAL	**343**	**9.6**	**52**	**2**	**3**	**7**	**12**	**19**	**26**	**37**	**121**	**6.8**	**31**	**2**	**2**	**5**	**9**	**13**	**19**	**29**

PRESENILE DEMENTIA (290.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	4	7.0	10	3	3	7	9	10	10	10										
55-74	35	9.5	44	3	3	7	13	17	22	34	13	7.5	15	1	2	7	11	12	13	13
75 +	45	8.3	38	2	3	6	11	16	19	35	33	6.7	20	2	2	6	9	12	14	22
ALL AGES	84	8.7	39	3	3	7	12	17	20	35	46	6.9	19	1	2	7	10	12	14	22
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	6	12.2	84	2	2	9	23	24	24	24										
55-74	39	12.9	78	3	4	12	18	27	31	35	18	7.7	20	1	2	7	12	13	15	17
75 +	72	8.7	33	2	3	7	11	19	20	26	49	8.1	32	2	3	7	10	17	20	27
ALL AGES	117	10.3	53	2	3	8	13	21	25	34	67	8.0	28	2	3	7	11	15	20	26
SUBTOTAL	**201**	**9.6**	**48**	**2**	**3**	**7**	**12**	**19**	**24**	**34**	**113**	**7.6**	**24**	**2**	**3**	**7**	**10**	**13**	**19**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	25.0	338	12	12	25	38	38	38	38	1	12.0		12	12	12	12	12	12	12
55-74	10	9.0	36	1	2	8	10	19	22	22	3	2.3	3	1	1	2	3	4	4	4
75 +	15	12.8	49	3	5	13	19	21	24	25	4	9.0	38	4	4	7	13	18	18	18
ALL AGES	27	12.3	69	3	4	10	17	22	27	38	8	6.9	32	1	1	5	10	16	18	18
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	2	10.0	98	3	3	17	79	99 +	99 +	99 +										
55-74	20	13.2	64	3	5	11	18	25	30	31	3	5.7	5	3	3	7	7	7	7	7
75 +	19	11.6	38	4	5	9	17	21	22	23	10	6.7	15	1	2	6	7	13	15	15
ALL AGES	42	12.1	52	3	5	10	18	22	30	99 +	13	6.5	12	1	2	6	7	12	14	15
SUBTOTAL	**69**	**12.2**	**57**	**3**	**5**	**10**	**18**	**22**	**29**	**88**	**21**	**6.6**	**19**	**1**	**2**	**6**	**7**	**13**	**16**	**18**
GRAND TOTAL	**270**	**10.3**	**51**	**2**	**3**	**9**	**13**	**21**	**24**	**35**	**134**	**7.4**	**24**	**2**	**2**	**7**	**10**	**13**	**18**	**23**

SENILE DELUSION/DEPRESS (290.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	19	13.7	73	3	4	15	16	20	32	41	1	11.0		11	11	11	11	11	11	11
75 +	48	14.4	81	2	4	13	18	27	30	47	7	4.4	4	3	3	4	6	7	7	7
ALL AGES	67	14.2	78	3	4	13	18	25	30	46	8	5.3	8	3	3	4	7	10	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	29	15.8	93	4	5	13	21	32	36	41	2	6.0	8	4	4	6	8	8	8	8
75 +	78	16.2	86	4	6	15	20	29	35	49	18	6.8	30	1	1	6	9	13	19	23
ALL AGES	107	16.1	87	4	5	14	21	29	35	46	20	6.8	26	1	1	6	9	12	18	23
SUBTOTAL	**174**	**15.4**	**83**	**3**	**5**	**14**	**20**	**28**	**35**	**46**	**28**	**6.3**	**22**	**1**	**2**	**5**	**8**	**11**	**15**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	5	13.2	101	3	3	8	24	24	24	24										
75 +	13	15.5	26	7	8	16	19	22	24	25	2	10.5	85	4	4	10	17	17	17	17
ALL AGES	18	14.8	45	4	7	15	20	24	25	25	2	10.5	85	4	4	10	17	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14										
55-74	14	20.9	190	7	9	17	23	43	47	48	1	32.0		32	32	32	32	32	32	32
75 +	39	16.6	90	4	6	15	20	29	39	43	4	9.5	95	3	3	5	15	24	24	24
ALL AGES	54	17.7	113	5	7	15	21	36	43	48	5	14.0	173	3	3	6	26	32	32	32
SUBTOTAL	**72**	**17.0**	**96**	**4**	**7**	**15**	**20**	**28**	**42**	**47**	**7**	**13.0**	**132**	**3**	**3**	**6**	**22**	**30**	**32**	**32**
GRAND TOTAL	**246**	**15.8**	**89**	**4**	**5**	**14**	**20**	**28**	**35**	**47**	**35**	**7.7**	**47**	**1**	**2**	**5**	**9**	**17**	**24**	**32**

SENILE DELIRIUM (290.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	16	14.6	78	5	6	12	22	28	29	30	6	5.8	10	4	4	5	5	11	12	12
75 +	60	10.6	66	2	2	8	16	20	26	41	36	7.5	62	2	2	6	9	11	19	46
ALL AGES	76	11.4	71	2	2	8	16	23	28	39	42	7.3	53	2	2	5	9	12	18	46
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	21	11.6	65	4	4	8	16	24	31	32	9	8.3	33	3	3	9	10	17	21	21
75 +	87	11.5	66	3	4	8	15	24	29	37	45	7.9	151	2	4	5	7	11	15	86
ALL AGES	108	11.5	65	3	4	8	15	24	29	36	54	7.9	132	2	3	6	8	12	16	83
SUBTOTAL	**184**	**11.5**	**66**	**2**	**3**	**8**	**16**	**24**	**29**	**37**	**96**	**7.6**	**97**	**2**	**2**	**6**	**9**	**11**	**16**	**68**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	5	10.2	30	7	7	8	11	20	20	20	1	6.0		6	6	6	6	6	6	6
75 +	5	6.6	4	3	3	7	8	8	8	8	10	7.0	8	4	4	6	11	11	11	11
ALL AGES	10	8.4	19	3	5	8	8	14	20	20	11	6.9	8	4	4	6	10	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	16.0		16	16	16	16	16	16	16										
55-74	3	16.3	56	8	8	19	21	22	22	22	2	9.0	32	5	5	9	13	13	13	13
75 +	22	14.6	91	3	4	13	20	24	33	46	7	9.9	70	4	4	8	10	25	28	28
ALL AGES	26	14.9	80	4	4	14	20	24	29	46	9	9.7	57	4	4	8	11	22	28	28
SUBTOTAL	**36**	**13.1**	**70**	**3**	**4**	**11**	**18**	**22**	**24**	**46**	**20**	**8.2**	**29**	**4**	**4**	**6**	**11**	**12**	**20**	**28**
GRAND TOTAL	**220**	**11.7**	**69**	**2**	**3**	**8**	**16**	**23**	**28**	**39**	**116**	**7.7**	**85**	**2**	**3**	**6**	**9**	**11**	**16**	**60**

ARTERIOSCLEROT DEMENTIA (290.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	30	12.1	87	2	3	9	16	25	35	39	7	7.1	15	2	3	6	10	12	13	13
75 +	55	10.5	86	3	4	8	14	19	28	56	15	5.0	14	1	2	4	7	10	14	15
ALL AGES	86	11.0	85	3	3	8	15	21	30	51	22	5.7	14	1	2	5	7	11	14	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	42	13.0	108	3	5	10	14	27	36	52	6	13.5	80	3	3	11	22	26	26	26
75 +	72	12.1	43	4	5	11	15	21	23	31	30	8.0	25	2	3	7	9	14	20	24
ALL AGES	115	12.4	66	4	5	11	15	21	27	49	36	8.9	37	2	3	8	10	19	23	26
SUBTOTAL	**201**	**11.8**	**74**	**3**	**4**	**10**	**15**	**21**	**28**	**50**	**58**	**7.7**	**30**	**2**	**2**	**6**	**9**	**15**	**21**	**26**
2. PSYCH PRIN 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	14	9.9	28	2	3	10	12	18	20	20	1	14.0		14	14	14	14	14	14	14
75 +	11	16.1	226	1	3	15	19	41	51	52	3	5.0	7	2	2	6	7	7	7	7
ALL AGES	26	12.4	116	2	3	10	15	20	37	52	4	7.3	24	2	2	6	10	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	21.0	200	11	11	21	31	31	31	31										
55-74	11	18.3	127	7	9	13	20	39	43	43	2	10.0	98	3	3	10	17	17	17	17
75 +	15	12.4	20	5	5	12	16	19	19	19	2	8.0	32	4	4	8	12	12	12	12
ALL AGES	28	15.3	77	5	7	13	18	28	37	43	4	9.0	45	3	3	8	14	17	17	17
SUBTOTAL	**54**	**13.9**	**96**	**3**	**4**	**12**	**17**	**22**	**35**	**52**	**8**	**8.1**	**31**	**2**	**2**	**6**	**13**	**16**	**17**	**17**
GRAND TOTAL	**255**	**12.2**	**80**	**3**	**4**	**10**	**15**	**21**	**29**	**52**	**66**	**7.8**	**29**	**2**	**2**	**6**	**10**	**15**	**20**	**26**

SENILE PSYCHOT COND NOS (290.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES											1	6.0		6	6	6	6	6	6	6
SUBTOTAL											**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	2	20.0	338	7	7	20	33	33	33	33										
ALL AGES	2	20.0	338	7	7	20	33	33	33	33										
SUBTOTAL	**2**	**20.0**	**338**	**7**	**7**	**20**	**33**	**33**	**33**	**33**										
GRAND TOTAL	**2**	**20.0**	**338**	**7**	**7**	**20**	**33**	**33**	**33**	**33**	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**

DELIRIUM TREMENS (291.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	17	4.8	17	1	1	3	7	12	14	14	13	4.9	27	1	1	4	5	11	19	21
35-54	45	7.0	43	2	3	5	7	15	20	38	30	5.9	22	1	1	5	8	12	13	22
55-74	19	8.9	59	2	2	6	10	23	24	25	23	6.6	21	2	2	5	8	11	16	23
75 +	1	5.0		5	5	5	5	5	5	5	4	10.3	74	2	2	8	16	22	22	22
ALL AGES	82	7.0	41	1	2	5	8	16	21	34	70	6.2	25	1	2	5	8	12	21	23
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2	4	5.0	3	3	3	5	6	7	7	7
35-54	5	6.0	12	3	3	5	9	11	11	11	8	4.0	7	1	1	3	4	8	10	10
55-74	5	6.4	9	3	3	6	8	11	11	11	7	5.7	6	3	3	6	8	9	9	9
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	11	5.8	10	2	2	5	8	11	11	11	20	4.8	5	2	3	4	6	8	9	10
SUBTOTAL	**93**	**6.8**	**38**	**2**	**2**	**5**	**8**	**14**	**20**	**32**	**90**	**5.9**	**21**	**1**	**2**	**5**	**8**	**11**	**13**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-20											1	1.0		1	1	1	1	1	1	1
21-24	3	5.3	7	3	3	5	7	8	8	8	2	1.5	1	1	1	1	2	2	2	2
25-34	72	5.4	37	2	2	4	6	9	14	40	36	9.0	277	1	1	5	7	15	34	96
35-54	175	7.0	43	2	2	5	8	14	21	30	99	7.7	57	2	2	5	8	16	29	33
55-74	69	9.7	64	2	3	7	12	23	29	33	53	7.9	46	2	2	6	10	14	25	33
75 +	3	18.0	108	12	12	12	26	30	30	30	5	5.2	12	2	2	5	7	11	11	11
ALL AGES	323	7.3	48	2	2	5	8	15	24	33	196	7.8	92	1	2	5	9	14	29	36
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4										
25-34	15	6.6	162	1	1	4	5	8	41	52	8	2.6	2	1	1	2	4	5	5	5
35-54	37	9.9	80	2	2	6	17	27	29	31	23	6.9	60	1	2	5	6	15	30	31
55-74	16	8.8	113	2	2	6	9	12	36	47	18	8.6	45	3	4	6	9	17	25	30
75 +	2	3.0	8	1	1	2	5	5	5	5										
ALL AGES	71	8.7	100	1	2	5	9	21	30	51	49	6.8	48	1	2	5	7	15	29	31
SUBTOTAL	**394**	**7.5**	**59**	**2**	**2**	**5**	**8**	**17**	**27**	**39**	**245**	**7.6**	**83**	**1**	**2**	**5**	**8**	**14**	**29**	**35**
GRAND TOTAL	**487**	**7.4**	**54**	**2**	**2**	**5**	**8**	**16**	**24**	**36**	**335**	**7.1**	**67**	**1**	**2**	**5**	**8**	**13**	**25**	**33**

ALCOHOL AMNESTIC SYND (291.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	3	3.7	9	1	1	3	6	7	7	7	1	4.0		4	4	4	4	4	4	4
55-74	3	15.3	312	1	1	10	29	35	35	35	2	8.0	8	6	6	8	10	10	10	10
75 +	1	28.0		28	28	28	28	28	28	28										
ALL AGES	7	12.1	191	1	1	7	23	34	35	35	3	6.7	9	4	4	6	9	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	5.0		5	5	5	5	5	5	5
35-54											1	54.0		54	54	54	54	54	54	54
55-74	2	19.0	288	7	7	19	31	31	31	31	1	10.0		10	10	10	10	10	10	10
75 +	2	11.5	181	2	2	11	21	21	21	21										
ALL AGES	4	15.3	173	2	2	14	26	31	31	31	3	23.0	727	5	5	10	43	54	54	54
SUBTOTAL	**11**	**13.3**	**168**	**1**	**1**	**7**	**26**	**33**	**35**	**35**	**6**	**14.8**	**376**	**4**	**4**	**8**	**10**	**50**	**54**	**54**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	4	16.5	58	10	10	14	22	27	27	27	3	7.7	36	2	2	7	12	14	14	14
55-74	15	9.7	38	2	4	8	12	18	25	27	2	18.5	113	11	11	18	26	26	26	26
75 +											1	11.0		11	11	11	11	11	11	11
ALL AGES	20	10.9	45	3	5	9	13	22	27	27	6	11.8	66	2	2	11	14	25	26	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	2	9.5	1	9	9	9	10	10	10	10	4	7.3	6	5	5	6	9	11	11	11
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	4	7.3	7	4	4	7	9	10	10	10	4	7.3	6	5	5	6	9	11	11	11
SUBTOTAL	**24**	**10.3**	**40**	**3**	**4**	**9**	**12**	**19**	**27**	**27**	**10**	**10.0**	**44**	**2**	**3**	**9**	**11**	**20**	**26**	**26**
GRAND TOTAL	**35**	**11.2**	**79**	**1**	**2**	**8**	**13**	**27**	**30**	**35**	**16**	**11.8**	**158**	**3**	**4**	**8**	**11**	**25**	**46**	**54**

ALCOHOLIC DEMENTIA NEC (291.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34											1	19.0		19	19	19	19	19	19	19
35-54	6	15.7	361	1	1	7	21	49	52	52										
55-74	10	11.4	60	2	2	11	18	21	21	21	10	8.5	69	2	2	5	14	21	28	28
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	18	12.6	153	1	1	8	18	21	40	52	11	9.5	71	2	2	5	15	23	28	28
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	9.0		9	9	9	9	9	9	9
35-54	1	22.0		22	22	22	22	22	22	22	1	15.0		15	15	15	15	15	15	15
55-74	4	19.8	462	8	8	10	31	52	52	52	1	8.0		8	8	8	8	8	8	8
75 +	2	13.5	25	10	10	13	17	17	17	17										
ALL AGES	7	18.3	247	8	8	11	21	46	52	52	3	10.7	13	8	8	9	13	15	15	15
SUBTOTAL	**25**	**14.2**	**177**	**1**	**2**	**10**	**19**	**22**	**52**	**52**	**14**	**9.7**	**58**	**2**	**2**	**8**	**15**	**20**	**26**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	4.0	18	1	1	4	7	7	7	7	2	6.5	1	6	6	6	7	7	7	7
35-54	10	12.1	132	2	2	10	13	30	40	40	3	5.0	9	2	2	5	7	8	8	8
55-74	17	14.6	219	3	4	9	18	44	48	48	3	24.7	407	12	12	14	39	48	48	48
75 +	7	8.0	30	2	2	7	9	17	19	19	1	2.0		2	2	2	2	2	2	2
ALL AGES	36	12.1	148	2	2	8	14	31	45	48	9	11.6	202	2	2	7	12	34	48	48
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	4	6.0	5	4	4	6	8	8	8	8	4	6.5	3	5	5	6	8	9	9	9
55-74	21	12.6	40	4	5	13	16	20	24	28	1	6.0		6	6	6	6	6	6	6
75 +	5	13.2	42	5	5	15	18	20	20	20	1	4.0		4	4	4	4	4	4	4
ALL AGES	30	11.8	40	4	4	11	16	19	21	28	6	6.0	3	4	4	6	6	9	9	9
SUBTOTAL	**66**	**12.0**	**97**	**2**	**3**	**9**	**15**	**21**	**34**	**48**	**15**	**9.3**	**126**	**2**	**2**	**6**	**9**	**14**	**39**	**48**
GRAND TOTAL	**91**	**12.6**	**118**	**2**	**3**	**9**	**17**	**22**	**40**	**52**	**29**	**9.5**	**90**	**2**	**2**	**6**	**12**	**17**	**29**	**48**

ALCOHOL HALLUCINOSIS (291.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	2.5	5	1	1	2	4	4	4	4	2	4.0	18	1	1	4	7	7	7	7
35-54	7	7.1	123	1	1	3	5	27	32	32	2	5.0		5	5	5	5	5	5	5
55-74	4	7.5	7	4	4	8	9	10	10	10	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	13	6.5	67	1	1	4	7	14	29	32	5	4.2	5	1	1	5	6	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	6.5	41	2	2	6	11	11	11	11										
55-74	3	7.0	3	6	6	6	8	9	9	9										
75 +																				
ALL AGES	5	6.8	12	2	2	6	9	11	11	11										
SUBTOTAL	**18**	**6.6**	**50**	**1**	**1**	**5**	**9**	**11**	**24**	**32**	**5**	**4.2**	**5**	**1**	**1**	**5**	**6**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34	19	10.8	153	2	2	6	10	35	41	44	4	16.0	748	1	1	3	30	57	57	57
35-54	18	8.0	41	1	3	5	12	16	22	26	4	9.0	14	5	5	8	11	14	14	14
55-74	6	10.2	110	1	1	6	15	28	29	29	3	9.0	37	5	5	6	13	16	16	16
75 +																				
ALL AGES	45	9.2	95	1	2	5	11	26	32	44	11	11.5	250	1	2	6	13	32	55	57
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	4	16.0	109	5	5	15	24	28	28	28	1	3.0		3	3	3	3	3	3	3
35-54	6	6.3	18	2	2	5	7	13	14	14	3	4.7	14	2	2	3	7	9	9	9
55-74	3	5.3	3	4	4	5	6	7	7	7	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	13	9.1	57	2	3	6	11	22	27	28	5	3.8	9	2	2	3	5	9	9	9
SUBTOTAL	**58**	**9.2**	**85**	**1**	**2**	**6**	**11**	**24**	**30**	**44**	**16**	**9.1**	**182**	**1**	**2**	**5**	**9**	**16**	**45**	**57**
GRAND TOTAL	**76**	**8.6**	**77**	**1**	**2**	**5**	**10**	**20**	**30**	**42**	**21**	**8.0**	**141**	**1**	**2**	**5**	**8**	**15**	**34**	**57**

PATHOLOGIC ALCOHOL INTOX (291.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1	1	30.0		30	30	30	30	30	30	30
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	2	15.5	421	1	1	15	30	30	30	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**2**	**15.5**	**421**	**1**	**1**	**15**	**30**	**30**	**30**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	33.0		33	33	33	33	33	33	33
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	6	3.8	7	1	1	3	6	8	8	8	1	37.0		37	37	37	37	37	37	37
35-54																				
55-74																				
75 +																				
ALL AGES	7	3.4	7	1	1	3	5	8	8	8	2	35.0	8	33	33	35	37	37	37	37
B. FEMALE																				
0-12 YRS.																				
13-17											1	14.0		14	14	14	14	14	14	14
18-20	1	2.0		2	2	2	2	2	2	2										
21-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	2	2.0		2	2	2	2	2	2	2	1	14.0		14	14	14	14	14	14	14
SUBTOTAL	**9**	**3.1**	**6**	**1**	**1**	**2**	**4**	**7**	**8**	**8**	**3**	**28.0**	**151**	**14**	**14**	**33**	**36**	**37**	**37**	**37**
GRAND TOTAL	**10**	**2.9**	**5**	**1**	**1**	**2**	**3**	**7**	**8**	**8**	**5**	**23.0**	**228**	**1**	**1**	**30**	**34**	**37**	**37**	**37**

ALCOHOLIC JEALOUSY (291.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	3	17.7	79	12	12	13	24	28	28	28										
55-74																				
75 +																				
ALL AGES	3	17.7	79	12	12	13	24	28	28	28										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	3	17.7	79	12	12	13	24	28	28	28										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	4	11.5	74	5	5	8	17	24	24	24										
55-74																				
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	5	10.8	58	5	5	8	13	24	24	24										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	9.0		9	9	9	9	9	9	9										
55-74																				
75 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9										
SUBTOTAL	6	10.5	47	5	5	8	10	23	24	24										
GRAND TOTAL	9	12.9	62	5	6	10	16	26	28	28										

ALCOHOLIC PSYCHOSIS NEC (291.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17																				
18-20	1	4.0		4	4	4	4	4	4	4	2	21.5	1	21	21	21	22	22	22	22
21-24	3	2.3	2	1	1	3	3	3	3	3	7	11.0	107	1	1	5	22	22	22	22
25-34	44	3.5	10	1	1	3	4	5	7	21	21	6.1	68	1	1	4	13	22	22	22
35-54	104	4.7	22	1	2	3	4	7	17	26	47	4.8	19	1	2	3	6	7	16	22
55-74	40	5.9	17	1	2	5	7	13	15	20	22	6.4	13	1	2	6	8	13	14	15
75 +	5	10.0	97	1	1	9	15	26	26	26	1	32.0		32	32	32	32	32	32	32
ALL AGES	198	4.7	21	1	2	3	5	9	15	25	100	6.9	46	1	2	4	7	21	22	27
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	2.0	2	1	1	2	3	3	3	3	2	3.5	5	2	2	3	5	5	5	5
25-34	5	3.8	1	3	3	4	4	5	5	5	11	2.5	2	1	1	2	4	5	5	5
35-54	23	4.1	4	1	1	4	5	7	8	9	19	4.5	38	1	1	2	4	15	22	22
55-74	10	7.3	37	3	3	5	11	17	22	22	9	7.8	52	2	2	4	12	20	23	23
75 +																				
ALL AGES	40	4.8	13	1	2	4	5	8	11	22	41	4.6	32	1	1	3	4	13	21	23
SUBTOTAL	**238**	**4.7**	**20**	**1**	**2**	**3**	**5**	**9**	**14**	**24**	**141**	**6.2**	**43**	**1**	**1**	**4**	**6**	**21**	**22**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17											1	22.0		22	22	22	22	22	22	22
18-20											9	6.1	43	1	1	4	5	17	23	23
21-24	12	10.4	127	1	2	4	19	30	32	32	35	8.7	82	1	2	4	22	23	24	24
25-34	123	6.2	49	1	2	4	6	21	24	29	270	4.8	21	2	2	4	5	6	18	24
35-54	255	6.0	37	1	2	4	7	12	21	30	433	4.5	15	2	3	4	5	5	8	22
55-74	85	7.9	71	1	2	5	9	20	30	36	150	4.5	5	2	2	4	5	7	10	14
75 +	6	8.0	25	2	2	8	12	15	15	15	5	5.4	19	2	2	4	7	13	13	13
ALL AGES	481	6.5	49	1	2	4	7	17	24	33	904	4.8	19	2	2	4	5	6	13	23
B. FEMALE																				
0-12 YRS.	2	3.0		3	3	3	3	3	3	3										
13-17											1	2.0		2	2	2	2	2	2	2
18-20	2	3.0	2	2	2	3	4	4	4	4	1	2.0		2	2	2	2	2	2	2
21-24	3	12.0	271	2	2	3	24	31	31	31	10	5.0	37	1	1	3	4	13	22	22
25-34	34	4.8	29	1	2	3	4	7	22	24	68	4.8	17	2	2	4	5	9	13	24
35-54	57	8.1	57	2	2	4	11	22	24	29	116	4.0	4	2	2	4	4	5	7	13
55-74	29	11.3	141	2	3	7	11	30	42	44	53	4.6	14	2	3	4	5	7	9	28
75 +	1	3.0		3	3	3	3	3	3	[illegible]	1	7.0		7	7	7	7	7	7	7
ALL AGES	128	7.8	75	2	2	4	9	23	28	4[illegible]	250	4.4	11	2	2	4	5	6	9	22
SUBTOTAL	**609**	**6.8**	**54**	**1**	**2**	**4**	**7**	**19**	**24**	**33**	**1154**	**4.7**	**17**	**2**	**2**	**4**	**5**	**6**	**11**	**23**
GRAND TOTAL	**847**	**6.2**	**45**	**1**	**2**	**4**	**7**	**15**	**23**	**31[illegible]**	**1295**	**4.9**	**20**	**2**	**2**	**4**	**5**	**7**	**15**	**23**

ALCOHOLIC PSYCHOSIS NOS (291.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	9.5	1	9	9	9	10	10	10	10										
55-74	1	23.0		23	23	23	23	23	23	23										
75 +											1	14.0		14	14	14	14	14	14	14
ALL AGES	3	14.0	61	9	9	10	20	23	23	23	1	14.0		14	14	14	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	6.0		6	6	6	6	6	6	6										
25-34	1	9.0		9	9	9	9	9	9	9										
35-54																				
55-74																				
75 +																				
ALL AGES	2	7.5	5	6	6	7	9	9	9	9										
SUBTOTAL	**5**	**11.4**	**44**	**6**	**6**	**9**	**13**	**23**	**23**	**23**	**1**	**14.0**		**14**	**14**	**14**	**14**	**14**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	3.0		3	3	3	3	3	3	3										
25-34	2	9.0	98	2	2	9	16	16	16	16										
35-54	4	2.8	3	1	1	2	4	5	5	5										
55-74																				
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	9	5.9	41	1	1	3	8	17	18	18										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	6.0		6	6	6	6	6	6	6	1	3.0		3	3	3	3	3	3	3
35-54	2	8.5	5	7	7	8	10	10	10	10	1	1.0		1	1	1	1	1	1	1
55-74	1	22.0		22	22	22	22	22	22	22	1	3.0		3	3	3	3	3	3	3
75 +	1	11.0		11	11	11	11	11	11	11	1	7.0		7	7	7	7	7	7	7
ALL AGES	5	11.2	41	6	6	10	14	22	22	22	4	3.5	6	1	1	3	5	7	7	7
SUBTOTAL	**14**	**7.8**	**45**	**1**	**2**	**5**	**11**	**18**	**21**	**22**	**4**	**3.5**	**6**	**1**	**1**	**3**	**5**	**7**	**7**	**7**
GRAND TOTAL	**19**	**8.7**	**46**	**1**	**2**	**7**	**11**	**20**	**23**	**23**	**5**	**5.6**	**27**	**1**	**1**	**3**	**9**	**14**	**14**	**14**

DRUG WITHDRAWAL SYNDROME (292.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20	2	2.5	1	2	2	2	3	3	3	3										
21-24											1	5.0		5	5	5	5	5	5	5
25-34	29	3.5	2	2	2	3	4	5	6	8	7	6.6	54	2	2	4	6	20	23	23
35-54	15	3.5	1	1	2	4	4	5	5	5	3	2.7	4	1	1	2	4	5	5	5
55-74	6	5.0	21	1	1	4	5	13	14	14	4	2.5	6	1	1	2	4	6	6	6
75 +	2	3.0	2	2	2	3	4	4	4	4										
ALL AGES	54	3.6	4	1	2	3	4	5	5	14	16	4.4	28	1	1	3	5	6	18	23
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
21-24	7	3.0	2	1	1	3	4	5	5	5	2	2.0		2	2	2	2	2	2	2
25-34	19	3.2	3	1	1	3	4	6	7	8	3	6.7	12	3	3	7	9	10	10	10
35-54	13	7.5	28	3	3	5	10	16	18	18	11	6.1	9	1	3	5	7	11	13	13
55-74	6	12.0	104	1	*	11	18	26	27	27	4	5.0	3	3	3	5	6	7	7	7
75 +	3	7.0	25	2	2	7	11	12	12	12	2	5.5	1	5	5	5	6	6	6	6
ALL AGES	49	5.6	30	1	2	4	6	16	18	27	23	5.5	7	1	2	5	7	9	11	13
SUBTOTAL	**103**	**4.6**	**17**	**1**	**2**	**3**	**5**	**8**	**15**	**22**	**39**	**5.0**	**16**	**1**	**1**	**5**	**6**	**8**	**12**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7	2	3.5	1	3	3	3	4	4	4	4
18-20	6	3.0		2	2	3	3	4	4	4	9	2.7	1	1	1	3	3	4	4	4
21-24	8	3.1	1	2	2	3	4	5	5	5	32	3.1	1	1	2	3	4	4	5	6
25-34	109	4.5	36	1	2	3	4	6	17	35	383	3.7	3	2	2	4	4	5	6	10
35-54	64	4.2	15	2	3	4	4	5	7	27	215	3.8	3	2	2	4	4	5	7	13
55-74	4	5.0	29	2	2	3	8	13	13	13	22	4.1	4	1	2	4	5	6	8	10
75 +	2	4.0		4	4	4	4	4	4	4	1	5.0		5	5	5	5	5	5	5
ALL AGES	194	4.3	26	1	2	3	4	5	10	26	664	3.7	3	2	2	4	4	5	6	11
B. FEMALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17																				
18-20	4	2.8		2	2	3	3	3	3	3	12	3.9	6	1	2	4	4	7	10	11
21-24	17	3.3	4	1	1	3	4	7	8	8	25	3.3	1	1	2	4	4	4	5	5
25-34	92	4.4	28	1	2	3	4	5	6	37	143	4.1	2	2	3	4	4	5	7	11
35-54	34	5.4	16	3	3	4	5	10	20	99+	72	4.3	4	2	2	4	5	7	8	10
55-74	10	7.1	19	2	2	6	11	13	15	15	17	5.2	5	2	3	5	7	9	10	10
75 +	4	11.0	238	1	1	4	19	34	34	34	3	5.0	9	2	2	5	7	8	8	8
ALL AGES	162	4.8	27	1	2	4	5	7	14	42	272	4.1	3	2	2	4	5	6	7	11
SUBTOTAL	**356**	**4.5**	**27**	**1**	**2**	**3**	**4**	**6**	**12**	**34**	**936**	**3.8**	**3**	**2**	**2**	**4**	**4**	**5**	**7**	**11**
GRAND TOTAL	**459**	**4.5**	**24**	**1**	**2**	**3**	**4**	**7**	**14**	**29**	**975**	**3.9**	**3**	**2**	**2**	**4**	**4**	**5**	**7**	**11**

DRUG PARANOID/HALLUCINOS (292.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	26.0		26	26	26	26	26	26	26										
13-17	2	10.5	145	2	2	10	19	19	19	19										
18-20	2	1.0		1	1	1	1	1	1	1										
21-24	2	11.0	32	7	7	11	15	15	15	15										
25-34	1	20.0		20	20	20	20	20	20	20										
35-54	2	6.0	32	2	2	6	10	10	10	10										
55-74	2	3.0		3	3	3	3	3	3	3	5	6.0	9	3	3	7	8	10	10	10
75 +	2	2.5	1	2	2	2	3	3	3	3	1	4.0		4	4	4	4	4	4	4
ALL AGES	14	8.1	72	1	1	3	15	21	25	26	6	5.7	7	3	3	5	7	10	10	10
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-20	1	15.0		15	15	15	15	15	15	15										
21-24	1	10.0		10	10	10	10	10	10	10										
25-34	3	4.0	3	3	3	3	5	6	6	6	3	4.0	19	1	1	2	7	9	9	9
35-54											1	3.0		3	3	3	3	3	3	3
55-74	6	9.7	55	3	3	8	10	23	24	24	9	6.4	22	1	2	6	9	14	16	16
75 +	9	6.2	20	3	3	6	7	13	17	17	6	6.5	8	3	3	7	7	11	11	11
ALL AGES	20	7.6	30	3	3	6	9	16	20	24	20	5.7	15	1	1	5	8	11	14	16
SUBTOTAL	**34**	**7.8**	**46**	**1**	**2**	**6**	**10**	**19**	**23**	**26**	**26**	**5.7**	**13**	**1**	**1**	**5**	**7**	**11**	**12**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	11.7	133	1	1	10	20	24	24	24	1	2.0		2	2	2	2	2	2	2
18-20	4	12.5	79	1	1	14	19	20	20	20										
21-24	4	8.3	27	4	4	7	12	15	15	15										
25-34	7	7.3	42	1	2	5	8	18	21	21										
35-54	3	12.0	121	1	1	12	20	23	23	23	1	1.0		1	1	1	1	1	1	1
55-74	4	5.3	6	3	3	4	7	9	9	9	1	12.0		12	12	12	12	12	12	12
75 +	1	4.0		4	4	4	4	4	4	4	1	31.0		31	31	31	31	31	31	31
ALL AGES	26	8.8	53	1	1	6	12	21	23	24	4	11.5	194	1	1	7	21	31	31	31
B. FEMALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-20	2	22.0	162	13	13	22	31	31	31	31										
21-24	3	10.0	28	4	4	12	13	14	14	14										
25-34	8	6.3	29	1	1	6	8	15	18	18										
35-54	2	17.0	450	2	2	17	32	32	32	32	1	4.0		4	4	4	4	4	4	4
55-74	4	8.3	9	6	6	7	10	13	13	13	1	17.0		17	17	17	17	17	17	17
75 +	4	6.8	11	3	3	6	9	11	11	11	5	16.4	75	6	6	21	23	24	24	24
ALL AGES	23	9.5	67	1	2	7	13	21	31	32	8	13.3	78	3	3	12	22	24	24	24
SUBTOTAL	**49**	**9.1**	**59**	**1**	**2**	**7**	**12**	**21**	**24**	**32**	**12**	**12.7**	**103**	**1**	**1**	**10**	**22**	**26**	**30**	**31**
GRAND TOTAL	**83**	**8.6**	**53**	**1**	**2**	**6**	**12**	**20**	**24**	**32**	**38**	**7.9**	**50**	**1**	**1**	**6**	**10**	**20**	**24**	**31**

PATHOLOGIC DRUG INTOX (292.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	6.0		6	6	6	6	6	6	6
21-24											1	22.0		22	22	22	22	22	22	22
25-34											6	26.0	140	2	5	30	31	33	33	33
35-54											1	9.0		9	9	9	9	9	9	9
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES											10	19.7	166	2	3	26	30	32	33	33
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	35.0		35	35	35	35	35	35	35
25-34											3	23.0	247	5	5	30	33	34	34	34
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES											6	19.0	240	3	3	18	34	35	35	35
SUBTOTAL											**16**	**19.4**	**181**	**2**	**3**	**26**	**31**	**34**	**35**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											5	38.0	514	8	8	38	49	71	71	71
18-20											4	33.5	59	29	29	30	38	45	45	45
21-24											6	25.5	209	1	2	32	36	37	37	37
25-34	1	11.0		11	11	11	11	11	11	11	10	21.5	182	1	1	30	30	31	31	31
35-54											3	22.7	327	2	2	30	34	36	36	36
55-74																				
75 +																				
ALL AGES	1	11.0		11	11	11	11	11	11	11	28	27.1	251	1	2	30	35	41	48	71
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20											1	30.0		30	30	30	30	30	30	30
21-24											1	37.0		37	37	37	37	37	37	37
25-34											4	16.8	232	3	3	17	30	30	30	30
35-54	1	9.0		9	9	9	9	9	9	9	1	31.0		31	31	31	31	31	31	31
55-74											2	7.5	13	5	5	7	10	10	10	10
75 +																				
ALL AGES	1	9.0		9	9	54	99+	99+	99+	99+	10	18.1	212	1	2	20	30	34	37	37
SUBTOTAL	**2**	**10.0**	**2**	**9**	**9**	**11**	**78**	**99+**	**99+**	**99+**	**38**	**24.8**	**247**	**1**	**2**	**30**	**31**	**38**	**44**	**71**
GRAND TOTAL	**2**	**10.0**	**2**	**9**	**9**	**11**	**78**	**99+**	**99+**	**99+**	**54**	**23.2**	**230**	**1**	**2**	**30**	**31**	**37**	**41**	**70**

OTHER DRUG MENTAL DIS (292.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17											1	5.0		5	5	5	5	5	5	5
18-20	1	10.0		10	10	10	10	10	10	10	2	1.5	1	1	1	1	2	2	2	2
21-24																				
25-34	8	12.6	347	1	1	2	22	44	48	48	1	1.0		1	1	1	1	1	1	1
35-54	10	6.4	32	1	1	4	13	15	16	16	2	4.5	1	4	4	4	5	5	5	5
55-74	24	6.8	93	1	1	4	6	14	36	40	15	5.9	14	1	1	7	8	10	12	13
75 +	20	8.8	82	1	2	6	10	19	31	40	4	3.0	2	2	2	3	4	5	5	5
ALL AGES	63	8.1	108	1	1	4	9	18	37	47	26	4.6	11	1	1	4	7	9	11	13
B. FEMALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10	1	8.0		8	8	8	8	8	8	8
13-17		1.0		1	1	1	1	1	1	1	3	2.0	1	1	1	2	3	3	3	3
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	1	17.0		17	17	17	17	17	17	17										
25-34	7	4.4	8	2	2	4	6	9	9	9	3	4.3	7	2	2	4	6	7	7	7
35-54	7	6.0	29	1	1	5	7	15	17	17	1	7.0		7	7	7	7	7	7	7
55-74	24	8.6	103	2	3	6	9	14	26	53	7	5.7	20	1	1	4	9	13	13	13
75 +	22	5.1	9	1	1	5	7	9	10	11	20	4.5	10	1	2	4	5	9	12	15
ALL AGES	64	6.6	49	1	1	5	8	11	15	48	35	4.7	11	1	2	4	6	10	12	15
SUBTOTAL	**127**	**7.4**	**78**	**1**	**1**	**5**	**8**	**14**	**24**	**49**	**61**	**4.6**	**11**	**1**	**1**	**4**	**7**	**9**	**12**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	5.6	26	1	1	5	8	14	14	14										
18-20																				
21-24	1	6.0		6	6	6	6	6	6	6										
25-34	7	10.3	38	2	3	11	15	18	19	19										
35-54	8	12.9	146	1	2	7	23	31	34	34	1	8.0		8	8	8	8	8	8	8
55-74	11	11.3	77	3	4	7	18	24	30	31	1	3.0		3	3	3	3	3	3	3
75 +	7	10.9	38	3	4	12	14	20	22	22	4	3.8	1	2	2	4	5	5	5	5
ALL AGES	39	10.5	67	1	2	7	16	22	28	34	6	4.3	5	2	2	4	5	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19										
18-20	3	5.3	17	3	3	3	8	10	10	10										
21-24																				
25-34	10	9.5	83	2	2	4	16	23	29	29	2	4.0	2	3	3	4	5	5	5	5
35-54	10	8.9	46	1	2	8	13	18	23	23	2	1.5	1	1	1	1	2	2	2	2
55-74	21	10.1	63	3	4	6	12	24	27	28	10	8.0	99	1	1	6	8	22	35	35
75 +	16	9.6	35	3	3	8	13	20	21	21	8	4.3	7	1	1	4	5	9	10	10
ALL AGES	61	9.6	52	3	3	7	13	21	24	29	22	5.7	50	1	1	4	7	9	20	35
SUBTOTAL	**100**	**10.0**	**56**	**2**	**3**	**7**	**14**	**21**	**25**	**32**	**28**	**5.4**	**40**	**1**	**1**	**4**	**6**	**9**	**12**	**35**
GRAND TOTAL	**227**	**8.5**	**70**	**1**	**2**	**6**	**11**	**19**	**24**	**42**	**89**	**4.9**	**20**	**1**	**1**	**4**	**7**	**9**	**11**	**27**

DRUG MENTAL DISORDER NOS (292.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	5	6.2	23	2	2	5	9	14	14	14										
21-24	3	2.3	3	1	1	3	52	99+	99+	99+										
25-34	5	2.8	4	1	1	2	4	6	6	6										
35-54	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
55-74	4	11.8	230	1	1	6	21	34	34	34	2	4.0	2	3	3	4	5	5	5	5
75 +	4	4.8	2	3	3	5	6	6	6	6	1	2.0		2	2	2	2	2	2	2
ALL AGES	22	5.5	50	1	1	4	6	18	57	99+	4	3.5	2	2	2	3	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34	2	15.5	221	5	5	15	26	26	26	26										
35-54	6	7.0	38	1	1	6	9	17	18	18	2	8.0	18	5	5	8	11	11	11	11
55-74	7	8.0	20	3	3	9	12	14	14	14	4	2.8	4	1	1	3	4	5	5	5
75 +	5	8.2	13	5	5	7	10	14	14	14	4	8.3	28	4	4	6	12	16	16	16
ALL AGES	21	8.1	38	1	2	7	10	16	22	26	10	6.0	21	1	1	5	8	13	16	16
SUBTOTAL	**43**	**6.8**	**45**	**1**	**1**	**5**	**9**	**15**	**28**	**99+**	**14**	**5.3**	**16**	**1**	**1**	**4**	**5**	**11**	**15**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	4.0	2	3	3	4	5	5	5	5										
18-20	5	9.4	103	1	1	3	20	21	21	21	1	1.0		1	1	1	1	1	1	1
21-24	6	14.0	113	1	1	14	19	29	30	30										
25-34	8	8.9	23	1	3	8	12	16	17	17										
35-54	2	21.5	61	16	16	21	27	27	27	27										
55-74	2	20.0	162	11	11	20	29	29	29	29										
75 +	5	7.8	25	1	1	7	10	15	15	15										
ALL AGES	30	11.1	72	1	1	8	17	24	29	30	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	20.0		20	20	20	20	20	20	20										
21-24	6	24.0	564	5	6	18	20	66	71	71										
25-34	2	4.0		4	4	4	4	4	4	4										
35-54	4	21.5	96	7	7	25	27	28	28	28	1	6.0		6	6	6	6	6	6	6
55-74	4	16.3	5	13	13	16	18	19	19	19										
75 +	3	5.7	17	1	1	7	8	9	9	9	1	6.0		6	6	6	6	6	6	6
ALL AGES	20	17.0	225	2	4	16	20	27	49	71	2	6.0		6	6	6	6	6	6	6
SUBTOTAL	**50**	**13.4**	**140**	**1**	**2**	**10**	**19**	**27**	**29**	**71**	**3**	**4.3**	**9**	**1**	**1**	**6**	**6**	**6**	**6**	**6**
GRAND TOTAL	**93**	**10.4**	**105**	**1**	**1**	**7**	**15**	**24**	**29**	**87**	**17**	**5.1**	**15**	**1**	**1**	**5**	**6**	**10**	**14**	**16**

ACUTE DELIRIUM (293.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
13-17	2	1.5	1	1	1	1	2	2	2	2	4	3.3	8	1	1	2	5	7	7	7
18-20											1	2.0		2	2	2	2	2	2	2
21-24	2	12.5	221	2	2	12	23	23	23	23										
25-34	7	5.4	23	1	1	3	10	12	12	12	4	1.8		1	1	2	2	2	2	2
35-54	2	3.5	13	1	1	3	6	6	6	6	4	2.8	3	1	1	2	4	5	5	5
55-74	29	9.2	58	2	2	6	12	23	26	27	31	4.1	8	1	1	3	5	8	9	15
75 +	32	7.2	47	1	2	5	8	17	23	30	40	5.4	8	1	2	5	7	10	11	13
ALL AGES	75	7.6	51	1	2	5	10	21	25	29	85	4.4	9	1	1	4	6	8	10	14
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	2	11.5	5	10	10	11	13	13	13	13	1	2.0		2	2	2	2	2	2	2
35-54	12	6.0	22	1	2	5	7	14	17	17	10	5.7	54	1	1	3	4	18	25	25
55-74	43	9.0	100	1	2	5	12	20	30	52	42	5.7	34	1	2	5	6	9	12	39
75 +	58	6.7	21	2	2	6	9	12	15	27	57	5.8	20	1	2	5	6	10	14	27
ALL AGES	117	7.4	52	1	2	5	9	14	19	41	111	5.6	29	1	2	4	6	10	13	32
SUBTOTAL	**192**	**7.5**	**51**	**1**	**2**	**5**	**9**	**15**	**23**	**33**	**196**	**5.1**	**20**	**1**	**2**	**4**	**6**	**9**	**11**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	46.0	3872	2	2	46	90	90	90	90										
21-24	1	15.0		15	15	15	15	15	15	15										
25-34																				
35-54	6	8.2	20	1	1	10	11	12	12	12	1	1.0		1	1	1	1	1	1	1
55-74	15	12.8	65	4	4	11	18	27	29	30	11	12.6	181	1	3	8	14	34	47	48
75 +	20	10.4	68	1	2	8	14	21	28	34	9	6.6	18	1	2	7	8	13	15	15
ALL AGES	44	12.6	202	2	3	10	14	23	31	90	21	9.5	110	1	1	7	11	19	35	48
B. FEMALE																				
0-12 YRS.																				
13-17											1	37.0		37	37	37	37	37	37	37
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	3	11.0	139	1	1	8	20	24	24	24	1	21.0		21	21	21	21	21	21	21
35-54	5	8.0	37	2	2	8	12	17	17	17	2	3.5	1	3	3	3	4	4	4	4
55-74	24	10.0	83	2	3	7	12	19	36	38	10	6.5	8	1	3	6	8	10	12	12
75 +	28	9.2	35	3	4	8	12	14	22	32	28	5.8	10	2	3	5	7	10	12	17
ALL AGES	61	9.4	56	2	3	7	12	17	28	38	42	7.0	36	2	3	5	7	11	19	37
SUBTOTAL	**105**	**10.8**	**117**	**2**	**3**	**8**	**13**	**20**	**30**	**61**	**63**	**7.8**	**61**	**1**	**3**	**6**	**8**	**14**	**22**	**47**
GRAND TOTAL	**297**	**8.7**	**76**	**1**	**2**	**6**	**11**	**18**	**25**	**37**	**259**	**5.8**	**31**	**1**	**2**	**5**	**7**	**10**	**14**	**36**

SUBACUTE DELIRIUM (293.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14	1	3.0		3	3	3	3	3	3	3
55-74	1	8.0		8	8	8	8	8	8	8	2	5.0	18	2	2	5	8	8	8	8
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	4	9.5	20	4	4	10	13	14	14	14	3	4.3	11	2	2	3	7	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	13.0		13	13	13	13	13	13	13	1	4.0		4	4	4	4	4	4	4
75 +	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
ALL AGES	2	8.5	41	4	4	8	13	13	13	13	2	4.0		4	4	4	4	4	4	4
SUBTOTAL	**6**	**9.2**	**19**	**4**	**4**	**10**	**13**	**14**	**14**	**14**	**5**	**4.2**	**5**	**2**	**2**	**4**	**5**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	8.0		8	8	8	8	8	8	8										
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	2	6.5	5	5	5	6	8	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	5.5	1	5	5	5	6	6	6	6										
55-74											1	13.0		13	13	13	13	13	13	13
75 +	2	2.5	1	2	2	2	3	3	3	3	1	7.0		7	7	7	7	7	7	7
ALL AGES	4	4.0	3	2	2	4	5	6	6	6	2	10.0	18	7	7	10	13	13	13	13
SUBTOTAL	**6**	**4.8**	**5**	**2**	**2**	**5**	**6**	**8**	**8**	**8**	**2**	**10.0**	**18**	**7**	**7**	**10**	**13**	**13**	**13**	**13**
GRAND TOTAL	**12**	**7.0**	**16**	**2**	**3**	**6**	**10**	**13**	**14**	**14**	**7**	**5.9**	**14**	**2**	**2**	**4**	**8**	**12**	**13**	**13**

OTH TRANSIENT ORG MENTAL (293.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	6	36.2	664	5	6	31	65	68	68	68										
25-34	10	18.7	194	3	5	17	21	39	53	53	1	13.0		13	13	13	13	13	13	13
35-54	16	27.5	322	9	10	22	32	63	69	71	1	4.0		4	4	4	4	4	4	4
55-74	27	17.6	202	4	6	13	22	31	51	68	1	20.0		20	20	20	20	20	20	20
75 +	21	16.5	118	2	3	15	23	31	39	40	4	15.3	345	3	3	7	25	43	43	43
ALL AGES	80	20.8	259	3	5	17	25	39	65	70	7	14.0	197	3	3	8	18	38	43	43
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	2.0		2	2	2	2	2	2	2	1	39.0		39	39	39	39	39	39	39
21-24	2	12.0	50	7	7	12	17	17	17	17										
25-34	8	22.4	64	14	14	20	29	34	36	36	2	34.0	512	18	18	34	50	50	50	50
35-54	4	23.3	98	10	10	25	31	32	32	32	1	21.0		21	21	21	21	21	21	21
55-74	32	21.4	301	1	3	18	26	48	55	81	3	9.3	10	6	6	10	11	12	12	12
75 +	37	18.8	137	6	7	16	26	33	35	63	5	16.6	107	7	7	13	26	30	30	30
ALL AGES	84	20.0	189	3	6	17	26	35	48	75	12	19.9	193	6	7	15	27	42	49	50
SUBTOTAL	**164**	**20.4**	**221**	**3**	**6**	**17**	**26**	**35**	**54**	**71**	**19**	**17.7**	**193**	**3**	**5**	**13**	**24**	**41**	**47**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	13.5	145	5	5	13	22	22	22	22										
18-20	4	19.5	12	16	16	19	22	24	24	24										
21-24	2	24.0	288	12	12	24	36	36	36	36										
25-34	17	19.0	232	6	7	13	26	40	55	62	1	30.0		30	30	30	30	30	30	30
35-54	21	22.4	289	3	5	21	29	44	62	71	2	17.5	61	12	12	17	23	23	23	23
55-74	21	15.4	121	2	4	11	21	31	40	40										
75 +	16	11.4	19	4	6	11	15	17	18	19										
ALL AGES	83	17.5	171	4	5	15	23	32	41	68	3	21.7	80	12	12	23	28	30	30	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	7.0		7	7	7	7	7	7	7										
21-24	3	12.7	113	6	6	7	20	25	25	25										
25-34	8	13.3	77	4	4	9	23	25	25	25										
35-54	6	18.2	127	2	3	18	27	32	33	33										
55-74	37	17.0	123	3	4	16	22	32	42	47	3	16.7	519	3	3	4	33	43	43	43
75 +	32	18.9	73	7	8	20	24	29	31	41	1	9.0		9	9	9	9	9	9	9
ALL AGES	87	17.2	98	3	5	17	23	29	33	47	4	14.8	360	3	3	6	26	43	43	43
SUBTOTAL	**170**	**17.3**	**134**	**4**	**5**	**16**	**23**	**30**	**40**	**60**	**7**	**17.7**	**222**	**3**	**3**	**12**	**28**	**40**	**43**	**43**
GRAND TOTAL	**334**	**18.8**	**180**	**3**	**5**	**17**	**24**	**33**	**46**	**69**	**26**	**17.7**	**192**	**3**	**4**	**12**	**25**	**42**	**45**	**50**

TRANSIENT ORG MENTAL NOS (293.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	21.0		21	21	21	21	21	21	21										
21-24																				
25-34	2	25.0	1152	1	1	25	49	49	49	49	1	1.0		1	1	1	1	1	1	1
35-54	4	8.8	51	2	2	9	15	15	15	15	2	4.5	1	4	4	4	5	5	5	5
55-74	6	7.3	90	1	1	3	11	24	25	25	4	10.5	134	2	2	6	18	27	27	27
75 +	6	3.7	12	1	1	2	8	8	8	8	1	4.0		4	4	4	4	4	4	4
ALL AGES	19	9.1	147	1	1	3	14	23	38	49	8	7.0	73	1	1	4	7	22	27	27
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	4	22.8	221	9	9	19	32	44	44	44	2	8.5	5	7	7	8	10	10	10	10
55-74	6	7.0	16	4	4	5	11	13	13	13	5	4.0	14	1	1	3	6	10	10	10
75 +	7	7.3	85	1	1	3	9	24	27	27	7	4.0	4	2	2	4	6	7	7	7
ALL AGES	18	10.5	120	1	2	6	13	25	37	44	15	4.4	10	1	1	4	7	10	10	10
SUBTOTAL	**37**	**9.8**	**130**	**1**	**1**	**5**	**13**	**24**	**38**	**49**	**23**	**5.3**	**31**	**1**	**1**	**4**	**7**	**10**	**16**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-20	1	12.0		12	12	12	12	12	12	12										
21-24	1	18.0		18	18	18	18	18	18	18										
25-34																				
35-54	4	16.3	63	7	7	17	23	24	24	24	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +	3	15.3	462	1	1	5	31	40	40	40										
ALL AGES	10	14.3	145	1	1	12	22	32	40	40	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	2.0		2	2	2	2	2	2	2										
21-24																				
25-34	1	9.0		9	9	9	9	9	9	9	1	2.0		2	2	2	2	2	2	2
35-54	1	9.0		9	9	9	9	9	9	9	1	2.0		2	2	2	2	2	2	2
55-74	2	22.5	613	5	5	22	40	40	40	40	2	16.0	50	11	11	16	21	21	21	21
75 +	1	4.0		4	4	4	4	4	4	4	2	5.5	13	3	3	5	8	8	8	8
ALL AGES	6	11.5	203	2	2	7	9	37	40	40	6	7.8	56	2	2	5	11	20	21	21
SUBTOTAL	**16**	**13.3**	**155**	**1**	**2**	**9**	**20**	**38**	**40**	**40**	**7**	**6.9**	**52**	**1**	**1**	**3**	**10**	**19**	**21**	**21**
GRAND TOTAL	**53**	**10.8**	**139**	**1**	**1**	**6**	**15**	**25**	**40**	**49**	**30**	**5.7**	**34**	**1**	**1**	**4**	**7**	**11**	**21**	**27**

AMNESTIC SYNDROME (294.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	11.5	13	9	9	11	14	14	14	14										
55-74	4	12.0	161	1	1	10	22	27	27	27	1	7.0		7	7	7	7	7	7	7
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	7	11.4	84	1	1	9	17	25	27	27	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74	5	4.2	4	1	1	5	5	6	6	6	1	2.0		2	2	2	2	2	2	2
75 +	1	2.0		2	2	2	2	2	2	2	3	3.7	9	1	1	3	6	7	7	7
ALL AGES	6	3.8	4	1	1	4	5	6	6	6	5	3.0	6	1	1	2	4	7	7	7
SUBTOTAL	**13**	**7.9**	**59**	**1**	**1**	**5**	**10**	**20**	**26**	**27**	**6**	**3.7**	**7**	**1**	**1**	**3**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74	2	10.0	8	8	8	10	12	12	12	12	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	3	7.3	26	2	2	8	11	12	12	12	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +	2	12.0	2	11	11	12	13	13	13	13										
ALL AGES	3	8.3	42	1	1	11	12	13	13	13										
SUBTOTAL	**6**	**7.8**	**28**	**1**	**1**	**9**	**12**	**13**	**13**	**13**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**19**	**7.9**	**47**	**1**	**1**	**6**	**12**	**16**	**23**	**27**	**7**	**3.4**	**7**	**1**	**1**	**2**	**6**	**7**	**7**	**7**

DEMENTIA IN OTH DISEASES (294.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54											1	50.0		50	50	50	50	50	50	50
55-74	9	12.1	26	3	5	13	16	18	18	18	5	8.6	29	4	4	7	10	18	18	18
75 +	9	7.9	29	1	1	10	11	15	17	17	6	5.8	8	3	3	5	6	11	11	11
ALL AGES	19	9.9	29	1	2	10	14	17	18	18	12	10.7	169	3	4	6	9	28	47	50
B. FEMALE																				
0-12 YRS.																				
13-17	1	62.0		62	62	62	62	62	62	62										
18-20																				
21-24	1	13.0		13	13	13	13	13	13	13										
25-34	1	12.0		12	12	12	12	12	12	12										
35-54	2	16.5	41	12	12	16	21	21	21	21	1	15.0		15	15	15	15	15	15	15
55-74	10	14.8	95	1	4	12	21	29	35	35	3	6.3	11	4	4	5	9	10	10	10
75 +	4	27.5	172	11	11	30	38	39	39	39	1	3.0		3	3	3	3	3	3	3
ALL AGES	19	19.9	211	4	8	14	24	38	52	62	5	7.4	25	3	3	5	11	15	15	15
SUBTOTAL	**38**	**14.9**	**142**	**1**	**3**	**12**	**18**	**32**	**38**	**62**	**17**	**9.7**	**125**	**3**	**3**	**6**	**10**	**17**	**39**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	84.0		84	84	84	84	84	84	84
21-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74	3	19.3	188	10	10	13	29	35	35	35	1	5.0		5	5	5	5	5	5	5
75 +	2	25.0	392	11	11	25	39	39	39	39	1	5.0		5	5	5	5	5	5	5
ALL AGES	6	18.8	208	5	5	12	35	39	39	39	3	31.3	2083	5	5	5	64	84	84	84
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	28.0		28	28	28	28	28	28	28	1	31.0		31	31	31	31	31	31	31
75 +	4	6.5	20	2	2	6	10	12	12	12	1	3.0		3	3	3	3	3	3	3
ALL AGES	5	10.8	107	2	2	8	16	28	28	28	2	17.0	392	3	3	17	31	31	31	31
SUBTOTAL	**11**	**15.2**	**163**	**2**	**3**	**11**	**24**	**37**	**39**	**39**	**5**	**25.6**	**1200**	**3**	**3**	**5**	**44**	**84**	**84**	**84**
GRAND TOTAL	**49**	**15.0**	**143**	**1**	**3**	**12**	**18**	**35**	**39**	**62**	**22**	**13.3**	**371**	**3**	**3**	**6**	**11**	**37**	**64**	**84**

ORGANIC BRAIN SYND NEC (294.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	17.0		17	17	17	17	17	17	17										
21-24																				
25-34	2	9.5	61	4	4	9	15	15	15	15										
35-54	5	13.6	21	6	6	15	16	18	18	18										
55-74	8	10.6	20	4	5	10	14	16	17	17										
75 +	5	10.4	19	6	6	11	14	16	16	16	2	4.0	18	1	1	4	7	7	7	7
ALL AGES	21	11.5	21	4	5	13	15	17	18	18	2	4.0	18	1	1	4	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	10.7	20	8	8	8	14	16	16	16										
35-54	3	23.7	134	11	11	26	32	34	34	34										
55-74	14	14.8	121	1	2	11	23	26	38	42										
75 +	15	11.0	46	1	1	11	14	22	23	23	1	10.0		10	10	10	10	10	10	10
ALL AGES	35	13.6	87	1	2	11	20	24	32	42	1	10.0		10	10	10	10	10	10	10
SUBTOTAL	**56**	**12.8**	**63**	**1**	**4**	**11**	**16**	**23**	**25**	**42**	**3**	**6.0**	**21**	**1**	**1**	**7**	**9**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	31.0		31	31	31	31	31	31	31										
21-24	2	26.0	1058	3	3	26	49	49	49	49										
25-34											1	23.0		23	23	23	23	23	23	23
35-54	4	14.3	103	3	3	13	22	27	27	27										
55-74	7	20.1	118	4	6	18	30	34	35	35										
75 +	3	14.0	21	10	10	13	17	19	19	19	1	9.0		9	9	9	9	9	9	9
ALL AGES	17	19.0	158	3	3	17	28	34	44	49	2	16.0	98	9	9	16	23	23	23	23
B. FEMALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19										
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34																				
35-54	2	26.0	2	25	25	26	27	27	27	27										
55-74	3	16.3	51	9	9	17	21	23	23	23	1	6.0		6	6	6	6	6	6	6
75 +	9	12.7	39	4	4	13	17	21	22	22										
ALL AGES	16	14.7	61	1	4	15	21	25	26	27	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**33**	**16.9**	**113**	**3**	**4**	**16**	**23**	**31**	**35**	**49**	**3**	**12.7**	**81**	**6**	**6**	**9**	**19**	**23**	**23**	**23**
GRAND TOTAL	**89**	**14.3**	**85**	**2**	**4**	**13**	**18**	**26**	**32**	**46**	**6**	**9.3**	**55**	**1**	**1**	**8**	**10**	**22**	**23**	**23**

ORGANIC BRAIN SYND NOS (294.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	46.5	2245	13	13	46	80	80	80	80										
18-20	3	12.7	225	3	3	5	24	30	30	30	1	17.0		17	17	17	17	17	17	17
21-24	2	14.5	221	4	4	14	25	25	25	25	1	10.0		10	10	10	10	10	10	10
25-34	2	14.0	72	8	8	14	20	20	20	20	3	16.0	19	13	13	14	19	21	21	21
35-54	8	21.5	118	3	6	23	28	35	38	38	1	3.0		3	3	3	3	3	3	3
55-74	19	10.7	60	1	2	7	18	21	24	25	2	7.0		7	7	7	7	7	7	7
75 +	27	12.3	73	1	2	12	16	21	29	41	3	2.7	2	1	1	3	4	4	4	4
ALL AGES	63	14.2	156	2	3	13	19	27	33	75	11	9.1	42	1	2	7	14	19	21	21
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	9.0		9	9	9	9	9	9	9	1	14.0		14	14	14	14	14	14	14
25-34	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
35-54	8	13.4	131	3	4	8	20	32	34	34	1	12.0		12	12	12	12	12	12	12
55-74	37	18.1	208	2	4	13	21	42	50	57	6	7.8	26	2	2	7	9	16	17	17
75 +	39	11.5	49	3	4	10	15	24	28	29	3	16.3	292	6	6	7	29	36	36	36
ALL AGES	86	14.4	132	3	4	11	19	29	39	55	12	10.5	83	2	3	7	13	23	34	36
SUBTOTAL	**149**	**14.3**	**142**	**2**	**4**	**11**	**19**	**28**	**38**	**57**	**23**	**9.8**	**62**	**1**	**3**	**7**	**14**	**18**	**26**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	98.0		98	98	98	98	98	98	98
18-20											1	26.0		26	26	26	26	26	26	26
21-24	1	10.0		10	10	10	10	10	10	10										
25-34	5	12.2	36	6	6	10	15	22	22	22										
35-54	5	26.0	73	17	17	26	34	35	35	35										
55-74	15	13.1	119	3	3	10	15	21	41	48										
75 +	10	14.5	23	7	8	14	18	21	22	22	1	7.0		7	7	7	7	7	7	7
ALL AGES	36	15.1	86	4	6	13	18	26	35	48	3	43.7	2300	7	7	26	80	98	98	98
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	12.0		12	12	12	12	12	12	12										
21-24																				
25-34	1	13.0		13	13	13	13	13	13	13										
35-54	6	11.3	71	2	2	9	20	23	23	23	1	27.0		27	27	27	27	27	27	27
55-74	13	15.9	113	1	3	19	24	31	31	31										
75 +	17	11.2	68	1	1	9	19	22	25	27	1	14.0		14	14	14	14	14	14	14
ALL AGES	38	12.9	80	1	2	10	20	26	30	31	2	20.5	85	14	14	27	82	99 +	99 +	99 +
SUBTOTAL	**74**	**14.0**	**82**	**2**	**4**	**13**	**20**	**26**	**31**	**45**	**5**	**34.4**	**1334**	**7**	**8**	**26**	**98**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**223**	**14.2**	**121**	**2**	**4**	**12**	**19**	**27**	**34**	**53**	**28**	**14.2**	**340**	**2**	**3**	**9**	**17**	**32**	**98**	**99 +**

SIMPLE SCHIZOPHRENIA (295.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	18.0		18	18	18	18	18	18	18										
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	3	21.0	49	16	16	18	26	29	29	29										
55-74	2	14.0	2	13	13	14	15	15	15	15										
75 +	6	13.8	58	3	4	13	20	24	24	24										
ALL AGES	13	15.4	46	4	7	15	19	25	28	29										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	26.0		26	26	26	26	26	26	26										
25-34	4	17.0	113	4	4	17	24	30	30	30										
35-54	2	6.0	18	3	3	6	9	9	9	9										
55-74	8	15.4	36	8	9	15	18	25	27	27										
75 +																				
ALL AGES	15	15.3	64	3	4	16	19	27	29	30										
SUBTOTAL	**28**	**15.3**	**55**	**3**	**5**	**15**	**19**	**27**	**29**	**30**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	7.5	85	1	1	7	14	14	14	14										
35-54																				
55-74	2	11.0	50	6	6	11	16	16	16	16										
75 +	2	9.0	32	5	5	9	13	13	13	13										
ALL AGES	6	9.2	35	1	1	9	14	16	16	16										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	30.0		30	30	30	30	30	30	30										
25-34																				
35-54	2	7.5	25	4	4	7	11	11	11	11	1	5.0		5	5	5	5	5	5	5
55-74	6	10.8	39	1	2	11	17	17	17	17										
75 +	4	10.8	5	8	8	11	13	13	13	13										
ALL AGES	13	11.8	50	1	3	11	14	20	28	30	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**19**	**10.9**	**47**	**1**	**2**	**11**	**14**	**17**	**24**	**30**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
GRAND TOTAL	**47**	**13.6**	**53**	**2**	**4**	**13**	**18**	**26**	**29**	**30**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**

HEBEPHRENIA (295.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	7.5	41	3	3	7	12	12	12	12										
21-24	6	22.7	128	9	10	21	24	41	43	43										
25-34	30	13.0	102	3	4	10	20	22	24	53										
35-54	15	12.1	56	3	4	11	17	29	79	99 +										
55-74	2	9.5	1	9	9	9	10	10	10	10										
75 +																				
ALL AGES	55	13.5	94	3	4	11	19	24	39	97										
B. FEMALE																				
0-12 YRS.																				
13-17	4	19.3	38	10	10	21	23	24	24	24										
18-20	3	13.3	6	11	11	14	15	15	15	15										
21-24	3	15.0	19	12	12	13	18	20	20	20										
25-34	18	14.4	75	4	6	12	19	29	32	33										
35-54	17	17.6	94	1	3	17	26	31	32	33	2	5.0	8	3	3	5	7	7	7	7
55-74	13	16.5	124	6	7	14	19	30	45	48										
75 +																				
ALL AGES	58	16.1	81	4	7	14	20	29	32	47	2	5.0	8	3	3	5	7	7	7	7
SUBTOTAL	**113**	**14.8**	**89**	**3**	**5**	**13**	**20**	**28**	**32**	**70**	**2**	**5.0**	**8**	**3**	**3**	**5**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-20	3	14.7	133	4	4	13	23	27	27	27										
21-24	6	11.5	54	2	3	10	14	23	24	24										
25-34	7	18.9	290	6	6	14	19	49	56	56										
35-54	13	13.9	58	4	6	12	15	28	29	29										
55-74	4	11.0	31	4	4	12	15	16	16	16										
75 +																				
ALL AGES	34	14.0	102	4	4	12	16	27	29	56										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	7.0		7	7	7	7	7	7	7										
21-24	4	31.0	862	8	8	21	51	73	73	73	1	2.0		2	2	2	2	2	2	2
25-34	5	16.4	100	5	5	14	23	31	31	31										
35-54	5	12.0	76	2	2	14	19	22	22	22										
55-74	4	9.0	5	6	6	9	10	11	11	11										
75 +																				
ALL AGES	19	16.3	252	3	4	11	20	30	54	73	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**53**	**14.8**	**154**	**4**	**4**	**12**	**17**	**28**	**31**	**72**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**166**	**14.8**	**109**	**3**	**5**	**13**	**20**	**28**	**31**	**70**	**3**	**4.0**	**7**	**2**	**2**	**3**	**6**	**7**	**7**	**7**

CATATONIC SCHIZOPHRENIA (295.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	7.5	1	7	7	7	8	8	8	8										
18-20	7	12.4	125	1	2	10	18	30	33	33										
21-24											2	9.5	25	6	6	9	13	13	13	13
25-34	11	14.3	107	1	3	13	24	29	31	31										
35-54	4	22.8	114	9	9	24	31	34	34	34										
55-74	3	24.7	308	14	14	15	37	45	45	45										
75 +																				
ALL AGES	27	15.7	133	1	4	14	25	33	36	45	2	9.5	25	6	6	9	13	13	13	13
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-20	1	12.0		12	12	12	12	12	12	12	2	46.0	3698	3	3	46	89	89	89	89
21-24	2	7.5	85	1	1	7	14	14	14	14	1	28.0		28	28	28	28	28	28	28
25-34	2	31.0	128	23	23	31	39	39	39	39	1	1.0		1	1	1	1	1	1	1
35-54	18	16.6	194	2	4	11	28	34	45	52	4	4.8	12	1	1	4	7	9	9	9
55-74	13	14.0	92	1	3	16	18	24	35	38	1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	36	15.8	152	1	4	13	21	35	39	52	10	14.7	746	1	1	4	9	58	89	89
SUBTOTAL	**63**	**15.8**	**140**	**1**	**4**	**13**	**22**	**33**	**38**	**51**	**12**	**13.8**	**618**	**1**	**1**	**6**	**11**	**46**	**83**	**89**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	46.0	98	39	39	46	53	53	53	53										
25-34	3	29.0	400	9	9	29	44	49	49	49	1	11.0		11	11	11	11	11	11	11
35-54	6	25.5	280	3	4	26	29	51	53	53										
55-74																				
75 +																				
ALL AGES	11	30.2	292	3	7	29	46	53	53	53	1	11.0		11	11	11	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	14.0		14	14	14	14	14	14	14										
21-24	2	12.5	85	6	6	12	19	19	19	19										
25-34	3	17.7	4	15	15	19	19	19	19	19										
35-54	3	36.3	2093	7	7	13	70	89	89	89										
55-74	5	16.2	170	2	2	10	29	32	32	32										
75 +											2	4.0	2	3	3	4	5	5	5	5
ALL AGES	14	20.1	463	3	6	14	19	38	78	89	2	4.0	2	3	3	4	5	5	5	5
SUBTOTAL	**25**	**24.6**	**396**	**3**	**6**	**19**	**30**	**53**	**62**	**89**	**3**	**6.3**	**18**	**3**	**3**	**5**	**9**	**11**	**11**	**11**
GRAND TOTAL	**88**	**18.3**	**225**	**1**	**4**	**14**	**28**	**37**	**49**	**75**	**15**	**12.3**	**498**	**1**	**1**	**6**	**10**	**28**	**74**	**89**

PARANOID SCHIZOPHRENIA (295.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	21.0	450	6	6	21	36	36	36	36										
13-17	21	20.7	317	4	5	14	42	74	99+	99+	1	17.0		17	17	17	17	17	17	17
18-20	61	21.2	197	4	6	18	30	43	47	63	4	15.3	206	3	3	14	27	31	31	31
21-24	175	19.1	321	2	3	14	28	43	57	93	6	7.7	34	2	2	6	12	16	17	17
25-34	641	16.7	221	1	3	12	21	37	51	69	40	20.7	336	1	3	16	27	48	60	76
35-54	431	15.3	150	2	4	12	21	31	38	62	26	18.4	181	2	3	15	30	39	43	49
55-74	75	15.8	126	2	3	13	22	29	38	51	5	8.8	60	3	3	6	12	22	22	22
75 +	8	18.1	174	5	5	16	22	39	46	46	1	6.0		6	6	6	6	6	6	6
ALL AGES	1414	16.8	208	2	3	13	22	36	48	71	83	17.8	248	2	3	14	26	40	49	72
B. FEMALE																				
0-12 YRS.	4	15.3	153	4	4	12	23	33	33	33										
13-17	15	25.6	261	3	5	28	32	47	58	62	1	3.0		3	3	3	3	3	3	3
18-20	20	24.5	197	3	5	22	36	43	47	47	2	18.0	50	13	13	18	23	23	23	23
21-24	72	15.0	128	2	4	13	21	34	39	89	2	16.5	365	3	3	16	30	30	30	30
25-34	349	16.3	136	2	4	14	21	32	41	58	19	17.3	217	1	1	14	24	39	47	53
35-54	532	16.6	130	3	5	14	22	31	39	60	36	15.4	185	2	2	11	24	34	45	56
55-74	230	17.0	136	4	6	15	22	30	37	51	25	18.4	350	1	1	14	27	52	58	66
75 +	29	16.9	104	3	4	14	22	31	34	45	6	13.5	48	5	5	14	15	24	25	25
ALL AGES	1251	16.7	137	3	5	14	22	32	40	58	91	16.4	221	1	2	13	24	37	52	62
SUBTOTAL	**2665**	**16.8**	**173**	**2**	**4**	**14**	**22**	**34**	**44**	**67**	**174**	**17.1**	**232**	**1**	**2**	**13**	**25**	**39**	**49**	**65**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	8	19.5	238	4	5	17	20	44	55	55										
18-20	24	15.7	136	2	2	13	25	31	38	45										
21-24	79	16.4	190	1	3	14	23	33	42	72	3	4.7	10	1	1	6	7	7	7	7
25-34	223	15.1	141	2	4	13	21	33	38	64	13	18.0	302	1	2	16	23	38	61	66
35-54	187	16.2	168	3	4	13	21	35	43	68	7	19.3	152	3	4	26	30	31	31	31
55-74	36	17.1	184	2	3	13	23	37	46	59	1	3.0		3	3	3	3	3	3	3
75 +	4	20.0	137	8	8	18	27	36	36	36										
ALL AGES	561	15.9	159	2	3	13	21	34	42	63	24	16.1	227	1	2	10	27	31	42	66
B. FEMALE																				
0-12 YRS.	1	21.0		21	21	21	21	21	21	21										
13-17																				
18-20	7	12.0	155	1	2	8	15	34	38	38	2	18.5	1	18	18	18	19	19	19	19
21-24	33	22.7	181	7	11	20	28	40	50	65										
25-34	107	16.8	167	3	5	14	20	32	41	69	6	7.7	2	6	6	7	10	82	99+	99+
35-54	154	16.7	171	2	4	14	22	31	41	79	9	10.1	102	3	3	5	15	27	33	33
55-74	71	19.4	193	4	6	17	25	35	42	79	5	27.6	469	13	13	14	41	63	63	63
75 +	14	16.5	122	3	4	15	20	32	40	42	1	5.0		5	5	5	5	5	5	5
ALL AGES	387	17.7	173	3	5	15	23	34	42	72	23	13.8	187	3	4	9	18	37	74	99+
SUBTOTAL	**948**	**16.6**	**167**	**2**	**4**	**14**	**22**	**34**	**42**	**65**	**47**	**15.0**	**204**	**2**	**3**	**10**	**20**	**32**	**63**	**99+**
GRAND TOTAL	**3613**	**16.7**	**173**	**2**	**4**	**14**	**22**	**34**	**43**	**67**	**221**	**16.6**	**227**	**1**	**3**	**13**	**24**	**37**	**50**	**69**

AC SCHIZOPHRENIC EPISODE (295.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	18.5	313	6	6	18	31	31	31	31										
13-17	3	7.3	34	4	4	4	12	14	14	14	1	2.0		2	2	2	2	2	2	2
18-20	7	27.4	384	9	10	18	39	58	62	62										
21-24	14	16.5	250	1	1	15	18	37	55	60	3	12.7	1	11	11	13	14	14	14	14
25-34	16	17.9	115	7	8	13	25	36	40	42	1	3.0		3	3	3	3	3	3	3
35-54	10	14.2	50	3	3	15	18	23	25	25	1	22.0		22	22	22	22	22	22	22
55-74	1	17.0		17	17	17	17	17	17	17										
75 +																				
ALL AGES	53	17.5	177	3	4	14	22	37	42	62	6	10.8	57	2	2	12	14	21	22	22
B. FEMALE																				
0-12 YRS.																				
13-17	3	29.0	201	18	18	24	40	45	45	45										
18-20	10	24.9	323	6	7	20	35	54	61	61	1	58.0		58	58	58	58	58	58	58
21-24	13	22.9	96	7	12	22	27	39	41	42										
25-34	28	14.6	87	2	3	16	21	27	31	31										
35-54	10	17.0	245	1	1	12	28	42	45	45	3	8.0	63	2	2	5	14	17	17	17
55-74	8	11.3	77	1	2	9	14	25	30	30	2	3.5	1	3	3	3	4	4	4	4
75 +																				
ALL AGES	72	18.1	160	2	4	18	24	36	44	58	6	14.8	479	2	2	4	17	54	58	58
SUBTOTAL	**125**	**17.8**	**168**	**2**	**4**	**16**	**24**	**37**	**43**	**61**	**12**	**12.8**	**248**	**2**	**2**	**8**	**15**	**33**	**54**	**58**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7										
18-20	4	16.3	157	2	2	16	26	30	30	30										
21-24	5	8.6	25	3	3	9	13	14	14	14	1	10.0		10	10	10	10	10	10	10
25-34	4	20.5	27	17	17	19	24	28	28	28										
35-54	5	15.6	69	8	8	14	22	27	27	27										
55-74	2	21.5	85	15	15	21	28	28	28	28	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	21	15.1	76	3	4	14	21	28	29	30	2	7.0	18	4	4	7	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17	1	25.0		25	25	25	25	25	25	25										
18-20	2	23.5	13	21	21	23	26	26	26	26	1	6.0		6	6	6	6	6	6	6
21-24	5	18.8	113	10	10	13	25	36	36	36										
25-34	6	19.3	214	8	8	15	18	45	48	48										
35-54	3	32.3	398	15	15	28	47	54	54	54										
55-74	6	11.3	93	1	1	9	19	25	26	26										
75 +																				
ALL AGES	23	19.4	171	2	7	18	26	38	50	54	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**44**	**17.4**	**126**	**3**	**4**	**15**	**24**	**28**	**40**	**54**	**3**	**6.7**	**9**	**4**	**4**	**6**	**9**	**10**	**10**	**10**
GRAND TOTAL	**169**	**17.7**	**156**	**2**	**4**	**16**	**24**	**35**	**42**	**61**	**15**	**11.6**	**202**	**2**	**2**	**6**	**14**	**22**	**49**	**58**

LATENT SCHIZOPHRENIA (295.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	38.0		38	38	38	38	38	38	38										
18-20	1	7.0		7	7	7	7	7	7	7										
21-24	2	13.5	5	12	12	13	15	15	15	15										
25-34	5	29.0	142	11	11	35	37	40	40	40										
35-54	6	11.3	11	7	7	12	14	14	14	14										
55-74																				
75 +																				
ALL AGES	15	19.0	146	7	7	14	32	38	39	40										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	8.5	5	7	7	8	10	10	10	10										
25-34	6	5.7	5	3	3	6	7	9	9	9										
35-54	20	12.0	29	5	6	11	16	19	22	24										
55-74	1	18.0		18	18	18	18	18	18	18										
75 +																				
ALL AGES	29	10.6	31	3	5	9	15	18	20	24										
SUBTOTAL	**44**	**13.5**	**83**	**4**	**5**	**11**	**16**	**25**	**37**	**40**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	39.0		39	39	39	39	39	39	39										
18-20											1	39.0		39	39	39	39	39	39	39
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	1	11.0		11	11	11	11	11	11	11										
35-54	3	19.0	61	14	14	15	25	28	28	28										
55-74																				
75 +																				
ALL AGES	6	18.2	173	2	3	14	28	38	39	39	1	39.0		39	39	39	39	39	39	39
B. FEMALE																				
0-12 YRS.																				
13-17	2	50.0	2450	15	15	50	85	85	85	85										
18-20																				
21-24																				
25-34	3	11.0	19	6	6	13	14	14	14	14										
35-54	3	12.7	1	12	12	13	13	13	13	13										
55-74	1	6.0		6	6	6	6	6	6	6										
75 +																				
ALL AGES	9	19.7	610	6	6	13	14	57	85	85										
SUBTOTAL	**15**	**19.1**	**411**	**3**	**6**	**13**	**15**	**39**	**73**	**85**	**1**	**39.0**		**39**	**39**	**39**	**39**	**39**	**39**	**39**
GRAND TOTAL	**59**	**14.9**	**167**	**4**	**5**	**12**	**16**	**32**	**39**	**81**	**1**	**39.0**		**39**	**39**	**39**	**39**	**39**	**39**	**39**

RESIDUAL SCHIZOPHRENIA (295.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	9.0	64	1	1	9	15	17	17	17										
13-17	2	21.5	85	15	15	28	82	99+	99+	99+										
18-20	24	17.7	273	1	1	12	29	44	48	51	3	7.3	13	4	4	7	10	11	11	11
21-24	79	17.4	207	4	5	13	21	31	47	77	4	29.5	360	3	3	33	41	48	48	48
25-34	334	17.4	230	1	3	14	23	37	47	68	13	28.5	242	4	9	25	33	57	59	59
35-54	238	15.2	143	1	3	12	22	31	38	55	7	25.7	413	6	7	19	43	57	58	58
55-74	73	16.1	127	2	6	14	21	31	38	59	1	7.0		7	7	7	7	7	7	7
75 +	5	14.6	99	1	1	14	21	28	28	28										
ALL AGES	758	16.6	188	1	3	13	22	34	44	66	28	24.9	296	3	5	23	34	54	58	59
B. FEMALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-17	3	53.7	1601	20	20	70	99	99+	99+	99+										
18-20	18	14.7	100	2	4	13	22	28	34	38	1	26.0		26	26	26	26	26	26	26
21-24	66	17.5	223	2	4	13	24	40	48	66	4	19.3	402	7	7	11	31	49	49	49
25-34	189	16.7	142	3	4	15	23	32	42	54	6	26.7	318	2	4	25	31	54	57	57
35-54	312	15.7	124	2	4	13	22	34	39	48	19	21.6	417	3	5	17	27	39	70	94
55-74	187	17.8	176	3	5	15	22	34	43	84	10	17.9	451	1	1	14	23	49	73	73
75 +	10	11.1	47	4	5	7	15	22	22	22										
ALL AGES	786	16.7	156	3	4	14	22	34	42	59	40	21.3	378	2	3	16	26	45	65	94
SUBTOTAL	**1544**	**16.6**	**173**	**2**	**4**	**14**	**22**	**34**	**43**	**64**	**68**	**22.8**	**342**	**2**	**4**	**19**	**30**	**50**	**58**	**90**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17	3	17.3	391	4	4	8	32	40	40	40										
18-20	5	15.0	54	8	8	14	20	26	26	26										
21-24	39	17.2	188	2	4	14	20	39	47	57	1	3.0		3	3	3	3	3	3	3
25-34	114	15.8	177	2	3	12	20	33	46	61	5	15.2	52	6	6	15	18	26	26	26
35-54	117	17.8	185	2	5	14	22	37	43	66	2	13.0	8	11	11	13	15	15	15	15
55-74	22	16.9	150	5	6	13	22	38	45	46	1	4.0		4	4	4	4	4	4	4
75 +	3	9.7	21	6	6	8	13	15	15	15										
ALL AGES	304	16.7	177	2	4	13	21	35	44	60	9	12.1	52	3	3	14	16	63	99+	99+
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	5	12.2	57	3	3	17	18	18	18	18										
21-24	26	17.5	183	1	2	16	24	32	39	61	1	11.0		11	11	11	11	11	11	11
25-34	70	15.4	184	2	3	13	20	28	35	82	5	5.8	16	1	1	6	8	12	12	12
35-54	83	16.2	146	2	4	14	21	33	46	50	4	24.8	315	8	8	21	38	48	48	48
55-74	42	18.5	150	6	6	14	24	39	45	55	4	8.0	23	4	4	6	11	15	15	15
75 +	5	11.2	14	6	6	12	14	15	15	15										
ALL AGES	231	16.3	158	2	4	14	21	31	43	56	14	12.2	154	2	3	7	14	31	44	48
SUBTOTAL	**535**	**16.6**	**166**	**2**	**4**	**13**	**21**	**34**	**44**	**60**	**23**	**12.2**	**109**	**2**	**4**	**11**	**15**	**31**	**64**	**99+**
GRAND TOTAL	**2079**	**16.6**	**171**	**2**	**4**	**14**	**22**	**34**	**43**	**62**	**91**	**20.1**	**303**	**2**	**4**	**15**	**27**	**48**	**58**	**97**

SCHIZOAFFECTIVE TYPE (295.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	15	20.1	243	1	2	19	35	49	85	99 +	1	8.0		8	8	8	8	8	8	8
18-20	35	19.2	420	1	2	12	25	46	73	86										
21-24	76	21.7	318	3	3	19	30	45	54	92	3	26.7	308	16	16	17	39	47	47	47
25-34	239	16.5	149	2	4	13	23	37	40	57	6	15.0	98	2	2	14	26	26	26	26
35-54	194	16.4	182	3	4	13	21	34	41	82										
55-74	40	18.2	94	5	8	16	21	30	32	57	1	6.0		6	6	6	6	6	6	6
75 +	3	26.0	723	9	9	12	46	57	57	57										
ALL AGES	602	17.5	200	3	4	14	24	37	45	81	11	16.7	162	2	4	16	24	35	46	47
B. FEMALE																				
0-12 YRS.																				
13-17	14	19.9	228	4	5	15	23	44	54	57										
18-20	22	16.1	171	1	2	14	24	33	45	51										
21-24	81	18.3	225	2	4	16	24	35	44	81	1	11.0		11	11	11	11	11	11	11
25-34	352	16.2	174	2	3	12	21	34	44	66	8	21.9	199	6	8	17	29	45	48	48
35-54	513	16.7	160	3	5	14	21	33	41	68	11	14.4	139	3	3	10	19	33	39	40
55-74	180	17.6	170	3	5	14	24	36	42	57										
75 +	8	12.9	85	6	6	8	20	28	29	29										
ALL AGES	1170	16.8	171	3	4	13	22	34	43	67	20	17.2	163	3	4	15	20	39	44	48
SUBTOTAL	**1772**	**17.1**	**179**	**3**	**4**	**14**	**23**	**35**	**44**	**72**	**31**	**17.0**	**159**	**3**	**4**	**16**	**20**	**39**	**47**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	11	33.5	540	3	6	34	41	63	89	91										
18-20	22	15.9	114	3	5	14	21	35	39	40	2	8.5	61	3	3	8	14	14	14	14
21-24	28	13.9	84	2	3	13	20	28	31	36										
25-34	173	18.6	255	4	6	14	22	36	49	91	3	13.7	113	2	2	16	21	23	23	23
35-54	135	17.2	173	2	4	15	21	32	43	59	1	21.0		21	21	21	21	21	21	21
55-74	23	17.2	149	3	5	16	24	40	42	42										
75 +																				
ALL AGES	392	18.0	213	3	5	15	22	35	43	90	6	13.2	78	2	2	15	21	23	23	23
B. FEMALE																				
0-12 YRS.																				
13-17	7	16.0	13	10	11	15	19	21	21	21										
18-20	14	14.1	244	1	3	8	19	44	50	52	1	2.0		2	2	2	2	2	2	2
21-24	55	17.7	143	4	5	14	24	34	43	57	1	8.0		8	8	8	8	8	8	8
25-34	175	16.1	182	2	3	12	22	35	44	63	11	14.6	120	3	4	11	20	33	38	38
35-54	251	16.5	148	3	4	15	22	32	45	63	4	11.0	60	4	4	9	16	22	22	22
55-74	98	20.7	238	3	6	16	27	40	48	75	2	19.5	313	7	7	19	32	32	32	32
75 +	6	21.5	342	11	11	15	17	55	59	59										
ALL AGES	606	17.2	174	3	4	14	23	35	45	68	19	13.4	107	2	3	9	20	31	35	38
SUBTOTAL	**998**	**17.5**	**190**	**3**	**4**	**14**	**23**	**35**	**44**	**74**	**25**	**13.3**	**98**	**2**	**3**	**10**	**21**	**29**	**33**	**38**
GRAND TOTAL	**2770**	**17.2**	**184**	**3**	**4**	**14**	**23**	**35**	**44**	**73**	**56**	**15.4**	**131**	**2**	**3**	**13**	**21**	**32**	**40**	**48**

SCHIZOPHRENIA NEC (295.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12										
18-20	3	31.3	535	5	5	41	46	48	48	48	1	35.0		35	35	35	35	35	35	35
21-24	3	25.7	594	6	6	18	44	53	53	53										
25-34	14	18.1	270	3	5	14	19	37	60	66	2	2.0	2	1	1	2	3	3	3	3
35-54	14	12.9	69	3	5	11	14	22	33	36	1	20.0		20	20	20	20	20	20	20
55-74	5	9.8	43	3	3	11	16	16	16	16										
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	41	16.5	205	3	4	12	18	38	50	66	4	14.8	253	1	1	11	27	35	35	35
B. FEMALE																				
0-12 YRS.																				
13-17	2	23.0	648	5	5	23	41	41	41	41	1	32.0		32	32	32	32	32	32	32
18-20	2	11.0	72	5	5	11	17	17	17	17	1	36.0		36	36	36	36	36	36	36
21-24	6	25.7	369	9	9	19	48	49	49	49										
25-34	14	14.4	287	1	2	8	15	38	56	61										
35-54	22	13.1	135	1	2	10	16	33	41	44	4	6.0	13	2	2	6	9	10	10	10
55-74	11	18.5	103	7	8	16	21	34	43	44										
75 +	4	6.8	34	2	2	5	11	15	15	15										
ALL AGES	61	15.4	195	1	3	10	19	40	46	60	6	15.3	220	2	2	9	32	36	36	36
SUBTOTAL	**102**	**15.8**	**199**	**2**	**3**	**12**	**19**	**40**	**48**	**63**	**10**	**15.1**	**207**	**1**	**1**	**9**	**32**	**35**	**36**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	87.0		87	87	87	87	87	87	87
18-20	1	5.0		5	5	5	5	5	5	5										
21-24	3	26.0	273	10	10	25	38	43	43	43	1	22.0		22	22	22	22	22	22	22
25-34	12	14.4	97	2	3	12	16	32	35	35	2	7.0	2	6	6	7	8	8	8	8
35-54	12	11.5	42	2	3	11	16	20	23	23										
55-74	2	29.5	265	18	18	29	41	41	41	41										
75 +																				
ALL AGES	30	15.1	116	2	4	12	18	33	41	43	4	30.8	1453	6	6	15	54	87	87	87
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	5.0		5	5	5	5	5	5	5										
21-24	1	6.0		6	6	6	6	6	6	6	1	11.0		11	11	11	11	11	11	11
25-34	14	9.6	70	1	3	8	11	16	31	36	1	15.0		15	15	15	15	15	15	15
35-54	10	11.6	51	2	3	10	14	23	25	25	1	2.0		2	2	2	2	2	2	2
55-74	5	26.2	244	5	5	29	40	42	42	42										
75 +	2	35.0	648	17	17	35	53	53	53	53										
ALL AGES	33	14.0	159	2	4	9	16	37	42	53	3	9.3	45	2	2	11	14	15	15	15
SUBTOTAL	**63**	**14.5**	**137**	**2**	**4**	**11**	**17**	**35**	**41**	**52**	**7**	**21.6**	**873**	**2**	**3**	**11**	**20**	**74**	**87**	**87**
GRAND TOTAL	**165**	**15.3**	**175**	**2**	**3**	**11**	**18**	**36**	**44**	**60**	**17**	**17.8**	**453**	**1**	**2**	**10**	**24**	**36**	**69**	**87**

SCHIZOPHRENIA NOS (295.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	35.0	128	27	27	35	43	43	43	43										
13-17	28	26.4	379	5	6	20	38	52	67	81										
18-20	33	18.4	188	2	3	15	24	37	46	58	2	8.0	32	4	4	8	12	12	12	12
21-24	65	20.2	335	1	2	17	28	41	61	98	2	31.5	1625	3	3	31	60	60	60	60
25-34	152	15.3	188	1	3	12	20	33	43	62	7	7.3	68	1	1	4	15	20	20	20
35-54	127	13.9	108	1	3	11	20	26	38	44	5	4.8	5	2	2	5	7	7	7	7
55-74	22	10.5	72	1	1	10	14	22	28	32	5	9.6	87	1	1	9	16	23	23	23
75 +	3	10.7	8	8	8	10	13	14	14	14										
ALL AGES	432	16.4	204	1	3	12	21	37	44	77	21	9.6	178	1	1	5	12	21	40	60
B. FEMALE																				
0-12 YRS.																				
13-17	16	22.0	359	1	2	14	35	56	58	58										
18-20	24	19.0	159	4	7	17	25	41	44	49	2	2.0		2	2	2	2	2	2	2
21-24	44	18.8	273	2	4	15	25	36	50	88	3	8.7	153	1	1	2	18	23	23	23
25-34	149	17.3	251	2	4	14	20	36	49	85	5	7.8	81	2	2	3	12	23	23	23
35-54	175	16.9	188	3	4	13	23	33	43	84	13	9.1	63	2	3	6	11	21	28	30
55-74	75	18.2	201	3	6	14	23	36	48	72	3	8.7	51	4	4	5	14	17	17	17
75 +	2	14.5	113	7	7	14	22	22	22	22	1	2.0		2	2	2	2	2	2	2
ALL AGES	485	17.7	218	2	4	14	22	36	48	81	27	8.0	62	1	2	5	9	22	24	30
SUBTOTAL	**917**	**17.1**	**211**	**2**	**4**	**13**	**22**	**37**	**45**	**78**	**48**	**8.7**	**111**	**1**	**1**	**5**	**11**	**22**	**24**	**60**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	23.5	140	6	6	28	30	32	32	32										
13-17	14	30.6	248	11	13	27	48	51	53	53										
18-20	11	20.5	220	1	5	15	35	40	45	46										
21-24	33	16.9	262	3	5	11	20	32	60	78	1	1.0		1	1	1	1	1	1	1
25-34	66	13.3	97	1	2	11	20	27	36	91	2	3.0	2	2	2	3	4	4	4	4
35-54	52	14.1	171	1	3	10	18	26	42	76	2	3.0	8	1	1	3	5	5	5	5
55-74	20	14.8	82	2	4	12	20	26	35	40										
75 +	1	23.0		23	23	23	23	23	23	23										
ALL AGES	201	16.1	175	1	3	12	21	34	46	77	5	2.6	3	1	1	2	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	14	25.5	320	2	6	20	34	54	59	60										
18-20	6	11.8	90	1	1	9	20	25	26	26										
21-24	23	15.0	75	5	7	13	20	29	30	31										
25-34	44	13.9	137	2	3	10	19	26	35	64	4	9.8	97	3	3	6	16	24	24	24
35-54	56	12.7	130	1	2	10	15	31	40	97	1	4.0		4	4	4	4	4	4	4
55-74	38	17.4	90	3	5	15	26	33	38	99 +	3	10.0	112	2	2	6	18	22	22	22
75 +	3	12.7	19	8	8	13	16	17	17	17										
ALL AGES	184	15.2	135	2	4	13	20	31	39	87	8	9.1	79	2	2	5	15	23	24	24
SUBTOTAL	**385**	**15.7**	**155**	**2**	**3**	**13**	**20**	**32**	**43**	**78**	**13**	**6.6**	**58**	**1**	**1**	**4**	**7**	**22**	**24**	**24**
GRAND TOTAL	**1302**	**16.6**	**197**	**2**	**4**	**13**	**21**	**35**	**45**	**77**	**61**	**8.2**	**100**	**1**	**1**	**4**	**9**	**22**	**24**	**57**

MANIC DIS, SINGL EPISODE (296.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	5	23.6	61	14	14	22	31	33	33	33										
18-20	4	6.3	15	3	3	5	9	12	12	12										
21-24	4	35.5	846	18	18	22	51	79	79	79										
25-34	23	16.5	202	2	3	15	22	31	47	65	3	26.3	1779	2	2	2	57	75	75	75
35-54	17	12.3	63	2	3	13	17	23	28	30	1	18.0		18	18	18	18	18	18	18
55-74	15	17.9	79	7	7	18	22	34	34	34	1	2.0		2	2	2	2	2	2	2
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	69	16.8	173	3	3	15	22	30	34	76	5	19.8	1000	2	2	2	32	75	75	75
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	4	22.3	65	14	14	21	28	33	33	33										
21-24	3	19.7	484	1	1	14	36	44	44	44										
25-34	17	15.7	81	3	3	15	20	29	31	32	1	17.0		17	17	17	17	17	17	17
35-54	35	15.5	104	1	4	14	21	32	35	37	1	27.0		27	27	27	27	27	27	27
55-74	24	14.1	72	3	6	12	18	25	33	39	6	7.0	26	2	2	6	6	16	17	17
75 +	5	18.6	11	15	15	17	21	23	23	23										
ALL AGES	88	15.8	92	1	4	14	21	31	34	42	8	10.8	73	2	3	6	17	24	27	27
SUBTOTAL	**157**	**16.2**	**128**	**2**	**4**	**15**	**21**	**30**	**34**	**64**	**13**	**14.2**	**399**	**2**	**2**	**6**	**17**	**37**	**68**	**75**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	1	54.0		54	54	54	54	54	54	54	1	59.0		59	59	59	59	59	59	59
18-20																				
21-24	2	2.0	2	1	1	2	3	3	3	3										
25-34	11	16.5	439	1	2	10	19	46	73	75										
35-54	12	14.5	241	3	3	10	16	35	56	59										
55-74	2	8.5	61	3	3	8	14	14	14	14										
75 +																				
ALL AGES	29	15.1	327	1	2	10	16	43	60	75	1	59.0		59	59	59	59	59	59	59
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	16.0		16	16	16	16	16	16	16										
21-24	1	13.0		13	13	13	13	13	13	13										
25-34	4	19.0	137	7	7	19	29	30	30	30										
35-54	7	24.9	867	4	5	15	22	76	90	90	1	5.0		5	5	5	5	5	5	5
55-74	5	15.0	104	3	3	18	22	27	27	27	1	2.0		2	2	2	2	2	2	2
75 +	2	27.0	200	17	17	27	37	37	37	37										
ALL AGES	20	20.4	352	3	5	16	24	33	63	90	2	3.5	5	2	2	3	5	5	5	5
SUBTOTAL	**49**	**17.3**	**336**	**2**	**3**	**13**	**21**	**34**	**60**	**90**	**3**	**22.0**	**1029**	**2**	**2**	**5**	**45**	**59**	**59**	**59**
GRAND TOTAL	**206**	**16.5**	**175**	**2**	**3**	**14**	**21**	**30**	**37**	**77**	**16**	**15.7**	**465**	**2**	**2**	**6**	**18**	**56**	**70**	**75**

MANIC, RECURRENT EPISODE (296.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	10.0	32	6	6	10	14	14	14	14										
25-34	11	15.5	117	1	4	12	25	31	36	36	1	13.0		13	13	13	13	13	13	13
35-54	11	10.1	20	1	2	12	14	15	15	15										
55-74	6	11.3	70	2	2	11	21	84	99+	99+	1	15.0		15	15	15	15	15	15	15
75 +	2	44.0	578	27	27	44	61	61	61	61										
ALL AGES	32	14.3	142	1	3	12	19	30	57	99+	2	14.0	2	13	13	14	15	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	20.0		20	20	20	20	20	20	20										
21-24	2	8.0	32	4	4	8	12	12	12	12										
25-34	9	21.9	198	1	3	20	32	41	46	46	1	17.0		17	17	17	17	17	17	17
35-54	14	19.0	138	3	8	15	25	36	43	45	1	19.0		19	19	19	19	19	19	19
55-74	17	21.0	79	9	12	21	26	35	39	40	1	6.0		6	6	6	6	6	6	6
75 +	1	17.0		17	17	17	17	17	17	17	1	4.0		4	4	4	4	4	4	4
ALL AGES	44	19.8	119	3	8	18	27	35	41	46	4	11.5	58	4	4	11	18	19	19	19
SUBTOTAL	**76**	**17.5**	**134**	**2**	**5**	**14**	**25**	**35**	**43**	**89**	**6**	**12.3**	**38**	**4**	**4**	**14**	**17**	**19**	**19**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	11.0		11	11	11	11	11	11	11										
18-20																				
21-24	2	3.0		3	3	3	3	3	3	3										
25-34	5	11.2	17	7	7	12	14	16	16	16	1	1.0		1	1	1	1	1	1	1
35-54	3	5.3	3	4	4	5	6	7	7	7										
55-74	6	12.7	16	8	8	12	15	19	19	19										
75 +																				
ALL AGES	17	9.7	23	3	3	9	14	16	18	19	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	3.0		3	3	3	3	3	3	3										
21-24	1	12.0		12	12	12	12	12	12	12										
25-34	4	10.0	77	1	1	8	15	22	22	22										
35-54	7	16.1	47	6	7	20	21	23	23	23	1	1.0		1	1	1	1	1	1	1
55-74	3	21.7	232	10	10	16	33	39	39	39										
75 +	1	34.0		34	34	34	34	34	34	34	1	17.0		17	17	17	17	17	17	17
ALL AGES	17	15.7	108	2	4	13	21	32	37	39	2	9.0	128	1	1	9	17	17	17	17
SUBTOTAL	**34**	**12.7**	**73**	**3**	**3**	**11**	**16**	**22**	**32**	**39**	**3**	**6.3**	**86**	**1**	**1**	**1**	**13**	**17**	**17**	**17**
GRAND TOTAL	**110**	**16.0**	**120**	**2**	**4**	**13**	**22**	**32**	**39**	**76**	**9**	**10.3**	**54**	**1**	**1**	**13**	**17**	**18**	**19**	**19**

DEPR PSYCH, SINGL EPISOD (296.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	17	18.2	134	2	4	15	27	34	42	45										
13-17	122	23.8	263	5	6	22	33	48	64	99 +	7	28.0	392	1	3	30	40	56	60	60
18-20	47	14.9	177	1	2	12	19	38	43	59	4	15.5	63	4	4	18	20	22	22	22
21-24	84	10.8	70	1	2	10	14	20	28	41	8	12.6	112	2	2	10	20	29	31	31
25-34	308	14.5	179	1	2	11	19	31	42	57	33	9.7	104	1	1	7	10	21	36	44
35-54	624	13.6	110	2	3	11	18	28	35	48	46	12.1	80	1	2	11	19	24	30	33
55-74	413	17.2	158	2	4	15	22	34	42	56	44	9.8	78	1	3	6	14	23	30	36
75 +	114	18.5	186	4	5	15	24	37	44	68	21	8.9	58	2	2	7	12	21	27	29
ALL AGES	1729	15.6	158	2	3	13	21	32	42	59	163	11.4	105	1	2	7	16	25	32	44
B. FEMALE																				
0-12 YRS.	18	30.7	367	1	2	32	49	55	58	59	1	15.0		15	15	15	15	15	15	15
13-17	212	23.2	344	2	4	19	32	58	68	99 +	18	12.8	91	1	1	13	21	27	29	30
18-20	91	15.0	257	1	2	11	19	36	52	78	11	12.9	242	1	1	4	24	39	44	44
21-24	150	12.9	122	2	2	9	18	29	37	48	8	7.8	97	1	1	3	14	24	24	24
25-34	603	15.2	176	1	3	11	21	33	42	64	52	10.0	99	1	2	6	15	25	28	44
35-54	1125	15.5	135	2	4	13	20	31	40	56	90	12.5	189	2	2	7	17	30	37	69
55-74	904	18.0	155	3	5	15	24	33	42	62	82	10.7	145	1	2	6	14	26	33	66
75 +	297	19.0	144	3	5	17	26	35	39	61	39	7.7	45	2	3	5	9	15	22	35
ALL AGES	3400	16.8	173	2	4	14	23	34	43	65	301	10.9	135	1	2	6	15	27	33	60
SUBTOTAL	**5129**	**16.4**	**168**	**2**	**4**	**13**	**22**	**33**	**42**	**63**	**464**	**11.1**	**124**	**1**	**2**	**7**	**15**	**26**	**32**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	33	28.4	428	3	5	25	42	65	77	99 +	7	56.1	930	23	23	77	98	99 +	99 +	99 +
13-17	134	27.5	405	4	5	24	39	59	74	99 +	12	24.2	968	1	1	12	32	79	95	98
18-20	56	14.3	117	3	3	11	20	29	39	44	4	27.0	430	8	8	25	44	50	50	50
21-24	76	15.7	193	3	4	11	21	29	48	66	2	32.0	32	28	28	32	36	36	36	36
25-34	381	13.5	96	2	3	11	19	28	31	45	22	8.6	94	1	1	4	10	27	28	29
35-54	550	14.5	112	2	3	12	20	28	32	55	31	10.0	182	1	1	4	14	23	25	70
55-74	224	17.2	162	3	4	14	23	33	44	63	14	7.9	51	1	1	5	12	19	21	22
75 +	57	17.4	111	4	5	17	24	29	32	62	6	20.5	508	1	1	11	34	57	60	60
ALL AGES	1511	16.2	171	2	4	13	22	31	42	70	98	16.2	460	1	1	8	23	52	80	99 +
B. FEMALE																				
0-12 YRS.	12	17.0	219	1	4	14	21	36	54	57	3	46.0	271	27	27	55	56	56	56	56
13-17	188	29.8	382	5	7	28	42	62	76	99 +	17	35.4	1129	1	2	37	63	85	94	97
18-20	84	18.0	342	2	3	11	23	45	50	89	4	7.5	40	2	2	7	13	13	13	13
21-24	146	14.0	140	2	3	11	18	28	41	57	12	14.7	638	1	1	4	10	58	80	84
25-34	565	16.2	150	3	4	14	21	32	42	61	33	11.8	195	1	2	7	15	33	64	99 +
35-54	720	16.6	141	3	4	14	22	30	41	63	57	10.2	96	1	2	6	14	24	31	41
55-74	437	19.7	167	4	5	17	25	38	46	69	28	10.5	111	2	3	8	12	19	33	54
75 +	143	18.7	130	4	6	17	23	35	40	52	11	5.8	15	2	2	5	8	11	15	15
ALL AGES	2295	18.2	188	3	4	15	23	37	47	72	165	13.8	327	1	2	7	15	38	59	96
SUBTOTAL	**3806**	**17.4**	**183**	**3**	**4**	**14**	**23**	**34**	**46**	**72**	**263**	**14.7**	**376**	**1**	**2**	**7**	**17**	**42**	**70**	**99**
GRAND TOTAL	**8935**	**16.8**	**175**	**2**	**4**	**14**	**22**	**34**	**44**	**67**	**727**	**12.4**	**218**	**1**	**2**	**7**	**16**	**29**	**42**	**85**

DEPR PSYCH, RECUR EPISOD (296.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	37.0	200	27	27	37	47	47	47	47										
13-17	21	23.1	143	5	9	21	33	39	41	43	2	20.5	613	3	3	20	38	38	38	38
18-20	18	14.4	93	4	5	11	22	27	33	36										
21-24	21	17.4	276	2	5	13	18	39	55	73										
25-34	164	16.4	123	4	5	14	22	30	40	53	5	8.8	26	2	2	9	13	15	15	15
35-54	328	16.3	120	3	4	14	22	32	40	49	15	10.8	105	1	2	5	18	23	32	35
55-74	268	20.1	184	4	6	18	26	36	45	68	8	15.1	466	1	1	6	20	53	62	62
75 +	75	20.4	147	7	8	16	28	38	42	62	2	8.0	8	6	6	8	10	10	10	10
ALL AGES	897	18.0	149	4	5	15	24	35	41	58	32	12.0	186	1	2	7	16	34	38	62
B. FEMALE																				
0-12 YRS.	2	20.5	421	6	6	20	35	35	35	35										
13-17	37	30.0	543	4	7	23	50	72	83	99 +	1	13.0		13	13	13	13	13	13	13
18-20	26	21.1	243	5	6	17	32	44	49	66	1	2.0		2	2	2	2	2	2	2
21-24	78	14.3	137	2	2	11	18	30	41	49	1	11.0		11	11	11	11	11	11	11
25-34	381	15.7	161	2	3	13	21	31	42	69	13	11.2	101	1	1	8	18	26	30	31
35-54	882	16.0	127	3	4	14	21	31	37	56	42	13.7	208	2	3	9	19	29	38	81
55-74	821	20.5	178	5	7	18	28	37	48	73	32	17.3	298	2	2	12	22	35	49	89
75 +	279	22.5	202	5	7	20	29	40	47	70	18	13.3	185	2	2	6	21	32	42	48
ALL AGES	2506	18.4	172	3	5	15	24	35	44	67	108	14.2	214	2	2	10	19	30	37	84
SUBTOTAL	**3403**	**18.3**	**166**	**3**	**5**	**15**	**24**	**35**	**43**	**65**	**140**	**13.7**	**207**	**2**	**2**	**9**	**19**	**31**	**37**	**82**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	24.5	386	6	6	23	64	99 +	99 +	99 +										
13-17	31	24.0	544	3	5	16	39	61	94	99 +	1	2.0		2	2	2	2	2	2	2
18-20	26	18.2	182	4	6	15	21	44	68	99 +	1	2.0		2	2	2	2	2	2	2
21-24	35	14.6	113	2	3	13	22	27	37	42										
25-34	226	15.5	171	3	4	13	21	30	39	75	2	17.5	545	1	1	17	34	34	34	34
35-54	340	15.6	144	3	4	13	21	30	39	63	10	10.8	51	1	2	9	16	21	24	24
55-74	158	18.1	120	5	6	16	24	34	43	95	5	14.2	57	1	1	17	19	19	19	19
75 +	23	16.9	109	5	6	14	21	33	43	43	1	6.0		6	6	6	6	6	6	6
ALL AGES	843	16.5	162	3	4	14	22	33	42	80	20	11.2	82	1	1	9	18	22	29	34
B. FEMALE																				
0-12 YRS.	2	47.5	3281	7	7	47	88	88	88	88	1	34.0		34	34	34	34	34	34	34
13-17	47	22.9	340	4	6	17	31	58	73	99 +	2	37.5	421	23	23	37	52	52	52	52
18-20	35	16.3	142	5	5	11	24	34	39	50	1	11.0		11	11	11	11	11	11	11
21-24	94	18.2	229	3	3	13	27	39	48	65	4	3.8	6	1	1	3	5	7	7	7
25-34	434	16.9	222	2	4	13	23	34	51	95	26	10.7	127	1	2	6	13	30	35	43
35-54	700	17.1	160	3	4	14	22	33	41	69	24	12.0	111	2	2	7	18	27	32	40
55-74	404	20.0	165	4	6	17	26	40	47	59	9	15.7	151	1	2	16	28	31	32	32
75 +	117	21.8	197	5	7	19	28	43	48	69	4	12.8	195	2	2	8	22	33	33	33
ALL AGES	1833	18.2	192	3	5	15	24	36	47	77	71	12.6	145	1	2	7	20	31	34	50
SUBTOTAL	**2676**	**17.7**	**182**	**3**	**4**	**14**	**23**	**35**	**45**	**79**	**91**	**12.3**	**130**	**1**	**2**	**7**	**19**	**30**	**34**	**48**
GRAND TOTAL	**6079**	**18.0**	**174**	**3**	**5**	**15**	**24**	**35**	**44**	**71**	**231**	**13.2**	**175**	**1**	**2**	**9**	**19**	**31**	**35**	**66**

BIPOLAR AFFECTIVE, MANIC (296.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	6	19.7	169	5	6	17	24	41	43	43	1	1.0		1	1	1	1	1	1	1
18-20	20	21.7	110	4	8	21	28	36	38	39										
21-24	59	19.4	256	2	4	16	23	40	47	88	1	11.0		11	11	11	11	11	11	11
25-34	160	17.2	159	3	5	14	22	32	38	65	4	12.5	92	1	1	13	20	23	23	23
35-54	190	16.4	115	3	5	14	22	30	36	55	8	9.5	70	1	2	5	16	23	24	24
55-74	106	18.5	102	5	7	17	25	33	36	49	1	19.0		19	19	19	19	19	19	19
75 +	6	17.2	72	6	7	16	19	31	32	32										
ALL AGES	547	17.6	141	4	5	15	23	32	39	57	15	10.5	67	1	1	9	18	23	24	24
B. FEMALE																				
0-12 YRS.																				
13-17	9	16.6	87	3	4	16	23	30	34	34										
18-20	25	15.2	127	3	4	11	20	31	42	43	1	3.0		3	3	3	3	3	3	3
21-24	34	19.3	359	4	5	14	25	34	61	99	5	20.4	772	5	5	9	25	70	70	70
25-34	196	17.0	130	4	6	15	21	31	40	62	4	32.5	20	27	27	32	35	38	38	38
35-54	408	18.4	141	4	6	16	24	34	42	53	8	21.4	259	2	4	18	31	46	50	50
55-74	275	18.5	126	6	7	16	24	31	37	66	4	12.5	23	7	7	13	16	17	17	17
75 +	33	20.1	141	2	7	18	28	35	39	56										
ALL AGES	980	18.1	142	4	6	16	23	32	40	62	22	20.7	296	3	4	15	32	42	58	70
SUBTOTAL	**1527**	**18.0**	**139**	**4**	**6**	**16**	**23**	**32**	**39**	**59**	**37**	**16.6**	**223**	**1**	**2**	**11**	**23**	**37**	**46**	**70**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	39.0		39	39	39	39	39	39	39										
13-17	5	18.2	79	5	5	17	24	29	29	29										
18-20	11	23.5	345	6	8	17	28	49	72	74										
21-24	18	13.6	72	4	6	10	17	27	32	35	1	3.0		3	3	3	3	3	3	3
25-34	62	14.7	113	3	4	14	21	29	40	94	2	20.0	72	14	14	20	26	26	26	26
35-54	75	19.0	156	2	5	16	25	39	45	59	3	19.7	52	14	14	17	25	28	28	28
55-74	24	19.9	300	7	8	15	23	38	57	87	1	7.0		7	7	7	7	7	7	7
75 +	4	14.0	79	7	7	11	19	27	27	27										
ALL AGES	200	17.5	164	3	5	15	23	33	43	80	7	15.6	83	3	4	14	24	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17	2	66.0	882	45	45	66	87	87	87	87										
18-20	6	13.2	87	1	1	16	20	23	23	23	1	6.0		6	6	6	6	6	6	6
21-24	10	20.8	81	3	7	23	25	31	36	36										
25-34	52	18.2	145	3	5	17	27	32	38	56										
35-54	81	17.6	107	3	5	17	24	33	36	45	4	25.3	1095	3	3	12	46	74	74	74
55-74	50	21.3	159	6	7	20	29	35	51	56	1	26.0		26	26	26	26	26	26	26
75 +	6	17.7	58	4	5	20	21	26	26	26										
ALL AGES	207	19.1	153	3	5	18	27	33	38	56	6	22.2	720	3	4	18	62	95	99 +	99 +
SUBTOTAL	**407**	**18.3**	**159**	**3**	**5**	**16**	**24**	**33**	**40**	**67**	**13**	**18.6**	**355**	**3**	**3**	**16**	**26**	**77**	**95**	**99 +**
GRAND TOTAL	**1934**	**18.0**	**145**	**4**	**6**	**16**	**23**	**33**	**39**	**60**	**50**	**17.1**	**252**	**1**	**3**	**14**	**25**	**38**	**69**	**99 +**

BIPOLAR AFFECT, DEPRESS (296.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	11.0		11	11	11	11	11	11	11										
13-17	4	5.5	9	3	3	5	8	9	9	9										
18-20	6	27.0	110	16	17	23	31	44	46	46										
21-24	9	12.1	68	4	5	10	16	26	29	29	1	11.0		11	11	11	11	11	11	11
25-34	54	16.1	124	2	4	14	20	32	40	47	4	11.8	57	3	3	11	17	21	21	21
35-54	99	16.4	132	3	5	15	21	29	33	62	5	13.0	70	3	3	10	19	25	25	25
55-74	47	18.7	134	4	7	15	27	34	41	53	3	5.7	17	1	1	7	8	9	9	9
75 +	8	21.1	557	3	3	15	23	61	76	76										
ALL AGES	228	16.8	145	3	5	14	22	31	40	61	13	10.8	49	1	2	10	15	22	24	25
B. FEMALE																				
0-12 YRS.																				
13-17	5	22.8	295	8	8	20	29	52	52	52										
18-20	9	13.6	321	1	2	8	13	42	60	60										
21-24	11	17.4	205	6	6	12	22	41	51	52										
25-34	87	14.1	130	3	4	11	18	25	43	59	5	17.8	178	6	6	12	30	35	35	35
35-54	197	16.7	111	3	4	15	22	29	37	53	4	13.3	160	4	4	8	21	32	32	32
55-74	130	22.1	215	5	8	19	28	42	59	99 +	2	15.0	50	10	10	15	20	20	20	20
75 +	32	23.2	216	6	9	18	26	49	57	61	3	11.3	9	8	8	13	13	13	13	13
ALL AGES	471	18.2	165	4	5	15	23	35	44	68	14	14.7	105	4	6	11	20	32	34	35
SUBTOTAL	**699**	**17.7**	**160**	**3**	**5**	**15**	**23**	**34**	**43**	**63**	**27**	**12.8**	**79**	**2**	**3**	**10**	**16**	**28**	**32**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	24.0	59	17	17	21	27	37	37	37	1	61.0		61	61	61	61	61	61	61
18-20	8	11.5	110	3	3	8	15	29	34	34										
21-24	6	23.5	137	10	10	21	31	41	42	42										
25-34	31	15.5	90	2	4	13	20	29	35	40										
35-54	45	15.6	99	4	5	14	22	29	41	99 +	5	17.2	179	5	5	17	24	38	38	38
55-74	13	25.5	108	7	12	22	34	38	40	41	1	13.0		13	13	13	13	13	13	13
75 +	3	26.7	378	13	13	18	41	49	49	49										
ALL AGES	111	17.5	119	3	5	16	23	34	40	70	7	22.9	402	5	5	17	33	56	61	61
B. FEMALE																				
0-12 YRS.											1	51.0		51	51	51	51	51	51	51
13-17	10	27.9	914	6	7	13	52	75	98	98										
18-20	2	10.5	5	9	9	10	12	12	12	12										
21-24	13	18.0	199	4	4	14	27	40	43	44										
25-34	49	15.5	135	1	3	13	21	37	45	99 +										
35-54	86	18.3	158	6	7	14	22	35	45	63	4	11.8	264	1	1	5	21	36	36	36
55-74	30	24.8	337	5	7	22	30	44	72	85										
75 +	4	24.0	85	17	17	21	30	37	37	37										
ALL AGES	194	19.1	224	4	6	14	24	39	50	92	5	19.6	507	1	1	6	40	51	51	51
SUBTOTAL	**305**	**18.5**	**187**	**4**	**5**	**15**	**24**	**37**	**45**	**91**	**12**	**21.5**	**408**	**1**	**3**	**15**	**37**	**54**	**60**	**61**
GRAND TOTAL	**1004**	**18.0**	**166**	**4**	**5**	**15**	**23**	**35**	**44**	**69**	**39**	**15.5**	**188**	**2**	**3**	**10**	**20**	**36**	**45**	**61**

BIPOLAR AFFECTIVE, MIXED (296.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18										
13-17	4	37.0	539	15	15	35	56	63	63	63										
18-20	3	25.3	299	13	13	18	38	45	45	45										
21-24	10	15.3	75	2	4	14	19	28	29	29										
25-34	61	17.0	109	3	5	15	22	31	36	55	1	16.0		16	16	16	16	16	16	16
35-54	73	17.5	155	3	5	14	25	35	44	60	3	14.3	34	8	8	16	18	19	19	19
55-74	26	14.5	115	3	4	12	21	31	38	40	1	25.0		25	25	25	25	25	25	25
75 +	3	20.3	44	14	14	20	25	27	27	27										
ALL AGES	181	17.4	142	3	5	15	23	33	41	61	5	16.8	38	8	8	16	20	25	25	25
B. FEMALE																				
0-12 YRS.																				
13-17	2	39.0	18	36	36	39	42	42	42	42										
18-20	4	13.5	63	2	2	16	18	20	20	20	1	8.0		8	8	8	8	8	8	8
21-24	16	15.9	220	2	3	12	18	30	53	63	2	12.0	162	3	3	12	21	21	21	21
25-34	80	15.1	122	3	4	12	19	34	38	50	2	6.0	2	5	5	6	7	7	7	7
35-54	158	16.2	79	4	6	15	21	30	33	45	3	12.0	7	9	9	13	14	14	14	14
55-74	100	19.1	178	3	5	16	25	39	44	66	3	28.7	166	16	16	28	38	42	42	42
75 +	14	18.1	93	8	9	17	18	32	42	45										
ALL AGES	374	16.9	124	3	5	15	21	32	40	48	11	15.1	133	3	4	13	20	34	41	42
SUBTOTAL	**555**	**17.0**	**132**	**3**	**5**	**15**	**22**	**32**	**40**	**52**	**16**	**15.6**	**100**	**4**	**5**	**15**	**20**	**28**	**38**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	15.7	199	7	7	8	26	32	32	32										
18-20	7	19.4	850	2	2	8	18	71	84	84										
21-24	16	13.1	197	1	2	10	16	25	49	59										
25-34	34	18.6	161	3	4	17	24	39	46	48										
35-54	43	16.2	132	3	4	14	21	37	40	50										
55-74	13	17.8	93	6	6	18	20	32	39	41										
75 +																				
ALL AGES	116	16.8	182	2	4	14	22	37	42	67										
B. FEMALE																				
0-12 YRS.																				
13-17	5	20.4	333	3	3	14	34	48	48	48										
18-20	5	13.4	175	3	3	10	19	36	36	36										
21-24	5	17.6	383	6	6	9	24	52	52	52										
25-34	48	19.6	235	3	3	17	23	38	48	79	1	6.0		6	6	6	6	6	6	6
35-54	55	14.9	93	4	5	12	21	29	35	38	3	21.7	159	7	7	29	29	29	29	29
55-74	34	19.4	143	4	7	17	22	39	45	47										
75 +	2	16.0	72	10	10	16	22	22	22	22										
ALL AGES	154	17.6	165	3	5	15	22	35	43	63	4	17.8	167	6	6	18	29	29	29	29
SUBTOTAL	**270**	**17.3**	**170**	**3**	**4**	**15**	**22**	**36**	**43**	**62**	**4**	**17.8**	**167**	**6**	**6**	**18**	**29**	**29**	**29**	**29**
GRAND TOTAL	**825**	**17.1**	**144**	**3**	**5**	**15**	**22**	**34**	**41**	**57**	**20**	**16.1**	**104**	**4**	**5**	**15**	**23**	**29**	**36**	**42**

BIPOLAR AFFECTIVE NOS (296.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	19.0	151	4	4	19	27	34	34	34										
13-17	19	20.8	158	3	4	23	31	36	40	43										
18-20	10	17.4	84	5	6	17	23	30	35	35										
21-24	15	19.1	226	4	4	16	27	41	51	54	1	11.0		11	11	11	11	11	11	11
25-34	80	15.9	147	2	3	12	21	33	40	54	3	4.3	3	3	3	4	5	6	6	6
35-54	95	17.3	180	3	5	14	22	34	51	65	5	23.0	1336	3	3	7	32	88	88	88
55-74	24	19.1	192	3	4	16	25	44	49	53										
75 +	5	16.6	26	10	10	17	21	22	22	22										
ALL AGES	252	17.4	163	3	4	15	23	35	44	56	9	15.4	754	3	3	6	11	58	88	88
B. FEMALE																				
0-12 YRS.	1	38.0		38	38	38	38	38	38	38										
13-17	27	24.0	173	4	6	24	33	42	48	49										
18-20	13	15.4	61	4	5	14	22	27	27	27										
21-24	18	16.1	103	1	3	15	22	29	34	36										
25-34	94	14.0	86	1	2	13	20	26	33	41	5	12.4	103	2	2	8	21	26	26	26
35-54	173	17.1	139	3	6	15	21	32	40	61	4	13.5	38	9	9	12	18	22	22	22
55-74	99	20.7	248	3	5	17	27	41	52	83	3	7.7	52	3	3	4	13	16	16	16
75 +	8	21.3	100	9	10	21	29	35	36	36	1	52.0		52	52	52	52	52	52	52
ALL AGES	433	17.7	158	2	5	15	23	34	41	59	13	14.7	183	2	3	9	20	31	48	52
SUBTOTAL	**685**	**17.6**	**159**	**3**	**5**	**15**	**23**	**35**	**42**	**58**	**22**	**15.0**	**392**	**2**	**3**	**8**	**16**	**34**	**66**	**88**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	18.5	421	4	4	18	33	33	33	33										
13-17	13	26.8	475	5	6	20	38	59	75	79										
18-20	6	17.0	101	3	4	18	25	28	28	28										
21-24	23	16.5	127	5	7	14	21	29	39	55										
25-34	76	18.5	148	3	6	18	22	32	36	66	3	9.7	24	5	5	9	13	15	15	15
35-54	73	18.1	163	3	5	16	23	32	37	75	2	12.5	145	4	4	12	21	21	21	21
55-74	15	18.4	69	5	10	16	24	30	32	33										
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	209	18.6	164	4	6	17	24	33	37	72	5	10.8	51	4	4	9	16	21	21	21
B. FEMALE																				
0-12 YRS.	1	41.0		41	41	41	41	41	41	41										
13-17	28	34.5	522	3	11	29	48	73	80	83	1	71.0		71	71	85	99 +	99 +	99 +	99 +
18-20	2	11.0	32	7	7	11	15	15	15	15										
21-24	18	17.1	194	3	4	15	21	22	49	67										
25-34	84	14.6	101	2	3	15	21	27	34	46	1	3.0		3	3	3	3	3	3	3
35-54	67	17.9	115	3	6	18	23	33	39	54	4	9.0	91	3	3	5	15	23	23	23
55-74	23	21.7	174	6	8	21	28	37	52	55	2	6.0	32	2	2	6	10	10	10	10
75 +	1	30.0		30	30	30	30	30	30	30										
ALL AGES	224	19.2	208	3	4	17	24	35	48	77	8	15.3	554	2	2	7	35	88	99 +	99 +
SUBTOTAL	**433**	**18.9**	**187**	**3**	**5**	**17**	**24**	**34**	**44**	**77**	**13**	**13.5**	**347**	**2**	**3**	**8**	**21**	**74**	**94**	**99 +**
GRAND TOTAL	**1118**	**18.1**	**170**	**3**	**5**	**16**	**23**	**35**	**43**	**66**	**35**	**14.5**	**363**	**2**	**3**	**8**	**18**	**49**	**83**	**99 +**

MANIC-DEPRESSIVE NEC/NOS (296.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	16	23.9	422	5	6	16	33	64	70	72										
18-20	9	14.2	287	1	1	8	18	44	50	50	1	1.0		1	1	1	1	1	1	1
21-24	14	17.3	154	2	3	16	21	33	47	51	1	9.0		9	9	9	9	9	9	9
25-34	26	14.1	112	4	5	10	18	31	41	43	1	10.0		10	10	10	10	10	10	10
35-54	55	15.3	100	2	5	13	21	29	32	48	6	8.3	31	2	2	7	10	17	18	18
55-74	27	13.0	109	2	3	9	18	24	29	51	2	5.0	18	2	2	5	8	8	8	8
75 +	6	17.5	204	8	8	13	15	43	46	46	2	2.0	2	1	1	2	3	3	3	3
ALL AGES	153	15.8	159	2	4	13	20	32	43	67	13	6.5	23	1	1	6	9	12	17	18
B. FEMALE																				
0-12 YRS.																				
13-17	15	28.1	399	6	8	23	35	60	73	78										
18-20	12	17.8	315	3	5	13	20	41	65	69										
21-24	14	16.7	211	1	2	12	30	35	43	45	1	3.0		3	3	3	3	3	3	3
25-34	85	15.7	149	2	3	13	20	34	42	54	5	10.2	59	3	3	8	16	21	21	21
35-54	97	14.4	147	1	3	11	20	32	42	84	5	2.4	1	1	1	2	3	4	4	4
55-74	72	15.3	103	4	5	13	21	31	38	43	13	6.8	35	1	2	5	8	13	22	24
75 +	15	21.4	219	3	4	17	28	39	54	59										
ALL AGES	310	16.2	167	2	4	13	22	35	43	67	24	6.5	35	1	2	4	8	16	22	24
SUBTOTAL	**463**	**16.1**	**163**	**2**	**4**	**13**	**21**	**34**	**43**	**67**	**37**	**6.5**	**30**	**1**	**1**	**5**	**9**	**14**	**20**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	19.7	379	1	1	13	34	49	52	52										
13-17	24	27.3	565	1	2	22	38	64	75	95										
18-20	8	18.1	164	4	4	18	26	37	39	39										
21-24	23	21.4	161	3	5	18	31	37	44	48										
25-34	36	13.0	71	3	4	10	20	27	29	31	6	18.8	482	6	6	7	25	57	61	61
35-54	64	15.8	153	2	3	14	22	28	35	71	5	24.8	1430	4	4	8	34	92	92	92
55-74	17	16.1	74	4	7	15	21	30	33	34	1	5.0		5	5	5	5	5	5	5
75 +	2	29.0	1152	5	5	29	53	53	53	53										
ALL AGES	181	17.9	213	2	3	15	24	35	43	73	12	20.2	769	4	5	7	20	70	89	92
B. FEMALE																				
0-12 YRS.	1	31.0		31	31	31	31	31	31	31										
13-17	33	24.2	394	2	3	19	35	55	64	76										
18-20	18	13.9	324	1	2	11	16	27	60	79										
21-24	21	14.2	137	2	3	10	19	28	40	50										
25-34	89	16.2	212	2	3	13	21	34	42	73	1	1.0		1	1	1	1	1	1	1
35-54	102	16.2	171	3	5	13	21	33	40	72	3	7.0	19	4	4	5	10	12	12	12
55-74	48	20.2	181	3	6	17	30	36	46	64	4	4.3	7	1	1	4	6	7	7	7
75 +	11	15.8	119	4	7	13	19	31	44	45	1	4.0		4	4	4	4	4	4	4
ALL AGES	323	17.4	215	2	3	14	23	35	46	75	9	4.8	11	1	1	4	6	10	12	12
SUBTOTAL	**504**	**17.6**	**213**	**2**	**3**	**14**	**23**	**35**	**45**	**75**	**21**	**13.6**	**488**	**1**	**2**	**6**	**9**	**39**	**75**	**92**
GRAND TOTAL	**967**	**16.9**	**189**	**2**	**3**	**14**	**23**	**35**	**43**	**71**	**58**	**9.0**	**203**	**1**	**1**	**5**	**9**	**17**	**25**	**89**

AFFECT PSYCHOSES NEC/NOS (296.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	2	13.0	72	7	7	13	19	19	19	19										
18-20	3	24.7	730	3	3	16	45	55	55	55										
21-24	2	9.5	113	2	2	9	17	17	17	17										
25-34	6	11.7	43	5	5	11	16	20	21	21										
35-54	15	19.4	249	3	8	17	21	31	59	68	1	4.0		4	4	4	4	4	4	4
55-74	10	12.0	105	1	2	11	15	28	35	35	1	9.0		9	9	9	9	9	9	9
75 +	4	11.0	61	1	1	11	16	20	20	20	2	5.0		5	5	5	5	5	5	5
ALL AGES	43	15.0	179	1	3	12	20	30	42	68	4	5.8	4	4	4	5	7	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17	5	20.6	159	8	8	18	32	37	37	37										
18-20	2	4.0		4	4	4	4	4	4	4										
21-24	4	12.3	67	4	4	11	19	22	22	22										
25-34	10	20.6	255	7	7	18	20	48	58	58	2	26.5	1201	2	2	26	51	51	51	51
35-54	35	15.6	126	1	3	13	20	31	40	50	1	6.0		6	6	6	6	6	6	6
55-74	18	14.1	74	1	4	15	20	24	28	31	2	4.0	2	3	3	4	5	5	5	5
75 +	4	21.0	29	15	15	20	24	28	28	28	2	8.5	25	5	5	8	12	12	12	12
ALL AGES	78	16.0	125	3	4	14	20	31	39	56	7	12.0	306	2	2	5	10	43	51	51
SUBTOTAL	**121**	**15.7**	**142**	**2**	**4**	**14**	**20**	**30**	**38**	**61**	**11**	**9.7**	**196**	**2**	**3**	**5**	**8**	**28**	**49**	**51**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	7	32.9	573	2	4	45	54	56	56	56										
18-20	2	22.0	200	12	12	22	32	32	32	32	1	3.0		3	3	3	3	3	3	3
21-24	4	17.5	230	4	4	16	30	33	33	33										
25-34	18	18.5	259	1	4	17	27	28	54	71										
35-54	19	11.8	97	1	1	10	15	25	33	39	2	13.0	50	8	8	13	18	18	18	18
55-74	9	19.3	139	7	8	14	31	37	40	40										
75 +																				
ALL AGES	60	18.0	239	1	3	13	27	39	53	69	3	9.7	57	3	3	8	15	18	18	18
B. FEMALE																				
0-12 YRS.	2	50.5	3961	6	6	50	95	95	95	95										
13-17	4	22.8	136	11	11	20	30	39	39	39	2	41.0	338	28	28	41	54	54	54	54
18-20	1	20.0		20	20	20	20	20	20	20										
21-24	3	10.3	51	4	4	9	16	18	18	18										
25-34	22	13.0	111	1	2	9	19	26	36	43	3	7.3	33	1	1	9	11	12	12	12
35-54	22	15.0	153	2	3	11	21	31	44	49										
55-74	19	17.1	71	5	7	16	22	30	34	36	4	7.8	26	3	3	7	12	14	14	14
75 +	3	27.7	319	7	7	37	38	39	39	39	1	3.0		3	3	3	3	3	3	3
ALL AGES	76	16.7	202	2	4	14	21	36	40	83	10	13.8	261	1	2	9	14	41	54	54
SUBTOTAL	**136**	**17.3**	**216**	**2**	**4**	**13**	**23**	**37**	**44**	**74**	**13**	**12.8**	**210**	**1**	**2**	**9**	**15**	**33**	**50**	**54**
GRAND TOTAL	**257**	**16.5**	**182**	**2**	**4**	**14**	**21**	**32**	**40**	**67**	**24**	**11.4**	**197**	**2**	**3**	**6**	**12**	**30**	**52**	**54**

PARANOID STATE, SIMPLE (297.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	1	17.0		17	17	17	17	17	17	17										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	**2**	**10.5**	**85**	**4**	**4**	**10**	**17**	**17**	**17**	**17**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54																				
55-74																				
75 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	10.0		10	10	10	10	10	10	10
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	1	9.0		9	9	9	9	9	9	9	1	10.0		10	10	10	10	10	10	10
SUBTOTAL	**2**	**8.5**	**1**	**8**	**8**	**8**	**9**	**9**	**9**	**9**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**
GRAND TOTAL	**4**	**9.5**	**30**	**4**	**4**	**8**	**13**	**17**	**17**	**17**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**

PARANOIA (297.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20																				
21-24																				
25-34	8	10.1	69	1	2	8	16	22	24	24										
35-54	9	6.9	31	1	1	7	11	15	16	16										
55-74	5	8.6	34	2	2	8	11	18	18	18										
75 +	2	21.0	162	12	12	21	30	30	30	30										
ALL AGES	25	9.2	59	1	1	8	13	19	25	30										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	16.0		16	16	16	16	16	16	16										
25-34	1	13.0		13	13	13	13	13	13	13										
35-54	12	16.3	213	3	5	11	22	34	53	56										
55-74	20	16.9	94	4	7	15	22	32	37	41	2	4.0		4	4	4	4	4	4	4
75 +	8	6.6	30	1	1	5	11	15	15	15	2	14.0	200	4	4	14	24	24	24	24
ALL AGES	42	14.6	123	2	3	14	19	27	37	56	4	9.0	100	4	4	4	14	24	24	24
SUBTOTAL	**67**	**12.6**	**105**	**1**	**2**	**11**	**17**	**25**	**31**	**53**	**4**	**9.0**	**100**	**4**	**4**	**4**	**14**	**24**	**24**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	7	17.3	299	2	2	11	33	43	44	44	1	3.0		3	3	3	3	3	3	3
35-54	12	13.2	74	3	3	11	18	26	31	32										
55-74	2	9.0	2	8	8	9	10	10	10	10										
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	22	13.9	132	2	3	10	19	34	40	44	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	5	24.0	21	17	17	24	27	29	29	29										
35-54	5	22.0	91	10	10	25	28	34	34	34										
55-74	8	13.0	94	4	4	11	18	29	32	32										
75 +	4	14.0	1	13	13	14	15	15	15	15	1	3.0		3	3	3	3	3	3	3
ALL AGES	22	17.7	78	4	6	15	25	30	33	34	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**44**	**15.8**	**106**	**3**	**4**	**13**	**23**	**32**	**35**	**44**	**2**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**111**	**13.9**	**106**	**2**	**3**	**13**	**19**	**28**	**34**	**49**	**6**	**7.0**	**70**	**3**	**3**	**4**	**4**	**22**	**24**	**24**

PARAPHRENIA (297.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	4	12.5	84	6	6	9	18	26	26	26										
ALL AGES	4	12.5	84	6	6	9	18	26	26	26										
SUBTOTAL	**4**	**12.5**	**84**	**6**	**6**	**9**	**18**	**26**	**26**	**26**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13										
55-74																				
75 +	1	25.0		25	25	25	25	25	25	25										
ALL AGES	2	19.0	72	13	13	19	25	25	25	25										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	15.5	221	5	5	15	26	26	26	26										
55-74																				
75 +	3	30.0	381	11	11	29	45	50	50	50										
ALL AGES	5	24.2	309	5	5	26	34	50	50	50										
SUBTOTAL	**7**	**22.7**	**225**	**5**	**6**	**25**	**28**	**46**	**50**	**50**										
GRAND TOTAL	**11**	**19.0**	**186**	**5**	**6**	**13**	**26**	**37**	**49**	**50**										

SHARED PARANOID DISORDER (297.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	2	5.5	1	5	5	5	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	6.0		6	6	6	6	6	6	6	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**3**	**5.7**		**5**	**5**	**6**	**6**	**6**	**6**	**6**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	48.0		48	48	48	48	48	48	48										
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74																				
75 +																				
ALL AGES	2	26.5	925	5	5	26	48	48	48	48										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	21.0		21	21	21	21	21	21	21										
55-74																				
75 +																				
ALL AGES	1	21.0		21	21	21	21	21	21	21										
SUBTOTAL	**3**	**24.7**	**470**	**5**	**5**	**21**	**41**	**48**	**48**	**48**										
GRAND TOTAL	**6**	**15.2**	**296**	**5**	**5**	**6**	**21**	**45**	**48**	**48**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

PARANOID STATES NEC (297.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	51.0		51	51	51	51	51	51	51										
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	34.0		34	34	34	34	34	34	34										
55-74	1	18.0		18	18	18	18	18	18	18										
75 +																				
ALL AGES	4	26.3	439	2	2	26	42	51	51	51										
B. FEMALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9										
18-20																				
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74	1	13.0		13	13	13	13	13	13	13										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	4	7.5	20	3	3	7	11	13	13	13										
SUBTOTAL	**8**	**16.9**	**298**	**2**	**2**	**11**	**26**	**46**	**51**	**51**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4										
25-34	2	15.5	13	13	13	15	18	18	18	18										
35-54																				
55-74																				
75 +																				
ALL AGES	3	11.7	49	4	4	13	17	18	18	18										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	31.0		31	31	31	31	31	31	31										
21-24																				
25-34	4	16.0	90	4	4	16	22	27	27	27										
35-54											1	3.0		3	3	3	3	3	3	3
55-74	3	12.7	8	10	10	12	15	16	16	16										
75 +																				
ALL AGES	8	16.6	79	4	6	15	22	30	31	31	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**11**	**15.3**	**69**	**4**	**4**	**15**	**18**	**29**	**31**	**31**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**19**	**15.9**	**157**	**2**	**3**	**13**	**18**	**33**	**43**	**51**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

PARANOID STATE NOS (297.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17																				
18-20	2	18.5	545	2	2	18	35	35	35	35										
21-24	6	10.8	83	1	2	9	11	26	28	28										
25-34	21	12.5	112	1	2	9	20	27	34	35										
35-54	38	12.6	117	2	3	11	16	25	38	51										
55-74	17	17.0	136	4	5	15	23	28	43	51	2	19.0	648	1	1	18	37	37	37	37
75 +	6	13.3	56	4	4	14	19	22	22	22	2	6.5	13	4	4	6	9	9	9	9
ALL AGES	91	13.4	115	2	3	11	19	27	35	51	4	12.8	271	1	1	6	23	37	37	37
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	4	15.3	106	6	6	14	24	27	27	27										
25-34	30	11.3	64	3	3	10	14	23	26	38	1	2.0		2	2	2	2	2	2	2
35-54	47	13.2	114	1	3	11	17	24	38	52										
55-74	44	15.9	134	3	4	13	20	32	38	51	2	4.0	8	2	2	4	6	6	6	6
75 +	21	14.7	66	5	6	13	21	24	30	37	1	1.0		1	1	1	1	1	1	1
ALL AGES	146	13.9	103	3	4	11	18	27	35	51	4	2.8	5	1	1	2	4	6	6	6
SUBTOTAL	**237**	**13.7**	**107**	**2**	**3**	**11**	**18**	**27**	**35**	**51**	**8**	**7.8**	**146**	**1**	**1**	**3**	**7**	**29**	**37**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	17.0		17	17	17	17	17	17	17										
13-17	5	42.4	628	15	15	40	58	80	80	80	1	6.0		6	6	6	6	6	6	6
18-20	1	12.0		12	12	12	12	12	12	12										
21-24	6	10.0	22	4	4	11	13	16	16	16										
25-34	25	12.4	60	2	3	12	17	20	28	31	1	2.0		2	2	2	2	2	2	2
35-54	33	15.5	134	3	4	11	21	30	44	46										
55-74	8	21.3	85	11	12	19	25	36	41	41										
75 +	2	23.0	50	18	18	23	28	28	28	28	2	5.0	2	4	4	5	6	6	6	6
ALL AGES	81	16.5	168	3	4	15	20	29	43	71	4	4.5	4	2	2	5	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	1	33.0		33	33	33	33	33	33	33										
18-20	1	4.0		4	4	4	4	4	4	4										
21-24	3	5.0	7	3	3	4	7	8	8	8										
25-34	8	8.8	33	1	2	9	13	16	18	18										
35-54	26	19.1	149	3	5	16	28	35	41	52	2	9.0	98	2	2	9	16	16	16	16
55-74	23	19.9	123	7	9	17	26	34	44	54	2	7.0	18	4	4	7	10	10	10	10
75 +	18	15.8	132	4	6	13	18	25	43	54	4	18.0	547	4	4	7	30	53	53	53
ALL AGES	80	17.0	135	3	4	15	23	32	38	54	8	13.0	280	2	3	7	13	42	53	53
SUBTOTAL	**161**	**16.8**	**149**	**3**	**4**	**15**	**21**	**31**	**40**	**54**	**12**	**10.2**	**196**	**2**	**2**	**6**	**9**	**27**	**49**	**53**
GRAND TOTAL	**398**	**14.9**	**128**	**2**	**4**	**12**	**20**	**29**	**37**	**52**	**20**	**9.2**	**170**	**1**	**1**	**5**	**8**	**26**	**45**	**53**

REACT DEPRESS PSYCHOSIS (298.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	39.0	18	36	36	39	42	42	42	42										
13-17	1	14.0		14	14	14	14	14	14	14										
18-20																				
21-24																				
25-34	3	19.3	160	6	6	21	28	31	31	31										
35-54	2	4.5	1	4	4	4	5	5	5	5	1	1.0		1	1	1	1	1	1	1
55-74	2	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	10	16.9	214	4	4	10	31	39	42	42	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	5.5	41	1	1	10	77	99 +	99 +	99 +										
25-34	5	7.8	50	1	1	5	13	18	18	18										
35-54	8	13.5	65	1	3	14	19	24	25	25										
55-74	10	16.3	48	8	8	16	19	27	30	30	3	10.7	95	5	5	5	18	22	22	22
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	25	12.8	63	1	1	13	18	25	44	99 +	4	9.5	70	5	5	6	14	22	22	22
SUBTOTAL	**35**	**14.0**	**104**	**1**	**3**	**13**	**20**	**31**	**40**	**99 +**	**5**	**7.8**	**67**	**1**	**1**	**5**	**10**	**22**	**22**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	5	14.4	155	4	4	10	23	34	34	34	2	2.0	2	1	1	2	3	3	3	3
35-54	1	2.0		2	2	2	2	2	2	2										
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	7	11.9	125	2	2	9	17	31	34	34	2	2.0	2	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	16.0		16	16	16	16	16	16	16										
25-34	1	28.0		28	28	28	28	28	28	28										
35-54	3	17.0	273	1	1	16	29	34	34	34										
55-74	1	9.0		9	9	9	9	9	9	9	2	7.0	8	5	5	7	9	9	9	9
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	6	17.3	148	1	2	16	28	33	34	34	3	5.3	13	2	2	5	8	9	9	9
SUBTOTAL	**13**	**14.4**	**132**	**1**	**2**	**10**	**21**	**34**	**34**	**34**	**5**	**4.0**	**10**	**1**	**1**	**3**	**6**	**9**	**9**	**9**
GRAND TOTAL	**48**	**14.1**	**109**	**1**	**2**	**13**	**20**	**33**	**36**	**99 +**	**10**	**5.9**	**38**	**1**	**1**	**5**	**6**	**15**	**22**	**22**

EXCITATIV TYPE PSYCHOSIS (298.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9										
18-20	3	5.3	57	1	1	1	11	14	14	14										
21-24	3	5.0	12	1	1	7	7	7	7	7										
25-34	1	1.0		1	1	1	1	1	1	1	2	1.5	1	1	1	1	2	2	2	2
35-54	4	5.3	44	1	1	2	9	15	15	15										
55-74	3	14.7	132	8	8	8	23	28	28	28	2	3.5	13	1	1	3	6	6	6	6
75 +	2	8.5	13	6	6	8	11	11	11	11	1	1.0		1	1	1	1	1	1	1
ALL AGES	17	7.2	51	1	1	7	9	15	23	28	5	2.2	5	1	1	1	3	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	4	8.0	58	1	1	7	14	16	16	16										
25-34	8	7.5	17	2	2	8	11	12	13	13	2	2.5	1	2	2	2	3	3	3	3
35-54	4	1.0		1	1	1	1	1	1	1	3	5.7	25	1	1	5	9	11	11	11
55-74	8	10.6	29	5	5	10	14	18	20	20	5	5.8	19	2	2	5	8	13	13	13
75 +	2	4.5	13	2	2	4	7	7	7	7	3	6.3	10	3	3	7	8	9	9	9
ALL AGES	26	7.3	31	1	1	6	12	14	17	20	13	5.4	14	1	1	5	7	11	13	13
SUBTOTAL	**43**	**7.3**	**37**	**1**	**1**	**7**	**11**	**14**	**17**	**28**	**18**	**4.5**	**13**	**1**	**1**	**3**	**6**	**10**	**12**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	7.0		7	7	7	7	7	7	7
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3	6	3.2	1	2	2	3	4	5	5	5
35-54	4	7.3	1	7	7	7	8	8	8	8	3	4.0	3	2	2	5	5	5	5	5
55-74	3	11.0	49	3	3	14	15	16	16	16										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	8	8.1	22	3	3	7	11	15	16	16	11	3.7	3	2	2	3	5	6	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	5.3	6	4	4	4	7	8	8	8										
35-54	6	14.2	179	2	2	17	32	87	99 +	99 +	1	3.0		3	3	3	3	3	3	3
55-74	3	8.7	21	5	5	7	12	14	14	14	1	2.0		2	2	2	2	2	2	2
75 +	2	11.0	8	9	9	11	13	13	13	13	3	8.3	38	3	3	7	13	15	15	15
ALL AGES	14	10.6	88	2	3	8	16	36	84	99 +	5	6.0	29	2	2	3	9	15	15	15
SUBTOTAL	**22**	**9.7**	**64**	**2**	**3**	**7**	**14**	**25**	**58**	**99 +**	**16**	**4.4**	**11**	**2**	**2**	**3**	**5**	**7**	**13**	**15**
GRAND TOTAL	**65**	**8.1**	**47**	**1**	**1**	**7**	**13**	**16**	**23**	**90**	**34**	**4.5**	**11**	**1**	**1**	**3**	**6**	**9**	**13**	**15**

REACTIVE CONFUSION (298.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74																				
75 +											3	4.3	18	1	1	3	7	9	9	9
ALL AGES	1	5.0		5	5	5	5	5	5	5	3	4.3	18	1	1	3	7	9	9	9
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
35-54											1	2.0		2	2	2	2	2	2	2
55-74	1	1.0		1	1	1	1	1	1	1										
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	2	1.0		1	1	1	1	1	1	1	4	3.5	2	2	2	3	4	5	5	5
SUBTOTAL	**3**	**2.3**	**6**	**1**	**1**	**1**	**4**	**5**	**5**	**5**	**7**	**3.9**	**6**	**1**	**1**	**3**	**5**	**8**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	73.0		73	73	73	73	73	73	73
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	9.0		9	9	9	9	9	9	9										
55-74																				
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	2	6.0	18	3	3	6	9	9	9	9	1	73.0		73	73	73	73	73	73	73
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	1	28.0		28	28	28	28	28	28	28	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	2	17.5	221	7	7	17	28	28	28	28	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**4**	**11.8**	**122**	**3**	**3**	**8**	**18**	**28**	**28**	**28**	**2**	**37.5**	**2521**	**2**	**2**	**37**	**73**	**73**	**73**	**73**
GRAND TOTAL	**7**	**7.7**	**89**	**1**	**1**	**5**	**8**	**24**	**28**	**28**	**9**	**11.3**	**541**	**1**	**1**	**3**	**6**	**47**	**73**	**73**

ACUTE PARANOID REACTION (298.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	8.5	5	7	7	8	10	10	10	10										
21-24	2	10.5	25	7	7	10	14	14	14	14										
25-34	3	5.7	41	1	1	3	10	13	13	13										
35-54	6	8.8	39	1	1	11	13	15	15	15										
55-74	2	3.0	2	2	2	3	4	4	4	4										
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	16	7.8	25	1	1	8	12	14	15	15										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	8.0		8	8	8	8	8	8	8										
25-34	9	8.9	49	1	1	10	12	20	22	22										
35-54	15	9.9	32	1	3	9	13	18	20	21										
55-74	5	10.4	33	5	5	9	14	19	19	19	2	14.0	128	6	6	14	22	22	22	22
75 +	2	8.0	18	5	5	8	11	11	11	11										
ALL AGES	32	9.5	33	1	2	9	13	18	21	22	2	14.0	128	6	6	14	22	22	22	22
SUBTOTAL	**48**	**8.9**	**31**	**1**	**1**	**9**	**13**	**16**	**19**	**22**	**2**	**14.0**	**128**	**6**	**6**	**14**	**22**	**22**	**22**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	19.5	313	7	7	19	32	32	32	32										
21-24																				
25-34	7	11.3	73	1	1	9	20	22	22	22										
35-54	6	15.3	73	5	5	14	18	29	30	30										
55-74	3	7.7	10	4	4	9	10	10	10	10										
75 +	3	7.7	8	6	6	6	10	11	11	11	1	12.0		12	12	12	12	12	12	12
ALL AGES	21	12.2	72	2	3	10	16	25	31	32	1	12.0		12	12	12	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	8	8	8	8	8										
18-20																				
21-24																				
25-34	4	7.5	20	4	4	6	10	14	14	14										
35-54	4	17.0	13	13	13	17	20	21	21	21	1	1.0		1	1	1	1	1	1	1
55-74	6	15.0	61	2	3	14	22	24	24	24										
75 +	7	22.1	224	2	4	19	32	45	47	47	1	5.0		5	5	5	5	5	5	5
ALL AGES	22	16.0	111	2	3	14	21	27	40	47	2	3.0	8	1	1	3	5	5	5	5
SUBTOTAL	**43**	**14.1**	**95**	**2**	**3**	**13**	**19**	**25**	**33**	**47**	**3**	**6.0**	**31**	**1**	**1**	**5**	**10**	**12**	**12**	**12**
GRAND TOTAL	**91**	**11.4**	**66**	**1**	**2**	**10**	**15**	**21**	**24**	**42**	**5**	**9.2**	**67**	**1**	**1**	**6**	**14**	**22**	**22**	**22**

PSYCHOGEN PARANOID PSYCH (298.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	36.0		36	36	36	36	36	36	36										
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	2	23.0	338	10	10	23	36	36	36	36										
SUBTOTAL	**2**	**23.0**	**338**	**10**	**10**	**23**	**36**	**36**	**36**	**36**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**2**	**23.0**	**338**	**10**	**10**	**23**	**36**	**36**	**36**	**36**										

REACT PSYCHOSIS NEC/NOS (298.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	4	10.0	21	6	6	9	13	16	16	16										
18-20	9	15.6	75	4	6	14	23	29	31	31										
21-24	11	8.8	48	2	2	6	16	19	19	19										
25-34	25	10.0	55	2	3	8	12	20	28	32	1	39.0		39	39	39	39	39	39	39
35-54	27	8.6	34	2	3	7	12	17	22	25	1	24.0		24	24	24	24	24	24	24
55-74	10	13.5	55	4	6	11	20	25	25	25	2	6.0	2	5	5	6	7	7	7	7
75 +	4	13.5	2	12	12	13	14	15	15	15	1	5.0		5	5	5	5	5	5	5
ALL AGES	90	10.5	50	2	3	9	14	21	25	32	6	13.5	221	1	1	6	24	37	39	39
B. FEMALE																				
0-12 YRS.	2	14.5	313	2	2	14	27	27	27	27										
13-17	5	15.0	98	3	3	16	24	25	25	25										
18-20	3	17.3	103	8	8	16	25	28	28	28										
21-24	9	17.7	178	1	3	11	24	39	45	45										
25-34	56	11.2	98	2	4	8	14	23	28	52										
35-54	62	9.3	53	2	3	8	11	16	28	38	1	3.0		3	3	3	3	3	3	3
55-74	36	11.1	57	2	3	10	14	21	26	38	1	2.0		2	2	2	2	2	2	2
75 +	4	11.5	7	8	8	12	13	14	14	14	3	22.0	100	12	12	22	29	32	32	32
ALL AGES	177	11.1	78	2	3	9	14	23	29	49	5	14.2	164	2	2	12	24	32	32	32
SUBTOTAL	**267**	**10.9**	**68**	**2**	**3**	**9**	**14**	**22**	**27**	**44**	**11**	**13.8**	**177**	**1**	**2**	**7**	**23**	**35**	**39**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	45.0		45	45	45	45	45	45	45	1	27.0		27	27	27	27	27	27	27
13-17	8	25.4	356	7	7	17	42	53	57	57										
18-20	9	11.3	146	1	1	9	13	32	40	40										
21-24	9	8.3	51	1	1	6	15	19	20	20										
25-34	12	10.0	25	1	4	11	13	16	19	19										
35-54	15	14.2	208	1	1	11	15	27	52	60										
55-74	7	14.0	87	2	3	10	23	26	26	26										
75 +																				
ALL AGES	61	14.0	173	1	2	11	17	32	45	60	1	27.0		27	27	27	27	27	27	27
B. FEMALE																				
0-12 YRS.																				
13-17	6	11.5	53	2	2	11	17	21	21	21										
18-20	4	14.8	78	5	5	14	22	25	25	25										
21-24	9	10.1	27	4	5	10	12	19	19	19										
25-34	31	11.5	66	3	3	9	14	25	27	32										
35-54	31	12.8	89	2	4	10	18	25	36	38										
55-74	23	11.5	64	1	2	11	19	22	24	24	2	3.0	8	1	1	2	5	5	5	5
75 +	2	4.5	5	3	3	4	6	6	6	6										
ALL AGES	106	11.7	68	2	3	10	18	23	26	37	2	3.0	8	1	1	2	5	5	5	5
SUBTOTAL	**167**	**12.6**	**105**	**2**	**3**	**10**	**17**	**25**	**33**	**55**	**3**	**11.0**	**196**	**1**	**1**	**5**	**21**	**27**	**27**	**27**
GRAND TOTAL	**434**	**11.5**	**84**	**2**	**3**	**9**	**15**	**23**	**28**	**46**	**14**	**13.2**	**168**	**1**	**1**	**6**	**24**	**33**	**38**	**39**

PSYCHOSIS NOS (298.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	19.3	434	4	4	11	35	43	43	43										
13-17	17	14.6	206	1	2	10	23	28	47	57	3	10.3	143	2	2	14	62	99 +	99 +	99 +
18-20	20	11.4	80	1	1	10	14	28	29	30										
21-24	30	12.8	129	1	2	9	18	27	32	51	1	12.0		12	12	12	12	12	12	12
25-34	63	12.1	161	1	2	10	16	23	29	80	9	6.1	81	1	1	1	7	22	28	28
35-54	92	11.2	145	1	2	8	13	24	40	57	7	4.6	3	2	2	5	6	7	7	7
55-74	76	12.1	107	1	2	9	15	28	31	52	45	5.9	13	1	2	5	8	11	14	16
75 +	66	10.7	102	2	2	7	15	23	34	46	51	6.9	22	2	2	6	8	13	18	23
ALL AGES	367	11.8	131	1	2	9	15	26	32	56	116	6.4	24	1	2	5	8	13	18	52
B. FEMALE																				
0-12 YRS.	2	13.0	242	2	2	13	24	24	24	24	2	2.5	1	2	2	2	3	3	3	3
13-17	17	23.8	540	2	4	19	39	78	94	99 +	3	7.7	10	4	4	9	10	10	10	10
18-20	12	18.6	302	3	4	13	29	48	53	54	2	1.0		1	1	1	1	1	1	1
21-24	23	14.9	141	2	3	14	21	34	36	39	3	1.7	1	1	1	1	3	3	3	3
25-34	83	14.2	153	1	3	12	19	33	40	89	5	2.2	3	1	1	1	3	5	5	5
35-54	133	13.1	135	1	2	10	17	26	35	58	13	4.7	25	1	1	4	6	28	84	99 +
55-74	146	10.6	61	2	3	8	15	21	28	37	63	5.6	32	1	2	5	7	10	12	39
75 +	128	8.7	53	1	2	6	12	17	24	37	67	6.1	15	2	2	6	8	11	13	19
ALL AGES	544	12.1	123	1	3	8	17	27	35	61	158	5.5	22	1	1	5	7	10	13	41
SUBTOTAL	**911**	**12.0**	**125**	**1**	**2**	**8**	**16**	**27**	**35**	**57**	**274**	**5.9**	**23**	**1**	**2**	**5**	**8**	**11**	**14**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17	17	20.6	153	4	7	20	29	41	43	43										
18-20	12	22.2	829	1	1	8	29	79	80	80	1	3.0		3	3	3	3	3	3	3
21-24	15	11.8	64	1	1	13	16	23	27	29	3	2.7	2	1	1	3	4	4	4	4
25-34	33	13.2	72	2	3	12	16	27	31	36	1	14.0		14	14	14	14	14	14	14
35-54	49	12.9	91	2	3	10	17	27	34	39	6	3.0	5	1	1	2	4	7	7	7
55-74	40	12.1	71	2	3	10	16	27	29	30	9	6.3	66	1	1	4	6	19	27	27
75 +	17	10.3	34	2	2	11	14	18	20	21	18	5.1	14	1	2	4	6	7	14	19
ALL AGES	184	13.7	135	2	3	11	18	28	33	67	38	5.0	26	1	1	4	6	8	17	27
B. FEMALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17	11	22.8	317	5	6	20	31	52	56	56										
18-20	12	27.5	942	1	2	10	56	76	84	85										
21-24	14	9.1	31	1	2	9	14	16	18	18										
25-34	49	14.8	118	4	4	12	23	27	29	59	5	3.6	4	1	1	4	5	6	6	6
35-54	75	14.8	134	2	3	12	20	30	35	59	6	3.5	11	1	1	2	6	9	9	9
55-74	67	14.2	127	3	3	12	19	23	41	56	16	6.5	15	2	3	5	9	10	15	17
75 +	43	11.0	70	3	4	8	13	21	29	44	18	5.6	16	1	2	4	6	13	15	15
ALL AGES	272	14.6	165	2	4	11	19	29	41	64	45	5.4	14	1	2	5	7	10	15	17
SUBTOTAL	**456**	**14.3**	**151**	**2**	**3**	**11**	**19**	**28**	**36**	**64**	**83**	**5.2**	**20**	**1**	**1**	**4**	**6**	**9**	**15**	**24**
GRAND TOTAL	**1367**	**12.7**	**137**	**1**	**3**	**9**	**17**	**28**	**35**	**59**	**357**	**5.7**	**23**	**1**	**1**	**5**	**7**	**11**	**14**	**28**

INFANTILE AUTISM (299.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILE 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	2	52.5	181	43	43	52	62	62	62	62
13-17											1	6.0		6	6	6	6	6	6	6
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3	3	37.0	811	6	6	43	57	62	62	62
B. FEMALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	28.0		28	28	28	28	28	28	28										
SUBTOTAL	**2**	**15.5**	**313**	**3**	**3**	**15**	**28**	**28**	**28**	**28**	3	**37.0**	**811**	**6**	**6**	**43**	**57**	**62**	**62**	**62**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	12.5	25	9	9	12	16	16	16	16										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	12.5	25	9	9	12	16	16	16	16										
B. FEMALE																				
0-12 YRS.	1	33.0		33	33	33	33	33	33	33										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	33.0		33	33	33	33	33	33	33										
SUBTOTAL	**3**	**19.3**	**154**	**9**	**9**	**16**	**29**	**33**	**33**	**33**										
GRAND TOTAL	**5**	**17.8**	**159**	**3**	**3**	**16**	**29**	**33**	**33**	**33**	3	**37.0**	**811**	**6**	**6**	**43**	**57**	**62**	**62**	**62**

EARLY CHLD PSYCHOSES NEC (299.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	22.2	211	3	6	24	40	68	97	99 +	1	25.0		25	25	25	25	25	25	25
13-17	2	46.5	25	43	43	46	50	50	50	50										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	12	26.3	261	4	7	25	45	60	92	99 +	1	25.0		25	25	25	25	25	25	25
B. FEMALE																				
0-12 YRS.	1	54.0		54	54	54	54	54	54	54										
13-17	3	16.3	78	9	9	14	23	26	26	26										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	25.8	402	9	9	20	40	54	54	54										
SUBTOTAL	**16**	**26.1**	**276**	**5**	**8**	**25**	**45**	**53**	**84**	**99 +**	**1**	**25.0**		**25**	**25**	**25**	**25**	**25**	**25**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	40.9	787	6	10	41	57	84	91	91	1	85.0		85	85	85	85	85	85	85
13-17	4	40.0	745	13	13	34	56	78	78	78	1	34.0		34	34	34	34	34	34	34
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	13	40.6	713	7	12	35	57	81	89	91	2	59.5	1301	34	34	59	85	85	85	85
B. FEMALE																				
0-12 YRS.	1	71.0		71	71	71	71	71	71	71	1	60.0		60	60	60	60	60	60	60
13-17	1	7.0		7	7	7	7	7	7	7										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	39.0	2048	7	7	39	71	71	71	71	1	60.0		60	60	60	60	60	60	60
SUBTOTAL	**15**	**40.4**	**757**	**6**	**7**	**35**	**66**	**78**	**88**	**91**	**3**	**59.7**	**644**	**34**	**34**	**60**	**79**	**85**	**85**	**85**
GRAND TOTAL	**31**	**33.0**	**545**	**6**	**8**	**27**	**48**	**75**	**90**	**99 +**	**4**	**51.0**	**734**	**25**	**25**	**47**	**72**	**85**	**85**	**85**

EARLY CHLD PSYCHOSIS NOS (299.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	9	22.3	201	6	7	22	32	42	47	47										
13-17	1	29.0		29	29	64	99+	99+	99+	99+										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	10	23.0	182	6	7	29	34	68	97	99+										
B. FEMALE																				
0-12 YRS.	3	50.3	1038	27	27	37	74	87	87	87	1	13.0		13	13	13	13	13	13	13
13-17	1	6.0		6	6	6	6	6	6	6										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	39.3	1175	6	6	32	62	87	87	87	1	13.0		13	13	13	13	13	13	13
SUBTOTAL	**14**	**27.6**	**459**	**6**	**6**	**29**	**36**	**87**	**97**	**99+**	**1**	**13.0**		**13**	**13**	**13**	**13**	**13**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	25.0	9	22	22	25	27	28	28	28	2	53.0	128	45	45	53	61	61	61	61
13-17	1	47.0		47	47	47	47	47	47	47										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	30.5	127	22	22	26	37	47	47	47	2	53.0	128	45	45	53	61	61	61	61
B. FEMALE																				
0-12 YRS.	2	36.5	313	24	24	36	49	49	49	49										
13-17	1	14.0		14	14	14	14	14	14	14										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	29.0	325	14	14	24	43	49	49	49										
SUBTOTAL	**7**	**29.9**	**169**	**14**	**16**	**25**	**42**	**49**	**49**	**49**	**2**	**53.0**	**128**	**45**	**45**	**53**	**61**	**61**	**61**	**61**
GRAND TOTAL	**21**	**28.4**	**348**	**6**	**7**	**27**	**37**	**60**	**92**	**99+**	**3**	**39.7**	**593**	**13**	**13**	**45**	**57**	**61**	**61**	**61**

ANXIETY STATES (300.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	10.8	242	1	1	2	18	38	42	42										
13-17	10	17.9	348	1	1	8	39	44	44	44	1	2.0		2	2	2	2	2	2	2
18-20	7	4.9	22	1	1	4	7	13	14	14	3	2.0	1	1	1	2	3	3	3	3
21-24	17	9.1	91	1	2	4	13	26	29	31	4	2.8	4	1	1	2	4	5	5	5
25-34	58	7.5	54	1	1	5	10	17	23	34	23	3.2	5	1	1	2	5	7	8	9
35-54	118	6.7	51	1	1	4	7	16	22	35	57	2.5	5	1	1	2	3	5	6	14
55-74	67	6.9	30	1	2	5	9	14	19	27	36	3.1	4	1	1	3	4	5	8	9
75 +	11	5.6	25	1	1	5	7	12	18	19	14	3.5	13	1	1	2	3	7	13	15
ALL AGES	296	7.4	65	1	1	5	9	18	24	43	138	2.9	5	1	1	2	4	5	7	15
B. FEMALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2										
13-17	16	14.2	205	1	2	7	25	36	42	44	11	1.6	1	1	1	1	2	3	4	4
18-20	11	8.3	57	1	1	5	14	19	23	23	8	2.8	3	1	1	2	4	6	6	6
21-24	23	9.3	145	1	2	4	9	32	37	39	5	1.8	1	1	1	2	2	3	3	3
25-34	101	6.7	26	1	1	5	10	14	17	22	53	3.1	6	1	1	3	4	6	8	14
35-54	177	7.5	50	1	1	5	10	16	23	34	105	3.3	5	1	1	3	4	6	8	11
55-74	150	5.8	24	1	2	4	8	12	14	25	103	3.6	12	1	1	3	4	6	7	23
75 +	52	5.8	35	1	1	4	9	13	15	33	57	3.6	7	1	1	3	4	9	10	11
ALL AGES	532	7.0	47	1	1	4	9	15	21	36	342	3.3	8	1	1	3	4	6	8	12
SUBTOTAL	**828**	**7.1**	**54**	**1**	**1**	**4**	**9**	**16**	**23**	**37**	**480**	**3.2**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	15.7	416	1	1	7	31	39	39	39										
13-17	7	11.7	156	1	1	5	21	32	33	33										
18-20	11	15.0	262	2	2	8	20	45	47	47	1	5.0		5	5	5	5	5	5	5
21-24	17	10.6	144	1	1	9	13	19	41	52	2	5.5	25	2	2	5	9	9	9	9
25-34	52	10.6	67	1	2	8	14	22	31	35	12	4.5	82	1	1	2	3	13	30	33
35-54	99	11.1	94	1	1	9	17	23	29	47	23	5.0	30	1	1	3	5	12	20	23
55-74	35	10.4	72	1	2	7	17	23	28	28	15	4.9	5	1	2	5	6	8	9	10
75 +	7	11.7	38	5	5	11	13	22	24	24	5	3.4	8	1	1	2	6	7	7	7
ALL AGES	231	11.1	97	1	2	8	16	24	29	48	58	4.7	30	1	1	3	5	9	15	32
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	15	15.2	397	1	2	7	17	46	67	74	3	1.7	1	1	1	1	2	3	3	3
18-20	8	13.5	99	2	3	9	23	27	28	28										
21-24	24	10.3	56	1	1	9	16	22	23	24	5	2.4	2	1	1	2	3	5	5	5
25-34	110	10.3	83	1	2	7	14	24	26	46	27	3.3	4	1	1	3	4	6	7	10
35-54	161	11.7	96	2	2	9	17	26	32	50	39	4.1	24	1	1	3	4	10	11	28
55-74	110	10.3	83	2	3	8	14	20	31	48	40	3.3	4	1	1	3	4	5	6	12
75 +	39	10.0	60	2	3	8	14	23	27	29	12	5.6	16	1	2	4	9	12	13	13
ALL AGES	468	11.0	93	1	2	8	15	24	30	49	126	3.7	11	1	1	3	4	7	11	17
SUBTOTAL	**699**	**11.0**	**95**	**1**	**2**	**8**	**15**	**24**	**30**	**48**	**184**	**4.0**	**18**	**1**	**1**	**3**	**4**	**8**	**11**	**26**
GRAND TOTAL	**1527**	**8.9**	**76**	**1**	**2**	**6**	**12**	**21**	**26**	**43**	**664**	**3.4**	**10**	**1**	**1**	**3**	**4**	**6**	**9**	**15**

HYSTERIA (300.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	2.0	1	1	1	2	3	3	3	3	2	20.0	450	5	5	20	35	35	35	35
13-17	4	16.0	713	1	1	3	30	56	56	56	5	2.0	2	1	1	1	3	4	4	4
18-20	10	3.1	6	1	1	2	5	7	8	8										
21-24	9	7.4	120	1	1	4	6	25	36	36	6	2.3	2	1	1	2	3	4	4	4
25-34	10	5.0	19	1	1	4	5	12	16	16	6	3.5	11	1	1	2	6	9	9	9
35-54	15	4.5	19	1	1	3	5	13	14	15	5	3.4	2	2	2	4	4	5	5	5
55-74	7	4.1	10	1	1	3	5	9	10	10	3	9.7	29	4	4	10	14	15	15	15
75 +											3	7.7	30	4	4	5	12	14	14	14
ALL AGES	59	5.4	73	1	1	3	5	10	16	54	30	5.1	45	1	1	3	5	12	15	35
B. FEMALE																				
0-12 YRS.	8	3.8	5	1	1	3	5	7	8	8	7	4.3	19	1	1	3	6	12	13	13
13-17	33	12.8	446	1	1	4	11	30	70	96	14	4.4	49	1	1	2	3	13	24	27
18-20	9	12.4	456	2	2	5	9	48	68	68	6	1.8	3	1	1	1	2	5	5	5
21-24	15	3.3	6	1	1	2	5	8	8	8	9	2.0	4	1	1	1	2	5	7	7
25-34	38	7.2	34	1	2	5	11	17	20	21	16	4.6	23	1	1	4	6	9	17	20
35-54	64	10.3	262	1	1	5	9	26	52	87	38	4.1	6	1	1	4	6	8	9	10
55-74	24	7.0	48	1	1	5	8	19	23	29	23	4.5	18	1	1	3	5	9	14	21
75 +	5	5.4	26	1	1	4	9	13	13	13	9	3.0	3	1	1	2	4	6	6	6
ALL AGES	196	8.9	198	1	1	5	9	19	28	83	122	4.0	15	1	1	3	5	8	10	23
SUBTOTAL	**255**	**8.1**	**171**	**1**	**1**	**4**	**8**	**18**	**27**	**74**	**152**	**4.2**	**21**	**1**	**1**	**3**	**5**	**9**	**11**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	28.5	1301	3	3	28	54	54	54	54	1	7.0		7	7	7	7	7	7	7
18-20	5	3.6	4	1	1	4	5	6	6	6	2	3.0		3	3	3	3	3	3	3
21-24	2	7.0	18	4	4	7	10	10	10	10	1	4.0		4	4	4	4	4	4	4
25-34	8	4.5	3	2	2	4	6	7	7	7	5	4.4	13	1	1	3	7	10	10	10
35-54	14	5.1	20	1	1	4	6	8	17	19	6	3.2	8	1	1	2	5	8	8	8
55-74	5	8.6	28	3	3	9	12	16	16	16	2	4.5	1	4	4	4	5	5	5	5
75 +	1	5.0		5	5	5	5	5	5	5	2	1.0		1	1	1	1	1	1	1
ALL AGES	37	6.6	78	1	2	4	6	11	18	54	19	3.6	7	1	1	3	5	8	9	10
B. FEMALE																				
0-12 YRS.	2	14.0	128	6	6	14	22	22	22	22	1	2.0		2	2	2	2	2	2	2
13-17	11	15.3	348	1	2	8	16	47	62	63	1	3.0		3	3	3	3	3	3	3
18-20	6	12.5	84	1	1	12	19	25	26	26	3	5.7	21	3	3	3	9	11	11	11
21-24	10	3.8	12	1	1	2	5	10	11	11	3	2.3	1	2	2	2	3	3	3	3
25-34	25	10.8	55	2	2	8	19	20	22	25	11	3.5	4	1	1	3	5	7	8	8
35-54	38	11.0	87	1	2	8	16	24	28	41	20	4.3	12	1	1	3	7	10	11	11
55-74	15	7.3	36	1	1	5	10	15	21	23	12	3.6	2	1	1	3	5	6	6	6
75 +	4	12.5	110	2	2	13	21	22	22	22	5	3.6		3	3	4	4	4	4	4
ALL AGES	111	10.4	96	1	2	8	16	22	26	50	56	3.8	7	1	1	3	5	8	10	11
SUBTOTAL	**148**	**9.5**	**93**	**1**	**2**	**6**	**12**	**21**	**25**	**54**	**75**	**3.8**	**7**	**1**	**1**	**3**	**5**	**8**	**10**	**11**
GRAND TOTAL	**403**	**8.6**	**142**	**1**	**1**	**5**	**9**	**20**	**26**	**65**	**227**	**4.0**	**17**	**1**	**1**	**3**	**5**	**8**	**10**	**22**

PHOBIC DISORDERS (300.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	22.0		22	22	22	22	22	22	22	1	1.0		1	1	1	1	1	1	1
18-20	2	5.0		5	5	5	5	5	5	5										
21-24	1	6.0		6	6	6	6	6	6	6	1	18.0		18	18	18	18	18	18	18
25-34	2	3.0		3	3	3	3	3	3	3										
35-54	5	4.2	13	1	1	3	8	8	8	8										
55-74	1	26.0		26	26	26	26	26	26	26										
75 +	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
ALL AGES	13	7.2	61	1	1	5	8	23	25	26	3	6.7	96	1	1	1	14	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-17	3	9.0	37	5	5	6	13	16	16	16	1	1.0		1	1	1	1	1	1	1
18-20	1	2.0		2	2	2	2	2	2	2										
21-24	1	11.0		11	11	11	11	11	11	11										
25-34	14	11.9	127	1	1	10	18	24	37	41	1	26.0		26	26	26	26	26	26	26
35-54	16	9.9	103	1	1	6	16	30	32	32	5	6.6	12	2	2	8	9	10	10	10
55-74	8	12.9	69	3	4	11	19	25	27	27										
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	44	10.8	92	1	1	8	16	23	31	41	7	8.6	71	1	1	8	10	23	26	26
SUBTOTAL	**57**	**10.0**	**85**	**1**	**1**	**6**	**16**	**22**	**30**	**40**	**10**	**8.0**	**70**	**1**	**1**	**6**	**10**	**22**	**26**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	25.7	95	19	19	21	33	37	37	37										
18-20	2	21.5	41	17	17	21	26	26	26	26										
21-24	2	17.0	338	4	4	17	30	30	30	30										
25-34	3	2.7	2	1	1	3	4	4	4	4										
35-54	19	14.1	70	5	6	12	18	28	28	28										
55-74	3	19.0	84	9	9	21	25	27	27	27	2	5.0	18	2	2	5	8	8	8	8
75 +																				
ALL AGES	32	15.2	96	3	4	13	24	28	30	37	2	5.0	18	2	2	5	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	3	8.3	11	6	6	7	11	12	12	12										
18-20	1	6.0		6	6	6	6	6	6	6										
21-24	2	7.0	8	5	5	7	9	9	9	9										
25-34	10	11.3	86	1	1	10	13	26	33	33	1	2.0		2	2	2	2	2	2	2
35-54	15	12.8	128	2	3	11	15	25	41	47										
55-74	7	15.9	144	4	4	13	27	32	33	33										
75 +	2	8.5	61	3	3	8	14	14	14	14										
ALL AGES	40	12.0	96	2	3	10	14	27	33	47	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**72**	**13.4**	**98**	**2**	**4**	**11**	**18**	**28**	**32**	**45**	**3**	**4.0**	**12**	**2**	**2**	**2**	**7**	**8**	**8**	**8**
GRAND TOTAL	**129**	**11.9**	**95**	**1**	**2**	**9**	**17**	**27**	**31**	**42**	**13**	**7.1**	**57**	**1**	**1**	**4**	**9**	**20**	**25**	**26**

OBSESSIVE-COMPULSIVE DIS (300.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	1	38.0		38	38	38	38	38	38	38										
18-20																				
21-24																				
25-34	6	30.5	1044	4	4	21	38	86	91	91	1	35.0		35	35	35	35	35	35	35
35-54	7	24.1	1178	1	2	19	61	99+	99+	99+										
55-74											1	3.0		3	3	3	3	3	3	3
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	16	25.1	891	2	3	17	38	97	99+	99+	2	19.0	512	3	3	19	35	35	35	35
B. FEMALE																				
0-12 YRS.	2	26.0	800	6	6	26	46	46	46	46										
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	1	20.0		20	20	20	20	20	20	20										
25-34	8	25.4	563	1	2	22	50	86	99+	99+	2	13.5	313	1	1	13	26	26	26	26
35-54	3	23.3	215	8	8	25	34	37	37	37										
55-74	2	25.0	450	10	10	25	40	40	40	40										
75 +	3	20.0	37	16	16	17	24	27	27	27	1	36.0		36	36	36	36	36	36	36
ALL AGES	20	22.8	331	1	2	20	41	54	81	99+	3	21.0	325	1	1	26	33	36	36	36
SUBTOTAL	**36**	**23.8**	**564**	**1**	**3**	**19**	**38**	**83**	**99+**	**99+**	**5**	**20.2**	**292**	**1**	**1**	**26**	**35**	**36**	**36**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17	2	8.0	8	6	6	8	10	10	10	10										
18-20																				
21-24	2	8.0	32	4	4	8	12	12	12	12										
25-34	7	8.9	30	2	2	9	11	18	19	19	2	41.5	1985	10	10	41	73	73	73	73
35-54	7	21.4	114	13	14	17	25	40	43	43										
55-74	4	21.0	106	9	9	22	29	31	31	31										
75 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	24	14.5	97	3	4	13	17	29	35	43	2	41.5	1985	10	10	41	73	73	73	73
B. FEMALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	56	99+	99+	99+	99+										
18-20	2	11.0	72	5	5	11	17	17	17	17										
21-24	2	11.5	1	11	11	11	12	12	12	12										
25-34	9	28.0	879	3	3	18	34	80	83	83	1	23.0		23	23	23	23	23	23	23
35-54	8	26.6	204	8	9	29	37	44	46	46										
55-74	4	29.3	1019	9	9	15	46	77	77	77	1	11.0		11	11	11	11	11	11	11
75 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	27	24.2	491	4	6	16	34	76	85	99+	2	17.0	72	11	11	17	23	23	23	23
SUBTOTAL	**51**	**19.6**	**326**	**4**	**5**	**15**	**23**	**44**	**77**	**99+**	**4**	**29.3**	**882**	**10**	**10**	**17**	**48**	**73**	**73**	**73**
GRAND TOTAL	**87**	**21.4**	**420**	**3**	**4**	**16**	**28**	**56**	**91**	**99+**	**9**	**24.2**	**502**	**1**	**2**	**23**	**35**	**58**	**73**	**73**

NEUROTIC DEPRESSION (300.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	13	34.3	329	8	13	38	54	99 +	99 +	99 +										
13-17	96	28.2	346	4	5	28	43	56	64	87	2	2.0	2	1	1	2	3	3	3	3
18-20	27	10.4	103	1	1	8	15	26	34	41	3	2.0	1	1	1	2	3	3	3	3
21-24	46	9.9	86	1	1	7	14	19	30	42	11	3.0	3	1	1	3	3	6	6	6
25-34	153	11.3	128	1	2	8	14	25	34	45	19	5.2	27	1	1	3	7	12	18	21
35-54	257	11.6	88	2	3	9	15	24	31	45	30	7.4	77	1	1	4	8	24	27	31
55-74	107	11.4	87	2	3	9	15	26	32	70	32	5.4	15	1	2	4	6	12	15	15
75 +	20	12.5	113	3	4	8	16	24	38	48	10	3.8	4	1	1	4	4	7	8	8
ALL AGES	719	14.0	176	1	3	10	18	34	44	72	107	5.4	33	1	1	3	6	13	19	29
B. FEMALE																				
0-12 YRS.	19	31.6	386	5	7	28	51	64	84	99 +	1	17.0		17	17	17	17	17	17	17
13-17	204	30.0	437	2	5	29	44	62	74	99 +	13	3.5	5	1	1	3	5	7	9	9
18-20	68	12.6	206	1	1	8	16	33	40	97	10	4.8	18	1	1	3	7	12	14	14
21-24	82	10.3	129	1	1	7	11	29	39	55	8	7.9	114	1	1	2	15	25	25	25
25-34	299	10.9	94	1	2	9	14	24	29	48	57	7.8	70	1	2	5	9	20	23	40
35-54	475	11.7	118	1	2	8	16	24	30	55	83	6.1	60	1	2	3	6	10	29	38
55-74	273	12.8	112	2	3	11	16	25	30	62	74	5.2	25	1	2	4	6	10	14	31
75 +	72	11.1	83	2	3	8	15	26	30	42	23	5.5	11	1	2	4	8	11	12	13
ALL AGES	1492	14.4	206	1	2	10	19	33	45	75	269	6.1	46	1	2	4	7	14	21	37
SUBTOTAL	**2211**	**14.3**	**195**	**1**	**2**	**10**	**19**	**34**	**45**	**74**	**376**	**5.9**	**42**	**1**	**1**	**4**	**6**	**14**	**21**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	34	37.2	350	15	17	36	52	85	99 +	99 +	1	11.0		11	11	11	11	11	11	11
13-17	112	27.1	475	2	5	23	42	76	96	99 +	3	13.3	122	1	1	17	21	22	22	22
18-20	70	15.1	165	1	3	12	20	35	43	54	3	5.0	13	2	2	4	8	9	9	9
21-24	63	13.6	159	2	2	10	19	32	46	47	5	6.4	108	1	1	2	8	25	25	25
25-34	248	10.9	69	1	2	9	16	22	28	38	33	16.9	273	1	2	15	24	33	59	66
35-54	349	12.7	106	2	3	10	18	27	31	44	38	9.9	111	1	1	4	16	29	31	35
55-74	87	13.0	88	2	3	11	17	26	31	45	6	4.7	10	2	2	3	7	10	10	10
75 +	10	12.8	90	4	4	10	23	27	27	27	3	5.7	10	2	2	7	8	8	8	8
ALL AGES	973	15.0	193	2	3	11	20	32	46	90	92	11.7	169	1	1	6	19	28	31	64
B. FEMALE																				
0-12 YRS.	19	40.0	617	4	5	37	70	90	99 +	99 +										
13-17	200	29.7	483	4	6	25	44	68	92	99 +	9	10.2	92	1	2	6	23	63	99 +	99 +
18-20	74	16.9	206	2	3	13	21	35	51	66	7	5.3	18	2	2	3	7	13	14	14
21-24	116	11.1	97	1	2	8	16	23	28	50	5	9.4	138	2	2	4	13	30	30	30
25-34	397	12.5	113	2	3	10	17	26	35	63	24	13.1	229	1	1	6	24	31	45	60
35-54	466	12.5	97	2	3	10	17	25	31	52	56	9.5	95	2	2	5	11	26	31	42
55-74	172	14.1	98	3	4	12	17	29	36	47	18	9.1	131	3	4	6	8	11	37	54
75 +	47	14.0	99	2	3	13	19	31	35	41	6	14.5	203	3	3	7	30	34	35	35
ALL AGES	1491	15.5	206	2	3	12	20	34	47	91	125	10.2	126	2	2	6	11	29	34	70
SUBTOTAL	**2464**	**15.3**	**201**	**2**	**3**	**12**	**20**	**33**	**46**	**91**	**217**	**10.8**	**145**	**1**	**2**	**6**	**16**	**28**	**33**	**63**
GRAND TOTAL	**4675**	**14.8**	**199**	**2**	**3**	**11**	**20**	**34**	**45**	**84**	**593**	**7.7**	**85**	**1**	**2**	**4**	**8**	**21**	**29**	**46**

NEURASTHENIA (300.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	1.0		1	1	1	1	1	1	1
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	2	4.5	13	2	2	4	7	7	7	7	2	2.5	5	1	1	2	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											2	8.0	72	2	2	8	14	14	14	14
35-54	3	4.0	19	1	1	2	7	9	9	9	1	3.0		3	3	3	3	3	3	3
55-74	1	2.0		2	2	2	2	2	2	2	3	3.7	9	1	1	3	6	7	7	7
75 +	1	3.0		3	3	3	3	3	3	3	1	16.0		16	16	16	16	16	16	16
ALL AGES	5	3.4	10	1	1	2	4	9	9	9	7	6.6	37	1	1	3	12	16	16	16
SUBTOTAL	**7**	**3.7**	**9**	**1**	**1**	**2**	**6**	**9**	**9**	**9**	**9**	**5.7**	**31**	**1**	**1**	**3**	**9**	**15**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	11.3	235	2	2	3	22	29	29	29	2	3.5	1	3	3	3	4	4	4	4
35-54											1	3.0		3	3	3	3	3	3	3
55-74	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	4	8.8	182	1	1	2	16	29	29	29	4	3.5		3	3	3	4	4	4	4
SUBTOTAL	**4**	**8.8**	**182**	**1**	**1**	**2**	**16**	**29**	**29**	**29**	**4**	**3.5**		**3**	**3**	**3**	**4**	**4**	**4**	**4**
GRAND TOTAL	**11**	**5.5**	**67**	**1**	**1**	**2**	**6**	**17**	**28**	**29**	**13**	**5.0**	**22**	**1**	**1**	**3**	**5**	**14**	**16**	**16**

DEPERSONALIZATION SYND (300.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	9.0	18	6	6	9	12	12	12	12										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	9.0	18	6	6	9	12	12	12	12										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	7.0	8	5	5	7	9	9	9	9										
21-24	1	9.0		9	9	9	9	9	9	9										
25-34																				
35-54	1	20.0		20	20	20	20	20	20	20										
55-74																				
75 +																				
ALL AGES	4	10.8	40	5	5	9	15	20	20	20										
SUBTOTAL	**6**	**10.2**	**29**	**5**	**5**	**9**	**12**	**19**	**20**	**20**										
GRAND TOTAL	**6**	**10.2**	**29**	**5**	**5**	**9**	**12**	**19**	**20**	**20**										

HYPOCHONDRIASIS (300.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	2	5.5	1	5	5	5	6	6	6	6										
55-74	3	17.7	71	9	9	18	24	26	26	26										
75 +																				
ALL AGES	6	10.8	89	1	1	7	18	25	26	26										
SUBTOTAL	**6**	**10.8**	**89**	**1**	**1**	**7**	**18**	**25**	**26**	**26**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74																				
75 +																				
ALL AGES	2	5.0	18	2	2	5	8	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54																				
55-74																				
75 +	2	16.0	338	3	3	16	29	29	29	29										
ALL AGES	4	9.0	179	1	1	3	16	29	29	29										
SUBTOTAL	**6**	**7.7**	**114**	**1**	**1**	**3**	**8**	**27**	**29**	**29**										
GRAND TOTAL	**12**	**9.3**	**94**	**1**	**1**	**5**	**13**	**27**	**29**	**29**										

NEUROTIC DISORDERS NEC (300.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19										
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	6	13.0	66	5	5	10	18	26	27	27										
55-74	3	13.3	19	10	10	12	16	18	18	18	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	11	12.5	55	1	3	10	18	22	27	27	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	1	7.0		7	7	7	7	7	7	7										
18-20											1	3.0		3	3	3	3	3	3	3
21-24																				
25-34	1	7.0		7	7	7	7	7	7	7	1	2.0		2	2	2	2	2	2	2
35-54	12	10.2	70	1	1	9	15	20	29	30	3	10.7	19	6	6	11	14	15	15	15
55-74	8	14.9	96	2	3	14	19	30	34	34	1	31.0		31	31	31	31	31	31	31
75 +	2	33.5	481	18	18	33	49	49	49	49	1	5.0		5	5	5	5	5	5	5
ALL AGES	24	13.4	129	1	2	11	17	30	38	49	8	9.5	95	2	2	5	13	26	31	31
SUBTOTAL	**35**	**13.1**	**104**	**1**	**2**	**10**	**18**	**27**	**33**	**49**	**9**	**8.8**	**88**	**2**	**2**	**5**	**12**	**25**	**31**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	45.0		45	45	45	45	45	45	45										
18-20																				
21-24																				
25-34	5	7.0	12	4	4	6	10	12	12	12										
35-54	5	14.4	71	7	7	13	20	27	27	27	1	4.0		4	4	4	4	4	4	4
55-74																				
75 +	1	19.0		19	19	19	19	19	19	19										
ALL AGES	12	14.3	140	4	4	10	18	32	43	45	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	1	21.0		21	21	21	21	21	21	21										
18-20																				
21-24	3	9.3	90	2	2	6	16	20	20	20										
25-34	9	6.1	12	1	1	7	9	10	10	10										
35-54	27	14.0	309	4	5	9	17	22	35	97	1	9.0		9	9	9	9	9	9	9
55-74	14	14.2	169	2	4	9	23	38	40	41										
75 +																				
ALL AGES	54	12.6	209	2	3	9	14	23	36	95	1	9.0		9	9	9	9	9	9	9
SUBTOTAL	**66**	**12.9**	**195**	**2**	**4**	**9**	**18**	**24**	**39**	**89**	**2**	**6.5**	**13**	**4**	**4**	**6**	**9**	**9**	**9**	**9**
GRAND TOTAL	**101**	**13.0**	**162**	**2**	**3**	**9**	**18**	**25**	**36**	**72**	**11**	**8.4**	**72**	**2**	**2**	**5**	**10**	**21**	**30**	**31**

NEUROTIC DISORDER NOS (300.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
13-17	7	4.4	7	2	2	3	7	8	8	8										
18-20	3	10.3	130	1	1	7	19	23	23	23										
21-24	5	3.2	11	1	1	2	4	9	9	9										
25-34	9	3.8	13	1	1	3	5	10	12	12	2	1.0		1	1	1	1	1	1	1
35-54	20	12.0	95	1	1	9	18	27	29	30	4	2.0	1	1	1	2	3	3	3	3
55-74	6	13.3	128	1	1	14	23	27	27	27	6	13.7	138	2	2	11	23	31	32	32
75 +	4	7.0	5	5	5	6	8	10	10	10	5	3.8	7	1	1	3	6	7	7	7
ALL AGES	55	8.4	71	1	1	5	11	23	27	30	18	6.3	72	1	1	3	7	20	28	32
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	18	4.3	13	1	1	3	6	11	12	12	7	2.0	1	1	1	2	2	4	4	4
18-20	9	3.2	40	1	1	1	2	13	20	20	2	2.0	2	1	1	2	3	3	3	3
21-24	7	10.1	172	1	1	7	12	33	38	38	2	1.0		1	1	1	1	1	1	1
25-34	16	9.3	30	1	1	10	11	17	19	20	6	2.5	3	1	1	2	4	5	5	5
35-54	31	7.8	38	1	1	7	12	17	18	23	4	3.3	4	1	1	3	5	5	5	5
55-74	21	12.5	67	3	4	10	20	23	27	31	4	7.8	3	6	6	8	9	10	10	10
75 +	9	11.0	69	4	4	8	15	25	28	28	6	7.3	43	1	1	5	10	18	19	19
ALL AGES	111	8.4	55	1	1	7	12	20	23	34	32	3.9	15	1	1	3	5	9	10	19
SUBTOTAL	**166**	**8.4**	**59**	**1**	**1**	**6**	**12**	**20**	**24**	**31**	**50**	**4.7**	**36**	**1**	**1**	**3**	**6**	**10**	**19**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	7.7	6	5	5	8	9	10	10	10										
13-17	23	5.1	14	1	2	5	6	8	15	18	2	44.0	2592	8	8	44	80	80	80	80
18-20	10	5.5	23	1	1	4	7	13	16	16	1	7.0		7	7	7	7	7	7	7
21-24	2	2.5	1	2	2	2	3	3	3	3	1	3.0		3	3	3	3	3	3	3
25-34	22	5.6	34	1	1	4	8	15	20	21	1	3.0		3	3	3	3	3	3	3
35-54	17	7.4	122	1	1	4	7	14	37	48	6	2.7	3	1	1	2	5	5	5	5
55-74	2	7.0	32	3	3	7	11	11	11	11	2	11.0	32	7	7	11	15	15	15	15
75 +	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
ALL AGES	80	5.8	42	1	1	4	7	12	17	40	14	10.2	417	1	1	4	7	21	67	80
B. FEMALE																				
0-12 YRS.	2	32.0	1682	3	3	32	61	61	61	61										
13-17	19	9.3	103	1	2	6	8	24	36	42	8	2.3	1	1	1	2	3	4	4	4
18-20	12	3.3	17	1	1	2	3	8	15	16	6	1.3		1	1	1	2	2	2	2
21-24	12	6.0	53	1	1	3	7	17	25	26	1	1.0		1	1	1	1	1	1	1
25-34	26	5.8	45	1	1	4	6	13	20	31	6	2.3	2	1	1	2	3	5	5	5
35-54	23	8.3	57	1	1	7	12	17	26	29	16	4.6	38	1	1	3	5	6	21	27
55-74	7	9.4	39	1	2	11	14	17	18	18	5	5.0	18	2	2	3	7	12	12	12
75 +	4	9.5	42	3	3	9	15	16	16	16	6	6.2	18	4	4	5	5	14	15	15
ALL AGES	105	7.6	83	1	1	4	10	16	27	51	48	3.7	19	1	1	3	4	6	12	27
SUBTOTAL	**185**	**6.8**	**66**	**1**	**1**	**4**	**8**	**15**	**19**	**46**	**62**	**5.2**	**111**	**1**	**1**	**3**	**5**	**7**	**15**	**74**
GRAND TOTAL	**351**	**7.6**	**63**	**1**	**1**	**5**	**10**	**17**	**23**	**38**	**112**	**5.0**	**77**	**1**	**1**	**3**	**5**	**9**	**15**	**50**

PARANOID PERSONALITY (301.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	10.0	32	6	6	10	14	14	14	14										
21-24																				
25-34	6	10.5	52	4	4	9	11	23	24	24										
35-54	6	20.5	232	6	6	16	28	45	47	47										
55-74																				
75 +																				
ALL AGES	14	14.7	139	4	5	10	20	30	43	47										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	17.0		17	17	17	17	17	17	17										
21-24																				
25-34	4	4.0	9	1	1	4	6	7	7	7										
35-54	3	15.3	98	4	4	21	21	21	21	21	1	2.0		2	2	2	2	2	2	2
55-74	1	8.0		8	8	8	8	8	8	8	1	22.0		22	22	22	22	22	22	22
75 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	10	10.1	57	1	1	7	17	21	21	21	2	12.0	200	2	2	12	22	22	22	22
SUBTOTAL	**24**	**12.8**	**106**	**2**	**4**	**10**	**18**	**24**	**34**	**47**	**2**	**12.0**	**200**	**2**	**2**	**12**	**22**	**22**	**22**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	46.0		46	46	46	46	46	46	46										
18-20	1	8.0		8	8	8	8	8	8	8										
21-24																				
25-34	9	13.0	61	3	4	11	18	25	27	27										
35-54	6	13.3	56	3	3	14	20	22	22	22	1	2.0		2	2	2	2	2	2	2
55-74	1	4.0		4	4	4	4	4	4	4										
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	19	13.9	109	3	4	11	19	25	37	46	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	23.0		23	23	23	23	23	23	23										
55-74	2	4.5	25	1	1	4	8	8	8	8										
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	4	9.0	95	1	1	6	15	23	23	23										
SUBTOTAL	**23**	**13.0**	**107**	**2**	**3**	**10**	**19**	**24**	**34**	**46**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**47**	**12.9**	**104**	**2**	**3**	**10**	**19**	**24**	**31**	**47**	**3**	**8.7**	**132**	**2**	**2**	**2**	**17**	**22**	**22**	**22**

AFFECTIVE PERSONALITY (301.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	32.5	313	20	20	32	45	45	45	45										
18-20	1	8.0		8	8	8	8	8	8	8										
21-24	1	13.0		13	13	13	13	13	13	13										
25-34	3	9.7	11	6	6	10	12	13	13	13										
35-54	2	7.0	32	3	3	7	11	11	11	11	1	13.0		13	13	13	13	13	13	13
55-74																				
75 +																				
ALL AGES	9	14.3	157	3	4	11	15	35	45	45	1	13.0		13	13	13	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17	3	22.7	42	15	15	26	27	27	27	27										
18-20	1	31.0		31	31	31	31	31	31	31										
21-24	2	6.5	13	4	4	6	9	9	9	9										
25-34	7	11.1	150	1	1	5	22	30	31	31										
35-54	7	7.6	19	2	2	6	11	13	14	14	2	5.0	2	4	4	5	6	6	6	6
55-74	4	25.5	171	18	18	20	33	45	45	45										
75 +																				
ALL AGES	24	14.4	135	1	3	11	23	31	35	45	2	5.0	2	4	4	5	6	6	6	6
SUBTOTAL	**33**	**14.4**	**135**	**2**	**3**	**11**	**20**	**31**	**43**	**45**	**3**	**7.7**	**22**	**4**	**4**	**6**	**11**	**13**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	28.0		28	28	64	99 +	99 +	99 +	99 +										
18-20	4	18.8	28	12	12	19	23	25	25	25										
21-24	6	13.2	34	6	6	14	19	19	19	19										
25-34	12	10.8	81	1	2	8	14	27	29	29										
35-54	3	14.7	283	3	3	7	27	34	34	34										
55-74																				
75 +																				
ALL AGES	26	13.7	85	2	4	11	21	29	44	99 +										
B. FEMALE																				
0-12 YRS.																				
13-17	6	17.7	154	4	5	14	19	39	41	41										
18-20	4	9.5	54	4	4	7	14	20	20	20										
21-24	3	10.0	63	4	4	7	16	19	19	19										
25-34	9	14.2	149	4	5	9	20	34	42	42	2	21.0		21	21	21	21	21	21	21
35-54	17	9.5	59	1	1	8	12	19	27	31	1	28.0		28	28	28	28	28	28	28
55-74	1	21.0		21	21	21	21	21	21	21										
75 +																				
ALL AGES	40	12.1	94	1	3	9	18	22	36	42	3	23.3	19	21	21	21	26	28	28	28
SUBTOTAL	**66**	**12.7**	**91**	**2**	**3**	**10**	**19**	**28**	**35**	**90**	**3**	**23.3**	**19**	**21**	**21**	**21**	**26**	**28**	**28**	**28**
GRAND TOTAL	**99**	**13.3**	**104**	**2**	**3**	**10**	**19**	**28**	**37**	**73**	**6**	**15.5**	**89**	**4**	**4**	**17**	**21**	**27**	**28**	**28**

SCHIZOID PERSONALITY (301.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	33.5	1301	8	8	33	59	59	59	59										
13-17	9	38.2	142	15	20	41	48	49	49	49	1	56.0		56	56	56	56	56	56	56
18-20	8	15.0	160	3	3	12	24	35	36	36	1	33.0		33	33	33	33	33	33	33
21-24	5	17.8	99	10	10	16	2[illegible]	35	35	35										
25-34	14	11.3	113	2	2	5	18	30	32	32										
35-54	5	12.2	148	1	1	8	23	28	28	28	1	28.0		28	28	28	28	28	28	28
55-74	3	16.0	175	6	6	11	26	31	31	31										
75 +																				
ALL AGES	46	19.3	251	2	3	15	31	46	49	59	3	39.0	223	28	28	33	50	56	56	56
B. FEMALE																				
0-12 YRS.	1	54.0		54	54	54	54	54	54	54										
13-17	3	19.7	140	6	6	25	27	28	28	28										
18-20	1	19.0		19	19	19	19	19	19	19										
21-24	2	13.5	145	5	5	13	22	22	22	22										
25-34	8	17.3	167	4	4	14	29	35	36	36	5	16.0	184	1	1	21	27	29	29	29
35-54	6	7.7	17	3	3	7	9	14	15	15										
55-74																				
75 +																				
ALL AGES	21	16.3	183	4	4	9	25	34	44	54	5	16.0	184	1	1	21	27	29	29	29
SUBTOTAL	**67**	**18.4**	**227**	**2**	**3**	**15**	**29**	**40**	**49**	**58**	**8**	**24.6**	**312**	**1**	**1**	**27**	**31**	**49**	**56**	**56**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	6	30.5	386	5	5	40	43	48	49	49										
18-20																				
21-24	5	15.6	260	1	1	9	25	42	42	42										
25-34	5	11.8	58	4	4	11	19	21	21	21										
35-54	5	15.6	19	11	11	17	19	20	20	20										
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	22	18.3	221	2	4	14	21	42	45	49	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	2	57.0	1682	28	28	57	86	86	86	86										
18-20																				
21-24	1	5.0		5	5	5	5	5	5	5										
25-34	2	8.5	25	5	5	8	12	12	12	12	1	20.0		20	20	20	20	20	20	20
35-54	5	10.8	30	5	5	8	16	18	18	18	1	6.0		6	6	6	6	6	6	6
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	11	17.7	565	5	5	8	17	51	83	86	2	13.0	98	6	6	13	20	20	20	20
SUBTOTAL	**33**	**18.1**	**322**	**4**	**5**	**11**	**20**	**42**	**48**	**86**	**3**	**9.0**	**97**	**1**	**1**	**6**	**16**	**20**	**20**	**20**
GRAND TOTAL	**100**	**18.3**	**255**	**2**	**3**	**13**	**28**	**42**	**49**	**72**	**11**	**20.4**	**288**	**1**	**1**	**21**	**29**	**42**	**55**	**56**

EXPLOSIVE PERSONALITY (301.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	2	16.0	162	7	7	16	25	25	25	25										
18-20	1	3.0		3	3	3	3	3	3	3										
21-24	3	5.3	57	1	1	1	11	14	14	14	1	1.0		1	1	1	1	1	1	1
25-34	6	5.7	18	2	2	5	7	12	13	13										
35-54	1	9.0		9	9	9	9	9	9	9										
55-74	2	8.0	72	2	2	8	14	14	14	14										
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	17	7.2	41	1	1	7	10	14	21	25	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	1	21.0		21	21	21	21	21	21	21										
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	22.0		22	22	22	22	22	22	22										
35-54																				
55-74																				
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	3	14.7	139	1	1	21	22	22	22	22	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**20**	**8.4**	**55**	**1**	**1**	**7**	**13**	**21**	**23**	**25**	**2**	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	26.0		26	26	26	26	26	26	26										
13-17	5	25.4	457	4	4	22	47	49	49	49										
18-20	4	7.5	27	1	1	8	11	13	13	13										
21-24	4	17.8	683	4	4	5	31	57	57	57										
25-34	8	7.8	16	4	4	6	11	14	14	14										
35-54	4	4.3	7	1	1	4	6	7	7	7										
55-74	4	8.5	28	2	2	8	12	15	15	15										
75 +																				
ALL AGES	30	12.2	205	1	2	6	14	36	49	57										
B. FEMALE																				
0-12 YRS.																				
13-17	3	11.0	61	6	6	7	17	20	20	20										
18-20																				
21-24																				
25-34	2	13.0	50	8	8	13	18	18	18	18										
35-54	2	12.0	32	8	8	12	16	16	16	16										
55-74																				
75 +																				
ALL AGES	7	11.9	34	6	6	8	17	20	20	20										
SUBTOTAL	**37**	**12.2**	**170**	**1**	**3**	**7**	**14**	**25**	**48**	**57**										
GRAND TOTAL	**57**	**10.8**	**133**	**1**	**2**	**7**	**14**	**22**	**39**	**56**	**2**	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**4**	**4**

COMPULSIVE PERSONALITY (301.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-20																				
21-24																				
25-34	3	6.0	39	1	1	4	11	13	13	13	1	18.0		18	18	18	18	18	18	18
35-54	2	25.0	392	11	11	25	39	39	39	39										
55-74																				
75 +																				
ALL AGES	6	13.0	183	1	1	10	13	36	39	39	1	18.0		18	18	18	18	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	2	25.0	800	5	5	25	45	45	45	45										
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	4	18.0	338	5	5	11	29	45	45	45										
SUBTOTAL	**10**	**15.0**	**221**	**1**	**2**	**10**	**14**	**42**	**45**	**45**	**1**	**18.0**		**18**	**18**	**18**	**18**	**18**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	3.0		3	3	3	3	3	3	3										
21-24	1	10.0		10	10	55	99 +	99 +	99 +	99 +										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	6.5	25	3	3	10	77	99 +	99 +	99 +										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	8.3	57	1	1	8	14	16	16	16										
35-54	4	12.8	35	4	4	14	16	18	18	18										
55-74	2	19.0	8	17	17	19	21	21	21	21										
75 +																				
ALL AGES	9	12.7	45	1	2	15	17	20	21	21										
SUBTOTAL	**11**	**11.5**	**47**	**1**	**2**	**14**	**17**	**45**	**92**	**99 +**										
GRAND TOTAL	**21**	**13.2**	**125**	**1**	**2**	**12**	**17**	**41**	**67**	**99 +**	**1**	**18.0**		**18**	**18**	**18**	**18**	**18**	**18**	**18**

HISTRIONIC PERSONALITY (301.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	41.0		41	41	41	41	41	41	41										
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3	2	1.0		1	1	1	1	1	1	1
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	5	9.4	313	1	1	1	12	41	41	41	4	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	3	42.0	19	37	37	44	45	45	45	45										
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	5	10.2	93	1	1	6	20	22	22	22										
25-34	6	13.2	78	2	3	11	18	27	28	28	2	4.5	25	1	1	4	8	8	8	8
35-54	4	6.0	38	1	1	4	10	15	15	15	1	10.0		10	10	10	10	10	10	10
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	21	14.0	194	1	1	9	20	40	44	45	3	6.3	23	1	1	8	9	10	10	10
SUBTOTAL	**26**	**13.1**	**209**	**1**	**1**	**7**	**19**	**41**	**44**	**45**	**7**	**3.3**	**15**	**1**	**1**	**1**	**6**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	9.0		9	9	9	9	9	9	9										
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	2	11.0	98	4	4	11	18	18	18	18										
18-20	2	11.0	98	4	4	11	18	18	18	18										
21-24	1	5.0		5	5	5	5	5	5	5	2	7.0	18	4	4	7	10	10	10	10
25-34	10	12.3	83	1	1	13	19	24	24	24	1	3.0		3	3	3	3	3	3	3
35-54	8	13.5	71	1	3	13	18	25	28	28										
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	23	12.2	68	1	1	13	19	24	26	28	4	5.5	10	3	3	4	7	10	10	10
SUBTOTAL	**24**	**12.0**	**67**	**1**	**1**	**11**	**18**	**24**	**25**	**28**	**5**	**4.6**	**11**	**1**	**1**	**4**	**6**	**10**	**10**	**10**
GRAND TOTAL	**50**	**12.6**	**138**	**1**	**1**	**9**	**19**	**28**	**41**	**45**	**12**	**3.8**	**13**	**1**	**1**	**2**	**6**	**10**	**10**	**10**

DEPENDENT PERSONALITY (301.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-20	2	9.0	50	4	4	9	14	14	14	14										
21-24	2	8.0	8	6	6	8	10	10	10	10										
25-34	4	11.3	229	3	3	4	19	34	34	34										
35-54	1	8.0		8	8	8	8	8	8	8										
55-74																				
75 +																				
ALL AGES	9	9.7	95	3	3	6	11	26	34	34	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	1	20.0		20	20	20	20	20	20	20										
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	3	9.0	52	1	1	11	14	15	15	15										
25-34	6	15.8	123	1	2	15	23	31	32	32										
35-54	4	5.0	17	1	1	5	8	9	9	9	2	16.5	313	4	4	16	29	29	29	29
55-74	4	9.0	67	1	1	7	15	20	20	20										
75 +																				
ALL AGES	19	10.5	80	1	1	10	18	22	28	32	2	16.5	313	4	4	16	29	29	29	29
SUBTOTAL	**28**	**10.2**	**83**	**1**	**1**	**9**	**14**	**22**	**32**	**34**	**3**	**12.0**	**217**	**3**	**3**	**4**	**23**	**29**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	6.5	25	3	3	6	10	10	10	10										
21-24	2	3.0		3	3	3	3	3	3	3										
25-34	9	6.6	29	1	1	5	11	15	16	16										
35-54	2	5.5	1	5	5	5	6	6	6	6	1	28.0		28	28	28	28	28	28	28
55-74																				
75 +																				
ALL AGES	15	5.9	21	1	1	5	9	13	15	16	1	28.0		28	28	28	28	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17	2	21.5	613	4	4	21	39	39	39	39										
18-20	1	2.0		2	2	2	2	2	2	2										
21-24	4	5.3	6	3	3	4	7	9	9	9										
25-34	8	8.5	60	1	1	6	12	21	24	24	1	1.0		1	1	1	1	1	1	1
35-54	8	12.4	82	2	3	11	16	27	30	30	1	28.0		28	28	28	28	28	28	28
55-74	4	8.8	20	4	4	8	12	15	15	15										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	28	9.7	82	1	2	7	12	23	31	39	2	14.5	365	1	1	14	28	28	28	28
SUBTOTAL	**43**	**8.4**	**63**	**1**	**2**	**6**	**11**	**17**	**26**	**39**	**3**	**19.0**	**243**	**1**	**1**	**28**	**28**	**28**	**28**	**28**
GRAND TOTAL	**71**	**9.1**	**71**	**1**	**1**	**6**	**11**	**21**	**30**	**38**	**6**	**15.5**	**199**	**1**	**1**	**16**	**28**	**29**	**29**	**29**

ANTISOCIAL PERSONALITY (301.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	6	13.0	47	2	3	13	18	22	22	22										
18-20	6	5.3	19	2	2	4	7	12	13	13										
21-24	5	4.2	20	1	1	1	8	10	10	10	1	33.0		33	33	33	33	33	33	33
25-34	5	7.4	45	3	3	5	10	19	19	19										
35-54	5	3.2	3	2	2	2	4	6	6	6										
55-74	2	21.0	32	17	17	21	25	25	25	25										
75 +																				
ALL AGES	29	7.8	48	1	1	6	13	19	22	25	1	33.0		33	33	33	33	33	33	33
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	5.0	18	2	2	5	8	8	8	8										
25-34	5	14.4	166	1	1	12	24	33	33	33										
35-54																				
55-74																				
75 +																				
ALL AGES	7	11.7	135	1	1	8	19	31	33	33										
SUBTOTAL	**36**	**8.6**	**63**	**1**	**1**	**6**	**13**	**21**	**24**	**33**	**1**	**33.0**		**33**	**33**	**33**	**33**	**33**	**33**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17	1	7.0		7	7	7	7	7	7	7										
18-20	7	11.9	157	1	1	11	16	32	36	36										
21-24	12	5.5	16	1	1	5	8	12	14	14										
25-34	25	6.9	25	1	1	5	10	15	17	17	1	1.0		1	1	1	1	1	1	1
35-54	11	6.1	23	1	2	6	7	13	18	19										
55-74	1	1.0		1	1	1	1	1	1	1										
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	59	7.5	48	1	1	5	10	16	18	35	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	4	13.8	354	3	3	5	24	42	42	42										
21-24	3	10.7	179	1	1	5	21	26	26	26										
25-34	2	3.5	5	2	2	3	5	5	5	5										
35-54	2	2.0	2	1	1	2	3	3	3	3										
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	12	8.5	156	1	1	4	5	31	40	42										
SUBTOTAL	**71**	**7.6**	**65**	**1**	**1**	**5**	**10**	**16**	**26**	**41**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**107**	**8.0**	**63**	**1**	**1**	**5**	**11**	**18**	**25**	**39**	**2**	**17.0**	**512**	**1**	**1**	**17**	**33**	**33**	**33**	**33**

OTHER PERSONALITY DIS (301.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	10.0		10	10	55	99+	99+	99+	99+										
13-17	14	29.2	226	2	8	30	43	50	87	99+										
18-20	11	17.5	280	3	3	11	29	41	53	54										
21-24	11	6.0	13	2	2	4	9	11	13	13										
25-34	28	8.0	60	1	1	6	11	15	26	35	1	1.0		1	1	1	1	1	1	1
35-54	25	13.8	165	1	1	10	23	32	40	47	2	8.5	13	6	6	8	11	11	11	11
55-74	2	10.0	8	8	8	10	12	12	12	12										
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	93	13.7	180	1	2	9	24	38	46	99+	3	6.0	25	1	1	6	10	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17	34	26.7	275	7	12	26	43	67	99+	99+										
18-20	22	13.8	366	1	2	9	17	25	54	92	1	1.0		1	1	1	1	1	1	1
21-24	53	11.9	125	1	2	8	18	26	39	45										
25-34	74	11.8	142	1	1	9	15	27	33	65	3	14.7	85	7	7	12	22	25	25	25
35-54	60	11.7	97	1	2	9	15	22	35	49										
55-74	4	10.3	53	3	3	10	16	18	18	18	1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	247	14.0	187	1	2	10	18	32	45	99+	5	10.6	80	1	1	8	15	25	25	25
SUBTOTAL	**340**	**13.9**	**185**	**1**	**2**	**10**	**18**	**35**	**45**	**99+**	**8**	**8.9**	**58**	**1**	**1**	**7**	**11**	**21**	**25**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	42.0	242	31	31	42	53	53	53	53										
13-17	11	26.6	323	3	6	22	40	54	59	59										
18-20	16	9.3	101	1	1	6	13	18	34	41										
21-24	15	9.9	120	2	3	6	11	18	38	45										
25-34	52	10.3	72	1	2	8	13	23	28	41	1	4.0		4	4	4	4	4	4	4
35-54	22	11.0	215	1	2	7	12	24	48	67	1	5.0		5	5	5	5	5	5	5
55-74	4	19.5	6	17	17	19	21	22	22	22	1	28.0		28	28	28	28	28	28	28
75 +	2	9.0		9	9	9	9	9	9	9										
ALL AGES	124	12.5	159	1	2	8	16	28	41	61	3	12.3	186	4	4	5	22	28	28	28
B. FEMALE																				
0-12 YRS.	3	47.3	682	22	22	46	67	74	74	74										
13-17	24	21.1	249	5	7	20	30	96	99+	99+										
18-20	10	8.0	55	1	1	7	12	19	25	25										
21-24	40	13.9	87	1	2	12	18	30	34	36										
25-34	94	13.1	178	1	2	9	17	29	50	59	3	7.7	54	2	2	5	13	16	16	16
35-54	49	12.8	102	1	2	10	22	28	36	99+	2	18.5	481	3	3	18	34	34	34	34
55-74	4	10.3	46	2	2	10	15	18	18	18										
75 +	2	8.0	98	1	1	8	15	15	15	15										
ALL AGES	226	14.1	170	1	2	11	19	32	49	99+	5	12.0	183	2	2	5	20	34	34	34
SUBTOTAL	**350**	**13.6**	**164**	**1**	**2**	**10**	**18**	**31**	**45**	**99**	**8**	**12.1**	**158**	**2**	**2**	**5**	**22**	**32**	**34**	**34**
GRAND TOTAL	**690**	**13.7**	**176**	**1**	**2**	**10**	**18**	**33**	**45**	**99+**	**16**	**10.5**	**103**	**1**	**1**	**6**	**14**	**28**	**32**	**34**

PERSONALITY DISORDER NOS (301.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	2	46.5	685	28	28	46	65	65	65	65										
18-20	5	4.6	29	1	1	3	6	14	14	14										
21-24	3	14.0	469	1	1	2	30	39	39	39	1	10.0		10	10	10	10	10	10	10
25-34	3	6.7	4	5	5	6	8	9	9	9	1	4.0		4	4	4	4	4	4	4
35-54	5	7.6	15	3	3	9	10	12	12	12										
55-74	5	17.8	437	1	1	10	31	51	51	51										
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	25	13.0	279	1	1	6	15	39	54	65	2	7.0	18	4	4	7	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17	3	39.3	2370	5	5	18	76	95	95	95										
18-20	3	8.7	113	2	2	3	16	21	21	21	2	2.0	2	1	1	2	3	3	3	3
21-24	7	6.1	51	1	1	4	11	18	19	19	1	1.0		1	1	1	1	1	1	1
25-34	6	4.5	8	1	1	4	8	8	8	8	2	5.0		5	5	5	5	5	5	5
35-54	5	5.8	27	2	2	4	7	15	15	15	1	3.0		3	3	3	3	3	3	3
55-74	3	14.0		14	14	14	14	14	14	14										
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	28	10.3	314	1	1	4	14	19	28	95	6	3.0	3	1	1	3	5	5	5	5
SUBTOTAL	**53**	**11.6**	**293**	**1**	**1**	**4**	**14**	**26**	**49**	**94**	**8**	**4.0**	**8**	**1**	**1**	**4**	**5**	**9**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	7.5	61	2	2	7	13	13	13	13	1	11.0		11	11	11	11	11	11	11
18-20	3	16.3	162	2	2	21	25	26	26	26	2	4.5	5	3	3	4	6	6	6	6
21-24	1	1.0		1	1	1	1	1	1	1	1	13.0		13	13	13	13	13	13	13
25-34	3	9.7	71	1	1	10	16	18	18	18										
35-54	8	17.3	251	4	5	13	17	44	55	55										
55-74	3	11.7	201	2	2	5	22	28	28	28										
75 +	1	7.0		7	7	7	7	7	7	7	1	24.0		24	24	24	24	24	24	24
ALL AGES	21	13.0	159	1	1	10	18	27	40	55	5	11.4	65	3	3	11	16	24	24	24
B. FEMALE																				
0-12 YRS.																				
13-17	4	25.5	98	15	15	25	33	37	37	37										
18-20	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
21-24	3	5.0	4	3	3	5	6	7	7	7	2	3.0		3	3	3	3	3	3	3
25-34	6	9.3	133	1	1	6	9	30	32	32	2	15.5	421	1	1	15	30	30	30	30
35-54	9	9.4	54	4	4	6	12	22	25	25	1	2.0		2	2	2	2	2	2	2
55-74											1	4.0		4	4	4	4	4	4	4
75 +	1	38.0		38	38	38	38	38	38	38										
ALL AGES	24	12.5	134	2	3	7	18	32	37	38	7	6.7	107	1	1	3	4	25	30	30
SUBTOTAL	**45**	**12.7**	**144**	**1**	**2**	**9**	**18**	**30**	**37**	**55**	**12**	**8.7**	**87**	**1**	**2**	**4**	**12**	**26**	**29**	**30**
GRAND TOTAL	**98**	**12.1**	**222**	**1**	**1**	**7**	**15**	**28**	**39**	**81**	**20**	**6.8**	**59**	**1**	**1**	**4**	**8**	**18**	**27**	**30**

ZOOPHILIA (302.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13										
55-74																				
75 +																				
ALL AGES	1	13.0		13	13	13	13	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	13.0		13	13	13	13	13	13	13										
GRAND TOTAL	1	13.0		13	13	13	13	13	13	13										

PEDOPHILIA (302.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**4.0**		4	4	4	4	4	4	4										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	21.0		21	21	21	21	21	21	21										
21-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	12.0	162	3	3	12	21	21	21	21										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**12.0**	**162**	3	3	12	21	21	21	21										
GRAND TOTAL	**3**	**9.3**	**103**	3	3	4	17	21	21	21										

EXHIBITIONISM (302.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	9.0		9	9	9	9	9	9	9										
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	13.0		13	13	13	13	13	13	13										
55-74																				
75 +																				
ALL AGES	3	8.3	26	3	3	9	12	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	3	8.3	26	3	3	9	12	13	13	13										
GRAND TOTAL	3	8.3	26	3	3	9	12	13	13	13										

TRANS-SEXUALISM (302.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											9	7.2	23	1	1	9	10	13	14	14
25-34	3	10.7	65	5	5	7	17	20	20	20										
35-54	13	9.5	55	2	2	7	15	20	25	26	15	10.6	110	1	1	6	14	29	33	35
55-74																				
75 +																				
ALL AGES	16	9.8	52	2	2	7	16	20	24	26	24	9.3	78	1	1	8	12	23	31	35
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	20.0		20	20	20	20	20	20	20	1	8.0		8	8	8	8	8	8	8
25-34	10	12.1	57	4	4	9	20	21	21	21	1	10.0		10	10	10	10	10	10	10
35-54	2	12.5	61	7	7	12	18	18	18	18	2	15.0	98	8	8	15	22	22	22	22
55-74																				
75 +																				
ALL AGES	13	12.8	52	4	4	12	20	21	21	21	4	12.0	45	8	8	9	16	22	22	22
SUBTOTAL	**29**	**11.1**	**53**	**2**	**3**	**7**	**19**	**21**	**21**	**26**	**28**	**9.7**	**72**	**1**	**1**	**8**	**12**	**22**	**30**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**29**	**11.1**	**53**	**2**	**3**	**7**	**19**	**21**	**21**	**26**	**28**	**9.7**	**72**	**1**	**1**	**8**	**12**	**22**	**30**	**35**

PSYCHOSEX IDENTITY DIS (302.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	39.0		39	39	39	39	39	39	39										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	39.0		39	39	39	39	39	39	39										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	39.0		39	39	39	39	39	39	39										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	39.0		39	39	39	39	39	39	39										

PSYCHOSEXUAL DYSFUNCTION (302.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
25-34	2	5.0	8	3	3	5	7	7	7	7	1	5.0		5	5	5	5	5	5	5
35-54	9	4.9	22	2	2	3	6	13	14	14	6	3.8	1	3	3	4	5	5	5	5
55-74	17	2.8	2	1	1	2	4	5	5	5	18	3.4	3	1	1	3	4	6	7	8
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	30	3.5	9	1	1	3	4	6	12	14	26	3.5	2	1	1	3	5	5	6	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	30	3.5	9	1	1	3	4	6	12	14	26	3.5	2	1	1	3	5	5	6	8
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	30	3.5	9	1	1	3	4	6	12	14	26	3.5	2	1	1	3	5	5	6	8

PSYCHOSEXUAL DIS NEC (302.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	17.0	2	16	16	17	18	18	18	18										
18-20																				
21-24																				
25-34																				
35-54	2	17.0	450	2	2	17	32	32	32	32										
55-74																				
75 +																				
ALL AGES	4	17.0	151	2	2	17	25	32	32	32										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**4**	**17.0**	**151**	**2**	**2**	**17**	**25**	**32**	**32**	**32**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	8	8	8	8	8										
18-20																				
21-24																				
25-34	3	12.3	6	10	10	13	14	14	14	14										
35-54																				
55-74																				
75 +																				
ALL AGES	4	11.3	6	8	8	11	13	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-17	1	15.0		15	15	15	15	15	15	15										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	15.0		15	15	15	15	15	15	15										
SUBTOTAL	**5**	**12.0**	**9**	**8**	**8**	**13**	**14**	**15**	**15**	**15**										
GRAND TOTAL	**9**	**14.2**	**68**	**2**	**4**	**14**	**16**	**26**	**32**	**32**										

PSYCHOSEXUAL DIS NOS (302.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	1	18.0		18	18	18	18	18	18	18										
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	**2**	**11.5**	**85**	**5**	**5**	**11**	**18**	**18**	**18**	**18**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**2**	**11.5**	**85**	**5**	**5**	**11**	**18**	**18**	**18**	**18**										

AC ALCOHOL INTOXICATION (303.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	1.8	1	1	1	2	2	3	3	3	1	5.0		5	5	5	5	5	5	5
13-17	21	2.4	13	1	1	2	2	3	10	18	22	8.2	184	1	1	1	5	31	37	45
18-20	30	4.8	49	1	1	2	4	18	22	24	7	10.1	216	1	1	2	22	33	34	34
21-24	109	6.1	67	1	1	3	4	22	23	29	24	4.2	31	1	1	3	5	7	15	28
25-34	405	6.8	69	1	1	3	5	22	24	29	154	6.9	66	1	1	4	6	26	28	31
35-54	722	5.8	48	1	1	3	5	19	23	28	344	6.8	65	1	2	4	5	24	28	31
55-74	248	6.6	45	1	2	4	7	16	23	31	147	6.4	56	1	2	4	6	18	27	38
75 +	12	5.4	26	2	2	4	5	10	19	21	11	5.0	10	3	3	4	5	9	14	14
ALL AGES	1552	6.2	53	1	1	3	5	21	23	29	710	6.7	66	1	1	4	5	23	28	32
B. FEMALE																				
0-12 YRS.																				
13-17	13	6.5	270	1	1	1	3	16	53	61	14	6.7	185	1	1	1	2	36	41	42
18-20	14	5.9	65	1	1	2	8	21	24	25	3	2.3	3	1	1	2	3	4	4	4
21-24	15	5.1	63	1	1	2	3	21	25	27	5	4.6	35	1	1	3	6	15	15	15
25-34	109	5.7	42	1	1	3	5	16	22	30	35	5.6	58	1	1	3	5	10	29	33
35-54	176	5.9	45	1	1	3	5	20	23	27	86	6.6	68	1	1	3	5	23	28	30
55-74	66	5.4	44	1	1	3	5	12	23	32	30	4.5	16	1	1	4	5	9	10	22
75 +	4	11.3	318	1	1	3	21	38	38	38	3	4.3	7	2	2	4	6	7	7	7
ALL AGES	397	5.8	54	1	1	3	5	18	23	30	176	5.9	62	1	1	3	5	21	28	34
SUBTOTAL	**1949**	**6.1**	**53**	**1**	**1**	**3**	**5**	**21**	**23**	**29**	**886**	**6.5**	**66**	**1**	**1**	**4**	**5**	**22**	**28**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											3	6.0	7	4	4	5	8	9	9	9
13-17	22	10.5	164	1	2	3	20	29	42	42	14	23.6	260	1	1	28	33	43	45	46
18-20	29	8.2	129	1	1	2	12	23	36	41	24	11.1	114	1	2	6	20	25	33	41
21-24	92	7.1	71	1	1	3	7	22	25	32	106	11.8	114	1	1	6	22	26	30	39
25-34	445	8.0	83	1	1	4	11	22	26	31	471	10.5	91	2	2	5	22	24	30	33
35-54	633	8.0	80	1	2	4	9	23	27	32	757	9.2	76	2	2	5	11	25	28	32
55-74	220	8.1	70	1	2	5	9	21	30	36	237	9.4	87	2	3	6	10	24	29	50
75 +	18	7.1	22	2	3	5	9	15	18	19	23	7.0	28	1	1	6	9	14	17	22
ALL AGES	1459	8.0	80	1	1	4	9	23	27	34	1635	9.9	88	2	2	5	14	25	29	34
B. FEMALE																				
0-12 YRS.																				
13-17	16	12.7	509	1	1	3	15	34	73	89	12	18.2	288	1	1	15	31	40	47	48
18-20	10	10.8	170	1	1	5	20	33	35	35	8	10.3	90	2	3	7	13	27	31	31
21-24	39	8.5	87	1	1	4	17	22	26	33	23	9.2	103	1	1	5	9	30	31	32
25-34	128	8.0	85	1	2	4	9	24	28	37	134	8.4	79	1	1	5	10	25	30	35
35-54	186	6.6	59	1	1	3	6	21	25	31	182	8.8	77	2	2	5	10	23	30	34
55-74	78	9.1	94	2	2	5	10	25	32	42	68	9.4	76	2	3	6	10	24	30	38
75 +	6	4.2	12	1	1	3	4	10	11	11	2	5.0		5	5	5	5	5	5	5
ALL AGES	463	7.9	91	1	1	4	8	23	28	36	429	9.1	85	1	2	5	10	25	30	36
SUBTOTAL	**1922**	**8.0**	**82**	**1**	**1**	**4**	**9**	**23**	**27**	**35**	**2064**	**9.7**	**88**	**1**	**2**	**5**	**13**	**25**	**30**	**34**
GRAND TOTAL	**3871**	**7.0**	**69**	**1**	**1**	**3**	**7**	**22**	**25**	**32**	**2950**	**8.7**	**84**	**1**	**2**	**5**	**10**	**24**	**29**	**34**

ALCOHOL DEPEND NEC/NOS (303.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	15.0	338	2	2	15	28	28	28	28	2	15.0	288	3	3	15	27	27	27	27
13-17	53	24.2	181	3	3	22	35	42	47	52	47	27.2	200	2	7	29	36	45	47	54
18-20	73	20.4	120	1	2	22	28	33	34	38	51	16.5	126	1	2	20	27	29	32	40
21-24	166	18.0	110	2	3	21	28	30	31	34	142	17.1	99	2	3	21	27	29	30	32
25-34	818	17.2	109	2	3	21	27	29	30	34	703	14.7	110	2	2	13	25	28	30	32
35-54	1382	16.3	114	2	3	19	26	29	30	35	1241	14.8	118	2	3	11	26	29	30	35
55-74	508	15.8	121	2	3	17	26	29	32	37	399	15.0	120	2	3	11	27	30	32	36
75 +	33	15.9	119	2	3	14	25	29	33	44	29	15.1	150	2	3	9	27	34	35	40
ALL AGES	3035	16.8	116	2	3	20	27	29	31	37	2614	15.2	119	2	3	13	26	29	31	36
B. FEMALE																				
0-12 YRS.											2	14.5	145	6	6	14	23	23	23	23
13-17	30	27.3	395	1	1	25	40	55	62	67	28	26.8	195	3	5	29	36	45	48	52
18-20	17	17.7	104	1	2	19	27	29	30	30	14	15.8	146	1	1	15	28	30	34	35
21-24	47	14.5	113	2	2	15	24	29	30	35	27	13.9	122	2	3	9	26	29	30	31
25-34	228	15.6	110	1	2	18	25	28	30	34	191	12.6	108	1	2	8	23	28	29	32
35-54	338	15.9	114	2	3	18	26	29	30	33	270	14.8	128	1	3	11	26	29	30	37
55-74	148	17.4	107	2	4	20	25	29	31	40	100	14.9	121	2	2	11	27	30	31	37
75 +	9	14.1	79	4	4	14	21	25	27	27	5	9.8	159	2	2	4	14	32	32	32
ALL AGES	817	16.4	127	2	3	19	26	29	31	41	637	14.6	132	1	2	10	26	29	30	40
SUBTOTAL	**3852**	**16.7**	**119**	**2**	**3**	**20**	**27**	**29**	**31**	**37**	**3251**	**15.1**	**121**	**2**	**3**	**12**	**26**	**29**	**31**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	19.5	1	19	19	19	20	20	20	20	4	20.0	105	5	5	24	26	27	27	27
13-17	336	29.9	206	4	9	31	42	45	49	57	132	27.2	179	3	7	30	35	43	47	55
18-20	153	21.8	126	4	5	22	29	35	38	52	98	20.3	154	1	2	23	29	35	35	49
21-24	248	19.9	110	2	3	23	28	30	32	40	200	17.1	126	1	2	21	28	30	31	36
25-34	1097	17.6	116	2	3	21	27	29	31	39	771	16.7	109	2	3	20	27	29	30	34
35-54	924	17.0	115	2	3	20	26	29	31	42	579	14.0	103	2	3	10	23	28	30	34
55-74	259	18.0	113	3	4	20	28	29	31	44	157	13.7	94	2	3	13	21	29	30	39
75 +	24	18.1	128	4	4	17	28	30	37	43	10	10.1	57	2	3	7	14	21	28	28
ALL AGES	3043	19.2	141	2	3	21	28	31	40	49	1951	16.6	124	2	3	16	27	30	33	42
B. FEMALE																				
0-12 YRS.											1	36.0		36	36	36	36	36	36	36
13-17	154	29.6	234	3	10	30	42	46	51	68	92	26.7	157	2	5	30	36	42	43	47
18-20	48	23.1	124	3	6	28	29	31	36	56	36	20.0	157	1	1	23	29	35	38	42
21-24	102	18.0	152	3	3	20	28	30	33	55	60	17.0	141	1	2	21	28	31	32	35
25-34	357	16.3	123	2	3	17	27	29	33	43	232	15.6	102	3	3	13	26	29	30	34
35-54	266	17.6	118	2	3	20	27	30	31	42	211	14.1	102	2	3	10	24	28	30	35
55-74	103	17.3	162	2	3	16	28	30	33	64	62	12.1	100	1	3	8	21	29	30	35
75 +	12	24.3	97	8	9	27	29	36	37	37	2	4.0		4	4	4	4	4	4	4
ALL AGES	1042	19.3	164	2	3	20	28	33	42	56	696	16.6	135	2	3	14	28	31	35	42
SUBTOTAL	**4085**	**19.2**	**148**	**2**	**3**	**21**	**28**	**32**	**41**	**49**	**2647**	**16.6**	**127**	**2**	**3**	**15**	**28**	**30**	**34**	**42**
GRAND TOTAL	**7937**	**18.0**	**135**	**2**	**3**	**20**	**28**	**30**	**35**	**45**	**5898**	**15.7**	**126**	**2**	**3**	**14**	**27**	**30**	**32**	**40**

OPIOID TYPE DEPENDENCE (304.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	26.0		26	26	26	26	26	26	26										
13-17																				
18-20											1	4.0		4	4	4	4	4	4	4
21-24	9	5.7	49	1	1	3	5	17	24	24	4	9.5	138	2	2	4	16	27	27	27
25-34	72	10.0	89	1	2	5	17	25	29	34	67	10.6	77	2	3	7	20	24	28	29
35-54	57	10.6	72	2	3	6	19	23	25	31	37	8.9	74	1	2	5	13	23	25	26
55-74	5	20.8	152	5	5	19	28	39	39	39	1	22.0		22	22	22	22	22	22	22
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	144	10.5	85	2	2	5	19	24	28	34	111	10.0	76	2	2	5	20	24	27	29
B. FEMALE																				
0-12 YRS.											1	35.0		35	35	35	35	35	35	35
13-17	1	7.0		7	7	7	7	7	7	7										
18-20	3	4.0		4	4	4	4	4	4	4										
21-24	3	4.3	1	4	4	4	5	5	5	5	8	9.4	70	1	1	6	17	22	22	22
25-34	76	9.6	81	2	2	5	19	23	29	33	44	9.9	108	1	3	5	8	28	30	46
35-54	34	8.6	50	2	3	6	9	21	23	24	18	11.9	103	3	3	7	22	29	31	32
55-74	4	8.8	90	3	3	4	14	23	23	23	3	19.7	163	5	5	25	28	29	29	29
75 +	1	2.0		2	2	2	2	2	2	2	2	6.5	1	6	6	6	7	7	7	7
ALL AGES	122	9.0	67	2	3	5	15	22	25	32	76	10.9	110	2	3	6	15	28	31	43
SUBTOTAL	**266**	**9.8**	**77**	**2**	**2**	**5**	**18**	**24**	**28**	**33**	**187**	**10.4**	**89**	**2**	**3**	**6**	**18**	**26**	**28**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	6.0	50	1	1	6	11	11	11	11										
18-20	1	4.0		4	4	4	4	4	4	4										
21-24	14	12.1	117	2	2	6	22	28	29	29	2	11.0	162	2	2	11	20	20	20	20
25-34	102	13.2	98	2	3	9	23	28	29	33	88	11.3	83	3	3	6	21	24	27	34
35-54	96	13.0	97	2	4	8	22	27	29	38	72	15.4	94	3	3	17	24	28	28	36
55-74	3	14.7	39	11	11	11	19	22	22	22	1	16.0		16	16	16	16	16	16	16
75 +											1	9.0		9	9	9	9	9	9	9
ALL AGES	218	12.9	98	2	3	8	22	27	29	37	164	13.1	91	3	3	10	23	26	28	36
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	7.5	1	7	7	7	8	8	8	8	1	8.0		8	8	8	8	8	8	8
21-24	6	5.2	4	2	2	5	7	7	7	7	17	10.1	56	2	3	8	16	22	23	23
25-34	99	11.6	73	3	4	7	18	24	28	37	59	12.3	104	3	3	8	20	28	33	38
35-54	42	11.2	88	2	3	7	20	25	30	36	31	10.8	88	3	4	6	12	28	28	35
55-74	4	19.0	181	7	7	18	30	33	33	33	4	10.5	72	4	4	7	15	23	23	23
75 +	3	29.7	5	28	28	28	32	33	33	33										
ALL AGES	156	11.7	84	2	4	7	19	28	29	36	112	11.5	88	3	3	8	18	28	28	36
SUBTOTAL	**374**	**12.4**	**92**	**2**	**3**	**8**	**21**	**28**	**29**	**37**	**276**	**12.4**	**91**	**3**	**3**	**8**	**22**	**27**	**28**	**36**
GRAND TOTAL	**640**	**11.3**	**88**	**2**	**3**	**7**	**20**	**25**	**29**	**34**	**463**	**11.6**	**91**	**2**	**3**	**7**	**21**	**26**	**28**	**35**

BARBITURATE DEPENDENCE (304.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	5.0	32	1	1	5	9	9	9	9	7	8.7	94	2	2	7	8	26	30	30
35-54	4	11.5	122	5	5	6	17	28	28	28	6	10.0	88	1	1	7	21	22	22	22
55-74	2	5.0	32	1	1	5	9	9	9	9	2	14.0	242	3	3	14	25	25	25	25
75 +																				
ALL AGES	9	7.4	71	1	1	6	9	20	28	28	16	9.5	89	1	1	7	15	25	28	30
B. FEMALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10	1	20.0		20	20	20	20	20	20	20
18-20											2	4.5	1	4	4	4	5	5	5	5
21-24											2	14.5	181	5	5	14	24	24	24	24
25-34	11	13.7	82	2	2	15	20	26	27	27	8	12.4	85	2	3	10	20	25	26	26
35-54	16	17.7	110	3	4	20	28	29	30	30	9	17.8	173	3	3	21	29	33	35	35
55-74	7	8.1	48	3	3	5	9	20	23	23	4	15.0	151	2	2	16	25	26	26	26
75 +	2	22.5	365	9	9	22	36	36	36	36										
ALL AGES	37	14.8	102	2	3	11	25	29	30	36	26	14.5	120	2	3	11	25	28	32	35
SUBTOTAL	**46**	**13.3**	**104**	**1**	**2**	**9**	**23**	**28**	**29**	**36**	**42**	**12.6**	**111**	**1**	**2**	**7**	**22**	**27**	**30**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	35.0		35	35	35	35	35	35	35
18-20	1	5.0		5	5	5	5	5	5	5	2	4.5	1	4	4	4	5	5	5	5
21-24	6	17.2	229	1	1	16	29	35	36	36										
25-34	19	13.1	189	1	2	6	19	39	43	44	14	14.9	128	5	5	7	25	31	33	33
35-54	12	19.3	145	1	2	22	28	32	36	37	11	11.5	123	1	3	7	17	31	35	35
55-74	4	23.8	138	7	7	26	31	35	35	35	7	12.9	179	1	1	8	23	34	36	36
75 +	1	42.0		42	42	42	42	42	42	42										
ALL AGES	43	16.9	186	1	2	15	27	36	41	44	35	13.4	138	1	4	7	25	33	35	36
B. FEMALE																				
0-12 YRS.																				
13-17	2	33.5	13	31	31	33	36	36	36	36	1	6.0		6	6	6	6	6	6	6
18-20																				
21-24	3	25.0	301	6	6	29	37	40	40	40	4	12.0	117	5	5	7	18	28	28	28
25-34	26	20.1	93	4	5	20	28	30	35	37	18	20.7	113	3	5	22	30	33	35	35
35-54	39	23.7	96	7	7	25	30	36	38	38	20	17.2	151	2	3	12	30	33	35	35
55-74	21	19.9	129	3	4	20	28	35	38	39	10	19.3	120	5	6	18	28	34	35	35
75 +	1	28.0		28	28	28	28	28	28	28										
ALL AGES	92	22.1	108	4	6	24	30	36	37	40	53	18.2	127	3	5	19	29	33	35	35
SUBTOTAL	**135**	**20.4**	**140**	**3**	**4**	**22**	**29**	**36**	**38**	**42**	**88**	**16.3**	**135**	**2**	**4**	**11**	**28**	**33**	**35**	**36**
GRAND TOTAL	**181**	**18.6**	**140**	**2**	**4**	**20**	**29**	**34**	**37**	**42**	**130**	**15.1**	**130**	**2**	**3**	**9**	**26**	**31**	**35**	**36**

COCAINE DEPENDENCE (304.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	15.5	313	3	3	15	28	28	28	28										
13-17	2	5.0	2	4	4	5	6	6	6	6	1	2.0		2	2	2	2	2	2	2
18-20	6	7.2	32	2	2	5	12	16	16	16	10	15.1	83	3	3	20	22	24	24	24
21-24	42	13.7	115	1	2	15	23	27	29	33	24	14.8	97	2	3	14	24	28	29	30
25-34	204	15.5	113	2	3	16	25	29	31	41	182	14.0	89	2	3	11	23	27	29	31
35-54	86	15.1	99	2	3	17	23	28	29	34	55	15.7	101	2	3	20	24	27	29	39
55-74	2	12.5	85	6	6	12	19	19	19	19										
75 +																				
ALL AGES	344	15.0	108	2	3	16	24	28	30	38	272	14.4	92	2	3	13	23	27	29	31
B. FEMALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13										
13-17	1	1.0		1	1	1	1	1	1	1	1	5.0		5	5	5	5	5	5	5
18-20	15	15.7	36	5	7	19	20	21	22	23	7	6.1	13	1	1	7	9	11	11	11
21-24	57	12.8	74	2	3	15	20	22	26	31	31	8.6	64	1	2	6	8	25	26	28
25-34	141	14.5	69	2	3	19	20	24	27	31	85	9.8	57	2	3	8	15	22	23	30
35-54	20	14.3	67	3	3	19	20	21	25	28	9	8.0	29	3	3	8	9	17	21	21
55-74																				
75 +																				
ALL AGES	235	14.1	68	2	3	18	20	23	27	31	133	9.2	54	2	3	7	11	22	24	29
SUBTOTAL	**579**	**14.6**	**93**	**2**	**3**	**17**	**22**	**28**	**29**	**33**	**405**	**12.7**	**85**	**2**	**3**	**8**	**22**	**24**	**28**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	6	44.7	598	14	15	41	61	81	83	83	1	19.0		19	19	19	19	19	19	19
18-20	28	16.4	97	2	3	20	23	29	30	31	27	18.4	101	3	3	22	25	31	32	34
21-24	70	16.6	101	2	3	19	23	29	31	34	70	19.1	82	2	5	22	25	29	31	35
25-34	288	15.9	102	2	3	20	23	28	30	42	226	17.6	84	3	4	22	24	28	30	34
35-54	135	17.1	98	3	4	20	24	28	32	40	119	16.1	95	3	3	22	24	26	28	31
55-74	1	20.0		20	20	20	20	20	20	20	1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES	529	16.6	115	2	3	20	23	28	30	44	444	17.4	90	3	3	22	24	28	30	34
B. FEMALE																				
0-12 YRS.																				
13-17	7	25.7	621	4	4	18	36	66	73	73	5	22.8	362	3	3	22	42	42	42	42
18-20	21	13.7	79	2	3	13	22	26	29	30	9	16.0	129	2	3	19	28	29	29	29
21-24	51	12.7	101	2	3	7	21	27	30	45	33	11.2	93	2	3	5	21	25	28	29
25-34	160	12.8	85	2	3	8	20	23	28	36	78	13.4	85	2	3	9	22	25	28	33
35-54	43	14.0	70	3	5	14	21	23	26	31	23	14.1	90	3	4	11	22	27	32	34
55-74																				
75 +																				
ALL AGES	282	13.3	101	2	3	8	20	24	29	42	148	13.5	100	2	3	8	22	26	29	42
SUBTOTAL	**811**	**15.5**	**111**	**2**	**3**	**18**	**23**	**28**	**30**	**44**	**592**	**16.4**	**96**	**3**	**3**	**21**	**24**	**28**	**30**	**34**
GRAND TOTAL	**1390**	**15.1**	**104**	**2**	**3**	**17**	**22**	**28**	**30**	**40**	**997**	**14.9**	**95**	**2**	**3**	**15**	**23**	**28**	**29**	**34**

CANNABIS DEPENDENCE (304.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	57	28.7	190	7	9	28	40	43	47	58	31	29.8	153	7	12	30	37	45	48	60
18-20	7	16.9	150	5	5	11	24	36	39	39	7	18.0	157	3	3	21	28	34	35	35
21-24	4	15.3	101	7	7	12	21	30	30	30	4	22.8	16	19	19	21	25	29	29	29
25-34	15	19.9	69	4	8	19	28	28	29	29	7	23.7	129	2	6	22	31	37	38	38
35-54	3	26.7	110	17	17	25	35	38	38	38	2	3.0	8	1	1	3	5	5	5	5
55-74																				
75 +																				
ALL AGES	86	25.5	177	6	8	25	39	42	44	56	51	25.8	165	3	6	28	34	41	46	60
B. FEMALE																				
0-12 YRS.																				
13-17	15	22.7	244	1	1	17	40	42	43	43	7	23.0	138	3	5	28	30	36	38	38
18-20	2	29.5	5	28	28	29	31	31	31	31	3	31.3	11	28	28	33	33	33	33	33
21-24	2	4.0	2	3	3	4	5	5	5	5	1	3.0		3	3	3	3	3	3	3
25-34	3	28.3	4	27	27	29	29	29	29	29	4	23.3	38	15	15	24	28	30	30	30
35-54	4	11.8	129	2	2	9	21	26	26	26										
55-74																				
75 +																				
ALL AGES	26	20.8	201	1	2	22	30	40	42	43	15	23.4	112	3	3	28	30	33	37	38
SUBTOTAL	**112**	**24.4**	**186**	**3**	**6**	**25**	**39**	**42**	**43**	**54**	**66**	**25.2**	**155**	**3**	**5**	**28**	**33**	**40**	**44**	**58**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	37.0		37	37	37	37	37	37	37	2	31.5	25	28	28	31	35	35	35	35
13-17	118	32.7	231	6	10	35	42	50	58	84	132	27.1	115	6	12	29	35	38	44	51
18-20	38	26.2	115	4	8	28	30	39	43	50	44	25.0	123	4	5	29	34	35	37	45
21-24	27	20.4	87	3	4	23	28	30	31	32	27	21.3	131	1	2	25	30	31	32	35
25-34	64	20.0	115	2	4	23	28	30	33	42	53	20.1	97	3	4	22	29	30	32	35
35-54	14	22.2	135	4	5	23	28	38	43	44	16	20.3	65	1	4	22	24	28	29	30
55-74																				
75 +																				
ALL AGES	262	26.9	193	3	5	28	37	43	50	74	274	24.5	117	3	5	27	32	35	39	48
B. FEMALE																				
0-12 YRS.	1	38.0		38	38	38	38	38	38	38										
13-17	39	35.7	374	6	16	37	42	55	84	87	39	30.4	153	8	13	30	35	46	55	62
18-20	4	15.8	215	2	2	16	28	29	29	29	11	26.3	112	5	6	30	33	35	35	35
21-24	8	22.6	140	4	4	27	30	34	35	35	5	23.2	121	5	5	28	30	32	32	32
25-34	11	21.5	86	2	8	23	29	32	33	33	13	18.0	113	1	3	21	28	30	30	30
35-54	6	16.7	77	2	3	19	23	26	26	26	3	19.3	107	8	8	22	26	28	28	28
55-74																				
75 +																				
ALL AGES	69	29.1	318	4	6	28	38	46	57	87	71	26.5	154	5	6	29	33	37	46	61
SUBTOTAL	**331**	**27.3**	**222**	**3**	**5**	**28**	**37**	**43**	**51**	**82**	**345**	**24.9**	**126**	**3**	**6**	**28**	**32**	**35**	**41**	**52**
GRAND TOTAL	**443**	**26.6**	**212**	**3**	**5**	**28**	**37**	**43**	**49**	**77**	**411**	**25.0**	**128**	**3**	**6**	**28**	**32**	**35**	**42**	**52**

AMPHETAMINE DEPENDENCE (304.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	5.0		5	5	5	5	5	5	5
25-34	2	27.5	5	26	26	27	29	29	29	29	2	12.5	181	3	3	12	22	22	22	22
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	3	19.0	219	2	2	26	28	29	29	29	3	10.0	109	3	3	5	18	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-17	1	42.0		42	42	42	42	42	42	42	1	8.0		8	8	8	8	8	8	8
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	2	18.5	221	8	8	18	29	29	29	29										
35-54											1	29.0		29	29	29	29	29	29	29
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	5	17.2	305	2	2	8	32	42	42	42	2	18.5	221	8	8	18	29	29	29	29
SUBTOTAL	**8**	**17.9**	**237**	**2**	**2**	**17**	**29**	**38**	**42**	**42**	**5**	**13.4**	**131**	**3**	**3**	**8**	**24**	**29**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	18.6	166	2	2	19	24	38	38	38	1	35.0		35	35	35	35	35	35	35
18-20	2	30.0	18	27	27	30	33	33	33	33	1	25.0		25	25	25	25	25	25	25
21-24	4	21.0	113	6	6	24	28	29	29	29	2	17.5	365	4	4	17	31	31	31	31
25-34	15	18.6	111	1	3	21	28	29	30	30	12	24.2	94	2	5	28	29	31	31	31
35-54	4	26.3	13	21	21	27	29	30	30	30	5	16.2	158	3	3	17	28	30	30	30
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	31	20.4	102	2	3	21	29	30	33	38	21	22.2	124	3	3	28	30	31	33	35
B. FEMALE																				
0-12 YRS.																				
13-17	1	37.0		37	37	37	37	37	37	37	5	28.4	151	12	12	30	34	46	46	46
18-20	1	30.0		30	30	30	30	30	30	30	1	4.0		4	4	4	4	4	4	4
21-24	5	6.8	54	1	1	4	11	19	19	19	4	20.3	136	4	4	22	28	32	32	32
25-34	8	18.6	78	5	6	18	27	29	29	29	6	21.5	184	3	3	30	30	31	31	31
35-54	2	18.0	32	14	14	18	22	22	22	22	2	16.5	265	5	5	16	28	28	28	28
55-74	1	36.0		36	36	36	36	36	36	36										
75 +																				
ALL AGES	18	17.9	132	1	3	18	28	34	37	37	18	21.6	166	3	4	26	30	32	40	46
SUBTOTAL	**49**	**19.4**	**115**	**2**	**3**	**21**	**28**	**30**	**36**	**38**	**39**	**21.9**	**141**	**3**	**4**	**28**	**30**	**31**	**34**	**46**
GRAND TOTAL	**57**	**19.2**	**128**	**2**	**2**	**21**	**29**	**30**	**37**	**42**	**44**	**21.0**	**141**	**3**	**4**	**27**	**30**	**31**	**33**	**46**

HALLUCINOGEN DEPENDENCE (304.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	12.0		12	12	12	12	12	12	12										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	18.0		18	18	18	18	18	18	18										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	18.0		18	18	18	18	18	18	18										
SUBTOTAL	**2**	**15.0**	**18**	**12**	**12**	**15**	**18**	**18**	**18**	**18**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	3.0	3	2	2	2	4	5	5	5	3	26.0	133	13	13	30	34	35	35	35
18-20	1	7.0		7	7	7	7	7	7	7	1	28.0		28	28	28	28	28	28	28
21-24											1	31.0		31	31	31	31	31	31	31
25-34	1	23.0		23	23	23	23	23	23	23	2	13.0	72	7	7	13	19	19	19	19
35-54																				
55-74																				
75 +																				
ALL AGES	5	7.8	77	2	2	5	11	23	23	23	7	23.3	108	7	8	28	31	34	35	35
B. FEMALE																				
0-12 YRS.																				
13-17	1	47.0		47	47	47	47	47	47	47	1	35.0		35	35	35	35	35	35	35
18-20	1	4.0		4	4	4	4	4	4	4										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	25.5	925	4	4	25	47	47	47	47	1	35.0		35	35	35	35	35	35	35
SUBTOTAL	**7**	**12.9**	**279**	**2**	**2**	**5**	**19**	**42**	**47**	**47**	**8**	**24.8**	**108**	**7**	**9**	**29**	**33**	**35**	**35**	**35**
GRAND TOTAL	**9**	**13.3**	**214**	**2**	**2**	**7**	**19**	**37**	**47**	**47**	**8**	**24.8**	**108**	**7**	**9**	**29**	**33**	**35**	**35**	**35**

DRUG DEPENDENCE NEC (304.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17											2	12.0	98	5	5	12	19	19	19	19
18-20																				
21-24	1	6.0		6	6	6	6	6	6	6										
25-34	3	11.0	100	1	1	11	18	21	21	21	2	16.5	421	2	2	16	31	31	31	31
35-54	2	4.5	1	4	4	4	5	5	5	5	2	12.0	162	3	3	12	21	21	21	21
55-74											2	7.0	50	2	2	7	12	12	12	12
75 +																				
ALL AGES	7	7.4	45	1	2	5	10	19	21	21	8	11.9	117	2	2	8	20	28	31	31
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	4.5	5	3	3	4	6	6	6	6	1	6.0		6	6	6	6	6	6	6
25-34	4	14.8	139	4	4	13	24	29	29	29	3	13.3	167	4	4	8	23	28	28	28
35-54	4	23.3	336	5	5	20	36	48	48	48	3	7.7	20	3	3	8	11	12	12	12
55-74	1	30.0		30	30	30	30	30	30	30										
75 +																				
ALL AGES	11	17.4	209	3	4	15	28	37	47	48	7	9.9	72	3	3	8	11	25	28	28
SUBTOTAL	**18**	**13.5**	**164**	**2**	**3**	**6**	**21**	**30**	**41**	**48**	**15**	**10.9**	**92**	**2**	**2**	**8**	**17**	**28**	**30**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	27.0	817	4	4	18	49	59	59	59										
18-20	3	20.3	958	1	1	4	43	56	56	56										
21-24	4	18.8	292	4	4	16	33	39	39	39										
25-34	4	21.3	29	14	14	22	25	27	27	27	6	7.3	105	1	1	4	5	26	28	28
35-54	1	3.0		3	3	3	3	3	3	3	5	14.2	171	4	4	5	28	29	29	29
55-74	1	17.0		17	17	17	17	17	17	17	1	28.0		28	28	28	28	28	28	28
75 +																				
ALL AGES	16	20.1	333	2	3	17	27	54	58	59	12	11.9	147	1	2	5	28	29	29	29
B. FEMALE																				
0-12 YRS.																				
13-17											1	42.0		42	42	42	42	42	42	42
18-20																				
21-24	2	15.0	392	1	1	15	29	29	29	29	1	5.0		5	5	5	5	5	5	5
25-34	9	13.4	143	3	3	6	28	29	30	30	5	13.6	207	2	2	5	25	35	35	35
35-54	9	15.1	135	3	3	12	23	33	37	37	2	4.5	1	4	4	4	5	5	5	5
55-74	2	17.5	421	3	3	17	32	32	32	32	4	13.0	124	2	2	11	21	28	28	28
75 +	1	12.0		12	12	12	12	12	12	12	1	13.0		13	13	13	13	13	13	13
ALL AGES	23	14.5	140	2	3	12	28	30	34	37	14	13.5	173	2	2	7	22	36	41	42
SUBTOTAL	**39**	**16.8**	**220**	**2**	**3**	**13**	**28**	**35**	**48**	**59**	**26**	**12.8**	**154**	**2**	**2**	**5**	**28**	**29**	**36**	**42**
GRAND TOTAL	**57**	**15.8**	**200**	**2**	**3**	**12**	**27**	**32**	**45**	**59**	**41**	**12.1**	**130**	**2**	**2**	**5**	**21**	**29**	**33**	**42**

OPIOID/OTHER DRUG DEPEND (304.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	29.7	118	19	19	29	38	41	41	41										
18-20											1	1.0		1	1	1	1	1	1	1
21-24	4	22.3	200	3	3	26	33	34	34	34	1	1.0		1	1	1	1	1	1	1
25-34	34	11.6	97	2	3	6	21	27	31	33	24	7.2	79	2	2	4	5	23	28	38
35-54	22	10.6	101	1	2	7	19	28	31	34	7	11.0	155	1	1	5	19	32	34	34
55-74	1	29.0		29	29	29	29	29	29	29										
75 +																				
ALL AGES	64	13.0	125	2	2	7	21	29	33	40	33	7.6	92	1	1	4	6	23	32	38
B. FEMALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-17	3	32.7	1155	6	6	21	58	71	71	71	1	14.0		14	14	14	14	14	14	14
18-20	1	4.0		4	4	4	4	4	4	4	1	21.0		21	21	21	21	21	21	21
21-24	7	13.4	138	3	3	6	26	28	28	28	4	9.0	101	3	3	4	14	24	24	24
25-34	20	7.2	38	1	2	5	10	19	20	20	16	7.8	65	1	1	5	8	24	28	29
35-54	10	14.6	77	4	4	13	22	26	28	28	4	14.8	170	3	3	14	26	28	28	28
55-74	1	23.0		23	23	23	23	23	23	23	2	3.0	8	1	1	3	5	5	5	5
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	44	12.2	154	2	3	6	20	24	28	71	28	9.3	81	1	2	5	13	25	28	29
SUBTOTAL	**108**	**12.7**	**135**	**2**	**3**	**7**	**21**	**28**	**32**	**54**	**61**	**8.4**	**86**	**1**	**1**	**4**	**8**	**24**	**28**	**38**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	63.0	529	40	40	63	80	86	86	86	1	10.0		10	10	10	10	10	10	10
18-20	4	20.0	326	2	2	20	35	37	37	37	1	20.0		20	20	20	20	20	20	20
21-24	5	11.2	128	2	2	4	23	25	25	25	4	14.8	220	1	1	14	27	30	30	30
25-34	48	17.1	101	3	3	19	25	29	32	36	21	9.1	102	1	2	5	10	26	30	32
35-54	37	13.3	73	3	4	11	21	25	27	29	11	6.7	85	3	3	3	5	18	33	34
55-74	1	31.0		31	31	31	31	31	31	31										
75 +																				
ALL AGES	98	17.0	178	2	3	18	23	30	36	75	38	9.3	105	1	2	4	10	27	31	34
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-20	1	2.0		2	2	2	2	2	2	2	2	16.0	288	4	4	16	28	28	28	28
21-24	5	12.4	60	2	2	14	19	20	20	20										
25-34	41	11.5	74	3	4	7	18	26	27	28	20	13.6	208	2	3	5	29	36	42	44
35-54	16	15.6	70	4	5	18	22	27	28	29	5	4.8		4	4	5	5	5	5	5
55-74	2	20.5	365	7	7	20	34	34	34	34										
75 +	1	32.0		32	32	32	32	32	32	32										
ALL AGES	67	12.9	82	2	4	8	20	27	28	34	27	12.1	177	2	3	5	23	33	41	44
SUBTOTAL	**165**	**15.3**	**144**	**2**	**3**	**14**	**22**	**28**	**33**	**60**	**65**	**10.5**	**134**	**2**	**3**	**5**	**12**	**30**	**33**	**43**
GRAND TOTAL	**273**	**14.3**	**140**	**2**	**3**	**10**	**22**	**28**	**32**	**58**	**126**	**9.5**	**111**	**1**			**8**	**28**	**32**	**41**

COMB DRUG DEPENDENCE NEC (304.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	21	29.7	576	6	6	28	47	74	98	99 +	37	35.2	200	5	15	41	46	46	53	59
18-20	8	20.8	88	8	9	22	29	31	31	31	6	16.7	297	1	1	13	25	44	46	46
21-24	11	12.3	118	1	2	5	22	28	29	29	3	11.0	108	5	5	5	19	23	23	23
25-34	29	17.0	138	2	4	18	27	32	35	39	22	18.0	102	2	3	22	27	28	30	32
35-54	3	13.7	120	1	1	19	20	21	21	21	5	12.2	98	2	2	10	22	24	24	24
55-74																				
75 +																				
ALL AGES	72	20.2	291	2	4	19	29	40	61	99	73	25.9	253	2	4	26	43	46	46	58
B. FEMALE																				
0-12 YRS.																				
13-17	11	35.8	481	6	10	35	46	63	84	86	15	31.9	164	4	11	33	40	46	47	47
18-20	4	11.0	197	3	3	4	18	32	32	32	2	2.5	5	1	1	2	4	4	4	4
21-24	5	19.6	137	2	2	27	28	28	28	28	3	13.0	333	1	1	4	26	34	34	34
25-34	15	14.5	108	3	3	11	26	27	28	28	8	13.8	146	4	4	6	27	30	31	31
35-54	11	21.9	122	4	6	25	29	34	38	38	5	19.0	153	5	5	27	28	29	29	29
55-74	3	29.0	523	3	3	38	44	46	46	46										
75 +																				
ALL AGES	49	22.1	276	3	3	25	29	44	47	86	33	22.1	238	1	3	28	33	41	46	47
SUBTOTAL	**121**	**21.0**	**282**	**3**	**4**	**21**	**29**	**42**	**48**	**97**	**106**	**24.7**	**250**	**2**	**4**	**26**	**38**	**46**	**46**	**57**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	22	41.5	580	3	7	41	56	81	93	99 +	3	17.0	589	2	2	4	35	45	45	45
18-20	12	17.4	232	1	2	12	29	40	41	41	6	11.0	136	2	2	5	21	29	30	30
21-24	4	8.0	115	1	1	3	14	24	24	24	5	15.4	137	4	4	13	26	30	30	30
25-34	38	14.8	113	1	2	15	23	28	37	38	19	15.0	140	2	3	5	28	29	29	29
35-54	8	15.3	200	2	2	11	27	35	37	37	11	14.0	131	2	3	6	24	31	31	31
55-74	1	28.0		28	28	28	28	28	28	28	1	4.0		4	4	4	4	4	4	4
75 +	1	19.0		19	19	19	19	19	19	19										
ALL AGES	86	21.9	383	1	2	21	31	46	69	96	45	14.2	145	2	3	5	28	30	31	45
B. FEMALE																				
0-12 YRS.																				
13-17	11	35.0	533	4	5	39	43	69	76	77	2	4.0	2	3	3	4	5	5	5	5
18-20	4	16.5	60	9	9	15	22	27	27	27	2	18.0	338	5	5	18	31	31	31	31
21-24	6	20.0	218	2	2	24	30	36	37	37	10	10.9	132	4	4	6	9	32	34	34
25-34	19	15.6	126	2	4	11	26	30	35	38	17	7.4	62	1	2	5	6	23	28	29
35-54	6	23.0	148	1	2	26	31	35	35	35	8	11.1	152	2	3	5	18	31	32	32
55-74	3	10.7	65	5	5	7	17	20	20	20	1	30.0		30	30	30	30	30	30	30
75 +	1	28.0		28	28	28	28	28	28	28										
ALL AGES	50	21.3	264	2	4	20	30	39	44	77	40	9.9	112	2	3	5	7	30	32	34
SUBTOTAL	**136**	**21.7**	**336**	**1**	**2**	**21**	**31**	**42**	**61**	**90**	**85**	**12.2**	**132**	**2**	**3**	**5**	**25**	**30**	**31**	**41**
GRAND TOTAL	**257**	**21.4**	**308**	**2**	**3**	**21**	**30**	**42**	**56**	**95**	**191**	**19.1**	**237**	**2**	**3**	**21**	**30**	**45**	**46**	**52**

DRUG DEPENDENCE NOS (304.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	6	43.0	340	24	24	41	52	72	74	74	1	6.0		6	6	6	6	6	6	6
18-20	2	25.0		25	25	25	25	25	25	25	1	28.0		28	28	28	28	28	28	28
21-24	4	21.5	147	5	5	24	30	32	32	32	2	12.0	242	1	1	12	23	23	23	23
25-34	16	11.9	135	1	2	6	24	30	31	32	17	11.1	93	1	2	7	22	22	27	30
35-54	5	15.0	155	4	4	7	28	30	30	30	8	6.9	39	1	1	5	8	17	21	21
55-74	1	8.0		8	8	8	8	8	8	8	1	1.0		1	1	1	1	1	1	1
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	34	19.6	284	2	2	20	29	40	50	74	31	9.9	85	1	1	6	21	23	28	30
B. FEMALE																				
0-12 YRS.																				
13-17	4	23.8	336	7	7	22	39	43	43	43	2	19.5	613	2	2	19	37	37	37	37
18-20	2	17.5	365	4	4	17	31	31	31	31	2	9.0	2	8	8	9	10	10	10	10
21-24	1	1.0		1	1	1	1	1	1	1	4	15.3	154	3	3	14	25	30	30	30
25-34	8	9.9	126	1	1	3	20	26	29	29	18	7.8	84	1	1	5	8	23	32	35
35-54	8	11.9	103	2	3	8	18	28	31	31	9	14.8	127	6	6	8	23	33	37	37
55-74	2	8.0	8	6	6	8	10	10	10	10	1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	25	12.8	159	1	1	7	20	31	38	43	36	11.1	115	1	2	7	11	30	36	37
SUBTOTAL	**59**	**16.7**	**240**	**1**	**2**	**10**	**28**	**34**	**43**	**72**	**67**	**10.5**	**101**	**1**	**1**	**7**	**18**	**28**	**31**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	29.4	646	1	1	34	53	54	54	54										
18-20	5	19.6	56	7	7	21	23	27	27	27	1	8.0		8	8	8	8	8	8	8
21-24	8	20.0	172	1	2	21	25	39	44	44	5	8.0	76	1	1	[illegible]	15	21	21	21
25-34	19	14.7	142	1	1	12	22	30	39	44	15	15.5	126	3	4	10	24	34	35	35
35-54	7	17.3	157	1	1	16	29	32	33	33	9	9.2	13	4	4	10	11	14	14	14
55-74	1	5.0		5	5	5	5	5	5	5										
75 +											2	10.0		10	10	10	10	10	10	10
ALL AGES	45	18.0	195	1	1	20	26	34	46	54	32	12.0	81	2	3	10	14	25	33	35
B. FEMALE																				
0-12 YRS.																				
13-17	8	15.8	221	3	3	12	22	41	46	46	2	9.0	72	3	3	9	15	15	15	15
18-20	4	9.0	45	3	3	7	14	18	18	18	2	17.5	545	1	1	17	34	34	34	34
21-24	6	18.2	81	6	6	21	25	28	28	28										
25-34	19	10.1	108	1	2	5	17	28	32	34	16	14.8	96	2	3	10	24	28	31	33
35-54	8	15.0	204	2	3	9	23	38	44	44	6	12.5	82	5	5	10	13	28	30	30
55-74	1	19.0		19	19	19	19	19	19	19	1	7.0		7	7	7	7	7	7	7
75 +	1	46.0		46	46	46	46	46	46	46										
ALL AGES	47	13.8	153	2	3	8	22	30	44	46	27	13.7	102	2	3	10	22	30	33	34
SUBTOTAL	**92**	**15.8**	**178**	**1**	**2**	**12**	**23**	**33**	**44**	**54**	**59**	**12.8**	**89**	**2**	**3**	**10**	**19**	**28**	**33**	**35**
GRAND TOTAL	**151**	**16.2**	**199**	**1**	**2**	**11**	**25**	**33**	**44**	**54**	**126**	**11.6**	**96**	**1**	**2**	**8**	**21**	**28**	**33**	**37**

ALCOHOL ABUSE (305.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	2.0	2	1	1	1	3	4	4	4	2	2.0	2	1	1	2	3	3	3	3
13-17	75	3.1	68	1	1	1	2	4	15	52	89	1.6	1	1	1	1	2	3	4	7
18-20	45	2.2	26	1	1	1	2	2	4	35	32	2.5	30	1	1	1	2	2	10	31
21-24	62	4.9	74	1	1	1	3	17	25	40	22	1.5	1	1	1	1	2	3	4	4
25-34	96	7.0	96	1	1	2	9	26	30	34	56	1.6	1	1	1	1	2	3	5	5
35-54	114	7.0	83	1	1	2	9	20	31	35	65	3.3	21	1	1	2	3	6	11	27
55-74	39	4.0	22	1	1	2	4	9	12	27	38	3.2	5	1	1	3	4	6	7	11
75 +	1	1.0		1	1	1	1	1	1	1	9	2.6	2	1	1	2	4	5	5	5
ALL AGES	436	5.2	73	1	1	1	4	18	28	35	313	2.3	9	1	1	1	3	4	6	18
B. FEMALE																				
0-12 YRS.	5	7.8	156	1	1	3	10	30	30	30	2	3.5	13	1	1	3	6	6	6	6
13-17	46	3.4	62	1	1	1	2	3	21	47	44	1.8	3	1	1	1	2	5	6	7
18-20	19	2.7	50	1	1	1	1	2	18	32	21	2.6	40	1	1	1	1	2	15	30
21-24	14	7.2	119	1	1	1	10	29	31	32	16	2.9	25	1	1	1	2	6	16	21
25-34	41	5.6	71	1	1	2	7	16	23	41	26	1.8	2	1	1	1	2	4	5	6
35-54	30	6.6	120	1	1	3	5	17	20	57	30	3.0	21	1	1	1	4	6	9	25
55-74	20	7.9	101	1	1	2	13	26	30	32	19	3.0	6	1	1	2	4	7	9	9
75 +	1	5.0		5	5	5	5	5	5	5	3	1.0		1	1	1	1	1	1	1
ALL AGES	176	5.3	84	1	1	1	4	17	29	45	161	2.4	13	1	1	1	2	5	7	25
SUBTOTAL	**612**	**5.2**	**76**	**1**	**1**	**1**	**4**	**18**	**28**	**36**	**474**	**2.3**	**11**	**1**	**1**	**1**	**2**	**5**	**6**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	22.5	841	2	2	22	43	43	43	43	3	3.0	7	1	1	2	5	6	6	6
13-17	45	14.0	376	1	1	5	21	42	45	97	29	10.6	200	1	1	6	10	39	46	49
18-20	23	4.7	48	1	1	2	5	15	23	28	4	1.3		1	1	1	1	2	2	2
21-24	30	7.9	104	1	1	2	14	27	27	27	12	4.9	38	1	1	2	7	14	20	21
25-34	78	5.3	46	1	1	3	7	12	23	31	27	4.8	32	1	1	3	4	10	22	23
35-54	59	5.3	53	1	1	3	4	15	25	33	37	5.2	81	1	1	3	4	9	25	48
55-74	17	6.6	48	1	2	4	8	18	24	26	11	8.1	88	2	2	5	7	26	30	30
75 +	2	5.0	2	4	4	5	6	6	6	6	1	4.0		4	4	4	4	4	4	4
ALL AGES	256	7.3	126	1	1	3	7	24	29	44	124	6.4	94	1	1	3	6	21	28	48
B. FEMALE																				
0-12 YRS.																				
13-17	45	9.7	264	1	1	3	6	43	47	69	24	7.1	131	1	1	4	7	11	37	53
18-20	12	2.6	3	1	1	2	4	5	6	6	4	1.5		1	1	1	2	2	2	2
21-24	18	5.4	74	1	1	2	5	20	29	31	6	1.7	1	1	1	1	2	4	4	4
25-34	40	8.6	114	1	1	3	16	28	30	33	18	2.7	2	1	1	3	3	4	5	6
35-54	37	4.8	40	1	1	3	5	9	20	32	21	3.5	37	1	1	2	3	6	17	29
55-74	11	14.5	211	2	2	7	23	36	49	50	12	5.1	50	1	1	3	5	12	25	27
75 +	2	3.0	2	2	2	3	4	4	4	4										
ALL AGES	165	7.6	136	1	1	3	6	26	32	50	85	4.4	55	1	1	2	4	7	13	45
SUBTOTAL	**421**	**7.4**	**130**	**1**	**1**	**3**	**7**	**25**	**31**	**50**	**209**	**5.5**	**78**	**1**	**1**	**3**	**5**	**10**	**27**	**48**
GRAND TOTAL	**1033**	**6.1**	**99**	**1**	**1**	**2**	**5**	**20**	**29**	**44**	**683**	**3.3**	**34**	**1**	**1**	**1**	**3**	**6**	**9**	**30**

TOBACCO USE DISORDER (305.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	50.0		50	50	50	50	50	50	50										
21-24																				
25-34																				
35-54	1	12.0		12	12	12	12	12	12	12										
55-74																				
75 +																				
ALL AGES	2	31.0	722	12	12	31	50	50	50	50										
B. FEMALE																				
0-12 YRS.																				
13-17	2	50.0	2	49	49	50	51	51	51	51										
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	34.3	741	3	3	49	50	51	51	51										
SUBTOTAL	**5**	**33.0**	**553**	**3**	**3**	**49**	**50**	**51**	**51**	**51**										
GRAND TOTAL	**6**	**27.7**	**610**	**1**	**1**	**30**	**50**	**51**	**51**	**51**										

CANNABIS ABUSE (305.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	5.5	41	1	1	5	10	10	10	10	2	14.0	338	1	1	14	27	27	27	27
18-20	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
21-24	1	1.0		1	1	1	1	1	1	1	1	11.0		11	11	11	11	11	11	11
25-34	3	10.3	87	4	4	6	17	21	21	21	3	2.3	1	2	2	2	3	3	3	3
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	7	6.4	52	1	1	4	9	19	21	21	8	6.1	82	1	1	2	7	22	27	27
B. FEMALE																				
0-12 YRS.																				
13-17	4	25.0	402	7	7	22	41	49	49	49	1	13.0		13	13	13	13	13	13	13
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
25-34	1	31.0		31	31	31	31	31	31	31										
35-54																				
55-74																				
75 +																				
ALL AGES	6	22.3	338	3	3	20	34	47	49	49	2	7.0	72	1	1	6	13	13	13	13
SUBTOTAL	**13**	**13.8**	**233**	**1**	**1**	**7**	**23**	**37**	**47**	**49**	**10**	**6.3**	**72**	**1**	**1**	**2**	**11**	**20**	**27**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	19	29.5	544	1	2	30	48	54	68	78	2	25.5	1013	3	3	25	48	48	48	48
18-20	7	19.9	207	3	3	19	28	41	44	44	1	4.0		4	4	4	4	4	4	4
21-24	7	8.9	102	2	2	3	18	24	25	25	3	31.0	1053	4	4	22	56	67	67	67
25-34	6	14.7	95	4	4	14	22	27	28	28	4	8.8	14	5	5	8	11	14	14	14
35-54	4	13.0	150	3	3	15	26	30	30	30	1	9.0		9	9	9	9	9	9	9
55-74																				
75 +																				
ALL AGES	43	21.3	363	2	2	19	30	49	53	78	11	17.5	438	3	3	9	20	56	66	67
B. FEMALE																				
0-12 YRS.																				
13-17	8	41.3	74	29	30	43	47	53	55	55										
18-20	2	29.5	365	16	16	29	43	43	43	43										
21-24	1	25.0		25	25	25	25	25	25	25	1	3.0		3	3	3	3	3	3	3
25-34	1	29.0		29	29	29	29	29	29	29										
35-54	2	22.5	761	3	3	22	42	42	42	42										
55-74																				
75 +																				
ALL AGES	14	34.9	189	6	15	38	43	50	54	55	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**57**	**24.6**	**353**	**2**	**3**	**23**	**43**	**50**	**54**	**76**	**12**	**16.3**	**416**	**3**	**3**	**8**	**18**	**54**	**65**	**67**
GRAND TOTAL	**70**	**22.6**	**345**	**2**	**2**	**21**	**35**	**49**	**52**	**74**	**22**	**11.7**	**276**	**1**	**1**	**5**	**13**	**33**	**56**	**67**

HALLUCINOGEN ABUSE (305.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	2.0	2	1	1	2	3	3	3	3	1	1.0		1	1	1	1	1	1	1
18-20	2	1.0		1	1	1	1	1	1	1										
21-24	1	3.0		3	3	3	3	3	3	3										
25-34											1	8.0		8	8	8	8	8	8	8
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	6	1.7	1	1	1	1	3	3	3	3	2	4.5	25	1	1	4	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	6	1.7	1	1	1	1	3	3	3	3	2	4.5	25	1	1	4	8	8	8	8
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	14.7	559	1	1	1	32	42	42	42										
18-20	1	29.0		29	29	29	29	29	29	29										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	18.3	422	1	1	15	35	42	42	42										
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	2	29.0		29	29	29	29	29	29	29										
21-24	1	28.0		28	28	28	28	28	28	28										
25-34																				
35-54																				
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	5	19.2	176	1	1	28	29	29	29	29										
SUBTOTAL	9	18.8	247	1	1	28	29	37	42	42										
GRAND TOTAL	15	11.9	218	1	1	3	28	29	39	42	2	4.5	25	1	1	4	8	8	8	8

BARBITURATE ABUSE (305.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	2.0		2	2	2	2	2	2	2										
35-54	1	5.0		5	5	5	5	5	5	5	3	6.3	7	4	4	6	8	9	9	9
55-74																				
75 +																				
ALL AGES	4	2.5	3	1	1	2	4	5	5	5	3	6.3	7	4	4	6	8	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											2	3.0	8	1	1	3	5	5	5	5
35-54	3	7.0	52	1	1	5	12	15	15	15										
55-74	1	5.0		5	5	5	5	5	5	5	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	4	6.5	36	1	1	5	10	15	15	15	3	3.0	4	1	1	3	4	5	5	5
SUBTOTAL	**8**	**4.5**	**21**	**1**	**1**	**3**	**5**	**12**	**15**	**15**	**6**	**4.7**	**7**	**1**	**1**	**4**	**6**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	7.0		7	7	7	7	7	7	7										
25-34	2	8.0	18	5	5	8	11	11	11	11	5	2.2	1	1	1	3	3	3	3	3
35-54	4	4.5	7	1	1	5	6	7	7	7	1	6.0		6	6	6	6	6	6	6
55-74																				
75 +																				
ALL AGES	7	5.9	9	1	1	6	7	10	11	11	6	2.8	4	1	1	3	3	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	18.0		18	18	18	18	18	18	18										
21-24																				
25-34	5	11.0	22	3	3	13	14	15	15	15	2	2.0	2	1	1	2	3	3	3	3
35-54	3	6.7	1	6	6	6	8	8	8	8	2	14.5	265	3	3	14	26	26	26	26
55-74											1	13.0		13	13	13	13	13	13	13
75 +																				
ALL AGES	9	10.3	25	3	4	11	14	17	18	18	5	9.2	110	1	1	3	16	26	26	26
SUBTOTAL	**16**	**8.4**	**21**	**1**	**3**	**7**	**12**	**15**	**17**	**18**	**11**	**5.7**	**57**	**1**	**1**	**3**	**5**	**18**	**25**	**26**
GRAND TOTAL	**24**	**7.1**	**24**	**1**	**1**	**6**	**11**	**15**	**16**	**18**	**17**	**5.4**	**38**	**1**	**1**	**3**	**6**	**12**	**21**	**26**

OPIOID ABUSE (305.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	5	4.0	13	1	1	3	5	10	10	10										
25-34	13	9.9	172	1	1	3	16	29	40	43	7	4.9	5	3	3	4	5	9	10	10
35-54	6	5.0	18	1	1	4	6	12	13	13	7	3.7	7	1	1	3	5	8	9	9
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	25	7.2	101	1	1	3	7	24	30	43	15	4.2	6	1	2	4	5	9	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	4	6.3	28	1	1	5	10	13	13	13										
25-34	7	9.9	129	3	3	4	12	30	34	34	4	5.0	5	3	3	4	6	8	8	8
35-54	3	2.7	4	1	1	2	4	5	5	5	1	3.0		3	3	3	3	3	3	3
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	15	7.3	70	1	1	4	8	15	29	34	5	4.6	4	3	3	4	6	8	8	8
SUBTOTAL	**40**	**7.2**	**88**	**1**	**1**	**4**	**7**	**19**	**30**	**43**	**20**	**4.3**	**5**	**1**	**2**	**4**	**5**	**8**	**9**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-20																				
21-24	3	16.0	172	4	4	14	26	30	30	30										
25-34	14	13.5	67	3	3	15	22	22	24	24	22	6.1	24	3	3	4	8	11	17	24
35-54	9	8.8	126	1	1	4	11	29	29	29	9	5.4	13	1	2	4	8	11	12	12
55-74											2	1.5	1	1	1	1	2	2	2	2
75 +																				
ALL AGES	26	12.2	95	2	3	9	22	28	29	30	34	5.5	20	1	2	4	7	11	12	24
B. FEMALE																				
0-12 YRS.																				
13-17	2	10.5	61	5	5	10	16	16	16	16										
18-20											1	11.0		11	11	11	11	11	11	11
21-24	2	13.0	200	3	3	13	23	23	23	23	4	6.0	12	3	3	5	8	11	11	11
25-34	11	10.5	97	1	2	5	18	25	29	29	8	7.0	11	3	3	6	10	12	12	12
35-54	3	13.3	154	3	3	10	23	27	27	27										
55-74																				
75 +																				
ALL AGES	18	11.3	91	1	2	8	19	26	28	29	13	7.0	11	3	3	6	11	11	12	12
SUBTOTAL	**44**	**11.8**	**92**	**2**	**3**	**8**	**21**	**27**	**29**	**30**	**47**	**5.9**	**18**	**2**	**3**	**4**	**9**	**11**	**12**	**24**
GRAND TOTAL	**84**	**9.6**	**94**	**1**	**1**	**4**	**15**	**24**	**29**	**40**	**67**	**5.4**	**15**	**2**	**3**	**4**	**7**	**11**	**12**	**22**

COCAINE ABUSE (305.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	7.0		7	7	7	7	7	7	7
18-20	4	11.0	122	1	1	10	20	22	22	22	3	17.7	141	4	4	23	25	26	26	26
21-24	15	13.0	117	2	2	10	21	24	34	38	29	18.8	77	3	4	21	25	28	28	30
25-34	44	11.8	108	1	1	6	22	25	28	30	96	17.2	105	2	3	21	26	28	32	35
35-54	10	8.0	89	1	1	4	13	23	31	31	32	15.3	115	3	3	18	26	27	32	33
55-74																				
75 +																				
ALL AGES	73	11.5	105	1	1	5	22	24	28	36	161	17.1	100	2	3	21	26	28	31	33
B. FEMALE																				
0-12 YRS.																				
13-17	1	15.0		15	15	15	15	15	15	15										
18-20	3	9.0	91	3	3	4	16	20	20	20	5	13.2	197	2	2	4	28	30	30	30
21-24	7	11.4	125	1	1	3	23	24	24	24	13	12.8	105	2	3	8	25	27	28	28
25-34	17	14.6	111	2	2	21	23	26	27	27	36	16.6	116	2	3	19	25	32	33	39
35-54	7	6.9	90	1	1	3	6	24	28	28	9	10.9	57	1	3	9	16	23	24	24
55-74																				
75 +																				
ALL AGES	35	12.0	104	1	2	4	23	24	27	28	63	14.7	112	2	3	11	25	28	33	38
SUBTOTAL	**108**	**11.7**	**103**	**1**	**1**	**5**	**22**	**24**	**28**	**34**	**224**	**16.4**	**105**	**2**	**3**	**20**	**25**	**28**	**32**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-20	10	12.4	122	1	1	9	23	28	28	28	5	11.4	152	3	3	6	16	33	33	33
21-24	16	13.4	92	2	3	12	22	25	28	29	15	21.5	63	3	5	25	26	27	28	28
25-34	61	14.0	136	1	2	14	25	29	30	47	117	14.2	116	2	2	10	25	28	29	36
35-54	20	14.7	115	2	3	14	22	29	34	38	31	15.7	109	3	3	19	25	28	30	33
55-74																				
75 +																				
ALL AGES	108	13.8	121	2	2	12	22	29	29	43	168	15.1	112	2	3	17	25	28	29	34
B. FEMALE																				
0-12 YRS.																				
13-17	2	11.0	72	5	5	11	17	17	17	17										
18-20											4	3.8	6	1	1	3	5	7	7	7
21-24	8	4.0	6	1	1	3	5	8	9	9	11	17.1	120	3	3	21	26	30	33	33
25-34	19	11.4	109	1	2	8	18	29	30	30	25	11.0	85	1	2	7	21	25	26	26
35-54	2	2.5	1	2	2	2	3	3	3	3	7	6.9	81	1	1	4	6	23	27	27
55-74																				
75 +																				
ALL AGES	31	8.9	83	1	2	5	11	28	29	30	47	11.2	97	1	2	7	21	26	27	33
SUBTOTAL	**139**	**12.7**	**116**	**1**	**2**	**8**	**22**	**29**	**29**	**39**	**215**	**14.2**	**112**	**2**	**3**	**10**	**25**	**28**	**28**	**34**
GRAND TOTAL	**247**	**12.2**	**112**	**1**	**2**	**8**	**22**	**28**	**29**	**38**	**439**	**15.3**	**110**	**2**	**3**	**19**	**25**	**28**	**30**	**34**

AMPHETAMINE ABUSE (305.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	5.0		5	5	5	5	5	5	5
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
25-34	1	9.0		9	9	9	9	9	9	9	1	25.0		25	25	25	25	25	25	25
35-54																				
55-74																				
75 +																				
ALL AGES	2	5.0	32	1	1	5	9	9	9	9	3	10.7	155	2	2	5	20	25	25	25
B. FEMALE																				
0-12 YRS.																				
13-17	2	13.0	128	5	5	13	21	21	21	21										
18-20	1	4.0		4	4	4	4	4	4	4										
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3	2	3.0	2	2	2	3	4	4	4	4
35-54																				
55-74																				
75 +																				
ALL AGES	4	8.3	72	3	3	4	13	21	21	21	2	3.0	2	2	2	3	4	4	4	4
SUBTOTAL	**6**	**7.2**	**52**	**1**	**1**	**4**	**9**	**20**	**21**	**21**	**5**	**7.6**	**96**	**2**	**2**	**4**	**10**	**25**	**25**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	45.0		45	45	45	45	45	45	45
18-20																				
21-24	2	3.5	5	2	2	3	5	5	5	5										
25-34	6	10.0	122	1	1	4	22	26	26	26										
35-54																				
55-74																				
75 +																				
ALL AGES	8	8.4	96	1	1	4	14	25	26	26	1	45.0		45	45	45	45	45	45	45
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	28.0		28	28	28	28	28	28	28										
25-34	3	8.3	103	2	2	3	16	20	20	20										
35-54	2	13.5	113	6	6	13	21	21	21	21										
55-74																				
75 +																				
ALL AGES	6	13.3	123	2	2	13	21	27	28	28										
SUBTOTAL	**14**	**10.5**	**105**	**1**	**2**	**5**	**21**	**26**	**28**	**28**	**1**	**45.0**		**45**	**45**	**45**	**45**	**45**	**45**	**45**
GRAND TOTAL	**20**	**9.5**	**88**	**1**	**1**	**5**	**20**	**24**	**27**	**28**	**6**	**13.8**	**311**	**2**	**2**	**4**	**25**	**43**	**45**	**45**

ANTIDEPRESSANT ABUSE (305.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											3	3.0	7	1	1	2	5	6	6	6
55-74																				
75 +																				
ALL AGES											3	3.0	7	1	1	2	5	6	6	6
SUBTOTAL											**3**	**3.0**	**7**	**1**	**1**	**2**	**5**	**6**	**6**	**6**
GRAND TOTAL											**3**	**3.0**	**7**	**1**	**1**	**2**	**5**	**6**	**6**	**6**

DRUG ABUSE NEC/NOS (305.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	16	11.4	209	1	1	5	13	41	47	49	3	5.0	48	1	1	1	10	13	13	13
18-20	8	11.4	101	1	1	10	22	23	23	23	3	14.3	126	6	6	10	23	27	27	27
21-24	17	7.6	78	1	1	4	9	25	29	30	6	13.5	213	1	1	8	28	34	35	35
25-34	49	10.5	120	1	1	5	22	29	31	32	17	9.2	76	2	2	5	12	24	28	30
35-54	11	7.8	67	1	1	5	10	21	28	29	2	3.5	1	3	3	3	4	4	4	4
55-74	1	3.0		3	3	3	3	3	3	3	4	7.0	6	4	4	7	9	9	9	9
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	103	9.9	117	1	1	5	16	29	31	46	35	9.5	86	1	1	6	11	27	29	35
B. FEMALE																				
0-12 YRS.	2	45.5	421	31	31	45	60	60	60	60										
13-17	4	30.8	587	2	2	30	47	61	61	61										
18-20	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
21-24	7	11.9	141	1	1	4	22	28	29	29	4	16.8	253	1	1	17	30	31	31	31
25-34	25	11.4	122	1	2	5	25	29	29	29	13	6.0	59	1	1	4	5	15	27	30
35-54	12	14.7	164	2	2	9	28	30	31	31	5	14.4	216	3	3	4	30	31	31	31
55-74	1	4.0		4	4	4	4	4	4	4	3	3.7	2	2	2	4	5	5	5	5
75 +																				
ALL AGES	52	14.7	222	1	2	5	28	30	34	61	26	8.8	120	1	1	4	6	30	31	31
SUBTOTAL	**155**	**11.5**	**156**	**1**	**1**	**5**	**22**	**29**	**31**	**59**	**61**	**9.2**	**99**	**1**	**1**	**5**	**11**	**30**	**31**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9	1	18.0		18	18	18	18	18	18	18
13-17	35	32.7	470	2	3	42	50	58	60	75	2	1.5	1	1	1	1	2	2	2	2
18-20	14	15.4	354	1	1	8	20	45	58	62	6	7.2	126	1	1	3	4	27	30	30
21-24	17	9.5	96	1	1	4	16	23	29	33	10	11.1	105	2	2	7	21	27	28	28
25-34	36	9.5	89	1	2	5	14	27	31	34	22	10.0	73	1	2	9	13	23	31	34
35-54	25	7.8	64	1	2	4	10	21	28	29	11	7.9	86	1	1	5	9	22	32	33
55-74																				
75 +																				
ALL AGES	128	16.1	321	1	2	8	23	48	54	65	52	9.3	83	1	1	6	11	27	30	34
B. FEMALE																				
0-12 YRS.																				
13-17	20	35.2	464	2	7	42	52	68	88	99+	6	12.0	325	1	1	2	19	43	46	46
18-20	4	13.0	303	2	2	5	22	39	39	39	3	7.3	9	4	4	9	9	9	9	9
21-24	7	5.9	45	1	1	2	9	17	19	19	7	5.0	9	1	1	5	7	9	10	10
25-34	26	12.5	209	2	2	6	19	34	47	57	17	7.6	44	1	2	6	9	14	24	29
35-54	11	8.7	104	1	1	6	9	25	35	36	7	6.7	33	1	1	5	11	15	16	16
55-74	3	13.0	79	6	6	10	20	23	23	23	1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	71	17.7	361	2	2	10	30	50	60	95	41	7.7	68	1	1	5	9	15	23	46
SUBTOTAL	**199**	**16.7**	**333**	**1**	**2**	**9**	**24**	**49**	**56**	**76**	**93**	**8.5**	**78**	**1**	**1**	**5**	**10**	**21**	**29**	**41**
GRAND TOTAL	**354**	**14.4**	**262**	**1**	**2**	**6**	**23**	**42**	**51**	**62**	**154**	**8.8**	**85**	**1**	**1**	**5**	**10**	**27**	**30**	**35**

PSYCHOGEN MUSCULSKEL DIS (306.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	4	1.5		1	1	1	2	2	2	2										
35-54	1	3.0		3	3	3	3	3	3	3	2	1.0		1	1	1	1	1	1	1
55-74	2	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	7	1.9		1	1	2	2	3	3	3	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-20	1	3.0		3	3	3	3	3	3	3										
21-24																				
25-34	2	8.5	113	1	1	8	16	16	16	16										
35-54	3	4.0	7	2	2	3	6	7	7	7	3	3.3	11	1	1	2	6	7	7	7
55-74	2	11.5	1	11	11	11	12	12	12	12										
75 +	1	3.0		3	3	3	3	3	3	3	1	5.0		5	5	5	5	5	5	5
ALL AGES	10	6.1	27	1	1	3	11	14	16	16	4	3.8	7	1	1	3	6	7	7	7
SUBTOTAL	**17**	**4.4**	**19**	**1**	**1**	**3**	**4**	**12**	**15**	**16**	**6**	**2.8**	**7**	**1**	**1**	**2**	**5**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	4.0		4	4	4	4	4	4	4
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	1	6.0		6	6	6	6	6	6	6										
75 +																				
ALL AGES	2	3.5	13	1	1	3	6	6	6	6	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	2.0		2	2	2	2	2	2	2
21-24	1	3.0		3	3	3	3	3	3	3										
25-34											1	19.0		19	19	19	19	19	19	19
35-54	3	19.0	199	4	4	21	29	32	32	32	2	4.5	1	4	4	4	5	5	5	5
55-74	1	12.0		12	12	12	12	12	12	12	1	11.0		11	11	11	11	11	11	11
75 +																				
ALL AGES	5	14.4	149	3	3	12	24	32	32	32	5	8.2	48	2	2	5	13	19	19	19
SUBTOTAL	**7**	**11.3**	**130**	**1**	**1**	**6**	**19**	**30**	**32**	**32**	**6**	**7.5**	**41**	**2**	**2**	**5**	**11**	**18**	**19**	**19**
GRAND TOTAL	**24**	**6.4**	**58**	**1**	**1**	**3**	**9**	**16**	**24**	**32**	**12**	**5.2**	**27**	**1**	**1**	**4**	**6**	**13**	**18**	**19**

PSYCHOGENIC RESPIR DIS (306.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	4.5	25	1	1	4	8	8	8	8										
13-17	1	1.0		1	1	1	1	1	1	1	3	3.3	5	1	1	4	5	5	5	5
18-20	1	2.0		2	2	2	2	2	2	2	2	2.5	5	1	1	2	4	4	4	4
21-24	1	1.0		1	1	1	1	1	1	1	2	2.5	1	2	2	2	3	3	3	3
25-34	4	1.5	1	1	1	1	2	3	3	3	3	2.7		2	2	3	3	3	3	3
35-54	15	2.5	4	1	1	2	4	5	7	7	15	2.1	2	1	1	2	3	3	5	6
55-74	7	2.6	5	1	1	2	4	6	7	7	6	2.0	1	1	1	2	2	4	4	4
75 +	4	3.3		2	2	3	4	4	4	4	3	7.3	31	1	1	10	11	11	11	11
ALL AGES	35	2.5	4	1	1	2	4	5	7	8	34	2.7	6	1	1	2	3	5	9	11
B. FEMALE																				
0-12 YRS.	2	3.0		3	3	3	3	3	3	3	2	1.0		1	1	1	1	1	1	1
13-17	1	2.0		2	2	2	2	2	2	2	3	2.7	1	2	2	2	4	4	4	4
18-20	3	1.7		1	1	2	2	2	2	2	4	3.0	1	2	2	3	4	4	4	4
21-24																				
25-34	3	5.7	41	1	1	3	10	13	13	13	13	3.6	12	1	1	3	4	10	12	12
35-54	20	2.6	1	1	1	2	3	4	5	6	11	2.8	4	1	1	3	4	6	7	7
55-74	13	2.6	3	1	1	2	4	5	6	6	13	3.0	3	1	1	3	4	6	6	6
75 +	8	1.8	1	1	1	1	3	3	3	3	11	3.5	3	2	2	3	5	6	7	7
ALL AGES	50	2.6	4	1	1	2	3	4	6	13	57	3.1	5	1	1	3	4	6	7	12
SUBTOTAL	**85**	**2.6**	**4**	**1**	**1**	**2**	**3**	**4**	**6**	**11**	**91**	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**7**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
18-20																				
21-24	2	2.0	2	1	1	1	3	3	3	3	1	3.0		3	3	3	3	3	3	3
25-34	5	2.4	5	1	1	1	4	6	6	6	2	3.0		3	3	3	3	3	3	3
35-54	4	3.8	17	1	1	2	6	10	10	10										
55-74	5	4.4	6	1	1	5	6	7	7	7	2	2.0		2	2	2	2	2	2	2
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	17	3.4	7	1	1	3	5	7	9	10	7	2.6		2	2	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
18-20	2	5.0	8	3	3	5	7	7	7	7	2	1.5	1	1	1	1	2	2	2	2
21-24											2	1.5	1	1	1	1	2	2	2	2
25-34	2	3.0	2	2	2	3	4	4	4	4	4	2.3	1	1	1	2	3	4	4	4
35-54	16	3.6	7	1	1	3	4	7	10	11	13	2.2	2	1	1	2	3	4	5	5
55-74	13	6.1	22	1	2	4	8	14	16	16	11	3.0	1	1	1	3	4	4	4	4
75 +	6	3.8	4	2	2	3	6	6	6	6	5	4.2	12	1	1	4	6	10	10	10
ALL AGES	40	4.4	12	1	1	3	6	9	13	16	38	2.6	3	1	1	2	4	4	5	10
SUBTOTAL	**57**	**4.1**	**11**	**1**	**1**	**3**	**6**	**7**	**11**	**16**	**45**	**2.6**	**3**	**1**	**1**	**2**	**4**	**4**	**5**	**10**
GRAND TOTAL	**142**	**3.2**	**7**	**1**	**1**	**2**	**4**	**6**	**8**	**14**	**136**	**2.9**	**4**	**1**	**1**	**2**	**4**	**5**	**7**	**11**

PSYCHOGEN CARDIOVASC DIS (306.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-20																				
21-24																				
25-34	2	2.5	1	2	2	2	3	3	3	3	2	2.5	1	2	2	2	3	3	3	3
35-54	10	5.2	11	2	2	4	6	11	11	11	3	3.0	3	1	1	4	4	4	4	4
55-74	10	3.0	4	1	1	2	5	6	6	6	3	4.7	14	2	2	3	7	9	9	9
75 +	3	6.7	6	4	4	7	8	9	9	9	3	4.7	14	2	2	3	7	9	9	9
ALL AGES	25	4.3	8	1	1	4	6	9	11	11	12	3.6	7	1	1	3	4	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	3.5	1	3	3	3	4	4	4	4	2	2.5	1	2	2	2	3	3	3	3
35-54	2	9.5	85	3	3	9	16	16	16	16	5	3.4	1	2	2	3	4	5	5	5
55-74	5	3.8	4	2	2	3	5	7	7	7	1	4.0		4	4	4	4	4	4	4
75 +	3	2.7	2	1	1	3	4	4	4	4	3	3.0	1	2	2	3	4	4	4	4
ALL AGES	12	4.4	16	1	2	3	4	10	15	16	11	3.2	1	2	2	3	4	5	5	5
SUBTOTAL	**37**	**4.3**	**10**	**1**	**1**	**3**	**5**	**9**	**11**	**16**	**23**	**3.4**	**4**	**1**	**1**	**3**	**4**	**6**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-20	2	4.0		4	4	4	4	4	4	4										
21-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54											3	3.7	6	1	1	4	5	6	6	6
55-74	1	1.0		1	1	1	1	1	1	1	2	4.0	2	3	3	4	5	5	5	5
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	4	2.5	3	1	1	2	4	4	4	4	7	3.7	3	1	1	4	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	3	3.0	3	2	2	2	4	5	5	5	3	3.0	1	2	2	3	4	4	4	4
55-74	1	2.0		2	2	2	2	2	2	2										
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	5	2.8	2	2	2	2	3	5	5	5	4	3.3		2	2	3	4	4	4	4
SUBTOTAL	**9**	**2.7**	**2**	**1**	**1**	**2**	**4**	**5**	**5**	**5**	**11**	**3.5**	**3**	**1**	**1**	**4**	**5**	**6**	**6**	**6**
GRAND TOTAL	**46**	**4.0**	**9**	**1**	**1**	**3**	**5**	**7**	**11**	**16**	**34**	**3.4**	**4**	**1**	**2**	**3**	**4**	**5**	**8**	**9**

PSYCHOGENIC SKIN DISEASE (306.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES											1	10.0		10	10	10	10	10	10	10
SUBTOTAL											**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**

PSYCHOGENIC GI DISEASE (306.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	3.2	1	2	2	3	4	5	5	5	2	3.0		3	3	3	3	3	3	3
13-17	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	4	3.8	4	2	2	3	5	7	7	7	1	3.0		3	3	3	3	3	3	3
35-54	3	3.3	6	2	2	2	5	6	6	6										
55-74	1	10.0		10	10	10	10	10	10	10	2	2.0		2	2	2	2	2	2	2
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	16	3.7	5	2	2	3	4	7	9	10	7	3.1	1	2	2	3	4	5	5	5
B. FEMALE																				
0-12 YRS.	2	3.5	5	2	2	3	5	5	5	5	3	3.3	2	2	2	4	4	4	4	4
13-17	3	4.7	2	3	3	5	6	6	6	6	3	15.0	363	4	4	4	29	37	37	37
18-20																				
21-24	2	4.0	8	2	2	4	6	6	6	6	6	10.3	222	1	1	3	14	36	39	39
25-34	1	8.0		8	8	8	8	8	8	8	4	4.5	2	3	3	4	5	6	6	6
35-54	8	4.6	3	2	2	5	6	7	7	7	5	6.8	7	4	4	6	8	11	11	11
55-74	6	4.5	12	2	2	3	5	10	11	11	3	4.3	2	3	3	5	5	5	5	5
75 +	4	4.0	5	2	2	3	5	7	7	7	3	3.3	2	2	2	4	4	4	4	4
ALL AGES	26	4.5	5	2	2	4	6	7	9	11	27	7.1	87	1	2	4	6	13	37	39
SUBTOTAL	**42**	**4.2**	**5**	**2**	**2**	**4**	**6**	**7**	**9**	**11**	**34**	**6.3**	**71**	**1**	**2**	**4**	**5**	**11**	**32**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	2.5	1	2	2	2	3	3	3	3										
13-17																				
18-20																				
21-24	3	5.3	11	3	3	4	8	9	9	9										
25-34	1	6.0		6	6	6	6	6	6	6	1	3.0		3	3	3	3	3	3	3
35-54	2	6.5	5	5	5	6	8	8	8	8	2	4.0	8	2	2	4	6	6	6	6
55-74	5	7.6	13	3	3	8	10	12	12	12	2	2.0	2	1	1	2	3	3	3	3
75 +																				
ALL AGES	13	6.0	10	2	3	5	8	10	12	12	5	3.0	4	1	1	3	4	6	6	6
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
13-17	2	3.5	1	3	3	3	4	4	4	4										
18-20											1	3.0		3	3	3	3	3	3	3
21-24	1	9.0		9	9	9	9	9	9	9	3	16.0	196	6	6	10	26	32	32	32
25-34	8	5.3	6	1	2	5	7	8	8	8	2	6.0	50	1	1	6	11	11	11	11
35-54	10	6.3	25	2	2	5	7	14	19	19	6	5.5	13	2	2	5	8	11	11	11
55-74	9	9.9	34	4	4	8	12	20	21	21	6	6.3	5	3	3	6	8	9	9	9
75 +	4	5.3	2	4	4	5	6	7	7	7	1	4.0		4	4	4	4	4	4	4
ALL AGES	35	6.6	22	1	3	6	8	10	19	21	20	7.0	44	1	1	6	9	11	22	32
SUBTOTAL	**48**	**6.5**	**18**	**2**	**3**	**5**	**8**	**10**	**18**	**21**	**25**	**6.2**	**38**	**1**	**1**	**5**	**8**	**11**	**16**	**32**
GRAND TOTAL	**90**	**5.4**	**13**	**2**	**2**	**5**	**7**	**10**	**11**	**20**	**59**	**6.2**	**57**	**1**	**2**	**4**	**6**	**11**	**24**	**39**

PSYCHOGENIC GU DISEASE (306.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	4.0		4	4	4	4	4	4	4
35-54																				
55-74																				
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
13-17											1	5.0		5	5	5	5	5	5	5
18-20																				
21-24											1	2.0		2	2	2	2	2	2	2
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	4	4.5	10	2	2	3	6	9	9	9	3	3.0	3	2	2	2	4	5	5	5
SUBTOTAL	**5**	**4.0**	**9**	**2**	**2**	**3**	**5**	**9**	**9**	**9**	**4**	**3.3**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	2	4.0	8	2	2	4	6	6	6	6										
75 +																				
ALL AGES	3	5.3	10	2	2	6	7	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17	2	6.5	1	6	6	6	7	7	7	7										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	6.5	1	6	6	6	7	7	7	7										
SUBTOTAL	**5**	**5.8**	**5**	**2**	**2**	**6**	**7**	**8**	**8**	**8**										
GRAND TOTAL	**10**	**4.9**	**7**	**2**	**2**	**5**	**7**	**8**	**9**	**9**	**4**	**3.3**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**5**

PSYCHOGENIC SENSORY DIS (306.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	4.0		4	4	4	4	4	4	4
21-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

PSYCHOGENIC DISORDER NEC (306.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											2	5.5	5	4	4	5	7	7	7	7
21-24																				
25-34																				
35-54	2	2.5	5	1	1	2	4	4	4	4	1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	2	2.5	5	1	1	2	4	4	4	4	3	5.0	3	4	4	4	6	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											2	2.0	2	1	1	2	3	3	3	3
21-24	1	3.0		3	3	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
25-34	1	9.0		9	9	9	9	9	9	9										
35-54																				
55-74																				
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	3	5.0	12	3	3	3	8	9	9	9	3	2.3	2	1	1	3	3	3	3	3
SUBTOTAL	**5**	**4.0**	**9**	**1**	**1**	**3**	**5**	**9**	**9**	**9**	**6**	**3.7**	**4**	**1**	**1**	**3**	**4**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	2	5.5	5	4	4	5	7	7	7	7										
55-74	1	25.0		25	25	25	25	25	25	25										
75 +																				
ALL AGES	4	9.5	111	2	2	5	16	25	25	25										
SUBTOTAL	**5**	**8.8**	**86**	**2**	**2**	**6**	**11**	**25**	**25**	**25**										
GRAND TOTAL	**10**	**6.4**	**48**	**1**	**1**	**4**	**7**	**17**	**25**	**25**	**6**	**3.7**	**4**	**1**	**1**	**3**	**4**	**7**	**7**	**7**

PSYCHOGENIC DISORDER NOS (306.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
18-20																				
21-24																				
25-34	1	23.0		23	23	23	23	23	23	23										
35-54	1	6.0		6	6	6	6	6	6	6	1	2.0		2	2	2	2	2	2	2
55-74	1	6.0		6	6	6	6	6	6	6										
75 +																				
ALL AGES	4	10.0	75	5	5	6	15	23	23	23	3	2.3	1	2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17											3	3.3	17	1	1	1	6	8	8	8
18-20																				
21-24																				
25-34	2	13.0	72	7	7	13	19	19	19	19	1	4.0		4	4	4	4	4	4	4
35-54	9	6.3	46	3	3	4	6	17	24	24	3	2.7	4	1	1	2	4	5	5	5
55-74	1	19.0		19	19	19	19	19	19	19	2	2.5	1	2	2	2	3	3	3	3
75 +																				
ALL AGES	12	8.5	57	3	3	5	13	21	24	24	9	3.0	6	1	1	2	4	7	8	8
SUBTOTAL	**16**	**8.9**	**57**	**3**	**3**	**6**	**13**	**23**	**24**	**24**	**12**	**2.8**	**4**	**1**	**1**	**2**	**4**	**6**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54	3	11.0	25	6	6	11	15	16	16	16										
55-74																				
75 +																				
ALL AGES	4	9.3	28	4	4	8	13	16	16	16										
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-20																				
21-24																				
25-34	2	16.5	25	13	13	16	20	20	20	20	2	3.0	2	2	2	3	4	4	4	4
35-54	4	17.8	251	3	3	18	31	32	32	32	1	12.0		12	12	12	12	12	12	12
55-74	2	4.0	2	3	3	4	5	5	5	5	3	9.7	24	5	5	9	13	15	15	15
75 +	2	4.0	2	3	3	4	5	5	5	5										
ALL AGES	10	12.0	135	3	3	5	20	31	32	32	7	6.9	27	1	1	5	11	14	15	15
SUBTOTAL	**14**	**11.2**	**102**	**3**	**3**	**6**	**16**	**31**	**32**	**32**	**7**	**6.9**	**27**	**1**	**1**	**5**	**11**	**14**	**15**	**15**
GRAND TOTAL	**30**	**10.0**	**76**	**3**	**3**	**6**	**16**	**23**	**31**	**32**	**19**	**4.3**	**16**	**1**	**1**	**3**	**5**	**11**	**14**	**15**

STAMMERING & STUTTERING (307.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20													1	1.0		1	1	1	1	1	1	1
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES													1	1.0		1	1	1	1	1	1	1
SUBTOTAL													**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL													**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

ANOREXIA NERVOSA (307.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	1	81.0		81	81	81	81	81	81	81	1	21.0		21	21	21	21	21	21	21
18-20																				
21-24																				
25-34	2	10.5	113	3	3	10	18	18	18	18										
35-54	1	6.0		6	6	53	99+	99+	99+	99+										
55-74																				
75 +																				
ALL AGES	4	27.0	1338	3	3	18	86	99+	99+	99+	2	11.5	181	2	2	11	21	21	21	21
B. FEMALE																				
0-12 YRS.	1	40.0		40	40	99+	99+	99+	99+	99+	2	13.5	145	5	5	13	22	22	22	22
13-17	25	23.2	418	2	3	21	38	61	80	99+	9	15.8	458	1	1	6	23	51	68	68
18-20	17	30.6	655	4	5	27	49	61	81	91	5	54.2	1025	3	3	63	72	89	89	89
21-24	7	31.4	563	11	11	28	77	99+	99+	99+	6	6.3	24	3	3	5	6	15	16	16
25-34	11	26.1	286	3	4	28	42	48	49	49	3	5.3	11	3	3	4	8	9	9	9
35-54	10	22.7	270	4	5	16	38	45	48	48	5	15.6	97	9	9	12	18	33	33	33
55-74	2	5.0		5	5	5	5	5	5	5	1	6.0		6	6	6	6	6	6	6
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	73	25.8	433	3	5	26	46	67	99+	99+	32	18.2	540	3	3	6	22	64	68	89
SUBTOTAL	**77**	**25.9**	**461**	**3**	**5**	**26**	**47**	**76**	**99+**	**99+**	**34**	**17.8**	**515**	**2**	**3**	**6**	**22**	**63**	**68**	**89**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	30.0		30	30	30	30	30	30	30	1	61.0		61	61	61	61	61	61	61
18-20	2	56.0	288	44	44	56	68	68	68	68										
21-24																				
25-34	1	10.0		10	10	10	10	10	10	10										
35-54											1	41.0		41	41	41	41	41	41	41
55-74																				
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	4	38.0	595	10	10	37	56	68	68	68	3	35.0	868	3	3	41	56	61	61	61
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	29	34.5	677	3	4	42	71	99+	99+	99+	8	32.5	927	2	2	29	61	70	71	71
18-20	22	32.1	563	3	4	28	41	73	77	81	5	43.8	1060	8	8	38	59	96	96	96
21-24	18	34.4	425	11	13	29	53	76	91	99+	5	22.2	426	5	5	12	43	47	47	47
25-34	38	29.0	380	3	4	28	41	49	70	83	7	12.4	266	1	2	7	32	84	99+	99+
35-54	18	26.1	424	3	4	28	39	52	68	77	4	13.8	130	3	3	12	23	28	28	28
55-74	2	12.0	98	5	5	12	19	19	19	19	3	2.7		2	2	3	3	3	3	3
75 +	1	8.0		8	8	8	8	8	8	8	1	10.0		10	10	10	10	10	10	10
ALL AGES	129	30.5	488	3	4	29	44	75	91	99+	33	22.7	621	2	3	11	47	68	91	99+
SUBTOTAL	**133**	**30.7**	**490**	**3**	**4**	**29**	**44**	**75**	**89**	**99+**	**36**	**23.8**	**626**	**2**	**3**	**11**	**47**	**67**	**87**	**99+**
GRAND TOTAL	**210**	**28.9**	**485**	**3**	**4**	**28**	**45**	**75**	**99+**	**99+**	**70**	**20.9**	**572**	**2**	**3**	**9**	**37**	**65**	**71**	**99**

TICS (307.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	13.0	301	2	2	4	26	33	33	33										
13-17	1	3.0		3	3	3	3	3	3	3										
18-20	2	13.0	2	12	12	13	14	14	14	14										
21-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	6	11.3	138	2	2	8	14	31	33	33	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54											1	5.0		5	5	5	5	5	5	5
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**7**	**10.6**	**118**	**2**	**2**	**6**	**13**	**29**	**33**	**33**	**2**	**3.5**	**5**	**2**	**2**	**3**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	8	24.8	257	3	5	23	39	46	48	48										
13-17	3	26.3	1252	3	3	9	52	67	67	67										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	11	25.2	431	3	3	23	40	56	66	67										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**12**	**23.2**	**440**	**1**	**2**	**18**	**39**	**54**	**65**	**67**										
GRAND TOTAL	**19**	**18.5**	**349**	**1**	**2**	**12**	**31**	**45**	**58**	**67**	**2**	**3.5**	**5**	**2**	**2**	**3**	**5**	**5**	**5**	**5**

STEREOTYPED MOVEMENTS (307.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3

NONORGANIC SLEEP DISORD (307.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	3.7	14	1	1	2	6	8	8	8										
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74											1	7.0		7	7	7	7	7	7	7
75 +																				
ALL AGES	4	3.3	10	1	1	2	5	8	8	8	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74											1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	9.0		9	9	9	9	9	9	9
SUBTOTAL	**5**	**3.0**	**8**	**1**	**1**	**2**	**4**	**8**	**8**	**8**	**2**	**8.0**	**2**	**7**	**7**	**8**	**9**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**										
GRAND TOTAL	**7**	**2.6**	**6**	**1**	**1**	**2**	**2**	**7**	**8**	**8**	**2**	**8.0**	**2**	**7**	**7**	**8**	**9**	**9**	**9**	**9**

EATING DISORDERS NEC/NOS (307.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	19.6	1037	3	3	4	27	77	77	77	1	5.0		5	5	5	5	5	5	5
13-17	3	23.3	757	6	6	9	43	55	55	55	1	33.0		33	33	33	33	33	33	33
18-20																				
21-24	2	22.5	841	2	2	22	43	43	43	43	2	5.0	18	2	2	5	8	8	8	8
25-34																				
35-54	2	14.0	72	8	8	14	20	20	20	20	1	3.0		3	3	3	3	3	3	3
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	12	20.1	607	2	3	8	31	62	75	77	6	9.0	143	2	2	4	8	30	33	33
B. FEMALE																				
0-12 YRS.	6	4.0	6	1	1	3	7	7	7	7	2	1.5	1	1	1	1	2	2	2	2
13-17	30	26.4	290	2	2	28	37	49	50	67	3	28.0	1669	1	1	8	58	75	75	75
18-20	37	23.5	384	1	2	24	32	41	61	97	5	13.0	182	1	1	9	25	31	31	31
21-24	23	32.1	209	13	14	32	38	58	60	62	2	23.5	61	18	18	23	29	29	29	29
25-34	21	24.2	454	1	1	25	32	52	66	82	3	26.3	173	14	14	25	36	40	40	40
35-54	10	19.0	273	3	4	12	30	43	55	55	1	3.0		3	3	3	3	3	3	3
55-74	3	9.0	28	5	5	7	13	15	15	15	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	130	24.2	338	1	2	25	33	49	58	85	17	16.8	381	1	1	9	26	38	63	75
SUBTOTAL	**142**	**23.9**	**356**	**2**	**3**	**24**	**33**	**49**	**58**	**83**	**23**	**14.8**	**320**	**1**	**1**	**8**	**24**	**34**	**52**	**75**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	26.0	2	25	25	26	27	27	27	27	1	6.0		6	6	6	6	6	6	6
13-17											1	40.0		40	40	40	40	40	40	40
18-20																				
21-24	2	29.0	450	14	14	29	44	44	44	44	2	17.5	145	9	9	17	26	26	26	26
25-34	2	15.0	200	5	5	15	25	25	25	25										
35-54	1	33.0		33	33	33	33	33	33	33										
55-74											1	5.0		5	5	5	5	5	5	5
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	7	24.7	159	5	7	25	31	42	44	44	6	15.2	211	5	5	7	26	39	40	40
B. FEMALE																				
0-12 YRS.	3	26.7	990	7	7	10	50	63	63	63	1	2.0		2	2	2	2	2	2	2
13-17	29	29.8	338	2	6	29	43	65	98	99 +	4	29.0	277	8	8	30	41	47	47	47
18-20	36	23.6	298	1	2	24	35	51	54	66	7	27.1	268	3	5	33	40	46	47	47
21-24	23	28.4	457	4	5	26	39	57	74	86	3	16.7	201	7	7	10	27	33	33	33
25-34	40	23.6	345	1	1	25	31	47	57	75	9	32.1	180	14	16	32	42	51	53	53
35-54	20	23.8	630	2	3	14	40	55	79	97	8	13.4	118	3	3	9	24	28	29	29
55-74	2	10.0	2	9	9	10	11	11	11	11	1	7.0		7	7	7	7	7	7	7
75 +	1	4.0		4	4	4	4	4	4	4	3	17.7	225	8	8	10	29	35	35	35
ALL AGES	154	25.3	386	1	4	25	38	53	65	99 +	36	22.6	235	3	4	23	34	46	47	53
SUBTOTAL	**161**	**25.2**	**379**	**2**	**4**	**25**	**38**	**53**	**65**	**99**	**42**	**21.5**	**235**	**3**	**4**	**21**	**34**	**43**	**47**	**53**
GRAND TOTAL	**303**	**24.6**	**367**	**2**	**3**	**25**	**35**	**51**	**62**	**97**	**65**	**19.2**	**268**	**1**	**2**	**14**	**32**	**40**	**47**	**72**

ENCOPRESIS (307.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	1	21.0		21	21	21	21	21	21	21										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	11.5	181	2	2	11	21	21	21	21										
SUBTOTAL	**2**	**11.5**	**181**	**2**	**2**	**11**	**21**	**21**	**21**	**21**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	26.2	1442	3	3	8	39	93	93	93	1	2.0		2	2	2	2	2	2	2
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	26.2	1442	3	3	8	39	93	93	93	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
13-17	1	7.0		7	7	7	7	7	7	7										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	6.0	2	5	5	6	7	7	7	7	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**7**	**20.4**	**1060**	**3**	**3**	**7**	**18**	**79**	**93**	**93**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**
GRAND TOTAL	**9**	**18.4**	**834**	**2**	**2**	**7**	**21**	**64**	**93**	**93**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**

PSYCHALGIA (307.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	3	2.0	1	1	1	2	3	3	3	3
13-17	7	3.1	4	1	1	3	4	6	7	7										
18-20	3	3.7	6	1	1	4	5	6	6	6	2	6.0	2	5	5	6	7	7	7	7
21-24	5	2.6	4	1	1	2	4	6	6	6	3	7.3	5	5	5	8	9	9	9	9
25-34	15	2.9	2	1	1	3	4	5	6	7	11	2.8	3	1	1	2	4	5	7	7
35-54	25	3.6	3	1	1	4	5	6	7	8	16	2.6	2	1	1	2	3	5	6	6
55-74	5	4.0	5	1	1	4	5	7	7	7	5	6.6	9	3	3	7	8	11	11	11
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	61	3.3	3	1	1	3	4	6	7	8	41	3.6	6	1	1	3	5	7	8	11
B. FEMALE																				
0-12 YRS.	6	9.0	262	2	2	3	3	38	42	42	5	2.0	1	1	1	2	2	3	3	3
13-17	12	3.3		2	2	3	4	4	4	4	6	1.8	1	1	1	2	2	3	3	3
18-20	5	3.4	8	1	1	3	5	8	8	8	6	2.5	2	1	1	2	4	4	4	4
21-24	12	3.8	4	1	1	4	5	6	7	7	9	3.8	2	2	2	4	5	5	5	5
25-34	39	4.1	10	1	1	3	5	8	12	16	34	3.4	5	1	1	3	4	6	8	9
35-54	54	3.8	6	1	1	3	5	8	8	13	34	4.2	10	1	2	3	6	9	12	14
55-74	27	4.3	6	1	1	4	6	8	9	11	22	4.6	7	1	1	4	6	8	9	11
75 +	11	4.3	7	1	1	4	6	9	9	9	4	4.5	3	3	3	4	6	7	7	7
ALL AGES	166	4.1	15	1	1	3	5	8	9	16	120	3.8	6	1	1	3	5	7	9	13
SUBTOTAL	**227**	**3.9**	**12**	**1**	**1**	**3**	**5**	**7**	**8**	**14**	**161**	**3.7**	**6**	**1**	**1**	**3**	**5**	**7**	**9**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	7.4	146	1	1	2	9	29	29	29										
18-20	3	3.0	7	1	1	2	5	6	6	6										
21-24	1	1.0		1	1	1	1	1	1	1	1	6.0		6	6	6	6	6	6	6
25-34	5	5.4	16	1	1	6	8	11	11	11	1	2.0		2	2	2	2	2	2	2
35-54	7	3.6	5	1	1	3	5	7	7	7	3	3.0	1	2	2	3	4	4	4	4
55-74	5	7.0	40	2	2	5	9	18	18	18	2	10.0	50	5	5	10	15	15	15	15
75 +	2	4.0	8	2	2	4	6	6	6	6										
ALL AGES	28	5.1	35	1	1	3	6	10	19	29	7	5.3	20	2	2	4	6	13	15	15
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	4	4.3	4	2	2	4	6	7	7	7										
18-20	4	4.0	3	2	2	4	5	6	6	6	3	2.0		2	2	2	2	2	2	2
21-24	4	5.5	14	2	2	5	8	10	10	10	3	3.0	7	1	1	2	5	6	6	6
25-34	17	7.4	26	2	3	6	9	14	20	23	17	4.8	30	1	1	4	5	7	19	25
35-54	43	5.8	18	1	2	5	8	11	16	18	21	3.6	3	1	1	4	5	6	7	7
55-74	13	6.8	13	3	3	6	10	12	14	14	6	6.5	20	3	3	5	7	14	15	15
75 +	1	17.0		17	17	17	17	17	17	17	2	5.5	13	3	3	5	8	8	8	8
ALL AGES	87	6.2	18	2	2	5	8	12	15	21	52	4.3	14	1	1	4	5	7	8	25
SUBTOTAL	**115**	**5.9**	**23**	**1**	**2**	**5**	**7**	**12**	**16**	**25**	**59**	**4.4**	**15**	**1**	**1**	**4**	**5**	**7**	**12**	**24**
GRAND TOTAL	**342**	**4.6**	**16**	**1**	**1**	**4**	**6**	**9**	**11**	**19**	**220**	**3.9**	**8**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

SPECIAL SYMPTOM NEC/NOS (307.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	8.0	21	4	4	7	11	13	13	13	3	2.0	1	1	1	2	3	3	3	3
13-17																				
18-20	1	5.0		5	5	5	5	5	5	5										
21-24	3	5.7	65	1	1	1	11	15	15	15	1	9.0		9	9	9	9	9	9	9
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	2	3.0		3	3	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
55-74	4	9.5	22	4	4	9	13	15	15	15	2	2.0	2	1	1	2	3	3	3	3
75 +	1	2.0		2	2	2	2	2	2	2	1	12.0		12	12	12	12	12	12	12
ALL AGES	15	6.7	23	1	1	5	10	15	15	15	8	4.3	16	1	1	3	6	11	12	12
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-20											1	1.0		1	1	1	1	1	1	1
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	5	8.6	235	1	1	2	11	36	36	36										
55-74	2	4.5	5	3	3	4	6	6	6	6	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	9	6.1	128	1	1	2	4	24	36	36	2	3.0	8	1	1	3	5	5	5	5
SUBTOTAL	**24**	**6.5**	**58**	**1**	**1**	**4**	**8**	**15**	**21**	**36**	**10**	**4.0**	**14**	**1**	**1**	**3**	**5**	**10**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-20																				
21-24																				
25-34																				
35-54	2	1.5	1	1	1	1	2	2	2	2	1	2.0		2	2	2	2	2	2	2
55-74	2	3.5	1	3	3	3	4	4	4	4										
75 +	4	9.5	27	2	2	11	13	13	13	13										
ALL AGES	9	5.9	23	1	1	4	11	13	13	13	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	1	13.0		13	13	13	13	13	13	13										
18-20																				
21-24																				
25-34											1	6.0		6	6	6	6	6	6	6
35-54	1	1.0		1	1	1	1	1	1	1	1	8.0		8	8	8	8	8	8	8
55-74	3	4.3	5	2	2	5	6	6	6	6	5	2.8	2	1	1	3	4	4	4	4
75 +	1	8.0		8	8	8	8	8	8	8	2	5.5	5	4	4	5	7	7	7	7
ALL AGES	7	5.6	16	1	1	5	7	12	13	13	9	4.3	6	1	1	4	6	8	8	8
SUBTOTAL	**16**	**5.8**	**18**	**1**	**1**	**4**	**9**	**13**	**13**	**13**	**10**	**4.1**	**5**	**1**	**1**	**4**	**6**	**7**	**8**	**8**
GRAND TOTAL	**40**	**6.2**	**42**	**1**	**1**	**4**	**8**	**13**	**15**	**36**	**20**	**4.1**	**9**	**1**	**1**	**3**	**5**	**8**	**10**	**12**

STRESS REACT, EMOTIONAL (308.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7										
18-20																				
21-24											1	1.0		1	1	1	1	1	1	1
25-34	2	1.5	1	1	1	1	2	2	2	2	2	2.0	2	1	1	2	3	3	3	3
35-54	4	3.0	5	1	1	2	4	6	6	6										
55-74	3	4.3	7	2	2	4	6	7	7	7	5	2.0	2	1	1	2	3	4	4	4
75 +	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
ALL AGES	11	3.3	5	1	1	2	5	7	7	7	9	1.8	1	1	1	1	2	4	4	4
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	2	5.5	5	4	4	5	7	7	7	7										
18-20	2	9.5	41	5	5	9	14	14	14	14										
21-24											1	4.0		4	4	4	4	4	4	4
25-34	3	11.7	159	2	2	7	21	26	26	26	2	1.5	1	1	1	1	2	2	2	2
35-54	11	4.5	5	1	2	4	7	7	7	7	8	1.9	3	1	1	1	3	5	5	5
55-74	8	3.6	8	1	1	3	5	8	9	9	6	2.5	1	1	1	2	3	4	4	4
75 +	4	5.5	28	1	1	4	9	13	13	13	1	3.0		3	3	3	3	3	3	3
ALL AGES	31	5.5	24	1	1	4	7	11	14	26	18	2.2	2	1	1	2	3	4	5	5
SUBTOTAL	**42**	**4.9**	**20**	**1**	**1**	**4**	**7**	**8**	**13**	**26**	**27**	**2.1**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-20																				
21-24																				
25-34	3	1.7	1	1	1	1	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
35-54	5	2.4	2	1	1	3	3	4	4	4	1	5.0		5	5	5	5	5	5	5
55-74	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	9	2.1	1	1	1	2	3	4	4	4	5	2.6	3	1	1	2	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	2	7.0	32	3	3	7	11	11	11	11	1	1.0		1	1	1	1	1	1	1
18-20	3	1.7	1	1	1	1	2	3	3	3	1	1.0		1	1	1	1	1	1	1
21-24	4	7.5	4	5	5	8	9	9	9	9										
25-34	3	8.7	21	5	5	7	12	14	14	14	2	2.5	1	2	2	2	3	3	3	3
35-54	10	7.1	35	1	1	6	8	17	19	19	10	2.3	3	1	1	2	3	5	7	7
55-74	2	4.5	1	4	4	4	5	5	5	5	7	3.3	2	1	1	3	4	6	6	6
75 +	1	4.0		4	4	4	4	4	4	4	2	5.0	8	3	3	5	7	7	7	7
ALL AGES	25	6.4	21	1	1	5	8	14	16	19	23	2.7	4	1	1	2	3	6	7	7
SUBTOTAL	**34**	**5.2**	**20**	**1**	**1**	**4**	**7**	**11**	**15**	**19**	**28**	**2.7**	**3**	**1**	**1**	**2**	**4**	**6**	**7**	**7**
GRAND TOTAL	**76**	**5.1**	**19**	**1**	**1**	**4**	**7**	**9**	**14**	**24**	**55**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**6**	**7**

STRESS REACTION, FUGUE (308.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	7.0		7	7	7	7	7	7	7
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	1.0		1	1	1	1	1	1	1										
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	5	1.6	1	1	1	1	2	3	3	3										
SUBTOTAL	**6**	**2.2**	**2**	**1**	**1**	**2**	**3**	**5**	**5**	**5**	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
SUBTOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**7**	**2.9**	**5**	**1**	**1**	**2**	**4**	**7**	**7**	**7**	**2**	**4.0**	**18**	**1**	**1**	**4**	**7**	**7**	**7**	**7**

STRESS REACT, PSYCHOMOT (308.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	6.0		6	6	6	6	6	6	6
55-74																				
75 +																				
ALL AGES											1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	6.0		6	6	6	6	6	6	6
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											1	6.0		6	6	6	6	6	6	6

ACUTE STRESS REACT NEC (308.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	18.3	502	3	3	8	35	44	44	44										
18-20																				
21-24	7	4.1	11	1	1	3	7	9	9	9	1	1.0		1	1	1	1	1	1	1
25-34	7	4.4	9	1	1	4	6	9	10	10	2	2.0	2	1	1	2	3	3	3	3
35-54	6	4.0	15	1	1	2	6	10	11	11	2	1.5	1	1	1	1	2	2	2	2
55-74	2	2.5	5	1	1	2	4	4	4	4	3	3.0	3	2	2	2	4	5	5	5
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	26	5.7	70	1	1	4	6	10	18	44	8	2.1	2	1	1	2	3	4	5	5
B. FEMALE																				
0-12 YRS.	1	39.0		39	39	39	39	39	39	39										
13-17	7	25.0	828	2	2	6	56	64	64	64	1	3.0		3	3	3	3	3	3	3
18-20	2	20.5	145	12	12	20	29	29	29	29	1	1.0		1	1	1	1	1	1	1
21-24	6	4.5	7	2	2	4	6	9	9	9	1	4.0		4	4	4	4	4	4	4
25-34	12	5.8	113	1	1	2	4	17	36	39	2	3.0	2	2	2	3	4	4	4	4
35-54	7	5.9	40	1	1	3	8	17	19	19	3	4.7	6	2	2	5	6	7	7	7
55-74	3	3.7		3	3	4	4	4	4	4	3	6.7	54	1	1	4	12	15	15	15
75 +	1	13.0		13	13	13	13	13	13	13	2	3.5	13	1	1	3	6	6	6	6
ALL AGES	39	10.7	260	1	2	4	9	37	52	64	13	4.2	14	1	1	4	5	9	14	15
SUBTOTAL	**65**	**8.7**	**188**	**1**	**1**	**4**	**8**	**29**	**40**	**64**	**21**	**3.4**	**10**	**1**	**1**	**2**	**4**	**6**	**11**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	7.3	71	2	2	10	58	99 +	99 +	99 +										
18-20	4	6.3	14	2	2	6	9	10	10	10										
21-24	2	8.5	13	6	6	8	11	11	11	11										
25-34	13	11.3	64	1	2	8	18	21	23	23	2	12.5	221	2	2	12	23	23	23	23
35-54	11	8.1	73	1	1	6	13	23	24	24										
55-74	2	10.5	5	9	9	10	12	12	12	12	1	22.0		22	22	22	22	22	22	22
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	35	9.2	53	1	1	8	17	22	24	99 +	4	12.3	139	2	2	12	22	23	23	23
B. FEMALE																				
0-12 YRS.																				
13-17	8	33.0	216	17	18	31	45	86	99 +	99 +										
18-20	3	11.3	83	1	1	15	17	18	18	18										
21-24	3	18.7	342	1	1	17	33	38	38	38	2	2.0	2	1	1	2	3	3	3	3
25-34	14	10.4	153	1	1	5	15	25	41	46	2	2.5	5	1	1	2	4	4	4	4
35-54	15	9.5	121	1	1	5	16	21	36	41	5	3.0	4	1	1	3	4	6	6	6
55-74	5	9.2	31	3	3	9	13	17	17	17	2	6.5	1	6	6	6	7	7	7	7
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	49	14.1	206	1	1	10	20	38	46	99 +	11	3.4	4	1	1	3	5	7	7	7
SUBTOTAL	**84**	**12.0**	**148**	**1**	**1**	**8**	**18**	**31**	**42**	**99 +**	**15**	**5.7**	**50**	**1**	**1**	**3**	**6**	**22**	**23**	**23**
GRAND TOTAL	**149**	**10.6**	**166**	**1**	**1**	**5**	**16**	**31**	**41**	**99**	**36**	**4.4**	**27**	**1**	**1**	**3**	**5**	**7**	**20**	**23**

STRESS REACT, MIXED DIS (308.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
25-34											1	7.0		7	7	7	7	7	7	7
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3	2	4.5	13	2	2	4	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	3	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**4**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**2**	**4.5**	**13**	**2**	**2**	**4**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	9.0		9	9	9	9	9	9	9	1	4.0		4	4	4	4	4	4	4
55-74	1	15.0		15	15	15	15	15	15	15										
75 +																				
ALL AGES	2	12.0	18	9	9	12	15	15	15	15	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**2**	**12.0**	**18**	**9**	**9**	**12**	**15**	**15**	**15**	**15**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**6**	**5.0**	**34**	**1**	**1**	**2**	**9**	**14**	**15**	**15**	**3**	**4.3**	**7**	**2**	**2**	**4**	**6**	**7**	**7**	**7**

ACUTE STRESS REACT NOS (308.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17	2	3.0	8	1	1	3	5	5	5	5											
18-20	3	1.7	1	1	1	1	2	3	3	3		1	1.0		1	1	1	1	1	1	1
21-24	1	2.0		2	2	2	2	2	2	2											
25-34	3	4.7	1	4	4	4	6	6	6	6		1	1.0		1	1	1	1	1	1	1
35-54	5	1.6	1	1	1	1	2	3	3	3		2	1.0		1	1	1	1	1	1	1
55-74	2	5.5	25	2	2	5	9	9	9	9		1	2.0		2	2	2	2	2	2	2
75 +	1	8.0		8	8	8	8	8	8	8											
ALL AGES	17	3.2	6	1	1	2	4	8	9	9		5	1.2		1	1	1	1	2	2	2
B. FEMALE																					
0-12 YRS.												1	3.0		3	3	3	3	3	3	3
13-17	1	2.0		2	2	2	2	2	2	2											
18-20	1	9.0		9	9	9	9	9	9	9		2	2.0	2	1	1	2	3	3	3	3
21-24	6	7.3	47	2	2	5	9	19	20	20		1	2.0		2	2	2	2	2	2	2
25-34	7	2.0	1	1	1	2	3	3	3	3		1	2.0		2	2	2	2	2	2	2
35-54	5	2.4	3	1	1	2	3	5	5	5		2	2.0	2	1	1	2	3	3	3	3
55-74	6	1.7	1	1	1	1	2	4	4	4		1	2.0		2	2	2	2	2	2	2
75 +	1	7.0		7	7	7	7	7	7	7											
ALL AGES	27	3.6	17	1	1	2	4	8	11	20		8	2.1	1	1	1	2	3	3	3	3
SUBTOTAL	**44**	**3.5**	**12**	**1**	**1**	**2**	**4**	**8**	**9**	**20**		**13**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17	1	10.0		10	10	10	10	10	10	10											
18-20																					
21-24	3	2.3	1	2	2	2	3	3	3	3											
25-34	1	2.0		2	2	2	2	2	2	2		1	5.0		5	5	5	5	5	5	5
35-54	2	16.5	265	5	5	16	28	28	28	28		1	2.0		2	2	2	2	2	2	2
55-74	2	1.5	1	1	1	1	2	2	2	2		2	1.5	1	1	1	1	2	2	2	2
75 +																					
ALL AGES	9	6.1	75	1	1	2	6	21	28	28		4	2.5	3	1	1	2	4	5	5	5
B. FEMALE																					
0-12 YRS.	1	4.0		4	4	4	4	4	4	4											
13-17																					
18-20																					
21-24	4	4.0	9	1	1	4	6	7	7	7		1	3.0		3	3	3	3	3	3	3
25-34	5	7.0	20	3	3	6	11	13	13	13											
35-54	8	9.4	112	1	1	3	19	25	27	27		2	4.5	13	2	2	4	7	7	7	7
55-74																					
75 +	2	9.0	98	2	2	9	16	16	16	16											
ALL AGES	20	7.4	57	1	1	4	11	19	24	27		3	4.0	7	2	2	3	6	7	7	7
SUBTOTAL	**29**	**7.0**	**61**	**1**	**1**	**3**	**10**	**20**	**27**	**28**		**7**	**3.1**	**5**	**1**	**1**	**2**	**4**	**7**	**7**	**7**
GRAND TOTAL	**73**	**4.9**	**34**	**1**	**1**	**3**	**6**	**11**	**19**	**28**		**20**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**6**	**7**

BRIEF DEPRESSIVE REACT (309.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	14	20.6	292	2	4	14	35	45	53	55										
13-17	77	14.3	192	2	3	10	18	31	42	75	2	15.5	41	11	11	15	20	20	20	20
18-20	59	6.1	37	1	1	4	8	16	20	28	3	15.7	443	1	1	2	29	38	38	38
21-24	51	5.5	25	1	1	4	8	13	14	24	5	15.8	678	2	2	3	23	62	62	62
25-34	143	7.1	49	1	1	4	10	15	22	38	7	2.7	5	1	1	2	4	6	7	7
35-54	152	7.4	43	1	1	6	10	15	22	29	6	5.3	35	2	2	3	5	16	17	17
55-74	45	8.5	48	1	2	6	11	19	23	28	9	10.1	181	2	2	6	9	31	45	45
75 +	17	7.0	23	2	3	5	9	15	19	20	2	3.0		3	3	3	3	3	3	3
ALL AGES	558	8.4	78	1	1	6	11	19	26	43	34	8.8	185	1	2	3	9	22	44	62
B. FEMALE																				
0-12 YRS.	11	17.3	207	2	4	11	22	43	44	44	1	2.0		2	2	2	2	2	2	2
13-17	217	14.0	166	2	2	9	21	34	42	60	8	10.9	180	1	1	2	22	32	34	34
18-20	69	8.1	93	1	1	4	11	22	29	43	4	8.8	50	1	1	8	14	18	18	18
21-24	99	6.9	43	1	1	5	10	15	18	36	1	7.0	.	7	7	7	7	7	7	7
25-34	221	7.4	52	1	1	5	10	15	23	38	13	5.2	30	1	1	3	7	16	17	17
35-54	220	7.9	52	1	1	6	11	17	22	38	28	4.8	18	1	1	4	6	11	13	20
55-74	66	12.3	93	1	2	10	18	24	37	39	15	3.9	6	1	1	3	5	8	9	9
75 +	30	13.1	114	5	5	9	14	26	28	56	7	5.4	10	1	1	5	8	9	9	9
ALL AGES	933	9.7	95	1	1	7	13	22	31	44	77	5.6	36	1	1	3	7	12	18	32
SUBTOTAL	**1491**	**9.2**	**89**	**1**	**1**	**6**	**12**	**21**	**29**	**44**	**111**	**6.6**	**82**	**1**	**1**	**3**	**7**	**16**	**20**	**52**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	19.2	221	7	7	16	21	44	47	47	1	2.0		2	2	2	2	2	2	2
13-17	90	21.3	426	3	4	15	28	50	87	99 +	2	24.0	968	2	2	24	46	46	46	46
18-20	54	8.8	64	1	1	7	13	17	27	39	1	21.0		21	21	21	21	21	21	21
21-24	70	8.5	82	1	1	6	10	20	26	49	1	30.0		30	30	30	30	30	30	30
25-34	206	8.0	48	1	1	6	12	17	21	32	8	8.8	72	1	1	5	17	21	21	21
35-54	168	8.4	42	1	2	7	11	18	20	32	8	6.5	73	1	1	3	8	21	26	26
55-74	30	12.0	87	1	2	10	18	27	31	32	3	3.7	6	1	1	4	5	6	6	6
75 +	8	14.0	72	3	4	13	17	27	31	31										
ALL AGES	632	10.5	129	1	2	7	14	23	31	71	24	9.8	139	1	1	4	17	26	35	46
B. FEMALE																				
0-12 YRS.	4	35.0	127	25	25	32	42	51	51	51	1	4.0		4	4	4	4	4	4	4
13-17	146	20.1	269	2	4	15	28	49	59	99 +	5	7.2	55	1	1	7	19	92	99 +	99 +
18-20	83	10.2	95	1	1	8	12	24	36	45	7	5.9	52	1	1	4	5	19	22	22
21-24	93	9.8	117	1	2	6	11	23	33	56	3	15.7	181	2	2	16	26	29	29	29
25-34	217	10.1	101	1	2	8	13	20	27	55	13	7.8	48	3	4	5	8	14	27	30
35-54	186	9.3	87	1	2	7	12	17	23	51	16	6.6	54	1	2	4	8	15	25	30
55-74	46	13.4	119	2	3	10	18	26	39	49	5	4.2	10	1	1	4	6	9	9	9
75 +	16	11.1	44	3	6	8	16	20	24	26										
ALL AGES	791	12.1	147	1	2	8	15	26	37	63	50	7.1	54	1	2	5	9	20	30	99
SUBTOTAL	**1423**	**11.4**	**139**	**1**	**2**	**8**	**15**	**25**	**35**	**64**	**74**	**8.0**	**81**	**1**	**1**	**4**	**10**	**22**	**30**	**86**
GRAND TOTAL	**2914**	**10.3**	**114**	**1**	**2**	**7**	**13**	**23**	**32**	**56**	**185**	**7.1**	**83**	**1**	**1**	**4**	**8**	**19**	**29**	**56**

PROLONG DEPRESSIVE REACT (309.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	1	7.0		7	7	7	7	7	7	7										
18-20																				
21-24	1	44.0		44	44	44	44	44	44	44										
25-34	7	8.4	17	2	3	8	11	14	14	14										
35-54	13	16.5	233	1	1	10	29	41	42	42	2	3.5	5	2	2	3	5	5	5	5
55-74	2	5.5	13	3	3	5	8	8	8	8	1	4.0		4	4	4	4	4	4	4
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	26	13.1	182	1	2	9	14	41	42	44	3	3.7	2	2	2	4	5	5	5	5
B. FEMALE																				
0-12 YRS.	1	61.0		61	61	61	61	61	61	61										
13-17	4	14.5	142	1	1	13	22	30	30	30	1	15.0		15	15	15	15	15	15	15
18-20	5	26.8	691	1	1	27	45	64	64	64										
21-24	4	13.8	411	1	1	5	25	44	44	44										
25-34	13	16.8	225	3	4	10	27	45	45	45	1	30.0		30	30	30	30	30	30	30
35-54	20	15.5	268	2	3	11	16	38	57	69	5	7.6	108	1	1	3	10	26	26	26
55-74	9	9.4	29	3	4	9	14	17	18	18	2	4.5	1	4	4	4	5	5	5	5
75 +	1	8.0		8	8	8	8	8	8	8	2	12.5	5	11	11	12	14	14	14	14
ALL AGES	57	16.3	278	1	3	11	20	45	56	69	11	10.6	97	1	2	5	15	28	30	30
SUBTOTAL	**83**	**15.3**	**247**	**1**	**2**	**10**	**18**	**42**	**45**	**67**	**14**	**9.1**	**84**	**1**	**2**	**5**	**14**	**26**	**29**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	14.5	167	2	2	14	25	28	28	28										
18-20	2	14.5	265	3	3	14	26	26	26	26										
21-24	2	15.5	61	10	10	15	21	21	21	21	1	2.0		2	2	2	2	2	2	2
25-34	14	15.0	174	1	2	11	25	33	42	45	1	27.0		27	27	27	27	27	27	27
35-54	8	7.3	17	1	1	8	10	13	14	14										
55-74	4	16.8	7	14	14	16	19	21	21	21	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	34	13.3	111	1	2	11	21	26	31	45	3	10.7	199	2	2	3	21	27	27	27
B. FEMALE																				
0-12 YRS.																				
13-17	5	10.4	5	8	8	10	12	14	14	14										
18-20	2	10.5	1	10	10	10	11	11	11	11										
21-24	1	38.0		38	38	38	38	38	38	38	1	2.0		2	2	2	2	2	2	2
25-34	11	27.5	462	1	2	30	45	56	61	61	2	19.5	221	9	9	19	30	30	30	30
35-54	16	8.8	58	1	2	6	10	23	27	28	3	16.0	147	5	5	14	25	29	29	29
55-74	3	15.3	331	2	2	8	29	36	36	36	3	15.3	164	7	7	9	25	30	30	30
75 +	2	6.5	13	4	4	6	9	9	9	9										
ALL AGES	40	15.3	240	1	2	9	22	41	49	61	9	15.0	132	2	3	9	29	30	30	30
SUBTOTAL	**74**	**14.4**	**179**	**1**	**2**	**10**	**21**	**32**	**45**	**59**	**12**	**13.9**	**136**	**2**	**2**	**9**	**28**	**30**	**30**	**30**
GRAND TOTAL	**157**	**14.9**	**213**	**1**	**2**	**10**	**20**	**40**	**45**	**64**	**26**	**11.3**	**110**	**2**	**2**	**6**	**15**	**30**	**30**	**30**

ADJUST REACT/OTH EMOTION (309.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	18	24.8	433	1	2	24	33	48	72	85	2	23.0	882	2	2	23	44	44	44	44
13-17	62	16.5	180	1	3	13	22	39	44	46	4	24.0	533	1	1	20	41	54	54	54
18-20	29	5.4	20	1	1	4	10	13	13	15	1	1.0		1	1	1	1	1	1	1
21-24	22	8.0	51	1	2	7	10	16	24	32										
25-34	69	7.0	40	1	1	6	9	14	19	37	2	17.0	392	3	3	31	83	99+	99+	99+
35-54	65	7.7	50	1	1	5	10	18	22	34	5	14.0	215	2	2	5	30	30	30	30
55-74	20	11.7	36	1	4	11	14	18	23	28	3	13.3	179	2	2	10	23	28	28	28
75 +	6	9.8	44	1	2	9	12	20	21	21	2	3.0	2	2	2	3	4	4	4	4
ALL AGES	291	10.6	120	1	1	7	14	24	35	45	19	15.4	281	1	1	7	30	49	77	99+
B. FEMALE																				
0-12 YRS.	14	12.2	136	2	2	10	15	38	84	99+	1	62.0		62	62	62	62	62	62	62
13-17	88	18.7	189	1	3	17	30	40	42	45	6	20.8	619	1	1	22	56	93	99+	99+
18-20	26	9.9	77	2	2	7	11	26	29	31										
21-24	31	7.8	35	1	1	7	12	16	18	23	1	2.0		2	2	2	2	2	2	2
25-34	87	6.4	38	1	1	5	8	15	17	33	13	16.2	186	1	2	9	30	32	32	32
35-54	104	8.7	83	1	2	6	11	18	24	51	31	22.6	134	2	3	29	31	32	32	39
55-74	37	10.1	56	1	1	8	17	23	25	99+	7	19.0	137	1	3	17	30	32	32	32
75 +	11	9.4	30	3	3	10	15	16	16	16	4	4.0	8	2	2	3	6	8	8	8
ALL AGES	398	10.7	109	1	1	7	15	26	36	45	63	19.9	218	1	2	27	30	32	46	95
SUBTOTAL	**689**	**10.6**	**115**	**1**	**1**	**7**	**14**	**25**	**35**	**45**	**82**	**18.8**	**235**	**1**	**2**	**24**	**30**	**32**	**56**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	13	28.5	339	2	4	35	42	50	52	53										
13-17	43	23.9	404	1	3	22	37	49	57	91	1	7.0		7	7	7	7	7	7	7
18-20	31	9.2	89	1	2	7	11	20	30	45	1	35.0		35	35	35	35	35	35	35
21-24	32	7.3	31	1	1	6	10	17	19	20										
25-34	89	8.4	81	1	1	6	11	20	27	48	10	13.1	172	1	1	8	30	32	34	34
35-54	84	9.5	68	1	2	7	12	24	29	33	13	22.2	99	2	4	26	30	31	31	31
55-74	17	11.1	46	4	5	7	18	22	25	26	3	28.7	2	26	26	30	30	30	30	30
75 +																				
ALL AGES	309	11.8	164	1	2	7	15	30	40	56	28	19.5	147	1	2	25	30	31	34	35
B. FEMALE																				
0-12 YRS.	8	21.8	316	1	3	23	42	79	99+	99+										
13-17	54	15.9	131	2	3	13	24	34	37	41	3	18.3	852	1	1	2	39	52	52	52
18-20	26	9.9	54	1	1	10	16	20	40	99+	1	32.0		32	32	32	32	32	32	32
21-24	44	13.5	189	1	3	9	18	28	52	56	3	11.3	263	1	1	3	23	30	30	30
25-34	113	9.8	91	1	2	7	13	21	28	47	13	24.6	299	3	3	28	30	38	63	69
35-54	105	10.8	59	1	2	10	14	21	24	36	27	25.1	83	2	7	29	30	31	31	31
55-74	31	11.1	66	1	1	9	14	22	24	38	2	16.5	365	3	3	16	30	30	30	30
75 +	8	11.6	40	3	4	12	15	20	22	22										
ALL AGES	389	11.7	103	1	2	9	16	25	34	56	49	23.5	190	1	2	28	30	31	33	69
SUBTOTAL	**698**	**11.8**	**129**	**1**	**2**	**8**	**15**	**27**	**36**	**56**	**77**	**22.1**	**173**	**1**	**2**	**28**	**30**	**31**	**33**	**64**
GRAND TOTAL	**1387**	**11.2**	**122**	**1**	**2**	**8**	**15**	**26**	**35**	**54**	**159**	**20.4**	**207**	**1**	**2**	**28**	**30**	**32**	**41**	**96**

ADJUST REACT-CONDUCT DIS (309.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	25.0	276	1	3	24	38	49	53	53	1	26.0		26	26	26	26	26	26	26
13-17	22	14.8	169	1	2	11	20	31	46	50	4	19.5	98	9	9	24	48	99+	99+	99+
18-20	4	6.0	39	1	1	4	11	14	14	14										
21-24	3	3.0	4	1	1	3	4	5	5	5										
25-34	7	10.6	124	1	1	10	11	29	34	34	1	23.0		23	23	23	23	23	23	23
35-54	4	8.3	46	3	3	6	13	18	18	18	1	25.0		25	25	25	25	25	25	25
55-74																				
75 +																				
ALL AGES	50	14.3	186	1	1	10	20	36	46	53	7	21.7	58	9	10	24	28	79	99+	99+
B. FEMALE																				
0-12 YRS.	4	15.5	94	3	3	16	22	26	26	26										
13-17	10	25.1	548	1	4	17	37	63	76	76	3	6.7	52	2	2	3	12	15	15	15
18-20																				
21-24	1	9.0		9	9	9	9	9	9	9										
25-34	4	9.5	15	5	5	9	12	14	14	14										
35-54	6	2.8	4	1	1	2	4	6	6	6	1	13.0		13	13	13	13	13	13	13
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	26	14.8	295	1	2	9	19	36	55	76	4	8.3	44	2	2	8	14	15	15	15
SUBTOTAL	**76**	**14.5**	**219**	**1**	**1**	**9**	**20**	**37**	**49**	**70**	**11**	**16.8**	**95**	**2**	**3**	**19**	**25**	**52**	**93**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	26.0	192	9	9	31	37	43	43	43	1	53.0		53	53	53	53	53	53	53
13-17	18	12.1	196	2	2	7	16	46	76	99+										
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	3	13.7	228	3	3	7	25	31	31	31										
25-34	4	4.5	22	1	1	3	8	11	11	11										
35-54	1	15.0		15	15	15	15	15	15	15										
55-74	3	7.3	33	1	1	9	11	12	12	12										
75 +																				
ALL AGES	39	14.1	196	1	1	9	23	42	46	99+	1	53.0		53	53	53	53	53	53	53
B. FEMALE																				
0-12 YRS.																				
13-17	11	14.5	82	5	5	11	19	30	32	32	1	40.0		40	40	40	40	40	40	40
18-20	2	9.5	41	5	5	9	14	14	14	14										
21-24																				
25-34	4	8.5	76	1	1	8	16	17	17	17										
35-54	2	8.0	72	2	2	8	14	14	14	14	1	18.0		18	18	18	18	18	18	18
55-74	2	8.5	25	5	5	8	12	12	12	12										
75 +																				
ALL AGES	21	11.7	68	1	2	11	16	23	30	32	2	29.0	242	18	18	29	40	40	40	40
SUBTOTAL	**60**	**13.2**	**152**	**1**	**2**	**9**	**17**	**34**	**44**	**94**	**3**	**37.0**	**313**	**18**	**18**	**40**	**50**	**53**	**53**	**53**
GRAND TOTAL	**136**	**13.9**	**189**	**1**	**1**	**9**	**19**	**35**	**46**	**79**	**14**	**21.1**	**196**	**2**	**3**	**23**	**30**	**53**	**88**	**99+**

ADJ REACT-EMOTION/CONDUC (309.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS								
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	18	20.4	164	1	3	24	31	40	73	99+		2	22.0	882	1	1	22	43	43	43	43
13-17	42	17.8	234	1	1	16	29	53	99+	99+											
18-20	9	6.4	40	1	1	5	10	17	18	18		1	97.0		97	97	97	97	97	97	97
21-24	12	7.8	25	1	1	8	12	14	16	16		1	21.0		21	21	21	21	21	21	21
25-34	32	11.1	191	1	1	4	13	39	44	45		4	10.8	80	3	3	10	18	20	20	20
35-54	23	8.4	93	1	2	5	10	23	31	42											
55-74	3	10.3	91	1	1	10	17	20	20	20											
75 +																					
ALL AGES	139	13.3	176	1	1	9	22	40	46	99+		8	25.6	1023	1	2	18	32	81	97	99
B. FEMALE																					
0-12 YRS.	13	25.0	257	6	7	26	35	44	58	61		2	18.0	18	15	15	18	21	21	21	21
13-17	81	21.2	232	2	3	18	35	41	46	89		4	18.3	358	1	1	17	34	38	38	38
18-20	10	5.7	37	1	1	3	8	15	20	20		1	1.0		1	1	1	1	1	1	1
21-24	18	7.2	79	1	1	4	8	19	29	35		1	2.0		2	2	2	2	2	2	2
25-34	30	8.8	116	1	1	4	12	20	23	53		1	2.0		2	2	2	2	2	2	2
35-54	39	9.9	86	1	2	6	14	20	26	48		1	12.0		12	12	12	12	12	12	12
55-74	9	7.3	34	1	1	8	12	15	16	16											
75 +	2	28.0	450	13	13	28	43	43	43	43											
ALL AGES	202	14.9	198	1	1	10	23	38	43	63		10	12.6	183	1	1	7	21	34	38	38
SUBTOTAL	**341**	**14.2**	**190**	**1**	**1**	**10**	**23**	**39**	**44**	**99+**		**18**	**18.4**	**562**	**1**	**1**	**13**	**21**	**41**	**75**	**97**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	13	30.3	447	7	7	24	49	59	70	73		2	46.5	2813	9	9	46	84	84	84	84
13-17	39	20.8	432	2	3	13	30	60	65	71		1	61.0		61	61	61	61	61	61	61
18-20	12	9.9	133	1	1	5	12	29	38	39											
21-24	16	5.1	18	1	1	3	8	13	14	14		1	9.0		9	9	9	9	9	9	9
25-34	58	8.3	47	1	2	6	11	18	24	30		3	12.7	64	4	4	14	18	20	20	20
35-54	30	8.9	35	1	2	8	15	16	20	21		2	6.0	2	5	5	6	7	7	7	7
55-74	6	13.2	66	2	3	13	19	23	24	24											
75 +	2	8.0	50	3	3	8	13	13	13	13											
ALL AGES	176	12.8	210	1	2	7	16	29	48	70		9	23.7	821	4	4	9	30	75	84	84
B. FEMALE																					
0-12 YRS.	5	33.0	21	26	26	33	36	38	38	38		1	71.0		71	71	71	71	71	71	71
13-17	69	19.5	318	2	3	15	30	42	55	84											
18-20	7	10.6	94	1	1	10	19	23	24	24		2	15.5	113	8	8	15	23	23	23	23
21-24	15	9.8	46	1	3	7	17	18	22	23		1	7.0		7	7	7	7	7	7	7
25-34	47	6.6	57	1	1	4	8	16	21	39		3	15.7	443	3	3	4	31	40	40	40
35-54	42	10.1	85	2	3	7	13	19	29	48		1	4.0		4	4	4	4	4	4	4
55-74	12	8.8	59	2	3	7	11	19	28	30											
75 +	1	31.0		31	31	31	31	31	31	31		1	27.0		27	27	27	27	27	27	27
ALL AGES	198	13.1	192	1	2	7	18	33	39	58		9	20.8	520	3	3	8	30	59	71	71
SUBTOTAL	**374**	**13.0**	**199**	**1**	**2**	**7**	**17**	**31**	**42**	**66**		**18**	**22.2**	**636**	**3**	**4**	**9**	**27**	**68**	**79**	**84**
GRAND TOTAL	**715**	**13.6**	**194**	**1**	**2**	**8**	**19**	**36**	**43**	**72**		**36**	**20.3**	**585**	**1**	**2**	**11**	**25**	**59**	**80**	**97**

OTHER ADJUST REACTION (309.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	4	15.3	403	2	2	7	27	45	45	45											
13-17	11	9.6	57	1	2	6	16	20	24	24		2	30.0	8	28	28	30	32	32	32	32
18-20	2	2.0	2	1	1	2	3	3	3	3											
21-24	2	6.0	50	1	1	6	11	11	11	11		1	1.0		1	1	1	1	1	1	1
25-34	4	3.0	5	1	1	3	5	5	5	5											
35-54	8	13.1	78	3	4	12	25	71	99+	99+		2	12.5	221	2	2	12	23	23	23	23
55-74	1	3.0		3	3	3	3	3	3	3											
75 +																					
ALL AGES	32	9.5	95	1	1	5	14	25	42	99+		5	17.2	216	1	1	23	29	32	32	32
B. FEMALE																					
0-12 YRS.	1	1.0		1	1	1	1	1	1	1											
13-17	20	12.9	153	1	1	7	24	33	36	37		5	11.8	437	1	1	2	17	49	49	49
18-20	4	5.0	18	1	1	4	8	10	10	10											
21-24	1	5.0		5	5	5	5	5	5	5											
25-34	14	11.9	106	1	1	10	17	29	31	31		2	2.5	5	1	1	2	4	4	4	4
35-54	18	16.3	140	4	4	13	28	33	39	43		4	7.8	20	3	3	7	11	14	14	14
55-74	1	1.0		1	1	1	1	1	1	1		2	2.5	5	1	1	2	4	4	4	4
75 +	2	3.5	5	2	2	3	5	5	5	5											
ALL AGES	61	12.3	129	1	1	9	16	31	34	42		13	7.7	167	1	1	4	7	21	44	49
SUBTOTAL	**93**	**11.3**	**119**	**1**	**1**	**7**	**15**	**30**	**35**	**76**		**18**	**10.3**	**189**	**1**	**1**	**4**	**14**	**31**	**42**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	4	9.8	137	1	1	5	17	27	27	27											
13-17	5	29.2	266	5	7	37	45	94	99+	99+		1	1.0		1	1	1	1	1	1	1
18-20	4	13.0	131	1	1	12	22	27	27	27											
21-24	2	5.0	32	1	1	5	9	9	9	9											
25-34	13	18.0	139	2	6	17	23	31	46	49											
35-54	23	14.7	123	2	3	11	21	30	39	44											
55-74	5	18.4	384	7	7	9	24	53	53	53											
75 +																					
ALL AGES	56	16.3	167	1	2	13	23	40	48	97		1	1.0		1	1	1	1	1	1	1
B. FEMALE																					
0-12 YRS.	1	10.0		10	10	10	10	10	10	10											
13-17	15	15.7	220	2	3	11	29	50	85	99+											
18-20	1	15.0		15	15	15	15	15	15	15											
21-24	4	17.8	392	4	4	10	30	47	47	47											
25-34	12	12.1	182	1	2	9	16	30	46	49		2	6.5	13	4	4	6	9	9	9	9
35-54	26	17.7	376	2	2	13	22	36	52	98											
55-74	5	21.8	595	3	3	10	38	61	61	61											
75 +	1	16.0		16	16	16	16	16	16	16											
ALL AGES	65	16.3	291	2	2	11	22	41	53	99+		2	6.5	13	4	4	6	9	9	9	9
SUBTOTAL	**121**	**16.3**	**232**	**1**	**2**	**12**	**23**	**41**	**50**	**99+**		**3**	**4.7**	**16**	**1**	**1**	**4**	**8**	**9**	**9**	**9**
GRAND TOTAL	**214**	**14.1**	**189**	**1**	**2**	**10**	**21**	**34**	**45**	**99+**		**21**	**9.5**	**166**	**1**	**1**	**4**	**10**	**30**	**40**	**49**

ADJUSTMENT REACTION NOS (309.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	4.0	17	1	1	2	6	10	10	10										
13-17	26	11.1	157	1	1	6	13	24	44	51	12	30.9	419	3	9	27	43	58	75	78
18-20	12	10.3	191	1	1	5	10	33	46	48	4	9.5	227	1	1	3	18	32	32	32
21-24	6	5.3	20	1	1	4	9	12	12	12										
25-34	10	4.2	13	1	1	3	5	10	12	12	1	32.0		32	32	32	32	32	32	32
35-54	11	8.3	98	1	1	6	9	22	35	36	1	3.0		3	3	3	3	3	3	3
55-74	3	10.7	199	2	2	3	21	27	27	27										
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	73	8.6	115	1	1	4	11	24	35	50	18	24.7	421	1	1	24	32	49	67	78
B. FEMALE																				
0-12 YRS.	8	3.9	15	1	1	2	6	10	11	11	1	1.0		1	1	1	1	1	1	1
13-17	34	8.7	92	1	1	4	14	19	31	39	16	7.3	61	1	1	3	14	21	22	22
18-20	14	4.5	14	1	1	3	8	11	12	12	5	5.0	71	1	1	1	6	20	20	20
21-24	4	3.3	2	1	1	3	4	5	5	5	2	1.0		1	1	1	1	1	1	1
25-34	20	5.5	35	1	1	4	7	15	20	23	3	4.3	5	2	2	5	6	6	6	6
35-54	20	5.0	15	1	1	4	6	10	14	17	5	8.0	77	1	1	4	12	23	23	23
55-74	4	9.0	35	4	4	7	13	17	17	17										
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	105	6.2	46	1	1	4	8	17	18	36	32	6.2	53	1	1	3	7	21	22	23
SUBTOTAL	**178**	**7.2**	**75**	**1**	**1**	**4**	**9**	**17**	**24**	**46**	**50**	**12.8**	**262**	**1**	**1**	**5**	**22**	**32**	**47**	**78**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	19.7	75	10	10	16	30	31	31	31										
13-17	27	16.4	189	1	1	16	22	41	42	47	2	2.0	2	1	1	1	3	3	3	3
18-20	15	10.5	113	1	1	7	16	26	33	35	2	1.0		1	1	1	1	1	1	1
21-24	15	8.7	38	1	1	8	13	14	21	23										
25-34	22	8.6	123	1	1	6	9	28	38	40	5	5.4	58	1	1	2	7	19	19	19
35-54	20	8.0	100	1	1	2	12	23	32	36	4	3.0	2	1	1	3	4	4	4	4
55-74	2	5.5	25	2	2	5	9	9	9	9										
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	108	11.2	128	1	1	8	16	30	37	44	13	3.5	23	1	1	2	3	7	17	19
B. FEMALE																				
0-12 YRS.	6	12.8	116	4	4	7	25	28	28	28										
13-17	33	10.5	102	2	3	6	15	23	34	45	5	10.6	146	2	2	3	20	29	29	29
18-20	8	3.6	7	1	1	3	5	7	8	8	1	2.0		2	2	2	2	2	2	2
21-24	11	5.7	29	1	1	5	9	13	18	18	3	15.7	224	1	1	15	27	31	31	31
25-34	28	5.6	25	1	1	4	8	11	19	20	1	2.0		2	2	2	2	2	2	2
35-54	30	8.8	73	1	1	6	12	23	30	32	9	7.3	68	1	1	5	10	21	27	27
55-74	3	10.7	75	1	1	13	17	18	18	18	3	6.3	23	1	1	8	9	10	10	10
75 +	2	9.5	61	4	4	9	15	15	15	15	1	8.0		8	8	8	8	8	8	8
ALL AGES	121	8.2	65	1	1	5	10	20	26	38	23	8.6	86	1	1	5	11	27	30	31
SUBTOTAL	**229**	**9.6**	**97**	**1**	**1**	**6**	**14**	**24**	**31**	**42**	**36**	**6.7**	**69**	**1**	**1**	**3**	**9**	**19**	**28**	**31**
GRAND TOTAL	**407**	**8.5**	**90**	**1**	**1**	**5**	**11**	**21**	**30**	**43**	**86**	**10.3**	**187**	**1**	**1**	**4**	**16**	**29**	**34**	**68**

FRONTAL LOBE SYNDROME (310.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	12.0		12	12	12	12	12	12	12
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	1	12.0		12	12	12	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	12.0		12	12	12	12	12	12	12
75 +																				
ALL AGES											1	12.0		12	12	12	12	12	12	12
SUBTOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**	**2**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	20.0		20	20	20	20	20	20	20										
35-54																				
55-74	2	25.5	613	8	8	25	43	43	43	43										
75 +	2	9.0	2	8	8	9	10	10	10	10										
ALL AGES	5	17.8	223	8	8	10	26	43	43	43										
SUBTOTAL	**5**	**17.8**	**223**	**8**	**8**	**10**	**26**	**43**	**43**	**43**										
GRAND TOTAL	**6**	**15.7**	**205**	**5**	**5**	**9**	**20**	**41**	**43**	**43**	**2**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**

ORGANIC PERSONALITY SYND (310.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	43.0		43	43	43	43	43	43	43										
13-17	3	35.7	846	3	3	45	55	59	59	59										
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	3	20.0	1	19	19	20	21	21	21	21										
25-34	7	22.9	356	4	4	16	32	53	58	58										
35-54	6	17.7	200	1	1	18	29	34	35	35										
55-74	13	14.0	117	2	2	11	23	28	33	34										
75 +	8	5.4	7	2	2	5	7	9	10	10	6	7.0	32	2	2	4	12	16	16	16
ALL AGES	42	16.7	238	1	2	11	26	37	50	59	6	7.0	32	2	2	4	12	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	74.0		74	74	74	74	74	74	74										
25-34	3	19.3	294	8	8	11	32	39	39	39	1	64.0		64	64	64	64	64	64	64
35-54	4	9.5	4	7	7	9	11	12	12	12										
55-74	11	15.2	79	5	5	15	23	27	29	29	2	2.5	1	2	2	2	3	3	3	3
75 +	13	6.2	8	2	3	6	6	9	14	15	3	3.7	6	1	1	4	5	6	6	6
ALL AGES	32	13.0	196	4	5	8	15	26	38	74	6	13.3	620	1	1	3	6	58	64	64
SUBTOTAL	**74**	**15.1**	**221**	**2**	**3**	**9**	**22**	**34**	**45**	**70**	**12**	**10.2**	**306**	**1**	**2**	**4**	**9**	**30**	**59**	**64**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	47.7	1022	12	12	57	70	74	74	74										
18-20																				
21-24	2	35.5	1625	7	7	35	64	64	64	64										
25-34	1	13.0		13	13	13	13	13	13	13	1	40.0		40	40	40	40	40	40	40
35-54	7	15.4	162	3	3	12	20	36	40	40	1	13.0		13	13	13	13	13	13	13
55-74	10	15.6	183	3	3	11	22	36	48	48	1	2.0		2	2	2	2	2	2	2
75 +	5	10.8	59	2	2	13	20	92	99 +	99 +	1	4.0		4	4	4	4	4	4	4
ALL AGES	28	19.5	373	3	3	12	23	61	75	99 +	4	14.8	304	2	2	8	26	40	40	40
B. FEMALE																				
0-12 YRS.	1	11.0		11	11	11	11	11	11	11										
13-17																				
18-20																				
21-24																				
25-34	2	13.0	128	5	5	13	21	21	21	21										
35-54	2	22.5	25	19	19	22	26	26	26	26										
55-74	4	28.5	278	17	17	22	39	53	53	53										
75 +	6	12.0	64	2	3	11	16	24	25	25										
ALL AGES	15	17.9	149	3	5	17	24	26	46	53										
SUBTOTAL	**43**	**18.9**	**291**	**3**	**3**	**14**	**23**	**53**	**67**	**99 +**	**4**	**14.8**	**304**	**2**	**2**	**8**	**26**	**40**	**40**	**40**
GRAND TOTAL	**117**	**16.5**	**248**	**2**	**3**	**11**	**22**	**40**	**58**	**82**	**16**	**11.3**	**291**	**1**	**2**	**4**	**12**	**38**	**57**	**64**

POSTCONCUSSION SYNDROME (310.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	36	1.6	1	1	1	1	2	3	4	5	27	1.4	1	1	1	1	2	3	3	3
13-17	24	2.0	2	1	1	1	3	4	5	6	16	2.1	3	1	1	2	3	4	6	7
18-20	3	2.0	3	1	1	1	3	4	4	4	9	6.2	71	1	1	3	6	21	26	26
21-24	12	7.4	118	1	1	3	7	25	36	38	10	2.8	2	1	1	3	4	5	6	6
25-34	33	3.6	6	1	1	3	5	7	8	12	44	3.7	9	1	1	3	5	7	12	14
35-54	27	8.1	271	1	1	3	6	13	49	79	42	4.9	18	1	1	4	6	10	16	20
55-74	15	6.3	80	1	1	3	8	12	30	36	10	12.2	565	1	1	4	10	46	79	79
75 +	6	3.2	2	2	2	3	4	5	5	5	5	3.4	4	2	2	3	4	7	7	7
ALL AGES	156	4.2	69	1	1	2	4	7	12	44	163	4.1	49	1	1	3	4	7	13	25
B. FEMALE																				
0-12 YRS.	15	1.3		1	1	1	2	2	2	2	19	1.8	5	1	1	1	2	3	7	11
13-17	14	2.1	1	1	1	2	3	4	4	4	16	2.3	2	1	1	2	3	4	5	6
18-20	6	3.3	11	1	1	2	5	9	9	9	9	2.9	5	1	1	2	4	7	8	8
21-24	13	3.3	10	1	1	2	5	7	11	12	13	5.2	84	1	1	3	5	12	31	35
25-34	32	4.4	10	1	1	4	6	8	13	14	30	3.9	13	1	1	3	5	7	8	20
35-54	34	4.9	8	1	1	4	7	9	10	11	35	4.6	10	1	1	4	7	9	11	15
55-74	16	4.7	6	2	2	4	6	8	9	10	10	3.2	4	1	1	3	4	6	6	6
75 +	8	4.6	9	1	1	4	7	8	9	9	7	6.6	21	2	2	5	11	13	13	13
ALL AGES	138	3.8	9	1	1	3	5	8	10	13	139	3.7	17	1	1	2	5	7	10	22
SUBTOTAL	**294**	**4.0**	**41**	**1**	**1**	**2**	**5**	**8**	**10**	**37**	**302**	**3.9**	**34**	**1**	**1**	**3**	**4**	**7**	**11**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	3	6.0	37	2	2	3	10	13	13	13										
18-20	3	3.0	1	2	2	3	4	4	4	4	1	3.0		3	3	3	3	3	3	3
21-24	1	12.0		12	12	12	12	12	12	12	3	2.7	2	1	1	3	4	4	4	4
25-34	3	7.7	25	3	3	7	11	13	13	13	2	3.5	1	3	3	3	4	4	4	4
35-54	7	7.0	21	2	2	6	10	14	15	15	2	2.0	2	1	1	2	3	3	3	3
55-74	3	3.7		3	3	4	4	4	4	4	1	27.0		27	27	27	27	27	27	27
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	21	5.9	18	1	2	4	8	13	14	15	10	5.7	60	1	1	3	4	17	27	27
B. FEMALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17											1	2.0		2	2	2	2	2	2	2
18-20	2	3.0	8	1	1	3	5	5	5	5	1	12.0		12	12	12	12	12	12	12
21-24	4	6.5	4	4	4	6	8	9	9	9										
25-34	8	4.8	5	2	2	4	6	8	9	9	1	4.0		4	4	4	4	4	4	4
35-54	5	5.6	21	1	1	4	10	11	11	11	4	8.3	31	2	2	8	13	14	14	14
55-74	1	8.0		8	8	8	8	8	8	8	1	3.0		3	3	3	3	3	3	3
75 +	2	5.0	18	2	2	5	8	8	8	8	2	8.5	1	8	8	8	9	9	9	9
ALL AGES	22	5.3	9	1	2	5	8	9	10	11	11	6.8	19	2	2	5	11	13	14	14
SUBTOTAL	**43**	**5.6**	**13**	**1**	**2**	**4**	**8**	**11**	**13**	**15**	**21**	**6.3**	**37**	**1**	**1**	**4**	**8**	**13**	**20**	**27**
GRAND TOTAL	**337**	**4.2**	**37**	**1**	**1**	**3**	**5**	**8**	**11**	**36**	**323**	**4.1**	**34**	**1**	**1**	**3**	**4**	**8**	**12**	**26**

NONPSYCHOT BRAIN SYN NEC (310.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-20																				
21-24																				
25-34																				
35-54											1	4.0		4	4	4	4	4	4	4
55-74	3	13.0	133	4	4	9	22	26	26	26										
75 +	1	2.0		2	2	2	2	2	2	2	2	16.0	242	5	5	16	27	27	27	27
ALL AGES	4	10.3	118	2	2	6	17	26	26	26	4	9.5	138	2	2	4	16	27	27	27
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54																				
55-74	7	20.4	567	4	4	15	18	62	73	73										
75 +	3	8.3	31	2	2	11	12	12	12	12	2	7.5	25	4	4	7	11	11	11	11
ALL AGES	11	15.5	395	2	3	11	15	41	70	73	2	7.5	25	4	4	7	11	11	11	11
SUBTOTAL	**15**	**14.1**	**313**	**2**	**2**	**11**	**15**	**26**	**61**	**73**	**6**	**8.3**	**89**	**2**	**2**	**5**	**11**	**25**	**27**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	99.0		99	99	99	99	99	99 +	99 +
18-20																				
21-24																				
25-34	2	48.0	2888	10	10	48	86	86	86	86										
35-54																				
55-74																				
75 +	2	30.5	41	26	26	30	35	35	35	35										
ALL AGES	4	39.3	1073	10	10	30	60	86	86	86	1	99.0		99	99	99	99	99	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	10.0	18	7	7	10	13	13	13	13										
35-54																				
55-74																				
75 +	2	6.0	18	3	3	6	9	9	9	9										
ALL AGES	4	8.0	17	3	3	8	11	13	13	13										
SUBTOTAL	**8**	**23.6**	**750**	**3**	**4**	**11**	**30**	**71**	**86**	**86**	**1**	**99.0**		**99**	**99**	**99**	**99**	**99**	**99 +**	**99 +**
GRAND TOTAL	**23**	**17.4**	**460**	**2**	**3**	**11**	**18**	**43**	**78**	**86**	**7**	**21.7**	**1236**	**2**	**2**	**5**	**23**	**85**	**99**	**99 +**

NONPSYCHOT BRAIN SYN NOS (310.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	57.0		57	57	57	57	57	57	57
21-24	1	8.0		8	8	8	8	8	8	8	1	12.0		12	12	12	12	12	12	12
25-34	8	14.8	565	1	1	7	14	55	72	72	3	6.7	12	3	3	7	9	10	10	10
35-54	9	7.4	70	1	1	5	9	22	27	27	4	10.5	46	3	3	10	16	18	18	18
55-74	45	11.1	100	1	2	9	13	24	35	46	27	7.8	42	2	3	6	9	13	17	36
75 +	79	10.6	81	2	3	8	13	21	32	42	47	6.6	30	2	2	5	8	13	19	27
ALL AGES	142	10.7	111	1	2	8	13	22	33	48	83	7.9	63	2	2	6	9	14	20	50
B. FEMALE																				
0-12 YRS.	2	2.0	2	1	1	2	3	3	3	3	1	8.0		8	8	8	8	8	8	8
13-17	2	35.0	2312	1	1	34	69	69	69	69										
18-20											2	6.5	41	2	2	6	11	11	11	11
21-24																				
25-34	2	12.0	98	5	5	12	19	19	19	19	3	14.7	104	6	6	12	22	26	26	26
35-54	10	5.7	12	2	2	5	7	11	14	14	1	1.0		1	1	1	1	1	1	1
55-74	48	10.1	47	2	3	9	12	22	24	30	19	6.0	18	1	2	5	8	15	58	99 +
75 +	116	7.4	31	1	2	6	9	13	16	31	85	7.6	28	2	2	6	10	15	17	27
ALL AGES	180	8.3	57	1	2	7	10	16	21	37	111	7.4	30	1	2	6	10	15	21	99 +
SUBTOTAL	**322**	**9.4**	**81**	**1**	**2**	**7**	**12**	**17**	**26**	**43**	**194**	**7.6**	**44**	**2**	**2**	**6**	**9**	**15**	**20**	**80**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	22.0		22	22	22	22	22	22	22	2	7.0	72	1	1	7	13	13	13	13
18-20	2	23.0	392	9	9	23	37	37	37	37										
21-24	5	7.6	58	2	2	5	10	21	21	21	1	9.0		9	9	9	9	9	9	9
25-34	6	21.5	222	5	5	22	30	42	43	43										
35-54	24	14.2	136	1	3	13	18	23	34	59	6	4.5	11	2	2	3	4	10	11	11
55-74	39	16.1	273	3	3	10	21	30	50	86	9	7.6	42	2	2	6	8	18	24	24
75 +	32	9.8	41	3	4	9	13	16	17	36	9	8.3	33	2	2	8	13	17	19	19
ALL AGES	109	13.9	167	3	4	10	17	28	36	72	27	7.1	31	2	2	5	9	13	20	24
B. FEMALE																				
0-12 YRS.	1	36.0		36	36	36	36	36	36	36	1	17.0		17	17	58	99 +	99 +	99 +	99 +
13-17																				
18-20																				
21-24	2	3.0	8	1	1	3	5	5	5	5	1	1.0		1	1	1	1	1	1	1
25-34	2	6.5	41	2	2	6	11	11	11	11										
35-54	13	13.8	88	3	3	11	19	26	34	36	1	8.0		8	8	8	8	8	8	8
55-74	39	15.9	134	3	3	15	22	28	42	51	17	10.2	91	2	3	8	11	22	35	41
75 +	45	10.7	50	3	3	10	13	18	27	34	20	6.4	16	1	2	6	8	12	15	16
ALL AGES	102	13.1	97	3	3	10	17	26	35	48	40	8.2	51	1	2	7	10	16	32	99 +
SUBTOTAL	**211**	**13.5**	**133**	**3**	**3**	**10**	**17**	**27**	**36**	**60**	**67**	**7.8**	**42**	**2**	**2**	**6**	**10**	**16**	**24**	**89**
GRAND TOTAL	**533**	**11.0**	**106**	**2**	**3**	**8**	**14**	**22**	**30**	**52**	**261**	**7.7**	**42**	**2**	**2**	**6**	**10**	**15**	**21**	**94**

DEPRESSIVE DISORDER NEC (311.)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	2.2	1	1	1	3	3	3	3	3										
13-17	22	11.7	171	1	1	6	21	23	37	58	3	3.7	4	2	2	3	5	6	6	6
18-20	12	6.1	28	1	1	4	9	15	16	16	6	2.0	1	1	1	2	2	4	4	4
21-24	9	10.2	73	1	1	9	12	23	30	30	2	1.5	1	1	1	1	2	2	2	2
25-34	46	8.0	59	1	1	5	10	21	23	33	6	11.5	78	1	1	10	22	22	22	22
35-54	64	9.0	64	1	1	7	12	18	25	40	15	7.5	209	1	1	3	7	9	46	59
55-74	51	10.7	73	2	2	8	15	21	28	42	22	5.9	18	1	2	5	7	11	16	18
75 +	18	5.7	11	1	1	6	7	10	12	13	17	7.5	43	3	3	6	8	14	25	30
ALL AGES	227	8.9	71	1	1	6	12	21	23	42	71	6.5	69	1	1	4	8	12	22	53
B. FEMALE																				
0-12 YRS.	6	12.7	144	5	5	7	15	34	36	36										
13-17	29	16.2	329	1	1	8	26	34	47	83	10	3.6	13	1	1	2	5	9	13	13
18-20	19	10.7	226	1	1	4	15	23	46	65	7	6.6	63	1	1	3	9	21	23	23
21-24	33	7.6	40	1	1	5	13	16	20	23	14	2.7	3	1	1	2	4	5	6	6
25-34	120	9.7	100	1	2	6	11	22	32	46	23	3.4	11	1	1	3	4	7	11	16
35-54	141	10.1	96	1	2	7	14	22	29	55	66	5.0	50	1	2	3	5	8	12	42
55-74	110	11.4	84	2	3	8	15	27	32	37	47	6.3	26	1	2	5	9	14	18	21
75 +	60	9.9	52	2	3	7	15	21	24	33	28	8.3	100	3	3	6	9	14	22	55
ALL AGES	518	10.5	105	1	2	7	14	23	31	46	195	5.4	44	1	1	4	6	11	16	42
SUBTOTAL	**745**	**10.0**	**95**	**1**	**2**	**7**	**14**	**23**	**29**	**45**	**266**	**5.7**	**50**	**1**	**1**	**4**	**6**	**11**	**17**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	18.3	494	2	2	10	21	56	71	71										
13-17	40	19.7	248	2	4	17	27	34	59	67	1	1.0		1	1	1	1	1	1	1
18-20	20	14.5	115	2	3	11	20	29	37	44										
21-24	24	8.7	162	1	1	5	11	15	30	64	1	2.0		2	2	2	2	2	2	2
25-34	71	10.1	93	1	1	7	13	23	34	39	12	5.7	21	1	1	5	9	13	13	13
35-54	82	13.0	103	1	2	11	21	26	33	43	11	8.7	68	1	1	6	13	23	26	26
55-74	36	11.5	106	2	2	8	17	22	35	45	8	5.4	11	1	2	5	8	10	11	11
75 +	4	8.8	10	4	4	9	11	12	12	12	6	4.0	18	1	1	2	9	10	10	10
ALL AGES	286	12.9	145	1	2	9	19	28	36	63	39	6.0	32	1	1	4	9	13	18	26
B. FEMALE																				
0-12 YRS.	2	21.0	392	7	7	21	35	35	35	35										
13-17	55	22.8	300	1	4	21	36	52	56	98	5	2.2	2	1	1	2	3	4	4	4
18-20	23	13.7	215	2	3	8	14	41	46	53	5	3.4	4	2	2	3	4	7	7	7
21-24	41	9.1	74	1	1	6	12	22	25	39	8	5.5	39	1	1	3	6	16	20	20
25-34	119	11.5	112	1	2	9	16	25	29	52	19	4.3	18	1	1	3	6	10	14	18
35-54	119	13.1	139	1	2	10	20	27	37	53	21	4.2	5	1	2	4	5	6	9	12
55-74	61	13.8	171	2	3	10	18	30	35	66	20	4.3	16	1	2	3	5	7	13	20
75 +	30	13.4	116	2	3	11	17	31	38	42	13	7.3	23	2	3	7	9	16	16	16
ALL AGES	450	13.7	164	1	2	10	20	30	42	64	91	4.6	17	1	1	3	6	9	16	20
SUBTOTAL	**736**	**13.4**	**156**	**1**	**2**	**10**	**19**	**29**	**39**	**64**	**130**	**5.0**	**22**	**1**	**1**	**3**	**6**	**10**	**16**	**22**
GRAND TOTAL	**1481**	**11.7**	**128**	**1**	**2**	**8**	**16**	**26**	**34**	**56**	**396**	**5.5**	**41**	**1**	**1**	**4**	**6**	**11**	**16**	**36**

UNSOCIALIZED AGGRESSION (312.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	42	31.4	519	5	9	26	40	75	99	99 +	3	43.3	10	42	42	42	45	46	46	46
13-17	81	25.6	484	4	5	20	39	72	98	99 +	1	82.0		82	82	82	82	82	82	82
18-20	3	9.7	1	8	8	10	11	11	11	11										
21-24																				
25-34																				
35-54	1	21.0		21	21	21	21	21	21	21										
55-74																				
75 +																				
ALL AGES	127	27.1	492	4	5	22	39	72	98	99 +	4	53.0	377	42	42	44	64	82	82	82
B. FEMALE																				
0-12 YRS.	9	32.2	854	1	4	30	48	78	80	80										
13-17	30	22.8	428	4	4	18	34	57	63	79										
18-20	1	23.0		23	23	23	23	23	23	23										
21-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74																				
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	42	24.2	494	3	4	18	36	61	77	80										
SUBTOTAL	**169**	**26.4**	**490**	**4**	**5**	**21**	**37**	**72**	**96**	**99 +**	**4**	**53.0**	**377**	**42**	**42**	**44**	**64**	**82**	**82**	**82**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	55	33.1	578	4	6	33	61	90	99 +	99 +	4	12.3	186	3	3	11	49	99 +	99 +	99 +
13-17	100	27.8	550	4	6	23	47	83	99 +	99 +	2	15.0	128	7	7	15	23	23	23	23
18-20											1	29.0		29	29	29	29	29	29	29
21-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	1	7.0		7	7	7	7	7	7	7										
55-74																				
75 +																				
ALL AGES	157	29.4	561	4	6	25	53	84	99 +	99 +	7	15.4	154	3	3	17	30	80	99 +	99 +
B. FEMALE																				
0-12 YRS.	10	29.6	217	14	14	27	45	49	53	53										
13-17	31	36.2	644	4	6	28	52	72	80	97	1	55.0		55	55	55	55	55	55	55
18-20	2	26.0	1152	2	2	26	50	50	50	50										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	43	34.2	545	4	6	28	49	70	76	97	1	55.0		55	55	77	99 +	99 +	99 +	99 +
SUBTOTAL	**200**	**30.5**	**555**	**4**	**6**	**26**	**53**	**78**	**99 +**	**99 +**	**8**	**20.4**	**325**	**3**	**3**	**26**	**55**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**369**	**28.6**	**529**	**4**	**5**	**23**	**44**	**76**	**99 +**	**99 +**	**12**	**31.3**	**565**	**3**	**3**	**37**	**55**	**99 +**	**99 +**	**99 +**

UNSOCIALIZ, UNAGGRESSIVE (312.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	41.0	757	6	9	40	83	98	99+	99+	1	11.0		11	11	11	11	11	11	11
13-17	23	33.4	694	4	5	39	58	99	99+	99+	2	29.5	113	22	22	29	37	37	37	37
18-20																				
21-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54																				
55-74																				
75 +																				
ALL AGES	29	33.8	688	4	6	39	61	99+	99+	99+	3	23.3	173	11	11	22	33	37	37	37
B. FEMALE																				
0-12 YRS.	2	27.0	648	9	9	27	45	45	45	45	1	1.0		1	1	1	1	1	1	1
13-17	25	36.4	473	5	11	38	59	74	99+	99+										
18-20	1	20.0		20	20	20	20	20	20	20										
21-24																				
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74																				
75 +																				
ALL AGES	29	34.2	468	5	9	34	59	71	99	99+	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**58**	**34.0**	**568**	**5**	**6**	**38**	**58**	**93**	**99+**	**99+**	**4**	**17.8**	**236**	**1**	**1**	**16**	**29**	**37**	**37**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	14	32.9	578	3	4	38	61	97	99+	99+	1	88.0		88	88	88	88	88	88	88
13-17	30	33.5	1041	3	4	22	68	90	94	99+	1	30.0		30	30	30	30	30	30	30
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	44	33.3	877	3	4	26	65	91	99+	99+	2	59.0	1682	30	30	59	88	88	88	88
B. FEMALE																				
0-12 YRS.	2	56.5	1	56	56	56	57	57	57	57										
13-17	33	35.7	698	4	5	29	50	81	85	91	1	30.0		30	30	30	30	30	30	30
18-20	1	7.0		7	7	7	7	7	7	7										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	36	36.1	684	4	5	29	54	81	84	91	1	30.0		30	30	30	30	30	30	30
SUBTOTAL	**80**	**34.5**	**787**	**3**	**4**	**29**	**59**	**85**	**92**	**99+**	**3**	**49.3**	**1126**	**30**	**30**	**30**	**74**	**88**	**88**	**88**
GRAND TOTAL	138	34.3	689	4	5	30	59	86	99+	99+	7	31.3	777	1	3	30	35	78	88	88

SOCIALIZED CONDUCT DIS (312.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	19	38.5	762	5	7	44	67	94	99 +	99 +	3	36.0	2187	9	9	9	70	90	90	90
13-17	106	26.0	474	2	4	22	43	87	99 +	99 +	2	23.5	613	6	6	23	41	41	41	41
18-20	2	24.5	1105	1	1	24	48	48	48	48	1	24.0		24	24	24	24	24	24	24
21-24																				
25-34																				
35-54																				
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	127	27.9	530	2	4	23	47	89	99 +	99 +	7	25.9	977	2	3	9	37	80	90	90
B. FEMALE																				
0-12 YRS.	9	28.3	498	4	4	28	38	63	64	64	1	1.0		1	1	1	1	1	1	1
13-17	100	26.9	445	3	6	21	42	67	77	99 +										
18-20	3	22.7	320	9	9	16	36	43	43	43										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	112	26.9	439	3	6	22	42	64	76	99 +	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**239**	**27.4**	**487**	**3**	**5**	**22**	**44**	**73**	**99 +**	**99 +**	**8**	**22.8**	**914**	**1**	**1**	**9**	**32**	**75**	**90**	**90**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	28	33.6	484	6	9	32	48	60	65	98	1	28.0		28	28	28	28	28	28	28
13-17	113	23.9	391	2	4	18	34	46	65	88	2	24.0	1058	1	1	47	87	99 +	99 +	99 +
18-20	4	15.5	130	2	2	15	24	29	29	29										
21-24	1	16.0		16	16	16	16	16	16	16										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	146	25.5	412	3	5	20	36	54	64	94	3	25.3	537	1	1	37	73	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.	8	25.5	992	1	2	26	88	99 +	99 +	99 +	1	31.0		31	31	31	31	31	31	31
13-17	95	24.9	571	2	4	18	40	74	89	99 +	1	31.0		31	31	31	31	31	31	31
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54	1	10.0		10	10	10	10	10	10	10										
55-74	1	11.0		11	11	11	11	11	11	11										
75 +																				
ALL AGES	106	24.5	584	2	3	17	42	76	97	99 +	2	31.0		31	31	31	31	31	31	31
SUBTOTAL	**252**	**25.0**	**486**	**2**	**4**	**18**	**38**	**60**	**81**	**99 +**	**5**	**27.6**	**277**	**1**	**4**	**31**	**47**	**95**	**99 +**	**99 +**
GRAND TOTAL	**491**	**26.2**	**486**	**3**	**4**	**20**	**42**	**69**	**92**	**99 +**	**13**	**24.6**	**634**	**1**	**1**	**26**	**41**	**91**	**98**	**99 +**

IMPULSE CONTROL DIS NEC (312.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	44.0		44	44	44	44	44	44	44										
13-17	9	32.2	241	1	8	31	41	52	56	56	1	26.0		26	26	26	26	26	26	26
18-20	7	19.0	67	10	10	18	27	29	29	29										
21-24	3	10.7	85	3	3	8	18	21	21	21	1	4.0		4	4	4	4	4	4	4
25-34	14	12.1	76	1	2	12	19	24	28	29										
35-54	7	13.4	382	1	1	7	19	48	54	54										
55-74	2	10.5	181	1	1	10	20	20	20	20										
75 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	44	18.2	217	1	1	16	29	40	48	56	2	15.0	242	4	4	15	26	26	26	26
B. FEMALE																				
0-12 YRS.																				
13-17	3	22.0	379	7	7	15	37	44	44	44										
18-20	4	22.0	194	8	8	21	33	38	38	38										
21-24	3	5.3	21	1	1	5	9	10	10	10										
25-34	3	19.7	42	14	14	18	25	27	27	27										
35-54	3	21.3	958	2	2	5	44	57	57	57										
55-74																				
75 +																				
ALL AGES	16	18.3	268	1	2	13	28	43	53	57										
SUBTOTAL	**60**	**18.2**	**228**	**1**	**1**	**14**	**29**	**42**	**49**	**57**	**2**	**15.0**	**242**	**4**	**4**	**15**	**26**	**26**	**26**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	18.3	84	8	8	22	24	25	25	25										
13-17	12	23.0	343	2	4	16	42	49	52	53	3	34.3	965	3	3	35	57	65	65	65
18-20	11	14.8	39	7	8	14	18	23	28	29										
21-24	4	6.5	14	3	3	6	9	11	11	11										
25-34	10	13.2	94	2	2	10	22	27	28	28										
35-54	7	7.3	15	2	2	7	10	12	13	13										
55-74	8	14.3	169	3	3	9	23	35	39	39										
75 +	1	33.0		33	33	33	33	33	33	33										
ALL AGES	56	15.2	151	2	3	11	22	33	43	53	3	34.3	965	3	3	35	57	65	65	65
B. FEMALE																				
0-12 YRS.																				
13-17	1	62.0		62	62	62	62	62	62	62										
18-20	2	19.5	25	16	16	19	23	23	23	23										
21-24	2	21.0	162	12	12	21	30	30	30	30										
25-34	3	9.0	13	6	6	8	12	13	13	13										
35-54	3	13.7	64	9	9	9	20	23	23	23										
55-74	1	8.0		8	8	8	8	8	8	8										
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	13	18.2	226	6	7	13	23	36	57	62										
SUBTOTAL	**69**	**15.8**	**163**	**3**	**3**	**11**	**22**	**32**	**45**	**60**	**3**	**34.3**	**965**	**3**	**3**	**35**	**57**	**65**	**65**	**65**
GRAND TOTAL	**129**	**16.9**	**193**	**1**	**3**	**13**	**23**	**39**	**45**	**58**	**5**	**26.6**	**653**	**3**	**3**	**26**	**42**	**65**	**65**	**65**

MIX DIS CONDUCT/EMOTION (312.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17	4	17.5	190	9	9	11	25	38	38	38										
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	4	17.5	190	9	9	11	25	38	38	38	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**5**	**14.8**	**179**	**4**	**4**	**10**	**19**	**38**	**38**	**38**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20	1	2.0		2	2	2	2	2	2	2
13-17	1	50.0		50	50	50	50	50	50	50										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	35.0	450	20	20	35	50	50	50	50	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	**3**	**24.3**	**569**	**3**	**3**	**20**	**42**	**50**	**50**	**50**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**8**	**18.4**	**287**	**3**	**3**	**11**	**29**	**46**	**50**	**50**	**2**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

OTHER CONDUCT DISTURB (312.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	2.4	7	1	1	1	3	7	7	7	1	2.0		2	2	2	2	2	2	2
13-17	1	47.0		47	47	47	47	47	47	47	1	1.0		1	1	1	1	1	1	1
18-20	2	1.0		1	1	1	1	1	1	1										
21-24	2	21.5	181	12	12	21	31	31	31	31										
25-34	4	6.8	50	1	1	4	11	17	17	17										
35-54	1	16.0		16	16	16	16	16	16	16										
55-74																				
75 +																				
ALL AGES	15	9.8	180	1	1	3	15	31	43	47	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.	5	8.0	71	1	1	7	11	22	22	22	2	10.5	181	1	1	10	20	20	20	20
13-17	3	9.3	47	4	4	7	14	17	17	17										
18-20	1	12.0		12	12	12	12	12	12	12	1	22.0		22	22	22	22	22	22	22
21-24																				
25-34	2	12.0	8	10	10	12	14	14	14	14										
35-54	1	7.0		7	7	7	7	7	7	7	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	12	9.3	37	1	1	8	13	18	21	22	4	11.5	122	1	1	11	21	22	22	22
SUBTOTAL	**27**	**9.6**	**112**	**1**	**1**	**7**	**14**	**21**	**33**	**47**	**6**	**8.2**	**99**	**1**	**1**	**2**	**20**	**22**	**22**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	62.0		62	62	62	62	62	62	62										
13-17	2	45.5	2665	9	9	45	82	82	82	82										
18-20																				
21-24																				
25-34	2	8.0	32	4	4	8	12	12	12	12										
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	6	28.5	1188	2	2	10	62	80	82	82										
B. FEMALE																				
0-12 YRS.																				
13-17	4	30.5	1204	1	1	22	57	76	76	76										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	30.5	1204	1	1	22	57	76	76	76										
SUBTOTAL	**10**	**29.3**	**1062**	**1**	**1**	**10**	**62**	**79**	**82**	**82**										
GRAND TOTAL	**37**	**14.9**	**426**	**1**	**1**	**7**	**16**	**45**	**71**	**82**	**6**	**8.2**	**99**	**1**	**1**	**2**	**20**	**22**	**22**	**22**

CONDUCT DISTURBANCE NOS (312.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	12	7.9	57	1	3	5	9	18	27	29	4	8.5	71	3	3	5	13	21	21	21
13-17	36	19.0	337	1	3	16	27	44	79	99 +	4	6.3	44	1	1	5	11	15	15	15
18-20	3	3.3	7	1	1	3	5	6	6	6										
21-24	8	12.5	377	3	3	5	10	46	60	60										
25-34	2	6.5	61	1	1	6	12	12	12	12	3	6.0	75	1	1	1	12	16	16	16
35-54																				
55-74																				
75 +																				
ALL AGES	61	14.8	282	1	2	8	22	36	52	99 +	11	7.0	51	1	1	4	13	18	21	21
B. FEMALE																				
0-12 YRS.	5	10.0	185	1	1	5	14	34	34	34	2	2.5	5	1	1	2	4	4	4	4
13-17	43	17.2	289	1	2	11	30	40	50	66	6	13.0	93	1	1	14	20	25	26	26
18-20	2	22.0		22	22	22	22	22	22	22	1	65.0		65	65	65	65	65	65	65
21-24	2	5.0	18	2	2	5	8	8	8	8										
25-34	2	9.5	1	9	9	9	10	10	10	10										
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	55	15.8	252	1	2	10	27	38	44	66	9	16.4	413	1	1	13	21	49	65	65
SUBTOTAL	**116**	**15.3**	**265**	**1**	**2**	**9**	**25**	**38**	**46**	**98**	**20**	**11.3**	**222**	**1**	**1**	**5**	**16**	**23**	**45**	**65**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	12	10.7	96	1	2	8	14	23	36	38										
13-17	30	19.0	260	1	2	17	28	45	69	99 +										
18-20	2	4.5	1	4	4	4	5	5	5	5										
21-24	1	24.0		24	24	24	24	24	24	24										
25-34	2	10.0	162	1	1	10	19	19	19	19										
35-54	1	5.0		5	5	5	5	5	5	5										
55-74	1	8.0		8	8	8	8	8	8	8	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	49	15.6	207	1	2	12	24	37	52	99 +	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.	2	45.0	3200	5	5	45	85	85	85	85										
13-17	28	15.5	152	2	2	13	24	35	39	44	2	11.0	72	5	5	11	17	17	17	17
18-20	2	6.0	8	4	4	6	8	8	8	8										
21-24																				
25-34	1	36.0		36	36	36	36	36	36	36										
35-54	4	4.3	4	2	2	4	6	7	7	7										
55-74																				
75 +																				
ALL AGES	37	15.9	283	2	2	9	23	37	42	85	2	11.0	72	5	5	11	17	17	17	17
SUBTOTAL	**86**	**15.7**	**238**	**1**	**2**	**12**	**24**	**37**	**45**	**94**	**3**	**8.7**	**51**	**4**	**4**	**5**	**14**	**17**	**17**	**17**
GRAND TOTAL	**202**	**15.5**	**251**	**1**	**2**	**9**	**24**	**37**	**45**	**98**	**23**	**10.9**	**199**	**1**	**1**	**5**	**16**	**22**	**40**	**65**

OVERANXIOUS DISORDER (313.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	27.6	97	12	16	29	45	99 +	99 +	99 +										
13-17	8	38.0	164	20	23	37	43	57	63	63										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	16	32.8	151	15	20	32	44	89	99 +	99 +										
B. FEMALE																				
0-12 YRS.	3	46.0	421	25	25	47	61	66	66	66										
13-17	7	36.9	305	16	18	33	46	64	68	68										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	10	39.6	319	16	20	39	47	67	68	68										
SUBTOTAL	**26**	**35.4**	**218**	**16**	**20**	**33**	**46**	**67**	**99 +**	**99 +**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	21	45.4	417	11	26	45	69	99 +	99 +	99 +										
13-17	20	32.6	323	7	10	29	43	54	67	80										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	41	39.1	408	8	13	40	53	81	99 +	99 +										
B. FEMALE																				
0-12 YRS.	5	50.0	586	31	32	45	92	99	99 +	99 +										
13-17	23	34.6	524	3	9	30	46	63	84	98										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	28	37.3	554	3	12	33	48	86	98	99 +										
SUBTOTAL	**69**	**38.4**	**459**	**8**	**13**	**38**	**52**	**82**	**99**	**99 +**										
GRAND TOTAL	**95**	**37.6**	**390**	**10**	**14**	**37**	**49**	**79**	**99 +**	**99 +**										

MISERY & UNHAPPINESS DIS (313.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17	1	25.0		25	25	25	25	25	25	25										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	17.0	128	9	9	17	25	25	25	25										
B. FEMALE																				
0-12 YRS.																				
13-17	2	34.5	2113	2	2	34	67	67	67	67										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	34.5	2113	2	2	34	67	67	67	67										
SUBTOTAL	**4**	**25.8**	**845**	**2**	**2**	**17**	**46**	**67**	**67**	**67**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**4**	**25.8**	**845**	**2**	**2**	**17**	**46**	**67**	**67**	**67**										

SENSITIVITY & WITHDRAWAL (313.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	42.0		42	42	42	42	42	42	42										
13-17	1	42.0		42	42	42	42	42	42	42										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	42.0		42	42	42	42	42	42	42										
B. FEMALE																				
0-12 YRS.	1	49.0		49	49	49	49	49	49	49										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	49.0		49	49	49	49	49	49	49										
SUBTOTAL	**3**	**44.3**	**21**	**42**	**42**	**42**	**47**	**49**	**49**	**49**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	1	28.0		28	28	28	28	28	28	28										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	28.0		28	28	28	28	28	28	28										
SUBTOTAL	**1**	**28.0**		**28**	**28**	**28**	**28**	**28**	**28**	**28**										
GRAND TOTAL	**4**	**40.3**	**72**	**28**	**28**	**42**	**46**	**49**	**49**	**49**										

OTH EMOTIONAL DIS CHILD (313.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	19	27.0	225	8	12	23	43	54	82	99+	1	38.0		38	38	38	38	38	38	38
13-17	26	27.1	530	3	5	25	42	86	99+	99+	2	35.5	1625	7	7	35	64	64	64	64
18-20	2	5.5	5	4	4	5	7	7	7	7	1	43.0		43	43	43	43	43	43	43
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	47	26.1	398	4	5	23	43	71	99+	99+	4	38.0	554	7	7	40	53	64	64	64
B. FEMALE																				
0-12 YRS.	15	29.7	425	2	4	33	48	65	90	99+	2	30.0	18	27	27	30	33	33	33	33
13-17	50	23.2	276	3	4	21	36	45	58	99+	3	24.0	273	13	13	16	36	43	43	43
18-20	1	5.0		5	5	5	5	5	5	5										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	66	24.4	313	3	4	21	41	48	67	99+	5	26.4	152	13	13	27	35	43	43	43
SUBTOTAL	**113**	**25.1**	**346**	**3**	**5**	**22**	**41**	**59**	**85**	**99+**	**9**	**31.6**	**318**	**7**	**9**	**33**	**43**	**56**	**64**	**64**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	19	35.3	483	7	12	30	46	63	83	97	6	44.7	482	28	28	35	57	81	84	84
13-17	33	29.9	466	4	7	30	48	93	99+	99+	1	58.0		58	58	79	99+	99+	99+	99+
18-20	3	12.0	148	4	4	6	21	26	26	26										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	55	30.8	469	5	7	29	44	71	99	99+	7	46.6	427	28	28	47	71	95	99+	99+
B. FEMALE																				
0-12 YRS.	4	31.3	137	16	18	39	99+	99+	99+	99+	3	64.7	418	43	43	75	92	99+	99+	99+
13-17	56	28.7	389	4	5	28	42	55	62	86	2	31.5	481	16	16	31	47	47	47	47
18-20	3	28.3	435	13	13	20	44	52	52	52										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	63	28.8	369	4	7	28	44	56	80	99+	5	51.4	662	16	19	57	84	98	99+	99+
SUBTOTAL	**118**	**29.8**	**409**	**4**	**7**	**29**	**44**	**64**	**96**	**99+**	**12**	**48.6**	**480**	**18**	**27**	**52**	**84**	**99+**	**99+**	**99+**
GRAND TOTAL	**231**	**27.5**	**382**	**4**	**6**	**26**	**42**	**61**	**92**	**99+**	**21**	**41.3**	**467**	**11**	**15**	**43**	**62**	**87**	**99+**	**99+**

EMOTIONAL DIS CHILD NOS (313.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	43.0		43	43	43	43	43	43	43										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	43.0		43	43	43	43	43	43	43										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**43.0**		**43**	**43**	**43**	**43**	**43**	**43**	**43**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	12.0		12	12	12	12	12	12	12										
13-17	1	10.0		10	10	10	10	10	10	10										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	11.0	2	10	10	11	12	12	12	12										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**11.0**	**2**	**10**	**10**	**11**	**12**	**12**	**12**	**12**										
GRAND TOTAL	**3**	**21.7**	**340**	**10**	**10**	**12**	**35**	**43**	**43**	**43**										

ATTENTION DEFICIT DIS (314.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	54	14.3	280	2	2	4	28	41	45	65	4	22.5	594	1	1	19	43	50	50	50
13-17	14	26.2	531	2	3	20	35	61	77	81	1	19.0		19	19	19	19	19	19	19
18-20	1	49.0		49	49	49	49	49	49	49										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	69	17.2	359	2	2	5	30	43	51	78	5	21.8	448	1	1	19	39	50	50	50
B. FEMALE																				
0-12 YRS.	9	7.7	83	2	2	4	9	24	29	29	1	32.0		32	32	32	32	32	32	32
13-17	3	36.7	38	32	32	34	41	44	44	44										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	12	14.9	241	2	2	6	30	37	43	44	1	32.0		32	32	32	32	32	32	32
SUBTOTAL	**81**	**16.9**	**338**	**2**	**2**	**5**	**30**	**42**	**50**	**76**	**6**	**23.5**	**376**	**1**	**1**	**25**	**36**	**49**	**50**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	57	31.7	572	2	3	26	54	75	96	99 +	4	35.0	1011	7	7	30	61	72	72	72
13-17	29	29.7	531	7	8	23	44	73	90	99 +										
18-20	2	14.5	1	14	14	14	15	15	15	15										
21-24	2	24.5	181	15	15	24	34	34	34	34										
25-34	3	25.7	78	20	20	21	32	36	36	36										
35-54	1	12.0		12	12	12	12	12	12	12										
55-74																				
75 +																				
ALL AGES	94	30.1	524	2	5	25	52	70	91	99 +	4	35.0	1011	7	7	30	61	72	72	72
B. FEMALE																				
0-12 YRS.	18	36.2	544	5	10	39	56	78	95	99 +										
13-17	6	27.5	300	7	8	28	43	46	46	46										
18-20	1	6.0		6	6	6	6	6	6	6										
21-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	1	25.0		25	25	25	25	25	25	25										
55-74																				
75 +																				
ALL AGES	27	31.6	485	5	6	30	48	63	89	99 +										
SUBTOTAL	**121**	**30.5**	**507**	**3**	**6**	**25**	**50**	**69**	**90**	**99 +**	**4**	**35.0**	**1011**	**7**	**7**	**30**	**61**	**72**	**72**	**72**
GRAND TOTAL	**202**	**25.0**	**484**	**2**	**2**	**21**	**41**	**62**	**81**	**99 +**	**10**	**28.1**	**581**	**1**	**1**	**25**	**50**	**61**	**72**	**72**

HYPERKINET W DEVEL DELAY (314.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	1	21.0		21	21	21	21	21	21	21										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	11.5	181	2	2	11	21	21	21	21										
SUBTOTAL	**3**	**8.3**	**121**	**2**	**2**	**2**	**16**	**21**	**21**	**21**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**3**	**8.3**	**121**	**2**	**2**	**2**	**16**	**21**	**21**	**21**										

HYPERKINETIC CONDUCT DIS (314.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	25.0		25	25	25	25	25	25	25
13-17	1	64.0		64	64	64	64	64	64	64										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	64.0		64	64	64	64	64	64	64	1	25.0		25	25	25	25	25	25	25
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**64.0**		**64**	**64**	**64**	**64**	**64**	**64**	**64**	**1**	**25.0**		**25**	**25**	**25**	**25**	**25**	**25**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	42.0		42	42	42	42	42	42	42	2	47.0	288	35	35	47	59	59	59	59
13-17	1	48.0		48	48	48	48	48	48	48										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	45.0	18	42	42	45	48	48	48	48	2	47.0	288	35	35	47	59	59	59	59
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**45.0**	**18**	**42**	**42**	**45**	**48**	**48**	**48**	**48**	**2**	**47.0**	**288**	**35**	**35**	**47**	**59**	**59**	**59**	**59**
GRAND TOTAL	**3**	**51.3**	**134**	**42**	**42**	**48**	**60**	**64**	**64**	**64**	**3**	**39.7**	**301**	**25**	**25**	**35**	**53**	**59**	**59**	**59**

OTHER HYPERKINETIC SYND (314.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	1.0		1	1	1	1	1	1	1										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	35.0		35	35	35	35	35	35	35	1	47.0		47	47	47	47	47	47	47
13-17	2	6.0		6	6	6	6	6	6	6										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	15.7	279	6	6	6	28	35	35	35	1	47.0		47	47	47	47	47	47	47
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	3	15.7	279	6	6	6	28	35	35	35	1	47.0		47	47	47	47	47	47	47
GRAND TOTAL	4	12.0	241	1	1	6	21	35	35	35	1	47.0		47	47	47	47	47	47	47

HYPERKINETIC SYND NOS (314.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	21.0		21	21	21	21	21	21	21										
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	1	21.0		21	21	21	21	21	21	21	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.											1	14.0		14	14	14	14	14	14	14
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	2	8.0	72	2	2	8	14	14	14	14
SUBTOTAL	**2**	**13.0**	**128**	**5**	**5**	**13**	**21**	**21**	**21**	**21**	**3**	**7.3**	**38**	**2**	**2**	**6**	**12**	**14**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**2**	**13.0**	**128**	**5**	**5**	**13**	**21**	**21**	**21**	**21**	**3**	**7.3**	**38**	**2**	**2**	**6**	**12**	**14**	**14**	**14**

ALL PSYCHIATRIC CODES

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	415	18.7	368	1	1	13	31	47	72	99+	77	10.9	319	1	1	2	9	42	45	82
13-17	1346	20.7	342	1	2	16	33	48	66	99+	339	15.9	313	1	1	6	30	45	47	78
18-20	779	13.1	170	1	1	9	20	31	39	55	186	11.9	187	1	1	4	22	29	34	53
21-24	1433	13.9	194	1	1	10	21	30	39	72	378	12.7	125	1	1	9	22	28	30	44
25-34	5151	13.7	153	1	2	10	21	29	35	58	1715	12.2	119	1	2	7	22	28	30	37
35-54	6379	12.8	123	1	2	9	20	28	31	48	2300	11.5	117	1	2	6	22	28	30	35
55-74	2898	13.7	129	2	2	11	20	29	34	51	1088	9.6	94	1	2	5	12	27	30	36
75 +	983	12.4	115	2	3	9	17	26	34	51	457	6.9	44	1	2	5	8	13	22	35
ALL AGES	19384	13.9	164	1	2	10	21	30	38	64	6540	11.4	125	1	1	6	21	28	30	45
B. FEMALE																				
0-12 YRS.	235	18.9	384	1	1	11	33	52	63	99+	74	6.8	112	1	1	2	7	21	31	55
13-17	1712	21.2	356	1	2	16	33	49	63	99+	297	10.6	199	1	1	3	16	34	41	72
18-20	754	14.1	215	1	1	9	20	32	44	69	175	9.7	246	1	1	3	10	30	38	83
21-24	1328	13.0	160	1	2	9	19	30	39	62	243	8.5	108	1	1	4	9	25	29	40
25-34	4899	13.4	139	1	2	10	19	29	37	56	972	9.4	103	1	1	5	13	26	29	40
35-54	7447	14.2	131	2	3	12	20	29	36	54	1297	9.6	117	1	2	5	12	28	30	43
55-74	5005	16.1	153	2	4	14	22	32	40	62	957	8.0	86	1	2	5	9	21	28	43
75 +	2007	13.8	127	2	3	11	19	28	36	56	725	7.0	47	1	2	5	8	13	19	33
ALL AGES	23387	14.9	164	1	3	12	21	31	40	64	4740	8.8	108	1	1	5	10	25	30	47
SUBTOTAL	**42771**	**14.4**	**166**	**1**	**2**	**11**	**21**	**30**	**39**	**64**	**11280**	**10.3**	**120**	**1**	**1**	**5**	**16**	**28**	**30**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	420	29.4	479	3	4	27	48	70	97	99+	54	32.6	806	2	2	28	59	87	99+	99+
13-17	1780	26.0	399	2	3	23	41	54	73	99+	381	25.6	287	1	3	28	35	45	51	98
18-20	891	15.6	177	1	2	12	24	33	40	59	274	17.5	184	1	2	19	29	35	35	49
21-24	1366	14.0	144	1	2	11	22	29	34	55	572	14.5	132	1	2	11	25	30	31	37
25-34	5312	13.3	124	1	2	10	21	28	31	47	2784	11.8	112	2	2	6	22	28	30	34
35-54	5539	13.0	123	2	2	9	20	28	31	47	2669	9.6	88	2	2	5	14	25	28	33
55-74	1825	14.0	125	2	3	11	21	29	34	53	774	8.9	75	2	2	5	11	23	28	36
75 +	414	13.2	90	3	4	12	18	26	33	52	153	7.3	53	1	2	5	9	14	21	59
ALL AGES	17547	15.1	184	2	2	11	22	31	42	72	7661	11.9	133	1	2	6	22	28	31	46
B. FEMALE																				
0-12 YRS.	142	29.6	565	2	4	28	47	84	99+	99+	20	32.4	751	1	1	39	69	99+	99+	99+
13-17	1725	25.2	409	2	4	21	39	57	75	99+	279	22.4	342	1	2	24	35	46	57	99+
18-20	706	15.1	220	1	2	10	22	35	45	73	163	13.5	204	1	1	7	27	33	36	89
21-24	1297	14.0	162	1	2	10	20	30	38	62	299	11.0	137	1	1	5	21	29	32	44
25-34	4473	13.7	150	2	2	10	20	29	36	63	1177	10.4	106	1	2	5	16	28	30	40
35-54	4997	14.4	138	2	3	11	20	29	36	57	1192	9.2	90	1	2	5	11	28	30	35
55-74	2558	16.7	156	3	4	14	23	33	41	59	563	8.2	74	1	2	5	9	21	29	39
75 +	933	15.1	121	3	4	13	20	30	38	50	224	7.2	43	2	3	5	8	15	18	35
ALL AGES	16831	15.8	194	2	3	12	22	33	44	76	3917	10.7	134	1	2	5	14	29	33	54
SUBTOTAL	**34378**	**15.5**	**187**	**2**	**3**	**12**	**22**	**32**	**42**	**74**	**11578**	**11.5**	**133**	**1**	**2**	**5**	**21**	**29**	**32**	**48**
GRAND TOTAL	**77149**	**14.9**	**175**	**1**	**2**	**11**	**21**	**31**	**41**	**68**	**22858**	**10.9**	**127**	**1**	**2**	**5**	**19**	**28**	**31**	**46**

APPENDIX 1

HOSPITAL SERVICE TYPE DEFINITIONS

To define the two hospital categories used in the Psychiatric Length of Stay series, the following steps were accomplished:

All specialty or long-term care hospitals, e.g., substance-abuse, orthopedic, or psychiatric, were deleted so that only nonfederal, short-term general hospitals remained in the psychiatric length of stay database. The exception is pediatric hospitals, specialty institutions, whose data were included.

Hospitals were then grouped according to whether the following service codes were recorded:

A. Hospital-based psychiatric acute care

B. Psychiatric acute care not available

C. Psychiatric acute care provided by another hospital or provider

D. Hospital-based pediatric psychiatric acute care

E. Pediatric psychiatric acute care not available

F. Pediatric psychiatric acute care provided by another hospital or provider

G. Psychiatric acute care beds set up

Hospitals in A, D, and G above were separated and labeled: hospitals with a psychiatric unit/beds. Hospitals in B, C, E, and F above were labeled: hospitals without a psychiatric unit/beds.

In addition, however, both hospital service types may offer one or more of these services as defined in the *AHA Guide*, 1986 Edition:

Psychiatric outpatient services

Hospital services for the diagnosis and treatment of psychiatric outpatients.

Clinical psychology services

One or more clinical psychologists who provide diagnostic or therapeutic services on a regular full-time schedule or intermittently.

Psychiatric consultation and education services

Provision of interpretive psychiatric consultation and education services to community agencies and workers such as schools, police, courts, public health nurses, welfare agencies, clergy, and so forth.The pupose is to expand the mental health knowledge and competence of personnel not working in the mental health field and to promote good mental health through improved understanding, attitudes, and behavioral patterns.

Psychiatric foster and/or home care program

Planned postdischarge psychiatric observation and care in the patient's place of residence or in an approved foster home.

Psychiatric emergency services

Hospital facilities for the provision of unscheduled outpatient care to psychiatric patients whose conditions are considered to require immediate care. Staff must be available 24 hours a day.

Partial hospitalization program

Organized hospital facilities and services for day care and/or night care of psychiatric patients who do not require inpatient care 24 hours a day.

APPENDIX 2

CALCULATION OF PROGRAM INTENSITY INDEX

The (Ip) of Phillip and Hai (1976) is used to place hospitals in one of three levels of teaching status. The formula is presented below.

$$Ip = 9.9\,(JCA) + 14.0\,(CP) + 28.0\,(RES) + 14.7\,(MS) + 13.3\,(PNS) + 20.1\,(COT)$$

JCA: Accreditation by Joint Commission of Accredition of Hospitals

CP: Cancer Program approved by American College of Surgeons

RES: Residency approved by American Medical Association

MS: Medical School Affiliation reported by American Medical Association

PNS: Hospital-controlled professional nursing school, reported by National League for Nursing

COT: Member of Council of Teaching Hospitals of the Association of American Medical Colleges

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

In the hospital characteristic tables of the Psychiatric Length of Stay series, the following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution
Ip value 25.0-74.9	Minor Teaching Institution
Ip value 75.0+	Major Teaching Institution

APPENDIX 3

STATE INCLUSIONS BY REGION

Northeast	North Central	South	West
Connecticut	Illinois	Alabama	Alaska
Maine	Indiana	Arkansas	Arizona
Massachusetts	Iowa	Delaware	California
New Hampshire	Kansas	District of Columbia	Colorado
New Jersey	Michigan	Florida	Hawaii
New York	Minnesota	Georgia	Idaho
Pennsylvania	Missouri	Kentucky	Montana
Rhode Island	Nebraska	Louisiana	Nevada
Vermont	North Dakota	Maryland	New Mexico
	Ohio	Mississippi	Oregon
	South Dakota	North Carolina	Utah
	Wisconsin	Oklahoma	Washington
		South Carolina	Wyoming
		Tennessee	
		Texa	
		Virginia	
		West Virginia	

The number and percent of hospitals and total patients by census region and hospital type included in the psychiatric length of stay tables is shown below.

	Hospitals with a Psych Unit/Beds				Hospitals without a Psych Unit/Beds			
Region	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx	%	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx	%
Northeast	130	26.3	44,556	22.1	174	18.3	10,397	15.6
North Central	154	31.1	77,149	38.2	331	34.9	22,858	34.2
South	93	18.8	37,236	18.4	217	22.8	12,439	18.6
West	118	23.8	42,894	21.3	228	24.0	21,135	31.6
U.S.	495	100.0	201,835	100.0	950	100.0	66,829	100.0

Appendix 4

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	English Description	Page Number
290	**Senile and presenile organic psychotic conditions**	
290.0	Senile dementia, uncomplicated	1
290.1	Presenile dementia	2
290.10	Presenile dementia, uncomplicated	2
290.11	Presenile dementia with delirium	2
290.12	Presenile dementia with delusional features	2
290.13	Presenile dementia with depressive features	2
290.2	Senile dementia with delusional or depressive features	3
290.20	Senile dementia with delusional features	3
290.21	Senile dementia with depressive features	3
290.3	Senile dementia with delirium	4
290.4	Arteriosclerotic dementia	5
290.40	Arteriosclerotic dementia, uncomplicated	5
290.41	Arteriosclerotic dementia with delirium	5
290.42	Arteriosclerotic dementia with delusional features	5
290.43	Arteriosclerotic dementia with depressive features	5
290.9	Unspecified senile psychotic condition	6
291	**Alcoholic psychoses**	
291.0	Alcohol withdrawal delirium	7
291.1	Alcohol amnestic syndrome	8
291.2	Other alcoholic dementia	9
291.3	Alcohol withdrawal hallucinosis	10
291.4	Idiosyncratic alcohol intoxication	11
291.5	Alcoholic jealousy	12
291.8	Other specified alcoholic psychosis	13
291.9	Unspecified alcoholic psychosis	14
292	**Drug psychoses**	
292.0	Drug withdrawal syndrome	15
292.1	Paranoid and/or hallucinatory states induced by drugs	16
292.11	Drug-induced organic delusional syndrome	16
292.12	Drug-induced hallucinosis	16
292.2	Pathological drug intoxication	17
292.8	Other specified drug-induced mental disorders	18
292.81	Drug-induced delirium	18
292.82	Drug-induced dementia	18
292.83	Drug-induced amnestic syndrome	18
292.84	Drug-induced organic affective syndrome	18
292.89	Other	18
292.9	Unspecified drug-induced mental disorder	19
293	**Transient organic psychotic conditions**	
293.0	Acute delirium	20
293.1	Subacute delirium	21
293.8	Other specified transient organic mental disorders	22
293.81	Organic delusional syndrome	22
293.82	Organic hallucinosis syndrome	22
293.83	Organic affective syndrome	22
293.89	Other	22
293.9	Unspecified transient organic mental disorder	23

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
294	**Other organic psychotic conditions (chronic)**	
294.0	Amnestic syndrome	24
294.1	Dementia in conditions classified elsewhere	25
294.8	Other specified organic brain syndromes (chronic)	26
294.9	Unspecified organic brain syndrome (chronic)	27
295	**Schizophrenic disorders**	
	Fifth-digit subclassification for use with 295: 0 unspecified 1 subchronic 2 chronic 3 subchronic with acute exacerbation 4 chronic with acute exacerbation 5 in remission	
295.0	Simple type	28
295.1	Disorganized type	29
295.2	Catatonic type	30
295.3	Paranoid type	31
295.4	Acute schizophrenic episode	32
295.5	Latent schizophrenia	33
295.6	Residual schizophrenia	34
295.7	Schizo-affective type	35
295.8	Other specified types of schizophrenia	36
295.9	Unspecified schizophrenia	37
296	**Affective psychoses**	
	Fifth-digit subclassification for use with 296.0-296.6: 0 unspecified 1 mild 2 moderate 3 severe, without mention of psychotic behavior 4 severe, specified as with psychotic behavior 5 in partial or unspecified remission 6 in full remission	
296.0	Manic disorder, single episode	38
296.1	Manic disorder, recurrent episode	39
296.2	Major depressive disorder, single episode	40
296.3	Major depressive disorder, recurrent episode	41
296.4	Bipolar affective disorder, manic	42
296.5	Bipolar affective disorder, depressed	43
296.6	Bipolar affective disorder, mixed	44
296.7	Bipolar affective disorder, unspecified	45
296.8	Manic-depressive psychosis, other and unspecified	46
296.80	Manic-depressive psychosis, unspecified	46
296.81	Atypical manic disorder	46
296.82	Atypical depressive disorder	46
296.89	Other	46
296.9	Other and unspecified affective psychoses	47
296.90	Unspecified affective psychosis	47
296.99	Other specified affective psychoses	47
297	**Paranoid states**	
297.0	Paranoid state, simple	48
297.1	Paranoia	49
297.2	Paraphrenia	50
297.3	Shared paranoid disorder	51

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
297.8	Other specified paranoid states	52
297.9	Unspecified paranoid state	53
298	**Other nonorganic psychoses**	
298.0	Depressive type psychosis	54
298.1	Excitative type psychosis	55
298.2	Reactive confusion	56
298.3	Acute paranoid reaction	57
298.4	Psychogenic paranoid psychosis	58
298.8	Other and unspecified reactive psychosis	59
298.9	Unspecified psychosis	60
299	**Psychoses with origin specific to childhood**	
	Fifth-digit subclassification for use with 299:	
	0 current or active state	
	1 residual state	
299.0	Infantile autism	61
299.8	Other specified early childhood psychoses	62
299.9	Unspecified	63
300	**Neurotic disorders**	
300.0	Anxiety states	64
300.00	Anxiety state, unspecified	64
300.01	Panic disorder	64
300.02	Generalized anxiety disorder	64
300.09	Other	64
300.1	Hysteria	65
300.10	Hysteria, unspecified	65
300.11	Conversion disorder	65
300.12	Psychogenic amnesia	65
300.13	Psychogenic fugue	65
300.14	Multiple personality	65
300.15	Dissociative disorder or reaction, unspecified	65
300.16	Factitious illness with psychological symptoms	65
300.19	Other and unspecified factitious illness	65
300.2	Phobic disorders	66
300.20	Phobia, unspecified	66
300.21	Agoraphobia with panic attacks	66
300.22	Agoraphobia without mention of panic attacks	66
300.23	Social phobia	66
300.29	Other isolated or simple phobias	66
300.3	Obsessive-compulsive disorders	67
300.4	Neurotic depression	68
300.5	Neurasthenia	69
300.6	Depersonalization syndrome	70
300.7	Hypochondriasis	71
300.8	Other neurotic disorders	72
300.81	Somatization disorder	72
300.89	Other	72
300.9	Unspecified neurotic disorder	73
301	**Personality disorders**	
301.0	Paranoid personality disorder	74
301.1	Affective personality disorder	75
301.10	Affective personality disorder, unspecified	75
301.11	Chronic hypomanic personality disorder	75

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
301.12	Chronic depressive personality disorder	75
301.13	Cyclothymic disorder	75
301.2	Schizoid personality disorder	76
301.20	Schizoid personality disorder, unspecified	76
301.21	Introverted personality	76
301.22	Schizotypal personality	76
301.3	Explosive personality disorder	77
301.4	Compulsive personality disorder	78
301.5	Histrionic personality disorder	79
301.50	Histrionic personality disorder, unspecified	79
301.51	Chronic factitious illness with physical symptoms	79
301.59	Other histrionic personality disorder	79
301.6	Dependent personality disorder	80
301.7	Antisocial personality disorder	81
301.8	Other personality disorders	82
301.81	Narcissistic personality	82
301.82	Avoidant personality	82
301.83	Borderline personality	82
301.84	Passive-aggressive personality	82
301.89	Other	82
301.9	Unspecified personality disorder	83
302	**Sexual deviations and disorders**	
302.1	Zoophilia	84
302.2	Pedophilia	85
302.4	Exhibitionism	86
302.5	Trans-sexualism	87
302.50	With unspecified sexual history	87
302.51	With asexual history	87
302.52	With homosexual history	87
302.53	With heterosexual history	87
302.6	Disorders of psychosexual identity	88
302.7	Psychosexual dysfunction	89
302.70	Psychosexual dysfunction, unspecified	89
302.71	With inhibited sexual desire	89
302.72	With inhibited sexual excitement	89
302.73	With inhibited female orgasm	89
302.74	With inhibited male orgasm	89
302.75	With premature ejaculation	89
302.76	With functional dyspareunia	89
302.79	With other specified psychosexual dysfunctions	89
302.8	Other specified psychosexual disorders	90
302.81	Fetishism	90
302.82	Voyeurism	90
302.83	Sexual masochism	90
302.84	Sexual sadism	90
302.85	Gender identity disorder of adolescent or adult life	90
302.89	Other	90
302.9	Unspecified psychosexual disorder	91

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
303	**Alcohol dependence syndrome**	
	Fifth-digit subclassification for use with 303:	
	0 unspecified	
	1 continuous	
	2 episodic	
	3 in remission	
303.0	Acute alcoholic intoxication	92
303.9	Other and unspecified alcohol dependence	93
304	**Drug dependence**	
	Fifth-digit subclassification for use with 304:	
	0 unspecified	
	1 continuous	
	2 episodic	
	3 in remission	
304.0	Opioid type dependence	94
304.1	Barbiturate and similarly acting sedative or hypnotic dependence	95
304.2	Cocaine dependence	96
304.3	Cannabis dependence	97
304.4	Amphetamine and other psychostimulant dependence	98
304.5	Hallucinogen dependence	99
304.6	Other specified drug dependence	100
304.7	Combinations of opioid type drug with any other	101
304.8	Combinations of drug dependence excluding opioid type drug	102
304.9	Unspecified drug dependence	103
305	**Nondependent abuse of drugs**	
	Fifth-digit subclassification for use with 305:	
	0 unspecified	
	1 continuous	
	2 episodic	
	3 in remission	
305.0	Alcohol abuse	104
305.1	Tobacco use disorder	105
305.2	Cannabis abuse	106
305.3	Hallucinogen abuse	107
305.4	Barbiturate and similarly acting sedative or hypnotic abuse	108
305.5	Opioid abuse	109
305.6	Cocaine abuse	110
305.7	Amphetamine or related acting sympathomimetic abuse	111
305.8	Antidepressant type abuse	112
305.9	Other, mixed, or unspecified drug abuse	113
306	**Physiological malfunction arising from mental factors**	
306.0	Musculoskeletal	114
306.1	Respiratory	115
306.2	Cardiovascular	116
306.3	Skin	117
306.4	Gastrointestinal	118
306.5	Genitourinary	119
306.50	Psychogenic genitourinary malfunction, unspecified	119
306.51	Psychogenic vaginismus	119
306.52	Psychogenic dysmenorrhea	119
306.53	Psychogenic dysuria	119
306.59	Other	119

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
306.7	Organs of special sense	120
306.8	Other specified psychophysiological malfunction	121
306.9	Unspecified psychophysiological malfunction	122
307	**Special symptoms or syndromes, not elsewhere classified**	
307.0	Stammering and stuttering	123
307.1	Anorexia nervosa	124
307.2	Tics	125
307.20	Tic disorder, unspecified	125
307.21	Transient tic disorder of childhood	125
307.22	Chronic motor tic disorder	125
307.23	Gilles de la Tourette's disorder	125
307.3	Stereotyped repetitive movements	126
307.4	Specific disorders of sleep of nonorganic origin	127
307.40	Nonorganic sleep disorder, unspecified	127
307.41	Transient disorder of initiating or maintaining sleep	127
307.42	Persistent disorder of initiating or maintaining sleep	127
307.43	Transient disorder of initiating or maintaining wakefulness	127
307.44	Persistent disorder of initiating or maintaining wakefulness	127
307.45	Phase-shift disruption of 24-hour sleep-wake cycle	127
307.46	Somnambulism or night terrors	127
307.47	Other dysfunctions of sleep stages or arousal from sleep	127
307.48	Repetitive intrusions of sleep	127
307.49	Other	127
307.5	Other and unspecified disorders of eating	128
307.50	Eating disorder, unspecified	128
307.51	Bulimia	128
307.52	Pica	128
307.53	Psychogenic rumination	128
307.54	Psychogenic vomiting	128
307.59	Other	128
307.7	Encopresis	129
307.8	Psychalgia	130
307.80	Psychogenic pain, site unspecified	130
307.81	Tension headache	130
307.89	Other	130
307.9	Other and unspecified special symptoms or syndromes, not elsewhere classified	131
308	**Acute reaction to stress**	
308.0	Predominant disturbance of emotions	132
308.1	Predominant disturbance of consciousness	133
308.2	Predominant psychomotor disturbance	134
308.3	Other acute reactions to stress	135
308.4	Mixed disorders as reaction to stress	136
308.9	Unspecified acute reaction to stress	137
309	**Adjustment reaction**	
309.0	Brief depressive reaction	138
309.1	Prolonged depressive reaction	139
309.2	With predominant disturbance of other emotions	140
309.21	Separation anxiety disorder	140
309.22	Emancipation disorder of adolescence and early adult life	140
309.23	Specific academic or work inhibition	140
309.24	Adjustment reaction with anxious mood	140
309.28	Adjustment reaction with mixed emotional features	140

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
309.29	Other	140
309.3	With predominant disturbance of conduct	141
309.4	With mixed disturbance of emotions and conduct	142
309.8	Other specified adjustment reactions	143
309.81	Prolonged posttraumatic stress disorder	143
309.82	Adjustment reaction with physical symptoms	143
309.83	Adjustment reaction with withdrawal	143
309.89	Other	143
309.9	Unspecified adjustment reaction	144
310	**Specific nonpsychotic mental disorders due to organic brain damage**	
310.0	Frontal lobe syndrome	145
310.1	Organic personality syndrome	146
310.2	Postconcussion syndrome	147
310.8	Other specified nonpsychotic mental disorders following organic brain damage	148
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	149
311	**Depressive disorder, not elsewhere classified**	150
312	**Disturbance of conduct, not elsewhere classified**	
	Fifth-digit subclassification for use with 312.0-312.2: 0 unspecified 1 mild 2 moderate 3 severe	
312.0	Undersocialized conduct disorder, aggressive type	151
312.1	Undersocialized conduct disorder, unaggressive type	152
312.2	Socialized conduct disorder	153
312.3	Disorders of impulse control, not elsewhere classified	154
312.30	Impulse control disorder, unspecified	154
312.31	Pathological gambling	154
312.32	Kleptomania	154
312.33	Pyromania	154
312.34	Intermittent explosive disorder	154
312.35	Isolated explosive disorder	154
312.39	Other	154
312.4	Mixed disturbance of conduct and emotions	155
312.8	Other specified disturbances of conduct, not elsewhere classified	156
312.9	Unspecified disturbance of conduct	157
313	**Disturbance of emotions specific to childhood and adolescence**	
313.0	Overanxious disorder	158
313.1	Misery and unhappiness disorder	159
313.2	Sensitivity, shyness, and social withdrawal disorder	160
313.21	Shyness disorder of childhood	160
313.22	Introverted disorder of childhood	160
313.23	Elective mutism	160
313.8	Other or mixed emotional disturbances of childhood or adolescence	161
313.81	Oppositional disorder	161
313.82	Identity disorder	161
313.83	Academic underachievement disorder	161
313.89	Other	161
313.9	Unspecified emotional disturbance of childhood or adolescence	162

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
314	**Hyperkinetic syndrome of childhood**	
314.0	Attention deficit disorder	163
314.00	Without mention of hyperactivity	163
314.01	With hyperactivity	163
314.1	Hyperkinesis with developmental delay	164
314.2	Hyperkinetic conduct disorder	165
314.8	Other specified manifestations of hyperkinetic syndrome	166
314.9	Unspecified hyperkinetic syndrome	167
290-314.9	**All psychiatric diagnosis codes**	168

Appendix 5

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES

English Description	*ICD-9-CM* Code	Page Number
Academic underachievement disorder	313.83	161
Acute alcoholic intoxication	303.0	92
Acute delirium	293.0	20
Acute paranoid reaction	298.3	57
Acute schizophrenic episode	295.4	32
Adjustment reaction with anxious mood	309.24	140
Adjustment reaction with mixed emotional features	309.28	140
Adjustment reaction with physical symptoms	309.82	143
Adjustment reaction with withdrawal	309.83	143
Affective personality disorder	301.1	75
Affective psychoses	296.0-296.6	38-44
Fifth-digit subclassification for use with 296.0-296.6:		
0 unspecified		
1 mild		
2 moderate		
3 severe, without mention of psychotic behavior		
4 severe, specified as with psychotic behavior		
5 in partial or unspecified remission		
6 in full remission		
Agoraphobia with panic attacks	300.21	66
Agoraphobia without mention of panic attacks	300.22	66
Alcohol abuse	305.0	104
Alcohol amnestic syndrome	291.1	8
Alcohol dependence syndrome	303.0-303.9	92-93
Fifth-digit subclassification for use with 303:		
0 unspecified		
1 continuous		
2 episodic		
3 in remission		
Alcohol withdrawal delirium	291.0	7
Alcohol withdrawal hallucinosis	291.3	10
Alcoholic jealousy	291.5	12
Amnestic syndrome	294.0	24
Amphetamine and other psychostimulant dependence	304.4	98
Amphetamine or related acting sympathomimetic abuse	305.7	111
Anorexia nervosa	307.1	124
Antidepressant type abuse	305.8	112
Antisocial personality disorder	301.7	81
Anxiety state, unspecified	300.00	64
Anxiety states	300.0	64
Arteriosclerotic dementia	290.4	5
Arteriosclerotic dementia, uncomplicated	290.40	5
Arteriosclerotic dementia with delirium	290.41	5
Arteriosclerotic dementia with delusional features	290.42	5
Arteriosclerotic dementia with depressive features	290.43	5
Attention deficit disorder	314.0	163
Atypical depressive disorder	296.82	46
Atypical manic disorder	296.81	46
Avoidant personality	301.82	82

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Barbiturate and similarly acting sedative or hypnotic dependence	304.1	95
Barbiturate and similarly acting sedative or hypnotic abuse	305.4	108
Bipolar affective disorder, depressed	296.5	43
Bipolar affective disorder, manic	296.4	42
Bipolar affective disorder, mixed	296.6	44
Bipolar affective disorder, unspecified	296.7	45
Borderline personality	301.83	82
Brief depressive reaction	309.0	138
Bulimia	307.51	128
Cannabis abuse	305.2	106
Cannabis dependence	304.3	97
Cardiovascular-Physiological malfunction arising from mental factors	306.2	116
Catatonic type-Schizophrenic disorders	295.2	30
Chronic depressive personality disorder	301.12	75
Chronic factitious illness with physical symptoms	301.51	79
Chronic hypomanic personality disorder	301.11	75
Chronic motor tic disorder	307.22	125
Cocaine abuse	305.6	110
Cocaine dependence	304.2	96
Combinations of drug dependence excluding opioid type drug	304.8	102
Combinations of opioid type drug with any other	304.7	101
Compulsive personality disorder	301.4	78
Conversion disorder	300.11	65
Cyclothymic disorder	301.13	75
Dementia in conditions classified elsewhere	294.1	25
Dependent personality disorder	301.6	80
Depersonalization syndrome	300.6	70
Depressive disorder, not elsewhere classified	311	150
Depressive type psychosis	298.0	54
Disorders of impulse control, not elsewhere classified	312.3	154
Disorders of psychosexual identity	302.6	88
Disorganized type-Schizophrenic disorders	295.1	29
Dissociative disorder or reaction, unspecified	300.15	65
Disturbance of conduct, not elsewhere classified	312.0-312.2	151-153
Fifth-digit subclassification for use with 312.0-312.2:		
0 unspecified		
1 mild		
2 moderate		
3 severe		
Drug dependence	304.0-304.9	94-103
Fifth-digit subclassification for use with 304:		
0 unspecified		
1 continuous		
2 episodic		
3 in remission		
Drug withdrawal syndrome	292.0	15
Drug-induced amnestic syndrome	292.83	18
Drug-induced delirium	292.81	18
Drug-induced dementia	292.82	18
Drug-induced hallucinosis	292.12	16
Drug-induced organic affective syndrome	292.84	18
Drug-induced organic delusional syndrome	292.11	16

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Eating disorder, unspecified	307.50	128
Elective mutism	313.23	160
Emancipation disorder of adolescence and early adult life	309.22	140
Encopresis	307.7	129
Excitative type psychosis	298.1	55
Exhibitionism	302.4	86
Explosive personality disorder	301.3	77
Factitious illness with psychological symptoms	300.16	65
Fetishism	302.81	90
Frontal lobe syndrome	310.0	145
Gastrointestinal-Physiological malfunction arising from mental factors	306.4	118
Gender identity disorder of adolescent or adult life	302.85	90
Generalized anxiety disorder	300.02	64
Genitourinary-Physiological malfuntion arising from mental factors	306.5	119
Gilles de la Tourette's disorder	307.23	125
Hallucinogen abuse	305.3	107
Hallucinogen dependence	304.5	99
Histrionic personality disorder	301.5	79
Histrionic personality disorder, unspecified	301.50	79
Hyperkinesis with developmental delay	314.1	164
Hyperkinetic conduct disorder	314.2	165
Hypochondriasis	300.7	71
Hysteria	300.1	65
Hysteria, unspecified	300.10	65
Identity disorder	313.82	161
Idiosyncratic alcohol intoxication	291.4	11
Impulse control disorder, unspecified	312.30	154
Infantile autism	299.0	61
Intermittent explosive disorder	312.34	154
Introverted disorder of childhood	313.22	160
Introverted personality	301.21	76
Isolated explosive disorder	312.35	154
Kleptomania	312.32	154
Latent schizophrenia	295.5	33
Major depressive disorder, recurrent episode	296.3	41
Major depressive disorder, single episode	296.2	40
Manic disorder, recurrent episode	296.0	38
Manic disorder, single episode	296.1	39
Manic-depressive psychosis, other and unspecified	296.8	46
Manic-depressive psychosis, unspecified	296.80	46
Misery and unhappiness disorder	313.1	159
Mixed disorders as reaction to stress	308.4	136
Mixed disturbance of conduct and emotions	312.4	155
Multiple personality	300.14	65
Musculoskeletal-Physiological malfunction arising from mental factors	306.0	114
Narcissistic personality	301.81	82
Neurasthenia	300.5	69
Neurotic depression	300.4	68

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Nondependent abuse of drugs	305.0-305.9	104-113
Fifth-digit subclassification for use with 305:		
0 unspecified		
1 continuous		
2 episodic		
3 in remission		
Nonorganic sleep disorder, unspecified	307.40	127
Obsessive-compulsive disorders	300.3	67
Opioid abuse	305.5	109
Opioid type dependence	304.0	94
Oppositional disorder	313.81	161
Organic affective syndrome	293.83	22
Organic delusional syndrome	293.81	22
Organic hallucinosis syndrome	293.82	22
Organic personality syndrome	310.1	146
Organs of special sense-Physiological malfunction arising from mental factors	306.7	120
Other-Genitourinary physiological malfuntion arising from mental factors	306.59	119
Other-Specific disorders of sleep of nonorganic origin	307.49	127
Other-Other and unspecified disorders of eating	307.59	128
Other-Psychalgia	307.89	130
Other-Adjustment reaction w/predominant disturbance of other emotions	309.29	140
Other-Other specified adjustment reactions	309.89	143
Other-Disorders of impulse control not elsewhere classified	312.39	154
Other-Other or mixed emotional disturbances of childhood or adolescence	313.89	161
Other-Other specified drug-induced mental disorders	292.89	18
Other-Other specified transient organic mental disorders	293.89	22
Other-Manic-depressive psychoses, other and unspecified	296.89	46
Other-Anxiety states	300.09	64
Other-Other neurotic disorders	300.89	72
Other-Other personality disorders	301.89	82
Other-Other specified psychosexual disorders	302.89	90
Other acute reactions to stress	308.3	135
Other alcoholic dementia	291.2	9
Other and unspecified affective psychoses	296.9	47
Other and unspecified alcohol dependence	303.9	93
Other and unspecified disorders of eating	307.5	128
Other and unspecified factitious illness	300.19	65
Other and unspecified reactive psychosis	298.8	59
Other and unspecified special symptoms or syndromes,not elsewhere classified	307.9	131
Other dysfunctions of sleep stages or arousal from sleep	307.47	127
Other histrionic personality disorder	301.59	79
Other isolated or simple phobias	300.29	66
Other, mixed, or unspecified drug abuse	305.9	113
Other neurotic disorders	300.8	72
Other or mixed emotional disturbances of childhood or adolescence	313.8	161
Other personality disorders	301.8	82
Other specified adjustment reactions	309.8	143
Other specified affective psychoses	296.99	47
Other specified alcoholic psychosis	291.8	13
Other specified disturbances of conduct, not elsewhere classified	312.8	156
Other specified drug dependence	304.6	100
Other specified drug-induced mental disorders	292.8	18

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Other specified early childhood psychoses	299.8	62
Other specified manifestations of hyperkinetic syndrome	314.8	166
Other specified nonpsychotic mental disorders following organic brain damage	310.8	148
Other specified organic brain syndromes (chronic)	294.8	26
Other specified paranoid states	297.8	52
Other specified psychophysiological malfunction	306.8	121
Other specified psychosexual disorders	302.8	90
Other specified transient organic mental disorders	293.8	22
Other specified types of schizophrenia	295.8	36
Overanxious disorder	313.0	158
Panic disorder	300.01	64
Paranoia	297.1	49
Paranoid and/or hallucinatory states induced by drugs	292.1	16
Paranoid state, simple	297.0	48
Paranoid type-Schizophrenic disorders	295.3	31
Paraphrenia	297.2	50
Passive-aggressive personality	301.84	82
Pathological drug intoxication	292.2	17
Pathological gambling	312.31	154
Pedophilia	302.2	85
Persistent disorder of initiating or maintaining wakefulness	307.44	127
Persistent disorder of initiating or maintaining sleep	307.42	127
Phase-shift disruption of 24-hour sleep-wake cycle	307.45	127
Phobia, unspecified	300.20	66
Phobic disorders	300.2	66
Pica	307.52	128
Postconcussion syndrome	310.2	147
Predominant disturbance of consciousness	308.1	133
Predominant disturbance of emotions	308.0	132
Predominant psychomotor disturbance	308.2	134
Presenile dementia	290.1	2
Presenile dementia, uncomplicated	290.10	2
Presenile dementia with delirium	290.11	2
Presenile dementia with delusional features	290.12	2
Presenile dementia with depressive features	290.13	2
Prolonged depressive reaction	309.1	139
Prolonged posttraumatic stress disorder	309.81	143
Psychalgia	307.8	130
Psychogenic amnesia	300.12	65
Psychogenic dysmenorrhea	306.52	119
Psychogenic dysuria	306.53	119
Psychogenic fugue	300.13	65
Psychogenic genitourinary malfunction, unspecified	306.50	119
Psychogenic pain, site unspecified	307.80	130
Psychogenic paranoid psychosis	298.4	58
Psychogenic rumination	307.53	128
Psychogenic vaginismus	306.51	119
Psychogenic vomiting	307.54	128
Psychoses with origin specific to childhood	299.0-299.9	61-63
Fifth-digit subclassification for use with 299:		
0 current or active state		
1 residual state		

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Psychosexual dysfunction	302.7	89
Psychosexual dysfunction, unspecified	302.70	89
Pyromania	312.33	154
Reactive confusion	298.2	56
Repetitive intrusions of sleep	307.48	127
Residual schizophrenia	295.6	34
Respiratory-Physiological malfunction arising from mental factors	306.1	115
Schizo-affective type-Schizophrenic disorders	295.7	35
Schizoid personality disorder	301.2	76
Schizoid personality disorder, unspecified	301.20	76
Schizophrenic disorders	295.0-295.9	28-37
Fifth-digit subclassification for use with 295:		
0 unspecified		
1 subchronic		
2 chronic		
3 subchronic with acute exacerbation		
4 chronic with acute exacerbation		
5 in remission		
Schizotypal personality	301.22	76
Senile dementia, uncomplicated	290.0	1
Senile dementia with delirium	290.3	4
Senile dementia with delusional or depressive features	290.2	3
Senile dementia with delusional features	290.20	3
Senile dementia with depressive features	290.21	3
Sensitivity, shyness, and social withdrawal disorder	313.2	160
Separation anxiety disorder	309.21	140
Sexual masochism	302.83	90
Sexual sadism	302.84	90
Shared paranoid disorder	297.3	51
Shyness disorder of childhood	313.21	160
Simple type-Schizophrenic disorders	295.0	28
Skin-Physiological malfunction arising from mental factors	306.3	117
Social phobia	300.23	66
Socialized conduct disorder	312.2	153
Somatization disorder	300.81	72
Somnambulism or night terrors	307.46	127
Specific academic or work inhibition	309.23	140
Specific disorders of sleep of nonorganic origin	307.4	127
Stammering and stuttering	307.0	123
Stereotyped repetitive movements	307.3	126
Subacute delirium	293.1	21
Tension headache	307.81	130
Tic disorder, unspecified	307.20	125
Tics	307.2	125
Tobacco use disorder	305.1	105
Trans-sexualism	302.5	87
Transient disorder of initiating or maintaining wakefulness	307.43	127
Transient disorder of initiating or maintaining sleep	307.41	127
Transient tic disorder of childhood	307.21	125
Undersocialized conduct disorder, aggressive type	312.0	151
Undersocialized conduct disorder, unaggressive type	312.1	152
Unspecified-Psychoses with origin specific to childhood	299.9	63

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Unspecified acute reaction to stress	308.9	137
Unspecified adjustment reaction	309.9	144
Unspecified affective psychosis	296.90	47
Unspecified alcoholic psychosis	291.9	14
Unspecified disturbance of conduct	312.9	157
Unspecified drug dependence	304.9	103
Unspecified drug-induced mental disorder	292.9	19
Unspecified emotional disturbance of childhood or adolescence	313.9	162
Unspecified hyperkinetic syndrome	314.9	167
Unspecified neurotic disorder	300.9	73
Unspecified nonpsychotic mental disorder following organic brain damage	310.9	149
Unspecified organic brain syndrome (chronic)	294.9	27
Unspecified paranoid state	297.9	53
Unspecified personality disorder	301.9	83
Unspecified psychophysiological malfunction	306.9	122
Unspecified psychosexual disorder	302.9	91
Unspecified psychosis	298.9	60
Unspecified schizophrenia	295.9	37
Unspecified senile psychotic condition	290.9	6
Unspecified transient organic mental disorder	293.9	23
Voyeurism	302.82	90
With asexual history-Trans-sexualism	302.51	87
With functional dyspareunia-Psychosexual dysfunction	302.76	89
With heterosexual history-Trans-sexualism	302.53	87
With homosexual history-Trans-sexualism	302.52	87
With hyperactivity-Attention deficit disorder	314.01	163
With inhibited female orgasm-Psychosexual dysfunction	302.73	89
With inhibited male orgasm-Psychosexual dysfunction	302.74	89
With inhibited sexual desire-Psychosexual dysfunction	302.71	89
With inhibited sexual excitement-Psychosexual dysfunction	302.72	89
With mixed disturbance of emotions and conduct-Adjustment reaction	309.4	142
With other specified psychosexual dysfunctions-Psychosexual dysfunction	302.79	89
With predominant disturbance of conduct-Adjustment reaction	309.3	141
With predominant disturbance of other emotions-Adjustment reaction	309.2	140
With premature ejaculation-Psychosexual dysfunction	302.75	89
With unspecified sexual history-Trans-sexualism	302.50	87
Without mention of hyperactivity-Attention deficit disorder	314.00	163
Zoophilia	302.1	84

APPENDIX 6

PATIENT CHARACTERISTIC DEFINITIONS USED IN GRAPHS

Complications and Comorbidities (CCs)

There are 2,979 *ICD-9-CM* diagnoses that have been distinguished by the Health Care Financing Administration (HCFA) as complications and comorbidities (CCs). These secondary diagnoses are used within the definitions of the Version 3 Diagnosis Related Group (DRG) classification system.

The HCFA definitions are:

A complication is a condition that arises during the hospital stay that prolongs length of stay by at least one day in approximately 75 percent of the cases.

A comorbidity is a preexisting condition that will, because of its presence with a specific diagnosis, cause an increase in length of stay by at least one day in approximately 75 percent of the cases.

To obtain a complete listing of the Version 3 DRG CCs, please contact 1-800-521-6210, Extension 3534.

Payor Categories

Insurance Company

Payment covered by any private or commercial insurance carrier except Blue Cross.

Self-Pay

Direct payment by the patient himself.

Other

Sources of payment not included in the other payor categories. Included here are payment by local or organized charities, such as Cerebral Palsy Foundation, or payment by relatives or friends of the patient.

Title V

Maternal and Child Health. Applies only to females age 60 or younger or males 21 or younger.

Other Government Agencies

Payment by local, state, or federal government agencies, except Medicare, Medicaid, and Title V.

R3850-2.3

LOS

PSYCHIATRIC

LENGTH OF STAY

CPHA PUBLICATIONS

by Diagnosis
United States, Northeastern Region, 1986

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
December, 1987

PSYCHIATRIC LENGTH OF STAY

This publication represents one volume in the first edition of the Psychiatric Length of Stay series:

Length of Stay by Psychiatric Diagnosis, United States, 1986
Length of Stay by Psychiatric Diagnosis, Northeastern Region, 1986
Length of Stay by Psychiatric Diagnosis, North Central Region, 1986
Length of Stay by Psychiatric Diagnosis, Southern Region, 1986
Length of Stay by Psychiatric Diagnosis, Western Region, 1986

The Length of Stay series has been published annually since 1964. The 1986 Length of Stay by Diagnosis and Operation books are available for the United States and for four geographic regions. In addition, the Length of Stay series includes the Geriatric Length of Stay by Diagnosis and Operation, United States, 1986 and Pediatric Length of Stay by Diagnosis and Operation, United States 1986. For further information, please write CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106 or call 800-521-6210 or 800-828-6762 in Michigan, Extension 3534.

CONTENTS

About CPHA and Publications iii

Preface iv

Description of the Database

Data Collection vi
Data Quality viii
Database Characteristics viii

Organization of Psychiatric Length of Stay Tables xiii

Explanation of Psychiatric Length of Stay Statistics xv

Application of Psychiatric Length of Stay Tables xvi

Complementary Data and Graphs xvii

Length of Stay Tables 1

Appendix 1: Hospital Service Type Definitions 165

Appendix 2: Teaching Intensity Program Calculation 166

Appendix 3: State Inclusions and Hospital Counts by Region 167

Appendix 4: *ICD-9-CM* Psychiatric Diagnosis Codes and English Descriptions 168

Appendix 5: English Descriptions and *ICD-9-CM* Psychiatric Diagnosis Codes 175

Appendix 6: Patient Characteristic Definitions Used in Graphs 182

ABOUT CPHA AND CPHA PUBLICATIONS

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and system development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of issue-oriented data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day-to-day activity of health care professionals in a variety of settings.

Copyright ©1987 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

PREFACE

The Psychiatric Length of Stay series represents the first edition of a new annual publication incorporating length of stay and accompanying facility and demographic data on psychiatric patients treated in nonfederal, short-term general hospitals in the United States.

CPHA initially developed its length of stay databases in 1964. Since then, the Length of Stay or LOS series, has become a well-known standard in the health care industry.

CPHA is committed to continuing its tradition of providing high quality normative data reference publications. CPHA recognizes that sustaining a tradition means responding to emerging information needs and issues important to long-time and new users. The new series makes it possible to focus on utilization and special length of stay issues for a particular hospital population: the psychiatric patient.

The growing number of people in the United States diagnosed with mental illness or psychiatric-related conditions make these volumes both timely and imperative.

PROJECT STAFF
1986 PSYCHIATRIC LENGTH OF STAY BOOKS

Jeanine A. DeLay, MA, Project Manager, Assistant Director
Joyce Beach, Senior Programmer
Lale A. Olson, Forms Analyst
James Chesney, PhD, Director

The Project Staff is indebted to many individuals who made this publication possible. Special thanks to other Research Services staff: Carol A. Prevost, BS, Research Associate, Linda E. Vanek, MSW, Product Manager, and Susan DesHarnais, PhD, Research Scientist, for publication design, research advice, and editing assistance, and Rhonda A. Gregory, Publications Assistant, for clerical assistance.

Appreciation is also extended to Sharon Glushyn, Steve Maggio, Margaret Price, and Cheryl V. Rafdal. Finally, we gratefully acknowledge the hospitals that support this book by making their data available.

DESCRIPTION OF THE DATABASE

DATA COLLECTION

Data in the Psychiatric Length of Stay books are compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, the books contain discharge data from hospitals participating in information systems other than PAS, including: Alabama Hospital Association, Colorado Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association.

The following steps describe the PAS method of storing and retrieving medical record data:

1. In each participating hospital, personnel transfer demographic and clinical data from the record of each discharged patient via microcomputer, magnetic tape, or PAS Case Abstract.

2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where its contents are entered into the computer system.

3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospital personnel.

4. Hospitals continually add data stored in the computer system's permanent history file dating back as far as 1955. Participating hospitals are given access to their own data through interactive systems, in-house computers, and paper reports. The stored aggregate data are standardized and maintained as custom databases, among them the length of stay database.

5. CPHA Publications uses this annually updated database to create the Psychiatric Length of Stay series and other normative data reference tools.

A graphic of the CPHA data collection system is shown on the next page.

CPHA'S DATA COLLECTION SYSTEM



CPHA's Database is maintained for:

- Print and electronic publications, e.g., 1986 Psychiatric Length of Stay series
- Contract research market analysis, forecasting, survey, and epidemiological investigations
- Policy research on major health care issues, e.g., cost containment, quality of care, equity
- On-line access and analysis by hospitals and other health industry groups

DATA QUALITY

Data quality is one of the primary concerns of CPHA. Although the hospital is ultimately responsible for the quality of its data, CPHA shares responsibility as the hospital's medical record processor. For this reason, CPHA goes to considerable length to prevent and correct errors by continually training hospital medical personnel in coding and abstracting methods, by routinely monitoring submitted data, and by carefully checking and editing the data for errors.

Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: sex-specific diagnosis with the wrong sex recorded, incalculable age or stay, and unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the psychiatric length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following record types are excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term general hospital
4. discharge to other short-term general hospital
5. discharge against medical advice

DATABASE CHARACTERISTICS

Data in the Psychiatric Length of Stay series are from 1,445 nonfederal, short-term general hospitals in the United States. Short-term hospitals have a median stay shorter than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term and specialty institutions, e.g., long-term psychiatric facilities and centers treating psychiatric patients exclusively, are excluded. The only specialty hospital data included in this series are from short-term pediatric hospitals.

The characteristics of all hospitals with discharge data included in the Psychiatric Length of Stay books are displayed in the tables on pages x-xii. Table definitions are as follows:

Public/Private Hospitals

A public hospital is a nonfederal government-operated hospital, e.g., state, county, city, or hospital authority. A private hospital includes both nongovernment investor or for-profit and not-for-profit owned or operated facilities.

Hospitals with or without a Psychiatric Unit or Beds

The 1985 Annual Survey of Hospitals compiled on magnetic tape by the American Hospital Association (1985 AHA magnetic tape), includes service and facility codes. Nonfederal, short-term general hospitals that recorded psychiatric or children's psychiatric acute care services, or claimed a facility with psychiatric acute care beds, are included in the hospitals with psychiatric unit/beds category. Nonfederal, short-term general hospitals that do not have psychiatric or children's psychiatric acute care services, and do not claim psychiatric beds, are included in the hospitals without a psychiatric unit/beds category. In addition, some hospitals in this group contract with another hospital or provider for psychiatric services.

Hospitals in both categories, however, can offer the following services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization. Appendix 1 includes definitions of these additional services.

Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1985 AHA magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Hospitals
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges.

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

Appendix 2 describes how the teaching intensity index is determined.

Average Occupancy

According to *AHA Hospital Statistics*, 1986 edition, the average occupancy of a hospital is "the ratio of the average daily census to the average number of beds, i.e., statistical beds, maintained during a particular reporting period."

Table 1
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

	PUBLIC HOSPITALS			PRIVATE HOSPITALS			UNKNOWN HOSPITALS*			TOTAL HOSPITALS		
	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL
Number of Hospitals												
Universe**	143	403	546	783	1,237	2,020	7	4	11	933	1,644	2,577
Sample	64	236	300	428	711	1,139	3	3	6	495	950	1,445
Hospitals as Percent of Universe												
Universe	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Sample	44.8	58.6	54.9	54.7	57.5	56.4	42.9	75.0	54.5	53.1	57.8	56.1
Number of Urban Hospitals												
Universe	77	90	167	565	702	1,267	5	0	5	647	792	1,439
Sample	25	54	79	281	364	645	0	0	0	306	418	724
Urban Hospitals as Percent of Universe												
Universe	53.8	22.3	30.6	72.2	56.8	62.7	71.4	0	45.5	69.3	48.2	55.8
Sample	17.5	13.4	14.5	35.9	29.4	31.9	0	0	0	32.8	25.4	28.1
Number of High/Medium Teaching Intensity Hospitals												
Universe	40	10	50	297	155	452	3	0	3	340	165	505
Sample	17	9	26	149	77	226	0	0	0	166	86	252
Number of High/Medium Teaching Intensity Hospitals as Percent of Universe												
Universe	28.0	2.5	9.2	37.9	12.5	22.4	42.9	0	27.3	36.4	10.0	19.6
Sample	11.9	2.2	4.8	19.0	6.2	11.2	0	0	0	17.8	5.2	9.8
Average Occupancy as Percent of Universe												
Universe	60.9	47.6	51.1	65.6	56.4	60.0	70.2	37.8	58.4	64.9	54.2	58.1
Sample	58.6	46.5	49.1	65.0	57.4	60.2	0	84.2	84.2	64.2	54.7	57.9

*The Unknown category means no information is available for the hospital characteristics.

**The Universe means all hospitals that have recorded the presence of a psychiatric unit or beds on the 1985 American Hospital Association magnetic tape. The Sample represents hospitals with these designations, i.e., presence of a psychiatric unit or beds, contributing data to the Psychiatric Length of Stay series.

Table 2
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

HOSPITALS WITH PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	495	100.0	201,835	100.0
Control				
Public	64	12.9	20,117	10.0
Private	428	86.5	180,799	89.6
Unknown***	3	.6	919	.4
Bedsize				
<100 Beds	84	17.1	7,301	3.6
100-199	121	24.4	32,680	16.2
200-299	105	21.2	43,167	21.4
300-399	69	13.9	39,975	19.8
400-499	58	11.7	36,212	17.9
500+	55	11.1	41,581	20.6
Unknown	3	.6	919	.5
Teaching Intensity				
Low	329	66.5	101,008	50.0
Medium	105	21.2	65,292	32.4
High	61	12.3	35,535	17.6
Location				
Rural	173	35.0	37,036	18.3
Urban	306	61.8	161,416	80.0
Unknown	16	3.2	3,383	1.7

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percents is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

***The Unknown category means no information is available for the hospital characteristics.

Table 3
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	950	100.0	66,829	100.0
Control				
Public	236	24.8	11,401	17.1
Private	711	74.8	54,905	82.1
Unknown***	3	.4	523	.8
Bedsize				
< 100 Beds	522	55.0	16,903	25.3
100-199	244	25.7	20,535	30.8
200-299	99	10.4	12,663	18.9
300-399	47	4.9	9,558	14.3
400-499	18	1.9	3,265	4.9
500+	18	1.9	3,410	5.1
Unknown	2	.2	495	.7
Teaching Intensity				
Low	864	91.0	53,059	79.4
Medium	65	6.8	10,456	15.6
High	21	2.2	3,314	5.0
Location				
Rural	524	55.2	19,153	28.7
Urban	418	44.0	45,674	68.3
Unknown	8	.8	2,002	3.0

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percents is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

***The Unknown category means no information is available for the hospital characteristics.

ORGANIZATION OF THE PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series is divided into separate volumes by geographic region. There are five volumes: Northeastern, North Central, Southern, Western, and the United States. The map below defines each of the 4 census regions. Appendix 3 lists the states comprising each region, and the number of hospitals and patients included in each volume.

Diagnosis Classification Categories

The tables in each regional and national volume are categorized by the widely used classification system, the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).*[1] This system includes both diagnosis and procedure numerical codes of three to five digits. The psychiatric length of stay tables are categorized by *ICD-9-CM* diagnosis code, beginning with code 290 and ending with code 314.9, expressed to the fourth digit. Diagnosis codes within the specified range with five digits are collapsed and incorporated into the four digit *ICD-9-CM* diagnosis codes. Appendix 4 lists the *ICD-9-CM* diagnosis codes in the psychiatric length of stay tables, their accompanying English description, and the page number in the particular volume where a table is located. Appendix 5 lists, in alphabetic order, the psychiatric diagnosis English description and accompanying numerical codes. For *ICD-9-CM* codes between 290-314.9 where there are no data, no listing is included.

[1] *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Hospital Service Type

The tables are also categorized by hospital service and facility. The divisions are:

a. Hospitals with a Psychiatric (Psy.) Unit/Beds - Nonfederal, short-term general hospitals recording psychiatric or pediatric psychiatric acute care services or claiming a facility with psychiatric acute care beds.

b. Hospitals without a Psychiatric (Psy.) Unit/Beds - Nonfederal, short-term general hospitals that do not have psychiatric or pediatric psychiatric acute care services and do not claim psychiatric acute care beds. In addition, hospitals in this group may contract with another hospital or provider for psychiatric acute care services. Hospitals in both groups can offer the following additional services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

Psychiatric Length of Stay Patient Variables

The psychiatric length of stay data are divided into two patient groups, by sex, and by eight age ranges.

Patient Groups

Patients in the psychiatric length of stay tables are grouped by *ICD-9-CM* psychiatric principal diagnosis and by the presence or absence of a psychiatric secondary diagnosis. The principal diagnosis code is the diagnosis that after study explains why the patient was admitted to the hospital.

Psychiatric Principal Diagnosis, Without Any Psychiatric Secondary Diagnosis
(Psych Prin, No Psych 2nd Dx)

This group includes patients having a psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) only or patients having the specified psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) and a nonpsychiatric secondary diagnosis. For example, this group may include patients having the principal psychiatric diagnosis code specified in the table, as his/her only diagnosis. Alternatively, a patient having the principal psychiatric diagnosis specified in the table and diabetes (*ICD-9-CM* code 250.0), a nonpsychiatric secondary diagnosis, is also included in this category.

Psychiatric Principal Diagnosis, With One or More Psychiatric Secondary Diagnoses
(Psych Prin, Psych 2nd Dx(s)

This group includes patients having a psychiatric principal diagnosis code between the code ranges *ICD-9-CM* 290-314.9 and one or more psychiatric secondary diagnoses (*ICD-9-CM* 290-314.9). These are patients with multiple psychiatric diagnoses.

Sex

Patients are distinguished as either male or female.

Age

Patients are in one of the following age groups recorded in years:
Newborn or 0 to 12
13-17
18-20
21-24
25-34
35-54
55-74
75+

The "all ages" group summarizes all the age groups by sex.

EXPLANATION OF PSYCHIATRIC LENGTH OF STAY STATISTICS

The data are sequenced by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For the psychiatric length of stay tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in one of the two patient groups, including sex and age groups. The Grand Total represents the total number of patients in a psychiatric diagnosis category (*ICD-9-CM* codes 290-314.9) within one of the two hospital service type categories.

APPLICATION OF PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series can be used as a valuable reference source in a variety of health care settings. Use of stay data allows the health care professional to compare regional and national norms to his/her own institution or client. Like the LOS series, the Psychiatric Length of Stay publications assist in projecting extended stay reviews, while recommending the most effective use of psychiatric patient care services. In focusing on the length of stay for a singular population, norms which take into account special characteristics can be developed and refined. Moreover, annual publication of Psychiatric Length of Stay allows the establishment of baselines to determine the applicability of the norms in particular psychiatric service settings. In addition, the Psychiatric Length of Stay series helps in forecasting and service planning.

The following steps are intended to provide a guide in situations where a health care professional wishes to determine a reasonable length of stay by using one of the Psychiatric Length of Stay regional or national volumes:

Step 1: Consult Appendix 4 or 5 at the back of the appropriate Psychiatric Length of Stay book for the particular diagnosis to be reviewed.

Step 2: Find the corresponding table in the Psychiatric Length of Stay book. The *ICD-9-CM* psychiatric diagnosis code number follows the English title of each table.

Step 3: Depending on the purpose of the review, find the appropriate table category:
Hospital Service Type
Patient Group
Sex
Age

Step 4: Go to the 50th percentile of stay for patients under review at the point where the 50th percentile column (7) of the table intersects the horizontal line labeling the pertinent patient variables and find the number of days.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, with more specific applications, by health care professionals in many diverse settings. The psychiatric length of stay tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Increasing concern about quality care, costs, and the need for more sophisticated hospital population-specific data to perform these quality and cost reviews will make the psychiatric length of stay tables an important new tool in the health care industry.

COMPLEMENTARY DATA AND GRAPHS

Accessing a special database affords the opportunity to explore other topics discussed in the literature and research on psychiatric length of stay. The value of the psychiatric length of stay norms is enhanced if users examine the bar graphs displayed on the next few pages.

Three issues often cited in the literature are: transfer patterns and average stay of psychiatric patients by payor, length of stay differences by hospital ownership, and regional variations in stay for similar diagnoses.

The graphs which follow offer a data profile drawn from the psychiatric length of stay database. All graphs display data for the total United States, except those describing regional variations in stay for similar diagnoses.

Transfer Patterns of Psychiatric Patients by Payor and Hospital Service Type

The bar graphs on pages xix-xxxii display by payor, the percent of psychiatric patients with particular demographic or clinical characteristics transferred upon discharge to one of the following:

1. another short-term general hospital
2. skilled nursing facility
3. intermediate care facility
4. other facility
5. home health service

Graph 1 depicts all patients with psychiatric principal diagnoses (*ICD-9-CM* 290-314.9) transferred from one of the two hospital service types. Graph 2 shows the same group of patients over 74 years who were transferred. Graphs 3 and 4 present the same patient group, using two simple severity of illness indicators: patients with one or more HCFA-defined complications and comorbidities (CCs) as any secondary diagnosis, and patients with two or more psychiatric secondary diagnoses. Graph 5 describes the transfer patterns of a different group of patients: those without a psychiatric principal diagnosis who have one or more psychiatric secondary diagnoses. Definitions of the HCFA complications and comorbidities are included in Appendix 6.

While most payor definitions are self-explanatory, the no insurance category (NO INS) includes self-pay and no charge patients. The other (OTH) category incorporates Title V, other government, and worker compensation patients. Detailed definitions of payor categories are part of Appendix 6.

Average Lengths of Stay (ALOS) of Psychiatric Patients by Payor and Hospital Service Type

Graphs 6-10 display the average stay of the same patient categories depicted in Graphs 1-5.

Average Lengths of Stay of Psychiatric Patients with Selected Psychiatric Principal Diagnoses by Hospital Ownership

Graph 11 presents the average stays for all patients with 10 prevalent psychiatric principal diagnoses. The diagnoses highlighted are:

ICD-9-CM Code	English Description
291.8	Other Specified Alcoholic Psychosis
295.3	Schizophrenic-Paranoid Type
300.4	Neurotic Depression
301.8	Other Personality Disorders
303.9	Other and Unspecified Alcohol Dependence
304.2	Cocaine Dependence
306.1	Respiratory Physiological Malfunction Arising from Mental Factors

ICD-9-CM Code	English Description
307.1	Anorexia Nervosa
309.0	Brief Depressive Reaction
314.0	Attention Deficit Disorder

Definitions for the private (PRIV) and public (PUB) hospital ownership types can be found on page viii.

Average Lengths of Stay for Patients with Selected *ICD-9-CM* Psychiatric Principal Diagnoses by Census Region

Graphs 12-14 depict the average stays by census region for patients with the same diagnoses highlighted in graph 11.

All data for the graphs were drawn from the 1986 psychiatric length of stay database. The section beginning on page 1 includes the psychiatric length of stay tables.

GRAPH 1

PERCENT ALL PSYCH PATIENTS

TRANSFERRED BY PAYOR



GRAPH 2

PERCENT ALL PSYCH PATIENTS 74+ YEARS

TRANSFERRED BY PAYOR



GRAPH 3

PERCENT ALL PSYCH PATIENTS WITH 1 + 2ND CCs

TRANSFERRED BY PAYOR



GRAPH 4

PERCENT PATIENTS WITH MULTIPLE PSYCH DXs

TRANSFERRED BY PAYOR



GRAPH 5

PERCENT PATIENTS WITH PSYCH 2ND DXs ONLY



GRAPH 6

ALOS ALL PSYCH PATIENTS

TRANSFERRED BY PAYOR



GRAPH 7

ALOS PSYCH PATIENTS 74+ YEARS

BY PAYOR AND HOSPITAL SERVICE



GRAPH 8

ALOS PSYCH PATIENTS WITH 1 + 2ND CCs

BY PAYOR AND HOSPITAL SERVICE



GRAPH 9

ALOS PATIENTS WITH MULTIPLE PSYCH DXs

BY PAYOR AND HOSPITAL SERVICE



GRAPH 10

ALOS PATIENTS WITH PSYCH 2ND DXs ONLY

BY PAYOR AND HOSPITAL SERVICE



GRAPH 11
ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL OWNERSHIP



GRAPH 12
REGIONAL ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL SERVICE



xxx

GRAPH 13
REGIONAL ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL SERVICE



GRAPH 14
REGIONAL ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL SERVICE



Psychiatric Length of Stay Diagnosis Tables

SENILE DEMENTIA UNCOMP (290.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	10	12.5	160	2	2	7	14	34	43	43	5	9.0	42	2	2	9	12	19	19	19
75 +	42	14.0	217	1	1	10	19	46	68	99 +	17	9.5	29	2	4	9	14	20	68	99 +
ALL AGES	52	13.7	204	1	2	8	19	43	54	99 +	22	9.4	30	2	3	9	14	19	48	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	17	16.7	357	2	3	9	21	42	63	74	6	10.3	20	6	6	10	13	17	17	17
75 +	71	13.5	165	2	3	10	20	39	94	99 +	42	12.7	191	2	3	9	19	76	99 +	99 +
ALL AGES	88	14.1	201	2	3	10	20	39	77	99 +	48	12.4	169	2	4	9	18	54	99 +	99 +
SUBTOTAL	**140**	**14.0**	**199**	**2**	**2**	**10**	**20**	**42**	**75**	**99 +**	**70**	**11.5**	**125**	**2**	**3**	**9**	**17**	**30**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	3	17.0	309	4	4	23	68	99 +	99 +	99 +	1	4.0		4	4	52	99 +	99 +	99 +	99 +
75 +	6	14.5	99	6	6	14	29	87	99 +	99 +	5	13.4	163	5	5	8	16	36	36	36
ALL AGES	9	15.3	142	4	5	14	36	99 +	99 +	99 +	6	11.8	146	4	4	8	29	87	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	5	5.8	2	4	4	6	7	7	7	7	1	53.0		53	53	53	53	53	53	53
75 +	19	16.8	299	2	4	10	19	48	61	64	6	25.7	567	3	3	18	47	60	61	61
ALL AGES	24	14.5	255	3	4	9	14	37	59	64	7	29.6	579	3	4	27	51	59	61	61
SUBTOTAL	**33**	**14.7**	**220**	**4**	**4**	**9**	**20**	**57**	**91**	**99 +**	**13**	**21.4**	**435**	**3**	**4**	**9**	**47**	**65**	**92**	**99 +**
GRAND TOTAL	**173**	**14.1**	**203**	**2**	**3**	**9**	**20**	**43**	**75**	**99 +**	**83**	**13.0**	**183**	**2**	**3**	**9**	**18**	**51**	**99 +**	**99 +**

PRESENILE DEMENTIA (290.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	27	15.7	454	2	3	6	27	51	93	99+	27	12.5	242	2	3	6	14	28	49	73
75 +	52	20.4	514	2	4	13	23	63	89	99+	21	11.2	295	1	2	9	15	86	99+	99+
ALL AGES	80	18.6	489	2	3	9	23	56	91	99+	48	12.0	258	1	3	7	15	37	83	99+
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	3	21.7	327	1	1	29	33	35	35	35										
55-74	35	14.8	167	2	4	12	21	55	99+	99+	21	8.5	40	2	3	6	15	39	99+	99+
75 +	72	14.1	166	2	3	10	19	36	55	99+	50	12.0	110	2	3	10	15	42	92	99+
ALL AGES	110	14.6	166	2	3	11	20	44	56	99+	71	11.0	90	2	3	9	15	40	99+	99+
SUBTOTAL	**190**	**16.3**	**303**	**2**	**3**	**11**	**22**	**51**	**89**	**99+**	**119**	**11.4**	**157**	**2**	**3**	**9**	**15**	**40**	**99+**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	11	16.8	82	7	7	15	25	30	32	32	2	15.0	2	14	14	15	16	16	16	16
75 +	5	18.0	88	10	10	16	21	34	34	34	5	7.4	43	2	2	7	10	18	18	18
ALL AGES	16	17.2	77	7	8	15	23	32	33	34	7	9.6	42	2	2	8	15	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	6	13.3	77	2	3	16	24	85	99+	99+	2	10.5	13	8	8	10	13	13	13	13
75 +	10	11.1	60	3	3	9	16	24	25	25	6	9.2	42	5	5	6	10	21	22	22
ALL AGES	17	11.7	60	2	3	9	17	26	70	99+	8	9.5	33	5	5	7	11	19	22	22
SUBTOTAL	**33**	**14.4**	**73**	**3**	**5**	**14**	**17**	**29**	**34**	**99+**	**15**	**9.5**	**35**	**2**	**2**	**8**	**14**	**18**	**21**	**22**
GRAND TOTAL	**223**	**16.0**	**279**	**2**	**3**	**11**	**22**	**43**	**85**	**99+**	**134**	**11.2**	**143**	**2**	**3**	**9**	**15**	**31**	**90**	**99+**

SENILE DELUSION/DEPRESS (290.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	19	24.4	183	5	6	24	35	44	45	46	4	17.3	461	3	3	12	62	99+	99+	99+
75 +	33	20.5	362	2	3	17	24	64	99	99+	12	17.2	191	3	5	16	22	65	93	99+
ALL AGES	52	21.9	297	3	5	19	33	44	91	99+	16	17.2	233	3	4	15	24	87	99+	99+
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	16.0		16	16	16	16	16	16	16										
55-74	25	19.7	351	2	4	17	29	49	91	99+	7	16.9	123	7	8	14	32	81	99+	99+
75 +	91	19.0	256	3	3	15	29	40	88	99+	19	20.1	428	3	4	11	22	54	71	78
ALL AGES	117	19.1	273	3	4	15	29	41	89	99+	26	19.2	341	4	4	11	26	59	81	99+
SUBTOTAL	**169**	**20.0**	**278**	**3**	**4**	**16**	**29**	**44**	**90**	**99+**	**42**	**18.5**	**292**	**3**	**4**	**15**	**25**	**63**	**99+**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	4	17.5	286	4	4	13	30	40	40	40										
75 +	11	20.3	176	8	8	11	31	39	44	45										
ALL AGES	15	19.5	191	4	5	11	31	40	44	45										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	11	28.6	505	5	9	24	57	99+	99+	99+										
75 +	24	19.6	167	3	5	18	27	38	46	50										
ALL AGES	35	22.4	281	4	5	19	35	50	92	99+										
SUBTOTAL	**50**	**21.6**	**248**	**4**	**5**	**19**	**34**	**49**	**75**	**99+**										
GRAND TOTAL	**219**	**20.3**	**273**	**3**	**4**	**17**	**29**	**45**	**89**	**99+**	**42**	**18.5**	**292**	**3**	**4**	**15**	**25**	**63**	**99+**	**99+**

SENILE DELIRIUM (290.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	9	20.8	437	1	3	15	25	56	70	70	5	12.2	3	10	10	12	14	14	14	14
75 +	36	13.1	191	1	3	9	17	41	59	99+	23	14.3	85	4	6	11	21	30	32	34
ALL AGES	45	14.6	242	1	3	10	18	44	64	99+	28	14.0	68	4	6	11	16	29	31	34
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	14	24.6	355	2	3	22	40	55	57	57	7	10.4	89	2	3	6	12	26	30	30
75 +	79	19.6	467	3	5	11	22	51	86	99+	49	12.8	224	3	4	9	15	45	98	99+
ALL AGES	93	20.4	447	3	5	12	24	54	82	99+	56	12.5	206	2	3	8	15	40	94	99+
SUBTOTAL	**138**	**18.5**	**386**	**2**	**4**	**11**	**22**	**51**	**69**	**99+**	**84**	**13.0**	**159**	**3**	**4**	**10**	**15**	**31**	**53**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	4	23.3	88	15	15	21	31	35	35	35	2	17.5	85	11	11	17	24	24	24	24
75 +	7	25.7	1148	2	3	10	74	96	99+	99+	2	16.5	25	13	13	16	20	20	20	20
ALL AGES	11	24.8	718	2	3	15	48	90	99	99+	4	17.0	37	11	11	16	22	24	24	24
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	3	15.3	88	9	9	11	22	26	26	26	1	4.0		4	4	4	4	4	4	4
75 +	9	12.9	39	6	7	12	14	23	28	28	6	13.8	250	1	1	6	28	38	39	39
ALL AGES	12	13.5	46	6	8	11	14	27	28	28	7	12.4	222	1	1	6	23	37	39	39
SUBTOTAL	**23**	**18.9**	**383**	**3**	**5**	**12**	**26**	**64**	**90**	**99+**	**11**	**14.1**	**149**	**1**	**1**	**11**	**23**	**32**	**38**	**39**
GRAND TOTAL	**161**	**18.5**	**385**	**3**	**4**	**11**	**22**	**53**	**75**	**99+**	**95**	**13.1**	**157**	**2**	**4**	**10**	**16**	**31**	**46**	**99+**

ARTERIOSCLEROT DEMENTIA (290.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	7.0	2	6	6	7	8	8	8	8										
55-74	12	17.7	216	5	5	13	17	48	49	49	9	11.9	142	2	3	7	13	33	39	39
75 +	33	17.2	220	2	4	12	27	42	60	99+	17	16.2	290	1	3	10	22	62	88	99+
ALL AGES	47	16.9	209	3	4	12	22	45	55	99+	26	14.7	236	2	3	9	21	40	75	99+
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	14	22.2	227	9	9	20	28	66	91	99+	8	12.1	96	4	4	11	20	74	99+	99+
75 +	64	13.7	185	2	3	9	17	38	62	99+	23	18.8	154	5	6	17	27	95	99+	99+
ALL AGES	79	15.1	199	2	4	10	23	39	67	99+	31	17.1	144	4	5	16	27	99+	99+	99+
SUBTOTAL	**126**	**15.8**	**201**	**3**	**4**	**10**	**23**	**40**	**61**	**99+**	**57**	**16.0**	**184**	**3**	**5**	**13**	**23**	**59**	**99+**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	4	5.3	18	1	1	4	8	11	11	11	3	11.0	16	7	7	11	14	15	15	15
75 +	5	27.6	1446	6	6	11	38	95	95	95										
ALL AGES	9	17.7	867	1	2	7	13	65	95	95	3	11.0	16	7	7	11	14	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	7	24.9	479	4	4	15	42	58	61	61	1	8.0		8	8	8	8	8	8	8
75 +	6	8.8	29	1	1	9	14	15	15	15	5	25.0	440	7	7	14	38	59	59	59
ALL AGES	13	17.5	320	1	3	10	20	48	59	61	6	22.2	398	7	7	14	31	56	59	59
SUBTOTAL	**22**	**17.5**	**516**	**1**	**2**	**10**	**15**	**50**	**75**	**95**	**9**	**18.4**	**287**	**7**	**7**	**14**	**19**	**48**	**59**	**59**
GRAND TOTAL	**148**	**16.9**	**247**	**2**	**4**	**10**	**22**	**42**	**61**	**99+**	**66**	**16.3**	**195**	**3**	**5**	**14**	**23**	**56**	**99+**	**99+**

SENILE PSYCHOSIS NEC (290.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	1	6.0		6	6	6	6	6	6	6										
SUBTOTAL	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	1	14.0		14	14	14	14	14	14	14										
SUBTOTAL	**1**	**14.0**		**14**	**14**	**14**	**14**	**14**	**14**	**14**										
GRAND TOTAL	**2**	**10.0**	**32**	**6**	**6**	**10**	**14**	**14**	**14**	**14**										

SENILE PSYCHOT COND NOS (290.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +											1	11.0		11	11	11	11	11	11	11
ALL AGES											1	11.0		11	11	11	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	15.0		15	15	15	15	15	15	15
75 +											1	21.0		21	21	21	21	21	21	21
ALL AGES											2	18.0	18	15	15	18	21	21	21	21
SUBTOTAL											**3**	**15.7**	**24**	**11**	**11**	**15**	**19**	**21**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											**3**	**15.7**	**24**	**11**	**11**	**15**	**19**	**21**	**21**	**21**

DELIRIUM TREMENS (291.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2	1	6.0		6	6	6	6	6	6	6
25-34	11	4.6	6	2	2	4	6	8	10	10	11	2.8	3	1	1	2	4	5	6	6
35-54	38	5.5	12	1	2	4	7	11	12	13	25	5.2	10	2	3	4	7	9	11	15
55-74	17	13.9	350	2	3	8	15	24	62	82	14	8.1	16	3	3	8	12	13	14	14
75 +	2	12.5	113	5	5	12	20	20	20	20	1	10.0		10	10	10	10	10	10	10
ALL AGES	69	7.6	106	1	2	5	9	14	20	71	52	5.6	13	2	2	4	8	11	13	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	6.0	2	5	5	6	7	7	7	7	1	2.0		2	2	2	2	2	2	2
35-54	7	5.6	5	3	3	5	7	9	9	9	4	5.0	22	2	2	3	8	12	12	12
55-74	4	6.5	16	1	1	7	9	10	10	10	2	4.5	25	1	1	4	8	8	8	8
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	14	6.6	12	1	3	6	9	10	14	15	7	4.4	17	1	1	3	7	11	12	12
SUBTOTAL	**83**	**7.4**	**90**	**1**	**2**	**5**	**9**	**13**	**17**	**63**	**59**	**5.5**	**13**	**1**	**2**	**4**	**8**	**11**	**13**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	6.0		6	6	6	6	6	6	6
21-24	1	7.0		7	7	7	7	7	7	7	1	6.0		6	6	6	6	6	6	6
25-34	30	7.6	118	1	2	5	7	12	27	59	18	5.9	26	1	2	5	6	8	18	25
35-54	117	7.0	35	2	2	5	8	14	17	33	62	5.8	27	1	2	4	7	11	15	28
55-74	57	7.7	20	2	3	6	11	15	17	19	18	6.6	21	1	2	5	8	14	18	19
75 +	3	19.3	364	1	1	18	34	39	39	39	2	15.5	41	11	11	15	20	20	20	20
ALL AGES	208	7.5	47	2	3	6	9	15	18	43	102	6.1	27	1	2	5	7	12	17	27
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	7	5.3	4	3	3	5	7	8	8	8	2	7.0		7	7	7	7	7	7	7
35-54	19	11.3	179	3	3	7	11	26	47	59	18	4.6	9	1	2	4	6	8	11	13
55-74	27	6.3	26	1	2	5	8	12	19	22	9	15.9	401	2	2	5	27	50	58	58
75 +	7	7.4	18	2	2	8	10	13	14	14										
ALL AGES	61	7.8	73	2	2	6	9	14	20	56	29	8.2	149	2	2	5	7	20	39	58
SUBTOTAL	**269**	**7.5**	**54**	**2**	**3**	**6**	**9**	**14**	**18**	**47**	**131**	**6.6**	**53**	**1**	**2**	**5**	**7**	**13**	**20**	**42**
GRAND TOTAL	**352**	**7.5**	**62**	**2**	**2**	**6**	**9**	**14**	**18**	**49**	**190**	**6.2**	**42**	**1**	**2**	**5**	**7**	**12**	**16**	**34**

ALCOHOL AMNESTIC SYND (291.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	1	17.0		17	17	17	17	17	17	17										
55-74	4	20.5	467	5	5	12	34	52	52	52	4	6.5	20	1	1	7	10	11	11	11
75 +											2	8.0	2	7	7	8	9	9	9	9
ALL AGES	6	17.3	320	5	5	12	17	48	52	52	6	7.0	13	1	1	8	9	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	19.0		19	19	19	19	19	19	19										
55-74	3	14.7	148	4	4	12	24	28	28	28										
75 +																				
ALL AGES	4	15.8	102	4	4	15	23	28	28	28										
SUBTOTAL	**10**	**16.7**	**212**	**4**	**4**	**14**	**19**	**40**	**52**	**52**	**6**	**7.0**	**13**	**1**	**1**	**8**	**9**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	5	25.4	868	5	5	20	75	97	99 +	99 +										
55-74	7	19.4	447	2	2	14	28	55	61	61										
75 +	1	52.0		52	52	52	52	52	52	52										
ALL AGES	13	24.2	592	2	3	17	52	77	95	99 +										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	5	7.6	20	4	4	5	12	13	13	13	2	17.0		17	17	17	17	17	17	17
75 +	1	11.0		11	11	11	11	11	11	11	1	52.0		52	52	52	52	52	52	52
ALL AGES	6	8.2	18	4	4	8	12	13	13	13	3	28.7	405	17	17	17	43	52	52	52
SUBTOTAL	**19**	**19.2**	**456**	**2**	**3**	**11**	**30**	**68**	**87**	**99 +**	**3**	**28.7**	**405**	**17**	**17**	**17**	**43**	**52**	**52**	**52**
GRAND TOTAL	**29**	**18.3**	**364**	**3**	**4**	**12**	**28**	**57**	**75**	**99 +**	**9**	**14.2**	**228**	**1**	**3**	**9**	**17**	**38**	**52**	**52**

ALCOHOLIC DEMENTIA NEC (291.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	4	21.8	111	8	8	23	30	32	32	32										
55-74	9	21.6	57	8	11	22	29	66	99+	99+	2	13.0	50	8	8	13	18	18	18	18
75 +	3	6.7	12	3	3	8	55	99+	99+	99+										
ALL AGES	16	18.8	93	5	7	21	29	80	99+	99+	2	13.0	50	8	8	59	99+	99+	99+	99+
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54																				
55-74	2	13.0	162	4	4	13	22	22	22	22	4	11.5	35	7	7	9	15	20	20	20
75 +	1	11.0		11	11	11	11	11	11	11	2	21.0	18	18	18	21	24	24	24	24
ALL AGES	3	12.3	84	4	4	11	19	22	22	22	7	12.7	68	1	2	11	19	23	24	24
SUBTOTAL	**19**	**17.8**	**92**	**4**	**6**	**21**	**28**	**60**	**99+**	**99+**	**9**	**12.8**	**56**	**1**	**5**	**18**	**23**	**99+**	**99+**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
35-54	5	11.6	89	5	5	7	15	28	28	28										
55-74	20	17.7	346	3	3	10	21	51	66	66	4	10.0	22	5	5	10	14	14	14	14
75 +	3	17.0	397	5	5	6	31	40	40	40										
ALL AGES	30	15.5	287	2	3	7	20	38	66	66	5	8.2	33	1	1	7	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	1	31.0		31	31	31	31	31	31	31										
35-54	2	45.5	13	43	43	45	48	48	48	48										
55-74	3	24.7	988	6	6	61	99+	99+	99+	99+	2	27.0	968	5	5	27	49	49	49	49
75 +	3	41.3	116	30	30	43	49	51	51	51	3	14.3	83	5	5	15	21	23	23	23
ALL AGES	10	32.3	427	3	5	43	56	99+	99+	99+	5	19.4	331	5	5	15	29	49	49	49
SUBTOTAL	**40**	**19.7**	**366**	**2**	**3**	**11**	**36**	**62**	**80**	**99+**	**10**	**13.8**	**196**	**1**	**3**	**10**	**15**	**36**	**49**	**49**
GRAND TOTAL	**59**	**19.1**	**275**	**3**	**3**	**17**	**31**	**62**	**99+**	**99+**	**19**	**13.3**	**124**	**1**	**3**	**14**	**21**	**69**	**99+**	**99+**

ALCOHOL HALLUCINOSIS (291.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	2.0		2	2	2	2	2	2	2
21-24																				
25-34	1	11.0		11	11	11	11	11	11	11										
35-54	4	8.5	70	3	3	5	13	21	21	21	1	5.0		5	5	5	5	5	5	5
55-74	2	13.5	221	3	3	13	24	24	24	24	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	7	10.3	77	3	3	5	18	23	24	24	3	3.3	3	2	2	3	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	2	6.5	13	4	4	6	9	9	9	9	2	6.5	1	6	6	6	7	7	7	7
55-74	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	3	5.3	11	3	3	4	8	9	9	9	4	4.8	4	2	2	5	6	7	7	7
SUBTOTAL	**10**	**8.8**	**60**	**3**	**3**	**5**	**11**	**22**	**24**	**24**	**7**	**4.1**	**4**	**2**	**2**	**4**	**6**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	12.0		12	12	12	12	12	12	12										
21-24	1	6.0		6	6	6	6	6	6	6										
25-34	10	8.0	44	2	2	6	9	18	25	25	1	3.0		3	3	3	3	3	3	3
35-54	15	6.2	17	1	1	5	9	12	14	15	8	5.4	3	3	3	5	7	8	8	8
55-74	3	7.0	1	6	6	7	8	8	8	8	2	15.0	18	12	12	15	18	18	18	18
75 +											2	14.5	265	3	3	14	26	26	26	26
ALL AGES	30	7.1	23	1	2	6	9	12	15	25	13	8.1	47	3	3	5	9	20	25	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	2.5	1	2	2	2	3	3	3	3										
35-54	9	9.6	47	3	3	7	12	21	24	24	1	5.0		5	5	5	5	5	5	5
55-74	4	13.0	67	2	2	14	19	21	21	21	1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	15	9.5	53	2	2	7	16	21	23	24	2	5.5	1	5	5	5	6	6	6	6
SUBTOTAL	**45**	**7.9**	**33**	**1**	**2**	**7**	**10**	**17**	**22**	**25**	**15**	**7.7**	**42**	**3**	**3**	**5**	**8**	**18**	**24**	**26**
GRAND TOTAL	**55**	**8.1**	**37**	**2**	**2**	**6**	**11**	**17**	**23**	**25**	**22**	**6.6**	**32**	**2**	**3**	**5**	**7**	**14**	**21**	**26**

PATHOLOGIC ALCOHOL INTOX (291.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	8.0	98	1	1	8	15	15	15	15										
18-20	1	4.0		4	4	4	4	4	4	4										
21-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	5	5.2	31	1	1	3	7	15	15	15										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**6**	**4.5**	**28**	**1**	**1**	**3**	**4**	**14**	**15**	**15**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	33.0		33	33	33	33	33	33	33										
18-20	2	3.5	1	3	3	3	4	4	4	4										
21-24	2	1.0		1	1	1	1	1	1	1										
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74																				
75 +																				
ALL AGES	6	8.0	154	1	1	3	6	30	33	33										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**6**	**8.0**	**154**	**1**	**1**	**3**	**6**	**30**	**33**	**33**										
GRAND TOTAL	**12**	**6.3**	**85**	**1**	**1**	**3**	**5**	**20**	**31**	**33**										

ALCOHOLIC JEALOUSY (291.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	14.5	41	10	10	14	19	19	19	19										
55-74																				
75 +																				
ALL AGES	2	14.5	41	10	10	14	19	19	19	19										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**14.5**	**41**	**10**	**10**	**14**	**19**	**19**	**19**	**19**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	3	30.0	1879	3	3	7	62	80	80	80										
55-74																				
75 +																				
ALL AGES	3	30.0	1879	3	3	7	62	80	80	80										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**3**	**30.0**	**1879**	**3**	**3**	**7**	**62**	**80**	**80**	**80**										
GRAND TOTAL	**5**	**23.8**	**1022**	**3**	**3**	**10**	**34**	**80**	**80**	**80**										

ALCOHOLIC PSYCHOSIS NEC (291.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17	1	5.0		5	5	5	5	5	5	5										
18-20	3	3.7	5	1	1	5	5	5	5	5										
21-24	20	5.4	3	2	3	5	6	7	9	11	2	3.0	2	2	2	3	4	4	4	4
25-34	159	4.6	1	2	3	5	5	5	5	6	17	5.3	9	1	1	6	7	9	10	11
35-54	354	4.9	7	2	4	5	5	5	6	10	57	4.4	6	1	1	4	6	7	9	10
55-74	97	5.8	27	2	3	5	5	7	11	38	35	5.7	17	1	1	5	7	11	16	18
75 +	11	13.6	393	3	4	6	12	42	69	71	1	7.0		7	7	7	7	7	7	7
ALL AGES	646	5.2	15	2	3	5	5	5	7	17	112	4.9	11	1	1	4	7	9	10	17
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20	1	5.0		5	5	5	5	5	5	5										
21-24	9	5.4	7	3	3	5	5	9	12	12										
25-34	33	5.1	8	2	3	5	5	6	9	18	6	5.5	9	2	2	5	7	10	10	10
35-54	58	4.5	1	1	2	5	5	5	5	7	13	4.8	6	2	2	4	6	8	10	10
55-74	30	5.6	17	2	2	5	5	9	17	21	18	6.1	16	1	2	6	6	10	16	19
75 +	2	6.0	2	5	5	6	7	7	7	7										
ALL AGES	133	5.0	7	2	3	5	5	5	7	19	38	5.4	12	1	2	5	7	9	11	19
SUBTOTAL	**779**	**5.1**	**14**	**2**	**3**	**5**	**5**	**5**	**7**	**18**	**150**	**5.1**	**10**	**1**	**1**	**5**	**7**	**9**	**10**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-20	3	5.0		5	5	5	5	5	5	5	3	6.3	6	5	5	5	8	9	9	9
21-24	18	6.4	11	3	5	5	6	13	14	14	15	4.1	4	1	1	5	5	6	7	8
25-34	357	5.4	12	2	3	5	5	6	11	24	164	4.7	1	2	3	5	5	5	6	9
35-54	804	5.5	8	3	4	5	5	7	10	15	534	5.0	3	3	4	5	5	6	7	12
55-74	158	6.1	18	2	3	5	6	11	13	29	149	5.6	9	3	4	5	5	7	10	20
75 +	9	5.4	26	1	1	4	6	14	18	18	4	11.3	134	2	2	7	19	28	28	28
ALL AGES	1350	5.5	11	2	4	5	5	7	11	19	869	5.1	4	2	4	5	5	6	7	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	3	8.0	27	5	5	5	12	14	14	14										
21-24	14	4.2	2	1	2	5	5	5	5	5		5.0		5	5	5	5	5	5	5
25-34	91	5.4	6	3	4	5	5	7	12	15	36	4.7	1	3	3	5	5	5	6	7
35-54	154	6.4	20	3	4	5	5	13	16	25	110	4.9	2	2	3	5	5	6	8	9
55-74	43	7.4	33	1	3	5	9	15	20	30	32	5.3	3	3	4	5	5	8	10	10
75 +	6	5.7	4	3	3	5	7	9	9	9	4	8.5	27	3	3	8	12	15	15	15
ALL AGES	311	6.1	18	2	3	5	5	12	15	24	183	5.0	2	2	3	5	5	7	8	10
SUBTOTAL	**1661**	**5.6**	**12**	**2**	**4**	**5**	**5**	**8**	**12**	**21**	**1052**	**5.1**	**4**	**2**	**4**	**5**	**5**	**6**	**7**	**15**
GRAND TOTAL	**2440**	**5.5**	**12**	**2**	**3**	**5**	**5**	**7**	**11**	**21**	**1202**	**5.1**	**5**	**2**	**3**	**5**	**5**	**6**	**8**	**16**

ALCOHOLIC PSYCHOSIS NOS (291.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24																				
25-34	2	6.0	50	1	1	5	11	11	11	11										
35-54																				
55-74	1	16.0		16	16	16	16	16	16	16	3	11.7	43	6	6	10	17	19	19	19
75 +																				
ALL AGES	4	7.3	55	1	1	6	13	16	16	16	3	11.7	43	6	6	10	17	19	19	19
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**5**	**6.2**	**48**	**1**	**1**	**2**	**12**	**16**	**16**	**16**	**3**	**11.7**	**43**	**6**	**6**	**10**	**17**	**19**	**19**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	9.0		9	9	9	9	9	9	9										
55-74																				
75 +																				
ALL AGES	2	6.0	18	3	3	6	9	9	9	9	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	2	4.5	1	4	4	4	5	5	5	5										
75 +																				
ALL AGES	3	5.3	3	4	4	5	6	7	7	7										
SUBTOTAL	**5**	**5.6**	**6**	**3**	**3**	**5**	**7**	**9**	**9**	**9**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**10**	**5.9**	**24**	**1**	**1**	**4**	**9**	**13**	**16**	**16**	**4**	**9.0**	**58**	**1**	**1**	**8**	**14**	**19**	**19**	**19**

DRUG WITHDRAWAL SYNDROME (292.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	1	1.0		1	1	1	1	1	1	1	1	5.0		5	5	5	5	5	5	5
21-24	2	5.0	18	2	2	5	8	8	8	8	2	4.5	5	3	3	4	6	6	6	6
25-34	5	3.0	3	1	1	3	4	5	5	5	8	5.0	7	1	1	6	7	8	8	8
35-54	4	3.0	5	1	1	2	4	6	6	6	11	5.5	8	2	2	5	8	9	10	10
55-74	4	5.3	9	1	1	6	7	8	8	8	2	10.0	162	1	1	10	19	19	19	19
75 +	3	3.7	1	3	3	3	5	5	5	5										
ALL AGES	21	3.6	5	1	1	3	5	7	8	8	24	5.6	15	1	1	5	7	9	13	19
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	1.0		1	1	1	1	1	1	1										
25-34	7	5.0	22	1	1	3	7	13	14	14	3	5.7	16	2	2	5	9	10	10	10
35-54	6	6.2	16	2	2	5	6	13	14	14	8	5.1	16	1	1	4	9	11	11	11
55-74	5	8.6	12	4	4	8	12	12	12	12	4	7.5	47	2	2	5	12	17	17	17
75 +	1	3.0		3	3	3	3	3	3	3	4	5.3	14	3	3	4	7	11	11	11
ALL AGES	21	5.7	18	1	1	5	8	13	14	14	19	5.7	20	1	1	4	9	11	14	17
SUBTOTAL	**42**	**4.6**	**13**	**1**	**1**	**4**	**6**	**9**	**13**	**14**	**43**	**5.7**	**16**	**1**	**1**	**5**	**8**	**10**	**13**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											8	6.5	1	5	5	6	7	8	9	9
18-20	3	5.0	[illegible]	2	2	5	7	8	8	8	6	5.7	1	5	5	5	6	8	8	8
21-24	1	10.0		10	10	10	10	10	10	10	17	6.8	5	3	4	7	8	10	11	11
25-34	17	9.7	123	2	2	6	12	16	37	49	73	8.1	19	3	4	7	9	16	16	22
35-54	11	5.8	28	1	1	5	8	13	19	19	29	7.2	6	4	5	7	8	11	11	14
55-74	6	7.0	24	2	2	5	12	14	14	14	1	3.0		3	3	3	3	3	3	3
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	39	7.7	67	1	2	6	10	14	18	49	134	7.5	13	3	4	7	8	13	16	19
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											4	7.0	5	5	5	6	8	10	10	10
21-24	2	3.5	1	3	3	3	4	4	4	4	8	5.9	5	4	4	5	7	9	10	10
25-34	13	6.4	21	1	2	6	8	14	16	16	33	9.7	50	1	4	8	12	18	25	35
35-54	11	14.5	88	1	2	15	19	29	30	30	11	7.2	20	1	2	7	9	14	17	17
55-74	10	10.8	69	2	3	8	17	24	26	26	7	7.3	16	2	2	7	10	13	13	13
75 +	2	9.0	18	6	6	9	12	12	12	12	2	24.5	481	9	9	24	40	40	40	40
ALL AGES	38	9.9	60	1	2	8	15	22	27	30	65	8.8	49	2	3	7	10	17	21	39
SUBTOTAL	**77**	**8.8**	**64**	**1**	**2**	**6**	**11**	**18**	**25**	**44**	**199**	**7.9**	**25**	**2**	**4**	**7**	**9**	**14**	**17**	**31**
GRAND TOTAL	**119**	**7.3**	**50**	**1**	**1**	**5**	**9**	**15**	**20**	**36**	**242**	**7.5**	**24**	**2**	**3**	**7**	**8**	**13**	**16**	**27**

DRUG PARANOID/HALLUCINOS (292.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	1	5.0		5	5	5	5	5	5	5										
21-24	1	16.0		16	16	16	16	16	16	16										
25-34	5	9.4	97	1	1	8	13	26	26	26	1	1.0		1	1	1	1	1	1	1
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	3	30.3	579	4	4	36	47	51	51	51	3	7.0	52	1	1	5	12	15	15	15
75 +	5	9.0	19	5	5	7	11	16	16	16	1	2.0		2	2	2	2	2	2	2
ALL AGES	18	11.8	179	1	1	7	16	33	45	51	5	4.8	35	1	1	2	7	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17	2	4.0		4	4	4	4	4	4	4										
18-20	2	4.5	25	1	1	4	8	8	8	8										
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	3	5.7	52	1	1	2	11	14	14	14										
35-54	3	8.7	16	4	4	10	11	12	12	12										
55-74	8	15.1	149	4	4	16	24	77	99 +	99 +	6	13.7	287	2	2	8	14	44	47	47
75 +	10	4.6	3	2	2	5	6	7	7	7	6	4.8	7	2	2	4	6	9	9	9
ALL AGES	29	7.9	66	1	2	5	12	17	42	99 +	12	9.3	154	2	2	5	10	24	44	47
SUBTOTAL	**47**	**9.4**	**110**	**1**	**1**	**6**	**12**	**24**	**43**	**99 +**	**17**	**7.9**	**121**	**1**	**1**	**4**	**9**	**15**	**36**	**47**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	13.0	288	1	1	13	25	25	25	25										
18-20	2	27.5	613	10	10	27	45	45	45	45	1	3.0		3	3	3	3	3	3	3
21-24	5	20.6	1148	2	2	5	28	81	81	81										
25-34	8	9.5	106	1	1	6	16	26	27	27	1	2.0		2	2	2	2	2	2	2
35-54	6	6.0	46	1	1	4	7	18	19	19										
55-74	2	2.0		2	2	2	2	2	2	2										
75 +	2	7.5	41	3	3	7	12	12	12	12	2	7.0	8	5	5	7	9	9	9	9
ALL AGES	27	11.7	302	1	1	5	12	27	50	81	4	4.8	9	2	2	4	7	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	10.0		10	10	10	10	10	10	10										
25-34	4	17.5	310	2	2	13	30	42	42	42										
35-54	3	10.0	28	4	4	12	13	14	14	14	2	7.0	18	4	4	7	10	10	10	10
55-74	2	11.0	72	5	5	11	17	17	17	17	1	11.0		11	11	11	11	11	11	11
75 +	3	6.3	6	5	5	5	8	9	9	9										
ALL AGES	13	11.6	109	2	4	9	15	23	38	42	3	8.3	15	4	4	10	11	11	11	11
SUBTOTAL	**40**	**11.7**	**234**	**1**	**1**	**6**	**13**	**26**	**43**	**81**	**7**	**6.3**	**13**	**2**	**2**	**5**	**10**	**11**	**11**	**11**
GRAND TOTAL	**87**	**10.4**	**167**	**1**	**1**	**6**	**13**	**26**	**43**	**93**	**24**	**7.5**	**87**	**1**	**2**	**5**	**10**	**14**	**25**	**47**

PATHOLOGIC DRUG INTOX (292.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	1.0		1	1	1	1	1	1	1
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**2**	**3.0**	**2**	**2**	**2**	**3**	**4**	**4**	**4**	**4**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34	1	27.0		27	27	27	27	27	27	27										
35-54																				
55-74																				
75 +																				
ALL AGES	2	14.0	338	1	1	13	27	27	27	27										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**14.0**	**338**	**1**	**1**	**13**	**27**	**27**	**27**	**27**										
GRAND TOTAL	**4**	**8.5**	**154**	**1**	**1**	**3**	**15**	**27**	**27**	**27**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

OTHER DRUG MENTAL DIS (292.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS									HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	2	8.0		8	8	8	8	8	8	8										
18-20	1	11.0		11	11	11	11	11	11	11										
21-24	1	22.0		22	22	22	22	22	22	22										
25-34	3	5.0		5	5	5	5	5	5	5										
35-54	3	2.3	3	1	1	2	3	4	4	4										
55-74	16	7.0	38	2	2	5	9	20	21	21	8	8.5	105	2	2	7	8	25	33	33
75 +	8	9.1	39	2	2	8	15	17	18	18	8	7.5	31	2	2	6	10	16	18	18
ALL AGES	35	7.4	36	2	2	5	10	18	21	22	16	8.0	64	2	2	7	8	17	28	33
B. FEMALE																				
0-12 YRS.																				
13-17	3	17.7	601	3	3	4	35	46	46	46										
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	4	2.0	2	1	1	2	3	4	4	4										
35-54	10	7.3	17	1	1	8	11	12	12	12										
55-74	17	11.6	383	1	1	5	15	21	62	83	11	8.9	63	2	2	7	11	20	28	29
75 +	30	9.2	54	1	2	7	11	21	27	29	13	6.0	15	1	1	6	9	11	12	12
ALL AGES	66	9.3	149	1	1	6	11	18	27	77	24	7.3	38	1	2	6	11	12	18	29
SUBTOTAL	**101**	**8.6**	**110**	**1**	**2**	**6**	**10**	**18**	**23**	**64**	**40**	**7.6**	**47**	**1**	**2**	**7**	**10**	**13**	**23**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	2.5	5	1	1	2	4	4	4	4	1	1.0		1	1	1	1	1	1	1
18-20	1	22.0		22	22	22	22	22	22	22										
21-24	5	8.2	4	6	6	8	9	11	11	11	1	2.0		2	2	2	2	2	2	2
25-34	8	7.0	24	2	2	6	9	15	17	17										
35-54	2	16.5	221	6	6	16	27	27	27	27	2	9.5	13	7	7	9	12	12	12	12
55-74	10	11.1	63	1	2	8	17	23	24	24	1	4.0		4	4	52	99 +	99 +	99 +	99 +
75 +	2	6.5	25	3	3	6	10	10	10	10	3	6.7	4	5	5	6	8	9	9	9
ALL AGES	30	9.4	50	1	2	7	11	22	24	27	8	5.8	12	1	1	6	10	65	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17	2	23.0	98	16	16	23	30	30	30	30										
18-20																				
21-24																				
25-34	2	2.5	1	2	2	2	3	3	3	3	1	1.0		1	1	1	1	1	1	1
35-54	5	12.0	70	3	3	11	17	25	25	25	2	7.5	41	3	3	7	12	12	12	12
55-74	16	7.4	72	1	2	5	6	20	28	32	4	8.5	36	3	3	7	12	17	17	17
75 +	16	11.6	174	2	3	6	11	38	45	47	7	7.9	29	5	5	6	7	17	20	20
ALL AGES	41	10.1	118	2	2	5	12	27	36	47	14	7.5	29	1	3	6	7	17	19	20
SUBTOTAL	**71**	**9.8**	**88**	**2**	**2**	**6**	**12**	**23**	**30**	**46**	**22**	**6.9**	**22**	**1**	**2**	**6**	**9**	**18**	**48**	**99 +**
GRAND TOTAL	**172**	**9.1**	**101**	**1**	**2**	**6**	**11**	**21**	**27**	**47**	**62**	**7.3**	**38**	**1**	**2**	**7**	**10**	**15**	**23**	**91**

DRUG MENTAL DISORDER NOS (292.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	49.0		49	49	49	49	49	49	49										
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	3	8.0	1	7	7	8	9	9	9	9										
25-34	2	2.0	2	1	1	1	3	3	3	3										
35-54											1	4.0		4	4	4	4	4	4	4
55-74																				
75 +	4	7.8	23	5	5	6	10	15	15	15	1	13.0		13	13	13	13	13	13	13
ALL AGES	11	9.9	184	1	1	6	9	29	47	49	2	8.5	41	4	4	8	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54											1	1.0		1	1	1	1	1	1	1
55-74	4	11.3	87	4	4	8	17	25	25	25	2	3.5	1	3	3	3	4	4	4	4
75 +	3	6.7	9	4	4	6	9	10	10	10	1	2.0		2	2	2	2	2	2	2
ALL AGES	8	8.4	52	2	3	6	9	20	25	25	4	2.5	2	1	1	2	3	4	4	4
SUBTOTAL	**19**	**9.3**	**122**	**1**	**1**	**6**	**9**	**21**	**38**	**49**	**6**	**4.5**	**19**	**1**	**1**	**3**	**4**	**12**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-20	1	10.0		10	10	10	10	10	10	10										
21-24	4	17.0	193	5	5	13	25	37	37	37										
25-34	5	20.8	281	2	2	22	33	43	43	43										
35-54	2	13.0	200	3	3	13	23	23	23	23										
55-74	2	6.5	1	6	6	6	7	7	7	7										
75 +																				
ALL AGES	15	15.4	163	2	3	10	23	37	41	43										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	9.0		9	9	9	9	9	9	9										
21-24	1	7.0		7	7	7	7	7	7	7										
25-34	5	11.2	28	7	7	11	13	20	20	20										
35-54																				
55-74	1	7.0		7	7	7	7	7	7	7										
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	8	9.9	19	7	7	8	11	17	20	20	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**23**	**13.5**	**117**	**3**	**5**	**10**	**18**	**31**	**39**	**43**	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**
GRAND TOTAL	**42**	**11.6**	**121**	**1**	**3**	**7**	**12**	**26**	**39**	**49**	**7**	**4.9**	**16**	**1**	**1**	**4**	**6**	**12**	**13**	**13**

ACUTE DELIRIUM (293.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	47.0		47	47	47	47	47	47	47	2	2.0		2	2	2	2	2	2	2
18-20																				
21-24																				
25-34	3	6.3	9	3	3	8	8	8	8	8	1	1.0		1	1	1	1	1	1	1
35-54	9	15.1	683	2	2	6	11	56	84	84	1	6.0		6	6	6	6	6	6	6
55-74	17	6.2	26	1	2	4	8	12	18	21	12	8.7	103	1	2	5	10	24	35	37
75 +	24	11.9	163	1	2	6	15	31	40	51	25	14.8	350	2	3	9	16	46	88	99+
ALL AGES	54	11.0	218	1	2	6	11	26	45	83	41	11.9	254	1	2	7	13	37	62	99+
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	2.0		2	2	2	2	2	2	2										
21-24	1	10.0		10	10	10	10	10	10	10										
25-34	2	31.0	512	15	15	31	47	47	47	47	2	4.5	13	2	2	4	7	7	7	7
35-54	4	6.0	29	3	3	4	9	14	14	14	1	4.0		4	4	4	4	4	4	4
55-74	37	11.0	191	1	3	7	12	20	42	72	22	7.0	31	1	2	5	9	16	19	20
75 +	52	9.7	125	1	3	6	10	30	38	99	33	12.0	195	2	2	7	14	24	50	65
ALL AGES	97	10.4	155	1	3	6	11	27	43	87	58	9.7	128	2	2	7	10	18	31	64
SUBTOTAL	**151**	**10.6**	**177**	**1**	**2**	**6**	**11**	**27**	**45**	**84**	**99**	**10.6**	**180**	**2**	**2**	**7**	**12**	**24**	**42**	**92**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	11.3	102	2	2	10	19	22	22	22										
35-54	6	5.7	33	1	1	4	6	16	17	17	1	8.0		8	8	8	8	8	8	8
55-74	7	8.3	47	2	2	7	11	20	22	22	4	13.0	115	6	6	8	19	29	29	29
75 +	17	11.0	74	2	3	9	13	20	32	38	7	13.3	139	6	6	7	21	33	35	35
ALL AGES	33	9.5	62	2	2	7	12	21	22	38	12	12.8	108	6	6	8	17	31	34	35
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	40.0		40	40	40	40	40	40	40										
21-24											1	3.0		3	3	3	3	3	3	3
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
55-74	8	10.3	110	2	3	6	13	29	33	33	4	29.3	1758	5	5	10	52	92	92	92
75 +	26	12.2	249	4	4	7	12	39	81	99+	12	7.9	23	1	2	6	12	15	15	15
ALL AGES	37	12.2	218	3	4	7	12	38	64	99+	18	12.1	417	2	3	6	13	15	61	92
SUBTOTAL	**70**	**10.9**	**145**	**2**	**3**	**7**	**12**	**24**	**40**	**95**	**30**	**12.4**	**285**	**3**	**3**	**7**	**13**	**27**	**35**	**92**
GRAND TOTAL	**221**	**10.7**	**166**	**2**	**2**	**7**	**12**	**26**	**41**	**88**	**129**	**11.0**	**203**	**2**	**2**	**7**	**12**	**26**	**38**	**94**

SUBACUTE DELIRIUM (293.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	2	5.5	25	2	2	5	9	9	9	9	1	82.0		82	82	82	82	82	82	82
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	3	7.0	19	2	2	9	10	10	10	10	1	82.0		82	82	82	82	82	82	82
B. FEMALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	1.0		1	1	1	1	1	1	1										
75 +	3	15.3	136	2	2	21	22	23	23	23	1	1.0		1	1	1	1	1	1	1
ALL AGES	6	8.2	115	1	1	2	21	23	23	23	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**9**	**7.8**	**77**	**1**	**1**	**2**	**13**	**22**	**23**	**23**	**2**	**41.5**	**3281**	**1**	**1**	**41**	**82**	**82**	**82**	**82**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	7.0		7	7	7	7	7	7	7
55-74											1	8.0		8	8	8	8	8	8	8
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	1	4.0		4	4	4	4	4	4	4	2	7.5	1	7	7	7	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	18.0		18	18	18	18	18	18	18										
75 +																				
ALL AGES	1	18.0		18	18	18	18	18	18	18										
SUBTOTAL	**2**	**11.0**	**98**	**4**	**4**	**11**	**18**	**18**	**18**	**18**	**2**	**7.5**	**1**	**7**	**7**	**7**	**8**	**8**	**8**	**8**
GRAND TOTAL	**11**	**8.4**	**73**	**1**	**1**	**4**	**16**	**22**	**23**	**23**	**4**	**24.5**	**1479**	**1**	**1**	**7**	**45**	**82**	**82**	**82**

OTH TRANSIENT ORG MENTAL (293.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	67.0		67	67	67	67	67	67	67										
18-20	2	10.0		10	10	10	10	10	10	10										
21-24	5	36.4	194	22	22	33	50	52	52	52										
25-34	10	14.1	147	4	5	12	14	31	47	47										
35-54	15	29.0	508	4	9	25	35	59	78	84										
55-74	23	23.2	372	3	5	20	31	50	64	86										
75 +	17	15.5	115	1	2	15	25	28	33	35										
ALL AGES	73	22.5	343	2	4	18	29	50	59	86										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	39.0	8	37	37	39	41	41	41	41										
25-34	9	19.1	173	2	3	19	29	35	38	38	2	3.5	13	1	1	3	6	6	6	6
35-54	15	17.1	260	2	2	14	19	46	57	61										
55-74	24	27.3	325	5	6	26	42	75	99 +	99 +										
75 +	20	20.8	127	3	8	18	32	39	69	99 +	3	35.0	823	2	2	49	53	54	54	54
ALL AGES	70	22.5	242	3	5	20	34	46	74	99 +	5	22.4	712	1	1	6	50	54	54	54
SUBTOTAL	**143**	**22.5**	**291**	**2**	**5**	**19**	**32**	**49**	**64**	**99 +**	**5**	**22.4**	**712**	**1**	**1**	**27**	**54**	**95**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
21-24	2	21.0	800	1	1	21	41	41	41	41										
25-34	9	22.4	197	5	6	23	28	42	51	51										
35-54	10	20.8	209	4	6	18	24	43	56	56										
55-74	14	10.6	47	1	3	9	15	21	24	25										
75 +	4	18.0	330	6	6	10	28	45	45	45										
ALL AGES	40	16.9	180	2	4	13	23	35	48	56	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-17	2	9.5	5	8	8	9	11	11	11	11										
18-20																				
21-24	3	30.0	381	11	11	29	45	50	50	50										
25-34	7	31.0	523	6	6	24	53	60	61	61										
35-54	6	18.0	190	5	5	11	35	36	36	36	1	15.0		15	15	15	15	15	15	15
55-74	15	22.9	123	8	10	24	32	42	83	99 +	3	11.0	28	7	7	9	15	17	17	17
75 +	6	24.7	584	4	4	18	33	65	69	69										
ALL AGES	40	23.7	269	5	6	20	33	52	65	99 +	4	12.0	23	7	7	12	16	17	17	17
SUBTOTAL	**80**	**20.3**	**234**	**4**	**5**	**17**	**28**	**45**	**56**	**90**	**5**	**9.8**	**41**	**1**	**1**	**9**	**15**	**17**	**17**	**17**
GRAND TOTAL	**223**	**21.7**	**271**	**3**	**5**	**18**	**30**	**47**	**61**	**99 +**	**10**	**16.1**	**379**	**1**	**1**	**9**	**41**	**72**	**98**	**99 +**

TRANSIENT ORG MENTAL NOS (293.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54																				
55-74	4	9.3	62	2	2	14	38	99+	99+	99+	1	13.0		13	13	56	99+	99+	99+	99+
75 +	2	6.5	1	6	6	6	7	7	7	7	1	1.0		1	1	1	1	1	1	1
ALL AGES	6	8.3	41	2	2	7	17	84	99+	99+	3	5.0	48	1	1	7	56	99+	99+	99+
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54											1	3.0		3	3	3	3	3	3	3
55-74	12	10.4	108	3	4	8	10	21	39	42	1	7.0		7	7	7	7	7	7	7
75 +	10	6.3	23	1	1	5	11	13	14	14	3	4.0	27	1	1	1	8	10	10	10
ALL AGES	22	8.5	71	1	2	7	11	13	25	42	6	4.0	14	1	1	2	7	10	10	10
SUBTOTAL	**28**	**8.5**	**62**	**1**	**2**	**7**	**11**	**16**	**45**	**99+**	**9**	**4.3**	**21**	**1**	**1**	**2**	**10**	**56**	**99+**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	1	21.0		21	21	21	21	21	21	21	1	9.0		9	9	9	9	9	9	9
55-74	1	10.0		10	10	10	10	10	10	10										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	4	9.5	68	3	3	7	15	21	21	21	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	12.0		12	12	12	12	12	12	12										
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	2	11.5	5	10	10	11	13	13	13	13										
75 +	1	62.0		62	62	62	62	62	62	62										
ALL AGES	5	20.2	558	4	4	12	25	62	62	62										
SUBTOTAL	**9**	**15.4**	**338**	**3**	**3**	**10**	**15**	**46**	**62**	**62**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**
GRAND TOTAL	**37**	**10.2**	**130**	**2**	**3**	**8**	**12**	**20**	**54**	**99+**	**10**	**4.8**	**21**	**1**	**1**	**3**	**10**	**48**	**96**	**99+**

AMNESTIC SYNDROME (294.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3	2	43.0	3200	3	3	43	83	83	83	83
75 +											1	34.0		34	34	34	34	34	34	34
ALL AGES	1	3.0		3	3	3	3	3	3	3	3	40.0	1627	3	3	34	71	83	83	83
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	1	4.0		4	4	4	4	4	4	4	1	6.0		6	6	6	6	6	6	6
75 +	3	3.0	3	2	2	2	4	5	5	5										
ALL AGES	5	3.2	2	2	2	3	4	5	5	5	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**6**	**3.2**	**1**	**2**	**2**	**3**	**4**	**5**	**5**	**5**	**4**	**31.5**	**1374**	**3**	**3**	**20**	**58**	**83**	**83**	**83**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +	1	26.0		26	26	26	26	26	26	26										
ALL AGES	2	14.0	288	2	2	14	26	26	26	26										
SUBTOTAL	**3**	**10.0**	**192**	**2**	**2**	**2**	**20**	**26**	**26**	**26**										
GRAND TOTAL	**9**	**5.4**	**61**	**2**	**2**	**3**	**4**	**18**	**26**	**26**	**4**	**31.5**	**1374**	**3**	**3**	**20**	**58**	**83**	**83**	**83**

DEMENTIA IN OTH DISEASES (294.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	3	31.0	1084	11	11	13	55	69	69	69										
55-74	6	17.5	212	7	7	10	39	88	99+	99+	2	7.5	25	4	4	7	11	11	11	11
75 +	3	5.7	17	1	1	7	8	9	9	9	1	5.0		5	5	5	5	5	5	5
ALL AGES	12	17.9	385	2	6	10	32	75	95	99+	3	6.7	14	4	4	5	9	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	11.0		11	11	11	11	11	11	11										
35-54	1	5.0		5	5	5	5	5	5	5										
55-74	8	10.3	85	1	1	7	18	23	25	25	1	21.0		21	21	21	21	21	21	21
75 +	7	11.3	63	1	1	9	15	24	26	26										
ALL AGES	17	10.4	64	1	1	9	16	24	26	26	1	21.0		21	21	21	21	21	21	21
SUBTOTAL	**29**	**13.5**	**202**	**1**	**2**	**10**	**17**	**35**	**69**	**99+**	**4**	**10.3**	**60**	**4**	**4**	**8**	**16**	**21**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	24.0		24	24	24	24	24	24	24										
55-74	2	20.0		20	20	20	20	20	20	20	1	5.0		5	5	5	5	5	5	5
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	3	21.3	7	20	20	20	23	24	24	24	2	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	1	6.0		6	6	6	6	6	6	6										
SUBTOTAL	**4**	**17.5**	**62**	**6**	**6**	**20**	**22**	**24**	**24**	**24**	**2**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
GRAND TOTAL	**33**	**14.0**	**184**	**1**	**2**	**10**	**20**	**30**	**64**	**99+**	**6**	**8.5**	**44**	**4**	**4**	**5**	**11**	**20**	**21**	**21**

ORGANIC BRAIN SYND NEC (294.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS									HOSPITALS WITHOUT PSY. UNIT/BEDS								
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	20.0		20	20	20	20	20	20	20										
25-34	5	17.2	13	12	12	19	20	20	20	20										
35-54	4	6.8	43	2	2	5	11	16	16	16										
55-74	7	10.4	49	2	2	11	16	19	20	20	1	2.0		2	2	2	2	2	2	2
75 +	4	15.8	279	1	1	14	30	34	34	34	1	1.0		1	1	1	1	1	1	1
ALL AGES	21	12.8	85	1	2	15	20	23	30	34	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	4	34.8	884	15	15	23	54	78	78	78										
35-54	2	5.0	18	2	2	5	8	8	8	8										
55-74	11	17.4	361	1	2	10	29	46	61	62										
75 +	6	8.0	76	1	1	5	9	23	25	25										
ALL AGES	23	16.9	395	1	2	9	23	41	68	78										
SUBTOTAL	**44**	**14.9**	**247**	**1**	**2**	**11**	**20**	**33**	**44**	**78**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-20																				
21-24	1	21.0		21	21	21	21	21	21	21										
25-34	2	36.5	145	28	28	36	45	45	45	45										
35-54	2	4.5	1	4	4	4	5	5	5	5										
55-74	2	6.0	50	1	1	6	11	11	11	11										
75 +											1	30.0		30	30	30	30	30	30	30
ALL AGES	8	14.8	239	1	2	8	24	40	45	45	1	30.0		30	30	30	30	30	30	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	24.0		24	24	24	24	24	24	24										
55-74																				
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	2	16.5	113	9	9	16	24	24	24	24										
SUBTOTAL	**10**	**15.1**	**200**	**1**	**2**	**10**	**24**	**36**	**45**	**45**	**1**	**30.0**		**30**	**30**	**30**	**30**	**30**	**30**	**30**
GRAND TOTAL	**54**	**15.0**	**233**	**1**	**2**	**11**	**20**	**33**	**43**	**77**	**3**	**11.0**	**271**	**1**	**1**	**2**	**23**	**30**	**30**	**30**

ORGANIC BRAIN SYND NOS (294.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	17.0		17	17	17	17	17	17	17										
21-24	1	26.0		26	26	26	26	26	26	26										
25-34	4	21.0	42	14	14	21	26	27	27	27										
35-54	2	14.0	200	4	4	14	24	24	24	24										
55-74	10	11.1	43	1	3	10	15	21	23	23										
75 +	9	19.4	416	3	3	13	26	54	62	62	5	7.6	13	5	5	6	9	14	14	14
ALL AGES	27	16.3	177	3	4	14	22	27	46	62	5	7.6	13	5	5	6	9	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	12.0		12	12	12	12	12	12	12										
35-54	2	17.0	8	15	15	17	19	19	19	19										
55-74	8	16.8	424	1	1	9	18	53	65	65	3	35.0	556	9	9	41	51	55	55	55
75 +	21	21.7	354	4	6	17	27	70	84	99 +	2	19.5	221	9	9	19	30	30	30	30
ALL AGES	32	19.8	335	3	5	14	24	66	73	99 +	5	28.8	405	9	9	30	44	55	55	55
SUBTOTAL	**59**	**18.2**	**261**	**3**	**4**	**14**	**23**	**42**	**66**	**97**	**10**	**18.2**	**311**	**5**	**5**	**9**	**30**	**48**	**55**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	20.0		20	20	20	20	20	20	20										
21-24																				
25-34	3	14.7	41	8	8	15	19	21	21	21										
35-54	4	12.0	119	1	1	10	19	27	27	27										
55-74	6	14.2	96	3	3	12	19	30	31	31										
75 +	2	16.0	338	3	3	16	29	29	29	29										
ALL AGES	16	14.3	89	2	3	12	20	29	30	31										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	5	28.4	448	1	1	27	42	58	58	58										
75 +	4	15.0	99	5	5	15	23	25	25	25										
ALL AGES	9	22.4	313	1	2	22	29	50	58	58										
SUBTOTAL	**25**	**17.2**	**176**	**1**	**3**	**15**	**25**	**31**	**42**	**58**										
GRAND TOTAL	**84**	**17.9**	**234**	**2**	**4**	**14**	**24**	**37**	**63**	**91**	**10**	**18.2**	**311**	**5**	**5**	**9**	**30**	**48**	**55**	**55**

SIMPLE SCHIZOPHRENIA (295.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
75 +	2	12.5	1	12	12	12	13	13	13	13	2	40.5	925	19	19	40	62	62	62	62
ALL AGES	3	9.0	37	2	2	12	13	13	13	13	3	28.3	909	4	4	19	51	62	62	62
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	12.0		12	12	12	12	12	12	12										
21-24	1	21.0		21	21	21	21	21	21	21										
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13	1	6.0		6	6	6	6	6	6	6
55-74	6	18.2	174	2	3	17	26	37	38	38	1	22.0		22	22	22	22	22	22	22
75 +	8	26.4	384	6	8	28	63	99 +	99 +	99 +	2	5.5	41	1	1	5	10	10	10	10
ALL AGES	17	21.5	251	4	7	21	37	85	99 +	99 +	4	9.8	79	1	1	8	16	22	22	22
SUBTOTAL	**20**	**19.7**	**233**	**2**	**5**	**15**	**36**	**74**	**99 +**	**99 +**	**7**	**17.7**	**441**	**1**	**2**	**10**	**21**	**54**	**62**	**62**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	27.0		27	27	27	27	27	27	27	1	9.0		9	9	9	9	9	9	9
55-74	1	4.0		4	4	4	4	4	4	4										
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	3	12.0	169	4	4	5	21	27	27	27	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	11.0		11	11	11	11	11	11	11										
75 +	5	11.6	71	1	1	17	19	92	99 +	99 +	1	7.0		7	7	7	7	7	7	7
ALL AGES	6	11.5	57	1	2	16	19	84	99 +	99 +	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**9**	**11.7**	**77**	**1**	**2**	**13**	**19**	**63**	**99 +**	**99 +**	**2**	**8.0**	**2**	**7**	**7**	**8**	**9**	**9**	**9**	**9**
GRAND TOTAL	**29**	**17.2**	**195**	**2**	**3**	**15**	**26**	**74**	**99 +**	**99 +**	**9**	**15.6**	**348**	**1**	**2**	**9**	**20**	**46**	**62**	**62**

HEBEPHRENIA (295.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	43.0		43	43	43	43	43	43	43										
18-20																				
21-24	5	12.8	133	3	3	8	22	30	30	30										
25-34	15	17.4	162	2	3	14	29	35	38	39										
35-54	5	22.8	348	2	2	17	35	51	51	51										
55-74																				
75 +																				
ALL AGES	26	18.5	204	2	3	16	30	39	45	51										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	7	17.0	146	1	1	25	27	28	28	28										
35-54	5	44.8	1014	10	10	36	70	90	90	90										
55-74	3	17.0	12	15	15	15	20	21	21	21										
75 +											1	16.0		16	16	16	16	16	16	16
ALL AGES	15	26.3	536	1	4	25	28	63	83	90	1	16.0		16	16	16	16	16	16	16
SUBTOTAL	**41**	**21.4**	**327**	**2**	**3**	**19**	**29**	**41**	**56**	**90**	**1**	**16.0**		**16**	**16**	**16**	**16**	**16**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	13.0		13	13	13	13	13	13	13										
25-34	1	15.0		15	15	15	15	15	15	15										
35-54																				
55-74	1	15.0		15	15	15	15	15	15	15										
75 +																				
ALL AGES	3	14.3	3	13	13	15	15	15	15	15										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	9.0	72	3	3	9	15	15	15	15										
35-54																				
55-74																				
75 +																				
ALL AGES	2	9.0	72	3	3	9	15	15	15	15										
SUBTOTAL	**5**	**12.2**	**27**	**3**	**3**	**15**	**15**	**15**	**15**	**15**										
GRAND TOTAL	**46**	**20.4**	**302**	**2**	**3**	**15**	**29**	**39**	**53**	**90**	**1**	**16.0**		**16**	**16**	**16**	**16**	**16**	**16**	**16**

CATATONIC SCHIZOPHRENIA (295.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	16.0		16	16	16	16	16	16	16										
21-24																				
25-34	5	19.6	275	1	1	30	32	34	34	34	1	5.0		5	5	5	5	5	5	5
35-54	10	12.0	120	2	3	7	15	29	39	39	1	14.0		14	14	14	14	14	14	14
55-74	2	22.0	800	2	2	22	42	42	42	42	1	7.0		7	7	7	7	7	7	7
75 +	2	22.5	41	18	18	22	27	27	27	27	1	2.0		2	2	2	2	2	2	2
ALL AGES	20	16.2	178	1	2	15	28	36	40	42	4	7.0	26	2	2	6	10	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	27.0	1152	3	3	27	51	51	51	51										
21-24	7	9.9	31	2	3	9	12	19	20	20	1	8.0		8	8	8	8	8	8	8
25-34	7	20.9	143	2	4	19	28	38	40	40	3	1.0		1	1	1	1	1	1	1
35-54	8	29.1	176	13	15	26	36	50	54	54	2	3.5	5	2	2	3	5	5	5	5
55-74	8	13.6	79	2	5	10	24	72	99 +	99 +	1	8.0		8	8	8	8	8	8	8
75 +	2	1.5	1	1	1	1	2	2	2	2										
ALL AGES	34	18.1	191	2	2	18	28	40	53	99 +	7	3.7	11	1	1	2	7	8	8	8
SUBTOTAL	**54**	**17.4**	**183**	**2**	**2**	**15**	**28**	**40**	**49**	**98**	**11**	**4.9**	**17**	**1**	**1**	**5**	**8**	**11**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	17.0		17	17	17	17	17	17	17										
18-20																				
21-24	1	22.0		22	22	22	22	22	22	22										
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	8.0		8	8	8	8	8	8	8	1	9.0		9	9	9	9	9	9	9
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	4	12.0	87	1	1	12	19	22	22	22	2	5.5	25	2	2	5	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	3	43.3	927	18	18	35	66	77	77	77	1	22.0		22	22	22	22	22	22	22
25-34	1	13.0		13	13	13	13	13	13	13										
35-54	5	26.4	370	4	4	25	34	57	57	57	4	11.3	133	2	2	8	20	27	27	27
55-74	6	10.2	86	2	2	6	22	22	22	22	1	6.0		6	6	6	6	6	6	6
75 +	2	8.5	13	6	6	8	11	11	11	11										
ALL AGES	17	20.8	404	2	3	18	25	53	70	77	6	12.2	108	2	2	13	26	85	99 +	99 +
SUBTOTAL	**21**	**19.1**	**350**	**1**	**3**	**17**	**23**	**44**	**66**	**77**	**8**	**10.5**	**91**	**2**	**2**	**9**	**23**	**71**	**99 +**	**99 +**
GRAND TOTAL	**75**	**17.8**	**229**	**2**	**2**	**16**	**25**	**40**	**53**	**94**	**19**	**7.3**	**52**	**1**	**1**	**6**	**11**	**24**	**63**	**99 +**

PARANOID SCHIZOPHRENIA (295.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	15	27.7	614	2	3	22	54	73	92	99 +										
18-20	40	24.3	256	3	4	21	34	44	55	70										
21-24	105	20.6	336	1	4	16	29	48	60	82	2	17.0	288	5	5	17	29	29	29	29
25-34	396	18.6	222	3	4	15	25	40	47	99 +	2	14.0	288	2	2	14	26	26	26	26
35-54	238	19.4	211	3	4	17	26	38	47	76	14	7.4	45	1	1	5	13	17	19	20
55-74	38	19.9	143	3	6	17	28	38	50	99 +	5	21.0	603	5	5	11	29	64	64	64
75 +	9	23.0	263	4	6	21	29	49	57	57										
ALL AGES	841	19.6	240	3	4	16	27	41	55	90	23	11.8	196	1	1	7	16	27	41	64
B. FEMALE																				
0-12 YRS.																				
13-17	5	17.8	391	3	3	6	33	48	48	48										
18-20	19	17.5	199	2	3	13	27	40	46	50										
21-24	44	24.7	305	3	5	24	34	42	54	91	1	3.0		3	3	3	3	3	3	3
25-34	201	19.0	214	2	4	17	27	40	54	94	3	9.0	129	1	1	4	17	22	22	22
35-54	279	18.9	190	3	5	16	25	39	47	80	7	8.0	136	1	1	4	7	29	34	34
55-74	161	20.0	228	2	5	17	26	38	50	80	14	14.4	103	2	3	13	19	29	38	40
75 +	23	19.5	98	6	9	19	26	36	58	99 +	4	14.8	47	8	8	13	20	24	24	24
ALL AGES	732	19.5	210	3	4	17	27	39	50	85	29	12.0	102	1	2	10	17	26	34	40
SUBTOTAL	**1573**	**19.6**	**224**	**3**	**4**	**16**	**27**	**40**	**53**	**88**	**52**	**11.9**	**141**	**1**	**1**	**9**	**17**	**27**	**33**	**63**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	22.3	687	6	6	11	38	61	61	61										
18-20	17	21.1	343	1	2	19	32	64	89	99 +										
21-24	32	19.2	307	5	5	12	25	45	61	71										
25-34	113	20.2	314	2	4	15	27	39	55	89	1	5.0		5	5	5	5	5	5	5
35-54	89	19.1	238	3	5	14	26	46	54	91										
55-74	10	21.2	244	3	6	17	25	48	52	52										
75 +											1	24.0		24	24	24	24	24	24	24
ALL AGES	265	19.8	288	3	4	14	27	44	58	90	2	14.5	181	5	5	14	24	24	24	24
B. FEMALE																				
0-12 YRS.																				
13-17	1	45.0		45	45	45	45	45	45	45										
18-20	5	18.4	17	14	14	20	22	22	22	22										
21-24	16	16.5	332	1	2	9	21	53	56	57										
25-34	61	21.7	236	5	7	18	30	40	54	73	1	5.0		5	5	5	5	5	5	5
35-54	77	23.3	319	4	6	19	30	47	71	96	1	5.0		5	5	5	5	5	5	5
55-74	45	26.0	291	5	8	21	41	59	67	99 +										
75 +	6	28.7	181	6	8	31	35	45	46	46	2	10.0	128	2	2	10	18	18	18	18
ALL AGES	211	23.0	284	5	6	19	32	51	61	99 +	4	7.5	51	2	2	5	12	18	18	18
SUBTOTAL	**476**	**21.2**	**289**	**3**	**5**	**16**	**29**	**46**	**60**	**97**	**6**	**9.8**	**81**	**2**	**2**	**5**	**18**	**23**	**24**	**24**
GRAND TOTAL	**2049**	**20.0**	**238**	**3**	**4**	**16**	**28**	**41**	**55**	**90**	**58**	**11.7**	**133**	**1**	**1**	**8**	**17**	**25**	**32**	**62**

AC SCHIZOPHRENIC EPISODE (295.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	8	29.6	746	3	4	21	46	73	83	83										
18-20	13	22.3	260	1	3	17	37	45	48	49										
21-24	17	17.0	168	3	5	10	24	31	44	51	1	1.0		1	1	1	1	1	1	1
25-34	8	19.4	492	1	1	15	24	56	69	69										
35-54	7	25.1	125	12	13	22	31	43	45	45	1	7.0		7	7	7	7	7	7	7
55-74	2	14.0	50	9	9	14	19	19	19	19	1	32.0		32	32	32	32	32	32	32
75 +																				
ALL AGES	55	21.4	302	2	3	19	27	45	51	82	3	13.3	272	1	1	7	26	32	32	32
B. FEMALE																				
0-12 YRS.																				
13-17	7	33.4	983	4	7	27	70	99 +	99 +	99 +	1	12.0		12	12	12	12	12	12	12
18-20	3	30.7	253	15	15	30	43	47	47	47										
21-24	6	18.5	302	4	4	16	43	90	99 +	99 +										
25-34	18	19.6	211	1	2	18	29	41	45	47										
35-54	7	14.6	79	2	3	14	22	26	27	27	2	9.5	13	7	7	9	12	12	12	12
55-74	5	23.4	170	9	9	18	34	42	42	42	1	16.0		16	16	16	16	16	16	16
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	47	21.6	318	2	4	18	30	47	99	99 +	4	11.8	12	7	7	12	14	16	16	16
SUBTOTAL	**102**	**21.5**	**306**	**2**	**4**	**18**	**29**	**47**	**57**	**99 +**	**7**	**12.4**	**98**	**1**	**1**	**12**	**15**	**29**	**32**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	53.7	512	35	35	47	71	79	79	79										
18-20	2	13.5	1	13	13	13	14	14	14	14										
21-24	2	25.5	5	24	24	25	27	27	27	27										
25-34	3	45.7	598	22	22	44	64	71	71	71										
35-54	2	10.0	2	9	9	10	11	11	11	11										
55-74	2	17.0	32	13	13	17	21	21	21	21										
75 +																				
ALL AGES	14	30.7	494	9	11	23	44	72	77	79										
B. FEMALE																				
0-12 YRS.																				
13-17	3	14.3	124	4	4	13	23	26	26	26										
18-20	2	18.0	128	10	10	18	26	26	26	26										
21-24	6	13.2	101	2	3	12	13	30	32	32										
25-34	4	10.0	27	6	6	9	14	17	17	17										
35-54	5	17.0	249	7	7	11	20	45	45	45										
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	21	14.0	105	3	5	11	14	29	38	45										
SUBTOTAL	**35**	**20.7**	**318**	**4**	**6**	**13**	**26**	**45**	**65**	**79**										
GRAND TOTAL	**137**	**21.3**	**307**	**2**	**4**	**17**	**28**	**46**	**61**	**99 +**	**7**	**12.4**	**98**	**1**	**1**	**12**	**15**	**29**	**32**	**32**

LATENT SCHIZOPHRENIA (295.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	28.0		28	28	28	28	28	28	28										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	28.0		28	28	28	28	28	28	28										
B. FEMALE																				
0-12 YRS.																				
13-17											1	54.0		54	54	54	54	54	54	54
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	2	18.0	50	13	13	18	23	23	23	23										
75 +																				
ALL AGES	3	13.0	100	3	3	13	20	23	23	23	1	54.0		54	54	54	54	54	54	54
SUBTOTAL	**4**	**16.8**	**121**	**3**	**3**	**18**	**25**	**28**	**28**	**28**	**1**	**54.0**		**54**	**54**	**54**	**54**	**54**	**54**	**54**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	10.0		10	10	10	10	10	10	10										
21-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	1	16.0		16	16	16	16	16	16	16										
75 +																				
ALL AGES	3	9.0	57	1	1	10	14	16	16	16										
SUBTOTAL	**3**	**9.0**	**57**	**1**	**1**	**10**	**14**	**16**	**16**	**16**										
GRAND TOTAL	**7**	**13.4**	**99**	**1**	**1**	**13**	**21**	**27**	**28**	**28**	**1**	**54.0**		**54**	**54**	**54**	**54**	**54**	**54**	**54**

RESIDUAL SCHIZOPHRENIA (295.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	18.0	578	1	1	18	35	35	35	35										
18-20	9	15.2	170	3	3	12	21	37	42	42										
21-24	54	19.1	230	3	5	16	24	43	50	70										
25-34	159	18.9	310	2	4	14	24	41	68	96										
35-54	117	17.3	208	1	3	14	24	35	43	75	1	1.0		1	1	1	1	1	1	1
55-74	33	19.5	250	5	6	13	24	36	57	77	5	14.0	31	6	6	15	19	19	19	19
75 +	3	13.7	23	8	8	16	17	17	17	17										
ALL AGES	377	18.4	253	2	4	14	24	37	50	81	6	11.8	54	1	1	13	19	19	19	19
B. FEMALE																				
0-12 YRS.																				
13-17	5	13.0	129	1	1	10	21	30	30	30										
18-20	9	23.1	220	7	10	16	28	46	57	57										
21-24	38	20.6	331	2	3	14	30	54	69	99 +										
25-34	112	17.9	268	1	3	14	22	38	50	79	4	9.0	41	4	4	7	13	18	18	18
35-54	168	18.1	182	2	5	15	25	38	46	94	3	10.7	71	2	2	11	17	19	19	19
55-74	128	19.2	168	2	5	16	27	41	48	99 +	8	11.3	39	5	5	10	13	22	25	25
75 +	8	16.5	95	5	5	17	28	73	99 +	99 +	2	13.0		13	13	13	13	13	13	13
ALL AGES	468	18.6	207	2	3	15	26	40	50	99 +	17	10.8	36	3	4	10	14	19	23	25
SUBTOTAL	**845**	**18.5**	**228**	**2**	**4**	**15**	**25**	**39**	**50**	**91**	**23**	**11.1**	**38**	**1**	**4**	**11**	**15**	**19**	**21**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	16.5	41	12	12	16	21	21	21	21										
18-20	5	16.2	127	5	5	12	26	31	31	31										
21-24	10	12.5	93	2	4	14	16	62	97	99 +										
25-34	63	18.8	211	1	4	15	26	36	42	78	1	4.0		4	4	4	4	4	4	4
35-54	39	20.4	293	4	6	15	24	44	56	85	1	1.0		1	1	1	1	1	1	1
55-74	17	21.1	294	2	3	16	26	45	61	69										
75 +											1	14.0		14	14	14	14	14	14	14
ALL AGES	136	18.9	231	2	4	15	25	40	48	87	3	6.3	47	1	1	4	11	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17	4	27.0	690	3	3	20	44	64	64	64										
18-20	1	4.0		4	4	4	4	4	4	4										
21-24	8	26.6	446	2	3	24	41	56	61	61										
25-34	39	16.7	317	1	1	14	19	39	50	92										
35-54	43	18.2	148	2	6	16	24	34	43	57	1	1.0		1	1	1	1	1	1	1
55-74	25	19.8	132	4	5	22	27	33	39	50	3	12.7	45	5	5	15	17	18	18	18
75 +	5	17.4	110	10	10	13	23	35	35	35	1	91.0		91	91	91	91	91	91	91
ALL AGES	125	18.7	229	1	3	15	25	37	48	71	5	26.0	1369	1	1	15	36	91	91	91
SUBTOTAL	**261**	**18.8**	**229**	**2**	**4**	**15**	**25**	**38**	**48**	**85**	**8**	**18.6**	**900**	**1**	**1**	**9**	**16**	**69**	**91**	**91**
GRAND TOTAL	**1106**	**18.6**	**227**	**2**	**4**	**15**	**25**	**39**	**49**	**87**	**31**	**13.0**	**250**	**1**	**2**	**11**	**15**	**19**	**25**	**91**

SCHIZOAFFECTIVE TYPE (295.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	25.0		25	25	25	25	25	25	25										
13-17	7	29.0	420	5	8	42	99+	99+	99+	99+										
18-20	19	25.6	572	1	3	17	30	56	79	96										
21-24	54	15.7	109	3	6	13	21	37	39	97	1	4.0		4	4	4	4	4	4	4
25-34	152	19.8	268	3	5	15	24	41	52	93										
35-54	107	19.8	230	1	3	15	29	41	48	71	3	12.3	32	7	7	12	16	18	18	18
55-74	41	20.8	214	4	6	17	29	53	76	99+	1	19.0		19	19	19	19	19	19	19
75 +	2	30.0	242	19	19	30	41	41	41	41	5	22.4	139	13	13	19	25	43	43	43
ALL AGES	383	19.9	246	2	5	16	27	42	53	99+	10	17.2	111	4	5	18	19	31	43	43
B. FEMALE																				
0-12 YRS.	1	57.0		57	57	57	57	57	57	57										
13-17	2	44.5	1513	17	17	44	72	72	72	72										
18-20	11	29.7	628	1	2	31	53	61	65	65	1	9.0		9	9	9	9	9	9	9
21-24	42	23.5	279	4	5	18	33	50	62	69	1	43.0		43	43	43	43	43	43	43
25-34	175	21.3	213	3	6	19	30	42	48	86	1	25.0		25	25	25	25	25	25	25
35-54	307	19.3	206	3	5	16	23	35	45	74	3	15.3	158	1	1	21	23	24	24	24
55-74	115	23.5	219	5	8	20	30	45	59	65	15	13.4	32	3	7	14	19	20	21	21
75 +	7	28.0	199	13	13	27	38	49	51	51	5	30.6	510	10	10	21	44	67	67	67
ALL AGES	660	21.2	230	3	6	18	28	42	53	72	26	18.3	189	2	7	17	21	36	48	67
SUBTOTAL	**1043**	**20.7**	**237**	**3**	**5**	**17**	**28**	**42**	**53**	**91**	**36**	**18.0**	**164**	**3**	**7**	**18**	**20**	**36**	**43**	**67**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	43.0	1291	18	18	29	67	95	95	95										
18-20	14	25.3	407	2	4	22	26	64	68	69										
21-24	25	24.4	423	5	7	17	34	50	63	95										
25-34	65	15.4	190	2	4	12	20	27	48	76	2	15.5	41	11	11	15	20	20	20	20
35-54	46	23.7	326	3	5	18	33	53	70	99+	2	3.5	13	1	1	3	6	6	6	6
55-74	8	32.5	772	6	8	26	38	80	94	94										
75 +																				
ALL AGES	162	21.5	358	3	4	16	27	49	65	95	4	9.5	66	1	1	8	15	20	20	20
B. FEMALE																				
0-12 YRS.																				
13-17	2	25.0	8	23	23	25	27	27	27	27										
18-20	2	33.0	50	28	28	33	38	38	38	38										
21-24	25	23.8	394	6	9	19	27	42	67	99										
25-34	98	22.1	243	4	6	17	30	46	52	70	1	5.0		5	5	5	5	5	5	5
35-54	122	23.8	362	4	5	18	32	48	64	88	2	21.0	8	19	19	21	23	23	23	23
55-74	59	24.1	269	6	8	22	31	44	50	94	2	11.0	18	8	8	11	14	14	14	14
75 +	3	6.0	75	1	1	1	12	16	16	16	1	16.0		16	16	16	16	16	16	16
ALL AGES	311	23.2	304	4	6	19	31	45	56	89	6	14.2	44	5	5	15	19	23	23	23
SUBTOTAL	**473**	**22.6**	**323**	**3**	**6**	**18**	**29**	**47**	**57**	**95**	**10**	**12.3**	**53**	**1**	**3**	**12**	**19**	**21**	**23**	**23**
GRAND TOTAL	**1516**	**21.3**	**264**	**3**	**5**	**17**	**28**	**43**	**55**	**94**	**46**	**16.8**	**142**	**2**	**5**	**16**	**20**	**25**	**43**	**67**

SCHIZOPHRENIA NEC (295.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	4.0	18	1	1	4	7	7	7	7										
21-24	3	24.0	228	10	10	22	35	40	40	40										
25-34	7	13.7	305	1	1	10	12	44	52	52										
35-54	5	5.2	34	1	1	3	8	15	15	15	4	1.8	2	1	1	1	2	4	4	4
55-74	3	12.3	66	4	4	13	18	20	20	20										
75 +																				
ALL AGES	20	12.0	176	1	1	9	14	31	46	52	4	1.8	2	1	1	1	2	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	29.0		29	29	29	29	29	29	29										
21-24	5	11.6	73	4	4	9	15	26	26	26										
25-34	6	18.2	103	9	9	15	18	36	38	38	1	4.0		4	4	4	4	4	4	4
35-54	11	18.5	275	5	6	15	21	39	63	65	4	7.8	47	3	3	5	12	18	18	18
55-74	3	18.3	134	7	7	18	27	30	30	30	6	18.2	650	4	4	8	12	64	70	70
75 +																				
ALL AGES	26	17.5	165	5	6	15	22	30	43	65	11	13.1	375	3	3	7	11	39	67	70
SUBTOTAL	**46**	**15.1**	**174**	**1**	**2**	**13**	**19**	**30**	**42**	**65**	**15**	**10.1**	**295**	**1**	**1**	**4**	**8**	**18**	**57**	**70**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	21.0		21	21	21	21	21	21	21										
21-24	3	15.0	28	9	9	17	18	19	19	19										
25-34	7	12.0	54	3	4	9	18	22	23	23										
35-54	3	6.0	16	2	2	6	9	10	10	10	1	17.0		17	17	17	17	17	17	17
55-74																				
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	15	11.3	52	2	2	9	18	21	22	23	1	17.0		17	17	17	17	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-20	1	16.0		16	16	16	16	16	16	16										
21-24	2	26.5	61	21	21	26	32	32	32	32										
25-34	5	21.8	158	2	2	25	31	34	34	34										
35-54	4	32.0	255	19	19	27	42	55	55	55	1	5.0		5	5	5	5	5	5	5
55-74	1	27.0		27	27	27	27	27	27	27	1	4.0		4	4	4	4	4	4	4
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	15	22.9	180	3	5	24	30	34	50	55	2	4.5	1	4	4	4	5	5	5	5
SUBTOTAL	**30**	**17.1**	**147**	**2**	**3**	**17**	**24**	**31**	**34**	**55**	**3**	**8.7**	**51**	**4**	**4**	**5**	**14**	**17**	**17**	**17**
GRAND TOTAL	**76**	**15.9**	**162**	**1**	**2**	**14**	**21**	**30**	**39**	**62**	**18**	**9.8**	**250**	**1**	**1**	**5**	**8**	**18**	**49**	**70**

SCHIZOPHRENIA NOS (295.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	16	24.1	673	1	1	13	41	68	73	75										
18-20	27	25.9	281	3	6	25	39	56	68	99+										
21-24	39	24.3	420	1	3	21	35	64	73	99+										
25-34	104	19.4	246	1	3	16	27	37	51	79	4	15.5	97	1	1	19	21	23	23	23
35-54	74	15.6	257	1	2	11	19	33	47	88										
55-74	19	25.3	613	7	7	19	39	94	99+	99+										
75 +	1	19.0		19	19	19	19	19	19	19										
ALL AGES	280	20.4	330	1	2	16	28	48	66	99+	4	15.5	97	1	1	19	21	23	23	23
B. FEMALE																				
0-12 YRS.	1	22.0		22	22	22	22	22	22	22										
13-17	5	24.8	180	12	12	23	30	47	47	47										
18-20	11	12.5	70	1	2	13	18	24	30	30										
21-24	29	15.7	150	2	3	11	26	29	31	55	1	1.0		1	1	1	1	1	1	1
25-34	69	19.2	275	1	3	14	27	46	54	95	3	3.3	17	1	1	1	6	8	8	8
35-54	93	18.2	338	1	2	14	24	42	53	96	2	6.0	50	1	1	5	11	11	11	11
55-74	41	21.1	333	1	4	18	27	47	78	99+	3	4.7	16	1	1	4	8	9	9	9
75 +	4	13.0	54	7	7	11	18	23	23	23										
ALL AGES	253	18.5	277	1	3	14	25	42	53	97	9	4.1	17	1	1	1	8	10	11	11
SUBTOTAL	**533**	**19.5**	**305**	**1**	**3**	**15**	**27**	**44**	**62**	**99+**	**13**	**7.6**	**66**	**1**	**1**	**4**	**13**	**20**	**22**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	4	9.5	35	4	4	9	14	16	16	16										
18-20	6	18.5	91	6	8	19	31	87	99+	99+										
21-24	17	17.4	251	1	1	12	28	40	53	59										
25-34	31	20.7	385	1	2	11	31	48	65	73	1	2.0		2	2	2	2	2	2	2
35-54	26	21.7	290	2	3	18	27	55	58	59										
55-74	9	15.6	100	3	4	12	25	30	32	32										
75 +																				
ALL AGES	94	19.1	271	1	3	14	28	42	59	88	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	6	20.5	568	1	1	12	31	61	64	64										
18-20	3	25.7	28	22	22	23	30	32	32	32										
21-24	7	19.6	418	1	1	19	38	49	50	50										
25-34	21	20.9	468	2	3	13	23	59	70	78	2	11.5	221	1	1	11	22	22	22	22
35-54	36	17.1	147	1	2	16	26	30	41	50	1	2.0		2	2	2	2	2	2	2
55-74	16	16.8	167	4	5	12	22	40	46	48	1	7.0		7	7	7	7	7	7	7
75 +	1	65.0		65	65	65	65	65	65	65										
ALL AGES	91	19.0	280	1	2	14	25	45	56	73	4	8.0	94	1	1	4	14	22	22	22
SUBTOTAL	**185**	**19.0**	**276**	**1**	**2**	**14**	**27**	**43**	**58**	**76**	**5**	**6.8**	**78**	**1**	**1**	**2**	**11**	**22**	**22**	**22**
GRAND TOTAL	**718**	**19.4**	**296**	**1**	**3**	**14**	**27**	**44**	**60**	**98**	**18**	**7.4**	**64**	**1**	**1**	**3**	**11**	**21**	**23**	**23**

MANIC DIS, SINGL EPISODE (296.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											2	2.0	2	1	1	1	3	3	3	3
18-20	1	25.0		25	25	25	25	25	25	25	1	1.0		1	1	1	1	1	1	1
21-24	2	10.0	32	6	6	10	14	14	14	14										
25-34	5	16.4	265	1	1	8	31	39	39	39										
35-54	5	11.4	48	2	2	11	16	21	21	21										
55-74	6	10.7	91	2	2	7	17	26	27	27	1	2.0		2	2	2	2	2	2	2
75 +	1	21.0		21	21	21	21	21	21	21										
ALL AGES	20	13.5	108	1	2	10	21	27	33	39	4	1.8	1	1	1	1	2	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	4	16.0	91	2	2	19	22	23	23	23										
25-34	4	15.5	14	12	12	15	18	20	20	20	1	1.0		1	1	1	1	1	1	1
35-54	13	10.3	84	1	2	8	14	26	30	31	1	7.0		7	7	7	7	7	7	7
55-74	16	17.8	75	5	6	19	23	30	34	35	1	19.0		19	19	19	19	19	19	19
75 +	3	9.0	61	4	4	5	15	18	18	18	2	12.0	50	7	7	12	17	17	17	17
ALL AGES	40	14.3	79	2	3	13	20	25	31	35	5	10.2	57	1	1	7	17	19	19	19
SUBTOTAL	**60**	**14.0**	**88**	**2**	**2**	**13**	**21**	**26**	**31**	**39**	**9**	**6.4**	**49**	**1**	**1**	**3**	**10**	**18**	**19**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	2.5	1	2	2	2	3	3	3	3										
21-24	1	12.0		12	12	12	12	12	12	12										
25-34	2	22.5	481	7	7	22	38	38	38	38										
35-54	4	12.0	13	8	8	12	15	16	16	16										
55-74																				
75 +																				
ALL AGES	9	12.2	116	2	2	10	14	29	38	38										
B. FEMALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19										
18-20	1	6.0		6	6	6	6	6	6	6										
21-24																				
25-34	4	20.5	376	5	5	14	34	48	48	48										
35-54	9	12.2	19	6	7	12	16	18	18	18										
55-74	2	22.0		22	22	22	22	22	22	22										
75 +	1	23.0		23	23	23	23	23	23	23										
ALL AGES	18	15.8	100	5	6	15	20	23	38	48										
SUBTOTAL	**27**	**14.6**	**104**	**3**	**5**	**12**	**19**	**23**	**39**	**48**										
GRAND TOTAL	**87**	**14.2**	**91**	**2**	**3**	**13**	**20**	**26**	**32**	**45**	**9**	**6.4**	**49**	**1**	**1**	**3**	**10**	**18**	**19**	**19**

MANIC, RECURRENT EPISODE (296.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	6.0	50	1	1	6	11	11	11	11										
25-34	3	24.3	103	13	13	28	31	32	32	32										
35-54	3	10.3	61	4	4	8	16	19	19	19										
55-74	9	17.9	78	2	6	19	26	28	28	28										
75 +	1	10.0		10	10	10	10	10	10	10	1	3.0		3	3	3	3	3	3	3
ALL AGES	18	15.9	94	1	3	13	26	28	31	32	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	25.0		25	25	25	25	25	25	25										
25-34	6	20.8	403	7	7	10	30	55	58	58	3	8.0	67	1	1	6	14	17	17	17
35-54	17	16.2	161	1	1	15	22	33	41	45										
55-74	8	22.6	235	2	3	25	31	43	48	48										
75 +	3	17.7	341	6	6	8	31	39	39	39										
ALL AGES	35	18.9	209	1	3	15	29	39	47	58	3	8.0	67	1	1	6	14	17	17	17
SUBTOTAL	**53**	**17.9**	**169**	**1**	**3**	**15**	**28**	**33**	**44**	**58**	**4**	**6.8**	**50**	**1**	**1**	**4**	**11**	**17**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	14.0		14	14	14	14	14	14	14										
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	2	16.5	25	13	13	16	20	20	20	20										
75 +																				
ALL AGES	6	9.3	56	1	1	9	14	19	20	20										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	47.0		47	47	47	47	47	47	47										
21-24	1	24.0		24	24	24	24	24	24	24										
25-34	4	7.5	4	5	5	7	9	10	10	10	1	8.0		8	8	8	8	8	8	8
35-54	1	20.0		20	20	20	20	20	20	20										
55-74	4	8.5	50	1	1	9	14	15	15	15										
75 +	1	29.0		29	29	29	29	29	29	29										
ALL AGES	12	15.3	172	1	3	12	22	34	45	47	1	8.0		8	8	8	8	8	8	8
SUBTOTAL	**18**	**13.3**	**136**	**1**	**2**	**11**	**20**	**27**	**40**	**47**	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**
GRAND TOTAL	**71**	**14.7**	**164**	**1**	**2**	**14**	**25**	**32**	**45**	**56**	**5**	**7.0**	**39**	**1**	**1**	**6**	**10**	**17**	**17**	**17**

DEPR PSYCH, SINGL EPISOD (296.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	29.6	100	8	17	28	34	43	46	46	1	48.0		48	48	48	48	48	48	48
13-17	42	21.4	377	2	3	19	31	52	91	99+	2	2.5	1	2	2	2	3	3	3	3
18-20	14	16.0	350	1	3	15	23	97	99+	99+	3	13.3	94	3	3	15	20	22	22	22
21-24	27	11.0	45	1	3	9	15	20	24	27	1	29.0		29	29	29	29	29	29	29
25-34	89	13.6	197	1	2	9	16	30	41	71	3	4.3	11	2	2	3	7	8	8	8
35-54	179	16.3	145	2	3	15	21	31	38	66	14	6.3	14	1	2	5	9	11	13	14
55-74	229	19.4	184	2	4	17	26	38	46	69	22	5.7	20	2	2	4	7	13	17	17
75 +	82	18.4	182	2	4	16	25	41	55	99+	10	9.4	83	3	3	6	12	24	33	33
ALL AGES	672	17.6	189	2	3	15	24	36	46	96	56	7.9	72	2	2	5	9	17	27	47
B. FEMALE																				
0-12 YRS.	3	17.7	183	5	5	16	28	32	32	32										
13-17	67	22.5	384	2	2	18	34	57	73	99+	3	1.7		1	1	2	2	2	2	2
18-20	34	19.0	191	2	3	14	30	37	45	50	3	18.0	111	7	7	19	26	28	28	28
21-24	55	17.0	207	2	3	14	21	35	52	65	2	2.5	5	1	1	2	4	4	4	4
25-34	241	15.3	165	2	3	12	20	32	38	60	17	8.7	93	1	1	5	14	26	30	31
35-54	383	16.5	156	3	4	14	23	34	44	62	26	9.2	87	1	2	6	11	16	37	39
55-74	514	20.1	195	4	5	18	27	39	50	82	48	10.0	84	2	2	7	12	21	28	52
75 +	240	21.8	287	3	5	17	28	50	60	89	20	9.1	19	2	3	9	12	14	17	19
ALL AGES	1537	18.7	208	3	4	15	25	39	50	83	119	9.3	75	1	2	7	12	20	28	43
SUBTOTAL	**2209**	**18.3**	**205**	**2**	**4**	**15**	**25**	**38**	**50**	**85**	**175**	**8.9**	**73**	**1**	**2**	**6**	**11**	**19**	**28**	**46**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	8.5	25	5	5	8	12	12	12	12	1	46.0		46	46	46	46	46	46	46
13-17	38	27.2	767	2	3	17	35	77	92	94	1	75.0		75	75	75	75	75	75	75
18-20	33	20.4	564	2	3	16	24	84	94	99+	1	86.0		86	86	86	86	86	86	86
21-24	61	17.4	285	2	3	13	22	37	58	77	7	10.3	171	2	2	7	10	33	39	39
25-34	158	15.1	142	2	4	12	21	29	37	55	6	4.0	3	2	2	4	6	6	6	6
35-54	204	16.1	170	2	4	12	22	32	40	68	12	7.2	13	2	2	7	9	11	15	16
55-74	108	21.9	272	4	5	19	29	43	67	92	2	9.0	98	2	2	9	16	16	16	16
75 +	39	17.5	112	4	6	14	25	29	37	52										
ALL AGES	643	17.9	250	2	4	14	24	35	50	87	30	13.6	431	2	2	7	9	42	75	86
B. FEMALE																				
0-12 YRS.	1	74.0		74	74	74	74	74	74	74	1	69.0		69	69	69	69	69	69	69
13-17	59	26.4	579	3	4	16	43	70	99	99+	5	27.4	585	1	1	40	53	95	99+	99+
18-20	36	16.5	130	2	4	16	26	35	42	99+	3	8.3	141	1	1	2	17	22	22	22
21-24	71	18.5	281	2	2	14	26	43	57	96										
25-34	220	19.0	216	2	4	16	26	37	47	87	15	3.9	12	1	1	3	5	8	12	14
35-54	282	16.3	142	3	4	14	23	32	40	93	15	6.7	38	1	1	4	11	17	19	20
55-74	200	21.7	229	4	6	18	28	41	52	76	19	9.3	93	1	2	5	9	27	31	33
75 +	97	21.9	220	2	7	20	31	41	53	87	7	15.3	378	1	2	7	15	50	58	58
ALL AGES	966	19.4	232	2	4	16	28	39	54	99+	65	10.3	207	1	1	5	13	33	54	95
SUBTOTAL	**1609**	**18.8**	**240**	**2**	**4**	**15**	**26**	**37**	**52**	**96**	**95**	**11.4**	**275**	**1**	**1**	**6**	**11**	**38**	**56**	**94**
GRAND TOTAL	**3818**	**18.5**	**220**	**2**	**4**	**15**	**25**	**38**	**50**	**91**	**270**	**9.7**	**146**	**1**	**2**	**6**	**11**	**22**	**36**	**74**

DEPR PSYCH, RECUR EPISOD (296.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	6	10.0	49	4	4	8	15	20	21	21										
18-20	11	13.6	89	2	3	11	19	29	31	31										
21-24	21	19.3	289	3	4	15	26	35	58	77	2	1.0		1	1	1	1	1	1	1
25-34	73	16.5	203	1	1	14	24	35	45	69	3	6.7	30	3	3	4	11	13	13	13
35-54	179	18.8	209	3	4	15	26	37	47	74	8	6.1	5	2	3	6	8	9	9	9
55-74	266	22.1	264	4	5	18	30	46	57	77	9	9.2	84	1	1	4	14	24	26	26
75 +	87	22.5	220	5	6	21	30	43	53	63	7	15.6	77	8	8	13	18	31	34	34
ALL AGES	643	20.3	234	3	5	17	27	40	53	76	29	9.1	62	1	1	7	12	21	26	34
B. FEMALE																				
0-12 YRS.																				
13-17	22	11.6	183	1	2	6	15	31	47	54	1	19.0		19	19	19	19	19	19	19
18-20	22	13.1	181	1	1	7	17	34	46	51	1	4.0		4	4	4	4	4	4	4
21-24	49	15.0	166	2	3	11	21	28	42	65	3	4.0	7	1	1	5	6	6	6	6
25-34	188	16.5	220	3	4	12	23	33	41	81	8	5.1	26	1	1	3	5	14	17	17
35-54	436	16.7	148	3	4	14	22	30	39	70	13	7.8	53	1	1	7	11	19	24	25
55-74	713	23.6	232	3	7	21	32	43	56	97	32	14.5	165	2	3	9	19	39	39	51
75 +	338	24.9	254	5	9	21	33	48	61	99 +	25	12.6	74	2	3	10	19	27	29	30
ALL AGES	1768	20.9	224	3	5	18	28	40	52	84	83	11.5	108	1	2	8	18	26	33	47
SUBTOTAL	**2411**	**20.7**	**229**	**3**	**5**	**18**	**28**	**40**	**52**	**80**	**112**	**10.9**	**96**	**1**	**2**	**8**	**15**	**25**	**30**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	20.3	348	9	9	12	31	48	48	48	1	3.0		3	3	3	3	3	3	3
18-20	22	15.4	165	1	2	14	22	41	68	99 +										
21-24	26	14.4	85	3	5	13	17	25	32	46	1	3.0		3	3	3	3	3	3	3
25-34	104	18.2	174	3	5	16	24	31	38	77	2	7.5	5	6	6	7	9	9	9	9
35-54	150	16.9	191	2	4	13	21	31	49	63	5	3.2	3	1	1	3	5	5	5	5
55-74	111	21.3	242	3	5	20	30	40	69	99 +	4	6.3		5	5	6	7	7	7	7
75 +	36	23.8	276	3	6	20	32	51	55	72	2	6.5	5	5	5	6	8	8	8	8
ALL AGES	453	18.6	205	3	5	15	25	37	51	97	15	5.0	5	1	2	5	7	8	9	9
B. FEMALE																				
0-12 YRS.	1	27.0		27	27	27	27	27	27	27										
13-17	23	26.3	578	2	4	21	55	75	99 +	99 +	2	35.0	2312	1	1	35	69	69	69	69
18-20	23	20.4	362	3	4	13	31	55	59	63	3	5.3	17	1	1	6	8	9	9	9
21-24	71	18.5	210	4	6	14	24	51	58	99 +	2	4.0	8	2	2	4	6	6	6	6
25-34	219	16.9	195	2	3	14	24	36	45	81	6	4.8	10	1	1	4	6	10	10	10
35-54	369	20.4	263	3	4	17	28	41	55	89	17	9.6	34	3	4	9	12	15	23	27
55-74	268	25.2	265	5	8	23	34	46	58	99 +	18	8.1	48	1	2	5	14	19	23	25
75 +	100	24.2	238	4	6	24	36	44	52	91	8	8.0	8	2	4	8	9	11	12	12
ALL AGES	1074	21.2	263	3	5	18	29	44	57	99 +	56	8.9	97	1	2	7	10	15	23	66
SUBTOTAL	**1527**	**20.5**	**244**	**3**	**5**	**17**	**28**	**42**	**56**	**99 +**	**71**	**8.1**	**79**	**1**	**2**	**6**	**9**	**14**	**20**	**60**
GRAND TOTAL	**3938**	**20.6**	**235**	**3**	**5**	**17**	**28**	**41**	**54**	**85**	**183**	**9.8**	**91**	**1**	**2**	**7**	**12**	**21**	**28**	**47**

BIPOLAR AFFECTIVE, MANIC (296.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	8	19.6	137	6	7	17	25	38	42	42										
18-20	17	23.4	396	1	1	20	46	53	56	57										
21-24	37	24.6	307	3	8	19	37	43	62	81										
25-34	94	19.2	196	3	6	16	23	37	55	90	3	9.7	55	2	2	10	15	17	17	17
35-54	115	15.9	116	3	4	14	21	32	41	72	1	9.0		9	9	9	9	9	9	9
55-74	68	17.9	159	3	3	16	25	35	38	62	3	28.7	139	15	15	34	36	37	37	37
75 +	8	17.1	9	14	14	18	19	21	21	21	1	57.0		57	57	57	57	57	57	57
ALL AGES	347	18.6	182	3	4	16	24	38	46	77	8	22.6	341	2	4	16	35	51	57	57
B. FEMALE																				
0-12 YRS.																				
13-17	3	32.7	1101	12	12	15	57	71	71	71										
18-20	29	17.1	169	2	4	14	22	40	45	49										
21-24	30	20.5	234	4	4	17	26	47	51	61										
25-34	127	19.5	212	3	5	17	26	36	52	76	1	10.0		10	10	10	10	10	10	10
35-54	272	18.8	160	3	6	16	25	36	43	55	6	10.3	274	1	1	2	12	40	43	43
55-74	187	20.1	188	4	6	17	27	37	47	88	2	11.0	2	10	10	11	12	12	12	12
75 +	24	23.4	204	9	10	20	28	40	53	73										
ALL AGES	672	19.5	187	3	6	16	26	37	46	71	9	10.4	172	1	1	10	12	31	43	43
SUBTOTAL	**1019**	**19.2**	**185**	**3**	**5**	**16**	**25**	**37**	**46**	**73**	**17**	**16.2**	**273**	**1**	**1**	**10**	**21**	**42**	**52**	**57**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	29.0	200	19	19	29	39	39	39	39										
18-20	7	23.9	331	3	4	18	41	50	51	51										
21-24	14	25.9	324	2	4	26	31	41	67	75										
25-34	31	18.6	160	3	6	15	28	38	42	49										
35-54	28	18.8	272	1	4	12	30	44	52	65	1	7.0		7	7	7	7	7	7	7
55-74	22	20.6	214	4	9	16	27	40	53	63	1	9.0		9	9	9	9	9	9	9
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	105	20.5	231	3	5	16	29	42	49	69	2	8.0	2	7	7	8	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	5	18.2	112	7	7	15	26	34	34	34										
21-24	11	25.3	305	7	9	16	40	54	55	55										
25-34	35	23.4	235	4	10	19	29	48	62	69										
35-54	38	19.9	171	3	4	17	26	41	44	59	2	21.0	32	17	17	21	25	25	25	25
55-74	38	21.3	260	4	6	18	31	36	55	82										
75 +	4	14.0	231	1	1	9	23	36	36	36										
ALL AGES	131	21.5	219	3	7	18	28	40	53	71	2	21.0	32	17	17	21	25	25	25	25
SUBTOTAL	**236**	**21.0**	**226**	**3**	**5**	**17**	**29**	**41**	**51**	**70**	**4**	**14.5**	**68**	**7**	**7**	**13**	**21**	**25**	**25**	**25**
GRAND TOTAL	**1255**	**19.5**	**195**	**3**	**5**	**16**	**26**	**38**	**47**	**73**	**21**	**15.9**	**228**	**1**	**2**	**10**	**19**	**39**	**49**	**57**

BIPOLAR AFFECT, DEPRESS (296.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-17	1	57.0		57	57	57	57	57	57	57										
18-20	6	10.0	96	1	1	6	14	27	28	28										
21-24	13	13.7	56	2	6	13	21	24	25	25										
25-34	36	15.7	112	2	4	14	21	27	42	44	2	7.0	2	6	6	7	8	8	8	8
35-54	52	16.4	201	2	4	12	24	34	48	67										
55-74	34	17.0	180	2	4	16	23	38	59	99+										
75 +	7	14.6	217	3	3	10	34	83	99+	99+	2	16.5	145	8	8	16	25	25	25	25
ALL AGES	150	16.0	166	2	4	13	23	35	44	99	4	11.8	77	6	6	8	17	25	25	25
B. FEMALE																				
0-12 YRS.																				
13-17	4	9.8	31	4	4	9	14	16	16	16										
18-20	6	17.8	146	4	4	18	29	32	32	32										
21-24	13	12.5	45	4	6	9	19	22	24	24										
25-34	62	15.7	123	3	3	12	22	28	41	52	2	12.0	72	6	6	12	18	18	18	18
35-54	129	17.3	145	3	4	15	23	34	37	57	5	6.0	8	3	3	6	8	10	10	10
55-74	132	21.0	185	4	6	20	30	38	46	63	5	10.6	44	3	3	9	17	18	18	18
75 +	19	17.6	281	3	4	13	19	51	57	59	3	17.7	135	5	5	20	26	28	28	28
ALL AGES	365	18.2	160	3	4	15	25	36	44	58	15	10.7	57	3	3	7	18	20	26	28
SUBTOTAL	**515**	**17.5**	**164**	**3**	**4**	**14**	**24**	**36**	**44**	**64**	**19**	**10.9**	**58**	**3**	**4**	**8**	**18**	**23**	**27**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	20.3	260	2	2	27	31	32	32	32	1	59.0		59	59	59	59	59	59	59
18-20	4	24.8	108	11	11	27	33	33	33	33										
21-24	10	19.9	610	2	2	10	18	63	79	79										
25-34	22	15.5	305	1	1	11	19	64	79	99+	1	12.0		12	12	12	12	12	12	12
35-54	35	19.8	173	5	7	17	24	36	53	62										
55-74	14	13.9	39	5	7	13	20	23	24	24										
75 +	4	21.8	268	6	6	19	35	42	42	42										
ALL AGES	92	18.2	228	2	3	15	23	36	61	91	2	35.5	1105	12	12	35	59	59	59	59
B. FEMALE																				
0-12 YRS.																				
13-17	4	17.8	437	1	1	11	31	48	48	48										
18-20	3	9.0	25	4	4	9	13	14	14	14										
21-24	7	11.7	65	1	1	12	19	21	21	21										
25-34	41	14.5	92	3	4	13	20	26	31	48	2	8.5	61	3	3	8	14	14	14	14
35-54	48	20.1	189	4	6	17	25	35	50	64	3	4.7	14	2	2	3	7	9	9	9
55-74	32	24.3	121	7	9	26	33	37	42	50	1	3.0		3	3	3	3	3	3	3
75 +	2	36.5	5	35	35	38	84	99+	99+	99+										
ALL AGES	137	18.9	156	3	5	17	27	36	47	69	6	5.7	23	2	2	3	9	13	14	14
SUBTOTAL	**229**	**18.6**	**185**	**2**	**5**	**16**	**25**	**36**	**48**	**83**	**8**	**13.1**	**366**	**2**	**2**	**6**	**13**	**45**	**59**	**59**
GRAND TOTAL	**744**	**17.9**	**168**	**3**	**4**	**15**	**24**	**36**	**44**	**67**	**27**	**11.6**	**139**	**3**	**3**	**8**	**16**	**24**	**33**	**59**

BIPOLAR AFFECTIVE, MIXED (296.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	35.0	834	6	6	29	52	75	75	75										
18-20	4	10.3	46	4	4	8	14	20	20	20										
21-24	6	11.5	19	7	7	10	14	18	19	19										
25-34	15	17.5	283	2	5	13	20	35	60	69	5	13.6	84	5	5	9	23	24	24	24
35-54	33	16.7	208	2	4	10	24	43	48	53	2	20.0	288	8	8	20	32	32	32	32
55-74	19	22.4	352	3	5	20	27	52	63	72										
75 +	4	25.8	227	5	5	28	36	41	41	41										
ALL AGES	85	18.8	267	3	5	13	26	43	52	74	7	15.4	115	5	5	9	24	30	32	32
B. FEMALE																				
0-12 YRS.																				
13-17	5	10.2	73	4	4	8	13	25	25	25	1	6.0		6	6	6	6	6	6	6
18-20	6	23.7	514	9	9	17	20	64	69	69										
21-24	11	16.5	257	3	5	10	19	40	58	60										
25-34	51	16.6	193	4	4	13	20	34	47	71	1	7.0		7	7	7	7	7	7	7
35-54	84	18.3	205	3	5	15	24	32	45	78	8	15.6	68	7	7	12	23	27	28	28
55-74	69	21.1	168	4	6	19	31	39	42	94	2	28.0	72	22	22	28	34	34	34	34
75 +	13	24.9	60	15	16	22	31	33	40	41										
ALL AGES	239	19.0	193	4	5	16	26	38	45	72	12	16.2	91	6	7	12	24	30	33	34
SUBTOTAL	**324**	**18.9**	**213**	**4**	**5**	**15**	**26**	**39**	**50**	**73**	**19**	**15.9**	**94**	**5**	**6**	**11**	**24**	**30**	**33**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	21.0	32	17	17	21	25	25	25	25										
18-20											1	11.0		11	11	11	11	11	11	11
21-24	6	24.7	389	9	9	13	47	52	53	53										
25-34	21	20.4	198	4	7	19	25	41	54	55	1	1.0		1	1	1	1	1	1	1
35-54	25	18.0	91	2	4	19	25	30	31	32										
55-74	11	20.6	159	4	6	18	28	41	45	45										
75 +	1	73.0		73	73	73	73	73	73	73										
ALL AGES	66	20.7	197	4	6	19	26	37	53	70	2	6.0	50	1	1	6	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17	1	34.0		34	34	67	99 +	99 +	99 +	99 +										
18-20	4	10.8	70	2	2	11	18	18	18	18										
21-24	6	27.7	170	11	12	26	29	49	51	51										
25-34	27	15.1	68	5	6	13	20	28	31	32										
35-54	31	20.6	249	2	6	17	26	41	56	73	1	15.0		15	15	15	15	15	15	15
55-74	21	24.6	190	6	8	21	33	45	54	56										
75 +	4	18.3	204	5	5	15	28	38	38	38										
ALL AGES	94	20.0	180	4	6	18	27	38	52	88	1	15.0		15	15	15	15	15	15	15
SUBTOTAL	**160**	**20.3**	**185**	**4**	**6**	**18**	**27**	**38**	**53**	**73**	**3**	**9.0**	**52**	**1**	**1**	**11**	**14**	**15**	**15**	**15**
GRAND TOTAL	**484**	**19.4**	**203**	**4**	**5**	**16**	**26**	**38**	**52**	**73**	**22**	**15.0**	**90**	**3**	**6**	**11**	**23**	**29**	**33**	**34**

BIPOLAR AFFECTIVE NOS (296.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	11.0		11	11	11	11	11	11	11										
18-20	6	19.5	542	1	1	7	43	54	55	55										
21-24	12	17.7	135	4	5	15	25	33	43	45										
25-34	32	15.2	257	2	3	10	18	28	56	77										
35-54	35	15.6	108	3	4	14	21	29	34	45	1	16.0		16	16	16	16	16	16	16
55-74	21	15.5	66	3	6	14	22	25	30	36	1	5.0		5	5	5	5	5	5	5
75 +	6	13.3	157	4	4	9	13	35	38	38										
ALL AGES	113	15.7	163	3	4	13	21	29	42	65	2	10.5	61	5	5	10	16	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17	7	15.1	90	1	3	16	20	29	31	31										
18-20	6	13.8	57	6	6	12	16	26	27	27										
21-24	1	25.0		25	25	25	25	25	25	25										
25-34	43	14.4	97	1	3	12	21	27	35	41	1	2.0		2	2	2	2	2	2	2
35-54	66	15.0	116	3	4	12	21	30	34	57										
55-74	54	15.8	82	3	6	14	22	29	32	42	4	10.3	27	6	6	8	13	18	18	18
75 +	9	23.4	201	8	8	20	28	45	55	55	2	16.0	288	4	4	16	28	28	28	28
ALL AGES	186	15.5	104	2	5	13	21	29	33	50	7	10.7	85	2	2	8	16	26	28	28
SUBTOTAL	**299**	**15.6**	**125**	**3**	**4**	**13**	**21**	**29**	**36**	**57**	**9**	**10.7**	**70**	**2**	**3**	**8**	**16**	**24**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	34.0		34	34	34	34	34	34	34	1	61.0		61	61	61	61	61	61	61
18-20	3	10.0	25	5	5	10	14	15	15	15										
21-24	2	39.0	1352	13	13	39	65	65	65	65										
25-34	24	17.9	168	3	5	18	23	29	40	64										
35-54	26	15.8	206	1	2	12	17	40	47	65	2	12.5	5	11	11	12	14	14	14	14
55-74	5	16.4	195	1	1	19	25	36	36	36	1	19.0		19	19	19	19	19	19	19
75 +	1	40.0		40	40	40	40	40	40	40										
ALL AGES	62	17.8	216	1	4	15	22	37	51	65	4	26.3	544	11	11	16	40	61	61	61
B. FEMALE																				
0-12 YRS.																				
13-17	4	5.8	16	1	1	5	8	11	11	11										
18-20	6	22.3	449	1	2	18	30	57	60	60										
21-24	8	29.5	702	3	3	22	48	70	70	70										
25-34	23	20.1	225	4	5	20	25	34	54	68										
35-54	33	18.4	154	4	5	15	25	32	47	54	1	7.0		7	7	7	7	7	7	7
55-74	24	20.6	356	5	6	16	24	39	59	94										
75 +	4	12.8	42	5	5	13	18	20	20	20	1	56.0		56	56	56	56	56	56	56
ALL AGES	102	19.7	269	3	5	16	25	39	56	82	2	31.5	1201	7	7	31	56	56	56	56
SUBTOTAL	**164**	**19.0**	**248**	**3**	**5**	**15**	**24**	**39**	**56**	**70**	**6**	**28.0**	**576**	**7**	**7**	**16**	**56**	**60**	**61**	**61**
GRAND TOTAL	**463**	**16.8**	**171**	**3**	**4**	**14**	**22**	**30**	**41**	**68**	**15**	**17.6**	**323**	**2**	**4**	**11**	**19**	**56**	**60**	**61**

MANIC-DEPRESSIVE NEC/NOS (296.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	24.5	221	14	14	24	35	35	35	35										
13-17	3	8.0	36	2	2	8	12	14	14	14										
18-20	7	14.1	164	1	1	17	21	32	35	35										
21-24	5	13.4	129	1	1	14	21	29	29	29										
25-34	14	10.4	48	1	2	10	14	20	24	25	3	4.0	19	1	1	2	7	9	9	9
35-54	20	15.0	361	2	3	10	14	30	62	88	2	2.0	2	1	1	2	3	3	3	3
55-74	25	16.2	235	2	3	10	23	31	52	66	4	4.3	4	1	1	5	6	6	6	6
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	77	14.2	207	1	2	11	19	30	36	82	9	3.7	7	1	1	4	6	54	99 +	99 +
B. FEMALE																				
0-12 YRS.	2	7.5	25	4	4	7	11	11	11	11										
13-17	2	10.0	2	9	9	10	11	11	11	11										
18-20	8	9.4	70	2	2	7	11	24	28	28										
21-24	12	11.6	91	2	3	8	15	28	32	33										
25-34	34	12.9	189	1	2	10	16	25	30	76	1	4.0		4	4	4	4	4	4	4
35-54	60	14.3	174	2	3	9	21	31	39	63	6	2.8	3	1	1	2	5	5	5	5
55-74	69	15.9	118	2	3	13	22	34	38	42	2	15.0	32	11	11	15	19	19	19	19
75 +	14	10.6	63	1	2	9	15	19	28	31	2	9.5	13	7	7	9	12	12	12	12
ALL AGES	201	13.9	138	2	2	11	20	29	36	60	11	6.4	30	1	1	5	10	15	19	19
SUBTOTAL	**278**	**14.0**	**156**	**2**	**2**	**11**	**19**	**30**	**36**	**65**	**20**	**5.2**	**21**	**1**	**1**	**5**	**7**	**15**	**55**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	12.3	199	1	1	7	20	33	33	33										
18-20	6	23.8	370	6	6	16	37	54	56	56										
21-24	8	18.1	45	9	9	18	24	26	26	26										
25-34	39	10.7	66	1	2	10	14	18	23	46	1	2.0		2	2	2	2	2	2	2
35-54	33	22.2	348	4	6	14	33	56	62	65										
55-74	11	24.5	257	2	6	20	30	52	53	53										
75 +																				
ALL AGES	101	17.4	223	2	4	13	21	41	54	63	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5	1	61.0		61	61	61	61	61	61	61
13-17	5	7.8	41	1	1	7	12	17	17	17										
18-20	14	19.4	382	2	4	14	29	38	69	78										
21-24	18	17.2	471	3	3	9	17	57	75	79										
25-34	45	16.2	263	1	2	13	21	28	43	93										
35-54	47	17.6	328	2	3	12	22	50	92	99 +	1	6.0		6	6	6	6	6	6	6
55-74	19	18.4	128	5	7	16	22	37	41	43	1	3.0		3	3	3	3	3	3	3
75 +	6	15.2	69	5	5	13	22	27	28	28	4	10.8	66	6	6	7	15	23	23	23
ALL AGES	155	16.9	281	2	3	12	21	35	65	99	7	16.1	436	3	4	6	19	53	61	61
SUBTOTAL	**256**	**17.1**	**257**	**2**	**3**	**13**	**21**	**38**	**56**	**93**	**8**	**14.4**	**397**	**2**	**2**	**6**	**15**	**50**	**61**	**61**
GRAND TOTAL	**534**	**15.5**	**206**	**2**	**3**	**12**	**21**	**33**	**43**	**80**	**28**	**7.8**	**136**	**1**	**1**	**5**	**8**	**21**	**63**	**99 +**

AFFECT PSYCHOSES NEC/NOS (296.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS									HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	32.0		32	32	32	32	32	32	32										
13-17	2	18.0	512	2	2	18	34	34	34	34										
18-20	2	26.5	545	10	10	26	43	43	43	43										
21-24	1	41.0		41	41	41	41	41	41	41										
25-34	3	14.3	58	10	10	10	20	23	23	23	1	8.0		8	8	8	8	8	8	8
35-54	9	20.8	317	5	5	8	34	48	48	48										
55-74	10	18.6	134	6	6	17	24	35	46	46										
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	28	20.6	213	5	6	17	31	45	47	48	2	7.5	1	7	7	7	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	2	24.5	25	21	21	24	28	28	28	28										
18-20	1	53.0		53	53	53	53	53	53	53										
21-24	2	1.5	1	1	1	1	2	2	2	2										
25-34	6	15.7	13	11	11	16	19	20	20	20	1	1.0		1	1	1	1	1	1	1
35-54	9	19.2	246	4	4	17	25	46	50	50	3	3.7	8	2	2	2	6	7	7	7
55-74	12	13.6	127	2	3	11	15	32	41	42	1	48.0		48	48	48	48	48	48	48
75 +	4	26.0	505	8	8	19	42	57	57	57										
ALL AGES	36	17.8	209	2	4	13	21	42	52	57	5	12.0	411	1	1	2	17	48	48	48
SUBTOTAL	**64**	**19.0**	**210**	**2**	**4**	**13**	**28**	**43**	**49**	**56**	**7**	**10.7**	**279**	**1**	**1**	**7**	**8**	**40**	**48**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	35.0		35	35	35	35	35	35	35
13-17											1	2.0		2	2	2	2	2	2	2
18-20											1	1.0		1	1	1	1	1	1	1
21-24	1	28.0		28	28	28	28	28	28	28										
25-34	7	9.7	128	1	1	6	13	29	33	33										
35-54	6	16.8	188	6	6	10	27	39	40	40	1	4.0		4	4	4	4	4	4	4
55-74	2	20.5	61	15	15	20	26	26	26	26										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	16	14.9	146	1	2	10	26	32	38	40	5	9.0	213	1	1	3	12	35	35	35
B. FEMALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7										
18-20																				
21-24	2	18.0	72	12	12	18	24	24	24	24										
25-34	10	19.4	461	3	5	11	21	52	77	77	1	4.0		4	4	4	4	4	4	4
35-54	4	28.5	366	5	5	31	44	46	46	46										
55-74	8	13.5	108	5	6	11	14	31	38	38										
75 +																				
ALL AGES	25	18.4	282	4	5	12	22	42	54	77	1	4.0		4	4	52	99 +	99 +	99 +	99 +
SUBTOTAL	**41**	**17.0**	**229**	**2**	**4**	**12**	**24**	**39**	**44**	**77**	**6**	**8.2**	**174**	**1**	**1**	**4**	**27**	**87**	**99 +**	**99 +**
GRAND TOTAL	**105**	**18.2**	**217**	**2**	**4**	**12**	**26**	**42**	**47**	**66**	**13**	**9.5**	**214**	**1**	**1**	**4**	**8**	**53**	**90**	**99 +**

PARANOID STATE, SIMPLE (297.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74																				
75 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	42.0		42	42	42	42	42	42	42										
55-74																				
75 +	1	60.0		60	60	60	60	60	60	60										
ALL AGES	2	51.0	162	42	42	51	60	60	60	60										
SUBTOTAL	**3**	**36.7**	**694**	**8**	**8**	**42**	**55**	**60**	**60**	**60**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES											1	9.0		9	9	9	9	9	9	9
SUBTOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**
GRAND TOTAL	**4**	**28.5**	**732**	**4**	**4**	**25**	**51**	**60**	**60**	**60**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**

PARANOIA (297.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	18.0	288	6	6	18	30	30	30	30										
21-24	1	32.0		32	32	32	32	32	32	32										
25-34	2	9.0	128	1	1	8	17	17	17	17										
35-54	6	13.2	39	5	5	13	19	21	21	21										
55-74	3	22.0	19	17	17	24	25	25	25	25										
75 +	2	4.5	5	3	3	4	6	6	6	6										
ALL AGES	16	15.0	95	1	3	15	22	29	31	32										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	6	16.3	103	4	4	16	22	31	32	32										
35-54	9	15.6	55	6	6	13	21	26	28	28										
55-74	20	15.7	134	1	3	13	22	35	39	42	2	3.5	5	2	2	3	5	5	5	5
75 +	9	21.9	247	4	6	18	28	48	50	50										
ALL AGES	44	17.0	135	3	5	14	22	34	43	50	2	3.5	5	2	2	3	5	5	5	5
SUBTOTAL	**60**	**16.5**	**122**	**2**	**4**	**14**	**22**	**32**	**39**	**49**	**2**	**3.5**	**5**	**2**	**2**	**3**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	15.0		15	15	15	15	15	15	15										
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	28.0	128	20	20	28	36	36	36	36										
35-54	7	7.9	21	4	4	7	8	16	18	18										
55-74	3	13.0	57	5	5	14	18	20	20	20										
75 +	1	31.0		31	31	31	31	31	31	31										
ALL AGES	15	13.1	107	2	4	8	19	31	35	36										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	6	12.7	82	3	3	10	20	26	27	27	1	6.0		6	6	6	6	6	6	6
55-74	3	31.0	439	8	8	36	46	49	49	49	1	4.0		4	4	4	4	4	4	4
75 +	3	32.3	362	19	19	24	46	54	54	54										
ALL AGES	12	22.2	280	3	5	19	31	50	53	54	2	5.0	2	4	4	5	6	6	6	6
SUBTOTAL	**27**	**17.1**	**199**	**3**	**4**	**14**	**23**	**36**	**50**	**54**	**2**	**5.0**	**2**	**4**	**4**	**5**	**6**	**6**	**6**	**6**
GRAND TOTAL	**87**	**16.7**	**143**	**3**	**4**	**14**	**22**	**34**	**42**	**53**	**4**	**4.3**	**2**	**2**	**2**	**4**	**5**	**6**	**6**	**6**

PARAPHRENIA (297.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	33.0		33	33	33	33	33	33	33	1	6.0		6	6	6	6	6	6	6
75 +	2	23.0	648	5	5	23	41	41	41	41										
ALL AGES	3	26.3	360	5	5	33	39	41	41	41	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	2	31.0	338	18	18	31	44	44	44	44	1	21.0		21	21	21	21	21	21	21
75 +	2	32.0	50	27	27	32	37	37	37	37	1	15.0		15	15	15	15	15	15	15
ALL AGES	4	31.5	130	18	18	32	40	44	44	44	2	18.0	18	15	15	18	21	21	21	21
SUBTOTAL	**7**	**29.3**	**191**	**5**	**8**	**33**	**40**	**43**	**44**	**44**	**3**	**14.0**	**57**	**6**	**6**	**15**	**19**	**21**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	2	57.5	113	50	50	57	65	65	65	65										
75 +	3	36.3	300	24	24	29	49	56	56	56										
ALL AGES	5	44.8	311	24	24	50	58	65	65	65										
B. FEMALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	4	28.3	38	22	22	27	33	37	37	37										
75 +	7	29.4	358	10	10	27	34	60	66	66										
ALL AGES	12	29.1	205	10	11	28	34	46	63	66										
SUBTOTAL	**17**	**33.7**	**274**	**10**	**13**	**29**	**40**	**63**	**65**	**66**										
GRAND TOTAL	**24**	**32.4**	**246**	**8**	**11**	**30**	**39**	**57**	**65**	**66**	**3**	**14.0**	**57**	**6**	**6**	**15**	**19**	**21**	**21**	**21**

SHARED PARANOID DISORDER (297.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	45.0		45	45	45	45	45	45	45										
75 +																				
ALL AGES	1	45.0		45	45	45	45	45	45	45										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**45.0**		**45**	**45**	**45**	**45**	**45**	**45**	**45**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	10.0		10	10	10	10	10	10	10										
35-54																				
55-74																				
75 +																				
ALL AGES	1	10.0		10	10	10	10	10	10	10										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	**2**	**6.5**	**25**	**3**	**3**	**6**	**10**	**10**	**10**	**10**										
GRAND TOTAL	**3**	**19.3**	**508**	**3**	**3**	**10**	**36**	**45**	**45**	**45**										

PARANOID STATES NEC (297.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	39.0		39	39	39	39	39	39	39										
35-54																				
55-74	1	22.0		22	22	22	22	22	22	22										
75 +																				
ALL AGES	2	30.5	145	22	22	30	39	39	39	39										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	17.0		17	17	17	17	17	17	17										
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	1	23.0		23	23	23	23	23	23	23										
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	4	14.0	65	4	4	14	20	23	23	23										
SUBTOTAL	**6**	**19.5**	**140**	**4**	**5**	**19**	**23**	**37**	**39**	**39**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	17.0		17	17	17	17	17	17	17										
25-34																				
35-54																				
55-74	1	26.0		26	26	26	26	26	26	26										
75 +																				
ALL AGES	2	21.5	41	17	17	21	26	26	26	26										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	13.0		13	13	13	13	13	13	13										
25-34																				
35-54	1	36.0		36	36	36	36	36	36	36										
55-74	1	15.0		15	15	15	15	15	15	15										
75 +																				
ALL AGES	3	21.3	164	13	13	15	31	36	36	36										
SUBTOTAL	**5**	**21.4**	**91**	**13**	**13**	**17**	**28**	**36**	**36**	**36**										
GRAND TOTAL	**11**	**20.4**	**106**	**4**	**9**	**17**	**25**	**37**	**39**	**39**										

PARANOID STATE NOS (297.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	6.0	50	1	1	6	11	11	11	11										
21-24	6	13.5	74	1	2	12	21	25	25	25										
25-34	5	17.0	174	1	1	17	30	30	30	30										
35-54	6	17.5	180	1	1	21	26	33	34	34										
55-74	10	17.7	152	1	2	15	27	35	40	40	2	6.5	25	3	3	6	10	10	10	10
75 +	6	18.5	392	7	7	11	17	54	58	58	1	3.0		3	3	3	3	3	3	3
ALL AGES	35	16.3	167	1	1	14	25	30	38	58	3	5.3	17	3	3	3	8	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	11.0		11	11	11	11	11	11	11										
21-24	2	11.5	61	6	6	11	17	17	17	17										
25-34	6	23.5	493	9	9	14	26	63	67	67	1	2.0		2	2	2	2	2	2	2
35-54	13	17.7	88	3	5	18	26	29	31	31	1	9.0		9	9	9	9	9	9	9
55-74	19	19.5	173	5	6	18	27	38	49	54	2	13.0	32	9	9	13	17	17	17	17
75 +	15	17.9	488	1	1	9	22	64	70	72	3	6.0	19	3	3	4	9	11	11	11
ALL AGES	56	18.6	254	1	4	15	25	31	61	72	7	7.9	27	2	2	9	11	16	17	17
SUBTOTAL	**91**	**17.7**	**220**	**1**	**2**	**14**	**25**	**31**	**53**	**70**	**10**	**7.1**	**24**	**2**	**2**	**6**	**10**	**14**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	7.5	13	5	5	7	10	10	10	10										
21-24	2	16.0		16	16	16	16	16	16	16										
25-34	6	15.3	136	3	3	13	23	33	34	34										
35-54	13	15.1	122	2	3	11	25	29	34	35										
55-74	13	13.5	57	1	3	14	18	25	27	27	1	9.0		9	9	9	9	9	9	9
75 +	2	12.5	113	5	5	12	20	20	20	20										
ALL AGES	38	14.1	83	2	3	13	21	27	31	35	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	23.5	85	17	17	23	30	30	30	30										
25-34	8	15.3	130	2	2	13	24	32	33	33										
35-54	13	14.2	64	5	7	12	16	24	34	36	1	2.0		2	2	2	2	2	2	2
55-74	13	20.5	239	1	3	21	26	47	51	52	5	4.8	5	2	2	6	6	7	7	7
75 +	7	32.6	300	4	7	43	45	49	50	50	1	17.0		17	17	17	17	17	17	17
ALL AGES	43	19.7	196	2	4	17	27	44	47	52	7	6.1	28	2	2	6	7	15	17	17
SUBTOTAL	**81**	**17.1**	**143**	**2**	**4**	**15**	**24**	**34**	**44**	**51**	**8**	**6.5**	**24**	**2**	**2**	**6**	**8**	**15**	**17**	**17**
GRAND TOTAL	**172**	**17.4**	**186**	**1**	**3**	**15**	**25**	**33**	**45**	**66**	**18**	**6.8**	**23**	**2**	**2**	**6**	**9**	**15**	**17**	**17**

REACT DEPRESS PSYCHOSIS (298.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	4.0		4	4	4	4	4	4	4
21-24																				
25-34																				
35-54	5	10.6	50	3	3	9	18	18	18	18										
55-74	4	11.5	268	2	2	4	20	36	36	36	1	6.0		6	6	6	6	6	6	6
75 +	1	19.0		19	19	19	19	19	19	19										
ALL AGES	10	11.8	118	2	2	7	18	27	36	36	2	5.0	2	4	4	5	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
18-20																				
21-24																				
25-34	7	10.3	72	2	2	9	11	25	28	28										
35-54	8	11.9	105	1	2	8	20	27	29	29										
55-74	10	18.0	477	1	1	11	22	54	72	72	1	12.0		12	12	12	12	12	12	12
75 +	2	10.0	98	3	3	10	17	17	17	17	1	16.0		16	16	16	16	16	16	16
ALL AGES	28	13.1	225	1	1	9	17	29	40	72	3	10.7	36	4	4	12	15	16	16	16
SUBTOTAL	**38**	**12.8**	**192**	**1**	**2**	**9**	**18**	**29**	**36**	**72**	**5**	**8.4**	**29**	**4**	**4**	**6**	**13**	**16**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-20	1	16.0		16	16	16	16	16	16	16										
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54											1	8.0		8	8	8	8	8	8	8
55-74	1	3.0		3	3	3	3	3	3	3										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	3	7.0	61	2	2	3	13	16	16	16	3	5.0	7	3	3	4	7	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24	1	21.0		21	21	21	21	21	21	21										
25-34																				
35-54	4	7.0	6	4	4	7	9	10	10	10	1	1.0		1	1	1	1	1	1	1
55-74	5	30.8	1141	2	2	28	44	87	87	87										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	12	17.3	580	1	2	7	24	47	81	87	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**15**	**15.2**	**484**	**1**	**2**	**7**	**20**	**30**	**73**	**87**	**4**	**4.0**	**9**	**1**	**1**	**3**	**6**	**8**	**8**	**8**
GRAND TOTAL	**53**	**13.5**	**268**	**1**	**2**	**8**	**18**	**29**	**36**	**87**	**9**	**6.4**	**24**	**1**	**2**	**4**	**9**	**14**	**16**	**16**

EXCITATIV TYPE PSYCHOSIS (298.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7										
18-20																				
21-24																				
25-34	3	9.3	71	4	4	5	15	19	19	19										
35-54	6	4.7	3	1	1	5	5	7	7	7	1	1.0		1	1	1	1	1	1	1
55-74											1	38.0		38	38	38	38	38	38	38
75 +	1	12.0		12	12	12	12	12	12	12	1	12.0		12	12	12	12	12	12	12
ALL AGES	11	6.8	24	1	2	5	7	15	19	19	3	17.0	361	1	1	12	31	38	38	38
B. FEMALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19										
18-20	2	18.0	18	15	15	18	21	21	21	21										
21-24																				
25-34	4	9.8	78	4	4	6	15	23	23	23										
35-54	4	10.3	64	1	1	11	17	18	18	18										
55-74	8	14.9	246	1	2	8	24	41	46	46	8	19.5	374	5	5	12	26	53	61	61
75 +	4	7.5	25	1	1	8	11	13	13	13	2	11.0	18	8	8	11	14	14	14	14
ALL AGES	23	12.3	117	1	1	9	19	24	34	46	10	17.8	306	5	5	11	19	47	61	61
SUBTOTAL	**34**	**10.6**	**90**	**1**	**1**	**7**	**16**	**21**	**27**	**46**	**13**	**17.6**	**290**	**1**	**4**	**12**	**23**	**43**	**58**	**61**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4	1	8.0		8	8	8	8	8	8	8
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	3	8.0	28	2	2	10	11	12	12	12										
35-54	1	5.0		5	5	52	99 +	99 +	99 +	99 +										
55-74	1	9.0		9	9	9	9	9	9	9										
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	7	6.4	15	2	2	7	11	74	99 +	99 +	2	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	12.0	50	7	7	12	17	17	17	17										
35-54	6	14.7	69	3	4	14	16	28	29	29										
55-74	2	11.0	8	9	9	11	13	13	13	13	2	3.0	2	2	2	3	4	4	4	4
75 +	2	34.5	421	20	20	34	49	49	49	49	2	14.0	162	5	5	14	23	23	23	23
ALL AGES	12	16.9	146	3	6	14	18	35	47	49	4	8.5	95	2	2	4	14	23	23	23
SUBTOTAL	**19**	**13.1**	**119**	**2**	**3**	**12**	**16**	**39**	**74**	**99 +**	**6**	**8.3**	**58**	**2**	**2**	**6**	**8**	**22**	**23**	**23**
GRAND TOTAL	**53**	**11.5**	**100**	**1**	**3**	**9**	**16**	**23**	**43**	**98**	**19**	**14.7**	**228**	**1**	**3**	**8**	**18**	**36**	**51**	**61**

REACTIVE CONFUSION (298.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74											1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-20																				
21-24																				
25-34	1	21.0		21	21	21	21	21	21	21										
35-54	1	6.0		6	6	6	6	6	6	6										
55-74											1	1.0		1	1	1	1	1	1	1
75 +	1	12.0		12	12	12	12	12	12	12	2	7.5	13	5	5	7	10	10	10	10
ALL AGES	3	13.0	57	6	6	12	19	21	21	21	4	4.3	18	1	1	3	7	10	10	10
SUBTOTAL	**4**	**10.8**	**57**	**4**	**4**	**9**	**16**	**21**	**21**	**21**	**5**	**5.0**	**17**	**1**	**1**	**5**	**8**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	2	7.0	2	6	6	7	8	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	3	9.0	76	3	3	5	15	19	19	19										
55-74											1	8.0		8	8	8	8	8	8	8
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	3	9.0	76	3	3	5	15	19	19	19	2	7.0	2	6	6	7	8	8	8	8
SUBTOTAL	**5**	**8.2**	**40**	**3**	**3**	**6**	**11**	**19**	**19**	**19**	**2**	**7.0**	**2**	**6**	**6**	**7**	**8**	**8**	**8**	**8**
GRAND TOTAL	**9**	**9.3**	**44**	**3**	**3**	**6**	**14**	**20**	**21**	**21**	**7**	**5.6**	**12**	**1**	**1**	**6**	**8**	**10**	**10**	**10**

ACUTE PARANOID REACTION (298.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	6	12.7	138	1	1	9	25	29	29	29										
35-54	7	12.3	43	2	3	12	18	20	20	20										
55-74	3	12.3	144	4	4	7	21	26	26	26										
75 +	3	13.3	58	9	9	9	19	22	22	22	2	2.0	2	1	1	2	3	3	3	3
ALL AGES	19	12.6	75	1	2	11	19	26	28	29	2	2.0	2	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17											1	45.0		45	45	45	45	45	45	45
18-20	1	23.0		23	23	23	23	23	23	23										
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	2	8.0	18	5	5	8	11	11	11	11										
35-54	7	10.3	19	4	4	11	13	15	16	16	1	7.0		7	7	7	7	7	7	7
55-74	5	20.0	89	11	11	16	29	32	32	32	2	10.0	32	6	6	10	14	14	14	14
75 +	5	12.2	86	1	1	15	20	22	22	22	1	5.0		5	5	5	5	5	5	5
ALL AGES	21	13.0	71	2	3	13	17	25	30	32	5	15.4	286	5	5	7	22	45	45	45
SUBTOTAL	**40**	**12.8**	**71**	**1**	**3**	**12**	**18**	**25**	**28**	**32**	**7**	**11.6**	**233**	**1**	**1**	**6**	**12**	**39**	**45**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	5	11.4	57	5	5	11	14	24	24	24										
35-54	5	25.8	705	2	2	17	52	57	57	57										
55-74	3	14.3	74	6	6	14	21	23	23	23										
75 +											1	16.0		16	16	16	16	16	16	16
ALL AGES	13	17.6	313	2	2	11	23	52	56	57	1	16.0		16	16	16	16	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	59.0		59	59	59	59	59	59	59										
25-34	3	15.3	144	7	7	10	24	29	29	29										
35-54	1	13.0		13	13	13	13	13	13	13										
55-74	3	15.7	7	14	14	14	18	19	19	19										
75 +	2	18.0	162	9	9	18	27	27	27	27	1	17.0		17	17	17	17	17	17	17
ALL AGES	10	20.1	240	7	8	14	27	44	59	59	1	17.0		17	17	17	17	17	17	17
SUBTOTAL	**23**	**18.7**	**270**	**2**	**4**	**14**	**24**	**52**	**58**	**59**	**2**	**16.5**	**1**	**16**	**16**	**16**	**17**	**17**	**17**	**17**
GRAND TOTAL	**63**	**15.0**	**148**	**2**	**3**	**12**	**20**	**28**	**39**	**59**	**9**	**12.7**	**179**	**1**	**2**	**7**	**16**	**34**	**45**	**45**

PSYCHOGEN PARANOID PSYCH (298.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	10.0		10	10	10	10	10	10	10										
55-74																				
75 +																				
ALL AGES	1	10.0		10	10	10	10	10	10	10										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	17.0		17	17	17	17	17	17	17										
75 +																				
ALL AGES	1	17.0		17	17	17	17	17	17	17										
SUBTOTAL	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**										
GRAND TOTAL	**2**	**13.5**	**25**	**10**	**10**	**13**	**17**	**17**	**17**	**17**										

REACT PSYCHOSIS NEC/NOS (298.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	15.5	300	1	1	11	28	39	39	39										
18-20	6	12.2	85	3	3	10	17	27	28	28										
21-24	10	13.3	87	1	2	12	20	27	30	30										
25-34	10	9.4	44	1	2	8	15	19	22	22	1	2.0		2	2	2	2	2	2	2
35-54	7	8.3	29	1	2	6	13	15	15	15										
55-74	2	11.0	128	3	3	11	19	19	19	19	1	7.0		7	7	7	7	7	7	7
75 +	1	7.0		7	7	7	7	7	7	7	2	13.5	145	5	5	13	22	22	22	22
ALL AGES	40	11.2	79	1	2	10	15	23	29	39	4	9.0	79	2	2	6	14	22	22	22
B. FEMALE																				
0-12 YRS.	3	5.7	2	4	4	6	7	7	7	7										
13-17	3	6.3	58	1	1	3	12	15	15	15										
18-20	6	11.3	190	1	1	8	11	35	38	38										
21-24	6	12.3	185	3	3	8	12	36	39	39										
25-34	24	12.0	164	1	1	9	13	30	42	58										
35-54	34	11.7	78	2	3	10	16	22	33	36										
55-74	17	14.3	131	1	3	12	19	29	39	45	3	4.3	6	3	3	3	6	7	7	7
75 +	6	13.3	25	6	6	14	17	19	19	19	3	6.0	16	2	2	6	9	10	10	10
ALL AGES	99	12.0	111	1	2	10	15	28	36	52	6	5.2	9	2	2	5	7	10	10	10
SUBTOTAL	**139**	**11.8**	**100**	**1**	**2**	**10**	**15**	**27**	**35**	**46**	**10**	**6.7**	**36**	**2**	**2**	**5**	**7**	**16**	**22**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	9.5	113	2	2	9	17	17	17	17										
18-20	3	7.3	3	6	6	7	8	9	9	9										
21-24	6	11.3	98	1	1	10	13	27	29	29										
25-34	9	13.1	102	3	3	10	19	28	33	33										
35-54	5	15.2	71	3	3	19	22	22	22	22	1	2.0		2	2	2	2	2	2	2
55-74											1	3.0		3	3	3	3	3	3	3
75 +	2	14.5	25	11	11	14	18	18	18	18	1	6.0		6	6	6	6	6	6	6
ALL AGES	27	12.3	72	2	3	10	19	22	30	33	3	3.7	4	2	2	3	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	3	19.0	147	8	8	17	28	32	32	32										
18-20	4	5.8	8	2	2	6	8	9	9	9										
21-24	8	18.0	144	4	5	15	26	36	39	39	1	8.0		8	8	8	8	8	8	8
25-34	22	13.2	109	2	3	10	20	27	35	44										
35-54	15	12.3	87	2	4	10	14	31	33	34	1	6.0		6	6	6	6	6	6	6
55-74	10	16.5	114	5	7	13	22	33	42	42	1	2.0		2	2	2	2	2	2	2
75 +	3	36.7	1903	9	9	14	69	87	87	87										
ALL AGES	65	15.0	183	3	4	11	19	31	40	81	3	5.3	10	2	2	6	7	8	8	8
SUBTOTAL	**92**	**14.2**	**151**	**2**	**4**	**11**	**19**	**29**	**34**	**69**	**6**	**4.5**	**6**	**2**	**2**	**4**	**6**	**8**	**8**	**8**
GRAND TOTAL	**231**	**12.7**	**123**	**1**	**3**	**10**	**17**	**28**	**34**	**47**	**16**	**5.9**	**24**	**2**	**2**	**5**	**7**	**10**	**18**	**22**

PSYCHOSIS NOS (298.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	5.5	25	2	2	5	9	9	9	9										
13-17	9	18.8	569	1	1	9	21	57	79	79	4	16.5	700	1	1	4	31	56	56	56
18-20	13	14.8	217	1	3	11	18	38	49	52	2	25.5	1	25	25	25	26	26	26	26
21-24	19	15.9	142	1	2	13	24	34	41	43	1	3.0		3	3	3	3	3	3	3
25-34	39	11.9	68	1	1	13	17	21	26	37	1	4.0		4	4	4	4	4	4	4
35-54	27	13.5	323	3	3	8	15	27	38	95	3	6.7		6	6	7	7	7	7	7
55-74	62	10.6	101	1	2	8	14	17	27	60	15	7.3	39	1	2	4	11	16	21	23
75 +	35	11.9	248	2	2	7	14	20	42	86	28	7.6	28	1	2	6	11	18	24	99 +
ALL AGES	206	12.5	177	1	2	9	15	24	35	82	54	8.6	82	1	2	6	11	20	26	98
B. FEMALE																				
0-12 YRS.											3	4.3	7	2	2	4	6	7	7	7
13-17	9	14.9	212	1	1	7	23	38	46	46										
18-20	9	17.0	139	3	3	19	27	32	34	34										
21-24	9	11.4	87	2	2	9	14	27	27	27	1	2.0		2	2	2	2	2	2	2
25-34	47	13.8	132	1	1	10	23	32	35	45	2	6.0	32	2	2	6	10	10	10	10
35-54	61	14.4	148	1	2	10	17	34	38	56	10	6.4	42	1	1	4	10	17	21	21
55-74	68	13.2	112	1	2	11	19	27	33	50	21	12.2	180	1	1	8	13	32	46	56
75 +	71	12.6	210	2	3	8	15	28	35	87	52	9.8	68	1	2	6	13	23	26	34
ALL AGES	274	13.5	151	1	2	9	18	30	36	57	89	9.6	91	1	2	6	12	22	28	49
SUBTOTAL	**480**	**13.1**	**162**	**1**	**2**	**9**	**17**	**28**	**36**	**63**	**143**	**9.2**	**88**	**1**	**2**	**6**	**12**	**22**	**27**	**59**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	9	19.9	254	2	4	20	35	75	99 +	99 +										
18-20	8	12.8	66	3	3	14	18	23	25	25										
21-24	13	15.4	191	2	3	12	20	39	46	48										
25-34	30	13.3	132	1	2	10	21	30	34	46	1	5.0		5	5	5	5	5	5	5
35-54	14	9.2	36	1	1	9	15	17	17	17	2	1.5	1	1	1	1	2	2	2	2
55-74	23	11.4	133	1	2	7	17	35	37	39	11	11.7	138	2	3	7	12	32	40	41
75 +	12	9.7	66	1	2	9	12	20	29	31	6	9.8	30	5	5	8	13	18	19	19
ALL AGES	109	12.7	127	1	2	9	18	31	37	71	20	9.8	90	1	2	6	11	22	33	41
B. FEMALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	6	16.2	153	4	4	12	29	33	34	34										
18-20	5	8.0	71	1	1	7	11	22	22	22										
21-24	19	17.3	355	1	2	10	28	40	59	73	1	1.0		1	1	1	1	1	1	1
25-34	35	14.5	379	1	2	10	17	23	68	92										
35-54	50	14.3	85	1	4	13	18	26	29	43	2	14.5	25	11	11	14	18	18	18	18
55-74	23	16.0	278	2	2	12	20	45	54	64	8	9.0	37	2	2	7	14	18	19	19
75 +	19	12.7	78	2	3	12	15	28	33	34	16	15.3	186	3	3	11	19	39	48	51
ALL AGES	158	14.6	207	1	2	11	18	31	41	80	27	12.8	133	2	3	10	15	25	42	51
SUBTOTAL	**267**	**13.8**	**175**	**1**	**2**	**10**	**18**	**31**	**39**	**80**	**47**	**11.5**	**115**	**2**	**2**	**8**	**13**	**25**	**41**	**51**
GRAND TOTAL	**747**	**13.4**	**165**	**1**	**2**	**10**	**17**	**29**	**37**	**73**	**190**	**9.8**	**94**	**1**	**2**	**7**	**12**	**23**	**28**	**56**

INFANTILE AUTISM (299.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	3.0	2	2	2	3	4	4	4	4	3	8.0	27	2	2	11	11	11	11	11
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	3.0	2	2	2	3	4	4	4	4	3	8.0	27	2	2	11	11	11	11	11
B. FEMALE																				
0-12 YRS.	2	11.5	221	1	1	11	22	22	22	22	1	23.0		23	23	23	23	23	23	23
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	11.5	221	1	1	11	22	22	22	22	1	23.0		23	23	23	23	23	23	23
SUBTOTAL	**4**	**7.3**	**97**	**1**	**1**	**3**	**13**	**22**	**22**	**22**	**4**	**11.8**	**73**	**2**	**2**	**11**	**17**	**23**	**23**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**4**	**7.3**	**97**	**1**	**1**	**3**	**13**	**22**	**22**	**22**	**4**	**11.8**	**73**	**2**	**2**	**11**	**17**	**23**	**23**	**23**

EARLY CHLD PSYCHOSES NEC (299.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	6.5	9	4	4	6	9	10	10	10										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	6.5	9	4	4	6	9	10	10	10										
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	1	69.0		69	69	69	69	69	69	69
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	69.0		69	69	69	69	69	69	69
SUBTOTAL	**5**	**6.0**	8	4	4	4	8	**10**	**10**	**10**	**1**	**69.0**		**69**	**69**	**84**	**99+**	**99+**	**99+**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											2	28.5	1201	4	4	53	88	99+	99+	99+
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											2	28.5	1201	4	4	53	88	99+	99+	99+
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**2**	**28.5**	**1201**	**4**	**4**	**53**	**88**	**99+**	**99+**	**99+**
GRAND TOTAL	**5**	**6.0**	8	4	4	4	8	**10**	**10**	**10**	**3**	**42.0**	**1147**	**4**	**4**	**69**	**99+**	**99+**	**99+**	**99+**

EARLY CHLD PSYCHOSIS NOS (299.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	46.5	3281	6	6	46	87	87	87	87										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	46.5	3281	6	6	46	87	87	87	87										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**46.5**	**3281**	**6**	**6**	**46**	**87**	**87**	**87**	**87**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**										
GRAND TOTAL	**3**	**31.3**	**2333**	**1**	**1**	**6**	**67**	**87**	**87**	**87**										

ANXIETY STATES (300.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	1.7		1	1	2	2	2	2	2	3	1.7	1	1	1	1	2	3	3	3
13-17	2	2.0		2	2	2	2	2	2	2	3	2.7	8	1	1	1	5	6	6	6
18-20	9	2.8	8	1	1	2	3	8	10	10	1	3.0		3	3	3	3	3	3	3
21-24	9	6.6	60	1	1	4	9	19	25	25	4	2.3	1	1	1	2	3	3	3	3
25-34	38	7.1	74	1	1	3	10	16	22	45	11	2.7	5	1	1	2	4	6	8	8
35-54	60	5.8	65	1	1	3	6	13	18	52	24	2.2	2	1	1	2	3	4	5	6
55-74	31	4.8	21	1	1	3	6	12	14	21	18	3.1	7	1	1	2	3	6	10	12
75 +	8	7.0	43	1	1	5	12	17	18	18	6	3.0	4	1	1	2	3	7	7	7
ALL AGES	160	5.7	53	1	1	3	7	14	18	43	70	2.6	4	1	1	2	3	5	7	11
B. FEMALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-17	3	9.7	79	4	4	5	16	20	20	20	5	2.0	2	1	1	1	3	4	4	4
18-20	3	9.3	83	1	1	8	16	19	19	19	3	3.7	5	1	1	5	5	5	5	5
21-24	15	5.8	25	1	1	4	10	14	15	15	3	1.7	1	1	1	1	3	3	3	3
25-34	55	6.1	62	1	1	4	8	13	20	47	18	2.9	4	1	1	2	3	7	7	7
35-54	95	5.3	37	1	1	3	7	13	19	30	53	2.8	9	1	1	2	3	5	8	20
55-74	73	6.6	37	1	1	5	8	15	19	28	46	3.1	4	1	1	3	4	5	6	11
75 +	32	6.2	38	1	1	4	7	14	22	28	20	4.0	8	1	1	3	5	7	11	14
ALL AGES	277	6.1	42	1	1	4	8	14	20	28	148	3.0	6	1	1	2	4	5	7	14
SUBTOTAL	**437**	**6.0**	**45**	**1**	**1**	**4**	**7**	**14**	**19**	**29**	**218**	**2.9**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	10.3	90	3	3	7	17	21	21	21	2	20.0	450	5	5	20	35	35	35	35
18-20	6	9.5	56	1	1	8	15	20	21	21										
21-24	9	9.1	38	2	3	7	13	19	21	21	2	4.0		4	4	4	4	4	4	4
25-34	32	13.9	99	1	2	12	20	28	35	39	4	3.0	2	1	1	3	4	4	4	4
35-54	48	7.5	43	1	2	5	9	19	21	30	11	2.1	1	1	1	2	2	4	4	4
55-74	16	14.6	149	1	2	14	22	28	40	45	5	5.2	37	2	2	2	7	16	16	16
75 +	3	11.7	33	5	5	14	15	16	16	16	1	3.0		3	3	3	3	3	3	3
ALL AGES	117	10.6	80	1	2	8	16	23	28	41	25	4.5	49	1	1	2	4	5	21	35
B. FEMALE																				
0-12 YRS.											1	46.0		46	46	46	46	46	46	46
13-17	4	9.3	20	3	3	11	35	99 +	99 +	99 +										
18-20	5	12.6	105	3	3	12	20	27	27	27										
21-24	14	17.1	250	1	1	10	29	33	49	53	2	2.5	5	1	1	2	4	4	4	4
25-34	56	11.1	110	1	1	8	14	23	33	54	7	4.9	18	1	1	3	5	12	14	14
35-54	76	12.3	144	2	2	9	17	29	36	58	17	4.2	13	1	1	3	5	11	12	13
55-74	54	13.1	206	2	3	9	17	23	39	90	14	5.2	32	1	1	4	6	9	20	23
75 +	19	9.4	62	1	2	8	15	21	27	29	6	4.5	7	1	1	4	7	8	8	8
ALL AGES	228	12.2	147	1	2	9	16	28	35	66	47	5.5	53	1	1	4	6	11	15	46
SUBTOTAL	**345**	**11.7**	**123**	**1**	**2**	**8**	**16**	**25**	**31**	**55**	**72**	**5.1**	**52**	**1**	**1**	**3**	**5**	**10**	**16**	**44**
GRAND TOTAL	**782**	**8.5**	**88**	**1**	**1**	**5**	**11**	**20**	**27**	**50**	**290**	**3.5**	**17**	**1**	**1**	**3**	**4**	**6**	**8**	**22**

HYSTERIA (300.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS									HOSPITALS WITHOUT PSY. UNIT/BEDS								
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	1.3		1	1	1	2	2	2	2	5	1.2		1	1	1	2	2	2	2
13-17	6	2.5	4	1	1	2	3	6	6	6	5	3.8	9	1	1	2	6	8	8	8
18-20	4	2.5	2	1	1	2	3	4	4	4	1	3.0		3	3	3	3	3	3	3
21-24	5	6.6	12	2	2	8	9	10	10	10	1	1.0		1	1	1	1	1	1	1
25-34	11	4.2	11	1	1	4	6	10	10	10	3	1.3		1	1	1	2	2	2	2
35-54	8	12.5	105	2	2	12	20	27	29	29	8	5.0	26	1	1	3	5	14	17	17
55-74	5	5.8	11	3	3	5	8	11	11	11	9	4.2	5	1	1	4	5	8	8	8
75 +	1	4.0		4	4	4	4	4	4	4	2	3.5	5	2	2	3	5	5	5	5
ALL AGES	43	5.6	36	1	1	3	8	12	19	29	34	3.5	10	1	1	3	4	7	8	17
B. FEMALE																				
0-12 YRS.	2	4.5	1	4	4	4	5	5	5	5	2	36.5	2113	4	4	36	69	69	69	69
13-17	16	4.2	16	1	1	2	6	11	14	15	8	2.9	2	1	1	3	4	5	5	5
18-20	9	4.7	11	1	1	5	7	9	10	10	4	3.3	10	1	1	2	5	8	8	8
21-24	7	6.0	46	1	1	3	6	18	21	21	7	3.6	15	1	1	1	6	10	11	11
25-34	20	9.5	122	1	1	4	14	24	37	43	13	3.4	6	1	1	2	5	7	9	10
35-54	37	6.9	58	1	1	4	8	17	26	34	21	5.1	8	2	2	5	6	10	12	12
55-74	11	6.5	34	1	1	4	10	15	20	20	15	3.3	5	1	2	2	3	7	9	10
75 +	7	5.7	61	1	1	3	5	20	23	23	4	3.5	4	2	2	3	5	6	6	6
ALL AGES	109	6.6	56	1	1	4	8	16	21	38	74	4.7	65	1	1	3	5	8	11	55
SUBTOTAL	**152**	**6.3**	**50**	**1**	**1**	**4**	**8**	**15**	**21**	**34**	**108**	**4.3**	**48**	**1**	**1**	**3**	**5**	**8**	**10**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	11.0		11	11	11	11	11	11	11
13-17	2	1.0		1	1	1	1	1	1	1	2	20.5	365	7	7	20	34	34	34	34
18-20											1	1.0		1	1	1	1	1	1	1
21-24																				
25-34	9	6.9	33	2	2	6	9	16	20	20										
35-54	8	15.9	818	1	1	4	15	66	84	84	3	3.0	1	2	2	3	4	4	4	4
55-74	5	7.6	130	2	2	3	9	28	28	28	2	8.0	72	2	2	8	14	14	14	14
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	25	9.3	296	1	1	3	7	25	42	84	9	8.7	109	1	1	4	12	26	34	34
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	8	19.1	304	1	1	14	32	46	49	49	2	2.0		2	2	2	2	2	2	2
18-20	4	17.0	434	3	3	8	28	48	48	48	1	3.0		3	3	3	3	3	3	3
21-24	12	8.2	115	1	1	4	10	24	36	38	3	3.0	3	1	1	4	4	4	4	4
25-34	9	11.6	343	1	1	7	15	79	99 +	99 +	8	3.4	5	1	1	3	5	7	7	7
35-54	15	9.3	116	1	1	7	10	19	37	43	11	3.5	9	1	1	2	5	8	11	11
55-74	12	9.6	112	1	2	5	11	28	35	36	6	6.3	55	1	1	4	6	19	21	21
75 +	7	10.3	41	2	3	8	16	19	19	19	2	5.5	1	5	5	5	6	6	6	6
ALL AGES	68	11.1	170	1	1	7	14	37	48	92	33	4.0	14	1	1	3	5	6	10	21
SUBTOTAL	**93**	**10.6**	**202**	**1**	**1**	**5**	**12**	**29**	**47**	**93**	**42**	**5.0**	**36**	**1**	**1**	**3**	**6**	**11**	**17**	**34**
GRAND TOTAL	**245**	**7.9**	**112**	**1**	**1**	**4**	**9**	**19**	**30**	**60**	**150**	**4.5**	**44**	**1**	**1**	**3**	**5**	**8**	**11**	**34**

PHOBIC DISORDERS (300.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	40.0		40	40	40	40	40	40	40										
13-17																				
18-20	1	3.0		3	3	3	3	3	3	3										
21-24	2	12.0	242	1	1	12	23	23	23	23										
25-34	2	10.0		10	10	10	10	10	10	10										
35-54	4	19.3	43	13	13	18	24	28	28	28	1	6.0		6	6	6	6	6	6	6
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	11	15.2	143	1	2	13	22	33	39	40	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	3	9.0	19	4	4	11	12	12	12	12										
25-34	4	17.5	235	2	2	15	28	38	38	38	3	8.3	7	6	6	8	10	11	11	11
35-54	8	12.4	70	3	3	11	17	25	28	28	1	4.0		4	4	4	4	4	4	4
55-74	5	12.2	149	2	2	10	16	33	33	33										
75 +	2	19.0	450	4	4	19	34	34	34	34	1	5.0		5	5	5	5	5	5	5
ALL AGES	22	13.4	119	2	3	11	19	33	36	38	5	6.8	8	4	4	6	9	11	11	11
SUBTOTAL	**33**	**14.0**	**123**	**2**	**3**	**11**	**20**	**33**	**37**	**40**	**6**	**6.7**	**6**	**4**	**4**	**6**	**8**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	3.0	8	1	1	3	5	5	5	5										
13-17											1	74.0		74	74	74	74	74	74	74
18-20																				
21-24																				
25-34	4	28.8	1329	4	4	14	52	82	82	82										
35-54	6	14.7	149	2	2	11	26	32	33	33										
55-74	4	21.8	138	5	5	24	29	33	33	33										
75 +																				
ALL AGES	16	18.5	414	1	2	11	25	33	67	82	1	74.0		74	74	74	74	74	74	74
B. FEMALE																				
0-12 YRS.											1	99.0		99	99	99	99	99	99 +	99 +
13-17	1	87.0		87	87	87	87	87	87	87										
18-20	2	10.0	32	6	6	10	14	14	14	14										
21-24	2	8.5	1	8	8	8	9	9	9	9										
25-34	6	26.5	118	13	13	27	35	39	40	40										
35-54	23	14.5	125	1	3	12	16	33	38	44										
55-74	5	15.6	95	8	8	9	24	29	29	29	2	7.0	2	6	6	7	8	8	8	8
75 +	3	9.7	5	7	7	10	11	12	12	12										
ALL AGES	42	17.2	239	3	6	12	23	35	42	87	3	37.7	2819	6	6	8	76	99	99	99 +
SUBTOTAL	**58**	**17.6**	**280**	**2**	**4**	**12**	**24**	**34**	**42**	**87**	**4**	**46.8**	**2205**	**6**	**6**	**41**	**86**	**99**	**99**	**99 +**
GRAND TOTAL	**91**	**16.3**	**224**	**2**	**3**	**12**	**23**	**34**	**40**	**85**	**10**	**22.7**	**1169**	**4**	**4**	**7**	**11**	**86**	**99**	**99**

OBSESSIVE-COMPULSIVE DIS (300.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-20																				
21-24	5	30.0	797	4	4	16	59	63	63	63										
25-34	9	21.1	85	9	10	21	27	34	38	38										
35-54	2	28.0	882	7	7	28	49	49	49	49										
55-74	1	39.0		39	39	39	39	39	39	39										
75 +																				
ALL AGES	18	24.2	342	2	5	19	38	55	61	63										
B. FEMALE																				
0-12 YRS.																				
13-17	1	24.0		24	24	24	24	24	24	24										
18-20																				
21-24											2	12.0	162	3	3	12	21	21	21	21
25-34	6	19.5	228	2	3	25	39	88	99 +	99 +										
35-54	3	9.7	53	4	4	7	15	18	18	18										
55-74	1	54.0		54	54	54	54	54	54	54										
75 +	1	29.0		29	29	29	29	29	29	29										
ALL AGES	12	21.1	254	2	4	24	32	63	93	99 +	2	12.0	162	3	3	12	21	21	21	21
SUBTOTAL	**30**	**23.0**	**297**	**2**	**4**	**21**	**36**	**56**	**63**	**99 +**	**2**	**12.0**	**162**	**3**	**3**	**12**	**21**	**21**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	34.0		34	34	34	34	34	34	34										
25-34	1	24.0		24	24	24	24	24	24	24										
35-54	3	40.3	1476	12	12	25	69	84	84	84										
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	6	30.5	798	4	5	24	34	79	84	84										
B. FEMALE																				
0-12 YRS.	1	57.0		57	57	57	57	57	57	57										
13-17																				
18-20	1	26.0		26	26	26	26	26	26	26										
21-24											1	7.0		7	7	7	7	7	7	7
25-34	4	17.3	198	1	1	18	29	31	31	31										
35-54	2	37.0	162	28	28	37	46	46	46	46										
55-74	3	24.3	17	20	20	26	27	27	27	27										
75 +	1	29.0		29	29	29	29	29	29	29										
ALL AGES	12	27.3	211	2	7	27	30	49	56	57	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**18**	**28.4**	**372**	**2**	**6**	**26**	**31**	**54**	**73**	**84**	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**
GRAND TOTAL	**48**	**25.0**	**326**	**2**	**4**	**25**	**32**	**56**	**64**	**99 +**	**3**	**10.3**	**90**	**3**	**3**	**7**	**17**	**21**	**21**	**21**

NEUROTIC DEPRESSION (300.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	9	22.0	413	2	2	12	41	50	51	51										
13-17	22	18.3	505	2	4	10	22	65	93	99+										
18-20	14	5.2	28	1	1	4	6	14	18	19										
21-24	15	6.1	25	1	2	4	8	12	18	20	1	3.0		3	3	3	3	3	3	3
25-34	36	9.3	82	1	1	5	15	25	29	31	3	2.0	3	1	1	1	3	4	4	4
35-54	52	10.4	70	1	2	8	15	24	26	33	9	2.4	4	1	1	2	3	6	6	6
55-74	43	9.3	61	1	2	7	15	19	21	40	6	5.8	11	2	2	5	6	11	12	12
75 +	18	12.7	204	2	4	8	14	23	48	64	8	15.0	390	2	3	7	16	50	61	61
ALL AGES	209	10.9	146	1	1	7	14	24	31	74	27	6.9	139	1	1	5	6	11	30	61
B. FEMALE																				
0-12 YRS.	4	9.5	57	4	4	7	15	20	20	20										
13-17	49	15.9	451	1	2	8	18	61	79	99+	5	21.4	1027	1	1	8	31	78	78	78
18-20	22	6.0	27	1	1	5	10	14	16	18	2	1.0		1	1	1	1	1	1	1
21-24	28	7.3	34	1	1	6	12	15	18	22	4	4.8	18	1	1	3	7	11	11	11
25-34	97	11.5	122	1	2	8	16	27	30	53	18	3.3	7	1	1	3	4	7	10	11
35-54	155	9.3	83	1	2	6	13	19	24	52	23	6.2	31	2	2	3	9	14	17	23
55-74	109	11.4	119	1	2	7	17	27	35	51	39	5.3	9	1	2	5	7	10	11	15
75 +	51	11.4	182	1	3	7	12	27	31	86	19	9.3	103	1	2	6	11	24	34	42
ALL AGES	515	10.8	139	1	2	7	15	24	30	66	110	6.5	80	1	1	4	7	12	15	56
SUBTOTAL	**724**	**10.8**	**142**	**1**	**2**	**7**	**15**	**24**	**30**	**66**	**137**	**6.6**	**91**	**1**	**1**	**4**	**7**	**12**	**20**	**63**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	21	37.1	885	4	7	36	58	85	93	99+	1	63.0		63	63	63	63	63	63	63
13-17	37	30.6	517	3	4	30	60	99+	99+	99+	1	41.0		41	41	41	41	41	41	41
18-20	26	21.1	298	4	5	17	24	51	58	60										
21-24	53	14.5	125	1	2	15	21	27	29	61	1	14.0		14	14	14	14	14	14	14
25-34	149	15.2	120	2	2	15	21	28	33	52	1	2.0		2	2	2	2	2	2	2
35-54	125	17.0	117	3	4	20	21	28	33	56	11	5.0	10	1	1	5	6	10	12	12
55-74	51	16.0	162	1	3	11	22	32	40	62	9	7.9	62	3	3	5	8	22	27	27
75 +	9	14.0	131	1	1	13	24	29	32	32	2	4.5	5	3	3	4	6	6	6	6
ALL AGES	471	18.2	228	2	3	17	22	38	57	99+	26	9.8	193	1	2	5	8	26	45	63
B. FEMALE																				
0-12 YRS.	9	42.8	861	3	3	54	70	89	99+	99+	1	62.0		62	62	62	62	62	62	62
13-17	69	23.2	654	1	2	14	57	99+	99+	99+	1	1.0		1	1	1	1	1	1	1
18-20	36	16.9	234	2	3	12	25	39	43	70										
21-24	43	15.0	267	1	2	11	21	29	39	91	3	2.3	2	1	1	3	3	3	3	3
25-34	171	14.3	125	2	2	14	21	27	34	70	12	4.3	17	1	1	2	7	10	13	14
35-54	190	15.6	144	2	3	14	21	29	36	62	10	8.9	284	1	1	2	6	33	56	56
55-74	111	12.6	80	2	3	11	19	23	28	69	11	7.2	25	2	2	4	11	15	16	16
75 +	20	11.7	82	1	2	8	19	25	30	32	2	8.0	8	6	6	8	10	10	10	10
ALL AGES	649	15.8	220	2	3	12	21	34	57	99+	40	7.6	161	1	1	3	8	14	36	62
SUBTOTAL	**1120**	**16.8**	**225**	**2**	**3**	**14**	**21**	**35**	**57**	**99+**	**66**	**8.5**	**172**	**1**	**1**	**4**	**8**	**14**	**44**	**63**
GRAND TOTAL	**1844**	**14.5**	**199**	**1**	**2**	**10**	**21**	**30**	**50**	**99+**	**203**	**7.2**	**117**	**1**	**1**	**4**	**7**	**14**	**23**	**62**

NEURASTHENIA (300.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	2.0		2	2	2	2	2	2	2
21-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES											2	2.5	1	2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-20																				
21-24																				
25-34																				
35-54	2	8.5	1	8	8	8	9	9	9	9	1	7.0		7	7	7	7	7	7	7
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	3	6.7	10	3	3	8	9	9	9	9	2	5.5	5	4	4	5	7	7	7	7
SUBTOTAL	**3**	**6.7**	**10**	**3**	**3**	**8**	**9**	**9**	**9**	**9**	**4**	**4.0**	**5**	**2**	**2**	**3**	**5**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**3**	**6.7**	**10**	**3**	**3**	**8**	**9**	**9**	**9**	**9**	**4**	**4.0**	**5**	**2**	**2**	**3**	**5**	**7**	**7**	**7**

DEPERSONALIZATION SYND (300.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	1	59.0		59	59	59	59	59	59	59										
18-20																				
21-24																				
25-34																				
35-54	1	19.0		19	19	19	19	19	19	19										
55-74																				
75 +																				
ALL AGES	2	39.0	800	19	19	39	59	59	59	59										
SUBTOTAL	**2**	**39.0**	**800**	**19**	**19**	**39**	**59**	**59**	**59**	**59**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	51.0		51	51	51	51	51	51	51										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	51.0		51	51	51	51	51	51	51										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**51.0**		**51**	**51**	**51**	**51**	**51**	**51**	**51**										
GRAND TOTAL	**3**	**43.0**	**448**	**19**	**19**	**51**	**57**	**59**	**59**	**59**										

HYPOCHONDRIASIS (300.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	4.0		4	4	4	4	4	4	4										
21-24																				
25-34																				
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4										
75 +	1	24.0		24	24	24	24	24	24	24										
ALL AGES	3	10.7	132	4	4	4	19	24	24	24										
SUBTOTAL	**3**	**10.7**	**132**	**4**	**4**	**4**	**19**	**24**	**24**	**24**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	1	5.0		5	5	5	5	5	5	5	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +	2	11.0	128	3	3	11	19	19	19	19										
ALL AGES	3	8.3	86	3	3	3	15	19	19	19										
SUBTOTAL	**4**	**7.5**	**60**	**3**	**3**	**4**	**12**	**19**	**19**	**19**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
GRAND TOTAL	**7**	**8.9**	**76**	**3**	**3**	**4**	**15**	**23**	**24**	**24**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**

NEUROTIC DISORDERS NEC (300.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	21.0		21	21	21	21	21	21	21
35-54																				
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	21.0		21	21	21	21	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-17	1	53.0		53	53	53	53	53	53	53										
18-20																				
21-24																				
25-34	2	2.5	1	2	2	2	3	3	3	3	1	4.0		4	4	4	4	4	4	4
35-54	5	16.8	437	2	2	6	28	52	52	52	1	8.0		8	8	8	8	8	8	8
55-74	2	4.5	13	2	2	4	7	7	7	7	2	5.5	13	3	3	5	8	8	8	8
75 +	2	2.0	2	1	1	1	3	3	3	3										
ALL AGES	12	12.9	368	1	1	4	13	52	53	53	4	5.8	6	3	3	6	8	8	8	8
SUBTOTAL	**13**	**12.0**	**348**	**1**	**1**	**3**	**10**	**52**	**53**	**53**	**5**	**8.8**	**52**	**3**	**3**	**8**	**11**	**21**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	10.0		10	10	10	10	10	10	10										
35-54	1	18.0		18	18	18	18	18	18	18										
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	3	12.7	20	10	10	10	16	18	18	18										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	13.0		13	13	13	13	13	13	13										
35-54	6	15.5	574	2	2	3	21	58	62	62										
55-74	6	19.5	155	6	6	18	23	39	41	41	1	4.0		4	4	4	4	4	4	4
75 +	2	20.0	288	8	8	20	32	32	32	32										
ALL AGES	15	17.5	288	2	2	13	23	41	57	62	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**18**	**16.7**	**243**	**2**	**2**	**12**	**22**	**38**	**54**	**62**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**31**	**14.7**	**283**	**1**	**2**	**8**	**21**	**45**	**53**	**62**	**6**	**8.0**	**45**	**3**	**3**	**6**	**8**	**20**	**21**	**21**

NEUROTIC DISORDER NOS (300.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	4.3	11	1	1	3	6	9	9	9	1	2.0		2	2	2	2	2	2	2
13-17	2	2.0	2	1	1	2	3	3	3	3	3	1.0		1	1	1	1	1	1	1
18-20	5	1.8	3	1	1	1	2	5	5	5										
21-24	4	4.8	56	1	1	1	9	16	16	16	1	1.0		1	1	1	1	1	1	1
25-34	5	10.0	100	1	1	8	13	27	27	27	2	1.0		1	1	1	1	1	1	1
35-54	6	12.2	92	1	1	12	20	24	24	24	2	1.5	1	1	1	1	2	2	2	2
55-74	6	11.3	57	4	4	10	15	23	24	24	4	5.8	12	1	1	6	8	9	9	9
75 +	9	6.1	6	2	2	7	8	9	9	9	7	8.9	64	2	2	8	10	23	26	26
ALL AGES	41	7.2	49	1	1	5	9	19	24	27	20	4.8	35	1	1	2	8	9	18	26
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	5	3.0	8	1	1	1	5	7	7	7	4	2.8	5	1	1	2	4	6	6	6
18-20	2	2.5	5	1	1	2	4	4	4	4	1	1.0		1	1	1	1	1	1	1
21-24	2	1.5	1	1	1	1	2	2	2	2	2	10.0	98	3	3	10	17	17	17	17
25-34	3	2.3	3	1	1	2	3	4	4	4	5	2.4	5	1	1	1	4	6	6	6
35-54	8	4.1	15	1	1	2	8	10	10	10	8	3.6	2	2	2	4	5	5	5	5
55-74	7	3.9	3	2	2	4	6	72	99+	99+	8	5.4	10	1	1	5	7	10	11	11
75 +	13	16.6	332	3	4	9	18	52	59	61	13	8.4	27	3	4	7	9	17	21	22
ALL AGES	41	7.5	144	1	1	4	9	18	54	99+	41	5.5	21	1	1	5	7	11	16	22
SUBTOTAL	**82**	**7.4**	**95**	**1**	**1**	**4**	**9**	**18**	**25**	**87**	**61**	**5.3**	**25**	**1**	**1**	**4**	**7**	**10**	**16**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	3.0	8	1	1	3	5	5	5	5										
13-17	3	12.7	257	1	1	6	25	31	31	31	4	5.3	72	1	1	1	10	18	18	18
18-20	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
21-24	5	4.2	13	1	1	3	8	8	8	8										
25-34	12	3.8	6	1	1	3	5	8	9	9	4	1.8	2	1	1	1	2	4	4	4
35-54	13	2.9	7	1	1	1	5	7	8	8	5	3.0	4	1	1	3	4	6	6	6
55-74											5	7.8	32	2	2	7	10	17	17	17
75 +	4	14.8	137	3	3	12	22	31	31	31	6	8.0	39	3	3	5	15	17	17	17
ALL AGES	40	5.2	46	1	1	3	7	10	22	31	25	5.2	31	1	1	3	6	17	17	18
B. FEMALE																				
0-12 YRS.																				
13-17	10	7.9	40	1	1	7	12	17	20	20	4	2.3	12	1	1	1	4	8	8	8
18-20	6	14.2	306	1	1	9	15	45	48	48	1	1.0		1	1	1	1	1	1	1
21-24	14	10.5	129	1	1	4	17	30	32	32	3	1.3		1	1	1	2	2	2	2
25-34	14	7.1	117	1	1	4	7	16	37	43	2	1.5	1	1	1	1	2	2	2	2
35-54	20	8.8	131	1	1	6	10	21	38	49	9	3.7	9	1	1	2	7	8	9	9
55-74	6	7.7	23	1	1	8	10	14	15	15	4	4.8	12	2	2	3	7	10	10	10
75 +	3	5.3	17	1	1	6	8	9	9	9	5	2.2	1	1	1	2	3	3	3	3
ALL AGES	73	8.9	111	1	1	5	12	20	32	49	28	2.9	7	1	1	2	3	8	9	10
SUBTOTAL	**113**	**7.6**	**91**	**1**	**1**	**5**	**9**	**16**	**31**	**48**	**53**	**4.0**	**19**	**1**	**1**	**2**	**5**	**9**	**16**	**18**
GRAND TOTAL	**195**	**7.5**	**92**	**1**	**1**	**5**	**9**	**17**	**29**	**56**	**114**	**4.7**	**22**	**1**	**1**	**3**	**7**	**10**	**17**	**23**

PARANOID PERSONALITY (301.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	9.0		9	9	9	9	9	9	9										
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	2	5.5	25	2	2	5	9	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	4	36.8	1547	8	8	22	62	94	94	94										
35-54											1	1.0		1	1	1	1	1	1	1
55-74	3	8.7		8	8	8	10	10	10	10										
75 +	2	21.5	41	17	17	21	26	26	26	26										
ALL AGES	9	24.0	758	8	8	14	27	69	94	94	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**11**	**20.6**	**667**	**2**	**5**	**10**	**24**	**56**	**91**	**94**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	16.0	128	8	8	16	24	24	24	24										
35-54	4	9.8	13	5	5	10	12	14	14	14										
55-74																				
75 +																				
ALL AGES	6	11.8	46	5	5	10	14	23	24	24										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	15.0		15	15	15	15	15	15	15										
35-54																				
55-74																				
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	2	10.0	50	5	5	10	15	15	15	15										
SUBTOTAL	**8**	**11.4**	**39**	**5**	**5**	**10**	**14**	**21**	**24**	**24**										
GRAND TOTAL	**19**	**16.7**	**408**	**3**	**5**	**10**	**16**	**29**	**66**	**94**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

AFFECTIVE PERSONALITY (301.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	19.7	132	12	12	14	28	33	33	33										
18-20	2	7.0		7	7	7	7	7	7	7										
21-24																				
25-34	2	11.0	18	8	8	11	14	14	14	14	1	3.0		3	3	3	3	3	3	3
35-54	1	10.0		10	10	10	10	10	10	10										
55-74	1	23.0		23	23	23	23	23	23	23										
75 +																				
ALL AGES	9	14.2	75	7	7	12	16	29	33	33	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	50	99 +	99 +	99 +	99 +										
18-20																				
21-24	1	19.0		19	19	19	19	19	19	19										
25-34	3	20.7	106	9	9	24	28	29	29	29										
35-54	7	15.6	53	6	6	15	22	25	25	25										
55-74	3	6.7	14	4	4	5	9	11	11	11	1	3.0		3	3	3	3	3	3	3
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	16	13.8	73	2	4	14	23	28	75	99 +	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**25**	**14.0**	**69**	**3**	**5**	**13**	**23**	**29**	**46**	**99 +**	**2**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	34.0		34	34	34	34	34	34	34										
18-20																				
21-24	5	8.6	50	1	1	7	14	19	19	19										
25-34	5	12.6	339	1	1	4	19	45	45	45										
35-54	12	14.6	60	5	6	13	20	26	29	30										
55-74	3	11.7	55	4	4	12	17	19	19	19	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	26	13.5	115	1	3	11	19	29	36	45	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	1	22.0		22	22	61	99 +	99 +	99 +	99 +										
18-20	3	8.3	42	1	1	11	12	13	13	13										
21-24	3	14.3	36	10	10	12	19	21	21	21										
25-34	7	11.9	166	1	2	8	11	34	40	40										
35-54	2	13.0	50	8	8	13	18	18	18	18										
55-74	2	12.5	145	4	4	12	21	21	21	21										
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	19	12.6	83	1	2	11	19	31	70	99 +										
SUBTOTAL	**45**	**13.1**	**100**	**1**	**3**	**11**	**19**	**29**	**41**	**99 +**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
GRAND TOTAL	**70**	**13.4**	**89**	**1**	**4**	**12**	**19**	**29**	**39**	**99 +**	**3**	**3.7**	**1**	**3**	**3**	**3**	**5**	**5**	**5**	**5**

SCHIZOID PERSONALITY (301.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	5	12.6	120	1	1	10	19	30	30	30	2	9.5	61	4	4	9	15	15	15	15
21-24	2	24.0	128	16	16	24	32	32	32	32										
25-34	2	17.5	13	15	15	17	20	20	20	20	1	1.0		1	1	1	1	1	1	1
35-54	2	8.0	8	6	6	8	10	10	10	10										
55-74																				
75 +																				
ALL AGES	11	14.7	94	1	4	15	19	31	32	32	3	6.7	54	1	1	4	12	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17	2	17.5	481	2	2	17	33	33	33	33										
18-20	1	9.0		9	9	9	9	9	9	9										
21-24	2	6.5	41	2	2	6	11	11	11	11										
25-34	3	11.3	7	9	9	11	13	14	14	14										
35-54	4	17.8	69	9	9	18	25	25	25	25										
55-74																				
75 +																				
ALL AGES	12	13.5	90	2	2	11	19	28	32	33										
SUBTOTAL	**23**	**14.1**	**87**	**1**	**2**	**11**	**19**	**30**	**32**	**33**	3	6.7	54	1	1	4	12	15	15	15
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	19.5	365	6	6	19	33	33	33	33										
21-24	2	14.5	61	9	9	14	20	20	20	20										
25-34	4	17.0	653	1	1	6	32	55	55	55										
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	9	15.7	316	1	1	9	23	46	55	55										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	4	14.5	14	12	12	13	17	20	20	20										
35-54																				
55-74																				
75 +																				
ALL AGES	4	14.5	14	12	12	13	17	20	20	20										
SUBTOTAL	**13**	**15.3**	**216**	**1**	**2**	**12**	**20**	**37**	**52**	**55**										
GRAND TOTAL	**36**	**14.5**	**130**	**1**	**2**	**11**	**20**	**32**	**33**	**55**	3	6.7	54	1	1	4	12	15	15	15

EXPLOSIVE PERSONALITY (301.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	11.5	13	9	9	11	14	14	14	14										
18-20	1	7.0		7	7	7	7	7	7	7										
21-24																				
25-34	2	4.5	13	2	2	4	7	7	7	7										
35-54																				
55-74	1	21.0		21	21	21	21	21	21	21										
75 +																				
ALL AGES	6	10.0	44	2	2	8	14	20	21	21										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**7**	**8.7**	**49**	**1**	**1**	**7**	**13**	**20**	**21**	**21**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	1	23.0		23	23	23	23	23	23	23										
25-34	5	13.0	99	4	4	9	20	28	28	28	1	2.0		2	2	2	2	2	2	2
35-54	1	9.0		9	9	9	9	9	9	9										
55-74																				
75 +																				
ALL AGES	8	12.3	92	1	2	9	20	26	28	28	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-20	2	5.0	18	2	2	5	8	8	8	8										
21-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54	2	6.5	5	5	5	6	8	8	8	8										
55-74																				
75 +																				
ALL AGES	6	4.2	11	1	1	3	8	8	8	8										
SUBTOTAL	**14**	**8.8**	**71**	**1**	**1**	**7**	**9**	**23**	**27**	**28**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**21**	**8.8**	**60**	**1**	**1**	**7**	**10**	**22**	**25**	**28**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

COMPULSIVE PERSONALITY (301.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	11.5	113	4	4	11	19	19	19	19										
35-54																				
55-74																				
75 +																				
ALL AGES	2	11.5	113	4	4	11	19	19	19	19										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	2	5.0	8	3	3	5	7	7	7	7										
SUBTOTAL	**4**	**8.3**	**53**	**3**	**3**	**5**	**13**	**19**	**19**	**19**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	5.0		5	5	5	5	5	5	5										
21-24	1	10.0		10	10	10	10	10	10	10										
25-34																				
35-54	2	20.5	481	5	5	20	36	36	36	36										
55-74	2	22.0	162	13	13	22	31	31	31	31	1	17.0		17	17	17	17	17	17	17
75 +																				
ALL AGES	6	16.7	181	5	5	11	31	35	36	36	1	17.0		17	17	17	17	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	8.0	98	1	1	8	15	15	15	15										
35-54																				
55-74																				
75 +																				
ALL AGES	2	8.0	98	1	1	8	15	15	15	15										
SUBTOTAL	**8**	**14.5**	**160**	**1**	**2**	**11**	**23**	**34**	**36**	**36**	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**
GRAND TOTAL	**12**	**12.4**	**127**	**1**	**2**	**8**	**17**	**32**	**35**	**36**	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**

HISTRIONIC PERSONALITY (301.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24	1	7.0		7	7	7	7	7	7	7										
25-34	1	19.0		19	19	19	19	19	19	19	2	1.0		1	1	1	1	1	1	1
35-54	1	14.0		14	14	14	14	14	14	14	1	9.0		9	9	9	9	9	9	9
55-74	1	22.0		22	22	22	22	22	22	22										
75 +																				
ALL AGES	5	12.6	74	1	1	14	20	22	22	22	3	3.7	21	1	1	1	7	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20											1	1.0		1	1	1	1	1	1	1
21-24																				
25-34	3	2.0	3	1	1	1	3	4	4	4	2	1.5	1	1	1	1	2	2	2	2
35-54											1	9.0		9	9	9	9	9	9	9
55-74																				
75 +																				
ALL AGES	3	2.0	3	1	1	1	3	4	4	4	5	2.8	12	1	1	1	4	9	9	9
SUBTOTAL	**8**	**8.6**	**74**	**1**	**1**	**5**	**16**	**21**	**22**	**22**	**8**	**3.1**	**13**	**1**	**1**	**1**	**5**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	2	4.5	13	2	2	4	7	7	7	7										
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	2	14.0	242	3	3	14	25	25	25	25										
55-74																				
75 +																				
ALL AGES	6	6.7	85	1	1	3	7	23	25	25										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	31.0	1458	4	4	31	58	58	58	58										
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	4	3.0	4	2	2	2	4	6	6	6										
35-54	3	15.0	100	5	5	15	22	25	25	25										
55-74																				
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	10	12.0	318	1	1	4	15	41	58	58	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**16**	**10.0**	**226**	**1**	**1**	**3**	**11**	**25**	**48**	**58**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**24**	**9.5**	**171**	**1**	**1**	**4**	**14**	**25**	**35**	**58**	**9**	**2.9**	**12**	**1**	**1**	**1**	**4**	**9**	**9**	**9**

DEPENDENT PERSONALITY (301.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	7.0		7	7	7	7	7	7	7										
25-34	1	14.0		14	14	14	14	14	14	14										
35-54																				
55-74																				
75 +																				
ALL AGES	2	10.5	25	7	7	10	14	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-17	1	17.0		17	17	17	17	17	17	17										
18-20	2	5.0	32	1	1	5	9	9	9	9										
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	2	17.5	365	4	4	17	31	31	31	31										
35-54	3	5.3	2	4	4	6	6	6	6	6										
55-74	2	24.5	421	10	10	24	39	39	39	39										
75 +																				
ALL AGES	11	11.8	153	1	2	6	15	34	39	39										
SUBTOTAL	**13**	**11.6**	**130**	**1**	**3**	**7**	**15**	**33**	**38**	**39**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	25.0		25	25	25	25	25	25	25										
21-24	2	14.0	338	1	1	14	27	27	27	27										
25-34																				
35-54	2	29.0	200	19	19	29	39	39	39	39										
55-74																				
75 +																				
ALL AGES	5	22.2	193	1	1	25	30	39	39	39										
B. FEMALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-20	1	21.0		21	21	21	21	21	21	21										
21-24	2	1.5	1	1	1	1	2	2	2	2										
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	5	5.6	17	1	1	4	10	10	10	10										
55-74	2	9.5	145	1	1	9	18	18	18	18	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	12	6.5	48	1	1	3	10	19	21	21	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**17**	**11.1**	**136**	**1**	**1**	**6**	**19**	**27**	**35**	**39**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**30**	**11.3**	**129**	**1**	**1**	**7**	**18**	**29**	**39**	**39**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

ANTISOCIAL PERSONALITY (301.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20	2	2.0	2	1	1	1	3	3	3	3										
21-24	6	4.2	5	1	1	4	6	7	7	7										
25-34	3	2.7		2	2	3	3	3	3	3										
35-54																				
55-74																				
75 +																				
ALL AGES	12	3.3	3	1	1	3	4	6	7	7										
B. FEMALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	30.0		30	30	30	30	30	30	30										
SUBTOTAL	**13**	**5.3**	**58**	**1**	**1**	**3**	**5**	**12**	**27**	**30**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	5.5	13	3	3	5	8	8	8	8										
18-20	2	3.0	8	1	1	3	5	5	5	5										
21-24	7	6.7	42	2	2	4	9	18	20	20										
25-34	6	5.0	7	1	1	5	7	8	8	8										
35-54	3	7.7	42	1	1	8	12	14	14	14										
55-74																				
75 +																				
ALL AGES	20	5.9	22	1	1	5	8	12	17	20										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**21**	**5.7**	**22**	**1**	**1**	**5**	**8**	**12**	**17**	**20**										
GRAND TOTAL	**34**	**5.5**	**35**	**1**	**1**	**3**	**7**	**10**	**19**	**30**										

OTHER PERSONALITY DIS (301.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	67.0		67	67	67	67	67	67	67										
13-17																				
18-20	7	9.6	54	3	3	8	11	22	25	25										
21-24	10	15.7	465	1	1	4	27	49	68	68										
25-34	24	11.0	44	4	4	8	17	21	22	23										
35-54	6	11.3	22	5	5	12	16	16	16	16										
55-74																				
75 +																				
ALL AGES	48	13.0	187	2	3	8	17	24	35	68										
B. FEMALE																				
0-12 YRS.	1	83.0		83	83	83	83	83	83	83										
13-17	11	13.1	304	3	3	6	13	38	61	63										
18-20	21	21.0	609	1	2	15	28	56	88	89	1	3.0		3	3	3	3	3	3	3
21-24	29	12.8	181	1	1	10	19	34	42	53	2	2.0	2	1	1	2	3	3	3	3
25-34	50	12.2	188	1	2	8	16	28	59	99 +	6	4.2	3	2	2	4	5	7	7	7
35-54	25	10.9	51	2	4	9	14	19	26	34										
55-74											1	10.0		10	10	10	10	10	10	10
75 +	1	13.0		13	13	13	13	13	13	13	1	1.0		1	1	1	1	1	1	1
ALL AGES	138	14.0	271	1	2	8	17	32	57	90	11	3.9	7	1	1	3	5	8	10	10
SUBTOTAL	**186**	**13.7**	**249**	**1**	**2**	**8**	**17**	**30**	**55**	**88**	**11**	**3.9**	**7**	**1**	**1**	**3**	**5**	**8**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	21.0		21	21	21	21	21	21	21	1	3.0		3	3	3	3	3	3	3
13-17	4	6.0	7	3	3	6	8	9	9	9										
18-20	8	17.6	328	1	3	12	35	83	99 +	99 +	1	1.0		1	1	1	1	1	1	1
21-24	7	15.3	329	1	1	11	22	47	52	52										
25-34	19	13.9	131	2	3	12	20	39	72	99 +										
35-54	12	6.6	31	1	1	5	10	15	18	19										
55-74	1	15.0		15	15	15	15	15	15	15										
75 +																				
ALL AGES	52	12.5	156	1	2	9	19	35	57	99 +	2	2.0	2	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.	2	41.5	1985	10	10	41	73	73	73	73										
13-17	8	26.1	577	1	1	23	48	57	60	60	1	34.0		34	34	67	99 +	99 +	99 +	99 +
18-20	14	14.2	191	1	1	9	25	33	44	47										
21-24	29	10.2	115	1	1	6	11	31	32	36	1	31.0		31	31	31	31	31	31	31
25-34	54	13.4	179	1	3	9	18	26	39	78										
35-54	32	18.5	531	1	2	8	25	57	78	86	1	5.0		5	5	5	5	5	5	5
55-74	5	8.0	24	4	4	6	12	15	15	15										
75 +																				
ALL AGES	144	14.9	290	1	2	8	19	36	50	80	3	23.3	257	5	5	32	67	99 +	99 +	99 +
SUBTOTAL	**196**	**14.2**	**257**	**1**	**2**	**9**	**19**	**35**	**53**	**93**	**5**	**14.8**	**264**	**1**	**1**	**18**	**34**	**93**	**99 +**	**99 +**
GRAND TOTAL	**382**	**14.0**	**251**	**1**	**2**	**8**	**18**	**32**	**54**	**88**	**16**	**7.3**	**103**	**1**	**1**	**4**	**8**	**33**	**77**	**99 +**

PERSONALITY DISORDER NOS (301.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20	4	7.0	69	1	1	4	12	19	19	19										
21-24	1	15.0		15	15	15	15	15	15	15										
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74	1	11.0		11	11	11	11	11	11	11										
75 +																				
ALL AGES	8	7.1	50	1	1	4	13	18	19	19										
B. FEMALE																				
0-12 YRS.																				
13-17	2	4.0	8	2	2	4	6	6	6	6										
18-20	1	5.0		5	5	5	5	5	5	5										
21-24	1	7.0		7	7	53	99+	99+	99+	99+										
25-34	9	6.9	24	1	1	7	9	15	15	15	2	4.0		4	4	4	4	4	4	4
35-54	6	8.3	30	2	2	6	14	16	16	16										
55-74																				
75 +	2	6.0	32	2	2	6	10	10	10	10										
ALL AGES	21	6.9	20	1	2	6	10	15	50	99+	2	4.0		4	4	4	4	4	4	4
SUBTOTAL	**29**	**6.9**	**28**	**1**	**1**	**6**	**11**	**16**	**19**	**99+**	**2**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-20																				
21-24	3	11.7	85	1	1	16	17	18	18	18										
25-34	12	5.8	12	2	2	5	9	11	12	12	1	4.0		4	4	4	4	4	4	4
35-54	9	6.4	35	1	1	5	10	16	18	18	1	4.0		4	4	4	4	4	4	4
55-74	2	3.0	8	1	1	3	5	5	5	5										
75 +	1	24.0		24	24	24	24	24	24	24										
ALL AGES	27	7.1	39	1	1	5	10	17	19	24	3	3.7		3	3	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	4	24.8	274	3	3	27	37	42	42	42	1	1.0		1	1	1	1	1	1	1
18-20	1	3.0		3	3	3	3	3	3	3										
21-24	2	19.5	13	17	17	19	22	22	22	22	1	1.0		1	1	1	1	1	1	1
25-34	10	14.8	128	3	3	12	28	30	32	32										
35-54	5	11.6	350	2	2	4	15	45	45	45	1	3.0		3	3	3	3	3	3	3
55-74	1	4.0		4	4	4	4	4	4	4	1	5.0		5	5	5	5	5	5	5
75 +	1	41.0		41	41	41	41	41	41	41										
ALL AGES	24	16.3	209	2	3	12	28	41	43	45	4	2.5	4	1	1	2	4	5	5	5
SUBTOTAL	**51**	**11.5**	**136**	**1**	**2**	**6**	**18**	**30**	**41**	**45**	**7**	**3.0**	**2**	**1**	**1**	**3**	**4**	**5**	**5**	**5**
GRAND TOTAL	**80**	**9.8**	**101**	**1**	**2**	**6**	**15**	**25**	**36**	**83**	**9**	**3.2**	**2**	**1**	**1**	**4**	**4**	**5**	**5**	**5**

TRANS-SEXUALISM (302.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											2	8.5	1	8	8	8	9	9	9	9
25-34	3	6.0	16	2	2	6	9	10	10	10	4	9.3	3	7	7	9	11	12	12	12
35-54	1	7.0		7	7	7	7	7	7	7	1	11.0		11	11	11	11	11	11	11
55-74											1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES	4	6.3	10	2	2	6	8	10	10	10	8	9.4	2	7	7	9	10	12	12	12
SUBTOTAL	**4**	**6.3**	**10**	**2**	**2**	**6**	**8**	**10**	**10**	**10**	**8**	**9.4**	**2**	**7**	**7**	**9**	**10**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	24.0		24	24	24	24	24	24	24										
55-74																				
75 +																				
ALL AGES	1	24.0		24	24	24	24	24	24	24										
SUBTOTAL	**1**	**24.0**		**24**	**24**	**24**	**24**	**24**	**24**	**24**										
GRAND TOTAL	**5**	**9.8**	**71**	**2**	**2**	**7**	**13**	**24**	**24**	**24**	**8**	**9.4**	**2**	**7**	**7**	**9**	**10**	**12**	**12**	**12**

PSYCHOSEXUAL DYSFUNCTION (302.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	6.0		6	6	6	6	6	6	6	1	3.0		3	3	3	3	3	3	3
35-54	12	4.1	4	1	2	4	6	7	7	7	7	3.0	3	1	1	3	4	5	5	5
55-74	10	3.0	7	1	1	2	3	7	10	10	7	3.0	1	2	2	3	4	4	4	4
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	24	3.7	5	1	1	3	5	6	8	10	15	3.0	1	1	1	3	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	24	3.7	5	1	1	3	5	6	8	10	15	3.0	1	1	1	3	4	5	5	5
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74	2	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	2	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	26	3.5	5	1	1	3	5	6	8	10	16	3.0	1	1	1	3	4	5	5	5

PSYCHOSEXUAL DIS NEC (302.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	9.0		9	9	9	9	9	9	9
35-54																				
55-74																				
75 +																				
ALL AGES											1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	9.0		9	9	9	9	9	9	9
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	18.0		18	18	18	18	18	18	18										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	18.0		18	18	18	18	18	18	18										
SUBTOTAL	**1**	**18.0**		**18**	**18**	**18**	**18**	**18**	**18**	**18**										
GRAND TOTAL	**1**	**18.0**		**18**	**18**	**18**	**18**	**18**	**18**	**18**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**

AC ALCOHOL INTOXICATION (303.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	19	1.7	2	1	1	1	2	5	5	5	5	1.0		1	1	1	1	1	1	1
18-20	15	5.3	45	1	1	3	6	13	23	26	5	2.0	3	1	1	1	3	5	5	5
21-24	37	5.8	36	1	1	4	10	10	11	34	10	1.8	1	1	1	2	3	3	3	3
25-34	116	4.6	17	1	1	4	6	10	10	22	44	3.2	4	1	1	3	5	6	7	9
35-54	238	5.9	35	1	1	4	7	10	16	32	80	3.8	9	1	1	3	5	7	9	19
55-74	109	6.1	27	1	2	5	7	11	16	27	54	5.8	33	1	1	4	6	12	21	27
75 +	19	7.4	50	1	1	4	9	21	22	23	4	6.8	8	4	4	6	9	11	11	11
ALL AGES	553	5.5	30	1	1	4	7	10	15	30	202	4.0	16	1	1	3	5	7	11	23
B. FEMALE																				
0-12 YRS.																				
13-17	4	1.0		1	1	1	1	1	1	1	7	2.0	2	1	1	1	3	5	5	5
18-20	5	2.8	6	1	1	2	4	7	7	7	4	3.0	5	1	1	3	5	5	5	5
21-24	11	9.8	81	1	1	8	10	26	30	30	3	3.0	12	1	1	1	6	7	7	7
25-34	28	8.3	57	1	1	6	10	22	25	28	13	3.7	7	1	1	3	4	8	10	10
35-54	75	5.5	26	1	1	4	7	10	12	31	26	3.0	7	1	1	2	4	6	9	12
55-74	38	6.7	42	1	1	5	8	17	19	30	14	3.9	10	1	1	3	7	8	10	10
75 +	6	14.8	406	1	1	5	24	49	52	52	3	2.3	3	1	1	2	3	4	4	4
ALL AGES	167	6.7	52	1	1	4	9	15	23	32	70	3.2	7	1	1	2	5	7	8	12
SUBTOTAL	**720**	**5.8**	**35**	**1**	**1**	**4**	**7**	**10**	**18**	**30**	**272**	**3.8**	**13**	**1**	**1**	**3**	**5**	**7**	**10**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	13	7.5	104	1	1	5	7	29	31	31	3	1.3		1	1	1	2	2	2	2
18-20	30	6.8	46	1	1	6	7	16	24	30	7	3.4	7	1	1	2	6	7	7	7
21-24	88	7.4	33	2	2	6	8	15	23	27	19	5.3	28	1	1	4	7	13	19	22
25-34	517	6.7	25	1	2	6	6	11	20	25	158	4.3	7	1	1	4	5	8	9	12
35-54	866	6.7	27	2	3	6	6	10	20	28	271	4.7	9	2	2	4	6	8	9	17
55-74	230	6.8	29	2	2	6	7	13	17	29	156	5.6	22	2	2	5	7	9	11	16
75 +	17	9.4	51	2	3	6	14	22	24	25	13	7.9	23	2	3	7	9	16	18	19
ALL AGES	1761	6.8	28	1	2	6	6	11	20	28	627	4.9	13	1	2	4	6	8	10	16
B. FEMALE																				
0-12 YRS.																				
13-17	7	10.7	126	1	1	5	15	30	33	33	4	2.5	2	1	1	2	3	4	4	4
18-20	11	9.7	87	1	1	7	12	25	31	32	5	2.2	1	1	1	2	3	3	3	3
21-24	31	10.0	53	1	2	7	15	22	23	26	12	4.3	10	1	1	4	5	9	12	13
25-34	179	7.6	41	1	2	6	7	17	21	35	44	3.8	25	1	1	3	4	6	8	34
35-54	256	7.1	33	1	2	6	7	13	22	29	85	4.5	11	1	1	4	5	8	10	19
55-74	96	9.6	131	2	2	6	10	20	25	73	63	5.7	25	1	2	5	7	11	16	27
75 +	14	5.7	10	1	1	6	6	9	13	14	4	4.5	3	2	2	5	6	6	6	6
ALL AGES	594	7.8	56	1	2	6	8	18	22	33	217	4.6	18	1	1	4	5	8	11	25
SUBTOTAL	**2355**	**7.0**	**36**	**1**	**2**	**6**	**7**	**14**	**21**	**29**	**844**	**4.8**	**14**	**1**	**2**	**4**	**6**	**8**	**11**	**21**
GRAND TOTAL	**3075**	**6.8**	**35**	**1**	**2**	**6**	**7**	**13**	**21**	**30**	**1116**	**4.6**	**14**	**1**	**1**	**4**	**6**	**8**	**10**	**21**

ALCOHOL DEPEND NEC/NOS (303.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	11	4.4	8	1	1	5	6	8	10	10										
18-20	21	5.4	11	1	2	5	7	10	12	14	4	5.8	11	2	2	5	8	10	10	10
21-24	67	7.4	48	1	2	5	7	22	24	27	40	8.3	74	1	1	5	12	28	28	28
25-34	552	6.9	39	2	2	5	6	15	25	28	207	8.4	58	2	2	5	10	23	28	28
35-54	1018	8.0	52	2	3	5	7	23	26	28	362	8.3	50	2	2	6	11	14	28	28
55-74	336	8.5	56	2	3	5	9	21	27	32	149	7.8	31	2	3	6	10	14	15	28
75 +	20	8.9	53	2	3	6	9	22	26	28	5	19.8	1069	1	1	6	27	78	78	78
ALL AGES	2025	7.7	49	2	3	5	7	21	26	28	767	8.3	55	2	2	6	11	15	28	28
B. FEMALE																				
0-12 YRS.																				
13-17	7	8.7	59	2	3	6	10	22	25	25	1	8.0		8	8	8	8	8	8	8
18-20	13	9.0	48	3	4	6	10	22	25	26	5	9.2	113	3	3	4	12	28	28	28
21-24	28	11.4	178	3	3	6	12	25	32	68	22	13.6	104	2	4	11	27	28	28	28
25-34	157	7.3	37	2	3	5	7	16	24	28	62	10.5	82	2	3	6	14	28	28	28
35-54	245	9.5	64	3	3	5	12	25	28	30	132	8.6	51	2	2	6	11	16	28	28
55-74	133	10.6	77	2	3	6	16	24	28	36	54	8.1	36	2	3	6	10	14	23	28
75 +	16	9.0	21	2	3	8	13	15	15	15	8	16.4	363	3	3	8	21	50	59	59
ALL AGES	599	9.2	65	2	3	6	11	23	27	31	284	9.5	71	2	3	6	12	28	28	28
SUBTOTAL	**2624**	**8.1**	**52**	**2**	**3**	**5**	**8**	**21**	**26**	**28**	**1051**	**8.6**	**60**	**2**	**2**	**6**	**11**	**16**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-17	63	12.8	96	2	3	7	23	27	29	34	6	4.8	11	1	1	5	6	10	10	10
18-20	81	13.0	85	2	3	10	23	26	26	28	21	7.6	61	2	2	4	9	21	28	28
21-24	195	13.9	98	2	3	10	24	27	28	29	66	7.8	54	2	3	5	8	22	28	28
25-34	770	11.4	90	2	3	6	22	25	27	34	258	7.6	41	2	3	5	9	14	28	28
35-54	735	10.9	87	2	3	6	19	25	28	34	277	6.5	25	2	3	5	7	13	14	28
55-74	184	10.8	94	2	3	6	18	25	26	39	78	9.3	96	2	3	6	10	15	29	55
75 +	11	17.5	124	4	5	22	28	54	93	99 +	3	10.3	41	3	3	14	14	14	14	14
ALL AGES	2040	11.6	90	2	3	7	22	26	28	34	709	7.4	42	2	3	5	9	14	28	28
B. FEMALE																				
0-12 YRS.																				
13-17	38	16.7	119	2	2	21	25	27	28	45	5	9.8		9	9	10	10	10	10	10
18-20	34	18.2	101	2	4	24	26	28	28	35	9	5.8	16	2	2	4	7	12	15	15
21-24	83	13.4	95	2	2	9	24	26	28	29	25	9.0	47	3	3	7	11	16	28	28
25-34	278	12.1	110	3	3	7	22	25	28	28	99	9.1	58	2	3	7	11	28	28	28
35-54	255	12.4	95	2	3	7	23	26	28	35	94	7.9	41	1	2	6	10	14	26	29
55-74	74	13.1	126	1	3	8	21	28	36	49	28	10.1	53	3	4	7	13	23	28	29
75 +	3	16.0	201	5	5	11	27	32	32	32	5	9.0	45	3	3	7	12	20	20	20
ALL AGES	765	13.0	106	2	3	7	23	26	28	37	265	8.7	47	2	3	6	11	17	28	28
SUBTOTAL	**2805**	**11.9**	**96**	**2**	**3**	**7**	**22**	**26**	**28**	**35**	**974**	**7.7**	**45**	**2**	**3**	**5**	**10**	**14**	**28**	**28**
GRAND TOTAL	**5429**	**10.1**	**78**	**2**	**3**	**6**	**14**	**25**	**27**	**31**	**2025**	**8.2**	**52**	**2**	**2**	**6**	**10**	**15**	**28**	**28**

OPIOID TYPE DEPENDENCE (304.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	6.0		6	6	6	6	6	6	6										
21-24	3	9.3	10	6	6	10	11	12	12	12	5	7.2	19	4	4	5	10	14	14	14
25-34	13	5.2	10	1	1	5	6	11	11	11	16	6.4	8	3	3	6	8	10	13	14
35-54	11	11.5	123	2	3	10	12	26	42	43	16	5.3	14	1	2	4	6	13	15	15
55-74	2	26.0	8	24	24	26	28	28	28	28										
75 +																				
ALL AGES	30	9.3	77	1	2	6	11	19	28	43	37	6.0	13	2	3	5	7	13	14	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	7.5	41	3	3	7	12	12	12	12	2	8.5	61	3	3	8	14	14	14	14
21-24	1	14.0		14	14	14	14	14	14	14	1	3.0		3	3	3	3	3	3	3
25-34	15	9.3	37	1	2	8	13	18	22	23	17	8.5	19	4	4	7	13	14	17	18
35-54	8	16.9	135	1	2	19	27	28	28	28	6	6.8	6	5	5	6	8	11	11	11
55-74	4	16.3	88	9	9	14	23	29	29	29	1	12.0		12	12	12	12	12	12	12
75 +																				
ALL AGES	30	12.3	76	1	2	10	18	27	28	29	27	8.0	18	3	4	6	12	14	15	18
SUBTOTAL	**60**	**10.8**	**77**	**1**	**2**	**9**	**13**	**27**	**28**	**42**	**64**	**6.9**	**15**	**2**	**3**	**5**	**9**	**14**	**14**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	10.0		10	10	10	10	10	10	10										
21-24	4	6.8	32	2	2	5	10	15	15	15	8	8.4	28	3	3	6	14	15	16	16
25-34	42	12.2	67	3	4	10	15	26	28	35	26	9.8	28	2	3	11	14	14	17	21
35-54	23	15.1	84	2	3	13	23	28	28	28	14	9.0	24	1	2	8	14	14	14	14
55-74	2	14.5	1	14	14	14	15	15	15	15	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	72	12.9	69	3	4	11	19	26	28	34	49	9.2	27	2	3	8	14	14	16	21
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	3	12.0	48	4	4	16	16	16	16	16	3	9.3	26	4	4	10	13	14	14	14
21-24	7	15.7	90	3	4	12	25	27	27	27	4	6.8	23	3	3	5	10	14	14	14
25-34	19	11.1	47	1	3	12	15	21	24	26	24	9.8	25	2	3	11	14	14	16	21
35-54	5	10.0	39	6	6	7	12	21	21	21	8	7.3	26	1	1	7	12	14	14	14
55-74	3	7.3	10	4	4	8	9	10	10	10										
75 +																				
ALL AGES	37	11.6	51	3	4	10	16	24	26	27	39	8.9	26	1	2	9	14	14	14	21
SUBTOTAL	**109**	**12.4**	**64**	**3**	**4**	**10**	**17**	**26**	**27**	**32**	**88**	**9.1**	**25**	**2**	**3**	**8**	**14**	**14**	**15**	**21**
GRAND TOTAL	**169**	**11.9**	**67**	**2**	**3**	**10**	**15**	**26**	**28**	**34**	**152**	**8.2**	**22**	**2**	**3**	**6**	**14**	**14**	**14**	**21**

BARBITURATE DEPENDENCE (304.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34	2	14.5	85	8	8	14	21	21	21	21	3	10.0	48	2	2	14	14	14	14	14
35-54	3	6.7		6	6	7	7	7	7	7	1	14.0		14	14	14	14	14	14	14
55-74	1	1.0		1	1	1	1	1	1	1	2	10.0	72	4	4	10	16	16	16	16
75 +																				
ALL AGES	6	8.3	45	1	1	7	8	20	21	21	7	9.3	43	1	1	14	14	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	3.0		3	3	3	3	3	3	3
21-24	3	10.0	12	6	6	12	12	12	12	12										
25-34	5	11.0	26	7	7	9	14	19	19	19	2	8.5	61	3	3	8	14	14	14	14
35-54	7	17.4	925	1	1	7	10	71	86	86	5	9.2	24	3	3	9	14	14	14	14
55-74	3	21.0	39	14	14	23	25	26	26	26	1	15.0		15	15	15	15	15	15	15
75 +	1	87.0		87	87	87	87	87	87	87										
ALL AGES	19	18.8	609	2	5	11	18	62	87	87	9	9.0	29	3	3	9	14	15	15	15
SUBTOTAL	**25**	**16.3**	**486**	**1**	**4**	**8**	**15**	**26**	**86**	**87**	**16**	**9.1**	**33**	**1**	**2**	**11**	**14**	**15**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	2	7.0	2	6	6	7	8	8	8	8	1	14.0		14	14	14	14	14	14	14
21-24	2	15.0	200	5	5	15	25	25	25	25										
25-34	10	12.9	83	5	5	9	23	27	29	29	13	12.1	26	4	5	14	15	18	19	19
35-54	13	13.2	108	2	3	10	16	32	34	34	5	11.6	18	4	4	13	14	14	14	14
55-74	5	10.6	12	6	6	10	13	15	15	15										
75 +																				
ALL AGES	33	12.1	78	2	4	10	14	26	32	34	19	12.1	21	4	4	14	14	17	19	19
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4	1	12.0		12	12	12	12	12	12	12
25-34	16	14.9	86	1	3	16	22	25	30	32	12	8.3	28	2	3	7	14	14	14	14
35-54	24	14.5	90	2	4	12	23	31	50	99 +	7	5.4	41	1	1	4	6	17	19	19
55-74	10	16.9	97	5	6	15	27	30	31	31	2	12.5	5	11	11	12	14	14	14	14
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	51	14.9	87	3	4	13	23	30	32	99	23	7.8	30	1	2	5	14	14	16	19
SUBTOTAL	**84**	**13.8**	**85**	**2**	**4**	**10**	**22**	**29**	**32**	**77**	**42**	**9.7**	**31**	**1**	**3**	**12**	**14**	**15**	**18**	**19**
GRAND TOTAL	**109**	**14.3**	**176**	**2**	**4**	**10**	**22**	**28**	**32**	**92**	**58**	**9.6**	**30**	**1**	**2**	**12**	**14**	**15**	**17**	**19**

COCAINE DEPENDENCE (304.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-20	7	9.1	18	1	2	11	12	12	12	12	5	5.0	5	3	3	5	6	8	8	8
21-24	15	7.4	16	3	3	7	11	13	13	13	4	6.0	1	5	5	6	7	7	7	7
25-34	32	9.4	23	1	3	11	12	12	14	25	26	4.2	4	1	2	4	5	6	9	9
35-54	14	7.2	9	3	4	6	9	12	12	12	7	2.7	2	1	1	3	3	5	5	5
55-74	1	11.0		11	11	11	11	11	11	11										
75 +																				
ALL AGES	69	8.5	18	2	3	10	12	12	13	23	43	4.2	4	1	2	4	5	7	8	9
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-20	4	8.8	10	5	5	8	11	13	13	13	3	7.0	4	5	5	7	8	9	9	9
21-24	14	7.9	26	1	2	7	12	13	18	19	6	4.3	5	1	1	4	5	8	8	8
25-34	34	9.8	22	2	4	11	12	13	16	26	9	4.4	3	3	3	4	5	7	8	8
35-54	4	8.8	15	3	3	10	11	12	12	12	1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	57	9.1	21	2	3	10	12	13	15	26	19	4.8	4	2	3	4	6	8	9	9
SUBTOTAL	**126**	**8.8**	**19**	**2**	**3**	**10**	**12**	**12**	**13**	**25**	**62**	**4.4**	**4**	**1**	**2**	**4**	**5**	**7**	**8**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	5.0	19	1	1	4	7	12	12	12	3	3.3	7	1	1	3	5	6	6	6
18-20	15	14.3	69	2	3	12	22	24	26	27										
21-24	42	15.6	77	2	3	18	23	25	27	29	6	5.0	21	1	1	4	5	13	14	14
25-34	116	14.8	79	2	4	13	23	26	28	29	17	8.7	26	2	2	10	14	14	14	14
35-54	26	14.2	71	2	3	12	21	26	27	28	11	7.0	14	3	3	6	8	14	14	14
55-74	1	12.0		12	12	12	12	12	12	12	1	7.0		7	7	7	7	7	7	7
75 +																				
ALL AGES	205	14.6	76	2	3	13	23	26	28	29	38	7.2	20	1	2	6	13	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17	2	6.0	32	2	2	6	10	10	10	10										
18-20	13	15.6	74	1	3	19	22	24	25	25	1	1.0		1	1	1	1	1	1	1
21-24	30	16.6	49	5	7	18	22	25	27	28	2	2.0	2	1	1	1	3	3	3	3
25-34	40	15.4	79	3	3	13	24	28	28	29	13	6.2	14	2	3	5	7	14	14	14
35-54	10	13.2	58	5	5	11	20	25	26	26										
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	95	15.4	66	3	5	15	23	25	28	29	17	5.3	14	1	1	5	6	12	14	14
SUBTOTAL	**300**	**14.9**	**72**	**2**	**4**	**14**	**23**	**26**	**28**	**29**	**55**	**6.6**	**19**	**1**	**2**	**5**	**9**	**14**	**14**	**14**
GRAND TOTAL	**426**	**13.1**	**64**	**2**	**3**	**12**	**21**	**25**	**27**	**28**	**117**	**5.4**	**13**	**1**	**2**	**5**	**6**	**13**	**14**	**14**

CANNABIS DEPENDENCE (304.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-20	1	4.0		4	4	4	4	4	4	4										
21-24	3	8.3	27	4	4	7	12	14	14	14										
25-34	4	15.5	134	5	5	15	25	26	26	26										
35-54	1	13.0		13	13	13	13	13	13	13										
55-74																				
75 +																				
ALL AGES	10	11.0	70	4	4	7	14	25	26	26										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	21.0		21	21	21	21	21	21	21										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	21.0		21	21	21	21	21	21	21										
SUBTOTAL	**11**	**11.9**	**73**	**4**	**4**	**7**	**19**	**25**	**26**	**26**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	25	14.9	122	1	2	17	25	27	28	29										
18-20	11	14.5	111	2	2	15	24	26	28	28										
21-24	10	12.9	89	3	3	10	25	25	25	25										
25-34	21	15.2	116	1	2	17	25	28	29	29										
35-54	3	13.3	76	4	4	15	19	21	21	21	1	10.0		10	10	10	10	10	10	10
55-74																				
75 +																				
ALL AGES	70	14.6	106	2	2	15	25	27	28	29	1	10.0		10	10	10	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17	8	14.3	98	3	3	15	23	24	25	25										
18-20	6	20.7	69	5	6	25	26	26	26	26										
21-24	4	15.0	149	4	4	14	25	27	27	27	1	5.0		5	5	5	5	5	5	5
25-34	9	16.1	119	4	4	24	25	27	28	28										
35-54	2	16.0	162	7	7	16	25	25	25	25										
55-74																				
75 +																				
ALL AGES	29	16.4	98	4	4	23	25	26	27	28	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**99**	**15.1**	**104**	**2**	**3**	**17**	**25**	**27**	**28**	**29**	**2**	**7.5**	**13**	**5**	**5**	**7**	**10**	**10**	**10**	**10**
GRAND TOTAL	**110**	**14.8**	**100**	**2**	**3**	**15**	**25**	**26**	**28**	**29**	**2**	**7.5**	**13**	**5**	**5**	**7**	**10**	**10**	**10**	**10**

AMPHETAMINE DEPENDENCE (304.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-20											1	4.0		4	4	4	4	4	4	4
21-24	1	21.0		21	21	21	21	21	21	21										
25-34	1	5.0		5	5	5	5	5	5	5	3	3.3	5	1	1	4	5	5	5	5
35-54																				
55-74																				
75 +																				
ALL AGES	2	13.0	128	5	5	13	21	21	21	21	5	3.4	2	1	1	4	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2	2	4.0	2	3	3	4	5	5	5	5
35-54	1	21.0		21	21	21	21	21	21	21	1	5.0		5	5	5	5	5	5	5
55-74																				
75 +																				
ALL AGES	2	11.5	181	2	2	11	21	21	21	21	3	4.3	2	3	3	5	5	5	5	5
SUBTOTAL	**4**	**12.3**	**102**	**2**	**2**	**13**	**21**	**21**	**21**	**21**	**8**	**3.8**	**1**	**1**	**1**	**4**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	5.0		5	5	5	5	5	5	5	2	2.0	2	1	1	2	3	3	3	3
25-34	5	16.4	174	2	2	25	26	28	28	28	5	8.4	33	4	4	8	11	18	18	18
35-54	2	13.0	98	6	6	13	20	20	20	20										
55-74																				
75 +																				
ALL AGES	8	14.1	130	2	2	13	25	27	28	28	7	6.6	32	1	1	4	8	16	18	18
B. FEMALE																				
0-12 YRS.																				
13-17											1	5.0		5	5	5	5	5	5	5
18-20	2	7.5	13	5	5	7	10	10	10	10	1	5.0		5	5	5	5	5	5	5
21-24	4	19.5	129	3	3	24	27	27	27	27										
25-34	4	15.3	101	6	6	15	24	25	25	25	1	4.0		4	4	4	4	4	4	4
35-54	4	18.0	137	1	1	22	25	27	27	27	2	11.0	50	6	6	11	16	16	16	16
55-74	1	28.0		28	28	28	28	28	28	28										
75 +																				
ALL AGES	15	16.9	106	1	3	21	26	27	28	28	5	7.2	25	4	4	5	8	16	16	16
SUBTOTAL	**23**	**16.0**	**108**	**1**	**2**	**20**	**25**	**27**	**28**	**28**	**12**	**6.8**	**27**	**1**	**2**	**5**	**8**	**17**	**18**	**18**
GRAND TOTAL	**27**	**15.4**	**107**	**2**	**2**	**20**	**25**	**27**	**28**	**28**	**20**	**5.6**	**18**	**1**	**2**	**4**	**6**	**12**	**17**	**18**

HALLUCINOGEN DEPENDENCE (304.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	2.0		2	2	2	2	2	2	2
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-20																				
21-24																				
25-34	1	21.0		21	21	21	21	21	21	21	1	4.0		4	4	4	4	4	4	4
35-54																				
55-74																				
75 +																				
ALL AGES	2	15.5	61	10	10	15	21	21	21	21	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**15.5**	**61**	**10**	**10**	**15**	**21**	**21**	**21**	**21**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**3**	**10.7**	**99**	**1**	**1**	**10**	**18**	**21**	**21**	**21**	**2**	**3.0**	**2**	**2**	**2**	**3**	**4**	**4**	**4**	**4**

DRUG DEPENDENCE NEC (304.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	1	8.0		8	8	8	8	8	8	8	1	6.0		6	6	6	6	6	6	6
35-54	3	5.0	13	2	2	4	8	9	9	9	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	5	5.2	10	2	2	4	8	9	9	9	2	4.0	8	2	2	4	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	15.0		15	15	15	15	15	15	15										
25-34	3	13.3	167	4	4	8	23	28	28	28										
35-54	2	21.0	18	18	18	21	24	24	24	24										
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	6	16.2	83	4	4	16	24	28	28	28	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**11**	**11.2**	**78**	**2**	**3**	**8**	**17**	**26**	**28**	**28**	**3**	**3.3**	**6**	**2**	**2**	**2**	**5**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	27.0		27	27	27	27	27	27	27										
18-20	1	26.0		26	26	26	26	26	26	26										
21-24	2	17.0	242	6	6	17	28	28	28	28										
25-34	2	19.5	85	13	13	19	26	26	26	26	1	7.0		7	7	7	7	7	7	7
35-54											1	5.0		5	5	5	5	5	5	5
55-74																				
75 +																				
ALL AGES	6	21.0	85	6	7	26	27	28	28	28	2	6.0	2	5	5	6	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	5	16.2	119	4	4	21	25	27	27	27										
35-54	3	17.0	148	3	3	23	24	25	25	25	1	5.0		5	5	5	5	5	5	5
55-74	4	15.8	111	5	5	15	24	28	28	28										
75 +																				
ALL AGES	12	16.3	99	3	4	21	24	27	28	28	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**18**	**17.8**	**97**	**3**	**4**	**22**	**26**	**28**	**28**	**28**	**3**	**5.7**	**1**	**5**	**5**	**5**	**7**	**7**	**7**	**7**
GRAND TOTAL	**29**	**15.3**	**97**	**3**	**3**	**15**	**25**	**27**	**28**	**28**	**6**	**4.5**	**4**	**2**	**2**	**5**	**6**	**7**	**7**	**7**

OPIOID/OTHER DRUG DEPEND (304.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
21-24	3	7.0	13	4	4	6	10	11	11	11	1	4.0		4	4	4	4	4	4	4
25-34	10	12.4	22	3	7	12	12	19	21	21	10	6.1	13	2	2	5	8	11	14	14
35-54	7	12.4	61	4	4	12	14	25	28	28	3	5.3	1	5	5	5	6	6	6	6
55-74																				
75 +																				
ALL AGES	21	11.1	38	3	3	12	12	19	24	28	15	5.5	10	2	2	5	6	9	13	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	3	20.0	73	11	11	21	26	28	28	28	2	5.0	18	2	2	5	8	8	8	8
25-34	7	17.1	63	8	9	14	25	27	27	27	5	5.4	7	2	2	6	7	9	9	9
35-54	3	11.3	1	11	11	11	12	12	12	12	1	8.0		8	8	8	8	8	8	8
55-74	1	34.0		34	34	34	34	34	34	34										
75 +																				
ALL AGES	14	17.7	71	9	10	13	27	29	33	34	8	5.6	8	2	2	6	8	9	9	9
SUBTOTAL	**35**	**13.8**	**59**	**3**	**4**	**12**	**17**	**27**	**28**	**34**	**23**	**5.6**	**8**	**2**	**2**	**5**	**7**	**9**	**11**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	3	24.3	5	23	23	24	25	26	26	26										
25-34	10	16.3	94	4	5	13	27	28	28	28	11	4.3	3	1	2	4	6	7	7	7
35-54	6	14.8	45	8	8	12	21	25	25	25	3	3.0	7	1	1	2	5	6	6	6
55-74																				
75 +																				
ALL AGES	19	17.1	70	5	6	14	26	27	28	28	14	4.0	4	1	1	4	6	6	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											2	4.0		4	4	4	4	4	4	4
21-24	2	14.5	365	1	1	14	28	28	28	28										
25-34	12	15.7	103	2	3	17	25	28	28	28	4	5.3	6	3	3	4	7	9	9	9
35-54	5	14.2	45	8	8	12	18	25	25	25	1	6.0		6	6	6	6	6	6	6
55-74	2	50.0	3042	11	11	50	89	89	89	89	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	21	18.5	346	1	3	14	25	28	56	89	8	4.8	3	3	3	4	5	8	9	9
SUBTOTAL	**40**	**17.8**	**212**	**3**	**5**	**14**	**25**	**28**	**28**	**89**	**22**	**4.3**	**3**	**1**	**2**	**4**	**6**	**7**	**8**	**9**
GRAND TOTAL	**75**	**15.9**	**144**	**3**	**4**	**12**	**24**	**28**	**28**	**75**	**45**	**4.9**	**7**	**1**	**2**	**5**	**6**	**8**	**9**	**14**

COMB DRUG DEPENDENCE NEC (304.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	5	7.0		7	7	7	7	7	7	7	1	6.0		6	6	6	6	6	6	6
18-20	3	7.7	36	2	2	7	12	14	14	14										
21-24	3	4.7	4	3	3	4	6	7	7	7										
25-34	3	7.0		7	7	7	7	7	7	7	2	3.0	2	2	2	3	4	4	4	4
35-54	2	5.0	2	4	4	5	6	6	6	6										
55-74											1	7.0		7	7	7	7	7	7	7
75 +																				
ALL AGES	16	6.4	7	2	3	7	7	7	12	14	4	4.8	4	2	2	5	6	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17	6	7.2		7	7	7	7	8	8	8	1	2.0		2	2	2	2	2	2	2
18-20	2	6.0	2	5	5	6	7	7	7	7										
21-24	3	7.7	1	7	7	7	9	9	9	9										
25-34	2	10.5	25	7	7	10	14	14	14	14	1	8.0		8	8	8	8	8	8	8
35-54	2	7.0		7	7	7	7	7	7	7										
55-74																				
75 +																				
ALL AGES	15	7.5	4	5	7	7	7	9	13	14	2	5.0	18	2	2	5	8	8	8	8
SUBTOTAL	**31**	**7.0**	**5**	**3**	**4**	**7**	**7**	**8**	**14**	**14**	**6**	**4.8**	**7**	**2**	**2**	**5**	**7**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	13	14.8	128	7	7	7	24	35	35	35	7	4.3	3	3	3	4	4	7	8	8
18-20	5	11.2	89	6	6	7	13	28	28	28	3	4.7	5	2	2	6	6	6	6	6
21-24	7	10.6	39	6	6	8	11	22	24	24	13	3.6	2	1	2	3	4	6	6	6
25-34	12	10.9	57	3	6	7	14	24	25	25	26	3.7	4	1	2	3	4	6	8	10
35-54	4	12.3	111	5	5	8	18	28	28	28	11	3.7	4	1	1	3	6	7	7	7
55-74	1	6.0		6	6	6	6	6	6	6										
75 +																				
ALL AGES	42	12.1	80	5	6	7	13	28	31	35	60	3.8	3	1	2	4	5	6	7	10
B. FEMALE																				
0-12 YRS.																				
13-17	5	28.6	1387	7	7	7	45	93	93	93	4	3.3		2	2	3	4	4	4	4
18-20	2	8.5	61	3	3	8	14	14	14	14	2	2.0		2	2	2	2	2	2	2
21-24	4	12.0	100	7	7	7	17	27	27	27	8	3.5	3	2	2	3	4	6	7	7
25-34	3	17.3	116	5	5	23	24	24	24	24	8	3.3	2	1	1	3	4	6	6	6
35-54	3	14.0	147	7	7	7	23	28	28	28	12	5.1	11	2	2	4	6	10	13	14
55-74	1	36.0		36	36	36	36	36	36	36	3	4.7	10	1	1	6	7	7	7	7
75 +																				
ALL AGES	18	18.8	451	4	5	7	27	34	70	93	37	3.9	6	1	2	3	5	7	8	14
SUBTOTAL	**60**	**14.1**	**195**	**5**	**6**	**7**	**22**	**29**	**35**	**87**	**97**	**3.9**	**4**	**1**	**2**	**3**	**5**	**6**	**7**	**12**
GRAND TOTAL	**91**	**11.7**	**141**	**4**	**6**	**7**	**10**	**27**	**29**	**70**	**103**	**3.9**	**4**	**1**	**2**	**4**	**5**	**7**	**8**	**12**

DRUG DEPENDENCE NOS (304.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											2	10.0		10	10	10	10	10	10	10
21-24	1	17.0		17	17	17	17	17	17	17	1	10.0		10	10	10	10	10	10	10
25-34	5	15.2	159	1	1	22	25	26	26	26	2	7.0	18	4	4	7	10	10	10	10
35-54	3	13.0	64	5	5	13	19	21	21	21	3	5.0	7	3	3	4	7	8	8	8
55-74																				
75 +																				
ALL AGES	9	14.7	96	1	1	17	23	26	26	26	8	7.4	10	3	3	9	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	8.0		8	8	8	8	8	8	8
25-34	2	6.0	2	5	5	6	7	7	7	7	1	10.0		10	10	10	10	10	10	10
35-54	2	3.0		3	3	3	3	3	3	3	1	16.0		16	16	16	16	16	16	16
55-74	2	4.0	18	1	1	4	7	7	7	7	1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	6	4.3	6	1	1	4	7	7	7	7	4	10.0	19	6	6	9	13	16	16	16
SUBTOTAL	**15**	**10.5**	**86**	**1**	**1**	**7**	**20**	**25**	**26**	**26**	**12**	**8.3**	**12**	**3**	**4**	**9**	**10**	**12**	**15**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19										
18-20	1	22.0		22	22	22	22	22	22	22										
21-24	2	14.5	181	5	5	14	24	24	24	24										
25-34	4	7.5	86	1	1	4	13	21	21	21	1	1.0		1	1	1	1	1	1	1
35-54	6	12.5	124	1	1	7	25	28	28	28	4	5.5	3	3	3	6	7	7	7	7
55-74																				
75 +																				
ALL AGES	14	12.5	100	1	1	7	22	25	27	28	5	4.6	6	1	1	6	6	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	3	17.7	151	4	4	21	26	28	28	28	1	10.0		10	10	10	10	10	10	10
25-34	6	14.3	145	2	2	13	26	28	28	28	3	12.0	12	10	10	10	15	16	16	16
35-54	3	11.7	184	1	1	7	22	27	27	27	3	3.0	1	2	2	3	4	4	4	4
55-74	2	21.5	181	12	12	21	31	31	31	31										
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	14	15.5	132	1	2	16	27	29	30	31	8	7.0	28	1	1	7	10	14	16	16
SUBTOTAL	**28**	**14.0**	**114**	**1**	**1**	**10**	**24**	**28**	**29**	**31**	**13**	**6.1**	**19**	**1**	**1**	**6**	**10**	**11**	**15**	**16**
GRAND TOTAL	**43**	**12.8**	**104**	**1**	**1**	**7**	**22**	**27**	**28**	**31**	**25**	**7.1**	**17**	**1**	**2**	**7**	**10**	**10**	**16**	**16**

ALCOHOL ABUSE (305.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	1.0		1	1	1	1	1	1	1	6	1.5	1	1	1	1	2	3	3	3
13-17	72	1.3	1	1	1	1	1	2	2	7	60	1.2		1	1	1	1	2	2	3
18-20	19	1.2		1	1	1	1	2	3	3	23	1.1		1	1	1	1	2	[illegible]	3
21-24	15	2.5	27	1	1	1	1	4	17	21	20	1.6	1	1	1	1	2	3	4	5
25-34	41	4.2	35	1	1	2	4	14	19	25	22	2.5	11	1	1	1	2	6	12	14
35-54	50	3.9	31	1	1	2	4	9	21	23	26	2.1	3	1	1	2	2	4	7	7
55-74	21	3.4	5	1	1	3	4	7	9	9	20	2.8	6	1	1	2	3	7	8	9
75 +	3	21.3	907	2	2	6	43	56	56	56	3	5.3	2	4	4	6	6	6	6	6
ALL AGES	227	2.9	30	1	1	1	2	5	10	23	180	1.8	3	1	1	1	2	3	5	10
B. FEMALE																				
0-12 YRS.	5	1.6	1	1	1	1	2	3	3	3	4	1.0		1	1	1	1	1	1	1
13-17	73	1.2	1	1	1	1	1	2	2	6	44	1.2		1	1	1	1	2	2	4
18-20	9	1.1		1	1	1	1	2	2	2	12	1.1		1	1	1	1	2	2	2
21-24	6	1.2		1	1	1	1	2	2	2	7	1.3	1	1	1	1	1	3	3	3
25-34	17	3.2	13	1	1	1	5	7	12	14	8	1.9	6	1	1	1	1	6	8	8
35-54	9	2.2	3	1	1	2	3	5	5	5	9	4.6	17	1	1	2	9	11	12	12
55-74	12	4.2	22	1	1	2	5	11	16	17	8	4.3	13	1	1	3	6	10	12	12
75 +	3	2.7		2	2	3	3	3	3	3	2	2.5	1	2	2	2	3	3	3	3
ALL AGES	134	1.8	5	1	1	1	2	4	5	14	94	1.9	5	1	1	1	2	3	8	12
SUBTOTAL	**361**	**2.5**	**21**	**1**	**1**	**1**	**2**	**5**	**8**	**22**	**274**	**1.8**	**4**	**1**	**1**	**1**	**2**	**3**	**6**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	27	5.1	61	1	1	2	4	20	27	28	5	1.8	1	1	1	2	2	3	3	3
18-20	13	11.2	174	1	1	4	18	31	41	43	4	1.0		1	1	1	1	1	1	1
21-24	22	5.9	63	1	1	3	6	22	26	28	5	1.6		1	1	2	2	2	2	2
25-34	44	6.6	91	1	1	4	7	16	23	56	13	3.3	14	1	1	1	5	8	13	14
35-54	52	7.9	49	2	2	5	11	18	21	36	9	3.9	23	1	1	2	4	12	16	16
55-74	15	8.7	57	1	2	6	12	21	23	24	7	4.0	6	1	1	4	6	8	8	8
75 +	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
ALL AGES	174	7.2	73	1	1	4	8	21	25	41	44	2.9	10	1	1	2	4	6	10	16
B. FEMALE																				
0-12 YRS.																				
13-17	17	5.1	105	1	1	2	4	8	31	44	10	1.5	1	1	1	1	2	3	3	3
18-20	3	6.0	75	1	1	1	12	16	16	16	2	1.5	1	1	1	1	2	2	2	2
21-24	12	8.3	85	1	1	5	11	19	32	34	6	1.3		1	1	1	2	2	2	2
25-34	20	8.2	258	1	1	2	7	21	46	71	11	2.7	6	1	1	1	5	6	6	6
35-54	33	5.4	43	1	1	3	7	10	25	28	5	2.8	2	1	1	3	4	5	5	5
55-74	12	5.7	27	1	1	4	8	13	18	19	4	1.3		1	1	1	1	2	2	2
75 +	2	12.0	242	1	1	12	23	23	23	23										
ALL AGES	99	6.4	101	1	1	3	7	18	25	58	38	2.0	2	1	1	1	2	5	6	6
SUBTOTAL	**273**	**6.9**	**83**	**1**	**1**	**4**	**7**	**19**	**25**	**44**	**82**	**2.5**	**7**	**1**	**1**	**1**	**3**	**5**	**6**	**15**
GRAND TOTAL	**634**	**4.4**	**52**	**1**	**1**	**2**	**4**	**11**	**21**	**34**	**356**	**2.0**	**4**	**1**	**1**	**1**	**2**	**4**	**6**	**12**

TOBACCO USE DISORDER (305.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54																				
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	7.0		7	7	7	7	7	7	7										
GRAND TOTAL	2	4.5	13	2	2	4	7	7	7	7	1	3.0		3	3	3	3	3	3	3

CANNABIS ABUSE (305.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	3.0		3	3	3	3	3	3	3
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2	1	13.0		13	13	13	13	13	13	13
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	2	8.0	50	3	3	8	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	11.0		11	11	11	11	11	11	11
21-24																				
25-34	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7	2	6.0	50	1	1	5	11	11	11	11
SUBTOTAL	**2**	**4.5**	**13**	**2**	**2**	**4**	**7**	**7**	**7**	**7**	**4**	**7.0**	**35**	**1**	**1**	**7**	**12**	**13**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	36	5.8	48	2	2	3	5	8	28	28	1	1.0		1	1	1	1	1	1	1
18-20	10	5.7	24	2	2	4	7	13	18	18										
21-24	2	3.0		3	3	3	3	3	3	3										
25-34	8	8.6	79	2	2	5	11	24	28	28	1	1.0		1	1	1	1	1	1	1
35-54	2	3.0	8	1	1	3	5	5	5	5										
55-74																				
75 +																				
ALL AGES	58	5.9	46	2	2	3	6	13	28	28	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	15	3.7	3	1	2	3	5	7	7	7										
18-20	2	4.0	2	3	3	4	5	5	5	5										
21-24	1	6.0		6	6	6	6	6	6	6										
25-34	3	19.3	139	6	6	24	27	28	28	28										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	22	5.8	46	1	2	4	6	12	26	28										
SUBTOTAL	**80**	**5.9**	**45**	**2**	**2**	**3**	**6**	**12**	**28**	**28**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**82**	**5.9**	**44**	**2**	**2**	**3**	**6**	**10**	**28**	**28**	**6**	**5.0**	**30**	**1**	**1**	**2**	**11**	**13**	**13**	**13**

HALLUCINOGEN ABUSE (305.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	11.0	200	1	1	10	21	21	21	21	2	1.5	1	1	1	1	2	2	2	2
18-20																				
21-24																				
25-34											2	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES	2	11.0	200	1	1	10	21	21	21	21	4	1.3		1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	1.0		1	1	1	1	1	1	1
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**2**	**11.0**	**200**	**1**	**1**	**10**	**21**	**21**	**21**	**21**	**5**	**1.2**		**1**	**1**	**1**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	7.0	50	2	2	7	12	12	12	12	1	14.0		14	14	14	14	14	14	14
18-20	4	1.8	1	1	1	2	2	3	3	3	1	1.0		1	1	1	1	1	1	1
21-24	3	2.7	4	1	1	2	4	5	5	5	1	2.0		2	2	2	2	2	2	2
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	10	3.1	11	1	1	2	3	8	12	12	3	5.7	52	1	1	2	11	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17	3	3.3	3	2	2	3	4	5	5	5										
18-20																				
21-24																				
25-34	1	10.0		10	10	10	10	10	10	10										
35-54																				
55-74																				
75 +																				
ALL AGES	4	5.0	13	2	2	4	7	10	10	10										
SUBTOTAL	**14**	**3.6**	**12**	**1**	**1**	**2**	**5**	**10**	**12**	**12**	**3**	**5.7**	**52**	**1**	**1**	**2**	**11**	**14**	**14**	**14**
GRAND TOTAL	**16**	**4.6**	**29**	**1**	**1**	**2**	**5**	**12**	**18**	**21**	**8**	**2.9**	**20**	**1**	**1**	**1**	**2**	**10**	**14**	**14**

BARBITURATE ABUSE (305.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS									HOSPITALS WITHOUT PSY. UNIT/BEDS								
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
35-54																				
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	2	4.0	18	1	1	4	7	7	7	7	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**4**	**2.5**	**9**	**1**	**1**	**1**	**4**	**7**	**7**	**7**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	1.0		1	1	1	1	1	1	1										
25-34	4	3.8	4	1	1	4	5	6	6	6										
35-54	2	7.0		7	7	7	7	7	7	7										
55-74																				
75 +																				
ALL AGES	8	3.9	7	1	1	4	6	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-20																				
21-24	1	5.0		5	5	5	5	5	5	5										
25-34	3	14.3	51	7	7	15	19	21	21	21	3	3.0	1	2	2	3	4	4	4	4
35-54	5	15.0	78	7	7	11	24	25	25	25										
55-74	2	16.0	288	4	4	16	28	28	28	28	2	11.0		11	11	11	11	11	11	11
75 +																				
ALL AGES	12	13.3	79	4	4	9	22	26	28	28	5	6.2	20	2	2	4	11	11	11	11
SUBTOTAL	**20**	**9.5**	**71**	**1**	**1**	**7**	**13**	**24**	**26**	**28**	**5**	**6.2**	**20**	**2**	**2**	**4**	**11**	**11**	**11**	**11**
GRAND TOTAL	**24**	**8.3**	**68**	**1**	**1**	**6**	**9**	**24**	**26**	**28**	**6**	**5.8**	**17**	**2**	**2**	**4**	**11**	**11**	**11**	**11**

OPIOID ABUSE (305.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	1.0		1	1	1	1	1	1	1
21-24																				
25-34											2	6.0	2	5	5	6	7	7	7	7
35-54	1	11.0		11	11	11	11	11	11	11										
55-74																				
75 +																				
ALL AGES	1	11.0		11	11	11	11	11	11	11	3	4.3	10	1	1	5	6	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	6.0		6	6	6	6	6	6	6
35-54											1	5.0		5	5	5	5	5	5	5
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	2	5.5	1	5	5	5	6	6	6	6
SUBTOTAL	**2**	**8.0**	**18**	**5**	**5**	**8**	**11**	**11**	**11**	**11**	**5**	**4.8**	**5**	**1**	**1**	**5**	**6**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	6.0		6	6	6	6	6	6	6
18-20																				
21-24	2	2.5	5	1	1	2	4	4	4	4	1	3.0		3	3	3	3	3	3	3
25-34	9	9.0	68	1	1	7	10	23	28	28	2	6.5	5	5	5	6	8	8	8	8
35-54	3	8.0	7	5	5	9	10	10	10	10	3	8.0	19	5	5	6	11	13	13	13
55-74																				
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	15	7.9	45	1	1	7	9	15	25	28	7	6.6	10	3	3	6	8	12	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	7.7	9	5	5	7	10	11	11	11	1	14.0		14	14	14	14	14	14	14
35-54	4	8.8	31	4	4	7	12	17	17	17										
55-74																				
75 +																				
ALL AGES	7	8.3	19	4	4	7	10	16	17	17	1	14.0		14	14	14	14	14	14	14
SUBTOTAL	**22**	**8.0**	**36**	**1**	**1**	**7**	**9**	**16**	**21**	**28**	**8**	**7.5**	**16**	**3**	**4**	**6**	**10**	**14**	**14**	**14**
GRAND TOTAL	**24**	**8.0**	**33**	**1**	**1**	**7**	**10**	**15**	**20**	**28**	**13**	**6.5**	**12**	**1**	**3**	**6**	**7**	**13**	**14**	**14**

COCAINE ABUSE (305.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	5	2.6	2	1	1	2	4	4	4	4										
21-24	6	2.5	1	1	1	3	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
25-34	18	6.7	56	1	1	4	8	19	26	29	8	5.0	18	1	1	5	6	12	14	14
35-54	1	14.0		14	14	14	14	14	14	14	2	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	30	5.4	40	1	1	3	5	14	21	29	12	4.1	13	1	1	3	5	9	13	14
B. FEMALE																				
0-12 YRS.																				
13-17	2	6.0	32	2	2	6	10	10	10	10										
18-20	1	5.0		5	5	5	5	5	5	5	1	5.0		5	5	5	5	5	5	5
21-24	3	1.7		1	1	2	2	2	2	2	2	2.5	1	2	2	2	3	3	3	3
25-34	10	3.1	4	1	1	2	4	6	8	8	3	5.3	21	1	1	5	9	10	10	10
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	17	3.3	6	1	1	2	4	7	9	10	6	4.3	11	1	1	4	5	10	10	10
SUBTOTAL	**47**	**4.6**	**29**	**1**	**1**	**3**	**5**	**10**	**15**	**29**	**18**	**4.2**	**11**	**1**	**1**	**3**	**5**	**9**	**12**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	11.0	198	3	3	5	19	32	32	32										
18-20	10	6.1	17	1	1	6	9	12	13	13	2	6.0	32	2	2	6	10	10	10	10
21-24	9	5.0	29	2	2	3	4	13	19	19	2	4.5	25	1	1	4	8	8	8	8
25-34	37	9.7	103	1	1	7	11	28	31	44	7	5.7	16	1	2	5	6	12	14	14
35-54	8	10.0	76	2	2	6	18	22	23	23	2	8.5	61	3	3	8	14	14	14	14
55-74																				
75 +																				
ALL AGES	68	8.6	83	1	2	5	10	23	31	42	13	6.0	19	1	1	5	8	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17	2	1.5	1	1	1	1	2	2	2	2	1	14.0		14	14	14	14	14	14	14
18-20	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
21-24	12	7.1	76	1	1	4	7	23	28	29	4	8.8	32	2	2	9	13	14	14	14
25-34	23	6.7	39	1	1	6	8	16	21	24	2	12.5	5	11	11	12	14	14	14	14
35-54	3	6.0	31	1	1	5	10	12	12	12										
55-74																				
75 +																				
ALL AGES	41	6.4	46	1	1	4	7	17	22	29	8	9.4	30	1	1	12	14	14	14	14
SUBTOTAL	**109**	**7.8**	**69**	**1**	**1**	**4**	**9**	**21**	**29**	**37**	**21**	**7.3**	**25**	**1**	**1**	**6**	**13**	**14**	**14**	**14**
GRAND TOTAL	**156**	**6.9**	**58**	**1**	**1**	**4**	**8**	**19**	**24**	**32**	**39**	**5.8**	**22**	**1**	**1**	**5**	**9**	**14**	**14**	**14**

AMPHETAMINE ABUSE (305.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17																				
18-20	1	6.0		6	6	6	6	6	6	6										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	7.5	5	6	6	7	9	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-17	2	4.5	1	4	4	4	5	5	5	5										
18-20	1	3.0		3	3	3	3	3	3	3										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	4.0	1	3	3	4	5	5	5	5										
SUBTOTAL	**5**	**5.4**	**5**	**3**	**3**	**5**	**7**	**9**	**9**	**9**										
GRAND TOTAL	**6**	**5.7**	**4**	**3**	**3**	**5**	**7**	**9**	**9**	**9**										

ANTIDEPRESSANT ABUSE (305.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**2**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54																				
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	1	8.0		8	8	8	8	8	8	8	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	3	4.7	8	3	3	3	7	8	8	8	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**4**	**5.3**	**6**	**3**	**3**	**5**	**7**	**8**	**8**	**8**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
GRAND TOTAL	**6**	**4.2**	**7**	**2**	**2**	**3**	**7**	**8**	**8**	**8**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**

DRUG ABUSE NEC/NOS (305.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	7	14.0	241	1	1	7	28	37	38	38	5	6.6	64	1	1	3	11	20	20	20
18-20	10	6.6	43	1	1	3	10	17	21	21										
21-24	8	9.0	109	2	2	4	12	27	31	31	2	7.0		7	7	7	7	7	7	7
25-34	16	7.7	95	1	1	4	6	28	30	30	4	3.5	19	1	1	2	6	10	10	10
35-54	12	7.4	96	1	1	4	6	28	28	28										
55-74	1	13.0		13	13	13	13	13	13	13	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	55	8.4	101	1	1	4	10	28	31	38	12	5.2	32	1	1	2	8	13	19	20
B. FEMALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-20	3	14.7	519	1	1	2	31	41	41	41	1	2.0		2	2	2	2	2	2	2
21-24	3	8.0	127	1	1	2	16	21	21	21	2	3.5	13	1	1	3	6	6	6	6
25-34	10	12.7	179	2	2	7	15	35	43	43	1	7.0		7	7	7	7	7	7	7
35-54	6	4.0	6	2	2	3	6	8	8	8	4	6.0	7	3	3	6	8	9	9	9
55-74	2	20.5	113	13	13	20	28	28	28	28										
75 +	4	4.8	18	1	1	3	7	11	11	11	1	13.0		13	13	13	13	13	13	13
ALL AGES	28	10.0	140	1	1	4	14	28	41	43	10	5.7	13	1	1	5	7	11	13	13
SUBTOTAL	**83**	**8.9**	**114**	**1**	**1**	**4**	**12**	**28**	**32**	**42**	**22**	**5.4**	**23**	**1**	**1**	**4**	**7**	**11**	**16**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	11	8.6	136	1	1	3	9	27	39	40	1	8.0		8	8	8	8	8	8	8
18-20	15	12.8	154	1	1	6	24	31	35	36	2	5.5	41	1	1	5	10	10	10	10
21-24	18	6.9	48	1	1	5	9	20	24	24										
25-34	41	8.7	122	1	1	6	10	22	26	62	1	3.0		3	3	3	3	3	3	3
35-54	19	6.4	42	1	1	5	8	14	22	28	1	4.0		4	4	4	4	4	4	4
55-74	3	14.7	519	1	1	2	31	41	41	41	1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES	107	8.7	109	1	1	5	10	23	30	50	6	6.0	15	1	1	6	10	10	10	10
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17	6	9.2	137	1	1	3	18	28	29	29	2	1.5	1	1	1	1	2	2	2	2
18-20	4	5.0	10	1	1	5	7	8	8	8										
21-24	14	9.1	188	1	1	4	8	29	45	49	4	8.5	20	4	4	8	12	14	14	14
25-34	24	8.9	73	1	1	6	13	20	25	36	2	4.5	13	2	2	4	7	7	7	7
35-54	17	13.6	101	1	2	11	21	28	30	31	5	7.2	22	3	3	5	11	14	14	14
55-74	5	8.2	21	4	4	7	9	16	16	16										
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	72	9.7	98	1	1	6	15	27	29	46	13	6.3	20	1	2	5	10	14	14	14
SUBTOTAL	**179**	**9.1**	**104**	**1**	**1**	**6**	**11**	**24**	**30**	**47**	**19**	**6.2**	**17**	**1**	**1**	**5**	**10**	**12**	**14**	**14**
GRAND TOTAL	**262**	**9.1**	**106**	**1**	**1**	**5**	**11**	**27**	**30**	**43**	**41**	**5.8**	**20**	**1**	**1**	**5**	**8**	**11**	**14**	**20**

PSYCHOGEN MUSCULSKEL DIS (306.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS																				
13-17																				
18-20	1	3.0		3	3	3	3	3	3	3										
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	3	2.3	2	1	1	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-20																				
21-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**4**	**2.3**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**2**	**3.0**	**2**	**2**	**2**	**3**	**4**	**4**	**4**	**4**										
GRAND TOTAL	**6**	**2.5**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**4**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

PSYCHOGENIC RESPIR DIS (306.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34	4	1.5		1	1	1	2	2	2	2	3	3.7	5	1	1	5	5	5	5	5
35-54	10	3.2	3	1	1	3	4	6	7	7	7	2.4	2	1	1	2	4	4	4	4
55-74	4	3.8	12	1	1	2	6	9	9	9	3	2.0	1	1	1	2	3	3	3	3
75 +	1	9.0		9	9	9	9	9	9	9	2	7.0	32	3	3	7	11	11	11	11
ALL AGES	20	3.2	6	1	1	2	4	8	9	9	16	3.1	6	1	1	2	4	5	9	11
B. FEMALE																				
0-12 YRS.	2	2.5	1	2	2	2	3	3	3	3										
13-17											3	1.7	1	1	1	1	3	3	3	3
18-20											1	5.0		5	5	5	5	5	5	5
21-24	4	3.3	2	2	2	3	4	5	5	5	2	1.5	1	1	1	1	2	2	2	2
25-34	3	4.0	19	1	1	2	7	9	9	9	5	1.8	1	1	1	2	2	3	3	3
35-54	12	4.0	11	1	1	3	4	8	13	14	6	2.7	4	1	1	2	4	6	6	6
55-74	16	6.2	73	1	2	3	5	13	29	36	18	5.1	70	1	1	3	4	6	25	38
75 +	5	5.4	16	2	2	4	9	11	11	11	4	3.5	6	2	2	3	5	7	7	7
ALL AGES	42	4.9	33	1	2	3	4	10	14	36	39	3.7	34	1	1	2	4	6	7	38
SUBTOTAL	**62**	**4.3**	**25**	**1**	**1**	**3**	**4**	**9**	**12**	**33**	**55**	**3.5**	**26**	**1**	**1**	**2**	**4**	**6**	**7**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											2	1.5	1	1	1	1	2	2	2	2
18-20	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
21-24											1	2.0		2	2	2	2	2	2	2
25-34	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
35-54	1	8.0		8	8	8	8	8	8	8	2	1.0		1	1	1	1	1	1	1
55-74																				
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	5	4.0	14	1	1	2	8	8	8	8	7	1.6	1	1	1	1	2	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17											2	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34											3	4.7	1	4	4	4	6	6	6	6
35-54	4	1.3		1	1	1	2	2	2	2	3	3.3	1	3	3	3	4	4	4	4
55-74	9	5.4	19	2	2	4	6	12	16	16	2	4.5	13	2	2	4	7	7	7	7
75 +	8	5.1	14	1	2	4	6	11	13	13	4	4.3	1	3	3	4	5	6	6	6
ALL AGES	21	4.5	15	1	1	4	5	10	14	16	14	3.7	3	1	1	4	4	6	7	7
SUBTOTAL	**26**	**4.4**	**14**	**1**	**1**	**4**	**6**	**8**	**14**	**16**	**21**	**3.0**	**3**	**1**	**1**	**3**	**4**	**6**	**7**	**7**
GRAND TOTAL	**88**	**4.3**	**22**	**1**	**1**	**3**	**4**	**9**	**13**	**28**	**76**	**3.4**	**20**	**1**	**1**	**3**	**4**	**6**	**7**	**31**

PSYCHOGEN CARDIOVASC DIS (306.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	3.0		3	3	3	3	3	3	3	2	2.0	2	1	1	2	3	3	3	3
35-54	4	4.8	12	2	2	3	7	10	10	10										
55-74	9	3.8	3	1	2	3	5	7	7	7										
75 +	3	6.7	22	3	3	5	10	12	12	12	2	5.5	13	3	3	5	8	8	8	8
ALL AGES	18	4.4	8	1	2	3	5	9	11	12	4	3.8	8	1	1	3	6	8	8	8
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-20																				
21-24																				
25-34											3	3.3	1	3	3	3	4	4	4	4
35-54	2	5.0	32	1	1	5	9	9	9	9	3	4.7		4	4	5	5	5	5	5
55-74	2	3.5	1	3	3	3	4	4	4	4										
75 +	1	3.0		3	3	3	3	3	3	3	1	6.0		6	6	6	6	6	6	6
ALL AGES	6	3.5	9	1	1	3	4	8	9	9	7	4.3	1	3	3	4	5	6	6	6
SUBTOTAL	**24**	**4.2**	**8**	**1**	**1**	**3**	**5**	**9**	**11**	**12**	**11**	**4.1**	**3**	**1**	**2**	**4**	**5**	**7**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34																				
35-54	1	10.0		10	10	10	10	10	10	10	2	3.0		3	3	3	3	3	3	3
55-74	1	5.0		5	5	5	5	5	5	5	1	29.0		29	29	29	29	29	29	29
75 +																				
ALL AGES	3	5.3	21	1	1	5	9	10	10	10	3	11.7	224	3	3	3	23	29	29	29
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	5.0		5	5	5	5	5	5	5										
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4	2	8.5	41	4	4	8	13	13	13	13
55-74	5	4.8	5	2	2	6	6	7	7	7	2	2.5	1	2	2	2	3	3	3	3
75 +	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
ALL AGES	8	4.5	3	2	2	4	6	7	7	7	5	5.2	20	2	2	4	6	13	13	13
SUBTOTAL	**11**	**4.7**	**7**	**1**	**2**	**5**	**6**	**8**	**10**	**10**	**8**	**7.6**	**87**	**2**	**2**	**4**	**9**	**24**	**29**	**29**
GRAND TOTAL	**35**	**4.3**	**8**	**1**	**1**	**3**	**6**	**9**	**10**	**12**	**19**	**5.6**	**39**	**1**	**2**	**4**	**5**	**11**	**22**	**29**

PSYCHOGENIC SKIN DISEASE (306.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES											1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	6.0		6	6	6	6	6	6	6
GRAND TOTAL											1	6.0		6	6	6	6	6	6	6

PSYCHOGENIC GI DISEASE (306.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	4.0	2	3	3	4	5	5	5	5	2	1.0		1	1	1	1	1	1	1
13-17	1	11.0		11	11	11	11	11	11	11										
18-20																				
21-24	3	4.7	21	2	2	2	8	10	10	10										
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	4.0		4	4	4	4	4	4	4	1	5.0		5	5	5	5	5	5	5
55-74	2	9.5	85	3	3	9	16	16	16	16	4	5.5	15	2	2	4	8	11	11	11
75 +																				
ALL AGES	10	5.8	24	2	2	4	10	13	16	16	7	4.1	13	1	1	4	5	10	11	11
B. FEMALE																				
0-12 YRS.	2	4.5	5	3	3	4	6	6	6	6	1	3.0		3	3	3	3	3	3	3
13-17	2	6.5	13	4	4	6	9	9	9	9	1	6.0		6	6	6	6	6	6	6
18-20	2	6.5	1	6	6	6	7	7	7	7										
21-24																				
25-34	3	4.0	4	2	2	4	5	6	6	6	5	3.6	4	2	2	3	5	7	7	7
35-54	6	5.3	21	1	1	4	5	13	14	14	4	4.5	6	2	2	4	6	7	7	7
55-74	7	3.9	2	1	1	4	5	5	5	5	4	4.5	2	3	3	5	29	99+	99+	99+
75 +	3	4.3	3	3	3	4	5	6	6	6	3	4.7	14	2	2	3	7	9	9	9
ALL AGES	25	4.8	7	1	2	4	6	7	10	14	18	4.3	4	2	2	4	6	8	59	99+
SUBTOTAL	**35**	**5.1**	**11**	**1**	**2**	**4**	**6**	**10**	**13**	**16**	**25**	**4.2**	**7**	**1**	**2**	**4**	**6**	**9**	**29**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	3	15.7	408	3	3	5	30	39	39	39	1	5.0		5	5	5	5	5	5	5
55-74	1	16.0		16	16	16	16	16	16	16	2	18.5	481	3	3	18	34	34	34	34
75 +																				
ALL AGES	4	15.8	271	3	3	10	27	39	39	39	3	14.0	301	3	3	5	27	34	34	34
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4	1	8.0		8	8	8	8	8	8	8
18-20																				
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4	3	6.3	17	2	2	7	9	10	10	10
35-54	1	15.0		15	15	15	15	15	15	15										
55-74	4	6.3	7	2	2	7	8	8	8	8	4	7.5	14	3	3	7	10	12	12	12
75 +	2	6.5	1	6	6	6	7	7	7	7	4	5.0	2	3	3	5	6	6	6	6
ALL AGES	9	6.8	13	2	3	7	8	12	15	15	12	6.4	9	2	3	6	8	11	12	12
SUBTOTAL	**13**	**9.5**	**97**	**2**	**3**	**7**	**10**	**21**	**36**	**39**	**15**	**7.9**	**60**	**2**	**3**	**6**	**8**	**12**	**28**	**34**
GRAND TOTAL	**48**	**6.3**	**36**	**2**	**2**	**5**	**7**	**13**	**16**	**39**	**40**	**5.6**	**29**	**1**	**2**	**5**	**7**	**10**	**22**	**99+**

PSYCHOGENIC GU DISEASE (306.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	1	7.0		7	7	7	7	7	7	7										
18-20																				
21-24																				
25-34											1	3.0		3	3	3	3	3	3	3
35-54																				
55-74																				
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	2	5.0	8	3	3	5	7	7	7	7	2	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	20.0		20	20	20	20	20	20	20	1	3.0		3	3	3	3	3	3	3
35-54																				
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	3	8.3	105	1	1	4	16	20	20	20	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**5**	**7.0**	**58**	**1**	**1**	**4**	**10**	**20**	**20**	**20**	**3**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74																				
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	1.0		1	1	1	1	1	1	1	1	7.0		7	7	7	7	7	7	7
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**2**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**
GRAND TOTAL	**7**	**5.3**	**47**	**1**	**1**	**3**	**6**	**17**	**20**	**20**	**5**	**4.6**	**5**	**3**	**3**	**3**	**7**	**7**	**7**	**7**

PSYCHOGENIC SENSORY DIS (306.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	1	3.0		3	3	3	3	3	3	3										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	3.0		3	3	3	3	3	3	3										

PSYCHOGENIC DISORDER NEC (306.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	7.0		7	7	7	7	7	7	7
21-24																				
25-34																				
35-54																				
55-74	3	6.7	65	2	2	2	13	16	16	16	2	4.0	2	3	3	4	5	5	5	5
75 +																				
ALL AGES	3	6.7	65	2	2	2	13	16	16	16	3	5.0	4	3	3	5	6	7	7	7
SUBTOTAL	**3**	**6.7**	**65**	**2**	**2**	**2**	**13**	**16**	**16**	**16**	**3**	**5.0**	**4**	**3**	**3**	**5**	**6**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17	1	85.0		85	85	85	85	85	85	85										
18-20																				
21-24																				
25-34											1	3.0		3	3	3	3	3	3	3
35-54																				
55-74																				
75 +																				
ALL AGES	1	85.0		85	85	85	85	85	85	85	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**2**	**44.5**	**3281**	**4**	**4**	**44**	**85**	**85**	**85**	**85**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**5**	**21.8**	**1282**	**2**	**2**	**4**	**33**	**85**	**85**	**85**	**4**	**4.5**	**4**	**3**	**3**	**4**	**6**	**7**	**7**	**7**

PSYCHOGENIC DISORDER NOS (306.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	14.0		14	14	14	14	14	14	14										
21-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54																				
55-74	3	6.3	45	2	2	3	11	14	14	14	1	5.0		5	5	5	5	5	5	5
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	5	7.4	37	2	2	4	14	14	14	14	2	3.0	8	1	1	3	5	5	5	5
SUBTOTAL	**6**	**6.7**	**32**	**2**	**2**	**4**	**14**	**14**	**14**	**14**	**2**	**3.0**	**8**	**1**	**1**	**3**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14										
18-20	1	46.0		46	46	46	46	46	46	46										
21-24																				
25-34											1	6.0		6	6	6	6	6	6	6
35-54																				
55-74																				
75 +																				
ALL AGES	2	30.0	512	14	14	30	46	46	46	46	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17																				
18-20																				
21-24																				
25-34	3	11.0	169	3	3	4	20	26	26	26										
35-54	1	11.0		11	11	11	11	11	11	11										
55-74																				
75 +																				
ALL AGES	4	11.0	113	3	3	7	18	26	26	26	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**6**	**17.3**	**268**	**3**	**3**	**12**	**26**	**44**	**46**	**46**	**2**	**4.5**	**5**	**3**	**3**	**4**	**6**	**6**	**6**	**6**
GRAND TOTAL	**12**	**12.0**	**167**	**2**	**2**	**8**	**14**	**32**	**44**	**46**	**4**	**3.8**	**4**	**1**	**1**	**4**	**5**	**6**	**6**	**6**

STAMMERING & STUTTERING (307.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	4.0		4	4	4	4	4	4	4										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	4.0		4	4	4	4	4	4	4										

ANOREXIA NERVOSA (307.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	3	16.3	126	8	8	12	25	29	29	29	1	35.0		35	35	35	35	35	35	35
18-20	1	58.0		58	58	58	58	58	58	58										
21-24																				
25-34	2	12.5	145	4	4	12	21	21	21	21	3	11.3	166	2	2	6	21	26	26	26
35-54	2	5.0	2	4	4	5	6	6	6	6										
55-74																				
75 +											1	16.0		16	16	16	16	16	16	16
ALL AGES	8	17.8	341	4	4	10	25	49	58	58	6	14.7	182	2	2	11	26	34	35	35
B. FEMALE																				
0-12 YRS.	2	11.5	113	4	4	11	19	19	19	19	1	99.0		99	99	99	99	99	99 +	99 +
13-17	20	22.9	412	3	4	18	48	56	76	99 +	13	33.0	658	2	3	42	50	99 +	99 +	99 +
18-20	8	16.8	394	3	3	9	41	83	99 +	99 +	10	16.0	191	1	2	13	28	35	39	39
21-24	15	28.9	796	1	3	20	56	90	98	99 +	6	10.5	56	1	1	9	14	22	23	23
25-34	11	12.4	116	1	2	11	15	30	37	38	11	26.0	524	2	3	22	46	60	68	69
35-54	7	12.6	87	3	3	11	24	79	99 +	99 +	9	31.2	596	1	3	32	42	66	80	80
55-74	4	11.0	28	6	6	12	38	99 +	99 +	99 +	2	22.5	41	18	18	22	27	27	27	27
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	68	19.5	398	2	3	13	36	59	99 +	99 +	52	26.2	562	1	3	23	43	80	99 +	99 +
SUBTOTAL	**76**	**19.3**	**389**	**2**	**3**	**12**	**34**	**58**	**99 +**	**99 +**	**58**	**25.0**	**531**	**2**	**2**	**23**	**42**	**73**	**99**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											2	65.5	113	58	58	65	73	73	73	73
13-17	1	75.0		75	75	75	75	75	75	75	1	65.0		65	65	65	65	65	65	65
18-20																				
21-24																				
25-34	3	15.0	75	5	5	20	60	99 +	99 +	99 +										
35-54	2	10.0		10	10	10	10	10	10	10										
55-74																				
75 +																				
ALL AGES	6	23.3	679	5	6	20	61	95	99 +	99 +	3	65.3	63	58	58	65	71	73	73	73
B. FEMALE																				
0-12 YRS.	1	50.0		50	50	50	50	50	50	50	2	36.5	2245	3	3	85	99 +	99 +	99 +	99 +
13-17	14	33.6	646	4	6	42	63	68	92	99 +	11	55.5	1296	5	7	90	99 +	99 +	99 +	99 +
18-20	7	32.1	920	2	3	27	73	95	99 +	99 +	3	68.7	619	43	43	81	96	99 +	99 +	99 +
21-24	12	22.1	466	1	1	23	36	78	96	99 +	3	24.0	61	15	15	28	29	29	29	29
25-34	16	21.1	312	2	3	14	37	49	50	50	4	19.8	148	4	4	22	29	30	30	30
35-54	9	16.9	215	2	3	13	23	41	49	49	8	14.0	73	5	6	12	18	28	31	31
55-74	2	12.0	128	4	4	12	20	20	20	20	1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	61	25.0	480	2	3	18	48	67	89	99 +	32	36.2	1006	4	5	36	94	99 +	99 +	99 +
SUBTOTAL	**67**	**24.8**	**490**	**2**	**3**	**20**	**48**	**70**	**99**	**99 +**	**35**	**38.7**	**989**	**4**	**6**	**45**	**93**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**143**	**21.9**	**440**	**2**	**4**	**15**	**43**	**66**	**99 +**	**99 +**	**93**	**30.2**	**737**	**2**	**3**	**28**	**66**	**99 +**	**99 +**	**99 +**

TICS (307.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	6.5	94	1	1	2	12	21	21	21	1	2.0		2	2	2	2	2	2	2
13-17	2	1.5	1	1	1	1	2	2	2	2										
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	7	4.3	54	1	1	2	2	17	21	21	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17											1	3.0		3	3	3	3	3	3	3
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	8.0		8	8	8	8	8	8	8										
75 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	**8**	**4.8**	**48**	**1**	**1**	**2**	**5**	**17**	**21**	**21**	**3**	**2.3**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	24.0		24	24	24	24	24	24	24	1	76.0		76	76	76	76	76	76	76
13-17	2	14.0	2	13	13	14	15	15	15	15	2	3.0		3	3	3	3	3	3	3
18-20																				
21-24																				
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14										
55-74																				
75 +																				
ALL AGES	4	16.5	26	13	13	14	19	24	24	24	3	27.3	1779	3	3	3	58	76	76	76
B. FEMALE																				
0-12 YRS.																				
13-17	1	21.0		21	21	21	21	21	21	21	1	7.0		7	7	7	7	7	7	7
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	2	12.0	162	3	3	12	21	21	21	21	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**6**	**15.0**	**53**	**3**	**4**	**14**	**21**	**24**	**24**	**24**	**4**	**22.3**	**1285**	**3**	**3**	**5**	**41**	**76**	**76**	**76**
GRAND TOTAL	**14**	**9.1**	**75**	**1**	**1**	**5**	**15**	**22**	**23**	**24**	**7**	**13.7**	**758**	**2**	**2**	**3**	**6**	**62**	**76**	**76**

STEREOTYPED MOVEMENTS (307.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**										

NONORGANIC SLEEP DISORD (307.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7	2	1.5	1	1	1	1	2	2	2	2
13-17																				
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	4.5	13	2	2	4	7	7	7	7	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**3**	**3.3**	**11**	**1**	**1**	**2**	**6**	**7**	**7**	**7**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**										
GRAND TOTAL	**4**	**2.8**	**8**	**1**	**1**	**2**	**4**	**7**	**7**	**7**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**

EATING DISORDERS NEC/NOS (307.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	16.0	450	1	1	15	31	31	31	31	2	50.0	3528	8	8	50	92	92	92	92
13-17	1	2.0		2	2	2	2	2	2	2										
18-20																				
21-24	1	27.0		27	27	27	27	27	27	27										
25-34	2	1.5	1	1	1	1	2	2	2	2	4	4.0	2	3	3	4	5	6	6	6
35-54											1	5.0		5	5	5	5	5	5	5
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	6	10.7	203	1	1	2	27	31	31	31	8	15.3	964	1	2	4	7	67	92	92
B. FEMALE																				
0-12 YRS.	4	2.8	3	1	1	2	4	5	5	5	2	6.0	32	2	2	6	10	10	10	10
13-17	1	2.0		2	2	2	2	2	2	2	9	26.0	652	2	3	20	29	65	89	89
18-20	5	38.0	177	17	17	39	47	52	52	52	3	37.7	1943	2	2	24	71	87	87	87
21-24	3	18.3	236	1	1	24	28	30	30	30	4	29.0	67	23	23	26	34	41	41	41
25-34	10	5.9	20	1	1	5	7	13	15	15	9	26.1	38	14	16	28	29	33	34	34
35-54	3	5.7	10	2	2	7	8	8	8	8	7	19.7	86	4	5	24	27	28	28	28
55-74	1	12.0		12	12	12	12	12	12	12										
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	28	12.8	214	1	1	6	16	38	47	52	34	24.9	355	2	4	25	28	35	78	89
SUBTOTAL	**34**	**12.4**	**208**	**1**	**1**	**6**	**17**	**36**	**45**	**52**	**42**	**23.1**	**463**	**2**	**3**	**23**	**28**	**36**	**88**	**92**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17																				
18-20	1	4.0		4	4	4	4	4	4	4										
21-24																				
25-34																				
35-54	3	49.0	1767	6	6	51	80	90	90	90										
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	6	26.3	1326	3	3	5	51	86	90	90										
B. FEMALE																				
0-12 YRS.																				
13-17	4	37.8	1009	10	10	59	78	99 +	99 +	99 +	9	31.8	547	6	6	34	67	84	99 +	99 +
18-20	6	28.3	1325	1	2	17	28	92	99	99 +	11	19.5	251	1	1	20	28	42	44	44
21-24	10	32.4	1109	1	1	51	95	99 +	99 +	99 +	10	18.7	123	2	3	20	25	33	36	36
25-34	16	37.8	1191	3	4	27	64	92	97	99	10	24.3	138	4	4	26	32	37	38	38
35-54	8	12.0	172	1	2	8	26	76	99 +	99 +	2	35.0	722	16	16	35	54	54	54	54
55-74	2	9.0	18	6	6	9	12	12	12	12	1	4.0		4	4	52	99 +	99 +	99 +	99 +
75 +											1	40.0		40	40	40	40	40	40	40
ALL AGES	46	29.6	969	1	3	21	62	99	99 +	99 +	44	23.7	279	2	3	24	36	53	74	99 +
SUBTOTAL	**52**	**29.3**	**981**	**1**	**3**	**17**	**62**	**99**	**99 +**	**99 +**	**44**	**23.7**	**279**	**2**	**3**	**24**	**36**	**53**	**74**	**99 +**
GRAND TOTAL	**86**	**22.6**	**739**	**1**	**2**	**10**	**40**	**91**	**99 +**	**99 +**	**86**	**23.4**	**365**	**2**	**3**	**24**	**31**	**43**	**87**	**99 +**

ENURESIS (307.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
B. FEMALE																					
0-12 YRS.												1	1.0		1	1	1	1	1	1	1
13-17																					
18-20																					
21-24																					
25-34																					
35-54	1	5.0		5	5	5	5	5	5	5											
55-74																					
75 +																					
ALL AGES	1	5.0		5	5	5	5	5	5	5		1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**		**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
B. FEMALE																					
0-12 YRS.	1	4.0		4	4	4	4	4	4	4											
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	1	4.0		4	4	4	4	4	4	4											
SUBTOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**											
GRAND TOTAL	**2**	**4.5**	**1**	**4**	**4**	**4**	**5**	**5**	**5**	**5**		**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

ENCOPRESIS (307.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	48.0		48	48	48	48	48	48	48
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	48.0		48	48	48	48	48	48	48
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**1**	**48.0**		**48**	**48**	**48**	**48**	**48**	**48**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	37.0		37	37	37	37	37	37	37										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	37.0		37	37	37	37	37	37	37										
B. FEMALE																				
0-12 YRS.																				
13-17											1	66.0		66	66	66	66	66	66	66
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	66.0		66	66	66	66	66	66	66
SUBTOTAL	**1**	**37.0**		**37**	**37**	**37**	**37**	**37**	**37**	**37**	**1**	**66.0**		**66**	**66**	**83**	**99 +**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**2**	**19.5**	**613**	**2**	**2**	**19**	**37**	**37**	**37**	**37**	**2**	**57.0**	**162**	**48**	**48**	**66**	**91**	**99 +**	**99 +**	**99 +**

PSYCHALGIA (307.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	5	2.8	3	1	1	3	4	5	5	5										
18-20	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
21-24	2	6.0	18	3	3	6	9	9	9	9	1	1.0		1	1	1	1	1	1	1
25-34	8	2.9	3	1	1	2	3	6	7	7	4	3.8	23	1	1	2	6	11	11	11
35-54	9	4.9	39	1	1	3	4	15	21	21	6	6.8	52	2	2	3	15	17	17	17
55-74	5	2.6	1	1	1	3	3	3	3	3	2	5.0		5	5	5	5	5	5	5
75 +	2	7.0	32	3	3	7	11	11	11	11										
ALL AGES	33	3.7	15	1	1	3	4	7	11	21	14	4.9	29	1	1	2	5	15	17	17
B. FEMALE																				
0-12 YRS.	2	2.0		2	2	2	2	2	2	2										
13-17	2	1.5	1	1	1	1	2	2	2	2										
18-20	3	4.0	7	1	1	5	6	6	6	6	3	1.0		1	1	1	1	1	1	1
21-24	5	6.6	25	2	2	5	9	15	15	15	4	3.0	2	1	1	3	4	4	4	4
25-34	13	5.1	67	1	1	3	4	11	28	32	7	2.6	3	1	1	2	4	6	6	6
35-54	25	5.8	82	1	2	3	4	11	23	46	23	3.7	8	1	1	3	5	9	9	9
55-74	11	7.4	89	1	1	5	8	20	33	34	4	4.8	2	3	3	4	6	7	7	7
75 +	3	32.3	2585	3	3	3	69	91	91	91	3	3.3	5	1	1	4	5	5	5	5
ALL AGES	64	6.9	176	1	1	3	5	12	33	85	44	3.3	6	1	1	3	5	8	9	9
SUBTOTAL	**97**	**5.8**	**123**	**1**	**1**	**3**	**5**	**11**	**19**	**70**	**58**	**3.7**	**12**	**1**	**1**	**3**	**5**	**9**	**10**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24	3	3.3	5	1	1	4	5	5	5	5	3	4.3	3	3	3	4	5	6	6	6
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
55-74	1	13.0		13	13	13	13	13	13	13	2	8.0	18	5	5	8	11	11	11	11
75 +	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
ALL AGES	9	3.7	14	1	1	3	4	10	13	13	7	5.0	9	2	2	4	6	10	11	11
B. FEMALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8	1	35.0		35	35	35	35	35	35	35
13-17	2	3.5	1	3	3	3	4	4	4	4										
18-20	2	7.0	32	3	3	7	11	11	11	11										
21-24	2	5.0		5	5	5	5	5	5	5										
25-34	9	8.6	48	2	2	6	10	20	25	25	6	4.7	3	3	3	4	5	8	8	8
35-54	12	9.8	161	2	2	4	13	25	44	47	7	2.7	3	1	1	2	4	6	6	6
55-74	12	8.3	62	2	3	5	9	22	27	28	5	3.8	1	3	3	4	4	5	5	5
75 +	7	10.6	192	2	2	4	11	35	41	41	1	41.0		41	41	41	41	41	41	41
ALL AGES	47	8.7	90	2	2	5	9	19	30	47	20	7.1	115	1	2	4	5	21	38	41
SUBTOTAL	**56**	**7.9**	**81**	**1**	**2**	**5**	**9**	**16**	**27**	**47**	**27**	**6.6**	**86**	**2**	**2**	**4**	**5**	**10**	**36**	**41**
GRAND TOTAL	**153**	**6.6**	**108**	**1**	**1**	**3**	**6**	**13**	**24**	**47**	**85**	**4.6**	**37**	**1**	**1**	**3**	**5**	**9**	**12**	**39**

SPECIAL SYMPTOM NEC/NOS (307.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-20																				
21-24																				
25-34																				
35-54	3	6.3	38	1	1	5	11	13	13	13										
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	5	6.0	25	1	1	5	10	13	13	13										
B. FEMALE																				
0-12 YRS.											1	11.0		11	11	11	11	11	11	11
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	1.0		1	1	1	1	1	1	1	2	2.0		2	2	2	2	2	2	2
55-74	1	8.0		8	8	8	8	8	8	8										
75 +	2	34.0	1800	4	4	34	64	64	64	64	1	9.0		9	9	9	9	9	9	9
ALL AGES	5	15.6	740	1	1	4	22	64	64	64	4	6.0	22	2	2	6	10	11	11	11
SUBTOTAL	**10**	**10.8**	**366**	**1**	**1**	**4**	**9**	**38**	**64**	**64**	**4**	**6.0**	**22**	**2**	**2**	**6**	**10**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54											1	1.0		1	1	1	1	1	1	1
55-74	1	2.0		2	2	2	2	2	2	2										
75 +	2	15.5	145	7	7	15	24	24	24	24	1	3.0		3	3	3	3	3	3	3
ALL AGES	3	11.0	133	2	2	7	20	24	24	24	3	1.7	1	1	1	1	2	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	2	7.5	5	6	6	7	9	9	9	9										
55-74	2	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
75 +	1	15.0		15	15	15	15	15	15	15	2	5.0	8	3	3	5	7	7	7	7
ALL AGES	6	6.5	23	3	3	5	9	14	15	15	3	3.7	9	1	1	3	6	7	7	7
SUBTOTAL	**9**	**8.0**	**53**	**2**	**2**	**6**	**10**	**20**	**24**	**24**	**6**	**2.7**	**5**	**1**	**1**	**2**	**3**	**7**	**7**	**7**
GRAND TOTAL	**19**	**9.5**	**208**	**1**	**1**	**5**	**9**	**20**	**46**	**64**	**10**	**4.0**	**13**	**1**	**1**	**2**	**7**	**10**	**11**	**11**

STRESS REACT, EMOTIONAL (308.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	3.0		3	3	3	3	3	3	3										
21-24																				
25-34	3	3.7	6	1	1	4	5	6	6	6	4	3.8	2	3	3	3	5	6	6	6
35-54	2	4.0	8	2	2	4	6	6	6	6	2	2.0	2	1	1	2	3	3	3	3
55-74	2	1.0		1	1	1	1	1	1	1	3	1.7		1	1	2	2	2	2	2
75 +	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
ALL AGES	9	3.2	5	1	1	3	5	6	6	6	10	2.6	2	1	1	2	3	5	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	4.5	1	4	4	4	5	5	5	5	2	4.5	1	4	4	4	5	5	5	5
35-54	5	7.0	74	1	1	5	9	22	22	22	9	3.0	4	1	1	2	4	6	6	6
55-74	2	4.0	2	3	3	4	5	5	5	5	9	2.8	6	1	1	2	3	7	9	9
75 +	1	3.0		3	3	3	3	3	3	3	2	3.0	8	1	1	3	5	5	5	5
ALL AGES	13	4.7	29	1	1	4	5	9	19	22	23	3.0	4	1	1	2	4	6	7	9
SUBTOTAL	**22**	**4.1**	**19**	**1**	**1**	**3**	**5**	**6**	**13**	**22**	**33**	**2.8**	**4**	**1**	**1**	**2**	**4**	**6**	**6**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											2	3.0		3	3	3	3	3	3	3
35-54	4	8.8	239	1	1	1	17	32	32	32										
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	5	8.0	183	1	1	1	12	32	32	32	2	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	2.0		2	2	2	2	2	2	2
25-34	1	11.0		11	11	11	11	11	11	11	1	2.0		2	2	2	2	2	2	2
35-54	3	6.0	27	3	3	3	10	12	12	12	2	9.5	113	2	2	9	17	17	17	17
55-74	3	9.0	108	3	3	3	17	21	21	21										
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	8	8.9	48	3	3	7	13	19	21	21	4	5.8	55	2	2	2	10	17	17	17
SUBTOTAL	**13**	**8.5**	**90**	**1**	**1**	**3**	**13**	**23**	**30**	**32**	**6**	**4.8**	**36**	**2**	**2**	**3**	**3**	**16**	**17**	**17**
GRAND TOTAL	**35**	**5.7**	**49**	**1**	**1**	**3**	**5**	**15**	**22**	**32**	**39**	**3.2**	**8**	**1**	**1**	**2**	**4**	**6**	**8**	**17**

STRESS REACTION, FUGUE (308.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4										
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**	**2**	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	4.0		4	4	4	4	4	4	4
35-54																				
55-74																				
75 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**	**3**	**3.0**	**3**	**1**	**1**	**4**	**4**	**4**	**4**	**4**

STRESS REACT, PSYCHOMOT (308.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	3.0		3	3	3	3	3	3	3										
21-24																				
25-34																				
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	2	3.5	1	3	3	3	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +											1	10.0		10	10	10	10	10	10	10
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	10.0		10	10	10	10	10	10	10
SUBTOTAL	**3**	**3.0**	**1**	**2**	**2**	**3**	**4**	**4**	**4**	**4**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
GRAND TOTAL	**4**	**2.8**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**4**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**

ACUTE STRESS REACT NEC (308.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	51.0		51	51	51	51	51	51	51	1	5.0		5	5	5	5	5	5	5
13-17											1	1.0		1	1	1	1	1	1	1
18-20	2	4.0	8	2	2	4	6	6	6	6										
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	15.0		15	15	15	15	15	15	15	2	3.0	2	2	2	3	4	4	4	4
35-54	5	2.8	2	2	2	2	3	5	5	5	2	2.0	2	1	1	2	3	3	3	3
55-74	3	5.3	25	2	2	3	9	11	11	11	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	13	8.1	183	1	1	3	7	22	46	51	7	2.6	2	1	1	2	4	5	5	5
B. FEMALE																				
0-12 YRS.	5	3.4	8	1	1	3	5	8	8	8	1	4.0		4	4	4	4	4	4	4
13-17	2	3.0	8	1	1	3	5	5	5	5	2	1.5	1	1	1	1	2	2	2	2
18-20	1	6.0		6	6	6	6	6	6	6										
21-24	3	12.0	148	4	4	6	21	26	26	26										
25-34	5	7.8	53	1	1	5	15	17	17	17	1	3.0		3	3	3	3	3	3	3
35-54	8	6.9	74	1	1	3	10	22	25	25	6	2.0	1	1	1	2	2	4	4	4
55-74	5	2.8	4	1	1	2	4	6	6	6	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	29	6.0	47	1	1	4	6	16	25	26	11	2.2	1	1	1	2	3	4	4	4
SUBTOTAL	**42**	**6.6**	**87**	**1**	**1**	**3**	**6**	**16**	**25**	**51**	**18**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	31.0	1458	4	4	31	58	58	58	58										
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34	3	5.3	25	2	2	3	9	11	11	11										
35-54	2	8.5	61	3	3	8	14	14	14	14	1	3.0		3	3	3	3	3	3	3
55-74	2	8.5	61	3	3	8	14	14	14	14										
75 +																				
ALL AGES	10	11.3	294	1	1	4	14	36	58	58	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	2	2.5	5	1	1	2	4	4	4	4
18-20	3	14.7	109	4	4	15	22	25	25	25	1	4.0		4	4	4	4	4	4	4
21-24																				
25-34	4	7.5	44	2	2	5	12	17	17	17	2	3.0		3	3	3	3	3	3	3
35-54	6	14.0	151	2	2	9	22	34	35	35	2	2.0		2	2	2	2	2	2	2
55-74	2	2.5	5	1	1	2	4	4	4	4										
75 +	2	3.5	13	1	1	3	6	6	6	6										
ALL AGES	18	9.5	93	1	1	6	15	24	31	35	7	2.7	1	1	1	3	4	4	4	4
SUBTOTAL	**28**	**10.1**	**159**	**1**	**1**	**5**	**14**	**24**	**37**	**58**	**8**	**2.8**	**1**	**1**	**1**	**3**	**4**	**4**	**4**	**4**
GRAND TOTAL	**70**	**8.0**	**117**	**1**	**1**	**4**	**11**	**20**	**26**	**57**	**26**	**2.5**	**1**	**1**	**1**	**2**	**3**	**4**	**5**	**5**

STRESS REACT, MIXED DIS (308.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	19.0		19	19	19	19	19	19	19	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +											1	95.0		95	95	95	95	95	95	95
ALL AGES	2	11.0	128	3	3	11	19	19	19	19	2	48.0	4418	1	1	47	95	95	95	95
SUBTOTAL	**3**	**8.3**	**86**	**3**	**3**	**3**	**15**	**19**	**19**	**19**	**2**	**48.0**	**4418**	**1**	**1**	**47**	**95**	**95**	**95**	**95**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											2	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES											2	1.0		1	1	1	1	1	1	1
SUBTOTAL											**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**3**	**8.3**	**86**	**3**	**3**	**3**	**15**	**19**	**19**	**19**	**4**	**24.5**	**2209**	**1**	**1**	**1**	**48**	**95**	**95**	**95**

ACUTE STRESS REACT NOS (308.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	41.0		41	41	41	41	41	41	41										
13-17	1	2.0		2	2	2	2	2	2	2										
18-20																				
21-24																				
25-34											2	3.5	5	2	2	3	5	5	5	5
35-54											1	6.0		6	6	6	6	6	6	6
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	2	21.5	761	2	2	21	41	41	41	41	4	3.5	6	1	1	3	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	2.5	5	1	1	2	4	4	4	4	1	1.0		1	1	1	1	1	1	1
35-54	4	1.5	1	1	1	1	2	3	3	3	1	4.0		4	4	4	4	4	4	4
55-74											2	3.0	2	2	2	3	4	4	4	4
75 +	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
ALL AGES	7	2.0	2	1	1	1	3	4	4	4	5	2.4	2	1	1	2	4	4	4	4
SUBTOTAL	**9**	**6.3**	**171**	**1**	**1**	**2**	**3**	**26**	**41**	**41**	**9**	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	9.0		9	9	9	9	9	9	9
35-54	2	11.5	181	2	2	11	21	21	21	21	1	6.0		6	6	6	6	6	6	6
55-74	1	5.0		5	5	5	5	5	5	5										
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	4	8.3	73	2	2	5	13	21	21	21	2	7.5	5	6	6	7	9	9	9	9
SUBTOTAL	**4**	**8.3**	**73**	**2**	**2**	**5**	**13**	**21**	**21**	**21**	**3**	**5.7**	**12**	**2**	**2**	**6**	**8**	**9**	**9**	**9**
GRAND TOTAL	**13**	**6.9**	**133**	**1**	**1**	**3**	**5**	**25**	**38**	**41**	**12**	**3.6**	**6**	**1**	**1**	**3**	**5**	**7**	**9**	**9**

BRIEF DEPRESSIVE REACT (309.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	5.3	11	3	3	4	8	9	9	9	1	3.0		3	3	3	3	3	3	3
13-17	42	12.5	152	1	2	9	17	27	36	66	7	1.7	1	1	1	1	3	3	3	3
18-20	44	10.1	142	1	1	7	11	23	43	50										
21-24	37	7.7	72	1	1	4	10	20	29	36	1	28.0		28	28	28	28	28	28	28
25-34	77	7.6	53	1	1	5	10	20	24	83	2	12.0	128	4	4	12	20	20	20	20
35-54	64	7.3	24	1	2	6	10	13	16	23	3	1.7	1	1	1	1	3	3	3	3
55-74	25	8.2	67	1	1	7	10	15	28	37	3	4.3	5	2	2	5	6	6	6	6
75 +	17	15.1	350	1	2	8	16	39	61	73										
ALL AGES	309	9.0	95	1	1	6	11	20	29	56	17	5.0	55	1	1	3	4	17	25	28
B. FEMALE																				
0-12 YRS.	6	14.5	220	4	4	6	31	35	36	36	1	30.0		30	30	30	30	30	30	30
13-17	137	10.3	88	1	2	7	14	26	31	38	2	17.0	450	2	2	17	32	32	32	32
18-20	51	9.4	133	1	1	6	12	20	27	74	4	2.8	3	1	1	2	4	5	5	5
21-24	59	6.5	31	1	1	5	9	16	20	24	3	4.3	6	3	3	3	6	7	7	7
25-34	121	7.0	60	1	1	4	8	15	19	42	6	3.8	9	1	1	3	7	8	8	8
35-54	142	9.4	94	1	1	6	12	23	30	47	12	3.4	9	1	1	2	4	8	11	11
55-74	34	13.8	184	2	3	10	16	29	49	63	10	6.6	41	1	1	5	6	15	24	24
75 +	25	15.3	201	2	3	11	20	39	47	50	4	10.8	153	2	2	6	18	29	29	29
ALL AGES	575	9.4	97	1	1	6	12	22	30	49	42	6.2	61	1	1	4	7	15	29	32
SUBTOTAL	**884**	**9.2**	**97**	**1**	**1**	**6**	**12**	**21**	**29**	**50**	**59**	**5.9**	**58**	**1**	**1**	**3**	**6**	**16**	**29**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	21.0	98	14	14	21	28	28	28	28										
13-17	37	11.4	105	1	2	8	15	25	30	49	2	4.0		4	4	4	4	4	4	4
18-20	49	8.6	58	1	2	7	10	20	22	41	1	1.0		1	1	1	1	1	1	1
21-24	87	8.7	70	2	2	7	10	16	21	53										
25-34	117	9.7	71	1	1	7	15	22	27	36	6	4.2	34	1	1	2	3	15	16	16
35-54	95	9.0	38	1	2	8	13	18	20	30	2	2.0	2	1	1	2	3	3	3	3
55-74	18	11.3	81	3	4	9	12	21	34	42	1	1.0		1	1	1	1	1	1	1
75 +	4	13.8	56	3	3	18	40	99 +	99 +	99 +										
ALL AGES	409	9.5	66	1	2	7	13	20	24	41	12	3.3	17	1	1	2	3	8	15	16
B. FEMALE																				
0-12 YRS.	3	11.7	176	3	3	5	21	27	27	27										
13-17	76	12.0	161	1	2	8	16	25	39	66	1	15.0		15	15	15	15	15	15	15
18-20	46	9.9	58	2	3	8	13	18	27	38										
21-24	81	7.9	97	1	2	6	9	16	21	63	2	4.5	1	4	4	4	5	5	5	5
25-34	178	9.3	85	2	2	7	13	18	24	39	5	5.6	48	2	2	3	7	18	18	18
35-54	136	9.9	125	1	2	7	11	23	33	55	5	5.8	14	2	2	5	7	12	12	12
55-74	41	14.0	147	3	4	11	18	29	37	64	5	4.8		4	4	5	5	5	5	5
75 +	11	16.2	89	1	4	17	24	28	30	30	1	3.0		3	3	3	3	3	3	3
ALL AGES	572	10.2	109	1	2	7	13	21	28	51	19	5.7	19	2	2	5	5	14	17	18
SUBTOTAL	**981**	**9.9**	**91**	**1**	**2**	**7**	**13**	**20**	**27**	**50**	**31**	**4.7**	**20**	**1**	**1**	**4**	**5**	**13**	**16**	**18**
GRAND TOTAL	**1865**	**9.6**	**94**	**1**	**2**	**7**	**12**	**21**	**28**	**50**	**90**	**5.5**	**45**	**1**	**1**	**3**	**5**	**13**	**24**	**31**

PROLONG DEPRESSIVE REACT (309.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	37.0	1219	7	7	29	64	83	83	83	1	1.0		1	1	1	1	1	1	1
18-20	1	2.0		2	2	2	2	2	2	2										
21-24																				
25-34																				
35-54	2	16.5	1	16	16	16	17	17	17	17	1	8.0		8	8	8	8	8	8	8
55-74	2	10.5	41	6	6	10	15	15	15	15										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	9	22.7	663	2	4	15	24	68	83	83	3	4.0	13	1	1	3	7	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	3	7.7	58	1	1	6	13	16	16	16										
18-20	1	12.0		12	12	12	12	12	12	12	1	6.0		6	6	6	6	6	6	6
21-24	2	30.0	1058	7	7	30	53	53	53	53	1	4.0		4	4	4	4	4	4	4
25-34											3	4.7	4	3	3	4	6	7	7	7
35-54	7	14.6	79	7	7	10	20	29	31	31	3	3.3	1	3	3	3	4	4	4	4
55-74	4	8.3	30	3	3	7	12	16	16	16	2	6.0	8	4	4	6	8	8	8	8
75 +	1	4.0		4	4	4	4	4	4	4	3	8.7	15	5	5	8	12	13	13	13
ALL AGES	18	13.0	153	2	3	9	16	28	44	53	13	5.5	9	3	3	4	7	9	12	13
SUBTOTAL	**27**	**16.2**	**327**	**2**	**3**	**10**	**16**	**42**	**57**	**83**	**16**	**5.3**	**8**	**1**	**3**	**4**	**7**	**8**	**12**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-20	4	6.3	15	3	3	6	9	11	11	11										
21-24	1	6.0		6	6	6	6	6	6	6										
25-34	6	9.3	50	2	2	6	16	20	20	20	2	5.0	18	2	2	5	8	8	8	8
35-54	5	10.0	91	1	1	7	14	26	26	26										
55-74	1	19.0		19	19	19	19	19	19	19	1	6.0		6	6	6	6	6	6	6
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	18	9.2	48	1	2	7	11	20	24	26	4	4.5	9	2	2	4	7	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	6	16.2	118	3	3	14	26	31	32	32	1	6.0		6	6	6	6	6	6	6
18-20	4	21.0	311	5	5	19	36	40	40	40	1	8.0		8	8	8	8	8	8	8
21-24	2	21.0	392	7	7	21	35	35	35	35										
25-34	8	16.4	193	4	4	15	19	39	47	47	2	3.5	13	1	1	3	6	6	6	6
35-54	14	14.9	129	3	3	10	26	30	37	39	1	16.0		16	16	16	16	16	16	16
55-74	3	12.3	126	4	4	8	21	25	25	25										
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	38	16.0	147	3	4	12	26	34	40	47	5	7.4	30	1	1	6	10	16	16	16
SUBTOTAL	**56**	**13.8**	**125**	**3**	**3**	**9**	**19**	**31**	**38**	**47**	**9**	**6.1**	**21**	**1**	**1**	**6**	**8**	**13**	**16**	**16**
GRAND TOTAL	**83**	**14.6**	**188**	**2**	**3**	**9**	**18**	**32**	**42**	**73**	**25**	**5.6**	**12**	**1**	**2**	**5**	**8**	**8**	**14**	**16**

ADJUST REACT/OTH EMOTION (309.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	2	4.0	8	2	2	4	6	6	6	6
13-17	21	6.9	34	1	1	5	12	16	17	19	3	28.3	1780	3	3	5	59	77	77	77
18-20	19	5.3	77	1	1	2	5	12	28	39	1	1.0		1	1	1	1	1	1	1
21-24	16	8.4	109	1	1	4	11	30	32	33										
25-34	29	6.7	24	1	1	6	10	12	17	20	1	2.0		2	2	2	2	2	2	2
35-54	20	5.1	13	1	1	4	7	11	12	13	5	4.4	26	1	1	2	7	13	13	13
55-74	8	16.6	353	4	5	8	22	50	57	57	3	12.7	75	3	3	15	19	20	20	20
75 +	5	9.4	21	5	5	9	13	15	15	15										
ALL AGES	119	7.2	69	1	1	5	9	15	20	45	15	10.4	373	1	1	3	11	20	63	77
B. FEMALE																				
0-12 YRS.	5	10.8	56	1	1	11	16	21	21	21	1	2.0		2	2	2	2	2	2	2
13-17	46	6.8	119	1	1	4	7	17	52	99 +	2	1.5	1	1	1	1	2	2	2	2
18-20	18	6.7	45	1	2	5	6	18	24	26	1	2.0		2	2	2	2	2	2	2
21-24	17	6.7	22	1	2	5	10	13	17	18	3	4.0	9	1	1	4	6	7	7	7
25-34	50	8.1	70	1	1	5	10	23	29	31	5	2.2	1	1	1	2	3	3	3	3
35-54	60	9.1	82	1	1	6	12	24	29	39	5	3.8	5	1	1	4	6	6	6	6
55-74	29	8.4	33	2	3	7	12	18	20	22	3	7.0	12	5	5	5	10	11	11	11
75 +	11	11.7	95	5	6	7	11	31	31	31	2	11.0		11	11	11	11	11	11	11
ALL AGES	236	8.1	74	1	1	5	10	21	28	52	22	4.2	11	1	1	3	6	11	11	11
SUBTOTAL	**355**	**7.8**	**72**	**1**	**1**	**5**	**10**	**18**	**28**	**50**	**37**	**6.7**	**161**	**1**	**1**	**3**	**6**	**13**	**18**	**77**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	52.7	921	29	29	42	76	87	87	87										
13-17	16	10.1	96	1	1	5	14	25	32	35	1	28.0		28	28	28	28	28	28	28
18-20	18	7.6	45	1	1	6	11	17	23	25	1	7.0		7	7	7	7	7	7	7
21-24	21	13.0	161	1	2	8	16	34	41	48										
25-34	42	8.1	36	2	2	6	11	16	22	26	2	1.5	1	1	1	1	2	2	2	2
35-54	33	6.3	15	1	2	6	8	12	14	17	2	11.0	72	5	5	11	17	17	17	17
55-74	8	8.5	16	4	4	8	11	14	15	15	3	19.3	312	5	5	14	33	39	39	39
75 +	1	21.0		21	21	21	21	21	21	21										
ALL AGES	142	9.6	113	1	2	7	12	20	29	51	9	13.1	169	1	1	7	20	35	39	39
B. FEMALE																				
0-12 YRS.	1	49.0		49	49	49	49	49	49	49	1	7.0		7	7	7	7	7	7	7
13-17	35	17.9	197	2	3	15	27	36	47	58	3	16.0	631	1	1	2	34	45	45	45
18-20	19	10.4	120	1	2	5	14	22	38	47	1	6.0		6	6	6	6	6	6	6
21-24	17	11.1	201	1	1	8	11	30	49	57										
25-34	57	9.5	78	1	1	8	12	22	28	39	4	5.3	34	2	2	3	8	14	14	14
35-54	41	11.0	62	1	3	10	15	21	24	40	5	10.8	105	1	1	7	15	28	28	28
55-74	17	14.7	143	2	2	14	22	28	40	46										
75 +	4	12.3	87	1	1	12	19	23	23	23										
ALL AGES	191	12.3	130	1	2	9	16	27	36	54	14	9.7	155	1	1	6	11	30	42	45
SUBTOTAL	**333**	**11.2**	**123**	**1**	**2**	**8**	**15**	**26**	**33**	**51**	**23**	**11.0**	**157**	**1**	**1**	**7**	**14**	**30**	**41**	**45**
GRAND TOTAL	**688**	**9.5**	**99**	**1**	**1**	**6**	**12**	**22**	**29**	**50**	**60**	**8.4**	**160**	**1**	**1**	**4**	**9**	**18**	**34**	**74**

ADJUST REACT-CONDUCT DIS (309.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	8	14.0	90	2	4	18	23	72	99+	99+	1	2.0		2	2	2	2	2	2	2
18-20	4	5.0	5	3	3	4	6	8	8	8										
21-24	5	13.6	106	1	1	19	21	23	23	23										
25-34	1	7.0		7	7	7	7	7	7	7										
35-54	3	1.7		1	1	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	23	9.5	76	1	2	6	20	24	50	99+	2	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	5	15.8	185	1	1	14	26	35	35	35	3	36.3	1574	11	11	16	65	82	82	82
18-20	1	17.0		17	17	17	17	17	17	17										
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	3	4.0	9	1	1	4	6	7	7	7										
35-54	3	19.7	988	1	1	2	42	56	56	56										
55-74	1	4.0		4	4	4	4	4	4	4										
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	15	11.9	243	1	1	5	16	35	51	56	3	36.3	1574	11	11	16	65	82	82	82
SUBTOTAL	**38**	**10.4**	**140**	**1**	**1**	**6**	**19**	**27**	**47**	**99+**	**5**	**22.6**	**1139**	**2**	**2**	**11**	**32**	**82**	**82**	**82**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	12.5	212	3	3	6	21	34	34	34	1	1.0		1	1	1	1	1	1	1
18-20																				
21-24	6	4.2	1	3	3	4	5	6	6	6										
25-34	7	5.3	56	1	1	3	4	18	22	22										
35-54	8	4.1	10	1	1	4	6	8	9	9										
55-74	5	8.0	50	1	1	5	15	17	17	17										
75 +	4	17.8	135	6	6	15	25	34	34	34										
ALL AGES	34	7.5	72	1	1	4	9	17	31	34	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	2	25.0	338	12	12	69	99+	99+	99+	99+										
18-20	1	3.0		3	3	3	3	3	3	3										
21-24	2	2.5	1	2	2	2	3	3	3	3										
25-34	4	8.3	28	1	1	9	12	14	14	14										
35-54	3	5.0	3	4	4	4	6	7	7	7										
55-74																				
75 +																				
ALL AGES	12	8.8	102	1	2	8	14	99+	99+	99+										
SUBTOTAL	**46**	**7.9**	**77**	**1**	**1**	**5**	**11**	**30**	**44**	**99+**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**84**	**9.0**	**106**	**1**	**1**	**5**	**14**	**28**	**41**	**99+**	**6**	**19.0**	**989**	**1**	**1**	**7**	**16**	**75**	**82**	**82**

ADJ REACT-EMOTION/CONDUC (309.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	16.8	271	1	2	8	29	41	50	50										
13-17	28	15.2	384	2	2	9	15	43	55	91										
18-20	17	4.6	36	1	1	2	5	13	20	24										
21-24	10	11.2	97	1	2	9	15	26	36	36										
25-34	12	4.7	18	1	1	3	6	13	14	14										
35-54	10	6.7	35	1	1	4	10	16	17	17										
55-74	3	4.0	1	3	3	4	5	5	5	5										
75 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	91	10.3	190	1	1	6	14	24	36	75										
B. FEMALE																				
0-12 YRS.	10	22.0	780	2	5	14	31	98	99 +	99 +										
13-17	40	14.2	109	1	2	12	23	31	32	36	3	7.7	22	4	4	6	11	13	13	13
18-20	9	9.2	80	1	1	5	13	24	26	26										
21-24	8	10.0	56	3	3	7	16	21	22	22										
25-34	18	11.4	154	1	2	9	12	19	43	57										
35-54	18	9.3	113	1	2	5	14	18	35	46	1	9.0		9	9	9	9	9	9	9
55-74	9	19.3	172	2	4	19	22	40	47	47	1	1.0		1	1	1	1	1	1	1
75 +	3	9.0	52	3	3	7	14	17	17	17	1	3.0		3	3	3	3	3	3	3
ALL AGES	115	13.3	175	1	2	9	18	30	35	98	6	6.0	19	1	1	5	9	13	13	13
SUBTOTAL	**206**	**11.9**	**185**	**1**	**2**	**8**	**16**	**27**	**36**	**94**	**6**	**6.0**	**19**	**1**	**1**	**5**	**9**	**13**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	10.0	8	8	8	10	12	12	12	12										
13-17	19	24.6	206	4	5	24	31	40	51	60										
18-20	5	15.0	252	2	2	13	20	42	42	42										
21-24	19	5.5	97	1	1	2	5	11	30	44	1	3.0		3	3	3	3	3	3	3
25-34	27	8.8	72	3	3	6	9	16	31	41										
35-54	20	9.9	99	1	2	7	14	20	33	43	1	2.0		2	2	2	2	2	2	2
55-74	8	15.0	159	5	6	11	15	37	45	45										
75 +	2	4.0	18	1	1	4	7	7	7	7										
ALL AGES	102	12.0	158	1	2	7	15	31	42	52	2	2.5	1	2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	51	99 +	99 +	99 +	99 +										
13-17	28	17.3	198	3	3	14	27	35	40	64										
18-20	12	7.6	46	1	2	6	8	20	23	24	1	15.0		15	15	15	15	15	15	15
21-24	10	6.4	25	1	1	6	11	14	16	16										
25-34	28	9.9	62	2	3	8	14	16	30	35										
35-54	29	10.3	67	2	3	7	15	20	23	39	1	2.0		2	2	2	2	2	2	2
55-74	7	15.1	329	2	2	6	28	45	47	47	2	6.0	18	3	3	6	9	9	9	9
75 +	1	24.0		24	24	24	24	24	24	24										
ALL AGES	116	11.6	117	2	2	8	16	29	35	76	4	7.3	35	2	2	6	12	15	15	15
SUBTOTAL	**218**	**11.8**	**135**	**1**	**2**	**7**	**16**	**30**	**39**	**61**	**6**	**5.7**	**27**	**2**	**2**	**3**	**9**	**14**	**15**	**15**
GRAND TOTAL	**424**	**11.9**	**158**	**1**	**2**	**8**	**16**	**29**	**39**	**70**	**12**	**5.8**	**22**	**1**	**1**	**4**	**9**	**14**	**15**	**15**

OTHER ADJUST REACTION (309.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	36.8	96	26	26	36	45	48	48	48										
13-17	2	10.0	98	3	3	10	17	17	17	17	1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34	5	14.8	91	7	7	12	19	31	31	31										
35-54	4	19.8	122	8	8	19	29	32	32	32	2	7.0	32	3	3	7	11	11	11	11
55-74	1	1.0		1	1	1	1	1	1	1										
75 +											1	12.0		12	12	12	12	12	12	12
ALL AGES	16	20.1	196	2	3	16	31	41	46	48	4	6.8	30	1	1	7	11	12	12	12
B. FEMALE																				
0-12 YRS.	3	12.3	323	1	1	3	25	33	33	33	1	29.0		29	29	29	29	29	29	29
13-17	8	10.9	84	1	2	9	17	25	27	27										
18-20																				
21-24	1	18.0		18	18	18	18	18	18	18										
25-34	5	4.0	5	2	2	4	5	7	7	7	1	4.0		4	4	4	4	4	4	4
35-54	3	17.0	403	3	3	8	32	40	40	40										
55-74																				
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	21	10.9	123	1	2	7	16	29	36	40	2	16.5	313	4	4	16	29	29	29	29
SUBTOTAL	**37**	**14.8**	**174**	**1**	**2**	**11**	**26**	**33**	**41**	**48**	**6**	**10.0**	**106**	**1**	**1**	**7**	**12**	**27**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	7	11.3	89	3	3	7	18	26	28	28										
18-20																				
21-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	7	20.7	366	1	1	16	28	52	58	58										
55-74	2	4.0	8	2	2	4	6	6	6	6										
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	17	14.1	209	1	2	8	21	29	48	58	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	10	16.8	108	3	3	18	28	29	29	29										
18-20	3	11.3	102	2	2	10	19	22	22	22										
21-24	1	18.0		18	18	18	18	18	18	18										
25-34	5	12.0	204	2	2	3	21	35	35	35										
35-54	7	12.6	25	7	7	13	15	21	22	22	1	21.0		21	21	21	21	21	21	21
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	27	14.0	89	2	3	13	21	29	30	35	1	21.0		21	21	21	21	21	21	21
SUBTOTAL	**44**	**14.0**	**133**	**2**	**3**	**11**	**21**	**29**	**31**	**58**	**2**	**11.0**	**200**	**1**	**1**	**11**	**21**	**21**	**21**	**21**
GRAND TOTAL	**81**	**14.4**	**149**	**1**	**2**	**11**	**22**	**31**	**37**	**55**	**8**	**10.3**	**104**	**1**	**1**	**7**	**16**	**27**	**29**	**29**

ADJUSTMENT REACTION NOS (309.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	6	2.3	4	1	1	1	3	6	6	6	1	4.0		4	4	4	4	4	4	4
18-20	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
21-24	3	9.7	29	6	6	7	14	16	16	16										
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14	2	12.5	61	7	7	12	18	18	18	18
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	12	5.4	25	1	1	4	7	15	16	16	4	7.5	55	1	1	5	12	18	18	18
B. FEMALE																				
0-12 YRS.	2	17.5	481	2	2	17	33	33	33	33										
13-17	13	7.3	142	1	1	2	5	31	35	36	3	2.3	6	1	1	1	4	5	5	5
18-20	1	3.0		3	3	3	3	3	3	3	2	3.5	13	1	1	3	6	6	6	6
21-24	4	17.8	101	3	3	21	24	25	25	25										
25-34	7	7.6	63	1	1	6	9	21	24	24	2	2.0	2	1	1	2	3	3	3	3
35-54	6	6.8	32	2	2	5	12	15	15	15	4	3.5	4	2	2	3	5	6	6	6
55-74	5	22.6	280	5	5	21	33	48	48	48	2	11.0	162	2	2	11	20	20	20	20
75 +	1	12.0		12	12	12	12	12	12	12	1	1.0		1	1	1	1	1	1	1
ALL AGES	39	10.8	146	1	1	5	18	29	35	48	14	3.9	25	1	1	2	5	8	17	20
SUBTOTAL	**51**	**9.6**	**121**	**1**	**1**	**5**	**14**	**26**	**33**	**48**	**18**	**4.7**	**31**	**1**	**1**	**3**	**6**	**15**	**19**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	5	10.0	22	4	4	9	14	16	16	16										
18-20	7	9.6	143	1	1	6	13	30	34	34										
21-24	6	11.0	66	2	2	9	14	24	25	25										
25-34	18	9.8	225	1	2	5	9	20	48	66										
35-54	3	14.3	147	3	3	13	23	27	27	27	2	2.0	2	1	1	2	3	3	3	3
55-74	2	14.0	2	13	13	14	15	15	15	15										
75 +	2	2.5	5	1	1	2	4	4	4	4										
ALL AGES	44	10.0	131	1	1	7	13	21	29	66	2	2.0	2	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	7	20.0	91	3	5	22	27	31	32	32	4	9.3	250	1	1	1	17	33	33	33
18-20	13	10.5	76	1	1	10	16	23	28	29	1	12.0		12	12	12	12	12	12	12
21-24	6	4.0	6	1	1	4	6	7	7	7	1	1.0		1	1	1	1	1	1	1
25-34	17	5.0	13	1	1	4	8	10	12	13	3	6.3	26	1	1	7	10	11	11	11
35-54	16	8.4	81	1	1	6	10	20	31	36										
55-74	3	7.3	7	5	5	7	9	10	10	10										
75 +	2	13.0	8	11	11	13	15	15	15	15										
ALL AGES	64	8.9	67	1	1	6	12	21	28	35	9	7.7	110	1	1	2	11	25	33	33
SUBTOTAL	**108**	**9.3**	**93**	**1**	**1**	**6**	**13**	**21**	**28**	**49**	**11**	**6.6**	**94**	**1**	**1**	**2**	**10**	**20**	**32**	**33**
GRAND TOTAL	**159**	**9.4**	**101**	**1**	**1**	**6**	**13**	**23**	**30**	**47**	**29**	**5.4**	**54**	**1**	**1**	**2**	**6**	**16**	**21**	**33**

FRONTAL LOBE SYNDROME (310.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	30.0		30	30	30	30	30	30	30										
25-34											1	5.0		5	5	5	5	5	5	5
35-54											1	3.0		3	3	3	3	3	3	3
55-74	2	7.0	8	5	5	7	9	9	9	9										
75 +																				
ALL AGES	3	14.7	179	5	5	9	25	30	30	30	2	4.0	2	3	3	4	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	13.0		13	13	13	13	13	13	13										
75 +	2	10.0	8	8	8	10	12	12	12	12										
ALL AGES	3	11.0	7	8	8	12	13	13	13	13										
SUBTOTAL	**6**	**12.8**	**80**	**5**	**5**	**10**	**13**	**28**	**30**	**30**	**2**	**4.0**	**2**	**3**	**3**	**4**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**										
GRAND TOTAL	**7**	**11.4**	**80**	**3**	**3**	**9**	**13**	**27**	**30**	**30**	**2**	**4.0**	**2**	**3**	**3**	**4**	**5**	**5**	**5**	**5**

ORGANIC PERSONALITY SYND (310.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	5.0		5	5	5	5	5	5	5
18-20																				
21-24	2	19.5	481	4	4	19	35	35	35	35										
25-34																				
35-54	3	6.7	40	3	3	3	11	14	14	14	1	6.0		6	6	6	6	6	6	6
55-74	11	13.9	85	3	5	10	20	29	32	32	2	3.5	5	2	2	3	5	5	5	5
75 +	7	14.4	93	6	6	10	23	29	30	30	1	11.0		11	11	11	11	11	11	11
ALL AGES	23	13.6	99	3	3	10	20	30	33	35	5	5.8	11	2	2	5	7	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	18.0		18	18	18	18	18	18	18										
25-34	1	9.0		9	9	9	9	9	9	9										
35-54																				
55-74	6	18.7	483	1	2	11	19	58	62	62	1	4.0		4	4	4	4	4	4	4
75 +	23	17.5	247	2	3	14	22	35	53	69	7	8.7	17	2	4	10	35	99 +	99 +	99 +
ALL AGES	31	17.5	264	2	3	14	20	37	61	69	8	8.1	17	2	3	9	14	99 +	99 +	99 +
SUBTOTAL	**54**	**15.8**	**195**	**2**	**3**	**12**	**20**	**32**	**42**	**69**	**13**	**7.2**	**15**	**2**	**2**	**7**	**12**	**99 +**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	5.5	25	2	2	5	9	9	9	9										
21-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54	2	14.0	18	11	11	14	17	17	17	17	1	2.0		2	2	2	2	2	2	2
55-74	1	1.0		1	1	50	99 +	99 +	99 +	99 +	1	10.0		10	10	10	10	10	10	10
75 +	1	21.0		21	21	21	21	21	21	21	3	29.0	1732	3	3	7	59	77	77	77
ALL AGES	7	9.3	58	1	1	10	19	76	99 +	99 +	5	19.8	1033	2	2	7	27	77	77	77
B. FEMALE																				
0-12 YRS.	1	24.0		24	24	24	24	24	24	24										
13-17																				
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4										
25-34	1	10.0		10	10	10	10	10	10	10										
35-54	1	18.0		18	18	18	18	18	18	18										
55-74	3	29.3	617	7	7	25	48	56	56	56										
75 +	3	14.0	147	3	3	12	23	27	27	27	2	6.5	13	4	4	6	9	9	9	9
ALL AGES	10	18.6	250	3	3	15	25	41	56	56	2	6.5	13	4	4	6	9	9	9	9
SUBTOTAL	**17**	**14.8**	**184**	**1**	**2**	**11**	**24**	**47**	**82**	**99 +**	**7**	**16.0**	**733**	**2**	**2**	**7**	**10**	**64**	**77**	**77**
GRAND TOTAL	**71**	**15.6**	**189**	**2**	**3**	**12**	**21**	**32**	**55**	**93**	**20**	**10.3**	**259**	**2**	**2**	**7**	**11**	**84**	**99 +**	**99 +**

POSTCONCUSSION SYNDROME (310.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	23	2.4	8	1	1	1	3	5	9	13	12	2.4	7	1	1	1	5	26	86	99+
13-17	25	1.8	1	1	1	1	2	4	4	4	22	3.9	13	1	1	2	6	8	11	15
18-20	20	5.1	24	1	1	4	6	9	17	23	30	4.2	6	1	1	4	6	8	8	9
21-24	19	2.7	3	1	1	2	4	5	6	6	49	6.7	13	1	1	7	8	11	12	20
25-34	28	2.7	5	1	1	2	4	6	8	9	135	6.8	19	2	3	6	8	10	12	25
35-54	25	4.0	4	1	1	4	6	7	7	8	141	6.7	12	2	4	6	8	9	13	21
55-74	16	6.7	10	2	2	6	9	11	11	11	29	7.4	20	1	2	7	9	12	14	22
75 +	3	9.3	27	5	5	8	13	15	15	15	3	21.3	522	1	1	17	39	46	46	46
ALL AGES	159	3.5	10	1	1	2	5	7	10	15	421	6.5	19	1	2	6	8	10	13	24
B. FEMALE																				
0-12 YRS.	19	2.3	13	1	1	1	2	3	11	17	20	2.8	11	1	1	2	3	11	52	99+
13-17	13	2.6	3	1	1	2	3	5	6	6	16	8.7	304	1	1	4	8	10	54	73
18-20	14	2.9	11	1	1	2	2	8	12	13	24	4.8	7	1	1	5	7	8	9	9
21-24	15	2.9	4	1	1	2	3	6	7	8	37	6.0	6	3	3	6	7	9	10	14
25-34	28	4.5	15	1	1	3	6	8	14	17	88	7.2	12	3	3	7	8	12	14	19
35-54	26	5.4	26	1	1	4	7	13	16	23	116	7.5	22	2	3	7	9	12	17	29
55-74	22	4.6	6	1	2	4	6	8	9	11	42	7.9	26	2	3	7	9	16	19	23
75 +	16	10.4	99	1	2	7	13	30	34	35	13	11.2	383	2	2	5	10	26	66	75
ALL AGES	153	4.5	26	1	1	3	6	9	14	31	356	7.1	42	1	2	6	8	12	14	31
SUBTOTAL	**312**	**4.0**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**23**	**777**	**6.7**	**31**	**1**	**2**	**6**	**8**	**11**	**14**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
25-34	6	3.2	12	1	1	2	4	9	10	10	2	4.0	8	2	2	4	6	6	6	6
35-54	4	10.0	65	3	3	8	16	20	20	20	2	4.5	5	3	3	4	6	6	6	6
55-74											2	3.5	1	3	3	3	4	4	4	4
75 +	2	18.0	98	11	11	18	25	25	25	25	3	10.0	129	2	2	5	18	23	23	23
ALL AGES	14	7.1	59	1	1	3	11	20	24	25	10	5.5	41	1	1	4	6	54	96	99+
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24											1	3.0		3	3	3	3	3	3	3
25-34	1	5.0		5	5	5	5	5	5	5	2	4.5	5	3	3	4	6	6	6	6
35-54	5	3.6	4	1	1	4	5	6	6	6	4	6.3	14	4	4	5	8	12	12	12
55-74	1	33.0		33	33	33	33	33	33	33	1	4.0		4	4	4	4	4	4	4
75 +	2	14.5	113	7	7	14	22	22	22	22	2	10.0	98	3	3	10	17	17	17	17
ALL AGES	11	7.9	104	1	1	5	7	26	32	33	10	6.1	22	3	3	4	6	14	17	17
SUBTOTAL	**25**	**7.4**	**76**	**1**	**1**	**4**	**10**	**22**	**27**	**33**	**20**	**5.8**	**30**	**1**	**2**	**4**	**6**	**19**	**58**	**99+**
GRAND TOTAL	**337**	**4.3**	**23**	**1**	**1**	**3**	**5**	**8**	**13**	**26**	**797**	**6.7**	**30**	**1**	**2**	**6**	**8**	**11**	**14**	**29**

NONPSYCHOT BRAIN SYN NEC (310.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	15.0	200	5	5	15	25	25	25	25										
13-17																				
18-20																				
21-24	1	9.0		9	9	9	9	9	9	9										
25-34	1	18.0		18	18	18	18	18	18	18										
35-54	2	10.5	25	7	7	10	14	14	14	14										
55-74	2	32.0	1152	8	8	32	56	56	56	56										
75 +	3	7.3	3	6	6	7	8	9	9	9	1	14.0		14	14	14	14	14	14	14
ALL AGES	11	14.9	222	5	6	9	17	37	54	56	1	14.0		14	14	14	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9										
18-20	3	18.7	238	3	3	19	30	34	34	34										
21-24																				
25-34																				
35-54	2	20.0	242	9	9	20	31	31	31	31										
55-74	3	10.0	39	5	5	8	15	17	17	17	1	33.0		33	33	33	33	33	33	33
75 +	6	9.2	30	2	3	11	16	84	99 +	99 +										
ALL AGES	15	12.7	90	2	3	10	18	34	80	99 +	1	33.0		33	33	33	33	33	33	33
SUBTOTAL	**26**	**13.6**	**142**	**3**	**5**	**9**	**18**	**33**	**63**	**99 +**	**2**	**23.5**	**181**	**14**	**14**	**23**	**33**	**33**	**33**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	9.0		9	9	9	9	9	9	9										
55-74	2	24.5	181	15	15	24	34	34	34	34	1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	3	19.3	172	9	9	15	29	34	34	34	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	5.0		5	5	5	5	5	5	5
25-34																				
35-54																				
55-74											1	14.0		14	14	14	14	14	14	14
75 +	2	26.5	313	14	14	26	39	39	39	39										
ALL AGES	2	26.5	313	14	14	26	39	39	39	39	2	9.5	41	5	5	9	14	14	14	14
SUBTOTAL	**5**	**22.2**	**179**	**9**	**9**	**15**	**35**	**39**	**39**	**39**	**3**	**9.3**	**21**	**5**	**5**	**9**	**13**	**14**	**14**	**14**
GRAND TOTAL	**31**	**15.0**	**152**	**3**	**5**	**10**	**19**	**36**	**54**	**99 +**	**5**	**15.0**	**116**	**5**	**5**	**14**	**19**	**33**	**33**	**33**

NONPSYCHOT BRAIN SYN NOS (310.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	8.0		8	8	8	8	8	8	8										
25-34	1	34.0		34	34	34	34	34	34	34	1	2.0		2	2	2	2	2	2	2
35-54	11	14.3	168	2	2	11	27	34	36	36	1	1.0		1	1	1	1	1	1	1
55-74	25	17.7	318	2	3	11	17	52	57	62	12	8.8	27	3	3	7	11	18	19	19
75 +	31	12.7	115	4	4	9	16	36	44	99 +	22	15.2	502	4	6	9	14	99 +	99 +	99 +
ALL AGES	69	15.0	199	2	3	10	17	40	52	92	36	12.3	326	2	3	8	13	85	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	13.5	221	3	3	13	24	24	24	24										
35-54	1	6.0		6	6	6	6	6	6	6	1	14.0		14	14	14	14	14	14	14
55-74	24	13.2	177	3	4	9	14	32	46	61	14	9.4	169	1	2	4	11	44	86	99 +
75 +	79	13.9	206	2	3	8	18	46	61	99 +	52	13.1	189	2	3	11	16	55	99 +	99 +
ALL AGES	106	13.7	194	2	3	8	17	39	61	99 +	67	12.3	183	2	3	10	16	48	99 +	99 +
SUBTOTAL	**175**	**14.2**	**195**	**2**	**3**	**9**	**17**	**39**	**55**	**99 +**	**103**	**12.3**	**230**	**2**	**3**	**9**	**15**	**61**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	2.0		2	2	2	2	2	2	2
21-24	1	12.0		12	12	12	12	12	12	12										
25-34	2	34.5	761	15	15	34	54	54	54	54										
35-54	5	22.0	284	4	4	25	33	45	45	45										
55-74	12	15.3	165	2	3	10	23	33	44	46	7	14.3	372	1	1	6	16	48	56	56
75 +	16	8.1	20	2	3	8	11	18	71	99 +	6	7.8	15	4	4	8	13	83	99 +	99 +
ALL AGES	36	14.0	164	2	3	10	18	42	51	99 +	14	10.6	195	1	2	7	13	56	89	99 +
B. FEMALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-20																				
21-24											1	1.0		1	1	1	1	1	1	1
25-34																				
35-54	4	35.5	1654	7	7	20	61	95	95	95										
55-74	16	10.8	46	3	4	8	15	24	25	25	2	27.0	450	12	12	27	42	42	42	42
75 +	16	12.8	149	1	2	15	36	99 +	99 +	99 +	14	18.4	316	2	3	13	39	96	99 +	99 +
ALL AGES	36	14.4	284	2	3	12	22	97	99 +	99 +	18	17.5	309	1	2	13	34	80	99 +	99 +
SUBTOTAL	**72**	**14.2**	**221**	**2**	**3**	**10**	**19**	**48**	**99 +**	**99 +**	**32**	**14.5**	**263**	**1**	**2**	**10**	**24**	**60**	**99 +**	**99 +**
GRAND TOTAL	**247**	**14.2**	**202**	**2**	**3**	**9**	**18**	**44**	**61**	**99 +**	**135**	**12.8**	**237**	**2**	**3**	**9**	**16**	**60**	**99 +**	**99 +**

DEPRESSIVE DISORDER NEC (311.)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	4.0	2	3	3	4	5	5	5	5	2	28.0	1152	4	4	28	52	52	52	52
13-17	9	4.4	13	1	1	5	7	9	11	11	5	8.2	178	1	1	3	10	32	32	32
18-20	1	34.0		34	34	34	34	34	34	34	1	7.0		7	7	7	7	7	7	7
21-24	5	19.0	126	2	2	21	27	31	31	31										
25-34	18	8.9	84	1	1	5	15	23	28	30	1	6.0		6	6	6	6	6	6	6
35-54	40	10.8	149	2	2	6	13	25	39	58	4	4.0	5	2	2	3	5	7	7	7
55-74	28	13.0	114	2	2	10	17	33	36	38	8	11.9	374	1	2	5	9	45	59	59
75 +	18	18.6	214	3	3	15	33	37	46	52	7	7.7	18	3	3	8	8	14	16	16
ALL AGES	121	12.1	142	1	2	8	18	32	36	54	28	9.8	204	1	2	5	8	27	53	59
B. FEMALE																				
0-12 YRS.	3	17.0	507	4	4	4	33	43	43	43	1	4.0		4	4	4	4	4	4	4
13-17	26	9.6	375	1	1	4	9	21	42	99	8	13.4	409	1	1	3	24	47	49	49
18-20	11	9.4	93	1	1	5	15	25	30	30										
21-24	12	12.6	96	1	1	14	16	25	34	36	7	2.7	2	1	1	3	4	5	5	5
25-34	31	13.5	337	1	1	7	17	30	51	90	9	2.2	2	1	1	2	3	4	5	5
35-54	55	11.0	95	1	1	8	16	24	29	48	15	2.5	2	1	1	2	4	4	5	5
55-74	64	13.3	116	2	3	12	19	27	29	60	21	7.9	43	2	2	7	9	16	25	29
75 +	40	13.4	227	2	3	7	17	31	50	70	15	12.7	489	1	1	6	11	27	73	89
ALL AGES	242	12.2	185	1	2	8	17	27	35	72	76	7.2	161	1	1	4	6	12	28	79
SUBTOTAL	**363**	**12.2**	**170**	**1**	**2**	**8**	**17**	**28**	**36**	**63**	**104**	**7.9**	**172**	**1**	**1**	**4**	**7**	**14**	**35**	**73**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	10.5	41	6	6	10	15	15	15	15	3	42.0	1084	4	4	60	61	62	62	62
13-17	9	6.8	37	2	2	4	8	17	21	21	1	46.0		46	46	73	99 +	99 +	99 +	99 +
18-20	6	12.5	487	1	1	3	10	52	57	57	1	1.0		1	1	1	1	1	1	1
21-24	9	9.3	38	1	1	8	14	18	20	20										
25-34	31	11.1	62	1	2	9	17	22	25	32	3	1.7		1	1	2	2	2	2	2
35-54	29	8.5	42	1	2	7	11	20	30	99 +	5	3.2	3	1	1	3	5	5	5	5
55-74	21	8.8	33	1	2	9	11	16	21	24	6	12.0	124	3	3	6	23	28	29	29
75 +	5	15.8	160	4	4	13	24	35	35	35	2	8.0	18	5	5	8	11	11	11	11
ALL AGES	112	9.8	70	1	2	8	13	21	25	73	21	13.4	375	1	1	5	23	61	77	99 +
B. FEMALE																				
0-12 YRS.											1	64.0		64	64	64	64	64	64	64
13-17	17	6.7	39	1	1	4	12	16	20	22	3	41.7	1878	2	2	35	75	88	88	88
18-20	12	13.2	208	2	2	8	16	42	43	43	2	27.0	72	21	21	27	33	33	33	33
21-24	8	19.5	236	3	5	15	26	45	50	50	3	10.0	67	1	1	12	16	17	17	17
25-34	28	10.0	110	1	1	6	14	27	29	39	7	3.4	6	1	1	3	5	7	7	7
35-54	46	11.8	141	1	2	8	16	27	33	65	8	3.0	1	1	1	3	4	5	5	5
55-74	24	12.0	52	2	3	11	17	22	25	27	6	4.5	11	1	1	4	6	10	10	10
75 +	13	11.9	162	3	3	9	14	24	45	50	5	7.4	19	3	3	7	10	14	14	14
ALL AGES	148	11.4	123	1	2	9	16	26	34	51	35	11.0	339	1	1	4	10	33	57	88
SUBTOTAL	**260**	**10.7**	**101**	**1**	**2**	**8**	**15**	**23**	**31**	**56**	**56**	**11.9**	**347**	**1**	**1**	**4**	**11**	**44**	**63**	**99**
GRAND TOTAL	**623**	**11.6**	**141**	**1**	**2**	**8**	**16**	**26**	**34**	**61**	**160**	**9.3**	**235**	**1**	**1**	**4**	**8**	**28**	**50**	**89**

UNSOCIALIZED AGGRESSION (312.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	18.9	370	4	4	9	25	52	58	58	1	79.0		79	79	79	79	79	79	79
13-17	18	26.7	460	1	3	22	44	71	91	99+	1	58.0		58	58	58	58	58	58	58
18-20	3	5.0	28	1	1	3	9	11	11	11										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	28	22.4	424	1	2	21	36	59	80	99+	2	68.5	221	58	58	68	79	79	79	79
B. FEMALE																				
0-12 YRS.	1	48.0		48	48	74	99+	99+	99+	99+										
13-17	7	11.9	207	1	1	3	19	36	40	40	1	4.0		4	4	4	4	4	4	4
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	16.4	341	1	1	13	42	79	99+	99+	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**36**	**21.1**	**401**	**1**	**2**	**19**	**40**	**59**	**91**	**99+**	**3**	**47.0**	**1497**	**4**	**4**	**58**	**74**	**79**	**79**	**79**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	16	59.2	1009	3	10	75	96	99+	99+	99+	3	40.7	2300	4	4	23	77	95	95	95
13-17	34	25.6	467	2	3	24	35	64	87	99+	1	4.0		4	4	4	4	4	4	4
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	50	36.3	878	3	3	29	64	97	99+	99+	4	31.5	1872	4	4	14	59	95	95	95
B. FEMALE																				
0-12 YRS.	2	5.0	18	2	2	5	8	8	8	8	1	40.0		40	40	40	40	40	40	40
13-17	7	34.7	701	3	5	27	44	77	85	85	1	39.0		39	39	39	39	39	39	39
18-20																				
21-24																				
25-34	1	19.0		19	19	19	19	19	19	19										
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	11	25.1	615	2	3	19	37	62	83	85	2	39.5	1	39	39	39	40	40	40	40
SUBTOTAL	**61**	**34.3**	**837**	**3**	**3**	**27**	**58**	**92**	**99+**	**99+**	**6**	**34.2**	**1138**	**4**	**4**	**31**	**40**	**89**	**95**	**95**
GRAND TOTAL	**97**	**29.4**	**710**	**2**	**3**	**24**	**50**	**88**	**99+**	**99+**	**9**	**38.4**	**1132**	**4**	**4**	**39**	**63**	**89**	**95**	**95**

UNSOCIALIZ, UNAGGRESSIVE (312.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	24.0	343	5	5	25	38	42	42	42										
13-17	4	28.3	834	1	1	48	68	99 +	99 +	99 +										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	26.4	540	1	2	33	53	87	99 +	99 +										
B. FEMALE																				
0-12 YRS.	2	8.0	72	2	2	8	14	14	14	14										
13-17	5	20.0	330	3	3	15	25	51	51	51										
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	8.0		8	8	8	8	8	8	8										
75 +																				
ALL AGES	8	15.5	237	2	2	14	16	41	51	51										
SUBTOTAL	**15**	**20.6**	**381**	**1**	**2**	**15**	**45**	**57**	**87**	**99 +**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	24.7	304	7	7	25	38	42	42	42	2	64.5	41	60	60	64	69	69	69	69
13-17	12	34.3	608	1	3	46	57	59	59	59										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	15	32.4	536	1	4	42	55	59	59	59	2	64.5	41	60	60	64	69	69	69	69
B. FEMALE																				
0-12 YRS.	2	39.5	2113	7	7	39	72	72	72	72										
13-17	9	34.3	806	4	4	29	62	70	74	74										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	11	35.3	857	4	4	29	63	73	74	74										
SUBTOTAL	**26**	**33.6**	**647**	**3**	**4**	**35**	**58**	**64**	**72**	**74**	**2**	**64.5**	**41**	**60**	**60**	**64**	**69**	**69**	**69**	**69**
GRAND TOTAL	**41**	**28.3**	**574**	**2**	**3**	**21**	**52**	**63**	**73**	**99 +**	**2**	**64.5**	**41**	**60**	**60**	**64**	**69**	**69**	**69**	**69**

SOCIALIZED CONDUCT DIS (312.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	27.2	616	4	6	33	42	89	99	99 +										
13-17	30	18.1	567	1	1	7	27	67	93	99 +										
18-20	4	17.0	503	2	2	8	31	50	50	50										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	44	20.0	564	1	2	10	36	74	95	99 +										
B. FEMALE																				
0-12 YRS.	2	44.0	3528	2	2	86	96	99 +	99 +	99 +										
13-17	26	16.4	280	1	1	12	28	54	65	99 +	1	1.0		1	1		1	1	1	1
18-20																				
21-24	1	48.0		48	48	48	48	48	48	48										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	29	19.4	457	1	1	13	34	70	99	99 +	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**73**	**19.8**	**513**	**1**	**1**	**11**	**35**	**72**	**98**	**99 +**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	13	53.2	954	4	7	61	91	99 +	99 +	99 +										
13-17	37	25.6	643	1	1	21	44	77	93	99 +	1	17.0		17	17	17	17	17	17	17
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	50	32.8	854	1	2	30	61	92	99 +	99 +	1	17.0		17	17	17	17	17	17	17
B. FEMALE																				
0-12 YRS.	5	69.0	518	36	40	84	97	99 +	99 +	99 +										
13-17	44	25.6	694	2	3	15	31	80	87	92										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	49	30.1	836	2	3	21	52	87	92	99 +										
SUBTOTAL	**99**	**31.4**	**842**	**1**	**2**	**23**	**61**	**90**	**99 +**	**99 +**	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**
GRAND TOTAL	**172**	**26.5**	**731**	**1**	**2**	**18**	**48**	**85**	**99 +**	**99 +**	**2**	**9.0**	**128**	**1**	**1**	**9**	**17**	**17**	**17**	**17**

IMPULSE CONTROL DIS NEC (312.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	29.0	496	5	5	33	45	49	49	49										
13-17	3	18.7	270	2	2	19	31	35	35	35										
18-20	1	6.0		6	6	6	6	6	6	6										
21-24	3	8.3	47	3	3	6	13	16	16	16										
25-34	9	8.2	66	1	1	6	11	21	27	27										
35-54	2	11.5	1	11	11	11	12	12	12	12										
55-74	2	23.0	288	11	11	23	35	35	35	35										
75 +											1	9.0		9	9	9	9	9	9	9
ALL AGES	23	13.8	173	1	2	11	18	35	40	49	1	9.0		9	9	54	99 +	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17	1	23.0		23	23	23	23	23	23	23										
18-20	2	16.5	265	5	5	16	28	28	28	28										
21-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54																				
55-74																				
75 +																				
ALL AGES	4	16.0	126	5	5	15	25	28	28	28										
SUBTOTAL	**27**	**14.1**	**162**	**2**	**2**	**11**	**22**	**34**	**37**	**49**	**1**	**9.0**		**9**	**9**	**54**	**99 +**	**99 +**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	99.0		99	99	99	99	99	99 +	99 +
13-17	1	3.0		3	3	3	3	3	3	3										
18-20	5	11.2	82	2	2	9	19	23	23	23										
21-24																				
25-34	9	9.3	79	1	1	6	12	24	30	30										
35-54	6	10.3	149	4	4	5	8	32	35	35										
55-74	2	2.5	5	1	1	2	4	4	4	4										
75 +																				
ALL AGES	23	9.1	85	1	2	5	11	24	32	35	1	99.0		99	99	99	99	99	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	7.0		7	7	7	7	7	7	7										
25-34	3	10.7	29	7	7	8	15	17	17	17										
35-54	1	31.0		31	31	31	31	31	31	31										
55-74																				
75 +																				
ALL AGES	5	14.0	108	7	7	8	20	31	31	31										
SUBTOTAL	**28**	**10.0**	**88**	**1**	**2**	**6**	**13**	**28**	**31**	**35**	**1**	**99.0**		**99**	**99**	**99**	**99**	**99**	**99 +**	**99 +**
GRAND TOTAL	**55**	**12.0**	**127**	**1**	**2**	**8**	**17**	**31**	**35**	**48**	**2**	**54.0**	**4050**	**9**	**9**	**99**	**99 +**	**99 +**	**99 +**	**99 +**

MIX DIS CONDUCT/EMOTION (312.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
13-17	1	29.0		29	29	29	29	29	29	29										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	16.0	338	3	3	16	29	29	29	29	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	1	25.0		25	25	25	25	25	25	25										
18-20																				
21-24																				
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14										
55-74																				
75 +																				
ALL AGES	2	19.5	61	14	14	19	25	25	25	25	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**4**	**17.8**	**135**	**3**	**3**	**19**	**27**	**29**	**29**	**29**	**2**	**3.5**	**1**	**3**	**3**	**3**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**										
GRAND TOTAL	**5**	**15.2**	**135**	**3**	**3**	**14**	**26**	**29**	**29**	**29**	**2**	**3.5**	**1**	**3**	**3**	**3**	**4**	**4**	**4**	**4**

OTHER CONDUCT DISTURB (312.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	23.5	685	5	5	42	85	99+	99+	99+	3	2.0	1	1	1	2	3	3	3	3
13-17	3	4.7	2	3	3	5	6	6	6	6										
18-20																				
21-24	2	26.0	1152	2	2	26	50	50	50	50										
25-34																				
35-54																				
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	8	15.3	367	2	2	6	44	80	99+	99+	3	2.0	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.	3	15.3	576	1	1	2	33	43	43	43										
13-17																				
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	1	20.0		20	20	20	20	20	20	20										
35-54	1	19.0		19	19	19	19	19	19	19										
55-74	1	1.0		1	1	1	1	1	1	1										
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	8	11.9	218	1	1	4	19	36	43	43										
SUBTOTAL	**16**	**13.6**	**276**	**1**	**1**	**6**	**25**	**49**	**82**	**99+**	**3**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-17	2	9.0	72	3	3	9	15	15	15	15										
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +																				
ALL AGES	5	6.8	31	2	2	4	11	15	15	15	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	29.0		29	29	29	29	29	29	29	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	1	29.0		29	29	29	29	29	29	29	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**6**	**10.5**	**107**	**2**	**2**	**7**	**15**	**28**	**29**	**29**	**2**	**2.0**	**2**	**1**	**1**	**1**	**3**	**3**	**3**	**3**
GRAND TOTAL	**22**	**12.7**	**226**	**1**	**2**	**6**	**20**	**44**	**67**	**99+**	**5**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**

CONDUCT DISTURBANCE NOS (312.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHQUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	15.6	438	2	2	4	33	48	50	50	4	10.8	239	2	2	3	19	34	34	34
13-17	5	13.6	230	1	1	4	28	33	33	33	2	30.5	1625	2	2	30	59	59	59	59
18-20	2	7.0	8	5	5	7	9	9	9	9										
21-24	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	15	13.0	269	1	2	4	22	42	48	50	7	15.3	507	2	2	3	26	54	59	59
B. FEMALE																				
0-12 YRS.	3	6.7	30	3	3	4	11	13	13	13	2	3.0		3	3	3	3	3	3	3
13-17	4	15.8	101	6	6	13	22	30	30	30	2	5.0	32	1	1	5	9	9	9	9
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4										
25-34	3	16.3	422	4	4	5	31	40	40	40										
35-54	2	17.5	5	16	16	17	19	19	19	19										
55-74																				
75 +																				
ALL AGES	13	13.2	125	3	4	13	17	32	38	40	4	4.0	12	1	1	3	6	9	9	9
SUBTOTAL	**28**	**13.1**	**195**	**2**	**2**	**5**	**17**	**38**	**43**	**50**	**11**	**11.2**	**340**	**1**	**1**	**3**	**8**	**44**	**58**	**59**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	2.7	1	2	2	2	4	4	4	4	2	14.5	221	4	4	14	25	25	25	25
13-17	2	3.5	1	3	3	3	4	4	4	4										
18-20																				
21-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	3.7	3	2	2	3	4	7	7	7	2	14.5	221	4	4	14	25	25	25	25
B. FEMALE																				
0-12 YRS.	1	12.0		12	12	12	12	12	12	12										
13-17	1	12.0		12	12	12	12	12	12	12	2	33.0	1922	2	2	33	64	64	64	64
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	3	8.7	32	2	2	12	12	12	12	12	3	22.3	1305	1	1	2	48	64	64	64
SUBTOTAL	**9**	**5.3**	**17**	**2**	**2**	**4**	**8**	**12**	**12**	**12**	**5**	**19.2**	**725**	**1**	**1**	**4**	**35**	**64**	**64**	**64**
GRAND TOTAL	**37**	**11.2**	**161**	**2**	**2**	**5**	**13**	**32**	**41**	**50**	**16**	**13.7**	**435**	**1**	**1**	**3**	**17**	**56**	**62**	**64**

OVERANXIOUS DISORDER (313.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	22.3	179	1	3	23	28	41	45	45										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	22.3	179	1	3	23	28	41	45	45										
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	4	31.3	769	2	2	27	51	68	68	68										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	25.4	751	2	2	21	42	68	68	68										
SUBTOTAL	**13**	**23.5**	**357**	**1**	**2**	**23**	**32**	**50**	**65**	**68**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	14.0	200	4	4	14	24	24	24	24										
13-17	4	24.3	43	15	15	27	48	99 +	99 +	99 +										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	20.8	97	4	6	24	30	86	99 +	99 +										
B. FEMALE																				
0-12 YRS.	2	24.0	18	21	21	24	27	27	27	27										
13-17	1	85.0		85	85	85	85	85	85	85										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	44.3	1254	21	21	27	70	85	85	85										
SUBTOTAL	**9**	**28.7**	**508**	**4**	**9**	**25**	**31**	**92**	**99 +**	**99 +**										
GRAND TOTAL	**22**	**25.6**	**406**	**1**	**2**	**24**	**31**	**71**	**90**	**99 +**										

MISERY & UNHAPPINESS DIS (313.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
SUBTOTAL											**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

SENSITIVITY & WITHDRAWAL (313.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	1	46.0		46	46	46	46	46	46	46										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	46.0		46	46	46	46	46	46	46										
SUBTOTAL	**1**	**46.0**		**46**	**46**	**46**	**46**	**46**	**46**	**46**										
GRAND TOTAL	**2**	**25.0**	**882**	**4**	**4**	**25**	**46**	**46**	**46**	**46**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

OTH EMOTIONAL DIS CHILD (313.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	9	21.2	96	1	7	22	28	32	34	34	1	3.0		3	3	3	3	3	3	3
13-17	13	21.5	144	5	7	20	25	36	51	54	1	48.0		48	48	48	48	48	48	48
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	22	21.4	118	3	7	20	27	32	42	54	2	25.5	1013	3	3	25	48	48	48	48
B. FEMALE																				
0-12 YRS.	4	17.8	151	3	3	20	28	28	28	28										
13-17	13	17.5	96	2	4	16	22	30	36	38										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	17	17.6	99	2	3	16	26	28	35	38										
SUBTOTAL	**39**	**19.7**	**112**	**2**	**4**	**19**	**27**	**30**	**36**	**54**	**2**	**25.5**	**1013**	**3**	**3**	**25**	**48**	**48**	**48**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	34.2	354	4	4	39	46	54	54	54	1	62.0		62	62	62	62	62	62	62
13-17	9	32.7	696	8	10	22	40	79	84	84										
18-20																				
21-24																				
25-34	1	10.0		10	10	10	10	10	10	10										
35-54																				
55-74																				
75 +																				
ALL AGES	15	31.7	534	5	8	27	42	71	81	84	1	62.0		62	62	62	62	62	62	62
B. FEMALE																				
0-12 YRS.	7	47.4	1202	4	7	60	86	96	99 +	99 +	2	3.5	1	3	3	3	4	4	4	4
13-17	11	13.1	106	1	2	9	20	29	30	30	2	2.5	5	1	1	2	4	4	4	4
18-20																				
21-24																				
25-34																				
35-54	1	33.0		33	33	33	33	33	33	33										
55-74																				
75 +																				
ALL AGES	19	26.8	740	2	3	19	42	86	94	99 +	4	3.0	2	1	1	3	4	4	4	4
SUBTOTAL	**34**	**28.9**	**640**	**3**	**4**	**21**	**42**	**84**	**87**	**99 +**	**5**	**14.8**	**698**	**1**	**1**	**4**	**19**	**62**	**62**	**62**
GRAND TOTAL	**73**	**24.0**	**373**	**3**	**4**	**20**	**29**	**54**	**81**	**97**	**7**	**17.9**	**659**	**1**	**1**	**4**	**37**	**59**	**62**	**62**

EMOTIONAL DIS CHILD NOS (313.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	13.3	366	3	3	4	23	42	42	42	1	4.0		4	4	4	4	4	4	4
13-17											1	4.0		4	4	4	4	4	4	4
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	13.3	366	3	3	4	23	42	42	42	2	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**4**	**13.3**	**366**	**3**	**3**	**4**	**23**	**42**	**42**	**42**	**2**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
SUBTOTAL											**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**4**	**13.3**	**366**	**3**	**3**	**4**	**23**	**42**	**42**	**42**	**3**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

ATTENTION DEFICIT DIS (314.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	27	18.9	339	1	1	11	38	42	48	59	4	13.0	353	1	1	5	23	41	41	41
13-17	8	13.5	174	1	1	10	23	33	36	36										
18-20																				
21-24	1	11.0		11	11	11	11	11	11	11										
25-34	2	17.5	545	1	1	17	34	34	34	34										
35-54																				
55-74																				
75 +																				
ALL AGES	38	17.5	291	1	1	11	34	42	45	59	4	13.0	353	1	1	5	23	41	41	41
B. FEMALE																				
0-12 YRS.	3	12.0	247	1	1	5	24	30	30	30	2	47.0	2592	11	11	47	83	83	83	83
13-17	1	23.0		23	23	23	23	23	23	23										
18-20	1	10.0		10	10	10	10	10	10	10										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	13.8	151	1	1	10	25	30	30	30	2	47.0	2592	11	11	47	83	83	83	83
SUBTOTAL	**43**	**17.0**	**275**	**1**	**1**	**11**	**33**	**42**	**44**	**59**	**6**	**24.3**	**1040**	**1**	**1**	**8**	**41**	**79**	**83**	**83**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	11.3	106	1	2	14	28	99 +	99 +	99 +	6	15.0	588	3	3	4	51	93	99 +	99 +
13-17	8	46.0	1255	2	3	37	81	92	93	93	2	3.5	1	3	3	3	4	4	4	4
18-20	1	31.0		31	31	31	31	31	31	31										
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54	1	28.0		28	28	28	28	28	28	28										
55-74																				
75 +																				
ALL AGES	20	26.6	806	1	2	26	40	95	99 +	99 +	8	12.1	449	3	3	4	25	86	99 +	99 +
B. FEMALE																				
0-12 YRS.	2	24.0	800	4	4	24	44	44	44	44	4	40.5	790	3	3	46	61	67	67	67
13-17	2	46.5	181	37	37	46	56	56	56	56										
18-20																				
21-24																				
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74																				
75 +																				
ALL AGES	5	29.8	520	4	4	37	47	56	56	56	4	40.5	790	3	3	46	61	67	67	67
SUBTOTAL	**25**	**27.2**	**729**	**2**	**2**	**28**	**43**	**92**	**99 +**	**99 +**	**12**	**21.6**	**695**	**3**	**3**	**4**	**58**	**74**	**95**	**99 +**
GRAND TOTAL	**68**	**20.8**	**456**	**1**	**1**	**13**	**35**	**51**	**89**	**99 +**	**18**	**22.5**	**757**	**2**	**3**	**6**	**52**	**77**	**92**	**99 +**

OTHER HYPERKINETIC SYND (314.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	9.0		9	9	9	9	9	9	9
13-17																				
18-20	1	30.0		30	30	30	30	30	30	30										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	30.0		30	30	30	30	30	30	30	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**30.0**		**30**	**30**	**30**	**30**	**30**	**30**	**30**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**1**	**30.0**		**30**	**30**	**30**	**30**	**30**	**30**	**30**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**

HYPERKINETIC SYND NOS (314.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	2	2.5	1	2	2	2	3	3	3	3										
SUBTOTAL	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**										
GRAND TOTAL	**3**	**4.7**	**14**	**2**	**2**	**3**	**7**	**9**	**9**	**9**										

ALL PSYCHIATRIC CODES

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	203	15.8	318	1	1	7	30	44	52	99+	62	8.9	340	1	1	3	7	52	99+	99+
13-17	546	13.2	318	1	1	6	19	42	67	99+	149	4.6	128	1	1	1	3	7	21	59
18-20	477	12.3	211	1	1	7	17	35	46	73	91	4.2	23	1	1	2	6	9	15	26
21-24	816	13.9	199	1	2	9	20	32	42	71	158	5.9	41	1	1	4	7	13	25	29
25-34	2651	12.1	162	1	2	7	17	27	37	71	613	6.4	36	1	1	5	8	14	20	28
35-54	3451	11.0	130	1	2	6	15	26	32	56	889	6.4	32	1	1	5	8	14	16	28
55-74	1944	14.2	184	2	3	9	20	33	44	77	560	7.9	83	1	2	5	10	15	23	63
75 +	731	15.8	223	2	3	11	21	38	54	99+	282	12.2	200	2	3	8	15	34	82	99+
ALL AGES	10819	12.6	179	1	2	7	18	30	41	76	2804	7.2	75	1	1	5	8	14	25	74
B. FEMALE																				
0-12 YRS.	116	11.3	299	1	1	4	14	34	71	99+	51	10.6	473	1	1	2	8	42	82	99+
13-17	727	12.2	232	1	1	6	17	32	51	99+	157	9.5	321	1	1	2	7	42	53	99
18-20	427	13.2	205	1	1	8	18	32	45	70	99	6.7	120	1	1	4	7	17	28	63
21-24	706	14.0	200	1	2	10	20	33	48	71	146	7.1	61	1	1	5	8	17	27	41
25-34	2406	14.0	180	1	2	10	20	31	41	71	431	7.0	62	1	1	5	8	14	27	32
35-54	3735	14.5	162	1	3	11	20	30	40	62	660	6.8	53	1	1	5	8	14	22	36
55-74	3352	18.1	207	2	3	15	26	37	47	83	647	8.7	82	1	2	6	11	19	28	70
75 +	1761	17.6	254	2	3	13	24	41	59	99+	573	11.7	172	2	2	8	15	29	62	99+
ALL AGES	13230	15.5	202	1	2	12	22	34	45	83	2764	8.6	114	1	1	5	10	20	29	99+
SUBTOTAL	**24049**	**14.2**	**193**	**1**	**2**	**10**	**20**	**32**	**43**	**80**	**5568**	**7.8**	**96**	**1**	**1**	**5**	**9**	**17**	**28**	**87**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	100	32.0	914	1	3	24	58	93	99+	99+	28	38.5	1007	3	4	55	71	99+	99+	99+
13-17	565	17.8	374	1	2	10	27	51	71	99+	70	11.2	328	1	1	4	8	43	65	95
18-20	506	13.4	181	1	2	9	21	28	42	97	64	6.5	132	1	1	4	7	11	20	78
21-24	954	12.8	152	1	2	8	20	27	31	68	174	6.3	36	1	2	5	7	12	21	28
25-34	3402	11.3	116	1	2	6	17	25	29	53	849	6.1	23	1	2	5	7	14	14	28
35-54	4024	10.2	106	2	3	6	12	24	29	56	1338	5.4	12	2	2	5	6	9	12	22
55-74	1324	12.6	150	2	3	8	17	28	37	69	506	7.1	46	2	3	5	7	13	19	52
75 +	274	16.1	213	2	3	12	24	35	52	99+	95	9.9	106	2	3	7	13	23	29	89
ALL AGES	11149	11.9	153	2	3	7	17	27	34	73	3124	6.5	53	1	2	5	7	12	16	53
B. FEMALE																				
0-12 YRS.	53	32.9	885	1	2	27	72	96	99+	99+	19	38.5	941	3	3	46	67	99	99+	99+
13-17	623	19.0	413	1	2	12	29	61	86	99+	88	19.3	723	1	1	7	45	99	99+	99+
18-20	409	14.9	195	1	2	10	22	32	43	81	59	11.9	300	1	1	5	15	37	57	99
21-24	808	14.8	226	1	2	10	21	32	51	95	120	7.6	58	1	1	4	10	18	28	33
25-34	2440	13.9	173	2	3	10	20	28	38	72	412	7.1	47	1	1	5	8	14	26	33
35-54	2841	14.6	181	2	3	10	21	31	41	75	529	6.2	35	1	2	5	7	13	17	28
55-74	1592	17.7	220	2	4	14	25	37	49	95	314	7.8	80	1	2	5	8	15	23	55
75 +	592	17.4	217	2	3	13	25	40	50	99+	164	12.6	215	2	3	7	15	40	56	99+
ALL AGES	9358	15.5	218	2	3	11	22	34	48	93	1705	8.7	138	1	2	5	9	20	33	99
SUBTOTAL	**20507**	**13.6**	**184**	**2**	**3**	**8**	**20**	**29**	**41**	**84**	**4829**	**7.3**	**84**	**1**	**2**	**5**	**7**	**14**	**23**	**69**
GRAND TOTAL	**44556**	**13.9**	**190**	**1**	**2**	**9**	**20**	**31**	**42**	**82**	**10397**	**7.6**	**90**	**1**	**1**	**5**	**8**	**15**	**28**	**79**

APPENDIX 1

HOSPITAL SERVICE TYPE DEFINITIONS

To define the two hospital categories used in the Psychiatric Length of Stay series, the following steps were accomplished:

All specialty or long-term care hospitals, e.g., substance-abuse, orthopedic, or psychiatric, were deleted so that only nonfederal, short-term general hospitals remained in the psychiatric length of stay database. The exception is pediatric hospitals, specialty institutions, whose data were included.

Hospitals were then grouped according to whether the following service codes were recorded:

A. Hospital-based psychiatric acute care

B. Psychiatric acute care not available

C. Psychiatric acute care provided by another hospital or provider

D. Hospital-based pediatric psychiatric acute care

E. Pediatric psychiatric acute care not available

F. Pediatric psychiatric acute care provided by another hospital or provider

G. Psychiatric acute care beds set up

Hospitals in A, D, and G above were separated and labeled: hospitals with a psychiatric unit/beds. Hospitals in B, C, E, and F above were labeled: hospitals without a psychiatric unit/beds.

In addition, however, both hospital service types may offer one or more of these services as defined in the *AHA Guide*, 1986 Edition:

Psychiatric outpatient services

Hospital services for the diagnosis and treatment of psychiatric outpatients.

Clinical psychology services

One or more clinical psychologists who provide diagnostic or therapeutic services on a regular full time schedule or intermittently.

Psychiatric consultation and education services

Provision of interpretive psychiatric consultation and education services to community agencies and workers such as schools, police, courts, public health nurses, welfare agencies, clergy, and so forth.The pupose is to expand the mental health knowledge and competence of personnel not working in the mental health field and to promote good mental health through improved understanding, attitudes, and behavioral patterns.

Psychiatric foster and/or home care program

Planned postdischarge psychiatric observation and care in the patient's place of residence or in an approved foster home.

Psychiatric emergency services

Hospital facilities for the provision of unscheduled outpatient care to psychiatric patients whose conditions are considered to require immediate care. Staff must be available 24 hours a day.

Partial hospitalization program

Organized hospital facilities and services for day care and/or night care of psychiatric patients who do not require inpatient care 24 hours a day.

APPENDIX 2

CALCULATION OF PROGRAM INTENSITY INDEX

The (Ip) of Phillip and Hai (1976) is used to place hospitals in one of three levels of teaching status. The formula is presented below.

$$Ip = 9.9\,(JCA) + 14.0\,(CP) + 28.0\,(RES) + 14.7\,(MS) + 13.3\,(PNS) + 20.1\,(COT)$$

JCA: Accreditation by Joint Commission of Accredition of Hospitals

CP: Cancer Program approved by American College of Surgeons

RES: Residency approved by American Medical Association

MS: Medical School Affiliation reported by American Medical Association

PNS: Hospital-controlled professional nursing school, reported by National League for Nursing

COT: Member of Council of Teaching Hospitals of the Association of American Medical Colleges

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

In the hospital characteristic tables of the Psychiatric Length of Stay series, the following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution
Ip value 25.0-74.9	Minor Teaching Institution
Ip value 75.0+	Major Teaching Institution

APPENDIX 3

STATE INCLUSIONS BY REGION

Northeast	North Central	South	West
Connecticut	Illinois	Alabama	Alaska
Maine	Indiana	Arkansas	Arizona
Massachusetts	Iowa	Delaware	California
New Hampshire	Kansas	District of Columbia	Colorado
New Jersey	Michigan	Florida	Hawaii
New York	Minnesota	Georgia	Idaho
Pennsylvania	Missouri	Kentucky	Montana
Rhode Island	Nebraska	Louisiana	Nevada
Vermont	North Dakota	Maryland	New Mexico
	Ohio	Mississippi	Oregon
	South Dakota	North Carolina	Utah
	Wisconsin	Oklahoma	Washington
		South Carolina	Wyoming
		Tennessee	
		Texa	
		Virginia	
		West Virginia	

The number and percent of hospitals and total patients by census region and hospital type included in the psychiatric length of stay tables is shown below.

	Hospitals with a Psych Unit/Beds				Hospitals without a Psych Unit/Beds			
Region	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx	%	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx	%
Northeast	130	26.3	44,556	22.1	174	18.3	10,397	15.6
North Central	154	31.1	77,149	38.2	331	34.9	22,858	34.2
South	93	18.8	37,236	18.4	217	22.8	12,439	18.6
West	118	23.8	42,894	21.3	228	24.0	21,135	31.6
U.S.	495	100.0	201,835	100.0	950	100.0	66,829	100.0

Appendix 4

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	English Description	Page Number
290	**Senile and presenile organic psychotic conditions**	
290.0	Senile dementia, uncomplicated	1
290.1	Presenile dementia	2
290.10	Presenile dementia, uncomplicated	2
290.11	Presenile dementia with delirium	2
290.12	Presenile dementia with delusional features	2
290.13	Presenile dementia with depressive features	2
290.2	Senile dementia with delusional or depressive features	3
290.20	Senile dementia with delusional features	3
290.21	Senile dementia with depressive features	3
290.3	Senile dementia with delirium	4
290.4	Arteriosclerotic dementia	5
290.40	Arteriosclerotic dementia, uncomplicated	5
290.41	Arteriosclerotic dementia with delirium	5
290.42	Arteriosclerotic dementia with delusional features	5
290.43	Arteriosclerotic dementia with depressive features	5
290.8	Other specified senile psychotic conditions	6
290.9	Unspecified senile psychotic condition	7
291	**Alcoholic psychoses**	
291.0	Alcohol withdrawal delirium	8
291.1	Alcohol amnestic syndrome	9
291.2	Other alcoholic dementia	10
291.3	Alcohol withdrawal hallucinosis	11
291.4	Idiosyncratic alcohol intoxication	12
291.5	Alcoholic jealousy	13
291.8	Other specified alcoholic psychosis	14
291.9	Unspecified alcoholic psychosis	15
292	**Drug psychoses**	
292.0	Drug withdrawal syndrome	16
292.1	Paranoid and/or hallucinatory states induced by drugs	17
292.11	Drug-induced organic delusional syndrome	17
292.12	Drug-induced hallucinosis	17
292.2	Pathological drug intoxication	18
292.8	Other specified drug-induced mental disorders	19
292.81	Drug-induced delirium	19
292.82	Drug-induced dementia	19
292.83	Drug-induced amnestic syndrome	19
292.84	Drug-induced organic affective syndrome	19
292.89	Other	19
292.9	Unspecified drug-induced mental disorder	20
293	**Transient organic psychotic conditions**	
293.0	Acute delirium	21
293.1	Subacute delirium	22
293.8	Other specified transient organic mental disorders	23
293.81	Organic delusional syndrome	23
293.82	Organic hallucinosis syndrome	23
293.83	Organic affective syndrome	23
293.89	Other	23
293.9	Unspecified transient organic mental disorder	24

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
294	**Other organic psychotic conditions (chronic)**	
294.0	Amnestic syndrome	25
294.1	Dementia in conditions classified elsewhere	26
294.8	Other specified organic brain syndromes (chronic)	27
294.9	Unspecified organic brain syndrome (chronic)	28
295	**Schizophrenic disorders**	
	Fifth-digit subclassification for use with 295: 0 unspecified 1 subchronic 2 chronic 3 subchronic with acute exacerbation 4 chronic with acute exacerbation 5 in remission	
295.0	Simple type	29
295.1	Disorganized type	30
295.2	Catatonic type	31
295.3	Paranoid type	32
295.4	Acute schizophrenic episode	33
295.5	Latent schizophrenia	34
295.6	Residual schizophrenia	35
295.7	Schizo-affective type	36
295.8	Other specified types of schizophrenia	37
295.9	Unspecified schizophrenia	38
296	**Affective psychoses**	
	Fifth-digit subclassification for use with 296.0-296.6: 0 unspecified 1 mild 2 moderate 3 severe, without mention of psychotic behavior 4 severe, specified as with psychotic behavior 5 in partial or unspecified remission 6 in full remission	
296.0	Manic disorder, single episode	39
296.1	Manic disorder, recurrent episode	40
296.2	Major depressive disorder, single episode	41
296.3	Major depressive disorder, recurrent episode	42
296.4	Bipolar affective disorder, manic	43
296.5	Bipolar affective disorder, depressed	44
296.6	Bipolar affective disorder, mixed	45
296.7	Bipolar affective disorder, unspecified	46
296.8	Manic-depressive psychosis, other and unspecified	47
296.80	Manic-depressive psychosis, unspecified	47
296.81	Atypical manic disorder	47
296.82	Atypical depressive disorder	47
296.89	Other	47
296.9	Other and unspecified affective psychoses	48
296.90	Unspecified affective psychosis	48
296.99	Other specified affective psychoses	48
297	**Paranoid states**	
297.0	Paranoid state, simple	49
297.1	Paranoia	50
297.2	Paraphrenia	51
297.3	Shared paranoid disorder	52

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
297.8	Other specified paranoid states	53
297.9	Unspecified paranoid state	54
298	**Other nonorganic psychoses**	
298.0	Depressive type psychosis	55
298.1	Excitative type psychosis	56
298.2	Reactive confusion	57
298.3	Acute paranoid reaction	58
298.4	Psychogenic paranoid psychosis	59
298.8	Other and unspecified reactive psychosis	60
298.9	Unspecified psychosis	61
299	**Psychoses with origin specific to childhood**	
	Fifth-digit subclassification for use with 299: 0 current or active state 1 residual state	
299.0	Infantile autism	62
299.8	Other specified early childhood psychoses	63
299.9	Unspecified	64
300	**Neurotic disorders**	
300.0	Anxiety states	65
300.00	Anxiety state, unspecified	65
300.01	Panic disorder	65
300.02	Generalized anxiety disorder	65
300.09	Other	65
300.1	Hysteria	66
300.10	Hysteria, unspecified	66
300.11	Conversion disorder	66
300.12	Psychogenic amnesia	66
300.13	Psychogenic fugue	66
300.14	Multiple personality	66
300.15	Dissociative disorder or reaction, unspecified	66
300.16	Factitious illness with psychological symptoms	66
300.19	Other and unspecified factitious illness	66
300.2	Phobic disorders	67
300.20	Phobia, unspecified	67
300.21	Agoraphobia with panic attacks	67
300.22	Agoraphobia without mention of panic attacks	67
300.23	Social phobia	67
300.29	Other isolated or simple phobias	67
300.3	Obsessive-compulsive disorders	68
300.4	Neurotic depression	69
300.5	Neurasthenia	70
300.6	Depersonalization syndrome	71
300.7	Hypochondriasis	72
300.8	Other neurotic disorders	73
300.81	Somatization disorder	73
300.89	Other	73
300.9	Unspecified neurotic disorder	74
301	**Personality disorders**	
301.0	Paranoid personality disorder	75
301.1	Affective personality disorder	76
301.10	Affective personality disorder, unspecified	76
301.11	Chronic hypomanic personality disorder	76

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
301.12	Chronic depressive personality disorder	76
301.13	Cyclothymic disorder	76
301.2	Schizoid personality disorder	77
301.20	Schizoid personality disorder, unspecified	77
301.21	Introverted personality	77
301.22	Schizotypal personality	77
301.3	Explosive personality disorder	78
301.4	Compulsive personality disorder	79
301.5	Histrionic personality disorder	80
301.50	Histrionic personality disorder, unspecified	80
301.51	Chronic factitious illness with physical symptoms	80
301.59	Other histrionic personality disorder	80
301.6	Dependent personality disorder	81
301.7	Antisocial personality disorder	82
301.8	Other personality disorders	83
301.81	Narcissistic personality	83
301.82	Avoidant personality	83
301.83	Borderline personality	83
301.84	Passive-aggressive personality	83
301.89	Other	83
301.9	Unspecified personality disorder	84
302	**Sexual deviations and disorders**	
302.5	Trans-sexualism	85
302.50	With unspecified sexual history	85
302.51	With asexual history	85
302.52	With homosexual history	85
302.53	With heterosexual history	85
302.7	Psychosexual dysfunction	86
302.70	Psychosexual dysfunction, unspecified	86
302.71	With inhibited sexual desire	86
302.72	With inhibited sexual excitement	86
302.73	With inhibited female orgasm	86
302.74	With inhibited male orgasm	86
302.75	With premature ejaculation	86
302.76	With functional dyspareunia	86
302.79	With other specified psychosexual dysfunctions	86
302.8	Other specified psychosexual disorders	87
302.81	Fetishism	87
302.82	Voyeurism	87
302.83	Sexual masochism	87
302.84	Sexual sadism	87
302.85	Gender identity disorder of adolescent or adult life	87
302.89	Other	87
303	**Alcohol dependence syndrome**	
	Fifth-digit subclassification for use with 303: 0 unspecified 1 continuous 2 episodic 3 in remission	
303.0	Acute alcoholic intoxication	88
303.9	Other and unspecified alcohol dependence	89

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
304	**Drug dependence**	
	Fifth-digit subclassification for use with 304:	
	0 unspecified	
	1 continuous	
	2 episodic	
	3 in remission	
304.0	Opioid type dependence	90
304.1	Barbiturate and similarly acting sedative or hypnotic dependence	91
304.2	Cocaine dependence	92
304.3	Cannabis dependence	93
304.4	Amphetamine and other psychostimulant dependence	94
304.5	Hallucinogen dependence	95
304.6	Other specified drug dependence	96
304.7	Combinations of opioid type drug with any other	97
304.8	Combinations of drug dependence excluding opioid type drug	98
304.9	Unspecified drug dependence	99
305	**Nondependent abuse of drugs**	
	Fifth-digit subclassification for use with 305:	
	0 unspecified	
	1 continuous	
	2 episodic	
	3 in remission	
305.0	Alcohol abuse	100
305.1	Tobacco use disorder	101
305.2	Cannabis abuse	102
305.3	Hallucinogen abuse	103
305.4	Barbiturate and similarly acting sedative or hypnotic abuse	104
305.5	Opioid abuse	105
305.6	Cocaine abuse	106
305.7	Amphetamine or related acting sympathomimetic abuse	107
305.8	Antidepressant type abuse	108
305.9	Other, mixed, or unspecified drug abuse	109
306	**Physiological malfunction arising from mental factors**	
306.0	Musculoskeletal	110
306.1	Respiratory	111
306.2	Cardiovascular	112
306.3	Skin	113
306.4	Gastrointestinal	114
306.5	Genitourinary	115
306.50	Psychogenic genitourinary malfunction, unspecified	115
306.51	Psychogenic vaginismus	115
306.52	Psychogenic dysmenorrhea	115
306.53	Psychogenic dysuria	115
306.59	Other	115
306.7	Organs of special sense	116
306.8	Other specified psychophysiological malfunction	117
306.9	Unspecified psychophysiological malfunction	118
307	**Special symptoms or syndromes, not elsewhere classified**	
307.0	Stammering and stuttering	119
307.1	Anorexia nervosa	120
307.2	Tics	121
307.20	Tic disorder, unspecified	121
307.21	Transient tic disorder of childhood	121

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
307.22	Chronic motor tic disorder	121
307.23	Gilles de la Tourette's disorder	121
307.3	Stereotyped repetitive movements	122
307.4	Specific disorders of sleep of nonorganic origin	123
307.40	Nonorganic sleep disorder, unspecified	123
307.41	Transient disorder of initiating or maintaining sleep	123
307.42	Persistent disorder of initiating or maintaining sleep	123
307.43	Transient disorder of initiating or maintaining wakefulness	123
307.44	Persistent disorder of initiating or maintaining wakefulness	123
307.45	Phase-shift disruption of 24-hour sleep-wake cycle	123
307.46	Somnambulism or night terrors	123
307.47	Other dysfunctions of sleep stages or arousal from sleep	123
307.48	Repetitive intrusions of sleep	123
307.49	Other	123
307.5	Other and unspecified disorders of eating	124
307.50	Eating disorder, unspecified	124
307.51	Bulimia	124
307.52	Pica	124
307.53	Psychogenic rumination	124
307.54	Psychogenic vomiting	124
307.59	Other	124
307.6	Enuresis	125
307.7	Encopresis	126
307.8	Psychalgia	127
307.80	Psychogenic pain, site unspecified	127
307.81	Tension headache	127
307.89	Other	127
307.9	Other and unspecified special symptoms or syndromes, not elsewhere classified	128
308	**Acute reaction to stress**	
308.0	Predominant disturbance of emotions	129
308.1	Predominant disturbance of consciousness	130
308.2	Predominant psychomotor disturbance	131
308.3	Other acute reactions to stress	132
308.4	Mixed disorders as reaction to stress	133
308.9	Unspecified acute reaction to stress	134
309	**Adjustment reaction**	
309.0	Brief depressive reaction	135
309.1	Prolonged depressive reaction	136
309.2	With predominant disturbance of other emotions	137
309.21	Separation anxiety disorder	137
309.22	Emancipation disorder of adolescence and early adult life	137
309.23	Specific academic or work inhibition	137
309.24	Adjustment reaction with anxious mood	137
309.28	Adjustment reaction with mixed emotional features	137
309.29	Other	137
309.3	With predominant disturbance of conduct	138
309.4	With mixed disturbance of emotions and conduct	139
309.8	Other specified adjustment reactions	140
309.81	Prolonged posttraumatic stress disorder	140
309.82	Adjustment reaction with physical symptoms	140
309.83	Adjustment reaction with withdrawal	140
309.89	Other	140
309.9	Unspecified adjustment reaction	141

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
310	**Specific nonpsychotic mental disorders due to organic brain damage**	
310.0	Frontal lobe syndrome	142
310.1	Organic personality syndrome	143
310.2	Postconcussion syndrome	144
310.8	Other specified nonpsychotic mental disorders following organic brain damage	145
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	146
311	**Depressive disorder, not elsewhere classified**	147
312	**Disturbance of conduct, not elsewhere classified**	
	Fifth-digit subclassification for use with 312.0-312.2: 0 unspecified 1 mild 2 moderate 3 severe	
312.0	Undersocialized conduct disorder, aggressive type	148
312.1	Undersocialized conduct disorder, unaggressive type	149
312.2	Socialized conduct disorder	150
312.3	Disorders of impulse control, not elsewhere classified	151
312.30	Impulse control disorder, unspecified	151
312.31	Pathological gambling	151
312.32	Kleptomania	151
312.33	Pyromania	151
312.34	Intermittent explosive disorder	151
312.35	Isolated explosive disorder	151
312.39	Other	151
312.4	Mixed disturbance of conduct and emotions	152
312.8	Other specified disturbances of conduct, not elsewhere classified	153
312.9	Unspecified disturbance of conduct	154
313	**Disturbance of emotions specific to childhood and adolescence**	
313.0	Overanxious disorder	155
313.1	Misery and unhappiness disorder	156
313.2	Sensitivity, shyness, and social withdrawal disorder	157
313.21	Shyness disorder of childhood	157
313.22	Introverted disorder of childhood	157
313.23	Elective mutism	157
313.8	Other or mixed emotional disturbances of childhood or adolescence	158
313.81	Oppositional disorder	158
313.82	Identity disorder	158
313.83	Academic underachievement disorder	158
313.89	Other	158
313.9	Unspecified emotional disturbance of childhood or adolescence	159
314	**Hyperkinetic syndrome of childhood**	
314.0	Attention deficit disorder	160
314.00	Without mention of hyperactivity	160
314.01	With hyperactivity	160
314.8	Other specified manifestations of hyperkinetic syndrome	161
314.9	Unspecified hyperkinetic syndrome	162
290-314.9	**All psychiatric diagnosis codes**	163

Appendix 5

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES

English Description	*ICD-9-CM* Code	Page Number
Academic underachievement disorder	313.83	158
Acute alcoholic intoxication	303.0	88
Acute delirium	293.0	21
Acute paranoid reaction	298.3	58
Acute schizophrenic episode	295.4	33
Adjustment reaction with anxious mood	309.24	137
Adjustment reaction with mixed emotional features	309.28	137
Adjustment reaction with physical symptoms	309.82	140
Adjustment reaction with withdrawal	309.83	140
Affective personality disorder	301.1	76
Affective psychoses	296.0-296.6	39-45
Fifth-digit subclassification for use with 296.0-296.6:		
0 unspecified		
1 mild		
2 moderate		
3 severe, without mention of psychotic behavior		
4 severe, specified as with psychotic behavior		
5 in partial or unspecified remission		
6 in full remission		
Agoraphobia with panic attacks	300.21	67
Agoraphobia without mention of panic attacks	300.22	67
Alcohol abuse	305.0	100
Alcohol amnestic syndrome	291.1	9
Alcohol dependence syndrome	303.0-303.9	88-89
Fifth-digit subclassification for use with 303:		
0 unspecified		
1 continuous		
2 episodic		
3 in remission		
Alcohol withdrawal delirium	291.0	8
Alcohol withdrawal hallucinosis	291.3	11
Alcoholic jealousy	291.5	13
Amnestic syndrome	294.0	25
Amphetamine and other psychostimulant dependence	304.4	94
Amphetamine or related acting sympathomimetic abuse	305.7	107
Anorexia nervosa	307.1	120
Antidepressant type abuse	305.8	108
Antisocial personality disorder	301.7	82
Anxiety state, unspecified	300.00	65
Anxiety states	300.0	65
Arteriosclerotic dementia	290.4	5
Arteriosclerotic dementia, uncomplicated	290.40	5
Arteriosclerotic dementia with delirium	290.41	5
Arteriosclerotic dementia with delusional features	290.42	5
Arteriosclerotic dementia with depressive features	290.43	5
Attention deficit disorder	314.0	160
Atypical depressive disorder	296.82	47
Atypical manic disorder	296.81	47
Avoidant personality	301.82	83

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Barbiturate and similarly acting sedative or hypnotic dependence	304.1	91
Barbiturate and similarly acting sedative or hypnotic abuse	305.4	104
Bipolar affective disorder, depressed	296.5	44
Bipolar affective disorder, manic	296.4	43
Bipolar affective disorder, mixed	296.6	45
Bipolar affective disorder, unspecified	296.7	46
Borderline personality	301.83	83
Brief depressive reaction	309.0	135
Bulimia	307.51	124
Cannabis abuse	305.2	102
Cannabis dependence	304.3	93
Cardiovascular-Physiological malfunction arising from mental factors	306.2	112
Catatonic type-Schizophrenic disorders	295.2	31
Chronic depressive personality disorder	301.12	76
Chronic factitious illness with physical symptoms	301.51	80
Chronic hypomanic personality disorder	301.11	76
Chronic motor tic disorder	307.22	121
Cocaine abuse	305.6	106
Cocaine dependence	304.2	92
Combinations of drug dependence excluding opioid type drug	304.8	98
Combinations of opioid type drug with any other	304.7	97
Compulsive personality disorder	301.4	79
Conversion disorder	300.11	66
Cyclothymic disorder	301.13	76
Dementia in conditions classified elsewhere	294.1	26
Dependent personality disorder	301.6	81
Depersonalization syndrome	300.6	71
Depressive disorder, not elsewhere classified	311	147
Depressive type psychosis	298.0	55
Disorders of impulse control, not elsewhere classified	312.3	151
Disorganized type-Schizophrenic disorders	295.1	30
Dissociative disorder or reaction, unspecified	300.15	66
Disturbance of conduct, not elsewhere classified	312.0-312.2	148-150
Fifth-digit subclassification for use with 312.0-312.2:		
0 unspecified		
1 mild		
2 moderate		
3 severe		
Drug dependence	304.0-304.9	90-99
Fifth-digit subclassification for use with 304:		
0 unspecified		
1 continuous		
2 episodic		
3 in remission		
Drug withdrawal syndrome	292.0	16
Drug-induced amnestic syndrome	292.83	19
Drug-induced delirium	292.81	19
Drug-induced dementia	292.82	19
Drug-induced hallucinosis	292.12	17
Drug-induced organic affective syndrome	292.84	19
Drug-induced organic delusional syndrome	292.11	17

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Eating disorder, unspecified	307.50	124
Elective mutism	313.23	157
Emancipation disorder of adolescence and early adult life	309.22	137
Encopresis	307.7	126
Excitative type psychosis	298.1	56
Explosive personality disorder	301.3	78
Factitious illness with psychological symptoms	300.16	66
Fetishism	302.81	87
Frontal lobe syndrome	310.0	142
Gastrointestinal-Physiological malfunction arising from mental factors	306.4	114
Gender identity disorder of adolescent or adult life	302.85	87
Generalized anxiety disorder	300.02	65
Genitourinary-Physiological malfuntion arising from mental factors	306.5	115
Gilles de la Tourette's disorder	307.23	121
Hallucinogen abuse	305.3	103
Hallucinogen dependence	304.5	95
Histrionic personality disorder	301.5	80
Histrionic personality disorder, unspecified	301.50	80
Hypochondriasis	300.7	72
Hysteria	300.1	66
Hysteria, unspecified	300.10	66
Identity disorder	313.82	158
Idiosyncratic alcohol intoxication	291.4	12
Impulse control disorder, unspecified	312.30	151
Infantile autism	299.0	62
Intermittent explosive disorder	312.34	151
Introverted disorder of childhood	313.22	157
Introverted personality	301.21	77
Isolated explosive disorder	312.35	151
Kleptomania	312.32	151
Latent schizophrenia	295.5	34
Major depressive disorder, recurrent episode	296.3	42
Major depressive disorder, single episode	296.2	41
Manic disorder, recurrent episode	296.0	39
Manic disorder, single episode	296.1	40
Manic-depressive psychosis, other and unspecified	296.8	47
Manic-depressive psychosis, unspecified	296.80	47
Misery and unhappiness disorder	313.1	156
Mixed disorders as reaction to stress	308.4	133
Mixed disturbance of conduct and emotions	312.4	152
Multiple personality	300.14	66
Musculoskeletal-Physiological malfunction arising from mental factors	306.0	110
Narcissistic personality	301.81	83
Neurasthenia	300.5	70
Neurotic depression	300.4	69
Nondependent abuse of drugs	305.0-305.9	100-109
Fifth-digit subclassification for use with 305:		
0 unspecified		
1 continuous		
2 episodic		
3 in remission		

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Nonorganic sleep disorder, unspecified	307.40	123
Obsessive-compulsive disorders	300.3	68
Opioid abuse	305.5	105
Opioid type dependence	304.0	90
Oppositional disorder	313.81	158
Organic affective syndrome	293.83	23
Organic delusional syndrome	293.81	23
Organic hallucinosis syndrome	293.82	23
Organic personality syndrome	310.1	143
Organs of special sense-Physiological malfunction arising from mental factors	306.7	116
Other-Genitourinary physiological malfuntion arising from mental factors	306.59	115
Other-Specific disorders of sleep of nonorganic origin	307.49	123
Other-Other and unspecified disorders of eating	307.59	124
Other-Psychalgia	307.89	127
Other-Adjustment reaction w/predominant disturbance of other emotions	309.29	137
Other-Other specified adjustment reactions	309.89	140
Other-Disorders of impulse control not elsewhere classified	312.39	151
Other-Other or mixed emotional disturbances of childhood or adolescence	313.89	158
Other-Other specified drug-induced mental disorders	292.89	19
Other-Other specified transient organic mental disorders	293.89	23
Other-Manic-depressive psychoses, other and unspecified	296.89	47
Other-Anxiety states	300.09	65
Other-Other neurotic disorders	300.89	73
Other-Other personality disorders	301.89	83
Other-Other specified psychosexual disorders	302.89	87
Other acute reactions to stress	308.3	132
Other alcoholic dementia	291.2	10
Other and unspecified affective psychoses	296.9	48
Other and unspecified alcohol dependence	303.9	89
Other and unspecified disorders of eating	307.5	124
Other and unspecified factitious illness	300.19	66
Other and unspecified reactive psychosis	298.8	60
Other and unspecified special symptoms or syndromes,not elsewhere classified	307.9	128
Other dysfunctions of sleep stages or arousal from sleep	307.47	123
Other histrionic personality disorder	301.59	80
Other isolated or simple phobias	300.29	67
Other, mixed, or unspecified drug abuse	305.9	109
Other neurotic disorders	300.8	73
Other or mixed emotional disturbances of childhood or adolescence	313.8	158
Other personality disorders	301.8	83
Other specified adjustment reactions	309.8	140
Other specified affective psychoses	296.99	48
Other specified alcoholic psychosis	291.8	14
Other specified disturbances of conduct, not elsewhere classified	312.8	153
Other specified drug dependence	304.6	96
Other specified drug-induced mental disorders	292.8	19
Other specified early childhood psychoses	299.8	63
Other specified manifestations of hyperkinetic syndrome	314.8	161
Other specified nonpsychotic mental disorders following organic brain damage	310.8	145
Other specified organic brain syndromes (chronic)	294.8	27

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Other specified paranoid states	297.8	53
Other specified psychophysiological malfunction	306.8	117
Other specified psychosexual disorders	302.8	87
Other specified senile psychotic conditions	290.8	6
Other specified transient organic mental disorders	293.8	23
Other specified types of schizophrenia	295.8	37
Overanxious disorder	313.0	155
Panic disorder	300.01	65
Paranoia	297.1	50
Paranoid and/or hallucinatory states induced by drugs	292.1	17
Paranoid state, simple	297.0	49
Paranoid type-Schizophrenic disorders	295.3	32
Paraphrenia	297.2	51
Passive-aggressive personality	301.84	83
Pathological drug intoxication	292.2	18
Pathological gambling	312.31	151
Persistent disorder of initiating or maintaining wakefulness	307.44	123
Persistent disorder of initiating or maintaining sleep	307.42	123
Phase-shift disruption of 24-hour sleep-wake cycle	307.45	123
Phobia, unspecified	300.20	67
Phobic disorders	300.2	67
Pica	307.52	124
Postconcussion syndrome	310.2	144
Predominant disturbance of consciousness	308.1	130
Predominant disturbance of emotions	308.0	129
Predominant psychomotor disturbance	308.2	131
Presenile dementia	290.1	2
Presenile dementia, uncomplicated	290.10	2
Presenile dementia with delirium	290.11	2
Presenile dementia with delusional features	290.12	2
Presenile dementia with depressive features	290.13	2
Prolonged depressive reaction	309.1	136
Prolonged posttraumatic stress disorder	309.81	140
Psychalgia	307.8	127
Psychogenic amnesia	300.12	66
Psychogenic dysmenorrhea	306.52	115
Psychogenic dysuria	306.53	115
Psychogenic fugue	300.13	66
Psychogenic genitourinary malfunction, unspecified	306.50	115
Psychogenic pain, site unspecified	307.80	127
Psychogenic paranoid psychosis	298.4	59
Psychogenic rumination	307.53	124
Psychogenic vaginismus	306.51	115
Psychogenic vomiting	307.54	124
Psychoses with origin specific to childhood	299.0-299.9	62-64
Fifth-digit subclassification for use with 299:		
0 current or active state		
1 residual state		
Psychosexual dysfunction	302.7	86
Psychosexual dysfunction, unspecified	302.70	86
Pyromania	312.33	151

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Reactive confusion	298.2	57
Repetitive intrusions of sleep	307.48	123
Residual schizophrenia	295.6	35
Respiratory-Physiological malfunction arising from mental factors	306.1	111
Schizo-affective type-Schizophrenic disorders	295.7	36
Schizoid personality disorder	301.2	77
Schizoid personality disorder, unspecified	301.20	77
Schizophrenic disorders	295.0-295.9	29-38
Fifth-digit subclassification for use with 295:		
0 unspecified		
1 subchronic		
2 chronic		
3 subchronic with acute exacerbation		
4 chronic with acute exacerbation		
5 in remission		
Schizotypal personality	301.22	77
Senile dementia, uncomplicated	290.0	1
Senile dementia with delirium	290.3	4
Senile dementia with delusional or depressive features	290.2	3
Senile dementia with delusional features	290.20	3
Senile dementia with depressive features	290.21	3
Sensitivity, shyness, and social withdrawal disorder	313.2	157
Separation anxiety disorder	309.21	137
Sexual masochism	302.83	87
Sexual sadism	302.84	87
Shared paranoid disorder	297.3	52
Shyness disorder of childhood	313.21	157
Simple type-Schizophrenic disorders	295.0	29
Skin-Physiological malfunction arising from mental factors	306.3	113
Social phobia	300.23	67
Socialized conduct disorder	312.2	150
Somatization disorder	300.81	73
Somnambulism or night terrors	307.46	123
Specific academic or work inhibition	309.23	137
Specific disorders of sleep of nonorganic origin	307.4	123
Stammering and stuttering	307.0	119
Stereotyped repetitive movements	307.3	122
Subacute delirium	293.1	22
Tension headache	307.81	127
Tic disorder, unspecified	307.20	121
Tics	307.2	121
Tobacco use disorder	305.1	101
Trans-sexualism	302.5	85
Transient disorder of initiating or maintaining wakefulness	307.43	123
Transient disorder of initiating or maintaining sleep	307.41	123
Transient tic disorder of childhood	307.21	121
Undersocialized conduct disorder, aggressive type	312.0	148
Undersocialized conduct disorder, unaggressive type	312.1	149
Unspecified-Psychoses with origin specific to childhood	299.9	64
Unspecified acute reaction to stress	308.9	134
Unspecified adjustment reaction	309.9	141
Unspecified affective psychosis	296.90	48

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Unspecified alcoholic psychosis	291.9	15
Unspecified disturbance of conduct	312.9	154
Unspecified drug dependence	304.9	99
Unspecified drug-induced mental disorder	292.9	20
Unspecified emotional disturbance of childhood or adolescence	313.9	159
Unspecified hyperkinetic syndrome	314.9	162
Unspecified neurotic disorder	300.9	74
Unspecified nonpsychotic mental disorder following organic brain damage	310.9	146
Unspecified organic brain syndrome (chronic)	294.9	28
Unspecified paranoid state	297.9	54
Unspecified personality disorder	301.9	84
Unspecified psychophysiological malfunction	306.9	118
Unspecified psychosis	298.9	61
Unspecified schizophrenia	295.9	38
Unspecified senile psychotic condition	290.9	7
Unspecified transient organic mental disorder	293.9	24
Voyeurism	302.82	87
With asexual history-Trans-sexualism	302.51	85
With functional dyspareunia-Psychosexual dysfunction	302.76	86
With heterosexual history-Trans-sexualism	302.53	85
With homosexual history-Trans-sexualism	302.52	85
With hyperactivity-Attention deficit disorder	314.01	160
With inhibited female orgasm-Psychosexual dysfunction	302.73	86
With inhibited male orgasm-Psychosexual dysfunction	302.74	86
With inhibited sexual desire-Psychosexual dysfunction	302.71	86
With inhibited sexual excitement-Psychosexual dysfunction	302.72	86
With mixed disturbance of emotions and conduct-Adjustment reaction	309.4	139
With other specified psychosexual dysfunctions-Psychosexual dysfunction	302.79	86
With predominant disturbance of conduct-Adjustment reaction	309.3	138
With predominant disturbance of other emotions-Adjustment reaction	309.2	137
With premature ejaculation-Psychosexual dysfunction	302.75	86
With unspecified sexual history-Trans-sexualism	302.50	85
Without mention of hyperactivity-Attention deficit disorder	314.00	160

APPENDIX 6

PATIENT CHARACTERISTIC DEFINITIONS USED IN GRAPHS

Complications and Comorbidities (CCs)

There are 2,979 *ICD-9-CM* diagnoses that have been distinguished by the Health Care Financing Administration (HCFA) as complications and comorbidities (CCs). These secondary diagnoses are used within the definitions of the Version 3 Diagnosis Related Group (DRG) classification system.

The HCFA definitions are:

A complication is a condition that arises during the hospital stay that prolongs length of stay by at least one day in approximately 75 percent of the cases.

A comorbidity is a preexisting condition that will, because of its presence with a specific diagnosis, cause an increase in length of stay by at least one day in approximately 75 percent of the cases.

To obtain a complete listing of the Version 3 DRG CCs, please contact 1-800-521-6210, Extension 3534.

Payor Categories

Insurance Company

Payment covered by any private or commercial insurance carrier except Blue Cross.

Self-Pay

Direct payment by the patient himself.

Other

Sources of payment not included in the other payor categories. Included here are payment by local or organized charities, such as Cerebral Palsy Foundation, or payment by relatives or friends of the patient.

Title V

Maternal and Child Health. Applies only to females age 60 or younger or males 21 or younger.

Other Government Agencies

Payment by local, state, or federal government agencies, except Medicare, Medicaid, and Title V.

23850-2.4

LOS

PSYCHIATRIC

LENGTH OF STAY

CPHA PUBLICATIONS

by Diagnosis
United States, Southern Region, 1986

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
December, 1987

PSYCHIATRIC LENGTH OF STAY

This publication represents one volume in the first edition of the Psychiatric Length of Stay series:

Length of Stay by Psychiatric Diagnosis, United States, 1986
Length of Stay by Psychiatric Diagnosis, Northeastern Region, 1986
Length of Stay by Psychiatric Diagnosis, North Central Region, 1986
Length of Stay by Psychiatric Diagnosis, Southern Region, 1986
Length of Stay by Psychiatric Diagnosis, Western Region, 1986

The Length of Stay series has been published annually since 1964. The 1986 Length of Stay by Diagnosis and Operation books are available for the United States and for four geographic regions. In addition, the Length of Stay series includes the Geriatric Length of Stay by Diagnosis and Operation, United States, 1986 and Pediatric Length of Stay by Diagnosis and Operation, United States 1986. For further information, please write CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106 or call 800-521-6210 or 800-828-6762 in Michigan, Extension 3534.

CONTENTS

About CPHA and Publications iii

Preface iv

Description of the Database

Data Collection vi
Data Quality viii
Database Characteristics viii

Organization of Psychiatric Length of Stay Tables xiii

Explanation of Psychiatric Length of Stay Statistics xv

Application of Psychiatric Length of Stay Tables xvi

Complementary Data and Graphs xvii

Length of Stay Tables 1

Appendix 1: Hospital Service Type Definitions 167

Appendix 2: Teaching Intensity Program Calculation 168

Appendix 3: State Inclusions and Hospital Counts by Region 169

Appendix 4: *ICD-9-CM* Psychiatric Diagnosis Codes and English Descriptions 170

Appendix 5: English Descriptions and *ICD-9-CM* Psychiatric Diagnosis Codes 177

Appendix 6: Patient Characteristic Definitions Used in Graphs 184

ABOUT CPHA AND CPHA PUBLICATIONS

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and system development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of issue-oriented data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day-to-day activity of health care professionals in a variety of settings.

Copyright ©1987 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

PREFACE

The Psychiatric Length of Stay series represents the first edition of a new annual publication incorporating length of stay and accompanying facility and demographic data on psychiatric patients treated in nonfederal, short-term general hospitals in the United States.

CPHA initially developed its length of stay databases in 1964. Since then, the Length of Stay or LOS series, has become a well-known standard in the health care industry.

CPHA is committed to continuing its tradition of providing high quality normative data reference publications. CPHA recognizes that sustaining a tradition means responding to emerging information needs and issues important to long-time and new users. The new series makes it possible to focus on utilization and special length of stay issues for a particular hospital population: the psychiatric patient.

The growing number of people in the United States diagnosed with mental illness or psychiatric-related conditions make these volumes both timely and imperative.

PROJECT STAFF
1986 PSYCHIATRIC LENGTH OF STAY BOOKS

Jeanine A. DeLay, MA, Project Manager, Assistant Director
Joyce Beach, Senior Programmer
Lale A. Olson, Forms Analyst
James Chesney, PhD, Director

The Project Staff is indebted to many individuals who made this publication possible. Special thanks to other Research Services staff: Carol A. Prevost, BS, Research Associate, Linda E. Vanek, MSW, Product Manager, and Susan DesHarnais, PhD, Research Scientist, for publication design, research advice, and editing assistance, and Rhonda A. Gregory, Publications Assistant, for clerical assistance.

Appreciation is also extended to Sharon Glushyn, Steve Maggio, Margaret Price, and Cheryl V. Rafdal. Finally, we gratefully acknowledge the hospitals that support this book by making their data available.

DESCRIPTION OF THE DATABASE

DATA COLLECTION

Data in the Psychiatric Length of Stay books are compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, the books contain discharge data from hospitals participating in information systems other than PAS, including: Alabama Hospital Association, Colorado Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association.

The following steps describe the PAS method of storing and retrieving medical record data:

1. In each participating hospital, personnel transfer demographic and clinical data from the record of each discharged patient via microcomputer, magnetic tape, or PAS Case Abstract.

2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where its contents are entered into the computer system.

3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospital personnel.

4. Hospitals continually add data stored in the computer system's permanent history file dating back as far as 1955. Participating hospitals are given access to their own data through interactive systems, in-house computers, and paper reports. The stored aggregate data are standardized and maintained as custom databases, among them the length of stay database.

5. CPHA Publications uses this annually updated database to create the Psychiatric Length of Stay series and other normative data reference tools.

A graphic of the CPHA data collection system is shown on the next page.

CPHA'S DATA COLLECTION SYSTEM



CPHA's Database is maintained for:

- Print and electronic publications, e.g., 1986 Psychiatric Length of Stay series
- Contract research market analysis, forecasting, survey, and epidemiological investigations
- Policy research on major health care issues, e.g., cost containment, quality of care, equity
- On-line access and analysis by hospitals and other health industry groups

DATA QUALITY

Data quality is one of the primary concerns of CPHA. Although the hospital is ultimately responsible for the quality of its data, CPHA shares responsibility as the hospital's medical record processor. For this reason, CPHA goes to considerable length to prevent and correct errors by continually training hospital medical personnel in coding and abstracting methods, by routinely monitoring submitted data, and by carefully checking and editing the data for errors.

Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: sex-specific diagnosis with the wrong sex recorded, incalculable age or stay, and unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the psychiatric length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following record types are excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term general hospital
4. discharge to other short-term general hospital
5. discharge against medical advice

DATABASE CHARACTERISTICS

Data in the Psychiatric Length of Stay series are from 1,445 nonfederal, short-term general hospitals in the United States. Short-term hospitals have a median stay shorter than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term and specialty institutions, e.g., long-term psychiatric facilities and centers treating psychiatric patients exclusively, are excluded. The only specialty hospital data included in this series are from short-term pediatric hospitals.

The characteristics of all hospitals with discharge data included in the Psychiatric Length of Stay books are displayed in the tables on pages x-xii. Table definitions are as follows:

Public/Private Hospitals

A public hospital is a nonfederal government-operated hospital, e.g., state, county, city, or hospital authority. A private hospital includes both nongovernment investor or for-profit and not-for-profit owned or operated facilities.

Hospitals with or without a Psychiatric Unit or Beds

The 1985 Annual Survey of Hospitals compiled on magnetic tape by the American Hospital Association (1985 AHA magnetic tape), includes service and facility codes. Nonfederal, short-term general hospitals that recorded psychiatric or children's psychiatric acute care services, or claimed a facility with psychiatric acute care beds, are included in the hospitals with psychiatric unit/beds category. Nonfederal, short-term general hospitals that do not have psychiatric or children's psychiatric acute care services, and do not claim psychiatric beds, are included in the hospitals without a psychiatric unit/beds category. In addition, some hospitals in this group contract with another hospital or provider for psychiatric services.

Hospitals in both categories, however, can offer the following services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization. Appendix 1 includes definitions of these additional services.

Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1985 AHA magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Hospitals
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges.

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

Appendix 2 describes how the teaching intensity index is determined.

Average Occupancy

According to *AHA Hospital Statistics*, 1986 edition, the average occupancy of a hospital is "the ratio of the average daily census to the average number of beds, i.e., statistical beds, maintained during a particular reporting period."

Table 1
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

	PUBLIC HOSPITALS			PRIVATE HOSPITALS			UNKNOWN HOSPITALS*			TOTAL HOSPITALS		
	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL
Number of Hospitals												
Universe**	143	403	546	783	1,237	2,020	7	4	11	933	1,644	2,577
Sample	64	236	300	428	711	1,139	3	3	6	495	950	1,445
Hospitals as Percent of Universe												
Universe	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Sample	44.8	58.6	54.9	54.7	57.5	56.4	42.9	75.0	54.5	53.1	57.8	56.1
Number of Urban Hospitals												
Universe	77	90	167	565	702	1,267	5	0	5	647	792	1,439
Sample	25	54	79	281	364	645	0	0	0	306	418	724
Urban Hospitals as Percent of Universe												
Universe	53.8	22.3	30.6	72.2	56.8	62.7	71.4	0	45.5	69.3	48.2	55.8
Sample	17.5	13.4	14.5	35.9	29.4	31.9	0	0	0	32.8	25.4	28.1
Number of High/Medium Teaching Intensity Hospitals												
Universe	40	10	50	297	155	452	3	0	3	340	165	505
Sample	17	9	26	149	77	226	0	0	0	166	86	252
Number of High/Medium Teaching Intensity Hospitals as Percent of Universe												
Universe	28.0	2.5	9.2	37.9	12.5	22.4	42.9	0	27.3	36.4	10.0	19.6
Sample	11.9	2.2	4.8	19.0	6.2	11.2	0	0	0	17.8	5.2	9.8
Average Occupancy as Percent of Universe												
Universe	60.9	47.6	51.1	65.6	56.4	60.0	70.2	37.8	58.4	64.9	54.2	58.1
Sample	58.6	46.5	49.1	65.0	57.4	60.2	0	84.2	84.2	64.2	54.7	57.9

*The Unknown category means no information is available for the hospital characteristics.

**The Universe means all hospitals that have recorded the presence of a psychiatric unit or beds on the 1985 American Hospital Association magnetic tape. The Sample represents hospitals with these designations, i.e., presence of a psychiatric unit or beds, contributing data to the Psychiatric Length of Stay series.

Table 2
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

HOSPITALS WITH PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	495	100.0	201,835	100.0
Control				
Public	64	12.9	20,117	10.0
Private	428	86.5	180,799	89.6
Unknown***	3	.6	919	.4
Bedsize				
<100 Beds	84	17.1	7,301	3.6
100-199	121	24.4	32,680	16.2
200-299	105	21.2	43,167	21.4
300-399	69	13.9	39,975	19.8
400-499	58	11.7	36,212	17.9
500+	55	11.1	41,581	20.6
Unknown	3	.6	919	.5
Teaching Intensity				
Low	329	66.5	101,008	50.0
Medium	105	21.2	65,292	32.4
High	61	12.3	35,535	17.6
Location				
Rural	173	35.0	37,036	18.3
Urban	306	61.8	161,416	80.0
Unknown	16	3.2	3,383	1.7

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percents is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

***The Unknown category means no information is available for the hospital characteristics.

Table 3
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	950	100.0	66,829	100.0
Control				
Public	236	24.8	11,401	17.1
Private	711	74.8	54,905	82.1
Unknown***	3	.4	523	.8
Bedsize				
< 100 Beds	522	55.0	16,903	25.3
100-199	244	25.7	20,535	30.8
200-299	99	10.4	12,663	18.9
300-399	47	4.9	9,558	14.3
400-499	18	1.9	3,265	4.9
500+	18	1.9	3,410	5.1
Unknown	2	.2	495	.7
Teaching Intensity				
Low	864	91.0	53,059	79.4
Medium	65	6.8	10,456	15.6
High	21	2.2	3,314	5.0
Location				
Rural	524	55.2	19,153	28.7
Urban	418	44.0	45,674	68.3
Unknown	8	.8	2,002	3.0

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percents is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

***The Unknown category means no information is available for the hospital characteristics.

ORGANIZATION OF THE PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series is divided into separate volumes by geographic region. There are five volumes: Northeastern, North Central, Southern, Western, and the United States. The map below defines each of the 4 census regions. Appendix 3 lists the states comprising each region, and the number of hospitals and patients included in each volume.

Diagnosis Classification Categories

The tables in each regional and national volume are categorized by the widely used classification system, the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).*[1] This system includes both diagnosis and procedure numerical codes of three to five digits. The psychiatric length of stay tables are categorized by *ICD-9-CM* diagnosis code, beginning with code 290 and ending with code 314.9, expressed to the fourth digit. Diagnosis codes within the specified range with five digits are collapsed and incorporated into the four digit *ICD-9-CM* diagnosis codes. Appendix 4 lists the *ICD-9-CM* diagnosis codes in the psychiatric length of stay tables, their accompanying English description, and the page number in the particular volume where a table is located. Appendix 5 lists, in alphabetic order, the psychiatric diagnosis English description and accompanying numerical codes. For *ICD-9-CM* codes between 290-314.9 where there are no data, no listing is included.

---

[1] *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Hospital Service Type

The tables are also categorized by hospital service and facility. The divisions are:

a. Hospitals with a Psychiatric (Psy.) Unit/Beds - Nonfederal, short-term general hospitals recording psychiatric or pediatric psychiatric acute care services or claiming a facility with psychiatric acute care beds.

b. Hospitals without a Psychiatric (Psy.) Unit/Beds - Nonfederal, short-term general hospitals that do not have psychiatric or pediatric psychiatric acute care services and do not claim psychiatric acute care beds. In addition, hospitals in this group may contract with another hospital or provider for psychiatric acute care services. Hospitals in both groups can offer the following additional services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

Psychiatric Length of Stay Patient Variables

The psychiatric length of stay data are divided into two patient groups, by sex, and by eight age ranges.

Patient Groups

Patients in the psychiatric length of stay tables are grouped by *ICD-9-CM* psychiatric principal diagnosis and by the presence or absence of a psychiatric secondary diagnosis. The principal diagnosis code is the diagnosis that after study explains why the patient was admitted to the hospital.

Psychiatric Principal Diagnosis, Without Any Psychiatric Secondary Diagnosis
(Psych Prin, No Psych 2nd Dx)

This group includes patients having a psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) only or patients having the specified psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) and a nonpsychiatric secondary diagnosis. For example, this group may include patients having the principal psychiatric diagnosis code specified in the table, as his/her only diagnosis. Alternatively, a patient having the principal psychiatric diagnosis specified in the table and diabetes (*ICD-9-CM* code 250.0), a nonpsychiatric secondary diagnosis, is also included in this category.

Psychiatric Principal Diagnosis, With One or More Psychiatric Secondary Diagnoses
(Psych Prin, Psych 2nd Dx(s)

This group includes patients having a psychiatric principal diagnosis code between the code ranges *ICD-9-CM* 290-314.9 and one or more psychiatric secondary diagnoses (*ICD-9-CM* 290-314.9). These are patients with multiple psychiatric diagnoses.

Sex

Patients are distinguished as either male or female.

Age

Patients are in one of the following age groups recorded in years:
Newborn or 0 to 12
13-17
18-20
21-24
25-34
35-54
55-74
75+

The "all ages" group summarizes all the age groups by sex.

EXPLANATION OF PSYCHIATRIC LENGTH OF STAY STATISTICS

The data are sequenced by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For the psychiatric length of stay tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in one of the two patient groups, including sex and age groups. The Grand Total represents the total number of patients in a psychiatric diagnosis category (*ICD-9-CM* codes 290-314.9) within one of the two hospital service type categories.

APPLICATION OF PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series can be used as a valuable reference source in a variety of health care settings. Use of stay data allows the health care professional to compare regional and national norms to his/her own institution or client. Like the LOS series, the Psychiatric Length of Stay publications assist in projecting extended stay reviews, while recommending the most effective use of psychiatric patient care services. In focusing on the length of stay for a singular population, norms which take into account special characteristics can be developed and refined. Moreover, annual publication of Psychiatric Length of Stay allows the establishment of baselines to determine the applicability of the norms in particular psychiatric service settings. In addition, the Psychiatric Length of Stay series helps in forecasting and service planning.

The following steps are intended to provide a guide in situations where a health care professional wishes to determine a reasonable length of stay by using one of the Psychiatric Length of Stay regional or national volumes:

Step 1: Consult Appendix 4 or 5 at the back of the appropriate Psychiatric Length of Stay book for the particular diagnosis to be reviewed.

Step 2: Find the corresponding table in the Psychiatric Length of Stay book. The *ICD-9-CM* psychiatric diagnosis code number follows the English title of each table.

Step 3: Depending on the purpose of the review, find the appropriate table category:
- Hospital Service Type
- Patient Group
- Sex
- Age

Step 4: Go to the 50th percentile of stay for patients under review at the point where the 50th percentile column (7) of the table intersects the horizontal line labeling the pertinent patient variables and find the number of days.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, with more specific applications, by health care professionals in many diverse settings. The psychiatric length of stay tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Increasing concern about quality care, costs, and the need for more sophisticated hospital population-specific data to perform these quality and cost reviews will make the psychiatric length of stay tables an important new tool in the health care industry.

COMPLEMENTARY DATA AND GRAPHS

Accessing a special database affords the opportunity to explore other topics discussed in the literature and research on psychiatric length of stay. The value of the psychiatric length of stay norms is enhanced if users examine the bar graphs displayed on the next few pages.

Three issues often cited in the literature are: transfer patterns and average stay of psychiatric patients by payor, length of stay differences by hospital ownership, and regional variations in stay for similar diagnoses.

The graphs which follow offer a data profile drawn from the psychiatric length of stay database. All graphs display data for the total United States, except those describing regional variations in stay for similar diagnoses.

Transfer Patterns of Psychiatric Patients by Payor and Hospital Service Type

The bar graphs on pages xix-xxxii display by payor, the percent of psychiatric patients with particular demographic or clinical characteristics transferred upon discharge to one of the following:

1. another short-term general hospital
2. skilled nursing facility
3. intermediate care facility
4. other facility
5. home health service

Graph 1 depicts all patients with psychiatric principal diagnoses (*ICD-9-CM* 290-314.9) transferred from one of the two hospital service types. Graph 2 shows the same group of patients over 74 years who were transferred. Graphs 3 and 4 present the same patient group, using two simple severity of illness indicators: patients with one or more HCFA-defined complications and comorbidities (CCs) as any secondary diagnosis, and patients with two or more psychiatric secondary diagnoses. Graph 5 describes the transfer patterns of a different group of patients: those without a psychiatric principal diagnosis who have one or more psychiatric secondary diagnoses. Definitions of the HCFA complications and comorbidities are included in Appendix 6.

While most payor definitions are self-explanatory, the no insurance category (NO INS) includes self-pay and no charge patients. The other (OTH) category incorporates Title V, other government, and worker compensation patients. Detailed definitions of payor categories are part of Appendix 6.

Average Lengths of Stay (ALOS) of Psychiatric Patients by Payor and Hospital Service Type

Graphs 6-10 display the average stay of the same patient categories depicted in Graphs 1-5.

Average Lengths of Stay of Psychiatric Patients with Selected Psychiatric Principal Diagnoses by Hospital Ownership

Graph 11 presents the average stays for all patients with 10 prevalent psychiatric principal diagnoses. The diagnoses highlighted are:

ICD-9-CM Code	English Description
291.8	Other Specified Alcoholic Psychosis
295.3	Schizophrenic-Paranoid Type
300.4	Neurotic Depression
301.8	Other Personality Disorders
303.9	Other and Unspecified Alcohol Dependence
304.2	Cocaine Dependence
306.1	Respiratory Physiological Malfunction Arising from Mental Factors

ICD-9-CM Code	English Description
307.1	Anorexia Nervosa
309.0	Brief Depressive Reaction
314.0	Attention Deficit Disorder

Definitions for the private (PRIV) and public (PUB) hospital ownership types can be found on page viii.

Average Lengths of Stay for Patients with Selected *ICD-9-CM* Psychiatric Principal Diagnoses by Census Region

Graphs 12-14 depict the average stays by census region for patients with the same diagnoses highlighted in graph 11.

All data for the graphs were drawn from the 1986 psychiatric length of stay database. The section beginning on page 1 includes the psychiatric length of stay tables.

GRAPH 1

PERCENT ALL PSYCH PATIENTS

TRANSFERRED BY PAYOR



GRAPH 2

PERCENT ALL PSYCH PATIENTS 74 + YEARS

TRANSFERRED BY PAYOR



GRAPH 3

PERCENT ALL PSYCH PATIENTS WITH 1+ 2ND CCs



GRAPH 4

PERCENT PATIENTS WITH MULTIPLE PSYCH DXs

TRANSFERRED BY PAYOR



GRAPH 5

PERCENT PATIENTS WITH PSYCH 2ND DXs ONLY

TRANSFERRED BY PAYOR



GRAPH 6

ALOS ALL PSYCH PATIENTS

TRANSFERRED BY PAYOR



GRAPH 7

ALOS PSYCH PATIENTS 74+ YEARS

BY PAYOR AND HOSPITAL SERVICE



GRAPH 8

ALOS PSYCH PATIENTS WITH 1 + 2ND CCs

BY PAYOR AND HOSPITAL SERVICE



GRAPH 9

ALOS PATIENTS WITH MULTIPLE PSYCH DXs

BY PAYOR AND HOSPITAL SERVICE



GRAPH 10

ALOS PATIENTS WITH PSYCH 2ND DXs ONLY

BY PAYOR AND HOSPITAL SERVICE



GRAPH 11
ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL OWNERSHIP



GRAPH 12
REGIONAL ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL SERVICE



XXX

GRAPH 13
REGIONAL ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL SERVICE



!XXX

GRAPH 14
REGIONAL ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL SERVICE



Psychiatric Length of Stay Diagnosis Tables

SENILE DEMENTIA UNCOMP (290.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14	1	2.0		2	2	2	2	2	2	2
55-74	17	13.6	141	1	2	11	15	34	39	42	9	7.9	68	1	1	6	11	21	27	27
75 +	40	8.7	33	2	3	7	12	16	21	27	29	11.8	231	2	2	6	14	28	58	63
ALL AGES	58	10.2	68	2	3	8	12	21	30	41	39	10.7	188	1	2	6	12	27	45	63
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
55-74	33	9.6	58	1	2	8	12	19	29	31	11	5.3	9	2	2	4	8	10	11	11
75 +	70	11.8	198	1	2	7	13	25	40	74	34	8.7	208	1	2	6	8	11	35	81
ALL AGES	104	11.0	153	1	2	7	13	23	32	69	46	7.8	156	2	2	5	8	11	17	81
SUBTOTAL	**162**	**10.7**	**122**	**2**	**2**	**7**	**13**	**22**	**32**	**62**	**85**	**9.1**	**172**	**1**	**2**	**6**	**8**	**16**	**33**	**75**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	4	13.8	53	3	3	16	18	20	20	20										
75 +	8	11.5	77	5	5	9	12	26	32	32	4	8.5	20	3	3	9	12	13	13	13
ALL AGES	12	12.3	64	3	4	10	16	24	31	32	4	8.5	20	3	3	9	12	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	9	10.6	49	1	1	8	15	21	21	21	3	7.0	19	4	4	5	10	12	12	12
75 +	16	10.3	59	3	3	7	14	16	29	34	11	12.7	158	5	5	9	12	32	47	48
ALL AGES	25	10.4	54	2	3	8	14	20	24	34	14	11.5	130	4	5	8	12	24	43	48
SUBTOTAL	**37**	**11.0**	**56**	**2**	**3**	**9**	**15**	**20**	**28**	**34**	**18**	**10.8**	**105**	**3**	**4**	**8**	**12**	**19**	**37**	**48**
GRAND TOTAL	**199**	**10.8**	**109**	**2**	**2**	**8**	**13**	**22**	**32**	**61**	**103**	**9.4**	**159**	**2**	**2**	**6**	**9**	**16**	**34**	**71**

PRESENILE DEMENTIA (290.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	3	14.0	52	8	8	12	19	22	22	22	1	2.0		2	2	2	2	2	2	2
55-74	22	9.2	86	2	3	5	10	20	29	42	20	9.7	198	1	2	5	9	26	49	58
75 +	21	19.5	377	4	4	11	25	49	64	79	19	12.6	330	1	2	7	15	22	56	83
ALL AGES	46	14.2	236	3	4	9	18	34	48	79	40	10.9	253	1	2	6	10	22	49	83
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	3	25.7	1539	3	3	3	54	71	71	71										
55-74	42	12.2	224	1	2	7	14	41	58	99 +	16	6.8	14	2	3	6	8	10	16	18
75 +	46	9.3	42	2	2	8	13	17	24	26	39	6.5	17	2	2	6	9	12	15	18
ALL AGES	91	11.1	168	2	2	7	13	25	50	88	55	6.6	15	2	3	6	9	11	16	18
SUBTOTAL	**137**	**12.2**	**190**	**2**	**2**	**8**	**14**	**26**	**49**	**81**	**95**	**8.4**	**118**	**2**	**2**	**6**	**9**	**16**	**21**	**72**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74	7	8.4	16	2	3	9	12	13	13	13	1	2.0		2	2	2	2	2	2	2
75 +	2	11.0		11	11	11	11	11	11	11	3	7.0	9	4	4	7	9	10	10	10
ALL AGES	10	8.7	12	2	4	9	11	13	13	13	4	5.8	11	2	2	5	8	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	11	16.1	93	5	5	16	18	30	38	39	6	10.7	107	2	2	7	11	29	31	31
75 +	16	17.7	378	2	3	13	24	37	67	80	7	10.3	103	4	4	6	9	28	33	33
ALL AGES	27	17.0	256	3	4	14	23	36	45	80	13	10.5	96	2	4	7	10	31	33	33
SUBTOTAL	**37**	**14.8**	**201**	**3**	**4**	**13**	**16**	**26**	**39**	**80**	**17**	**9.4**	**78**	**2**	**3**	**7**	**10**	**27**	**32**	**33**
GRAND TOTAL	**174**	**12.7**	**194**	**2**	**3**	**8**	**15**	**26**	**46**	**80**	**112**	**8.5**	**113**	**2**	**2**	**6**	**9**	**16**	**22**	**67**

SENILE DELUSION/DEPRESS (290.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	10	11.0	53	2	3	9	16	21	23	23	3	9.3	11	7	7	8	12	13	13	13
75 +	24	12.0	90	2	4	10	14	20	37	41	11	6.9	17	2	3	6	9	13	16	16
ALL AGES	34	11.7	77	2	4	10	16	20	33	41	14	7.4	16	2	3	7	9	13	15	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14										
55-74	15	14.1	51	5	5	14	19	25	26	26	9	10.4	39	2	3	12	14	19	20	20
75 +	35	12.9	63	4	4	12	18	27	32	99 +	20	11.5	175	2	2	6	13	34	45	50
ALL AGES	51	13.3	57	4	5	12	19	25	31	99	29	11.1	131	2	2	7	13	25	41	50
SUBTOTAL	**85**	**12.6**	**66**	**4**	**4**	**11**	**17**	**24**	**31**	**79**	**43**	**9.9**	**95**	**2**	**2**	**7**	**12**	**18**	**33**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											2	5.0	2	4	4	5	6	6	6	6
75 +	5	19.8	262	8	8	13	28	47	47	47	3	4.7	30	1	1	2	9	11	11	11
ALL AGES	5	19.8	262	8	8	13	28	47	47	47	5	4.8	16	1	1	4	7	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	7	9.9	47	2	2	9	16	19	20	20										
75 +	4	13.3	113	1	1	13	21	26	26	26	2	11.0	18	8	8	11	14	14	14	14
ALL AGES	11	11.1	66	1	1	9	17	22	26	26	2	11.0	18	8	8	11	14	14	14	14
SUBTOTAL	**16**	**13.8**	**132**	**1**	**2**	**11**	**19**	**26**	**41**	**47**	**7**	**6.6**	**22**	**1**	**1**	**6**	**10**	**13**	**14**	**14**
GRAND TOTAL	**101**	**12.8**	**75**	**3**	**4**	**11**	**17**	**24**	**32**	**72**	**50**	**9.5**	**85**	**2**	**2**	**7**	**12**	**17**	**28**	**50**

SENILE DELIRIUM (290.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	10	12.4	189	2	2	8	16	33	49	49	6	10.7	117	2	2	6	17	29	30	30
75 +	36	11.9	103	2	2	8	19	29	39	99+	27	8.2	27	3	4	7	10	16	18	24
ALL AGES	46	12.0	119	2	2	8	17	29	42	99+	33	8.7	40	2	3	6	11	17	23	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	23	12.6	264	2	2	10	13	20	48	81	10	6.8	13	2	3	6	9	12	13	13
75 +	32	13.1	174	2	2	10	19	37	56	99+	64	9.7	93	2	3	7	10	17	33	53
ALL AGES	55	12.9	207	2	2	10	15	30	53	99	74	9.3	83	2	3	7	9	15	30	51
SUBTOTAL	**101**	**12.5**	**165**	**2**	**2**	**9**	**16**	**30**	**45**	**99+**	**107**	**9.1**	**69**	**2**	**3**	**7**	**10**	**17**	**28**	**46**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	5	8.2	16	4	4	6	12	13	13	13	1	5.0		5	5	5	5	5	5	5
75 +	6	6.3	5	3	3	6	8	9	9	9	4	6.3	9	2	2	7	8	9	9	9
ALL AGES	11	7.2	9	3	4	6	9	12	13	13	5	6.0	8	2	2	6	8	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	7	7.7	6	4	5	7	9	11	12	12	3	7.7	12	4	4	8	10	11	11	11
75 +	11	12.7	107	3	4	11	16	26	39	40	7	8.4	21	4	4	7	10	16	17	17
ALL AGES	18	10.8	70	3	4	8	14	17	31	40	10	8.2	16	4	4	8	10	14	17	17
SUBTOTAL	**29**	**9.4**	**50**	**3**	**4**	**7**	**12**	**16**	**18**	**40**	**15**	**7.5**	**13**	**2**	**4**	**7**	**10**	**11**	**15**	**17**
GRAND TOTAL	**130**	**11.8**	**141**	**2**	**2**	**8**	**14**	**28**	**41**	**99+**	**122**	**8.9**	**63**	**2**	**3**	**7**	**10**	**16**	**26**	**44**

ARTERIOSCLEROT DEMENTIA (290.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20						—														
21-24																				
25-34																				
35-54	3	8.3	71	3	3	4	14	18	18	18	1	7.0		7	7	7	7	7	7	7
55-74	26	13.2	55	2	3	13	18	22	26	31	11	8.6	23	3	3	9	11	15	19	19
75 +	27	10.3	121	3	3	7	13	20	27	58	19	8.9	22	2	3	9	12	16	17	18
ALL AGES	56	11.6	86	2	3	10	17	20	24	56	31	8.8	20	3	3	9	11	15	18	19
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	4	10.8	85	1	1	10	18	21	21	21										
55-74	22	15.0	166	4	4	11	17	38	45	54	11	5.1	6	3	3	4	7	9	10	10
75 +	39	9.6	84	2	2	6	13	19	32	42	29	9.8	37	2	3	9	14	18	22	24
ALL AGES	65	11.5	115	2	3	8	15	21	39	52	40	8.5	33	2	3	7	12	17	20	24
SUBTOTAL	**121**	**11.5**	**102**	**2**	**3**	**8**	**16**	**21**	**34**	**55**	**71**	**8.6**	**27**	**3**	**3**	**8**	**11**	**16**	**19**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	18.0		18	18	18	18	18	18	18										
55-74	11	13.6	99	3	5	9	22	30	31	31	4	9.0	70	2	2	6	14	21	21	21
75 +	8	11.8	58	3	4	11	15	23	27	27	8	23.8	671	3	3	12	37	68	77	77
ALL AGES	20	13.1	75	3	4	9	17	28	30	31	12	18.8	502	2	3	9	24	55	74	77
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	7	11.7	71	3	3	9	18	25	26	26	1	7.0		7	7	7	7	7	7	7
75 +	13	15.7	129	2	4	11	22	36	38	38	3	10.0	21	5	5	11	13	14	14	14
ALL AGES	20	14.3	108	2	4	11	20	31	37	38	4	9.3	15	5	5	9	12	14	14	14
SUBTOTAL	**40**	**13.7**	**90**	**3**	**4**	**10**	**19**	**28**	**33**	**38**	**16**	**16.4**	**390**	**2**	**3**	**9**	**18**	**44**	**68**	**77**
GRAND TOTAL	**161**	**12.1**	**98**	**2**	**3**	**9**	**16**	**23**	**33**	**53**	**87**	**10.1**	**98**	**3**	**3**	**8**	**12**	**18**	**22**	**65**

SENILE PSYCHOSIS NEC (290.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +	1	6.0		6	6	6	6	6	6	6											
ALL AGES	1	6.0		6	6	6	6	6	6	6											
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
SUBTOTAL	1	6.0		6	6	6	6	6	6	6											
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
SUBTOTAL																					
GRAND TOTAL	1	6.0		6	6	6	6	6	6	6											

SENILE PSYCHOT COND NOS (290.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	**1**	**3.0**		3	3	3	3	3	3	3										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**1**	**3.0**		3	3	3	3	3	3	3										

DELIRIUM TREMENS (291.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	2.0		2	2	2	2	2	2	2										
21-24	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
25-34	7	8.1	116	2	2	3	12	27	30	30	7	3.3	5	1	1	3	5	7	7	7
35-54	36	5.3	20	1	1	5	7	8	13	25	39	4.6	11	1	1	4	6	7	8	20
55-74	24	5.8	24	2	2	4	7	11	18	23	20	6.3	13	2	2	5	9	12	13	14
75 +	2	12.0	200	2	2	12	22	22	22	22	2	5.5	5	4	4	5	7	7	7	7
ALL AGES	71	5.9	32	1	2	4	7	12	22	29	69	5.0	11	1	1	4	7	8	11	19
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	4	6.0	18	2	2	5	9	11	11	11	3	2.7	1	2	2	2	4	4	4	4
35-54	9	4.6	4	2	2	5	6	8	8	8	6	3.7	1	2	2	4	4	5	5	5
55-74	7	9.3	44	3	3	7	11	21	23	23	4	5.5	40	2	2	3	9	15	15	15
75 +	2	9.0	32	5	5	9	13	13	13	13										
ALL AGES	22	6.7	24	2	2	5	8	12	17	23	13	4.0	12	2	2	3	4	7	13	15
SUBTOTAL	**93**	**6.1**	**30**	**1**	**2**	**4**	**7**	**12**	**21**	**28**	**82**	**4.8**	**12**	**1**	**2**	**4**	**6**	**8**	**12**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20											1	2.0		2	2	2	2	2	2	2
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	31	7.2	41	1	2	5	10	16	21	29	14	4.5	4	1	2	5	5	7	9	9
35-54	107	6.9	62	1	2	5	8	11	18	46	54	4.8	21	1	2	4	5	8	10	32
55-74	52	9.3	39	2	3	8	12	17	26	31	36	7.4	45	1	2	5	9	18	24	30
75 +	5	14.4	10	10	10	16	17	17	17	17	3	20.7	415	6	6	12	36	44	44	44
ALL AGES	197	7.7	53	2	2	6	9	16	20	33	108	6.0	42	1	2	5	7	10	19	38
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	3	4.0	4	2	2	4	5	6	6	6										
25-34	12	7.7	38	2	2	5	12	18	20	20	4	3.0	2	2	2	3	4	5	5	5
35-54	12	11.6	63	3	4	9	13	23	32	33	12	5.3	6	2	3	5	7	9	11	11
55-74	18	10.6	66	2	3	7	17	24	27	27	9	6.4	18	3	3	5	9	13	15	15
75 +	1	6.0		6	6	6	6	6	6	6	2	5.0	18	2	2	5	8	8	8	8
ALL AGES	46	9.6	54	2	3	7	13	19	26	33	27	5.3	10	2	2	4	7	10	12	15
SUBTOTAL	**243**	**8.0**	**55**	**2**	**2**	**6**	**10**	**17**	**21**	**33**	**135**	**5.9**	**35**	**1**	**2**	**5**	**7**	**10**	**15**	**35**
GRAND TOTAL	**336**	**7.5**	**48**	**2**	**2**	**6**	**9**	**16**	**21**	**33**	**217**	**5.5**	**26**	**1**	**2**	**4**	**7**	**10**	**13**	**31**

ALCOHOL AMNESTIC SYND (291.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	3	9.0	57	1	1	10	14	16	16	16	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	4	7.8	43	1	1	7	13	16	16	16	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	8.0		8	8	8	8	8	8	8										
75 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8										
SUBTOTAL	**5**	**7.8**	**33**	**1**	**1**	**8**	**11**	**16**	**16**	**16**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	2	26.5	481	11	11	26	42	42	42	42	3	6.0	21	2	2	5	9	11	11	11
75 +											1	28.0		28	28	28	28	28	28	28
ALL AGES	3	20.0	367	7	7	11	34	42	42	42	4	11.5	135	2	2	8	19	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54	1	17.0		17	17	17	17	17	17	17										
55-74	1	21.0		21	21	21	21	21	21	21										
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	4	12.8	53	6	6	12	19	21	21	21										
SUBTOTAL	**7**	**15.9**	**163**	**6**	**6**	**11**	**20**	**38**	**42**	**42**	**4**	**11.5**	**135**	**2**	**2**	**8**	**19**	**28**	**28**	**28**
GRAND TOTAL	**12**	**12.5**	**119**	**1**	**3**	**9**	**16**	**27**	**40**	**42**	**5**	**10.0**	**113**	**2**	**2**	**5**	**15**	**28**	**28**	**28**

ALCOHOLIC DEMENTIA NEC (291.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54	1	14.0		14	14	14	14	14	14	14	1	2.0		2	2	2	2	2	2	2
55-74	9	10.2	50	1	2	11	14	20	24	24	6	10.5	58	1	1	10	19	19	19	19
75 +	3	7.3	43	1	1	7	12	14	14	14	2	16.5	61	11	11	16	22	22	22	22
ALL AGES	13	9.8	44	1	1	11	14	17	23	24	10	9.9	65	1	1	10	19	21	22	22
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	12.0		12	12	12	12	12	12	12										
35-54	2	3.0	2	2	2	3	4	4	4	4										
55-74	4	5.8	29	1	1	5	10	11	11	11	3	15.3	172	3	3	14	25	29	29	29
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	8	6.0	21	1	1	5	10	12	12	12	3	15.3	172	3	3	14	25	29	29	29
SUBTOTAL	**21**	**8.4**	**37**	**1**	**1**	**7**	**13**	**15**	**19**	**24**	**13**	**11.2**	**82**	**1**	**1**	**11**	**19**	**23**	**28**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	5.0		5	5	5	5	5	5	5
35-54	5	4.8	22	2	2	3	6	13	13	13	3	3.3	3	2	2	3	4	5	5	5
55-74	14	22.5	278	4	5	18	32	43	61	66	7	9.6	24	4	4	12	14	15	15	15
75 +	2	2.5	1	2	2	2	3	3	3	3	2	8.0		8	8	8	8	8	8	8
ALL AGES	21	16.4	263	2	2	13	22	37	52	66	13	7.5	21	2	3	5	12	14	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	4	10.3		9	9	10	11	11	11	11	2	12.5	265	1	1	12	24	24	24	24
55-74	7	12.7	70	5	6	10	14	27	30	30	7	14.6	270	4	4	7	19	44	49	49
75 +	1	13.0		13	13	13	13	13	13	13	1	2.0		2	2	2	2	2	2	2
ALL AGES	12	11.9	40	5	7	10	13	19	28	30	10	12.9	225	1	1	6	22	36	49	49
SUBTOTAL	**33**	**14.8**	**182**	**2**	**3**	**11**	**18**	**33**	**40**	**66**	**23**	**9.9**	**110**	**1**	**2**	**5**	**13**	**22**	**33**	**43**
GRAND TOTAL	**54**	**12.3**	**134**	**1**	**2**	**10**	**15**	**25**	**34**	**65**	**36**	**10.3**	**99**	**1**	**2**	**7**	**14**	**22**	**27**	**49**

ALCOHOL HALLUCINOSIS (291.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	9.5	145	1	1	9	18	18	18	18	3	2.3	3	1	1	2	3	4	4	4
35-54	9	7.0	176	1	1	2	5	28	42	42	1	3.0		3	3	3	3	3	3	3
55-74	4	5.3	8	3	3	5	7	9	9	9	2	5.0	2	4	4	5	6	6	6	6
75 +	2	5.5	25	2	2	5	9	9	9	9										
ALL AGES	18	6.4	97	1	1	3	7	15	32	42	6	3.3	3	1	1	3	4	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2	1	12.0		12	12	12	12	12	12	12
35-54											1	7.0		7	7	7	7	7	7	7
55-74	2	3.0	2	2	2	3	4	4	4	4	2	3.5	1	3	3	3	4	4	4	4
75 +																				
ALL AGES	3	2.7	1	2	2	2	4	4	4	4	4	6.5	16	3	3	5	9	12	12	12
SUBTOTAL	**21**	**5.9**	**84**	**1**	**1**	**2**	**6**	**13**	**29**	**42**	**10**	**4.6**	**10**	**1**	**1**	**4**	**6**	**9**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	6	7.5	56	3	3	4	9	21	22	22	4	3.0	2	1	1	3	4	4	4	4
35-54	16	6.4	30	2	2	4	7	16	20	21	7	5.0	5	1	1	5	6	8	8	8
55-74	5	18.2	560	4	4	7	25	60	60	60	3	10.0	37	6	6	7	14	17	17	17
75 +																				
ALL AGES	27	8.9	134	2	3	5	9	20	28	60	14	5.5	15	1	1	5	6	9	15	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
35-54	3	7.7	12	4	4	8	10	11	11	11										
55-74	2	7.0	50	2	2	7	12	12	12	12	3	5.3	1	5	5	5	6	6	6	6
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	7	6.7	14	2	2	6	10	12	12	12	4	4.8	1	3	3	5	6	6	6	6
SUBTOTAL	**34**	**8.4**	**110**	**2**	**3**	**5**	**9**	**17**	**22**	**60**	**18**	**5.3**	**12**	**1**	**2**	**5**	**6**	**8**	**13**	**17**
GRAND TOTAL	**55**	**7.4**	**100**	**1**	**2**	**4**	**8**	**17**	**22**	**59**	**28**	**5.1**	**11**	**1**	**1**	**5**	**6**	**8**	**12**	**17**

PATHOLOGIC ALCOHOL INTOX (291.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	2	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	1.0		1	1	1	1	1	1	1										
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	3	1.3		1	1	1	2	2	2	2	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES											2	1.0		1	1	1	1	1	1	1
SUBTOTAL	**3**	**1.3**		**1**	**1**	**1**	**2**	**2**	**2**	**2**	**3**	**2.3**	**6**	**1**	**1**	**1**	**4**	**5**	**5**	**5**
GRAND TOTAL	**5**	**1.6**		**1**	**1**	**2**	**2**	**2**	**2**	**2**	**3**	**2.3**	**6**	**1**	**1**	**1**	**4**	**5**	**5**	**5**

ALCOHOLIC JEALOUSY (291.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	10.5	41	6	6	10	15	15	15	15	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	2	10.5	41	6	6	10	15	15	15	15	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**10.5**	**41**	**6**	**6**	**10**	**15**	**15**	**15**	**15**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**3**	**7.3**	**51**	**1**	**1**	**6**	**13**	**15**	**15**	**15**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

ALCOHOLIC PSYCHOSIS NEC (291.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	5	2.4		2	2	2	3	3	3	3	3	2.0	1	1	1	2	3	3	3	3
25-34	32	8.2	99	1	1	3	8	28	29	30	17	2.4	2	1	1	2	3	4	5	5
35-54	101	6.4	57	1	2	4	6	15	28	31	69	4.0	7	1	1	4	5	7	10	15
55-74	41	6.1	47	1	1	4	6	13	27	28	25	4.2	17	1	1	3	5	8	15	18
75 +	4	9.5	62	3	3	7	14	21	21	21	1	15.0		15	15	15	15	15	15	15
ALL AGES	183	6.6	61	1	1	4	6	22	28	30	115	3.9	9	1	1	3	5	7	10	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	5.0		5	5	5	5	5	5	5										
25-34	13	4.4	10	1	1	3	5	10	10	10	4	3.8	4	2	2	3	5	7	7	7
35-54	20	7.2	89	1	1	3	7	27	28	29	11	3.1	3	1	1	3	4	6	7	7
55-74	8	5.4	13	1	1	5	6	11	13	13	2	4.0	2	3	3	4	5	5	5	5
75 +	1	16.0		16	16	16	16	16	16	16	2	6.0		6	6	6	6	6	6	6
ALL AGES	43	6.1	50	1	1	3	6	14	27	29	19	3.6	4	1	1	3	5	7	7	7
SUBTOTAL	**226**	**5.5**	**59**	**1**	**1**	**4**	**6**	**16**	**28**	**29**	**134**	**3.8**	**9**	**1**	**1**	**3**	**5**	**7**	**9**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	10	9.0	92	2	2	5	14	24	32	32	3	3.3	1	3	3	3	4	4	4	4
25-34	64	5.2	40	1	2	4	5	9	16	39	22	3.0	4	1	1	2	4	6	7	8
35-54	197	5.4	32	1	1	4	6	11	19	31	79	3.7	5	1	1	3	5	7	8	11
55-74	85	7.1	47	1	2	5	8	18	22	31	36	5.9	32	2	2	5	6	11	21	28
75 +	8	7.3	16	3	3	6	10	13	14	14	1	6.0		6	6	6	6	6	6	6
ALL AGES	364	5.9	39	1	2	4	6	13	20	33	141	4.1	13	1	1	3	5	7	9	25
B. FEMALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	15	6.2	16	1	3	5	7	11	16	18	3	4.3	6	3	3	3	6	7	7	7
35-54	39	7.4	50	1	1	5	8	21	23	29	19	4.9	33	1	1	3	5	14	20	22
55-74	27	7.6	54	2	2	5	9	18	21	35	12	3.7	1	1	2	4	5	5	5	5
75 +	4	5.5	3	4	4	5	7	8	8	8	2	6.5	41	2	2	6	11	11	11	11
ALL AGES	87	7.1	42	1	2	5	8	18	22	33	36	4.6	19	1	1	3	5	9	16	22
SUBTOTAL	**451**	**6.2**	**39**	**1**	**2**	**4**	**7**	**14**	**20**	**33**	**177**	**4.2**	**14**	**1**	**1**	**3**	**5**	**8**	**10**	**24**
GRAND TOTAL	**677**	**6.3**	**45**	**1**	**2**	**4**	**6**	**15**	**25**	**32**	**311**	**4.1**	**11**	**1**	**1**	**3**	**5**	**7**	**10**	**20**

ALCOHOLIC PSYCHOSIS NOS (291.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	3	3.0	7	1	1	2	5	6	6	6	1	1.0		1	1	1	1	1	1	1
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	1	9.0		9	9	9	9	9	9	9	1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	7	3.6	9	1	1	2	5	8	9	9	2	5.0	32	1	1	4	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	11.0		11	11	11	11	11	11	11										
55-74	2	5.0	2	4	4	5	6	6	6	6										
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	4	7.5	10	4	4	7	10	11	11	11										
SUBTOTAL	**11**	**5.0**	**12**	**1**	**1**	**4**	**8**	**10**	**11**	**11**	**2**	**5.0**	**32**	**1**	**1**	**4**	**9**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	6.0		6	6	6	6	6	6	6
35-54	5	7.2	16	3	3	7	10	13	13	13										
55-74	3	10.0	28	6	6	8	14	16	16	16	1	7.0		7	7	7	7	7	7	7
75 +																				
ALL AGES	8	8.3	18	3	3	7	11	15	16	16	2	6.5	1	6	6	6	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34	2	15.5	421	1	1	15	30	30	30	30										
35-54	3	3.0	1	2	2	3	4	4	4	4	1	33.0		33	33	33	33	33	33	33
55-74	2	12.5	221	2	2	12	23	23	23	23	2	1.5	1	1	1	1	2	2	2	2
75 +																				
ALL AGES	7	9.3	143	1	1	3	18	29	30	30	4	9.3	250	1	1	1	17	33	33	33
SUBTOTAL	**15**	**8.7**	**72**	**1**	**2**	**6**	**12**	**23**	**28**	**30**	**6**	**8.3**	**153**	**1**	**1**	**4**	**7**	**30**	**33**	**33**
GRAND TOTAL	**26**	**7.2**	**48**	**1**	**1**	**5**	**9**	**16**	**24**	**30**	**8**	**7.5**	**116**	**1**	**1**	**4**	**8**	**26**	**33**	**33**

DRUG WITHDRAWAL SYNDROME (292.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	9.0		9	9	9	9	9	9	9
13-17																				
18-20	2	5.0	32	1	1	5	9	9	9	9										
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5	2	1.5	1	1	1	1	2	2	2	2
35-54	4	4.3	2	3	3	4	5	6	6	6	5	4.0	13	1	1	3	5	10	10	10
55-74	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
75 +	1	5.0		5	5	5	5	5	5	5	1	7.0		7	7	7	7	7	7	7
ALL AGES	9	4.2	7	1	1	5	5	8	9	9	10	4.0	12	1	1	3	7	9	10	10
B. FEMALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-17	1	6.0		6	6	6	6	6	6	6										
18-20																				
21-24																				
25-34	3	6.0	16	2	2	6	9	10	10	10	4	4.5	6	3	3	4	6	8	8	8
35-54	3	3.3	17	1	1	1	6	8	8	8	6	4.3	17	1	1	3	6	11	12	12
55-74	7	11.9	41	3	4	11	18	21	21	21	2	8.5	13	6	6	8	11	11	11	11
75 +	1	1.0		1	1	1	1	1	1	1	3	4.3	1	4	4	4	5	5	5	5
ALL AGES	16	8.0	37	1	1	8	10	19	21	21	15	4.9	11	1	2	4	6	11	12	12
SUBTOTAL	**25**	**6.6**	**29**	**1**	**1**	**6**	**9**	**11**	**20**	**21**	**25**	**4.6**	**10**	**1**	**1**	**4**	**6**	**10**	**11**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	30.0		30	30	30	30	30	30	30										
18-20											1	1.0		1	1	1	1	1	1	1
21-24	2	6.0	32	2	2	6	10	10	10	10	1	3.0		3	3	3	3	3	3	3
25-34	12	8.8	160	1	2	5	7	23	44	48	6	10.7	97	2	2	8	10	28	30	30
35-54	11	9.5	78	1	1	8	11	22	32	33	6	2.0		1	1	2	2	3	3	3
55-74	4	8.5	44	3	3	6	13	18	18	18										
75 +	2	14.5	25	11	11	14	18	18	18	18	1	2.0		2	2	2	2	2	2	2
ALL AGES	32	9.8	105	1	2	6	11	22	33	48	15	5.5	54	1	1	2	7	10	25	30
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-20	1	40.0		40	40	40	40	40	40	40										
21-24																				
25-34	7	6.4	24	2	2	5	9	14	15	15	1	4.0		4	4	4	4	4	4	4
35-54	11	9.5	59	2	3	8	12	22	27	28	5	3.2	7	1	1	2	5	7	7	7
55-74	8	6.8	12	1	1	7	9	12	13	13	5	5.2	9	1	1	5	7	9	9	9
75 +	4	7.5	14	2	2	9	10	10	10	10	1	7.0		7	7	7	7	7	7	7
ALL AGES	32	8.7	62	2	2	8	10	16	27	40	12	4.4	8	1	1	4	7	8	9	9
SUBTOTAL	**64**	**9.3**	**82**	**1**	**2**	**7**	**10**	**18**	**31**	**47**	**27**	**5.0**	**33**	**1**	**1**	**3**	**7**	**9**	**13**	**30**
GRAND TOTAL	**89**	**8.5**	**69**	**1**	**2**	**6**	**10**	**18**	**28**	**45**	**52**	**4.8**	**22**	**1**	**1**	**3**	**7**	**9**	**11**	**30**

DRUG PARANOID/HALLUCINOS (292.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54	3	9.7	96	3	3	5	17	21	21	21	1	5.0		5	5	5	5	5	5	5
55-74	7	6.9	18	2	3	6	7	14	16	16	7	8.0	108	1	1	4	7	26	31	31
75 +	5	2.8	3	1	1	3	4	5	5	5	1	5.0		5	5	5	5	5	5	5
ALL AGES	16	5.8	29	1	1	5	6	15	19	21	9	7.3	83	1	1	5	6	22	31	31
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17											2	2.5	5	1	1	2	4	4	4	4
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	3	10.7	96	4	4	6	18	22	22	22										
35-54	5	4.2	2	3	3	4	5	6	6	6	1	1.0		1	1	1	1	1	1	1
55-74	5	5.0	9	2	2	4	6	10	10	10	2	3.5	1	3	3	3	4	4	4	4
75 +	3	7.0	27	4	4	4	11	13	13	13	3	5.7	8	4	4	4	8	9	9	9
ALL AGES	18	5.6	25	1	1	4	6	12	18	22	8	3.8	6	1	1	4	4	8	9	9
SUBTOTAL	**34**	**5.7**	**26**	**1**	**1**	**4**	**6**	**13**	**20**	**22**	**17**	**5.6**	**48**	**1**	**1**	**4**	**5**	**9**	**23**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	14.0	338	1	1	14	27	27	27	27										
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	3	10.3	130	1	1	7	19	23	23	23										
35-54	4	10.0	90	3	3	6	15	24	24	24	1	3.0		3	3	3	3	3	3	3
55-74	4	7.5	36	2	2	6	11	16	16	16	4	9.0	38	5	5	7	13	18	18	18
75 +	4	7.8	11	4	4	7	10	12	12	12	1	1.0		1	1	1	1	1	1	1
ALL AGES	18	9.1	65	1	1	6	12	24	26	27	6	6.7	36	1	1	5	8	17	18	18
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	1	54.0		54	54	54	54	54	54	54										
18-20	1	13.0		13	13	13	13	13	13	13										
21-24																				
25-34	3	28.0	1197	1	1	16	54	67	67	67										
35-54	1	6.0		6	6	6	6	6	6	6	2	3.5	13	1	1	3	6	6	6	6
55-74	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
75 +	4	12.8	100	4	4	11	21	25	25	25	5	4.4	10	2	2	3	5	10	10	10
ALL AGES	12	17.8	458	1	2	9	21	58	66	67	8	3.9	8	1	1	3	5	9	10	10
SUBTOTAL	**30**	**12.6**	**230**	**1**	**2**	**6**	**16**	**26**	**54**	**67**	**14**	**5.1**	**20**	**1**	**1**	**4**	**6**	**11**	**16**	**18**
GRAND TOTAL	**64**	**8.9**	**132**	**1**	**1**	**5**	**9**	**22**	**26**	**65**	**31**	**5.4**	**34**	**1**	**1**	**4**	**6**	**9**	**18**	**31**

PATHOLOGIC DRUG INTOX (292.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	3.5	5	2	2	3	5	5	5	5										
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	3	3.0	4	1	1	3	4	5	5	5										
25-34											1	3.0		3	3	3	3	3	3	3
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	7	2.6	3	1	1	2	4	5	5	5	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	10.0	128	2	2	10	18	18	18	18										
55-74	2	3.0	2	2	2	3	4	4	4	4										
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	4	6.5	60	2	2	3	11	18	18	18	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**11**	**4.0**	**24**	**1**	**1**	**2**	**5**	**10**	**17**	**18**	**2**	**4.0**	**2**	**3**	**3**	**4**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	6.0		6	6	6	6	6	6	6										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	7.0		7	7	7	7	7	7	7										
25-34	2	4.0	8	2	2	4	6	6	6	6										
35-54	1	8.0		8	8	8	8	8	8	8										
55-74																				
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	5	6.2	6	2	2	7	8	8	8	8										
SUBTOTAL	**6**	**6.2**	**4**	**2**	**2**	**7**	**8**	**8**	**8**	**8**										
GRAND TOTAL	**17**	**4.8**	**17**	**1**	**1**	**4**	**6**	**8**	**15**	**18**	**2**	**4.0**	**2**	**3**	**3**	**4**	**5**	**5**	**5**	**5**

OTHER DRUG MENTAL DIS (292.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	3.5	5	2	2	3	5	5	5	5	2	2.0		2	2	2	2	2	2	2
35-54	6	2.8	3	1	1	3	4	5	5	5	3	8.7	113	2	2	3	16	21	21	21
55-74	10	11.3	132	2	3	7	10	32	35	35	5	8.2	22	3	3	8	11	15	15	15
75 +	9	5.2	13	1	1	5	6	11	13	13	16	5.4	7	1	2	5	7	9	10	10
ALL AGES	29	6.4	61	1	1	4	6	12	30	35	27	5.9	20	1	2	5	8	10	16	21
B. FEMALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17																				
18-20																				
21-24	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
25-34	1	8.0		8	8	8	8	8	8	8	1	2.0		2	2	2	2	2	2	2
35-54	10	3.1	1	1	1	3	4	5	5	5	4	4.8	18	1	1	3	7	11	11	11
55-74	18	9.6	56	1	2	8	13	19	26	30	14	5.4	4	3	3	5	7	8	10	10
75 +	17	5.5	14	1	2	5	7	12	13	13	14	5.4	11	1	2	5	8	10	10	10
ALL AGES	47	6.6	33	1	2	5	9	13	17	30	35	5.1	8	1	2	4	7	10	10	11
SUBTOTAL	**76**	**6.6**	**42**	**1**	**1**	**5**	**8**	**13**	**19**	**34**	**62**	**5.4**	**14**	**1**	**2**	**5**	**8**	**10**	**11**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24	2	28.0	648	10	10	28	46	46	46	46										
25-34	2	40.5	25	37	37	40	44	44	44	44	1	7.0		7	7	7	7	7	7	7
35-54	1	8.0		8	8	8	8	8	8	8	1	3.0		3	3	3	3	3	3	3
55-74	11	8.9	40	2	2	9	11	19	24	24	3	8.3	38	3	3	7	13	15	15	15
75 +	7	8.9	18	4	5	8	9	16	18	18	9	6.3	24	2	2	4	9	14	16	16
ALL AGES	23	13.3	157	2	3	9	14	38	45	46	15	6.2	22	1	2	4	8	15	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	5.0		5	5	5	5	5	5	5										
21-24																				
25-34	2	11.5	113	4	4	11	19	19	19	19	2	20.5	145	12	12	20	29	29	29	29
35-54	5	12.2	107	4	4	7	21	27	27	27	2	2.5	1	2	2	2	3	3	3	3
55-74	11	11.8	236	2	2	7	13	31	54	56	8	5.4	2	4	4	5	6	7	8	8
75 +	7	8.0	31	2	2	8	12	16	17	17	7	9.9	36	1	2	9	14	18	19	19
ALL AGES	26	10.6	127	2	2	7	14	19	33	56	19	8.3	46	1	2	6	11	17	24	29
SUBTOTAL	**49**	**11.8**	**141**	**2**	**3**	**8**	**14**	**26**	**44**	**56**	**34**	**7.4**	**36**	**1**	**2**	**6**	**9**	**15**	**18**	**29**
GRAND TOTAL	**125**	**8.6**	**87**	**1**	**2**	**6**	**10**	**18**	**30**	**48**	**96**	**6.1**	**22**	**1**	**2**	**5**	**8**	**12**	**15**	**25**

DRUG MENTAL DISORDER NOS (292.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	12.3	322	2	2	2	25	33	33	33	1	1.0		1	1	1	1	1	1	1
18-20	4	3.5	7	1	1	3	5	7	7	7										
21-24	3	4.0	7	1	1	5	6	6	6	6	2	1.5	1	1	1	1	2	2	2	2
25-34	5	3.0	6	1	1	2	4	7	7	7										
35-54	3	5.3	45	1	1	2	10	13	13	13	1	4.0		4	4	4	4	4	4	4
55-74	1	4.0		4	4	4	4	4	4	4	2	6.0	18	3	3	6	9	9	9	9
75 +	7	8.4	17	4	4	7	12	14	14	14										
ALL AGES	26	6.0	46	1	1	4	7	13	18	33	6	3.3	9	1	1	2	4	8	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	11.0	200	1	1	11	21	21	21	21										
25-34											1	4.0		4	4	4	4	4	4	4
35-54	2	5.0	18	2	2	5	8	8	8	8	1	13.0		13	13	13	13	13	13	13
55-74	5	9.2	89	3	3	4	14	25	25	25										
75 +											2	2.5	5	1	1	2	4	4	4	4
ALL AGES	9	8.7	76	1	1	4	13	23	25	25	4	5.5	27	1	1	4	9	13	13	13
SUBTOTAL	**35**	**6.7**	**53**	**1**	**1**	**4**	**8**	**14**	**24**	**33**	**10**	**4.2**	**15**	**1**	**1**	**3**	**4**	**11**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	25.0	242	14	14	25	36	36	36	36										
18-20	2	7.5	5	6	6	7	9	9	9	9	1	1.0		1	1	1	1	1	1	1
21-24	1	12.0		12	12	12	12	12	12	12										
25-34	5	4.8	16	1	1	4	7	11	11	11										
35-54	1	7.0		7	7	7	7	7	7	7	1	13.0		13	13	13	13	13	13	13
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	11	9.8	92	1	2	7	12	23	35	36	3	6.3	38	1	1	5	11	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14	2	14.5	5	13	13	14	16	16	16	16
55-74	2	6.0	18	3	3	6	9	9	9	9										
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	5	5.8	31	1	1	3	10	14	14	14	2	14.5	5	13	13	14	16	16	16	16
SUBTOTAL	**16**	**8.6**	**73**	**1**	**1**	**7**	**11**	**14**	**29**	**36**	**5**	**9.6**	**40**	**1**	**1**	**13**	**14**	**16**	**16**	**16**
GRAND TOTAL	**51**	**7.3**	**58**	**1**	**1**	**4**	**10**	**14**	**25**	**36**	**15**	**6.0**	**28**	**1**	**1**	**4**	**12**	**13**	**15**	**16**

ACUTE DELIRIUM (293.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
18-20	1	3.0		3	3	3	3	3	3	3										
21-24											1	7.0		7	7	7	7	7	7	7
25-34											2	2.5	5	1	1	2	4	4	4	4
35-54	18	6.7	57	1	1	4	8	17	26	30	6	7.7	99	3	3	4	5	26	28	28
55-74	21	8.9	65	3	3	7	9	26	28	28	30	5.0	15	1	1	4	7	10	13	17
75 +	24	6.3	17	1	2	6	9	11	15	19	29	8.1	58	1	3	6	11	15	17	41
ALL AGES	65	7.2	43	2	2	5	8	14	26	30	70	6.4	40	1	1	5	7	13	16	38
B. FEMALE																				
0-12 YRS.	2	4.0	2	3	3	4	5	5	5	5										
13-17	1	13.0		13	13	13	13	13	13	13	1	1.0		1	1	1	1	1	1	1
18-20																				
21-24	2	7.5	61	2	2	7	13	13	13	13										
25-34	6	7.5	42	1	1	6	12	17	18	18	1	3.0		3	3	3	3	3	3	3
35-54	8	3.8	3	2	2	3	5	6	7	7	8	2.4	2	1	1	2	3	5	5	5
55-74	34	6.4	29	2	2	5	8	12	21	24	36	5.6	67	2	2	3	6	10	12	50
75 +	39	7.9	61	2	3	6	8	15	23	45	48	5.8	16	1	2	5	8	11	16	17
ALL AGES	92	6.9	42	2	2	5	8	13	22	36	94	5.4	34	1	2	4	7	10	13	36
SUBTOTAL	**157**	**7.0**	**42**	**2**	**2**	**5**	**8**	**13**	**23**	**30**	**164**	**5.8**	**37**	**1**	**1**	**4**	**7**	**11**	**16**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17	1	2.0		2	2	2	2	2	2	2										
18-20	1	1.0		1	1	1	1	1	1	1										
21-24											1	4.0		4	4	4	4	4	4	4
25-34	2	6.5	1	6	6	6	7	7	7	7	2	13.0	162	4	4	13	22	22	22	22
35-54	4	12.8	74	2	2	13	19	22	22	22	3	2.3	1	2	2	2	3	3	3	3
55-74	14	9.1	76	2	2	6	11	19	31	35	11	5.8	10	1	2	7	7	10	11	11
75 +	15	9.1	43	1	2	7	12	20	22	23	10	7.7	40	1	1	7	11	17	22	22
ALL AGES	38	8.8	55	1	2	7	11	19	23	35	27	6.6	30	1	1	4	7	13	22	22
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	5	10.0	60	2	2	12	16	19	19	19	1	7.0		7	7	7	7	7	7	7
55-74	10	9.8	59	3	3	8	10	23	28	28	12	3.8	4	1	1	4	5	7	7	7
75 +	18	11.6	186	3	4	7	10	24	48	61	22	9.4	101	2	3	7	9	18	31	50
ALL AGES	33	10.8	124	2	3	8	12	21	28	61	36	7.3	69	1	2	6	7	12	18	50
SUBTOTAL	**71**	**9.8**	**85**	**2**	**2**	**7**	**12**	**19**	**28**	**56**	**63**	**7.0**	**51**	**1**	**2**	**6**	**7**	**12**	**20**	**46**
GRAND TOTAL	**228**	**7.9**	**57**	**2**	**2**	**6**	**9**	**17**	**23**	**37**	**227**	**6.1**	**41**	**1**	**2**	**4**	**7**	**11**	**16**	**43**

SUBACUTE DELIRIUM (293.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34																				
35-54	1	20.0		20	20	20	20	20	20	20										
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	1	20.0		20	20	20	20	20	20	20	2	2.5	5	1	1	2	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	1	7.0		7	7	7	7	7	7	7	1	3.0		3	3	3	3	3	3	3
75 +											1	9.0		9	9	9	9	9	9	9
ALL AGES	2	5.0	8	3	3	5	7	7	7	7	2	6.0	18	3	3	6	9	9	9	9
SUBTOTAL	**3**	**10.0**	**79**	**3**	**3**	**7**	**17**	**20**	**20**	**20**	**4**	**4.3**	**11**	**1**	**1**	**3**	**6**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	21.0		21	21	21	21	21	21	21										
35-54																				
55-74	1	11.0		11	11	11	11	11	11	11	1	2.0		2	2	2	2	2	2	2
75 +											1	10.0		10	10	10	10	10	10	10
ALL AGES	2	16.0	50	11	11	16	21	21	21	21	2	6.0	32	2	2	6	10	10	10	10
SUBTOTAL	**3**	**11.0**	**100**	**1**	**1**	**11**	**18**	**21**	**21**	**21**	**2**	**6.0**	**32**	**2**	**2**	**6**	**10**	**10**	**10**	**10**
GRAND TOTAL	**6**	**10.5**	**72**	**1**	**1**	**9**	**20**	**21**	**21**	**21**	**6**	**4.8**	**15**	**1**	**1**	**3**	**9**	**10**	**10**	**10**

OTH TRANSIENT ORG MENTAL (293.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-20	1	29.0		29	29	29	29	29	29	29										
21-24	1	16.0		16	16	16	16	16	16	16										
25-34	6	9.5	41	1	1	8	16	18	18	18										
35-54	6	13.3	96	8	8	9	12	31	33	33	1	6.0		6	6	6	6	6	6	6
55-74	23	14.7	93	2	4	12	21	31	34	35	1	6.0		6	6	6	6	6	6	6
75 +	6	13.7	59	3	3	16	17	23	24	24	3	9.0	61	4	4	5	15	18	18	18
ALL AGES	44	13.8	80	2	3	12	18	29	33	35	5	7.8	33	4	4	6	9	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-17	1	24.0		24	24	24	24	24	24	24										
18-20											1	1.0		1	1	1	1	1	1	1
21-24	3	6.3	6	5	5	5	8	9	9	9										
25-34	5	9.2	44	2	2	8	20	92	99 +	99 +										
35-54	7	17.9	229	4	4	14	22	44	49	49										
55-74	27	14.0	44	3	3	15	19	23	25	26	1	22.0		22	22	22	22	22	22	22
75 +	21	14.1	62	3	6	12	18	26	30	33	4	10.0	41	5	5	8	14	19	19	19
ALL AGES	64	13.9	70	3	4	13	19	25	28	92	6	10.5	69	1	1	8	19	22	22	22
SUBTOTAL	**108**	**13.8**	**75**	**2**	**4**	**12**	**19**	**26**	**33**	**70**	**11**	**9.3**	**49**	**1**	**2**	**6**	**16**	**20**	**22**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	35.0		35	35	35	35	35	35	35										
13-17																				
18-20	1	8.0		8	8	8	8	8	8	8										
21-24																				
25-34	1	30.0		30	30	30	30	30	30	30	2	8.5	85	2	2	8	15	15	15	15
35-54	7	13.7	203	3	3	5	21	37	41	41										
55-74	5	17.0	360	4	4	8	24	50	50	50	1	6.0		6	6	6	6	6	6	6
75 +	4	15.8	27	10	10	15	19	23	23	23										
ALL AGES	19	16.7	188	3	4	15	23	39	46	50	3	7.7	44	2	2	6	13	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	24.0		24	24	24	24	24	24	24										
25-34	4	26.5	360	8	8	22	38	53	53	53										
35-54	7	21.9	310	6	6	16	28	52	57	57	1	4.0		4	4	4	4	4	4	4
55-74	14	15.5	66	4	7	14	21	27	31	32	5	5.8	10	3	3	5	7	11	11	11
75 +	6	14.7	68	6	6	13	20	27	28	28	1	38.0		38	38	38	38	38	38	38
ALL AGES	32	18.4	152	6	7	16	23	31	51	57	7	10.1	159	3	3	5	10	33	38	38
SUBTOTAL	**51**	**17.7**	**165**	**4**	**5**	**15**	**23**	**33**	**50**	**57**	**10**	**9.4**	**116**	**2**	**2**	**5**	**11**	**26**	**38**	**38**
GRAND TOTAL	**159**	**15.1**	**105**	**3**	**4**	**13**	**20**	**28**	**34**	**57**	**21**	**9.3**	**78**	**1**	**3**	**6**	**12**	**20**	**29**	**38**

TRANSIENT ORG MENTAL NOS (293.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4										
25-34	2	19.0	288	7	7	19	31	31	31	31	2	1.5	1	1	1	1	2	2	2	2
35-54	2	3.5	13	1	1	3	6	6	6	6	3	10.0	61	1	1	14	15	15	15	15
55-74	6	7.0	11	3	3	8	9	11	11	11	2	7.0	18	4	4	7	10	10	10	10
75 +	3	5.7	22	2	2	4	9	11	11	11	3	4.7	14	2	2	3	7	9	9	9
ALL AGES	15	7.5	52	1	2	6	9	11	26	31	10	6.1	29	1	1	3	10	14	15	15
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20																				
21-24																				
25-34																				
35-54	1	11.0		11	11	11	11	11	11	11	2	8.5	61	3	3	8	14	14	14	14
55-74	4	6.3	20	1	1	6	9	12	12	12	3	5.7		5	5	6	6	6	6	6
75 +	8	4.9	5	2	2	4	6	8	9	9	6	4.2	6	1	1	4	5	8	8	8
ALL AGES	14	5.5	12	1	2	5	7	11	12	12	11	5.4	12	1	2	5	6	10	14	14
SUBTOTAL	**29**	**6.5**	**33**	**1**	**2**	**5**	**9**	**11**	**13**	**31**	**21**	**5.7**	**20**	**1**	**1**	**5**	**8**	**14**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	34.0		34	34	34	34	34	34	34	1	1.0		1	1	1	1	1	1	1
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +	1	29.0		29	29	29	29	29	29	29	1	24.0		24	24	24	24	24	24	24
ALL AGES	2	31.5	13	29	29	31	34	34	34	34	3	9.0	169	1	1	2	18	24	24	24
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
55-74	3	10.7	5	8	8	11	12	13	13	13	2	5.5	1	5	5	5	6	6	6	6
75 +	5	8.0	10	6	6	6	10	13	13	13	2	6.5	13	4	4	6	9	9	9	9
ALL AGES	9	8.6	9	5	5	8	11	13	13	13	5	5.0	9	1	1	5	7	9	9	9
SUBTOTAL	**11**	**12.7**	**96**	**5**	**5**	**9**	**13**	**31**	**34**	**34**	**8**	**6.5**	**57**	**1**	**1**	**4**	**7**	**19**	**24**	**24**
GRAND TOTAL	**40**	**8.2**	**56**	**1**	**2**	**6**	**10**	**13**	**30**	**34**	**29**	**5.9**	**29**	**1**	**1**	**5**	**8**	**14**	**15**	**24**

AMNESTIC SYNDROME (294.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	2	3.5	1	3	3	3	4	4	4	4										
55-74	3	8.0	19	5	5	6	11	13	13	13	3	3.0	1	2	2	3	4	4	4	4
75 +																				
ALL AGES	6	5.3	17	1	1	4	6	12	13	13	3	3.0	1	2	2	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	11.0		11	11	11	11	11	11	11										
55-74	1	8.0		8	8	8	8	8	8	8	1	1.0		1	1	1	1	1	1	1
75 +	2	14.0	8	12	12	14	16	16	16	16										
ALL AGES	5	9.8	27	2	2	11	13	16	16	16	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**11**	**7.4**	**24**	**1**	**2**	**6**	**12**	**14**	**16**	**16**	**4**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
SUBTOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**										
GRAND TOTAL	**12**	**7.3**	**23**	**1**	**2**	**6**	**11**	**14**	**16**	**16**	**4**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**4**

DEMENTIA IN OTH DISEASES (294.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
* 35-54	4	10.8	11	8	8	9	13	16	16	16										
55-74	4	14.8	166	1	1	14	25	29	29	29	1	11.0		11	11	11	11	11	11	11
75 +	4	14.8	339	1	1	8	25	42	42	42										
ALL AGES	12	13.4	147	1	1	9	19	33	41	42	1	11.0		11	11	11	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	3	16.3	46	12	12	13	21	24	24	24										
55-74	3	4.7		4	4	5	5	5	5	5										
75 +	6	15.3	27	9	9	15	17	23	24	24	1	2.0		2	2	2	2	2	2	2
ALL AGES	13	12.2	48	4	4	12	16	24	24	24	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**25**	**12.8**	**91**	**1**	**4**	**10**	**16**	**24**	**32**	**42**	**2**	**6.5**	**41**	**2**	**2**	**6**	**11**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	2	50.0	578	33	33	50	67	67	67	67										
75 +																				
ALL AGES	2	50.0	578	33	33	50	67	67	67	67										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	16.0		16	16	16	16	16	16	16										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	2	9.5	85	3	3	9	16	16	16	16										
SUBTOTAL	**4**	**29.8**	**764**	**3**	**3**	**24**	**50**	**67**	**67**	**67**										
GRAND TOTAL	**29**	**15.1**	**197**	**1**	**3**	**12**	**18**	**31**	**43**	**67**	**2**	**6.5**	**41**	**2**	**2**	**6**	**11**	**11**	**11**	**11**

ORGANIC BRAIN SYND NEC (294.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-20																				
21-24																				
25-34																				
35-54	1	20.0		20	20	20	20	20	20	20	1	10.0		10	10	10	10	10	10	10
55-74	6	16.3	42	8	8	15	21	25	26	26										
75 +	3	11.0	13	8	8	10	14	15	15	15										
ALL AGES	11	14.6	35	8	8	15	19	23	26	26	1	10.0		10	10	10	10	10	10	10
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17																				
18-20																				
21-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	3	10.7	43	3	3	14	15	15	15	15										
55-74	9	16.8	90	4	5	15	23	31	31	31	1	15.0		15	15	15	15	15	15	15
75 +	6	7.5	35	3	3	5	8	18	19	19	1	9.0		9	9	9	9	9	9	9
ALL AGES	20	11.9	75	3	3	10	16	26	31	31	2	12.0	18	9	9	12	15	15	15	15
SUBTOTAL	**31**	**12.9**	**60**	**3**	**4**	**13**	**16**	**23**	**31**	**31**	**3**	**11.3**	**11**	**9**	**9**	**10**	**14**	**15**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	11.0		11	11	11	11	11	11	11										
35-54	2	21.0	128	13	13	21	29	29	29	29										
55-74	5	15.2	151	8	8	10	18	37	37	37										
75 +	2	12.0	72	6	6	12	18	18	18	18										
ALL AGES	10	15.3	101	6	7	11	18	33	37	37										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	20.0		20	20	20	20	20	20	20										
25-34																				
35-54	1	21.0		21	21	21	21	21	21	21										
55-74	3	10.0	7	8	8	9	12	13	13	13										
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	5	14.2	37	8	8	13	20	21	21	21	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**15**	**14.9**	**77**	**6**	**8**	**12**	**19**	**29**	**35**	**37**	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**
GRAND TOTAL	**46**	**13.5**	**66**	**4**	**4**	**12**	**18**	**26**	**31**	**37**	**4**	**10.3**	**10**	**7**	**7**	**9**	**12**	**15**	**15**	**15**

ORGANIC BRAIN SYND NOS (294.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	25.0		25	25	25	25	25	25	25										
21-24																				
25-34	2	11.5	25	8	8	11	15	15	15	15										
35-54	4	9.8	40	2	2	10	15	16	16	16										
55-74	23	14.2	82	5	7	12	17	22	34	48	6	8.5	24	2	2	8	11	15	16	16
75 +	38	13.8	50	2	6	13	17	23	28	32	4	4.0	13	1	1	3	6	9	9	9
ALL AGES	68	13.8	60	3	6	13	17	23	28	45	10	6.7	23	1	1	6	10	13	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	10.0		10	10	10	10	10	10	10										
25-34	2	11.5	5	10	10	11	13	13	13	13										
35-54	4	6.8	6	4	4	7	9	9	9	9	1	8.0		8	8	8	8	8	8	8
55-74	32	12.8	93	3	4	10	17	31	33	38	4	7.5	8	4	4	7	9	11	11	11
75 +	61	15.0	97	3	5	13	21	29	40	93	7	8.3	41	2	2	7	10	19	21	21
ALL AGES	100	13.8	93	3	4	12	19	29	35	72	12	8.0	25	2	3	7	10	14	20	21
SUBTOTAL	**168**	**13.8**	**79**	**3**	**5**	**12**	**17**	**26**	**33**	**48**	**22**	**7.4**	**24**	**1**	**2**	**7**	**10**	**13**	**18**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	11.0		11	11	11	11	11	11	11										
55-74	6	20.2	279	5	5	14	37	43	44	44	2	4.5	5	3	3	4	6	6	6	6
75 +	14	18.5	278	2	4	15	23	45	58	62										
ALL AGES	21	18.6	255	3	4	15	24	43	52	62	2	4.5	5	3	3	4	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	1	83.0		83	83	83	83	83	83	83										
18-20																				
21-24	1	28.0		28	28	28	28	28	28	28										
25-34																				
35-54	5	17.8	113	8	8	18	22	35	35	35										
55-74	15	16.9	102	4	6	14	25	27	37	40										
75 +	13	17.4	261	5	5	9	21	47	54	56	3	19.0	37	12	12	22	23	23	23	23
ALL AGES	35	19.4	274	5	6	14	26	40	53	83	3	19.0	37	12	12	22	23	23	23	23
SUBTOTAL	**56**	**19.1**	**262**	**4**	**5**	**15**	**25**	**43**	**53**	**82**	**5**	**13.2**	**83**	**3**	**3**	**12**	**22**	**23**	**23**	**23**
GRAND TOTAL	**224**	**15.1**	**130**	**3**	**5**	**13**	**19**	**28**	**38**	**67**	**27**	**8.5**	**37**	**2**	**2**	**7**	**11**	**20**	**22**	**23**

SIMPLE SCHIZOPHRENIA (295.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	12.0		12	12	12	12	12	12	12										
25-34	2	18.0	200	8	8	18	28	28	28	28										
35-54																				
55-74	3	8.3	10	5	5	9	10	11	11	11	1	4.0		4	4	4	4	4	4	4
75 +	3	19.3	171	6	6	20	29	32	32	32										
ALL AGES	9	14.6	95	5	5	11	22	30	32	32	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	8.7	3	7	7	8	10	11	11	11										
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +	5	7.4	10	4	4	7	10	12	12	12										
ALL AGES	9	7.2	11	2	3	7	9	12	12	12										
SUBTOTAL	**18**	**10.9**	**64**	**3**	**4**	**8**	**12**	**26**	**30**	**32**	**1**	**4.0**		4	4	4	4	4	4	4
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	8.7	33	2	2	11	12	13	13	13										
35-54																				
55-74																				
75 +	2	6.0	8	4	4	6	8	8	8	8										
ALL AGES	5	7.6	21	2	2	8	11	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	50.0		50	50	50	50	50	50	50										
35-54																				
55-74																				
75 +																				
ALL AGES	1	50.0		50	50	50	50	50	50	50										
SUBTOTAL	**6**	**14.7**	**315**	**2**	**2**	**9**	**13**	**46**	**50**	**50**										
GRAND TOTAL	**24**	**11.8**	**120**	**2**	**4**	**9**	**12**	**28**	**37**	**50**	**1**	**4.0**		4	4	4	4	4	4	4

HEBEPHRENIA (295.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	27.0		27	27	27	27	27	27	27										
18-20	1	8.0		8	8	8	8	8	8	8										
21-24																				
25-34	7	5.6	90	1	1	2	3	22	27	27	1	17.0		17	17	17	17	17	17	17
35-54	2	18.5	85	12	12	18	25	25	25	25										
55-74																				
75 +																				
ALL AGES	11	10.1	120	1	1	3	22	27	27	27	1	17.0		17	17	17	17	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12										
18-20																				
21-24	4	18.0	44	9	9	19	22	25	25	25										
25-34	3	29.7	1314	3	3	15	57	71	71	71										
35-54	7	9.0	40	1	2	8	12	19	20	20										
55-74																				
75 +																				
ALL AGES	15	15.7	283	1	3	12	19	25	59	71										
SUBTOTAL	**26**	**13.3**	**215**	**1**	**1**	**10**	**19**	**27**	**36**	**71**	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	13.0		13	13	13	13	13	13	13										
21-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +																				
ALL AGES	3	8.7	13	6	6	7	11	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34											1	16.0		16	16	16	16	16	16	16
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	16.0		16	16	16	16	16	16	16
SUBTOTAL	**4**	**6.8**	**23**	**1**	**1**	**6**	**10**	**13**	**13**	**13**	**1**	**16.0**		**16**	**16**	**16**	**16**	**16**	**16**	**16**
GRAND TOTAL	**30**	**12.5**	**191**	**1**	**1**	**9**	**19**	**26**	**27**	**71**	**2**	**16.5**	**1**	**16**	**16**	**16**	**17**	**17**	**17**	**17**

CATATONIC SCHIZOPHRENIA (295.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	15.0	162	6	6	15	24	24	24	24										
18-20	4	22.5	259	5	5	20	32	44	44	44	1	7.0		7	7	7	7	7	7	7
21-24	3	30.3	20	27	27	29	33	35	35	35										
25-34	6	21.0	318	4	5	14	30	51	53	53	3	3.7	14	1	1	2	6	8	8	8
35-54	4	11.3	73	3	3	9	17	23	23	23	2	11.5	25	8	8	11	15	15	15	15
55-74	1	28.0		28	28	28	28	28	28	28	1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	20	20.5	187	3	4	20	28	39	48	53	7	7.1	23	1	1	8	9	14	15	15
B. FEMALE																				
0-12 YRS.																				
13-17	1	59.0		59	59	59	59	59	59	59										
18-20																				
21-24	3	12.0	27	9	9	9	16	18	18	18	2	5.5	41	1	1	5	10	10	10	10
25-34	11	21.1	336	1	2	17	32	49	61	62										
35-54	15	13.9	184	1	1	10	20	36	46	49	2	5.0		5	5	5	5	5	5	5
55-74	8	25.6	815	1	2	19	31	74	90	90	4	12.8	37	7	7	11	17	21	21	21
75 +																				
ALL AGES	38	19.5	384	1	2	13	25	46	61	90	8	9.0	39	1	1	8	12	19	21	21
SUBTOTAL	**58**	**19.8**	**314**	**1**	**3**	**14**	**27**	**43**	**57**	**88**	**15**	**8.1**	**30**	**1**	**1**	**8**	**10**	**15**	**19**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	33.5	1625	5	5	33	62	62	62	62										
21-24																				
25-34	4	20.5	510	6	6	11	34	54	54	54										
35-54	1	27.0		27	27	27	27	27	27	27	2	3.0	2	2	2	3	4	4	4	4
55-74																				
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	8	22.9	523	5	5	11	40	60	62	62	2	3.0	2	2	2	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	15.3	46	11	11	12	20	23	23	23										
35-54											1	5.0		5	5	5	5	5	5	5
55-74	1	6.0		6	6	6	6	6	6	6	2	6.0		6	6	6	6	6	6	6
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	4	13.0	51	6	6	11	17	23	23	23	4	5.5		5	5	5	6	6	6	6
SUBTOTAL	**12**	**19.6**	**371**	**5**	**6**	**11**	**25**	**56**	**61**	**62**	**6**	**4.7**	**2**	**2**	**2**	**5**	**6**	**6**	**6**	**6**
GRAND TOTAL	**70**	**19.8**	**317**	**1**	**4**	**14**	**27**	**46**	**59**	**84**	**21**	**7.1**	**24**	**1**	**1**	**6**	**9**	**14**	**18**	**21**

PARANOID SCHIZOPHRENIA (295.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	18.5	421	4	4	18	33	33	33	33										
13-17	14	19.7	289	1	1	19	29	41	57	61										
18-20	20	12.8	63	1	2	14	18	20	25	30	1	6.0		6	6	6	6	6	6	6
21-24	46	13.6	178	2	3	13	16	22	28	85	6	9.8	191	1	1	3	17	33	35	35
25-34	280	11.1	83	1	2	9	16	22	28	50	10	7.8	114	1	1	3	5	27	32	32
35-54	203	12.3	100	1	2	10	16	25	36	56	15	10.2	111	1	1	7	12	25	36	40
55-74	43	12.3	65	2	3	11	18	22	29	35	4	18.8	436	6	6	9	30	50	50	50
75 +	6	16.7	8	13	13	16	19	21	21	21	1	3.0		3	3	3	3	3	3	3
ALL AGES	614	12.1	99	1	2	10	16	23	31	55	37	10.1	147	1	1	5	11	31	38	50
B. FEMALE																				
0-12 YRS.																				
13-17	3	11.7	148	1	1	9	21	25	25	25										
18-20	6	42.2	1084	11	12	29	77	88	89	89	1	18.0		18	18	18	18	18	18	18
21-24	32	14.9	155	1	3	12	18	34	40	54	2	8.5	5	7	7	8	10	10	10	10
25-34	130	12.1	113	2	2	10	16	24	30	55	11	14.2	78	1	2	16	21	25	28	28
35-54	247	12.1	80	2	3	11	16	24	27	50	5	11.0	54	3	3	9	16	22	22	22
55-74	139	16.5	132	4	5	14	21	31	38	53	12	12.7	167	5	5	8	18	60	92	99 +
75 +	12	14.8	69	3	4	15	23	25	26	26										
ALL AGES	569	13.7	125	2	3	12	17	26	33	68	31	12.8	99	3	4	9	19	25	48	99 +
SUBTOTAL	**1183**	**12.9**	**111**	**1**	**3**	**11**	**17**	**25**	**32**	**58**	**68**	**11.4**	**124**	**1**	**1**	**8**	**17**	**27**	**40**	**90**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	14.6	259	1	1	19	33	93	99 +	99 +										
18-20	4	35.8	359	13	13	37	51	56	56	56										
21-24	14	14.2	176	1	3	7	20	38	43	44	1	13.0		13	13	13	13	13	13	13
25-34	62	10.4	77	1	2	8	15	21	31	44	1	5.0		5	5	5	5	5	5	5
35-54	61	13.1	83	2	4	11	18	25	31	44	2	12.0	18	9	9	12	15	15	15	15
55-74	12	11.7	65	1	3	9	17	23	29	30	1	7.0		7	7	7	7	7	7	7
75 +	1	29.0		29	29	29	29	29	29	29	1	1.0		1	1	1	1	1	1	1
ALL AGES	159	12.7	113	1	3	9	18	30	35	55	6	8.3	27	1	1	8	13	15	15	15
B. FEMALE																				
0-12 YRS.	1	21.0		21	21	21	21	21	21	21										
13-17	3	14.7	151	1	1	18	23	25	25	25										
18-20																				
21-24	7	17.1	122	4	5	14	23	34	37	37	1	5.0		5	5	5	5	5	5	5
25-34	19	16.1	154	3	4	14	22	44	74	99 +	1	4.0		4	4	4	4	4	4	4
35-54	36	9.8	62	1	3	7	12	22	26	38	1	8.0		8	8	8	8	8	8	8
55-74	28	17.4	146	1	5	14	26	37	56	99 +	1	15.0		15	15	15	15	15	15	15
75 +	3	19.3	60	11	11	21	25	26	26	26										
ALL AGES	97	14.3	118	2	3	12	20	32	40	99 +	4	8.0	25	4	4	6	11	15	15	15
SUBTOTAL	**256**	**13.3**	**115**	**1**	**3**	**11**	**19**	**30**	**38**	**96**	**10**	**8.2**	**23**	**1**	**2**	**7**	**13**	**15**	**15**	**15**
GRAND TOTAL	**1439**	**13.0**	**111**	**1**	**3**	**11**	**17**	**26**	**33**	**60**	**78**	**10.9**	**113**	**1**	**1**	**8**	**16**	**24**	**38**	**86**

AC SCHIZOPHRENIC EPISODE (295.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	5	31.2	257	13	13	26	47	49	49	49										
18-20	2	11.5	41	7	7	11	16	16	16	16										
21-24	4	12.8	43	7	7	11	17	22	22	22										
25-34	9	7.8	28	1	2	7	10	16	19	19										
35-54	5	14.2	82	1	1	14	22	24	24	24	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	25	14.8	150	1	3	11	21	26	47	49	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	2	41.5	421	27	27	41	56	56	56	56										
18-20	2	15.5	61	10	10	15	21	21	21	21										
21-24	2	19.5	61	14	14	19	25	25	25	25	1	3.0		3	3	3	3	3	3	3
25-34	11	11.6	95	1	2	8	20	26	30	30										
35-54	10	16.0	34	7	8	16	17	25	28	28	2	5.5	41	1	1	5	10	10	10	10
55-74	1	13.0		13	13	13	13	13	13	13	2	5.0	8	3	3	5	7	7	7	7
75 +																				
ALL AGES	28	16.2	124	2	5	14	22	28	33	56	5	4.8	13	1	1	3	8	10	10	10
SUBTOTAL	**53**	**15.6**	**132**	**1**	**4**	**14**	**21**	**27**	**44**	**56**	**6**	**4.2**	**13**	**1**	**1**	**3**	**7**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	33.5	481	18	18	33	49	49	49	49										
18-20	1	37.0		37	37	37	37	37	37	37										
21-24	2	13.0	200	3	3	13	23	23	23	23										
25-34	2	9.5	25	6	6	9	13	13	13	13										
35-54	1	18.0		18	18	18	18	18	18	18	1	6.0		6	6	6	6	6	6	6
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	9	19.0	241	3	3	18	26	44	49	49	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-20																				
21-24	1	5.0		5	5	5	5	5	5	5										
25-34	2	27.0	200	17	17	27	37	37	37	37										
35-54	2	9.5	5	8	8	9	11	11	11	11										
55-74																				
75 +																				
ALL AGES	6	13.5	157	3	3	9	17	35	37	37										
SUBTOTAL	**15**	**16.8**	**201**	**3**	**3**	**13**	**22**	**37**	**46**	**49**	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**
GRAND TOTAL	**68**	**15.8**	**147**	**2**	**3**	**13**	**21**	**29**	**47**	**55**	**7**	**4.4**	**12**	**1**	**1**	**3**	**7**	**9**	**10**	**10**

LATENT SCHIZOPHRENIA (295.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	5.0		5	5	5	5	5	5	5										
25-34	1	23.0		23	23	23	23	23	23	23										
35-54	1	24.0		24	24	24	24	24	24	24										
55-74																				
75 +																				
ALL AGES	3	17.3	116	5	5	23	24	24	24	24										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	63.0		63	63	63	63	63	63	63										
21-24																				
25-34	5	8.6	42	2	2	6	15	16	16	16										
35-54	5	7.8	24	2	2	8	10	15	15	15										
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	12	13.3	271	2	2	8	15	30	58	63										
SUBTOTAL	**15**	**14.1**	**232**	**2**	**2**	**9**	**16**	**24**	**53**	**63**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	4	11.0	117	3	3	7	17	27	27	27										
35-54	10	9.3	33	2	2	8	14	18	19	19										
55-74											1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	14	9.8	50	2	3	8	14	20	25	27	1	9.0		9	9	9	9	9	9	9
SUBTOTAL	**14**	**9.8**	**50**	**2**	**3**	**8**	**14**	**20**	**25**	**27**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**
GRAND TOTAL	**29**	**12.0**	**145**	**2**	**2**	**8**	**15**	**24**	**29**	**63**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**

RESIDUAL SCHIZOPHRENIA (295.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17	4	12.0	278	3	3	4	21	37	37	37										
18-20	13	15.4	273	1	2	9	22	35	56	61										
21-24	55	13.9	215	2	2	8	18	36	43	77	1	30.0		30	30	30	30	30	30	30
25-34	153	10.3	76	1	2	8	14	23	29	42										
35-54	167	12.1	77	1	2	10	17	25	29	36	2	5.5	25	2	2	5	9	9	9	9
55-74	57	12.2	64	2	5	10	15	22	30	40	2	29.0	882	8	8	29	50	50	50	50
75 +	4	24.5	225	10	10	22	36	44	44	44										
ALL AGES	454	11.9	101	1	2	9	15	26	31	49	5	19.8	397	2	2	9	35	50	50	50
B. FEMALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	53	99 +	99 +	99 +	99 +										
18-20	9	13.8	189	1	2	9	21	37	42	42										
21-24	25	13.7	96	3	3	11	18	25	30	44	1	6.0		6	6	6	6	6	6	6
25-34	119	10.4	87	1	2	9	13	22	33	46	1	2.0		2	2	2	2	2	2	2
35-54	212	11.9	98	2	3	9	15	24	34	50	7	9.1	56	1	1	7	13	21	23	23
55-74	122	15.4	142	3	4	13	19	30	35	61	5	4.6	29	1	1	3	6	14	14	14
75 +	10	14.9	76	2	4	14	19	28	31	31	1	4.0		4	4	4	4	4	4	4
ALL AGES	498	12.6	109	2	3	10	17	26	35	49	15	6.6	39	1	1	4	9	14	21	23
SUBTOTAL	**952**	**12.3**	**104**	**2**	**3**	**9**	**16**	**26**	**34**	**49**	**20**	**9.9**	**146**	**1**	**1**	**6**	**11**	**26**	**40**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	4	9.5	52	3	3	8	15	19	19	19										
21-24	9	13.1	205	1	1	9	19	36	46	46										
25-34	35	12.1	61	1	2	11	19	25	26	27										
35-54	37	11.3	96	3	3	8	14	24	33	50										
55-74	14	18.6	165	3	4	16	28	41	43	44										
75 +																				
ALL AGES	99	12.7	103	2	3	10	17	26	33	48										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	6.0		6	6	6	6	6	6	6	1	6.0		6	6	6	6	6	6	6
21-24	2	2.5	1	2	2	2	3	3	3	3										
25-34	20	11.5	80	1	2	9	16	25	30	34										
35-54	42	13.0	71	3	4	12	19	22	29	40	3	13.7	71	4	4	17	19	20	20	20
55-74	32	16.0	140	4	6	12	21	31	33	64	2	23.0	98	16	16	23	30	30	30	30
75 +	6	15.3	66	9	9	11	23	27	28	28										
ALL AGES	103	13.5	95	3	4	11	18	26	32	51	6	15.5	91	4	4	16	20	29	30	30
SUBTOTAL	**202**	**13.1**	**99**	**2**	**3**	**11**	**18**	**26**	**32**	**48**	**6**	**15.5**	**91**	**4**	**4**	**16**	**20**	**29**	**30**	**30**
GRAND TOTAL	**1154**	**12.4**	**104**	**2**	**3**	**10**	**16**	**26**	**33**	**49**	**26**	**11.2**	**135**	**1**	**1**	**7**	**16**	**29**	**34**	**50**

SCHIZOAFFECTIVE TYPE (295.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	43.0	338	30	30	43	56	56	56	56										
13-17	6	30.7	172	9	11	30	40	47	48	48										
18-20	10	7.4	38	1	1	7	10	17	19	19	1	2.0		2	2	2	2	2	2	2
21-24	27	20.0	410	4	5	14	21	47	68	94	1	7.0		7	7	7	7	7	7	7
25-34	87	15.6	163	3	4	14	21	29	33	76	4	2.5	1	2	2	2	3	4	4	4
35-54	84	13.8	100	2	3	11	19	26	35	51	4	13.0	34	7	7	13	18	18	18	18
55-74	31	16.9	100	4	5	17	23	32	35	42										
75 +	2	19.5	221	9	9	19	30	30	30	30										
ALL AGES	249	15.9	171	3	4	13	21	31	36	63	10	7.1	39	2	2	5	9	18	18	18
B. FEMALE																				
0-12 YRS.	2	29.0	2	28	28	29	30	30	30	30										
13-17	5	21.0	57	11	11	19	28	29	29	29										
18-20	6	18.5	111	6	6	19	29	31	31	31										
21-24	28	17.8	364	2	2	12	23	47	64	78	1	42.0		42	42	42	42	42	42	42
25-34	144	14.1	107	2	4	11	18	28	35	50	5	34.2	326	9	9	37	49	54	54	54
35-54	248	14.5	157	3	4	12	18	26	37	80	17	12.9	140	1	2	8	21	33	38	39
55-74	96	18.5	196	3	5	15	23	34	46	75	2	42.0	2450	7	7	42	77	77	77	77
75 +	7	21.9	99	12	12	18	27	38	40	40										
ALL AGES	536	15.5	163	3	4	13	19	30	39	78	25	20.6	390	2	3	15	36	47	60	77
SUBTOTAL	**785**	**15.7**	**163**	**3**	**4**	**13**	**20**	**30**	**38**	**75**	**35**	**16.8**	**322**	**2**	**2**	**8**	**22**	**42**	**52**	**77**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	32.0		32	32	32	32	32	32	32										
13-17	2	38.0	288	26	26	38	50	50	50	50										
18-20	1	7.0		7	7	7	7	7	7	7										
21-24	7	17.7	101	4	5	16	27	31	31	31										
25-34	34	16.1	235	3	4	11	19	36	59	69	3	10.0	79	3	3	7	17	20	20	20
35-54	23	15.2	97	3	4	14	18	32	35	37	6	11.2	105	1	1	7	23	25	25	25
55-74	5	11.0	17	6	6	11	14	16	16	16										
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	74	16.2	170	3	4	13	19	32	40	68	9	10.8	86	1	2	7	21	24	25	25
B. FEMALE																				
0-12 YRS.																				
13-17	1	47.0		47	47	47	47	47	47	47										
18-20	5	12.2	130	1	1	9	19	30	30	30	1	14.0		14	14	14	14	14	14	14
21-24	6	13.8	14	9	9	14	16	19	19	19										
25-34	42	18.6	263	4	5	14	24	33	56	82	3	10.3	163	2	2	4	20	25	25	25
35-54	52	14.9	131	4	5	12	19	29	34	68	9	13.8	135	2	3	10	17	34	34	34
55-74	25	19.4	146	3	5	19	26	34	41	52	1	4.0		4	4	4	4	4	4	4
75 +	2	19.0	50	14	14	19	24	24	24	24										
ALL AGES	133	17.1	174	4	5	14	22	31	37	71	14	12.4	115	2	2	9	14	33	34	34
SUBTOTAL	**207**	**16.8**	**171**	**3**	**5**	**14**	**21**	**32**	**38**	**69**	**23**	**11.7**	**102**	**1**	**2**	**9**	**18**	**27**	**33**	**34**
GRAND TOTAL	**992**	**15.9**	**166**	**3**	**4**	**13**	**20**	**31**	**38**	**70**	**58**	**14.8**	**237**	**2**	**2**	**8**	**22**	**37**	**45**	**75**

SCHIZOPHRENIA NEC (295.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	12.0		12	12	12	12	12	12	12										
21-24	4	7.8	36	2	2	8	13	13	13	13										
25-34	14	14.6	207	1	1	14	18	24	51	59	1	1.0		1	1	1	1	1	1	1
35-54	11	9.3	83	1	1	5	15	25	26	26										
55-74	4	9.5	30	2	2	11	13	14	14	14										
75 +																				
ALL AGES	34	11.4	121	1	1	12	14	20	26	59	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	1	25.0		25	25	25	25	25	25	25										
18-20	3	9.0	57	2	2	8	15	17	17	17										
21-24	3	17.0	57	9	9	18	22	24	24	24	1	7.0		7	7	7	7	7	7	7
25-34	13	10.4	50	1	3	9	14	21	26	27										
35-54	16	9.8	32	2	2	10	13	15	21	24	2	7.5	61	2	2	7	13	13	13	13
55-74	7	13.4	19	7	8	12	16	19	20	20	3	4.7	2	3	3	5	6	6	6	6
75 +																				
ALL AGES	43	11.3	45	2	3	11	15	21	25	27	6	6.0	15	2	2	5	7	12	13	13
SUBTOTAL	**77**	**11.4**	**76**	**1**	**2**	**11**	**15**	**20**	**25**	**50**	**7**	**5.3**	**16**	**1**	**1**	**5**	**7**	**12**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	17.0		17	17	17	17	17	17	17										
21-24	2	5.5	25	2	2	5	9	9	9	9										
25-34	5	10.8	87	1	1	11	17	24	24	24										
35-54	4	8.8	38	2	2	9	14	15	15	15	2	5.5	41	1	1	5	10	10	10	10
55-74											1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	12	9.8	52	1	1	10	15	19	23	24	3	6.7	24	1	1	9	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	19.0	450	4	4	19	34	34	34	34										
25-34	3	8.3	10	5	5	9	10	11	11	11										
35-54	6	17.0	143	4	4	16	22	35	36	36										
55-74											2	13.0	8	11	11	13	15	15	15	15
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	11	15.0	137	4	4	11	22	35	36	36	3	9.3	45	2	2	11	14	15	15	15
SUBTOTAL	**23**	**12.3**	**95**	**1**	**2**	**11**	**17**	**26**	**35**	**36**	**6**	**8.0**	**30**	**1**	**1**	**9**	**11**	**15**	**15**	**15**
GRAND TOTAL	**100**	**11.6**	**80**	**1**	**2**	**11**	**15**	**23**	**25**	**47**	**13**	**6.5**	**23**	**1**	**1**	**6**	**10**	**13**	**15**	**15**

SCHIZOPHRENIA NOS (295.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	52.0		52	52	52	52	52	52	52										
13-17	15	16.9	297	2	4	13	26	63	90	99+	2	5.0	8	3	3	5	7	7	7	7
18-20	21	16.6	195	3	4	15	22	35	48	60	1	7.0		7	7	7	7	7	7	7
21-24	40	14.7	237	2	2	10	21	30	33	90										
25-34	100	10.0	115	1	1	8	13	20	30	59	4	9.3	84	4	4	5	14	23	23	23
35-54	80	12.3	99	1	2	10	17	26	34	44	6	4.8	12	2	2	4	6	10	11	11
55-74	21	14.2	258	3	4	11	17	21	48	79	2	4.5	13	2	2	4	7	7	7	7
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	279	12.7	160	1	2	9	17	27	36	75	15	6.1	28	2	2	5	7	11	20	23
B. FEMALE																				
0-12 YRS.																				
13-17	17	14.8	138	3	3	15	19	27	43	50	1	9.0		9	9	9	9	9	9	9
18-20	6	21.3	170	10	10	19	40	89	99+	99+	2	6.5	41	2	2	6	11	11	11	11
21-24	31	12.5	97	2	3	10	19	28	30	41	4	4.3	2	2	2	4	5	6	6	6
25-34	97	13.7	177	1	3	9	17	30	36	74	3	3.7	9	1	1	3	6	7	7	7
35-54	127	13.0	118	1	3	10	16	27	32	56	9	8.9	34	2	2	7	14	17	18	18
55-74	66	16.1	156	4	5	13	20	32	44	64	10	10.1	90	1	1	6	15	26	27	27
75 +	6	8.0	49	1	1	7	13	17	18	18	1	3.0		3	3	3	3	3	3	3
ALL AGES	350	13.9	140	2	3	11	18	28	40	68	30	7.8	46	1	1	5	11	17	25	27
SUBTOTAL	**629**	**13.3**	**151**	**1**	**3**	**10**	**17**	**28**	**37**	**68**	**45**	**7.2**	**41**	**1**	**2**	**5**	**9**	**16**	**23**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	16.0	392	2	2	16	30	30	30	30										
13-17	5	18.0	357	1	1	11	26	50	50	50	1	2.0		2	2	2	2	2	2	2
18-20	5	12.0	170	3	3	7	15	35	35	35	1	2.0		2	2	2	2	2	2	2
21-24	17	17.5	126	3	4	14	22	35	40	42	1	10.0		10	10	10	10	10	10	10
25-34	26	14.7	152	3	3	11	19	28	41	59	1	7.0		7	7	7	7	7	7	7
35-54	18	13.4	248	1	1	7	21	29	50	64	1	7.0		7	7	7	7	7	7	7
55-74	10	15.8	182	1	2	12	31	34	37	37	1	5.0		5	5	5	5	5	5	5
75 +	1	6.0		6	6	6	6	6	6	6	1	2.0		2	2	2	2	2	2	2
ALL AGES	84	15.1	174	1	3	12	21	35	38	62	7	5.0	10	2	2	5	7	9	10	10
B. FEMALE																				
0-12 YRS.	2	32.5	5	31	31	32	34	34	34	34										
13-17	3	43.3	847	18	18	37	65	75	75	75										
18-20	4	23.0	938	1	1	11	42	68	68	68										
21-24	7	16.1	320	3	4	9	17	48	55	55										
25-34	25	13.9	142	1	2	11	23	26	34	51	1	36.0		36	36	36	36	36	36	36
35-54	32	15.7	260	3	4	12	20	28	34	92	7	12.1	117	2	2	9	21	28	29	29
55-74	12	15.3	98	5	6	12	22	31	34	34	2	4.0	2	3	3	4	5	5	5	5
75 +	2	8.0	8	6	6	8	10	10	10	10	2	7.0	2	6	6	7	8	8	8	8
ALL AGES	87	16.7	256	2	3	12	22	33	52	86	12	11.9	133	2	2	7	19	31	35	36
SUBTOTAL	**171**	**15.9**	**216**	**2**	**3**	**12**	**22**	**34**	**42**	**74**	**19**	**9.4**	**95**	**2**	**2**	**6**	**10**	**27**	**33**	**36**
GRAND TOTAL	**800**	**13.9**	**165**	**1**	**3**	**10**	**18**	**29**	**38**	**68**	**64**	**7.9**	**56**	**1**	**2**	**6**	**10**	**18**	**26**	**35**

MANIC DIS, SINGL EPISODE (296.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	8.5	1	8	8	8	9	9	9	9										
21-24	3	5.7	65	1	1	1	12	15	15	15										
25-34	9	12.4	68	3	3	13	15	25	29	29	1	6.0		6	6	6	6	6	6	6
35-54	9	10.3	113	1	1	6	19	27	30	30	1	23.0		23	23	23	23	23	23	23
55-74	7	10.7	33	5	5	8	14	20	21	21	3	7.0	3	6	6	6	8	9	9	9
75 +	1	59.0		59	59	59	59	59	59	59	2	10.5	13	8	8	10	13	13	13	13
ALL AGES	31	12.0	139	1	2	8	15	25	30	59	7	10.1	39	6	6	8	12	21	23	23
B. FEMALE																				
0-12 YRS.																				
13-17	1	58.0		58	58	58	58	58	58	58	1	3.0		3	3	3	3	3	3	3
18-20	4	10.5	36	2	2	12	14	16	16	16										
21-24	1	8.0		8	8	8	8	8	8	8										
25-34	6	19.2	136	2	3	19	22	36	38	38										
35-54	29	8.7	27	1	2	7	14	15	16	19	2	5.0	32	1	1	5	9	9	9	9
55-74	15	15.7	218	3	4	10	18	38	53	58	4	7.5	14	2	2	9	10	10	10	10
75 +	2	25.0	128	17	17	25	33	33	33	33										
ALL AGES	58	13.1	140	1	3	11	16	23	38	58	7	6.1	16	1	1	9	9	10	10	10
SUBTOTAL	**89**	**12.7**	**139**	**1**	**2**	**10**	**15**	**24**	**38**	**59**	**14**	**8.1**	**30**	**1**	**2**	**8**	**9**	**14**	**21**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	6.0		6	6	6	6	6	6	6										
25-34	2	22.0	242	11	11	22	33	33	33	33										
35-54	2	6.0		6	6	6	6	6	6	6										
55-74	2	19.5	41	15	15	19	24	24	24	24	1	9.0		9	9	9	9	9	9	9
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	7	14.4	111	6	6	11	22	31	33	33	2	6.5	13	4	4	6	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	7.0	9	4	4	7	9	10	10	10										
35-54	10	15.3	110	1	2	14	23	30	31	31										
55-74	9	11.7	98	3	4	7	13	29	34	34										
75 +	1	9.0		9	9	9	9	9	9	9	1	4.0		4	4	4	4	4	4	4
ALL AGES	23	12.5	91	2	4	9	19	29	32	34	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**30**	**13.0**	**91**	**3**	**4**	**9**	**21**	**30**	**33**	**34**	**3**	**5.7**	**8**	**4**	**4**	**4**	**8**	**9**	**9**	**9**
GRAND TOTAL	**119**	**12.8**	**125**	**1**	**3**	**10**	**16**	**27**	**34**	**58**	**17**	**7.7**	**26**	**1**	**2**	**8**	**9**	**12**	**19**	**23**

MANIC, RECURRENT EPISODE (296.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	6.0		6	6	6	6	6	6	6										
21-24																				
25-34	2	6.5	13	4	4	6	9	9	9	9										
35-54	9	9.4	15	3	3	10	12	14	14	14										
55-74	6	11.3	37	6	6	10	11	22	23	23										
75 +	2	5.5	5	4	4	5	7	7	7	7										
ALL AGES	20	9.2	20	3	4	9	11	13	18	23										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	5	17.0	46	11	11	16	20	28	28	28	1	5.0		5	5	5	5	5	5	5
35-54	11	9.9	9	5	6	10	12	14	16	16	1	5.0		5	5	5	5	5	5	5
55-74	7	9.9	26	5	5	8	13	18	19	19	1	1.0		1	1	1	1	1	1	1
75 +											1	12.0		12	12	12	12	12	12	12
ALL AGES	23	11.4	29	5	6	10	14	18	22	28	4	5.8	20	1	1	5	9	12	12	12
SUBTOTAL	**43**	**10.4**	**25**	**4**	**5**	**10**	**12**	**17**	**20**	**28**	**4**	**5.8**	**20**	**1**	**1**	**5**	**9**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13										
55-74																				
75 +																				
ALL AGES	1	13.0		13	13	13	13	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	4.0		4	4	4	4	4	4	4
25-34	1	16.0		16	16	16	16	16	16	16	1	3.0		3	3	3	3	3	3	3
35-54	6	20.2	205	7	7	17	29	41	42	42	1	4.0		4	4	4	4	4	4	4
55-74	4	26.0	329	10	10	24	41	45	45	45										
75 +	2	13.5	13	11	11	13	16	16	16	16										
ALL AGES	13	20.6	190	7	8	16	31	43	45	45	3	3.7		3	3	4	4	4	4	4
SUBTOTAL	**14**	**20.1**	**178**	**7**	**8**	**14**	**29**	**42**	**44**	**45**	**3**	**3.7**		**3**	**3**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**57**	**12.8**	**77**	**4**	**5**	**10**	**14**	**25**	**35**	**45**	**7**	**4.9**	**11**	**1**	**1**	**4**	**5**	**11**	**12**	**12**

DEPR PSYCH, SINGL EPISOD (296.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	43.7	468	6	11	50	57	69	72	72										
13-17	44	29.8	411	5	6	28	48	60	71	99 +	1	3.0		3	3	3	3	3	3	3
18-20	22	14.9	190	2	3	11	19	29	48	63	2	17.5	421	3	3	17	32	32	32	32
21-24	48	11.3	72	1	2	9	15	27	29	32	2	9.5	113	2	2	9	17	17	17	17
25-34	142	14.3	163	1	3	11	20	32	38	58	25	7.2	75	1	1	4	8	15	32	37
35-54	293	13.1	106	2	3	11	17	24	31	56	44	11.2	90	2	2	8	15	24	28	44
55-74	210	16.1	145	3	4	13	22	30	38	63	48	7.5	61	1	1	6	8	14	25	45
75 +	64	20.1	226	3	6	17	27	38	43	89	19	12.8	71	1	3	11	17	25	31	33
ALL AGES	830	15.7	174	2	3	12	21	32	41	66	141	9.5	79	1	2	7	12	24	29	44
B. FEMALE																				
0-12 YRS.	18	28.3	419	1	3	25	44	56	66	71										
13-17	103	23.6	557	1	2	16	43	73	95	99 +	3	3.7	1	3	3	3	5	5	5	5
18-20	39	12.3	125	1	2	9	16	27	40	45	5	5.8	38	1	1	5	8	16	16	16
21-24	79	13.7	132	1	2	11	18	30	40	50	12	11.7	217	1	2	7	14	32	51	54
25-34	354	13.2	101	2	3	11	18	26	31	45	65	10.6	160	1	2	5	15	26	36	61
35-54	630	15.2	150	2	4	12	20	31	39	65	103	8.0	80	2	2	6	10	14	18	54
55-74	514	19.0	216	3	5	15	25	40	48	77	116	10.0	46	3	3	8	14	18	21	36
75 +	194	21.7	290	3	6	17	28	43	62	81	43	12.3	156	2	3	7	16	29	34	63
ALL AGES	1931	17.0	204	2	4	13	22	36	46	77	347	9.8	96	2	3	6	13	21	27	58
SUBTOTAL	**2761**	**16.6**	**196**	**2**	**3**	**13**	**22**	**35**	**46**	**74**	**488**	**9.7**	**91**	**1**	**2**	**7**	**12**	**21**	**28**	**51**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	8	38.1	384	4	10	39	48	65	70	70										
13-17	50	36.0	759	3	6	35	65	92	99 +	99 +	2	13.5	85	7	7	13	20	20	20	20
18-20	14	12.3	118	2	2	9	15	29	35	37	1	1.0		1	1	1	1	1	1	1
21-24	26	14.7	162	1	1	13	20	31	46	48	4	4.5	14	2	2	3	7	10	10	10
25-34	113	13.0	125	1	2	10	17	26	41	51	22	12.0	134	1	2	10	15	30	37	47
35-54	190	14.5	136	2	3	12	21	30	40	53	24	10.2	54	3	3	9	13	18	27	35
55-74	117	17.1	144	3	5	13	22	34	44	54	13	11.2	103	1	2	8	15	27	34	36
75 +	21	17.9	76	7	9	16	23	29	35	42	8	11.0	381	2	2	4	7	44	59	59
ALL AGES	539	17.2	238	2	3	13	22	41	51	92	74	10.6	116	1	2	8	14	23	34	56
B. FEMALE																				
0-12 YRS.	6	18.2	279	1	1	17	27	43	45	45										
13-17	79	31.1	634	3	5	24	59	81	99 +	99 +	3	3.3	3	2	2	3	4	5	5	5
18-20	32	18.1	197	1	2	16	22	43	45	55	5	10.4	258	2	2	3	14	39	39	39
21-24	50	16.2	169	1	3	13	21	35	41	59	7	5.1	9	1	1	4	8	8	8	8
25-34	224	16.5	182	2	4	13	23	33	42	66	40	10.0	138	1	2	5	10	29	36	50
35-54	355	17.3	213	3	4	13	23	34	46	87	57	9.0	55	2	3	7	11	19	29	33
55-74	206	18.0	208	3	5	15	23	35	44	78	48	10.6	68	2	3	8	15	24	26	35
75 +	71	22.7	292	5	7	20	27	48	59	86	25	10.4	58	4	4	7	14	20	29	31
ALL AGES	1023	18.7	254	3	4	14	24	40	55	89	185	9.6	79	2	2	6	12	23	29	38
SUBTOTAL	**1562**	**18.2**	**248**	**2**	**4**	**14**	**24**	**40**	**55**	**89**	**259**	**9.9**	**89**	**2**	**2**	**7**	**13**	**23**	**30**	**46**
GRAND TOTAL	**4323**	**17.2**	**215**	**2**	**4**	**13**	**22**	**36**	**49**	**80**	**747**	**9.8**	**90**	**2**	**2**	**7**	**13**	**21**	**29**	**47**

DEPR PSYCH, RECUR EPISOD (296.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17	7	19.9	134	3	6	19	35	81	99+	99+											
18-20	6	9.7	31	3	3	10	14	17	17	17											
21-24	10	10.4	46	1	2	11	16	19	21	21											
25-34	74	14.1	130	2	3	11	17	31	40	56		7	15.9	151	2	3	13	28	33	33	33
35-54	123	15.9	203	2	4	12	20	32	48	67		25	9.4	86	2	2	7	9	21	31	45
55-74	141	16.0	87	4	5	14	23	29	32	44		11	8.5	26	1	1	10	13	14	15	15
75 +	20	18.3	164	4	6	15	26	39	42	44		6	22.2	188	3	4	21	26	43	45	45
ALL AGES	381	15.6	135	3	4	13	21	31	41	58		49	11.7	108	1	2	9	14	27	34	45
B. FEMALE																					
0-12 YRS.	5	25.0	602	1	1	26	42	59	59	59											
13-17	18	24.6	497	2	3	20	30	62	79	85		2	1.5	1	1	1	1	2	2	2	2
18-20	11	4.8	7	1	2	5	6	9	9	9		2	10.0	162	1	1	9	19	19	19	19
21-24	26	15.2	145	1	4	13	20	23	43	57		1	2.0		2	2	2	2	2	2	2
25-34	183	15.0	193	2	3	11	19	32	43	72		29	11.8	227	1	2	6	16	27	41	73
35-54	402	14.7	118	3	4	12	20	29	37	54		52	10.4	82	1	2	8	12	26	30	40
55-74	382	19.2	186	4	6	16	25	35	49	79		55	12.5	95	3	3	9	17	25	33	48
75 +	92	20.3	164	4	7	18	25	36	41	78		16	18.0	163	5	5	14	25	36	46	50
ALL AGES	1119	16.8	174	3	4	14	22	33	41	69		157	12.0	124	1	2	8	16	28	35	50
SUBTOTAL	**1500**	**16.5**	**164**	**3**	**4**	**13**	**22**	**32**	**41**	**67**		**206**	**11.9**	**120**	**1**	**2**	**8**	**16**	**27**	**34**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17	15	29.2	569	3	5	21	43	65	81	86		2	8.5	5	7	7	8	10	10	10	10
18-20	2	9.5	25	6	6	9	13	13	13	13											
21-24	14	10.5	39	3	4	9	13	19	24	26		1	3.0		3	3	3	3	3	3	3
25-34	76	14.9	181	2	3	10	20	32	41	67		5	5.8	9	2	2	6	8	10	10	10
35-54	140	15.0	112	3	5	12	20	29	33	50		13	9.7	40	2	3	7	13	19	23	24
55-74	62	18.1	149	6	7	14	23	38	48	95		6	8.3	5	6	6	8	10	11	11	11
75 +	22	21.4	269	6	7	16	28	38	60	76		3	15.3	498	1	1	4	32	41	41	41
ALL AGES	331	16.4	172	3	5	13	22	32	46	74		30	9.0	61	2	3	7	10	17	24	41
B. FEMALE																					
0-12 YRS.	1	25.0		25	25	25	25	25	25	25											
13-17	17	30.2	548	1	2	30	47	56	74	83											
18-20	14	15.6	136	3	4	13	24	28	42	46		1	3.0		3	3	3	3	3	3	3
21-24	24	13.4	77	1	4	12	17	30	32	33		4	5.3	2	3	3	5	6	7	7	7
25-34	149	18.2	180	3	4	16	25	36	45	57		30	9.2	56	1	2	9	11	17	25	36
35-54	270	16.3	146	3	4	14	22	32	38	67		49	9.3	31	2	3	9	12	17	20	28
55-74	222	19.1	179	4	6	16	25	35	46	66		31	9.8	41	3	4	8	12	16	19	36
75 +	54	19.2	218	2	5	15	29	42	50	59		13	11.2	67	-	5	9	12	20	33	36
ALL AGES	751	17.9	180	3	4	15	24	35	45	63		128	9.4	42	2	3	9	12	16	21	36
SUBTOTAL	**1082**	**17.5**	**175**	**3**	**4**	**14**	**24**	**34**	**45**	**65**		**158**	**9.3**	**46**	**2**	**3**	**8**	**11**	**16**	**22**	**36**
GRAND TOTAL	**2582**	**16.9**	**169**	**3**	**4**	**14**	**23**	**33**	**42**	**67**		**364**	**10.8**	**89**	**2**	**3**	**8**	**13**	**22**	**31**	**45**

BIPOLAR AFFECTIVE, MANIC (296.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	51.0		51	51	51	51	51	51	51										
13-17	5	29.8	742	11	11	15	44	76	76	76										
18-20	15	16.5	154	2	7	13	18	35	48	52										
21-24	17	11.2	41	2	3	11	15	19	22	24	1	6.0		6	6	6	6	6	6	6
25-34	48	14.6	111	3	4	12	20	32	39	43	3	8.7	55	1	1	9	14	16	16	16
35-54	81	12.0	50	2	3	11	18	21	23	34	4	12.0	58	4	4	11	17	22	22	22
55-74	50	17.1	104	1	4	15	24	32	39	40										
75 +	3	22.0	147	15	15	15	31	36	36	36										
ALL AGES	220	14.7	110	2	4	13	19	27	37	51	8	10.0	46	1	2	9	14	20	22	22
B. FEMALE																				
0-12 YRS.	1	57.0		57	57	57	57	57	57	57										
13-17	5	17.4	158	6	6	12	28	35	35	35										
18-20	8	16.0	53	6	7	16	20	27	29	29										
21-24	17	14.9	98	2	3	12	20	27	36	40	1	7.0		7	7	7	7	7	7	7
25-34	107	15.2	118	2	4	13	19	29	39	57	4	12.8	17	9	9	11	15	19	19	19
35-54	198	14.9	115	3	4	13	20	27	32	61	5	10.4	65	4	4	8	14	24	24	24
55-74	105	15.6	68	5	7	15	20	29	31	41	6	18.3	556	2	2	10	17	60	65	65
75 +	17	16.8	81	5	6	15	24	30	31	31	1	14.0		14	14	14	14	14	14	14
ALL AGES	458	15.4	103	3	5	14	20	29	32	56	17	13.8	207	3	4	11	15	23	51	65
SUBTOTAL	**678**	**15.1**	**107**	**3**	**4**	**13**	**19**	**28**	**34**	**54**	**25**	**12.6**	**154**	**2**	**4**	**9**	**15**	**22**	**34**	**65**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	3	29.0	603	8	8	23	48	56	56	56										
21-24	6	12.5	31	7	7	11	13	22	23	23	1	9.0		9	9	9	9	9	9	9
25-34	17	17.2	249	5	6	10	20	44	54	58	1	7.0		7	7	7	7	7	7	7
35-54	23	15.4	140	2	2	13	23	35	62	99 +	1	72.0		72	72	72	72	72	72	72
55-74	10	23.2	124	10	12	20	30	41	44	44										
75 +	2	24.0	98	17	17	24	31	31	31	31										
ALL AGES	61	17.8	180	3	6	14	25	40	51	95	3	29.3	1369	7	7	9	56	72	72	72
B. FEMALE																				
0-12 YRS.																				
13-17	1	22.0		22	22	22	22	22	22	22										
18-20	1	22.0		22	22	22	22	22	22	22										
21-24	7	25.1	352	5	5	20	42	51	52	52										
25-34	25	15.4	97	3	5	16	19	24	35	49	3	14.0	111	3	3	15	22	24	24	24
35-54	24	15.5	171	5	6	12	18	25	54	55	4	13.3	50	9	9	10	17	24	24	24
55-74	20	14.1	83	2	5	10	22	29	31	32	3	17.0	163	6	6	14	27	31	31	31
75 +	7	23.0	97	11	12	21	29	38	40	40	2	12.0	162	3	3	12	21	21	21	21
ALL AGES	85	16.7	138	4	6	14	20	32	46	55	12	14.2	81	3	3	12	22	26	30	31
SUBTOTAL	**146**	**17.2**	**153**	**4**	**6**	**14**	**22**	**33**	**47**	**59**	**15**	**17.2**	**299**	**3**	**3**	**11**	**23**	**31**	**62**	**72**
GRAND TOTAL	**824**	**15.5**	**115**	**3**	**5**	**13**	**20**	**29**	**36**	**56**	**40**	**14.3**	**208**	**2**	**3**	**10**	**16**	**24**	**48**	**72**

BIPOLAR AFFECT, DEPRESS (296.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	29.0		29	29	29	29	29	29	29										
13-17	2	10.0	72	4	4	10	16	16	16	16										
18-20	2	3.5	13	1	1	3	6	6	6	6	2	14.5	25	11	11	14	18	18	18	18
21-24	3	11.0	52	5	5	9	16	19	19	19	1	4.0		4	4	4	4	4	4	4
25-34	13	13.2	57	1	7	11	18	22	29	31	4	16.0	241	5	5	10	25	39	39	39
35-54	28	16.7	330	3	4	11	15	45	55	83	5	12.8	47	2	2	14	18	19	19	19
55-74	21	13.5	83	3	3	11	23	25	29	32	5	27.8	133	9	9	28	36	39	39	39
75 +											1	27.0		27	27	27	27	27	27	27
ALL AGES	70	14.5	175	3	4	11	19	28	41	77	18	18.2	140	3	4	16	28	38	39	39
B. FEMALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12										
18-20	4	5.0	10	1	1	5	7	8	8	8										
21-24	8	18.1	80	8	9	18	22	31	35	35										
25-34	24	14.1	65	1	4	15	18	23	28	37	1	6.0		6	6	6	6	6	6	6
35-54	80	15.3	129	3	4	13	21	32	38	88	10	12.6	59	3	3	11	21	22	23	23
55-74	53	19.8	113	5	7	18	25	32	39	57	6	27.2	265	9	10	22	40	52	53	53
75 +	5	27.2	161	8	8	28	38	39	39	39	12	29.4	241	7	9	32	41	47	54	55
ALL AGES	175	16.7	120	3	5	15	23	32	38	60	29	22.3	233	4	6	18	38	42	53	55
SUBTOTAL	**245**	**16.1**	**135**	**3**	**4**	**14**	**22**	**31**	**38**	**62**	**47**	**20.7**	**199**	**4**	**5**	**18**	**28**	**41**	**44**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	3	16.3	35	13	13	13	21	23	23	23										
25-34	12	9.5	27	4	4	8	13	17	20	20	3	8.0	1	7	7	8	9	9	9	9
35-54	11	13.6	79	2	4	14	17	25	34	35	4	18.8	62	11	11	17	25	29	29	29
55-74	6	17.5	54	8	8	20	22	26	26	26	1	9.0		9	9	9	9	9	9	9
75 +	2	12.5	145	4	4	12	21	21	21	21	1	9.0		9	9	9	9	9	9	9
ALL AGES	34	13.0	57	4	4	12	19	22	25	35	9	13.0	54	7	7	9	16	26	29	29
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	12.0		12	12	12	12	12	12	12										
21-24	1	9.0		9	9	9	9	9	9	9	1	9.0		9	9	9	9	9	9	9
25-34	19	15.4	215	1	3	11	17	34	51	63	3	9.7	15	6	6	9	13	14	14	14
35-54	32	16.2	117	4	6	15	19	29	30	60	9	10.3	73	2	2	8	13	24	30	30
55-74	13	24.3	306	6	8	18	36	51	62	65	7	14.4	209	3	3	9	22	39	42	42
75 +	8	21.9	564	3	4	8	37	60	69	69	2	18.5	5	17	17	18	20	20	20	20
ALL AGES	74	17.9	220	3	5	14	21	37	57	68	22	12.2	98	2	3	9	14	27	35	42
SUBTOTAL	**108**	**16.3**	**175**	**4**	**4**	**13**	**20**	**34**	**40**	**67**	**31**	**12.5**	**81**	**3**	**4**	**9**	**14**	**27**	**30**	**42**
GRAND TOTAL	**353**	**16.2**	**145**	**3**	**4**	**14**	**21**	**31**	**39**	**65**	**78**	**17.4**	**168**	**3**	**4**	**13**	**25**	**40**	**42**	**54**

BIPOLAR AFFECTIVE, MIXED (296.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	59.5	1013	37	37	59	82	82	82	82	1	10.0		10	10	10	10	10	10	10
13-17	1	11.0		11	11	11	11	11	11	11	1	35.0		35	35	35	35	35	35	35
18-20	2	34.0	2	33	33	34	35	35	35	35	1	28.0		28	28	28	28	28	28	28
21-24	4	19.3	252	5	5	15	31	41	41	41										
25-34	18	11.7	39	3	4	10	16	19	24	27	4	7.5	14	2	2	9	10	10	10	10
35-54	32	12.7	85	1	4	11	18	22	23	48	2	4.5	1	4	4	4	5	5	5	5
55-74	4	28.0	226	14	14	28	41	41	41	41	1	10.0		10	10	10	10	10	10	10
75 +	3	10.0	28	6	6	8	14	16	16	16										
ALL AGES	66	15.7	178	3	4	12	19	35	41	77	10	12.2	114	2	3	9	10	31	35	35
B. FEMALE																				
0-12 YRS.																				
13-17	3	16.0	49	11	11	13	21	24	24	24										
18-20	1	2.0		2	2	2	2	2	2	2										
21-24	9	11.2	68	1	3	10	19	64	99 +	99 +										
25-34	38	14.2	107	2	3	13	18	26	35	53	1	10.0		10	10	10	10	10	10	10
35-54	94	15.9	106	4	5	14	21	30	37	51	4	12.0	25	5	5	13	15	17	17	17
55-74	35	20.1	70	9	11	20	23	30	35	47	3	23.7	759	3	3	13	44	55	55	55
75 +	3	36.7	1105	15	15	20	61	75	75	75										
ALL AGES	183	16.4	117	3	5	15	21	30	38	69	8	16.1	269	3	4	13	15	44	55	55
SUBTOTAL	**249**	**16.2**	**134**	**3**	**5**	**14**	**21**	**30**	**39**	**75**	**18**	**13.9**	**176**	**2**	**3**	**10**	**13**	**33**	**47**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	18.0		18	18	18	18	18	18	18										
25-34	8	15.0	121	4	6	10	21	33	33	33	1	22.0		22	22	22	22	22	22	22
35-54	8	15.1	206	4	4	11	17	40	48	48	2	30.0	338	17	17	30	43	43	43	43
55-74											1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES	17	15.2	144	4	4	10	19	33	43	48	4	23.0	202	10	10	19	32	43	43	43
B. FEMALE																				
0-12 YRS.	1	22.0		22	22	61	99 +	99 +	99 +	99 +										
13-17																				
18-20	1	40.0		40	40	40	40	40	40	40										
21-24	3	14.0	3	12	12	15	15	15	15	15										
25-34	13	19.4	36	8	11	20	22	28	30	30										
35-54	31	15.6	139	3	4	12	24	30	31	55	2	7.0	18	4	4	7	10	10	10	10
55-74	15	25.5	277	6	7	23	30	34	66	77										
75 +																				
ALL AGES	64	19.1	159	4	6	19	26	31	44	97	2	7.0	18	4	4	7	10	10	10	10
SUBTOTAL	**81**	**18.3**	**156**	**4**	**5**	**16**	**26**	**31**	**43**	**93**	**6**	**17.7**	**192**	**4**	**5**	**14**	**22**	**41**	**43**	**43**
GRAND TOTAL	**330**	**16.7**	**140**	**4**	**5**	**14**	**22**	**31**	**40**	**78**	**24**	**14.9**	**173**	**3**	**4**	**10**	**17**	**36**	**47**	**55**

BIPOLAR AFFECTIVE NOS (296.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	38.0		38	38	38	38	38	38	38										
13-17	2	34.0	392	20	20	34	48	48	48	48										
18-20	7	13.9	76	7	7	10	17	29	32	32	2	3.0	8	1	1	3	5	5	5	5
21-24	4	12.8	67	2	2	14	19	21	21	21	1	25.0		25	25	25	25	25	25	25
25-34	29	11.9	138	1	1	8	16	27	35	50	3	17.3	84	9	9	16	24	27	27	27
35-54	40	12.6	95	1	1	11	16	27	35	39	9	19.3	506	3	4	9	27	57	73	73
55-74	21	15.9	80	5	6	15	18	29	35	41	2	19.5	365	6	6	19	33	33	33	33
75 +	5	28.6	38	22	22	26	34	37	37	37										
ALL AGES	109	14.5	121	1	2	13	20	31	38	49	17	17.4	319	2	3	9	26	33	59	73
B. FEMALE																				
0-12 YRS.	4	34.0	681	10	10	30	55	65	65	65										
13-17	6	21.8	312	9	9	14	28	52	55	55										
18-20	7	10.7	40	3	3	11	14	20	21	21										
21-24	13	15.1	22	6	8	15	18	21	23	24										
25-34	51	13.7	116	2	3	11	19	25	35	55	4	15.0	81	2	2	18	21	22	22	22
35-54	91	17.2	179	3	4	14	25	34	42	68	11	16.3	350	5	5	10	16	46	66	68
55-74	68	16.5	96	4	6	15	21	29	40	92	11	16.7	356	3	3	10	19	42	68	70
75 +	6	28.2	172	13	14	26	33	49	51	51	2	8.5	61	3	3	8	14	14	14	14
ALL AGES	246	16.6	149	3	4	14	21	32	42	65	28	15.7	278	3	3	11	18	29	68	70
SUBTOTAL	**355**	**16.0**	**139**	**2**	**4**	**14**	**21**	**32**	**40**	**56**	**45**	**16.4**	**285**	**2**	**3**	**10**	**21**	**33**	**68**	**73**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	12.2	66	5	5	8	20	22	22	22										
18-20	1	2.0		2	2	2	2	2	2	2										
21-24	6	14.3	33	8	8	13	20	22	22	22										
25-34	23	16.4	220	1	3	12	23	35	52	59	2	10.0	50	5	5	10	15	15	15	15
35-54	31	13.3	136	2	2	8	18	28	43	46	4	7.5	20	4	4	6	10	14	14	14
55-74	12	21.2	154	6	7	20	26	35	50	53										
75 +	3	18.3	74	12	12	15	25	28	28	28										
ALL AGES	81	15.4	150	2	4	12	22	29	45	57	6	8.3	24	4	4	6	14	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17	2	23.5	85	17	17	23	30	30	30	30										
18-20	6	38.8	880	3	4	43	46	82	86	86										
21-24	3	36.0	1317	8	8	23	63	77	77	77										
25-34	22	12.6	140	1	1	10	18	24	39	54	1	31.0		31	31	31	31	31	31	31
35-54	39	16.9	193	3	3	15	24	30	38	76	4	9.0	13	5	5	9	12	13	13	13
55-74	31	17.0	151	4	5	15	18	28	35	71	3	17.3	123	6	6	18	25	28	28	28
75 +	2	17.0	200	7	7	17	27	27	27	27										
ALL AGES	105	18.0	253	2	4	15	22	32	48	81	8	14.9	99	5	5	12	23	30	31	31
SUBTOTAL	**186**	**16.8**	**211**	**2**	**4**	**13**	**22**	**30**	**46**	**77**	**14**	**12.1**	**73**	**4**	**5**	**9**	**15**	**28**	**30**	**31**
GRAND TOTAL	**541**	**16.3**	**163**	**2**	**4**	**14**	**21**	**31**	**42**	**71**	**59**	**15.3**	**239**	**3**	**4**	**10**	**19**	**31**	**52**	**73**

MANIC-DEPRESSIVE NEC/NOS (296.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN. NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	19.0	289	2	2	19	32	36	36	36										
18-20	2	6.5	1	6	6	6	7	7	7	7	1	5.0		5	5	5	5	5	5	5
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	27	15.5	237	2	3	12	16	34	43	76	5	5.4	39	1	1	3	8	16	16	16
35-54	35	16.1	262	2	4	10	19	31	55	76	5	10.8	62	1	1	13	16	21	21	21
55-74	13	14.9	214	1	2	10	19	37	48	51	5	7.0	26	1	1	5	11	14	14	14
75 +	2	8.5	113	1	1	8	16	16	16	16										
ALL AGES	83	15.2	231	2	3	10	18	34	51	76	16	7.6	39	1	1	5	13	16	19	21
B. FEMALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13										
13-17	6	11.2	203	3	3	4	14	36	39	39										
18-20	1	40.0		40	40	40	40	40	40	40										
21-24	9	10.0	40	1	1	8	14	19	21	21	2	5.5	1	5	5	5	6	6	6	6
25-34	35	11.7	76	1	2	9	15	28	30	33	2	14.0	288	2	2	14	26	26	26	26
35-54	72	16.0	181	2	3	13	20	36	45	61	11	6.7	19	2	2	5	9	13	17	17
55-74	46	20.3	208	4	5	16	28	36	54	60	12	7.2	13	3	3	6	10	12	15	15
75 +	6	29.8	446	5	6	27	41	62	64	64	1	11.0		11	11	11	11	11	11	11
ALL AGES	176	16.4	182	2	3	13	21	36	44	61	28	7.5	27	2	3	6	10	14	18	26
SUBTOTAL	**259**	**16.0**	**198**	**2**	**3**	**12**	**21**	**35**	**48**	**64**	**44**	**7.5**	**31**	**1**	**2**	**6**	**10**	**15**	**18**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	32.3	55	23	23	37	55	99 +	99 +	99 +										
18-20	2	22.0	648	4	4	22	40	40	40	40										
21-24	2	12.5	145	4	4	12	21	21	21	21										
25-34	15	19.3	448	2	3	12	20	59	72	76	2	15.0	72	9	9	15	21	21	21	21
35-54	26	13.8	86	1	3	13	19	29	31	36	2	8.0		8	8	8	8	8	8	8
55-74	9	14.9	112	5	6	11	17	33	37	37	1	7.0		7	7	7	7	7	7	7
75 +	1	46.0		46	46	46	46	46	46	46										
ALL AGES	59	17.4	216	2	4	13	25	38	52	98	5	10.6	34	7	7	8	12	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-17	4	44.5	1508	8	9	86	99 +	99 +	99 +	99 +										
18-20																				
21-24	7	14.3	132	4	4	8	23	32	34	34										
25-34	26	17.2	304	1	5	11	20	38	52	86	2	7.0	8	5	5	7	9	9	9	9
35-54	49	18.4	185	2	5	16	25	40	46	99 +	2	8.0	50	3	3	8	13	13	13	13
55-74	21	30.0	666	3	7	19	42	76	85	91	8	12.3	101	3	3	10	14	29	35	35
75 +	2	2.5	5	1	1	2	4	4	4	4										
ALL AGES	109	20.7	379	2	5	16	27	63	86	99 +	12	10.7	75	3	3	9	12	22	30	35
SUBTOTAL	**168**	**19.6**	**320**	**2**	**4**	**15**	**26**	**45**	**79**	**99 +**	**17**	**10.6**	**62**	**3**	**3**	**9**	**12**	**20**	**30**	**35**
GRAND TOTAL	**427**	**17.4**	**249**	**2**	**3**	**13**	**23**	**39**	**56**	**99 +**	**61**	**8.4**	**40**	**1**	**2**	**7**	**11**	**16**	**21**	**34**

AFFECT PSYCHOSES NEC/NOS (296.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	31.0		31	31	31	31	31	31	31										
18-20																				
21-24	3	16.7	233	5	5	11	28	34	34	34										
25-34	5	11.6	106	3	3	10	15	29	29	29	4	16.0	110	7	7	14	24	29	29	29
35-54	11	13.9	81	4	5	11	16	29	34	34	6	10.7	261	1	1	4	10	40	43	43
55-74	1	6.0		6	6	6	6	6	6	6	5	12.2	59	6	6	8	18	24	24	24
75 +	2	13.5	1	13	13	13	14	14	14	14	1	23.0		23	23	23	23	23	23	23
ALL AGES	23	14.1	96	4	5	11	16	32	34	34	16	13.3	135	1	1	8	21	28	39	43
B. FEMALE																				
0-12 YRS.																				
13-17	1	15.0		15	15	15	15	15	15	15	2	8.5	13	6	6	8	11	11	11	11
18-20	2	20.0	72	14	14	20	26	26	26	26										
21-24	4	7.0	11	3	3	7	9	11	11	11										
25-34	8	6.8	8	3	3	7	9	10	10	10	5	5.4	23	1	1	4	8	13	13	13
35-54	22	13.7	111	2	2	10	23	31	32	32	13	14.5	185	5	5	10	18	35	50	53
55-74	10	15.2	125	3	4	12	19	34	37	37	5	10.0	39	6	6	7	12	21	21	21
75 +	7	8.9	25	3	4	8	10	17	19	19	3	13.0	43	7	7	12	18	20	20	20
ALL AGES	54	12.1	84	2	3	9	16	29	32	37	28	11.5	107	2	4	8	12	21	32	53
SUBTOTAL	**77**	**12.7**	**87**	**2**	**3**	**10**	**16**	**30**	**32**	**36**	**44**	**12.1**	**117**	**1**	**4**	**8**	**16**	**24**	**34**	**53**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	3	7.7	82	1	1	4	14	18	18	18										
18-20																				
21-24	1	28.0		28	28	28	28	28	28	28	1	29.0		29	29	29	29	29	29	29
25-34	5	16.2	187	3	3	10	28	35	35	35	3	3.7	2	2	2	4	5	5	5	5
35-54	7	12.4	321	5	5	6	7	44	53	53	1	7.0		7	7	7	7	7	7	7
55-74	11	12.5	161	2	3	9	11	32	47	48	2	5.0	18	2	2	5	8	8	8	8
75 +	2	11.5	145	3	3	11	20	20	20	20	2	20.0	2	19	19	20	21	21	21	21
ALL AGES	30	12.7	175	1	2	8	18	31	48	53	9	10.8	94	2	2	7	19	26	29	29
B. FEMALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17																				
18-20	2	7.0		7	7	7	7	7	7	7										
21-24	2	9.0	72	3	3	9	15	15	15	15										
25-34	14	18.4	417	1	3	10	27	59	65	67	7	7.0	30	2	2	5	13	15	15	15
35-54	24	15.2	172	1	3	11	23	41	62	99+	8	17.4	84	2	3	21	25	26	26	26
55-74	13	24.5	289	4	9	21	29	56	56	56	9	17.4	158	5	6	14	21	38	45	45
75 +	3	25.3	97	17	17	23	33	36	36	36	1	10.0		10	10	10	10	10	10	10
ALL AGES	59	17.3	250	2	3	12	24	47	57	97	25	14.4	106	2	3	14	20	26	32	45
SUBTOTAL	**89**	**16.1**	**231**	**1**	**3**	**10**	**23**	**42**	**56**	**87**	**34**	**13.5**	**101**	**2**	**2**	**11**	**19**	**26**	**29**	**45**
GRAND TOTAL	**166**	**14.5**	**167**	**2**	**3**	**10**	**20**	**32**	**45**	**65**	**78**	**12.7**	**109**	**2**	**3**	**9**	**19**	**26**	**30**	**51**

PARANOID STATE, SIMPLE (297.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	12.0		12	12	12	12	12	12	12	1	9.0		9	9	9	9	9	9	9
ALL AGES	1	12.0		12	12	12	12	12	12	12	1	9.0		9	9	9	9	9	9	9
SUBTOTAL	**2**	**8.0**	**32**	**4**	**4**	**8**	**12**	**12**	**12**	**12**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**
GRAND TOTAL	**2**	**8.0**	**32**	**4**	**4**	**8**	**12**	**12**	**12**	**12**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**

PARANOIA (297.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4										
25-34	2	8.0	72	2	2	8	14	14	14	14										
35-54	8	10.4	102	4	4	6	12	28	34	34										
55-74	2	8.5	61	3	3	8	14	14	14	14	1	4.0		4	4	4	4	4	4	4
75 +	2	8.0	8	6	6	8	10	10	10	10	1	8.0		8	8	8	8	8	8	8
ALL AGES	15	9.1	64	2	3	6	12	14	29	34	2	6.0	8	4	4	6	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	11.0	98	4	4	11	18	18	18	18										
35-54	10	11.6	63	1	3	11	14	23	30	30										
55-74	13	12.9	33	8	8	12	14	20	27	29	3	7.3	34	4	4	4	12	14	14	14
75 +	6	11.5	59	3	3	11	19	21	21	21	1	7.0		7	7	7	7	7	7	7
ALL AGES	31	12.1	45	3	4	12	14	20	29	30	4	7.3	21	4	4	6	10	14	14	14
SUBTOTAL	**46**	**11.1**	**53**	**3**	**3**	**10**	**14**	**19**	**29**	**34**	**6**	**6.8**	**16**	**4**	**4**	**6**	**8**	**13**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	7.0		7	7	7	7	7	7	7										
25-34	1	5.0		5	5	5	5	5	5	5										
35-54											1	3.0		3	3	3	3	3	3	3
55-74	4	19.8	215	8	8	15	29	41	41	41										
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	7	15.6	151	5	5	12	18	36	41	41	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	13.0		13	13	13	13	13	13	13										
25-34																				
35-54	9	19.2	136	1	3	20	25	36	38	38										
55-74	3	12.3	134	1	1	12	21	24	24	24	1	7.0		7	7	7	7	7	7	7
75 +	3	11.3	163	3	3	5	21	26	26	26										
ALL AGES	16	16.1	124	1	1	15	23	33	37	38	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**23**	**15.9**	**127**	**1**	**3**	**13**	**22**	**35**	**39**	**41**	**2**	**5.0**	**8**	**3**	**3**	**5**	**7**	**7**	**7**	**7**
GRAND TOTAL	**69**	**12.7**	**81**	**2**	**3**	**12**	**17**	**25**	**34**	**40**	**8**	**6.4**	**12**	**3**	**3**	**6**	**8**	**12**	**14**	**14**

PARAPHRENIA (297.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	14.0		14	14	14	14	14	14	14										
75 +	1	20.0		20	20	20	20	20	20	20										
ALL AGES	2	17.0	18	14	14	17	20	20	20	20										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	3	16.3	62	10	10	14	22	25	25	25	2	22.0	128	14	14	22	30	30	30	30
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	4	13.8	65	6	6	12	19	25	25	25	2	22.0	128	14	14	22	30	30	30	30
SUBTOTAL	**6**	**14.8**	**48**	**6**	**6**	**14**	**20**	**24**	**25**	**25**	**2**	**22.0**	**128**	**14**	**14**	**22**	**30**	**30**	**30**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	16.0		16	16	16	16	16	16	16	1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES	1	16.0		16	16	16	16	16	16	16	1	10.0		10	10	10	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	2	44.5	1405	18	18	44	71	71	71	71										
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	3	32.0	1171	7	7	18	58	71	71	71										
SUBTOTAL	**4**	**28.0**	**845**	**7**	**7**	**17**	**44**	**71**	**71**	**71**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**
GRAND TOTAL	**10**	**20.1**	**354**	**6**	**6**	**15**	**20**	**48**	**71**	**71**	**3**	**18.0**	**112**	**10**	**10**	**14**	**26**	**30**	**30**	**30**

SHARED PARANOID DISORDER (297.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	3.0		3	3	3	3	3	3	3										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	1	9.0		9	9	9	9	9	9	9										
SUBTOTAL	1	9.0		9	9	9	9	9	9	9										
GRAND TOTAL	2	6.0	18	3	3	6	9	9	9	9										

PARANOID STATES NEC (297.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	1	10.0		10	10	10	10	10	10	10										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	3	9.7	11	6	6	10	12	13	13	13										
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	3	9.7	11	6	6	10	12	13	13	13	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**4**	**9.8**	**7**	**6**	**6**	**10**	**12**	**13**	**13**	**13**	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	33.0		33	33	33	33	33	33	33										
55-74	2	20.5	5	19	19	20	22	22	22	22										
75 +	3	9.7		9	9	9	11	11	11	11										
ALL AGES	6	17.2	88	9	9	15	22	32	33	33										
SUBTOTAL	**6**	**17.2**	**88**	**9**	**9**	**15**	**22**	**32**	**33**	**33**										
GRAND TOTAL	**10**	**14.2**	**67**	**6**	**7**	**11**	**19**	**27**	**33**	**33**	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**

PARANOID STATE NOS (297.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	11.0	72	5	5	11	17	17	17	17										
21-24	1	9.0		9	9	9	9	9	9	9										
25-34	14	10.6	54	2	2	10	13	22	26	27	2	16.5	365	3	3	16	30	30	30	30
35-54	16	12.1	62	3	4	10	18	22	28	31	3	21.3	478	2	2	17	38	45	45	45
55-74	17	17.6	237	1	1	14	26	42	46	48	4	4.5	4	3	3	4	6	7	7	7
75 +	14	18.3	210	4	5	13	24	46	50	51										
ALL AGES	64	14.5	142	2	3	12	20	31	44	51	9	12.8	231	2	2	5	20	39	45	45
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	13.0	72	7	7	13	19	19	19	19										
25-34	12	11.0	95	3	4	7	14	26	35	37										
35-54	49	12.8	104	1	2	11	16	25	30	52	1	4.0		4	4	4	4	4	4	4
55-74	37	10.4	56	1	2	10	14	21	24	30	5	5.8	7	3	3	5	8	9	9	9
75 +	18	21.1	332	2	3	16	30	52	57	59	2	10.5	5	9	9	10	12	12	12	12
ALL AGES	118	13.2	129	1	2	11	17	27	36	56	8	6.8	9	3	3	6	9	11	12	12
SUBTOTAL	**182**	**13.6**	**135**	**2**	**2**	**11**	**18**	**28**	**41**	**53**	**17**	**9.9**	**131**	**2**	**3**	**5**	**10**	**27**	**40**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	40.0	72	34	34	40	46	46	46	46										
18-20																				
21-24	3	10.7	75	[illegible]	1	13	17	18	18	18										
25-34	6	5.3	16	1	1	5	8	11	11	11										
35-54	5	10.0	80	2	2	7	19	20	20	20	3	14.7	104	6	6	12	22	26	26	26
55-74	8	12.9	19	7	8	12	16	19	20	20	2	19.5	313	7	7	19	32	32	32	32
75 +	1	15.0		15	15	15	15	15	15	15	1	6.0		6	6	6	6	6	6	6
ALL AGES	25	12.5	109	1	2	10	18	20	37	46	6	14.8	130	6	6	9	26	31	32	32
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	29.0		29	29	29	29	29	29	29										
21-24	2	3.0	2	2	2	3	4	4	4	4										
25-34	2	5.5	25	2	2	5	9	9	9	9										
35-54	12	20.9	356	4	6	13	25	55	63	64	1	5.0		5	5	5	5	5	5	5
55-74	26	18.3	244	4	6	14	24	36	52	75	3	7.7	22	4	4	6	11	13	13	13
75 +	6	22.3	303	3	3	23	34	44	45	45	4	15.8	213	2	2	12	26	36	36	36
ALL AGES	49	18.5	263	2	4	14	24	41	52	75	8	11.4	120	2	3	7	14	30	36	36
SUBTOTAL	**74**	**16.5**	**216**	**2**	**2**	**13**	**19**	**35**	**46**	**72**	**14**	**12.9**	**117**	**2**	**4**	**8**	**16**	**32**	**35**	**36**
GRAND TOTAL	**256**	**14.5**	**157**	**2**	**2**	**11**	**18**	**31**	**44**	**59**	**31**	**11.3**	**121**	**2**	**3**	**7**	**13**	**31**	**36**	**45**

REACT DEPRESS PSYCHOSIS (298.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34											1	6.0		6	6	6	6	6	6	6
35-54	6	9.3	19	2	3	9	13	14	14	14										
55-74	3	18.7	14	15	15	18	22	23	23	23	2	8.5	5	7	7	8	10	10	10	10
75 +	1	19.0		19	19	19	19	19	19	19	1	2.0		2	2	2	2	2	2	2
ALL AGES	11	12.0	47	1	2	13	17	21	23	23	4	6.3	10	2	2	6	8	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17	1	21.0		21	21	21	21	21	21	21										
18-20																				
21-24																				
25-34	3	9.3	27	5	5	8	13	15	15	15	3	3.0	1	2	2	3	4	4	4	4
35-54	8	14.8	151	2	3	11	21	35	40	40	2	2.5	5	1	1	2	4	4	4	4
55-74	15	13.7	71	3	4	13	19	22	31	34	3	5.0	3	4	4	4	6	7	7	7
75 +	11	10.2	30	6	6	8	12	18	24	25	2	7.5	1	7	7	7	8	8	8	8
ALL AGES	38	12.7	73	3	5	11	17	23	30	40	10	4.4	5	1	1	4	7	8	8	8
SUBTOTAL	**49**	**12.6**	**65**	**2**	**4**	**11**	**17**	**23**	**25**	**40**	**14**	**4.9**	**7**	**1**	**2**	**4**	**7**	**8**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	2	2.5	5	1	1	2	4	4	4	4										
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	3	20.3	171	7	7	21	30	33	33	33										
75 +																				
ALL AGES	7	10.9	139	1	1	7	18	31	33	33										
B. FEMALE																				
0-12 YRS.	1	40.0		40	40	40	40	40	40	40										
13-17																				
18-20																				
21-24																				
25-34	2	34.0	512	18	18	34	50	50	50	50	1	16.0		16	16	16	16	16	16	16
35-54	2	14.5	265	3	3	14	26	26	26	26	4	4.8		4	4	5	5	6	6	6
55-74	7	17.4	99	3	4	21	23	30	32	32	1	6.0		6	6	6	6	6	6	6
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	13	20.5	202	3	3	21	27	42	48	50	6	6.8	22	4	4	5	6	15	16	16
SUBTOTAL	**20**	**17.2**	**191**	**1**	**2**	**14**	**25**	**36**	**45**	**50**	**6**	**6.8**	**22**	**4**	**4**	**5**	**6**	**15**	**16**	**16**
GRAND TOTAL	**69**	**13.9**	**104**	**2**	**3**	**11**	**20**	**26**	**34**	**48**	**20**	**5.5**	**11**	**1**	**2**	**5**	**7**	**9**	**13**	**16**

EXCITATIV TYPE PSYCHOSIS (298.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											2	17.0	512	1	1	17	33	33	33	33
25-34	2	10.0	128	2	2	10	18	18	18	18	1	1.0		1	1	1	1	1	1	1
35-54	5	5.0	5	3	3	5	6	8	8	8	4	11.0	39	4	4	11	16	18	18	18
55-74	2	5.0	8	3	3	5	7	7	7	7	7	12.9	157	4	4	9	14	35	40	40
75 +	3	2.3	3	1	1	2	3	4	4	4	7	12.0	46	6	6	11	13	23	26	26
ALL AGES	12	5.2	21	1	2	4	6	11	17	18	21	12.0	103	1	3	9	14	29	36	40
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17											1	2.0		2	2	2	2	2	2	2
18-20											1	2.0		2	2	2	2	2	2	2
21-24											1	6.0		6	6	6	6	6	6	6
25-34	2	15.5	181	6	6	15	25	25	25	25	1	4.0		4	4	4	4	4	4	4
35-54	2	8.5	25	5	5	8	12	12	12	12	5	5.2	20	2	2	4	6	13	13	13
55-74	7	6.4	22	1	1	6	10	13	13	13	8	4.5	21	1	1	3	5	12	15	15
75 +	1	2.0		2	2	2	2	2	2	2	3	19.3	535	6	6	6	36	46	46	46
ALL AGES	12	7.9	46	1	2	6	11	17	24	25	21	6.5	95	1	1	4	6	14	29	46
SUBTOTAL	**24**	**6.5**	**34**	**1**	**2**	**5**	**8**	**13**	**20**	**25**	**42**	**9.3**	**103**	**1**	**2**	**6**	**12**	**20**	**36**	**46**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	1.0		1	1	1	1	1	1	1
25-34	1	15.0		15	15	15	15	15	15	15	1	5.0		5	5	5	5	5	5	5
35-54	1	5.0		5	5	5	5	5	5	5	3	15.7	484	1	1	5	32	41	41	41
55-74											5	7.2	36	3	3	4	11	17	17	17
75 +	1	4.0		4	4	4	4	4	4	4	3	10.3	37	4	4	11	15	16	16	16
ALL AGES	3	8.0	37	4	4	5	12	15	15	15	13	9.2	119	1	1	5	12	22	37	41
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20											1	59.0		59	59	59	59	59	59	59
21-24	1	30.0		30	30	30	30	30	30	30										
25-34	1	13.0		13	13	13	13	13	13	13	2	3.0		3	3	3	3	3	3	3
35-54	6	5.8	27	1	1	5	9	13	14	14	6	10.3	58	1	2	9	11	23	24	24
55-74	4	14.3	61	9	9	11	19	26	26	26	6	7.8	16	4	4	7	10	14	14	14
75 +	3	8.7	36	2	2	10	13	14	14	14	6	14.7	60	5	5	15	21	25	25	25
ALL AGES	15	10.7	71	1	1	10	14	26	29	30	22	12.0	157	1	2	9	14	24	39	59
SUBTOTAL	**18**	**10.3**	**63**	**1**	**1**	**9**	**14**	**23**	**28**	**30**	**35**	**10.9**	**142**	**1**	**1**	**8**	**14**	**24**	**37**	**59**
GRAND TOTAL	**42**	**8.1**	**49**	**1**	**2**	**6**	**12**	**16**	**25**	**30**	**77**	**10.0**	**121**	**1**	**1**	**6**	**13**	**23**	**38**	**55**

REACTIVE CONFUSION (298.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +											2	9.0	8	7	7	9	11	11	11	11
ALL AGES											2	9.0	8	7	7	9	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	3	2.0	1	1	1	2	3	3	3	3	3	2.7	2	1	1	3	4	4	4	4
75 +	2	9.0	2	8	8	9	10	10	10	10	2	3.5	13	1	1	3	6	6	6	6
ALL AGES	8	3.5	12	1	1	2	5	9	10	10	5	3.0	5	1	1	3	4	6	6	6
SUBTOTAL	**8**	**3.5**	**12**	**1**	**1**	**2**	**5**	**9**	**10**	**10**	**7**	**4.7**	**13**	**1**	**1**	**4**	**7**	**10**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	11.0		11	11	11	11	11	11	11										
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	3	4.7	30	1	1	2	9	11	11	11	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-20																				
21-24											1	2.0		2	2	2	2	2	2	2
25-34											3	7.7	30	2	2	8	12	13	13	13
35-54																				
55-74	1	24.0		24	24	24	24	24	24	24	1	13.0		13	13	13	13	13	13	13
75 +											1	17.0		17	17	17	17	17	17	17
ALL AGES	1	24.0		24	24	24	24	24	24	24	7	8.1	41	2	2	8	13	16	17	17
SUBTOTAL	**4**	**9.5**	**114**	**1**	**1**	**6**	**17**	**24**	**24**	**24**	**8**	**7.3**	**40**	**1**	**1**	**5**	**13**	**16**	**17**	**17**
GRAND TOTAL	**12**	**5.5**	**48**	**1**	**1**	**2**	**9**	**15**	**23**	**24**	**15**	**6.1**	**27**	**1**	**1**	**4**	**10**	**13**	**16**	**17**

ACUTE PARANOID REACTION (298.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	2.0		2	2	2	2	2	2	2										
21-24																				
25-34	2	19.0		19	19	19	19	19	19	19	1	4.0		4	4	4	4	4	4	4
35-54	4	17.5	94	3	3	22	23	23	23	23										
55-74	2	16.5	113	9	9	16	24	24	24	24	1	5.0		5	5	5	5	5	5	5
75 +	1	5.0		5	5	5	5	5	5	5	1	4.0		4	4	4	4	4	4	4
ALL AGES	10	14.8	80	2	2	19	22	23	24	24	3	4.3	1	4	4	4	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	4	11.0	104	1	1	9	18	25	25	25										
35-54	5	7.8	15	4	4	8	11	13	13	13	2	12.0	72	6	6	12	18	18	18	18
55-74	2	17.0	242	6	6	17	28	28	28	28	2	4.5	13	2	2	4	7	7	7	7
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	12	10.4	68	1	3	8	12	26	28	28	4	8.3	46	2	2	6	12	18	18	18
SUBTOTAL	**22**	**12.4**	**75**	**2**	**3**	**9**	**22**	**24**	**26**	**28**	**7**	**6.6**	**28**	**2**	**2**	**5**	**7**	**16**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	9.0		9	9	9	9	9	9	9										
21-24																				
25-34	2	8.5	1	8	8	8	9	9	9	9	2	3.0	8	1	1	3	5	5	5	5
35-54	1	6.0		6	6	6	6	6	6	6										
55-74	3	11.3	75	2	2	13	17	19	19	19	1	6.0		6	6	6	6	6	6	6
75 +											1	52.0		52	52	52	52	52	52	52
ALL AGES	7	9.4	30	2	3	9	12	18	19	19	4	16.0	581	1	1	5	29	52	52	52
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	6.5	13	4	4	6	9	9	9	9										
35-54																				
55-74	2	24.0	162	15	15	33	83	99 +	99 +	99 +	2	8.0	18	5	5	8	11	11	11	11
75 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	5	15.6	121	4	4	16	33	93	99 +	99 +	2	8.0	18	5	5	8	11	11	11	11
SUBTOTAL	**12**	**12.0**	**70**	**2**	**4**	**9**	**17**	**46**	**90**	**99 +**	**6**	**13.3**	**370**	**1**	**1**	**6**	**11**	**48**	**52**	**52**
GRAND TOTAL	**34**	**12.3**	**70**	**2**	**3**	**9**	**19**	**25**	**32**	**99 +**	**13**	**9.7**	**180**	**1**	**2**	**5**	**8**	**25**	**47**	**52**

PSYCHOGEN PARANOID PSYCH (298.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74	1	24.0		24	24	24	24	24	24	24										
75 +																				
ALL AGES	2	15.0	162	6	6	15	24	24	24	24										
SUBTOTAL	**2**	**15.0**	**162**	**6**	**6**	**15**	**24**	**24**	**24**	**24**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	21.0		21	21	21	21	21	21	21										
35-54																				
55-74																				
75 +																				
ALL AGES	1	21.0		21	21	21	21	21	21	21										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**21.0**		**21**	**21**	**21**	**21**	**21**	**21**	**21**										
GRAND TOTAL	**3**	**17.0**	**93**	**6**	**6**	**21**	**23**	**24**	**24**	**24**										

REACT PSYCHOSIS NEC/NOS (298.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	18.5	146	6	6	16	26	35	35	35										
18-20	2	12.5	13	10	10	12	15	15	15	15										
21-24	3	13.0	73	4	4	14	19	21	21	21										
25-34	11	8.1	30	1	2	6	13	16	17	17										
35-54	10	9.0	74	1	2	6	11	24	26	26										
55-74	2	8.5	1	8	8	8	9	9	9	9	4	4.5	9	2	2	4	7	8	8	8
75 +	4	9.5	24	4	4	9	13	15	15	15	3	4.7	4	3	3	4	6	7	7	7
ALL AGES	36	10.3	58	1	3	8	15	21	25	35	7	4.6	6	2	2	4	7	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	7	9.6	119	2	2	5	11	29	33	33										
18-20	6	13.2	62	6	6	11	15	27	28	28	1	6.0		6	6	6	6	6	6	6
21-24	5	11.0	102	6	6	7	13	29	29	29	1	6.0		6	6	6	6	6	6	6
25-34	20	7.5	32	1	1	7	11	14	19	24	2	5.0	8	3	3	5	7	7	7	7
35-54	30	9.7	53	1	2	9	13	19	20	34	3	2.7	4	1	1	2	4	5	5	5
55-74	12	7.2	21	1	2	6	11	13	15	15	1	3.0		3	3	3	3	3	3	3
75 +	6	12.0	109	1	1	10	17	29	30	30	2	6.0	18	3	3	6	9	9	9	9
ALL AGES	86	9.3	55	1	2	8	12	19	28	34	10	4.5	6	1	1	4	6	8	9	9
SUBTOTAL	**122**	**9.6**	**55**	**1**	**2**	**8**	**13**	**19**	**27**	**34**	**17**	**4.5**	**6**	**1**	**2**	**4**	**6**	**8**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	4.0		4	4	4	4	4	4	4										
21-24	5	9.8	32	1	1	10	14	16	16	16										
25-34	8	7.1	25	1	2	6	9	15	17	17										
35-54	5	18.6	1142	1	1	4	23	79	79	79										
55-74	3	16.3	67	9	9	15	22	25	25	25	1	6.0		6	6	6	6	6	6	6
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	24	11.4	246	1	1	7	14	19	41	79	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	4	21.0	75	8	8	25	26	26	26	26										
18-20																				
21-24	7	20.0	269	3	3	24	28	43	47	47	1	5.0		5	5	5	5	5	5	5
25-34	14	12.2	47	2	4	12	18	21	24	25										
35-54	14	11.3	87	1	2	7	19	25	30	31	2	10.5	13	8	8	10	13	13	13	13
55-74	4	13.8	42	4	4	16	18	19	19	19	4	7.3	15	4	4	6	10	13	13	13
75 +	3	29.7	182	19	19	25	40	45	45	45	1	11.0		11	11	11	11	11	11	11
ALL AGES	46	15.2	118	3	3	13	24	27	34	47	8	8.3	12	4	4	7	12	13	13	13
SUBTOTAL	**70**	**13.9**	**162**	**1**	**3**	**11**	**19**	**26**	**31**	**73**	**9**	**8.0**	**12**	**4**	**4**	**6**	**11**	**13**	**13**	**13**
GRAND TOTAL	**192**	**11.2**	**97**	**1**	**2**	**9**	**15**	**24**	**29**	**46**	**26**	**5.7**	**11**	**1**	**2**	**6**	**7**	**11**	**13**	**13**

PSYCHOSIS NOS (298.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	17	21.9	425	1	1	18	31	44	68	81	1	1.0		1	1	1	1	1	1	1
13-17	15	17.1	203	3	5	12	21	34	52	58	2	1.5	1	1	1	1	2	2	2	2
18-20	7	11.3	62	6	6	8	13	25	28	28										
21-24	12	6.9	61	1	1	5	7	17	28	30	1	1.0		1	1	1	1	1	1	1
25-34	41	9.5	68	1	1	7	14	21	28	33	7	3.1	4	1	1	3	5	6	6	6
35-54	36	10.6	101	1	2	7	15	25	34	44	21	5.3	102	1	1	2	4	9	28	48
55-74	92	8.2	50	1	2	6	12	17	24	35	42	6.6	29	1	2	6	9	12	23	99+
75 +	76	11.2	110	1	2	9	14	22	29	60	48	8.1	48	2	2	6	10	18	22	35
ALL AGES	296	10.7	113	1	2	8	14	23	31	57	122	6.6	48	1	1	5	8	14	22	62
B. FEMALE																				
0-12 YRS.	6	23.7	1344	1	1	9	22	89	97	97	1	2.0		2	2	2	2	2	2	2
13-17	10	11.7	47	2	2	11	15	22	23	23	2	7.0	2	6	6	7	8	8	8	8
18-20	8	8.5	58	1	2	5	13	21	22	22										
21-24	11	6.7	47	1	1	4	8	18	23	23	2	2.5	5	1	1	2	4	4	4	4
25-34	66	10.6	101	2	2	8	14	18	32	59	9	4.0	7	1	1	4	5	8	9	9
35-54	79	10.3	113	1	2	8	15	20	23	67	18	6.4	63	1	1	4	7	17	28	32
55-74	131	10.2	96	2	3	7	14	21	28	49	72	5.7	15	2	2	5	7	12	14	18
75 +	111	10.5	135	2	2	7	14	22	27	99+	65	5.6	9	2	2	5	8	9	11	14
ALL AGES	422	10.5	123	2	2	7	14	21	26	84	169	5.6	17	1	2	5	7	10	13	20
SUBTOTAL	**718**	**10.6**	**118**	**1**	**2**	**8**	**14**	**22**	**29**	**69**	**291**	**6.0**	**30**	**1**	**2**	**5**	**8**	**11**	**17**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	31.0		31	31	31	31	31	31	31										
13-17	9	20.1	165	2	3	16	31	37	39	39	1	3.0		3	3	3	3	3	3	3
18-20	5	15.6	354	2	2	5	29	45	45	45	1	1.0		1	1	1	1	1	1	1
21-24	15	12.3	97	3	4	9	16	34	34	34	2	11.5	25	8	8	11	15	15	15	15
25-34	18	7.6	50	1	1	5	10	21	25	25	1	11.0		11	11	11	11	11	11	11
35-54	19	10.1	179	1	2	6	12	16	42	62	9	4.7	4	2	2	4	6	8	8	8
55-74	40	13.7	228	2	3	8	14	28	48	77	13	6.8	13	2	3	7	8	10	15	16
75 +	20	10.1	52	1	1	9	16	18	22	26	13	8.0	38	1	2	6	10	20	21	21
ALL AGES	127	12.2	157	1	2	7	15	27	35	65	40	6.8	22	1	2	6	8	13	16	21
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	1	7.0		7	7	7	7	7	7	7	1	10.0		10	10	10	10	10	10	10
18-20	7	11.1	76	2	3	9	15	26	28	28										
21-24	6	9.2	19	4	4	8	12	16	16	16	2	7.5	13	5	5	7	10	10	10	10
25-34	22	11.8	70	3	4	9	18	23	29	36	3	6.0	4	4	4	6	7	8	8	8
35-54	32	9.7	45	2	2	8	14	19	20	28	8	8.6	156	1	1	5	7	30	39	39
55-74	40	11.9	124	2	2	8	15	26	37	54	27	7.1	28	2	3	5	9	14	19	24
75 +	40	14.5	192	1	2	10	19	35	45	63	28	7.8	38	2	3	6	9	14	17	33
ALL AGES	149	11.8	112	2	2	9	15	24	34	54	69	7.6	42	2	3	5	9	14	18	38
SUBTOTAL	**276**	**12.0**	**132**	**2**	**2**	**8**	**15**	**26**	**34**	**61**	**109**	**7.3**	**35**	**2**	**3**	**6**	**8**	**14**	**18**	**35**
GRAND TOTAL	**994**	**11.0**	**122**	**1**	**2**	**8**	**14**	**23**	**31**	**64**	**400**	**6.4**	**31**	**1**	**2**	**5**	**8**	**12**	**17**	**34**

INFANTILE AUTISM (299.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	11.3	528	1	1	4	68	99+	99+	99+	1	2.0		2	2	2	2	2	2	2
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	11.3	528	1	1	4	68	99+	99+	99+	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	4	8.5	63	1	1	7	15	18	18	18										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	8.5	63	1	1	7	15	18	18	18										
SUBTOTAL	**12**	**10.3**	**357**	**1**	**1**	**4**	**18**	**99+**	**99+**	**99+**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	5.5	25	2	2	5	9	9	9	9										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	5.5	25	2	2	5	9	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**5.5**	**25**	**2**	**2**	**5**	**9**	**9**	**9**	**9**										
GRAND TOTAL	**14**	**9.6**	**307**	**1**	**1**	**4**	**15**	**97**	**99+**	**99+**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

EARLY CHLD PSYCHOSES NEC (299.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	6.5	55	2	2	3	7	19	24	24										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	6.5	55	2	2	3	7	19	24	24										
B. FEMALE																				
0-12 YRS.	7	16.7	88	5	6	12	25	28	29	29										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	16.7	88	5	6	12	25	28	29	29										
SUBTOTAL	**15**	**11.3**	**92**	**2**	**2**	**8**	**21**	**26**	**28**	**29**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	18.7	324	2	2	16	33	41	42	42										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	18.7	324	2	2	16	33	41	42	42										
B. FEMALE																				
0-12 YRS.	2	22.5	421	8	8	22	37	37	37	37										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	22.5	421	8	8	22	37	37	37	37										
SUBTOTAL	**8**	**19.6**	**297**	**2**	**2**	**18**	**35**	**40**	**42**	**42**										
GRAND TOTAL	**23**	**14.2**	**169**	**2**	**2**	**8**	**26**	**34**	**39**	**42**										

EARLY CHLD PSYCHOSIS NOS (299.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	16.0	338	3	3	16	29	29	29	29										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	16.0	338	3	3	16	29	29	29	29										
B. FEMALE																				
0-12 YRS.	1	53.0		53	53	53	53	53	53	53										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	53.0		53	53	53	53	53	53	53										
SUBTOTAL	**3**	**28.3**	**628**	**3**	**3**	**29**	**47**	**53**	**53**	**53**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	21.5	1	21	21	21	22	22	22	22										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	21.5	1	21	21	21	22	22	22	22										
B. FEMALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	30.0		30	30	30	30	30	30	30										
SUBTOTAL	**3**	**24.3**	**27**	**21**	**21**	**22**	**28**	**30**	**30**	**30**										
GRAND TOTAL	**6**	**26.3**	**267**	**3**	**5**	**25**	**30**	**51**	**53**	**53**										

ANXIETY STATES (300.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	3	1.7		1	1	2	2	2	2	2
13-17	6	7.3	46	1	1	5	13	17	18	18	8	1.4		1	1	1	2	3	3	3
18-20	4	6.8	29	1	1	6	10	14	14	14	4	4.5	7	1	1	5	6	7	7	7
21-24	6	8.3	89	2	2	4	12	25	26	26	5	3.0	4	1	1	3	4	6	6	6
25-34	29	7.2	64	1	1	4	10	16	31	32	21	2.9	3	1	1	2	4	6	7	8
35-54	63	6.1	47	1	1	4	7	11	23	38	45	3.2	5	1	1	3	4	6	8	10
55-74	36	6.7	44	1	2	5	8	15	25	30	24	3.1	4	1	1	3	4	6	7	8
75 +	5	14.0	281	1	1	5	23	42	42	42	12	5.0	30	1	1	3	5	15	18	18
ALL AGES	150	6.8	57	1	1	4	8	15	25	40	122	3.2	7	1	1	2	4	6	8	15
B. FEMALE																				
0-12 YRS.	2	5.5	5	4	4	5	7	7	7	7	2	1.0		1	1	1	1	1	1	1
13-17	9	3.7	9	1	1	3	5	8	10	10	12	2.5	2	1	1	2	3	5	5	5
18-20	8	3.0	8	1	1	2	3	8	10	10	5	2.2	2	1	1	2	3	4	4	4
21-24	12	3.7	12	1	1	2	6	10	11	11	11	4.9	40	1	1	3	5	13	22	23
25-34	55	6.9	50	1	1	5	9	15	20	39	58	3.4	5	1	1	3	4	6	8	13
35-54	111	6.3	41	1	1	4	8	15	20	28	116	4.1	28	1	1	3	4	7	10	32
55-74	88	6.5	36	1	2	4	7	17	21	29	86	4.0	7	1	1	3	5	7	10	13
75 +	34	8.4	124	2	2	4	8	19	27	59	36	4.6	10	1	1	4	6	10	11	13
ALL AGES	319	6.4	48	1	1	4	8	15	21	30	326	3.9	16	1	1	3	5	7	9	25
SUBTOTAL	**469**	**6.6**	**50**	**1**	**1**	**4**	**8**	**15**	**22**	**32**	**448**	**3.7**	**13**	**1**	**1**	**3**	**5**	**7**	**9**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13										
13-17	1	3.0		3	3	3	3	3	3	3	2	3.0	2	2	2	3	4	4	4	4
18-20	1	5.0		5	5	5	5	5	5	5										
21-24	6	12.8	100	3	3	11	20	27	28	28	2	2.5	1	2	2	2	3	3	3	3
25-34	32	10.9	108	2	2	7	16	24	33	43	14	2.9	3	1	1	3	4	6	6	6
35-54	59	6.9	28	2	2	5	10	15	18	22	31	3.5	12	1	1	3	4	5	15	16
55-74	24	9.2	53	1	1	8	14	17	25	31	10	7.0	85	1	1	3	6	23	29	29
75 +	2	8.0	98	1	1	8	15	15	15	15	2	4.5	25	1	1	4	8	8	8	8
ALL AGES	126	8.7	57	1	2	6	13	19	22	35	61	3.9	22	1	1	3	4	6	15	28
B. FEMALE																				
0-12 YRS.	3	4.3	11	2	2	3	7	8	8	8	1	3.0		3	3	3	3	3	3	3
13-17	2	9.5	85	3	3	9	16	16	16	16	4	3.8	14	1	1	3	6	9	9	9
18-20	5	3.2	4	1	1	3	4	6	6	6	3	3.7	5	1	1	5	5	5	5	5
21-24	12	9.2	106	1	1	5	13	28	30	30	13	4.4	9	1	2	4	5	10	12	12
25-34	60	11.3	96	2	2	8	14	29	34	37	27	3.7	8	1	1	3	5	6	9	15
35-54	101	9.3	65	1	2	7	14	21	25	35	58	4.5	9	1	2	4	6	7	9	17
55-74	62	11.2	69	2	3	10	14	22	24	46	33	4.4	4	1	2	4	6	8	8	10
75 +	18	8.6	46	2	2	6	10	20	22	23	6	3.0	5	1	1	2	4	7	7	7
ALL AGES	263	10.0	72	1	2	7	14	22	27	37	145	4.2	8	1	2	4	6	7	9	15
SUBTOTAL	**389**	**9.6**	**67**	**1**	**2**	**7**	**14**	**21**	**27**	**37**	**206**	**4.1**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**17**
GRAND TOTAL	**858**	**7.9**	**61**	**1**	**2**	**5**	**10**	**19**	**24**	**37**	**654**	**3.9**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**18**

HYSTERIA (300.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	3.5	2	2	2	3	4	6	6	6	3	1.0		1	1	1	1	1	1	1
13-17	7	6.7	30	3	3	4	8	16	18	18	5	2.0	2	1	1	2	3	4	4	4
18-20	4	9.5	246	1	1	2	18	33	33	33	2	2.5	1	2	2	2	3	3	3	3
21-24	4	2.0		2	2	2	2	2	2	2	4	1.5		1	1	1	2	2	2	2
25-34	15	4.1	8	1	2	3	5	8	11	12	9	3.4	3	2	2	3	4	6	7	7
35-54	18	4.7	13	1	2	4	5	11	13	14	15	5.1	12	1	1	4	7	11	12	13
55-74	7	3.0	5	1	1	2	3	7	8	8	4	1.8	2	1	1	1	3	4	4	4
75 +											2	3.0	8	1	1	3	5	5	5	5
ALL AGES	61	4.6	25	1	2	3	5	9	13	31	44	3.3	7	1	1	2	4	7	9	13
B. FEMALE																				
0-12 YRS.	11	5.5	38	1	1	3	5	16	21	22	6	2.3	1	1	1	2	3	4	4	4
13-17	17	8.5	167	1	2	4	8	25	44	52	12	7.0	235	1	1	2	3	23	50	55
18-20	12	9.2	147	1	1	4	9	32	38	39	4	2.5	1	1	1	3	3	3	3	3
21-24	18	4.8	18	1	1	4	6	8	15	19	10	2.3	5	1	1	1	3	6	7	7
25-34	33	7.8	151	1	1	5	8	17	24	68	28	3.9	35	1	1	2	4	8	13	31
35-54	43	5.8	59	1	2	4	6	11	15	50	27	4.1	9	1	1	4	5	10	10	11
55-74	15	5.7	26	1	1	4	7	13	17	19	15	3.8	6	1	1	3	5	8	9	9
75 +	7	9.0	72	2	2	8	13	23	25	25	11	5.8	20	1	1	6	8	12	16	16
ALL AGES	156	6.8	86	1	1	4	7	14	23	52	113	4.2	38	1	1	3	5	9	10	40
SUBTOTAL	**217**	**6.2**	**70**	**1**	**1**	**4**	**7**	**12**	**21**	**51**	**157**	**3.9**	**30**	**1**	**1**	**2**	**4**	**8**	**10**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	3.0		3	3	3	3	3	3	3										
13-17	2	3.5	13	1	1	3	6	6	6	6	2	4.5	1	4	4	4	5	5	5	5
18-20	2	2.5	5	1	1	2	4	4	4	4										
21-24	2	4.0	2	3	3	4	5	5	5	5										
25-34	9	5.9	40	1	1	3	9	16	20	20	5	4.2	7	2	2	3	6	8	8	8
35-54	6	5.8	22	3	3	4	6	14	15	15	4	2.3	2	1	1	2	3	4	4	4
55-74	4	7.5	28	2	2	7	12	13	13	13	5	5.6	36	1	1	4	8	16	16	16
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	28	5.3	22	1	1	3	6	12	15	20	16	4.2	14	1	1	3	5	8	14	16
B. FEMALE																				
0-12 YRS.	2	12.5	265	1	1	12	24	24	24	24										
13-17	10	7.2	41	1	1	5	13	16	19	19	6	2.8	2	2	2	3	3	5	5	5
18-20	6	9.8	204	1	1	3	11	35	38	38	3	1.3		1	1	1	2	2	2	2
21-24	10	3.0	3	1	1	3	4	5	6	6	5	2.8	7	1	1	1	5	7	7	7
25-34	18	13.6	346	1	2	8	14	33	63	79	13	4.2	17	1	1	3	5	8	15	17
35-54	33	10.6	95	2	2	7	13	21	36	44	18	3.7	9	1	1	3	5	7	11	13
55-74	15	11.3	90	3	3	7	16	26	32	34	8	5.0	6	1	2	5	7	8	8	8
75 +	2	10.0	2	9	9	10	11	11	11	11	4	5.0	9	1	1	5	7	8	8	8
ALL AGES	96	10.1	134	1	2	6	12	23	37	63	57	3.8	9	1	1	3	5	7	8	17
SUBTOTAL	**124**	**9.0**	**113**	**1**	**1**	**6**	**11**	**20**	**28**	**53**	**73**	**3.9**	**10**	**1**	**1**	**3**	**5**	**7**	**8**	**17**
GRAND TOTAL	**341**	**7.2**	**87**	**1**	**1**	**4**	**8**	**15**	**24**	**50**	**230**	**3.9**	**23**	**1**	**1**	**3**	**5**	**8**	**10**	**20**

PHOBIC DISORDERS (300.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
18-20																				
21-24																				
25-34	1	7.0		7	7	7	7	7	7	7	1	9.0		9	9	9	9	9	9	9
35-54	6	8.8	15	4	4	10	12	12	12	12										
55-74	1	8.0		8	8	8	8	8	8	8										
75 +																				
ALL AGES	9	7.9	13	3	3	8	11	12	12	12	3	5.0	13	2	2	4	8	9	9	9
B. FEMALE																				
0-12 YRS.	2	3.5	5	2	2	3	5	5	5	5	1	2.0		2	2	2	2	2	2	2
13-17											2	2.5	1	2	2	2	3	3	3	3
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4										
25-34	6	11.3	93	1	1	8	20	25	26	26										
35-54	4	11.8	49	6	6	9	16	22	22	22	3	9.7	25	4	4	11	13	14	14	14
55-74	3	2.7	2	1	1	3	4	4	4	4	2	8.5	113	1	1	8	16	16	16	16
75 +	1	28.0		28	28	28	28	28	28	28										
ALL AGES	17	9.5	78	1	1	6	13	25	27	28	8	6.6	37	1	1	3	12	15	16	16
SUBTOTAL	**26**	**9.0**	**54**	**1**	**2**	**7**	**11**	**22**	**26**	**28**	**11**	**6.2**	**29**	**1**	**1**	**4**	**10**	**15**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-20																				
21-24																				
25-34	4	12.3	47	6	6	10	17	22	22	22	1	5.0		5	5	5	5	5	5	5
35-54	4	18.3	58	12	12	17	24	28	28	28	2	3.0		3	3	3	3	3	3	3
55-74	2	15.0	338	2	2	15	28	28	28	28										
75 +																				
ALL AGES	11	14.1	87	2	3	12	22	28	28	28	3	3.7	1	3	3	3	5	5	5	5
B. FEMALE																				
0-12 YRS.	1	33.0		33	33	33	33	33	33	33										
13-17																				
18-20	1	17.0		17	17	17	17	17	17	17										
21-24	2	12.5	25	9	9	12	16	16	16	16	1	7.0		7	7	7	7	7	7	7
25-34	1	15.0		15	15	15	15	15	15	15										
35-54	10	13.8	82	4	5	10	21	28	34	34	2	18.0	578	1	1	18	35	35	35	35
55-74	6	13.3	53	5	5	12	21	22	22	22	1	13.0		13	13	13	13	13	13	13
75 +																				
ALL AGES	21	14.7	68	5	6	13	21	26	33	34	4	14.0	220	1	1	10	24	35	35	35
SUBTOTAL	**32**	**14.5**	**72**	**3**	**5**	**12**	**21**	**28**	**33**	**34**	**7**	**9.6**	**140**	**1**	**1**	**5**	**11**	**31**	**35**	**35**
GRAND TOTAL	**58**	**12.0**	**71**	**2**	**3**	**10**	**17**	**25**	**28**	**34**	**18**	**7.5**	**70**	**1**	**1**	**4**	**11**	**15**	**27**	**35**

OBSESSIVE-COMPULSIVE DIS (300.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	16.5	145	8	8	16	25	25	25	25										
18-20																				
21-24	1	29.0		29	29	29	29	29	29	29										
25-34	4	27.5	882	4	4	17	44	71	71	71										
35-54	6	17.0	62	6	6	17	25	25	25	25										
55-74	1	21.0		21	21	21	21	21	21	21										
75 +																				
ALL AGES	14	21.1	266	4	6	19	25	33	63	71										
B. FEMALE																				
0-12 YRS.																				
13-17	1	36.0		36	36	36	36	36	36	36										
18-20	1	2.0		2	2	2	2	2	2	2										
21-24	4	8.0	23	4	4	6	11	15	15	15										
25-34	4	20.3	473	5	5	12	34	52	52	52										
35-54											2	8.0	8	6	6	8	10	10	10	10
55-74	2	12.5	5	11	11	12	14	14	14	14	1	5.0		5	5	5	5	5	5	5
75 +	1	35.0		35	35	35	35	35	35	35										
ALL AGES	13	16.2	235	2	4	11	21	39	50	52	3	7.0	7	5	5	6	9	10	10	10
SUBTOTAL	**27**	**18.7**	**249**	**3**	**4**	**15**	**25**	**36**	**55**	**71**	**3**	**7.0**	**7**	**5**	**5**	**6**	**9**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	72.0		72	72	72	72	72	72	72	1	4.0		4	4	4	4	4	4	4
18-20																				
21-24	2	9.5	1	9	9	9	10	10	10	10										
25-34	5	17.6	237	2	2	13	29	40	40	40										
35-54	1	16.0		16	16	16	16	16	16	16										
55-74	1	19.0		19	19	19	19	19	19	19										
75 +																				
ALL AGES	10	21.4	433	2	4	14	26	56	72	72	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17											1	11.0		11	11	11	11	11	11	11
18-20	1	5.0		5	5	5	5	5	5	5										
21-24	1	6.0		6	6	6	6	6	6	6										
25-34	3	12.7	71	4	4	13	19	21	21	21										
35-54	2	17.0	8	15	15	17	19	19	19	19										
55-74	6	22.5	350	2	2	18	42	47	48	48										
75 +																				
ALL AGES	13	16.8	199	2	4	15	21	43	47	48	1	11.0		11	11	11	11	11	11	11
SUBTOTAL	**23**	**18.8**	**291**	**2**	**4**	**15**	**21**	**43**	**56**	**72**	**2**	**7.5**	**25**	**4**	**4**	**7**	**11**	**11**	**11**	**11**
GRAND TOTAL	**50**	**18.8**	**261**	**2**	**4**	**15**	**25**	**41**	**52**	**72**	**5**	**7.2**	**10**	**4**	**4**	**6**	**10**	**11**	**11**	**11**

NEUROTIC DEPRESSION (300.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	16.7	54	6	6	17	23	26	26	26										
13-17	28	18.5	321	1	2	13	26	36	69	71	2	10.5	145	2	2	10	19	19	19	19
18-20	15	8.3	110	1	2	5	7	30	35	37	3	2.3	3	1	1	2	3	4	4	4
21-24	27	6.4	73	1	2	4	7	11	19	45	7	2.6	1	1	1	3	3	4	4	4
25-34	74	9.3	78	1	2	7	11	18	29	46	34	7.0	196	1	1	3	4	11	45	68
35-54	99	9.6	54	1	2	8	14	21	24	33	56	6.1	33	1	2	5	6	12	21	29
55-74	61	7.5	42	1	2	5	9	15	20	37	22	9.2	256	1	2	5	7	18	46	77
75 +	13	9.6	30	4	5	9	11	20	22	22	11	4.4	9	1	1	2	7	8	9	9
ALL AGES	323	9.7	91	1	2	7	12	21	27	46	135	6.5	107	1	2	4	6	11	23	69
B. FEMALE																				
0-12 YRS.	9	16.6	85	4	5	17	20	30	35	35	1	2.0		2	2	2	2	2	2	2
13-17	61	16.4	163	1	2	14	25	38	44	94	7	2.4	3	1	1	2	4	5	5	5
18-20	34	6.8	23	1	1	6	9	15	16	18	10	3.1	3	1	1	3	4	5	6	6
21-24	46	9.1	55	2	3	7	12	19	26	33	16	4.8	9	1	2	4	7	9	10	11
25-34	208	9.0	59	1	2	7	11	19	27	37	72	5.2	18	1	2	4	7	10	11	26
35-54	322	10.8	80	2	3	8	14	23	29	47	183	5.6	20	1	2	4	7	11	13	27
55-74	210	11.2	91	2	3	9	14	20	25	53	121	6.6	20	2	2	6	8	12	15	25
75 +	57	9.3	26	3	3	8	12	18	19	22	26	6.7	19	2	3	5	7	14	17	20
ALL AGES	947	10.6	80	2	3	8	14	22	28	45	436	5.7	19	1	2	5	7	11	14	25
SUBTOTAL	**1270**	**10.4**	**82**	**1**	**2**	**8**	**14**	**21**	**28**	**45**	**571**	**5.9**	**40**	**1**	**2**	**4**	**7**	**11**	**14**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	26.0	548	3	4	14	41	63	68	68										
13-17	44	23.1	295	4	7	19	30	57	88	99 +										
18-20	18	17.6	349	1	2	13	22	45	63	72										
21-24	21	11.5	76	2	3	9	15	28	30	31	5	4.4	11	2	2	4	6	10	10	10
25-34	86	11.9	152	1	2	9	16	24	30	74	12	8.2	55	2	2	7	11	18	27	28
35-54	119	10.7	107	2	3	8	14	22	29	60	26	5.5	9	1	2	5	7	10	11	12
55-74	37	15.4	126	3	4	13	22	32	35	52	18	7.1	39	1	2	6	9	11	22	29
75 +	7	11.4	174	1	1	5	22	32	34	34	7	8.0	26	2	2	6	13	15	15	15
ALL AGES	339	13.9	181	2	3	10	18	29	39	86	68	6.6	27	2	2	5	9	12	14	29
B. FEMALE																				
0-12 YRS.	12	22.0	177	2	6	21	28	42	48	49	1	2.0		2	2	2	2	2	2	2
13-17	54	24.1	332	2	5	21	38	49	67	99	5	3.4	4	1	1	3	5	6	6	6
18-20	9	8.3	44	3	3	6	10	20	21	21	2	10.0	162	1	1	10	19	19	19	19
21-24	44	12.0	118	1	2	9	16	29	30	54	8	7.4	25	1	2	5	12	15	15	15
25-34	137	12.7	123	2	2	9	18	29	35	49	31	6.5	31	1	2	5	9	14	21	22
35-54	194	13.0	101	2	3	10	19	27	31	45	69	7.1	31	2	2	6	8	13	16	35
55-74	101	14.2	149	2	3	11	20	27	34	67	31	6.6	9	2	3	6	8	11	12	13
75 +	15	12.5	73	3	3	9	17	26	30	32	17	8.9	26	3	4	8	11	15	20	23
ALL AGES	566	14.2	150	2	3	11	20	29	39	61	164	7.0	26	2	2	6	9	13	16	23
SUBTOTAL	**905**	**14.1**	**161**	**2**	**3**	**10**	**20**	**29**	**39**	**70**	**232**	**6.9**	**26**	**2**	**2**	**6**	**9**	**12**	**15**	**28**
GRAND TOTAL	**2175**	**11.9**	**119**	**2**	**3**	**9**	**16**	**26**	**32**	**57**	**803**	**6.2**	**36**	**1**	**2**	**5**	**7**	**11**	**15**	**29**

NEURASTHENIA (300.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	3.0		3	3	3	3	3	3	3
21-24																				
25-34																				
35-54											2	2.5	1	2	2	2	3	3	3	3
55-74											1	2.0		2	2	2	2	2	2	2
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES											5	3.0	2	2	2	3	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	1.0		1	1	1	1	1	1	1
25-34																				
35-54											3	4.0	1	3	3	4	5	5	5	5
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6	1	2.0		2	2	2	2	2	2	2
ALL AGES	1	6.0		6	6	6	6	6	6	6	5	3.0	3	1	1	3	4	5	5	5
SUBTOTAL	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**	**10**	**3.0**	**2**	**1**	**1**	**3**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54																				
55-74											2	3.0	2	2	2	3	4	4	4	4
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7	2	3.0	2	2	2	3	4	4	4	4
SUBTOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**	**3**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**4**	**4**
GRAND TOTAL	**2**	**6.5**	**1**	**6**	**6**	**6**	**7**	**7**	**7**	**7**	**13**	**2.8**	**2**	**1**	**1**	**3**	**4**	**5**	**5**	**5**

HYPOCHONDRIASIS (300.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	3.0		3	3	3	3	3	3	3										
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	2	4.0	2	3	3	4	5	5	5	5										
SUBTOTAL	**3**	**3.7**	**1**	**3**	**3**	**3**	**5**	**5**	**5**	**5**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	1	24.0		24	24	24	24	24	24	24										
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	3	12.3	106	5	5	8	20	24	24	24										
SUBTOTAL	**4**	**10.3**	**86**	**4**	**4**	**6**	**16**	**24**	**24**	**24**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**7**	**7.4**	**57**	**3**	**3**	**5**	**7**	**21**	**24**	**24**	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**

NEUROTIC DISORDERS NEC (300.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	2.5	1	2	2	2	3	3	3	3										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	4	2.3	1	1	1	2	3	3	3	3										
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4										
25-34	3	4.3	34	1	1	1	8	11	11	11	1	5.0		5	5	5	5	5	5	5
35-54	7	6.6	37	1	1	5	10	17	18	18	24	3.9	2	1	2	4	5	6	7	8
55-74	4	9.3	13	4	4	10	12	13	13	13										
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	17	6.4	25	1	1	5	10	13	16	18	25	3.9	2	1	2	4	5	6	7	8
SUBTOTAL	**21**	**5.6**	**23**	**1**	**1**	**4**	**10**	**12**	**15**	**18**	**25**	**3.9**	**2**	**1**	**2**	**4**	**5**	**6**	**7**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	21.0		21	21	21	21	21	21	21										
21-24	2	5.5	25	2	2	5	9	9	9	9										
25-34	2	11.5	25	8	8	11	15	15	15	15										
35-54																				
55-74											1	9.0		9	9	9	9	9	9	9
75 +											1	10.0		10	10	10	10	10	10	10
ALL AGES	5	11.0	53	2	2	9	16	21	21	21	2	9.5	1	9	9	9	10	10	10	10
B. FEMALE																				
0-12 YRS.	1	21.0		21	21	21	21	21	21	21										
13-17	2	30.5	481	15	15	30	46	46	46	46										
18-20	1	12.0		12	12	12	12	12	12	12										
21-24	2	29.5	1201	5	5	29	54	54	54	54	1	3.0		3	3	3	3	3	3	3
25-34	5	17.8	223	8	8	11	23	44	44	44										
35-54	12	14.3	115	3	4	11	22	29	37	38										
55-74	7	12.9	36	3	4	16	18	18	18	18										
75 +											1	11.0		11	11	11	11	11	11	11
ALL AGES	30	16.8	171	3	4	14	21	41	46	54	2	7.0	32	3	3	7	11	11	11	11
SUBTOTAL	**35**	**16.0**	**156**	**3**	**4**	**14**	**20**	**38**	**45**	**54**	**4**	**8.3**	**12**	**3**	**3**	**9**	**10**	**11**	**11**	**11**
GRAND TOTAL	**56**	**12.1**	**130**	**1**	**1**	**9**	**16**	**23**	**42**	**54**	**29**	**4.5**	**6**	**1**	**2**	**4**	**5**	**9**	**10**	**11**

NEUROTIC DISORDER NOS (300.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	17.3	576	3	3	4	35	45	45	45										
13-17	1	1.0		1	1	1	1	1	1	1	6	1.7	1	1	1	2	2	3	3	3
18-20	3	3.3	5	1	1	4	5	5	5	5	1	1.0		1	1	1	1	1	1	1
21-24	2	1.5	1	1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
25-34	11	2.1	2	1	1	2	3	4	5	5	9	2.6	3	1	1	2	3	5	7	7
35-54	9	6.3	42	1	2	4	8	17	22	22	8	2.9	4	1	1	2	4	6	6	6
55-74	11	6.4	27	2	2	5	6	15	20	20	7	2.7	3	1	1	2	3	5	6	6
75 +	5	8.0	24	4	4	6	12	15	15	15	3	2.3	3	1	1	2	3	4	4	4
ALL AGES	45	5.7	57	1	1	4	5	12	20	45	35	2.4	2	1	1	2	3	5	6	7
B. FEMALE																				
0-12 YRS.	4	3.0	2	2	2	3	4	5	5	5	1	1.0		1	1	1	1	1	1	1
13-17	2	1.0		1	1	1	1	1	1	1	9	1.6	1	1	1	1	2	3	4	4
18-20	4	2.8	5	1	1	2	4	6	6	6	1	1.0		1	1	1	1	1	1	1
21-24	2	6.0	32	2	2	6	10	10	10	10	2	2.0	2	1	1	2	3	3	3	3
25-34	4	4.8	30	1	1	2	8	13	13	13	6	1.7		1	1	2	2	2	2	2
35-54	6	5.2	15	1	1	4	7	11	12	12	11	4.7	12	1	1	4	7	10	11	11
55-74	11	8.7	94	2	2	4	12	27	29	29	13	3.8	7	1	1	4	5	20	82	99+
75 +	8	6.4	8	3	3	6	9	10	10	10	3	7.7	20	3	3	8	11	12	12	12
ALL AGES	41	5.7	36	1	1	4	7	12	19	29	46	3.4	8	1	1	2	5	9	11	99+
SUBTOTAL	**86**	**5.7**	**47**	**1**	**1**	**4**	**6**	**12**	**20**	**39**	**81**	**3.0**	**6**	**1**	**1**	**2**	**4**	**7**	**10**	**72**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	3	2.7	2	1	1	3	4	4	4	4										
18-20											1	2.0		2	2	2	2	2	2	2
21-24	5	6.0	30	1	1	4	10	14	14	14	2	1.5	1	1	1	1	2	2	2	2
25-34	5	2.2	3	1	1	2	3	5	5	5	7	2.7	6	1	1	2	3	7	8	8
35-54	11	9.5	126	1	1	6	12	26	39	40	4	2.5	6	1	1	1	4	6	6	6
55-74	4	4.0	3	2	2	4	5	6	6	6	5	9.0	58	3	3	6	12	22	22	22
75 +	5	5.2	7	2	2	5	7	9	9	9	2	7.5	13	5	5	7	10	10	10	10
ALL AGES	34	5.9	51	1	1	4	6	14	16	40	21	4.5	24	1	1	2	6	9	15	22
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	5	8.0	100	1	1	3	13	25	25	25	2	2.5	1	2	2	2	3	3	3	3
18-20	3	5.7	25	1	1	5	9	11	11	11	2	1.5	1	1	1	1	2	2	2	2
21-24	5	2.4	2	1	1	2	4	4	4	4	3	5.3	25	2	2	3	9	11	11	11
25-34	20	4.3	10	1	1	3	6	10	11	11	5	4.6	13	2	2	3	6	11	11	11
35-54	11	7.2	55	1	1	4	11	18	25	26	11	4.5	17	1	2	3	5	10	15	16
55-74	4	12.8	105	6	6	8	19	28	28	28	10	5.5	11	2	2	5	7	10	13	13
75 +	5	5.8	7	3	3	6	7	10	10	10	4	7.0	7	4	4	7	9	10	10	10
ALL AGES	53	5.9	37	1	1	4	8	11	23	28	38	4.8	12	1	2	4	6	11	12	16
SUBTOTAL	**87**	**5.9**	**42**	**1**	**1**	**4**	**7**	**12**	**17**	**36**	**59**	**4.7**	**16**	**1**	**1**	**3**	**6**	**10**	**12**	**21**
GRAND TOTAL	**173**	**5.8**	**44**	**1**	**1**	**4**	**6**	**12**	**19**	**37**	**140**	**3.7**	**11**	**1**	**1**	**3**	**5**	**8**	**11**	**29**

PARANOID PERSONALITY (301.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	10.0		10	10	10	10	10	10	10										
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	2	12.0	8	10	10	12	14	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	20.0	288	8	8	20	32	32	32	32										
55-74	1	9.0		9	9	9	9	9	9	9	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	3	16.3	186	8	8	9	26	32	32	32	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**5**	**14.6**	**100**	**8**	**8**	**10**	**18**	**32**	**32**	**32**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	4	16.5	63	8	8	15	22	27	27	27										
35-54	2	13.0	162	4	4	13	22	22	22	22	1	8.0		8	8	8	8	8	8	8
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	7	14.0	74	4	4	14	21	26	27	27	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	22.0		22	22	22	22	22	22	22										
55-74	1	8.0		8	8	8	8	8	8	8	1	4.0		4	4	4	4	4	4	4
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	3	12.7	64	8	8	8	19	22	22	22	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**10**	**13.6**	**64**	**4**	**5**	**11**	**22**	**25**	**27**	**27**	**2**	**6.0**	**8**	**4**	**4**	**6**	**8**	**8**	**8**	**8**
GRAND TOTAL	**15**	**13.9**	**71**	**4**	**6**	**10**	**21**	**27**	**31**	**32**	**3**	**5.3**	**6**	**4**	**4**	**4**	**7**	**8**	**8**	**8**

AFFECTIVE PERSONALITY (301.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS								
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	1	22.0		22	22	22	22	22	22	22											
13-17	1	24.0		24	24	24	24	24	24	24											
18-20																					
21-24	2	20.0	50	15	15	20	25	25	25	25											
25-34	2	14.0	32	10	10	14	18	18	18	18											
35-54	9	8.1	20	3	3	9	10	15	17	17		1	2.0		2	2	2	2	2	2	2
55-74	7	19.7	59	11	12	15	27	29	29	29											
75 +																					
ALL AGES	22	14.8	63	3	4	14	22	27	28	29		1	2.0		2	2	2	2	2	2	2
B. FEMALE																					
0-12 YRS.																					
13-17	2	20.5	145	12	12	29	82	99 +	99 +	99 +											
18-20	1	34.0		34	34	34	34	34	34	34											
21-24	3	7.7	49	1	1	7	13	15	15	15											
25-34	9	8.9	19	1	3	9	12	15	15	15											
35-54	21	11.0	100	1	2	8	13	25	34	41		1	5.0		5	5	5	5	5	5	5
55-74	20	17.5	193	2	3	12	25	40	46	51											
75 +	1	35.0		35	35	35	35	35	35	35											
ALL AGES	57	13.9	141	1	2	10	21	35	42	96		1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**79**	**14.2**	**117**	**2**	**3**	**11**	**21**	**29**	**40**	**85**		**2**	**3.5**	**5**	**2**	**2**	**3**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17	1	5.0		5	5	5	5	5	5	5											
18-20																					
21-24	1	1.0		1	1	1	1	1	1	1											
25-34	2	23.5	1013	1	1	23	46	46	46	46		2	8.5	61	3	3	8	14	14	14	14
35-54	6	8.2	20	1	2	8	10	14	15	15											
55-74																					
75 +	2	20.0	162	11	11	20	29	29	29	29											
ALL AGES	12	11.8	176	1	1	8	13	34	44	46		2	8.5	61	3	3	8	14	14	14	14
B. FEMALE																					
0-12 YRS.																					
13-17	2	29.0	2	28	28	29	30	30	30	30											
18-20	1	20.0		20	20	20	20	20	20	20											
21-24																					
25-34	5	8.8	73	4	4	5	10	24	24	24		1	1.0		1	1	1	1	1	1	1
35-54	11	11.4	108	1	3	6	19	27	33	34		1	8.0		8	8	8	8	8	8	8
55-74	6	17.7	141	7	7	13	27	36	37	37											
75 +																					
ALL AGES	25	14.1	120	3	4	9	23	30	35	37		2	4.5	25	1	1	4	8	8	8	8
SUBTOTAL	**37**	**13.4**	**134**	**1**	**2**	**9**	**22**	**30**	**36**	**46**		**4**	**6.5**	**34**	**1**	**1**	**5**	**11**	**14**	**14**	**14**
GRAND TOTAL	**116**	**13.9**	**123**	**1**	**3**	**10**	**22**	**29**	**38**	**67**		**6**	**5.5**	**24**	**1**	**1**	**4**	**8**	**13**	**14**	**14**

SCHIZOID PERSONALITY (301.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	11.7	80	3	3	11	18	21	21	21										
18-20	1	14.0		14	14	14	14	14	14	14										
21-24	1	8.0		8	8	8	8	8	8	8										
25-34	4	20.5	113	9	9	20	29	33	33	33	1	1.0		1	1	1	1	1	1	1
35-54	3	16.3	338	2	2	10	30	37	37	37	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	12	15.7	124	2	3	12	23	34	37	37	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	1	23.0		23	23	23	23	23	23	23										
18-20	2	5.5	41	1	1	5	10	10	10	10										
21-24																				
25-34	4	5.3	2	4	4	5	6	7	7	7	1	23.0		23	23	23	23	23	23	23
35-54	2	29.0	1152	5	5	29	53	53	53	53	1	1.0		1	1	1	1	1	1	1
55-74											3	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	9	12.6	269	1	1	6	13	41	53	53	5	5.4	97	1	1	1	7	23	23	23
SUBTOTAL	**21**	**14.3**	**181**	**1**	**3**	**10**	**21**	**35**	**44**	**53**	**7**	**4.1**	**70**	**1**	**1**	**1**	**1**	**19**	**23**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	31.0		31	31	31	31	31	31	31										
18-20																				
21-24	2	29.0	392	15	15	29	43	43	43	43										
25-34	2	20.5	545	4	4	20	37	37	37	37	1	1.0		1	1	1	1	1	1	1
35-54	2	8.5	1	8	8	8	9	9	9	9										
55-74																				
75 +																				
ALL AGES	7	21.0	246	4	5	15	35	42	43	43	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	25.0	450	10	10	25	40	40	40	40										
21-24																				
25-34	2	18.0	50	13	13	18	23	23	23	23										
35-54	2	10.0	18	7	7	10	13	13	13	13										
55-74	1	34.0		34	34	34	34	34	34	34										
75 +																				
ALL AGES	7	20.0	162	7	8	13	31	39	40	40										
SUBTOTAL	**14**	**20.5**	**189**	**5**	**7**	**14**	**34**	**40**	**42**	**43**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**35**	**16.8**	**187**	**2**	**4**	**11**	**25**	**37**	**42**	**53**	**8**	**3.8**	**60**	**1**	**1**	**1**	**1**	**17**	**23**	**23**

EXPLOSIVE PERSONALITY (301.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	5	6.2	23	1	1	6	10	12	12	12										
18-20	1	9.0		9	9	9	9	9	9	9										
21-24	4	8.8	24	5	5	7	12	16	16	16										
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	3	5.3	2	4	4	6	6	6	6	6										
55-74	1	19.0		19	19	19	19	19	19	19										
75 +																				
ALL AGES	15	7.5	26	1	2	6	10	16	18	19										
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	18.0		18	18	18	18	18	18	18										
55-74	1	8.0		8	8	8	8	8	8	8										
75 +																				
ALL AGES	3	9.7	57	3	3	8	15	18	18	18										
SUBTOTAL	**18**	**7.9**	**28**	**1**	**2**	**6**	**10**	**17**	**19**	**19**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	2	18.5	181	9	9	18	28	28	28	28										
18-20	1	3.0		3	3	3	3	3	3	3										
21-24	2	1.5	1	1	1	1	2	2	2	2										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	7.5	109	1	1	3	9	26	28	28										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	19.0		19	19	19	19	19	19	19										
25-34																				
35-54	1	9.0		9	9	9	9	9	9	9	1	2.0		2	2	2	2	2	2	2
55-74	1	13.0		13	13	13	13	13	13	13										
75 +																				
ALL AGES	3	13.7	24	9	9	13	17	19	19	19	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**9**	**9.6**	**83**	**1**	**1**	**9**	**14**	**24**	**28**	**28**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**27**	**8.4**	**46**	**1**	**2**	**6**	**11**	**19**	**21**	**28**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

COMPULSIVE PERSONALITY (301.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13										
55-74																				
75 +																				
ALL AGES	1	13.0		13	13	13	13	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	20.0		20	20	20	20	20	20	20										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	1	6.0		6	6	6	6	6	6	6										
75 +																				
ALL AGES	3	9.7	81	3	3	6	16	20	20	20										
SUBTOTAL	**4**	**10.5**	**58**	**3**	**3**	**9**	**16**	**20**	**20**	**20**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	17.0		17	17	17	17	17	17	17										
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	2	2.0	2	1	1	2	3	3	3	3										
55-74	3	10.0	31	4	4	11	14	15	15	15										
75 +																				
ALL AGES	7	7.6	43	1	1	4	14	17	17	17										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	7.0		7	7	7	7	7	7	7										
21-24																				
25-34											1	7.0		7	7	7	7	7	7	7
35-54																				
55-74	2	8.0	18	5	5	8	11	11	11	11	1	7.0		7	7	7	7	7	7	7
75 +																				
ALL AGES	3	7.7	9	5	5	7	10	11	11	11	2	7.0		7	7	7	7	7	7	7
SUBTOTAL	**10**	**7.6**	**31**	**1**	**1**	**6**	**11**	**16**	**17**	**17**	**2**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**
GRAND TOTAL	**14**	**8.4**	**37**	**1**	**2**	**6**	**13**	**17**	**19**	**20**	**2**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**

HISTRIONIC PERSONALITY (301.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	1.5	1	1	1	1	2	2	2	2										
25-34	2	2.5	5	1	1	2	4	4	4	4										
35-54	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	5	2.4	2	1	1	2	4	4	4	4	2	4.5	1	4	4	4	5	5	5	5
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
13-17	7	18.6	255	2	3	14	33	42	43	43										
18-20	2	7.0	32	3	3	7	11	11	11	11										
21-24	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
25-34	6	8.2	109	2	2	4	8	27	29	29										
35-54	2	13.5	1	13	13	13	14	14	14	14	1	2.0		2	2	2	2	2	2	2
55-74	1	25.0		25	25	25	25	25	25	25										
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	21	12.2	147	2	2	7	15	33	40	43	3	2.7	1	2	2	2	4	4	4	4
SUBTOTAL	**26**	**10.3**	**134**	**1**	**2**	**5**	**14**	**29**	**39**	**43**	**5**	**3.4**	**2**	**2**	**2**	**4**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	3	2.3	3	1	1	2	3	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17	3	15.7	125	6	6	13	24	28	28	28										
18-20																				
21-24	2	2.0	2	1	1	2	3	3	3	3	1	1.0		1	1	1	1	1	1	1
25-34	6	10.2	50	3	3	8	13	22	23	23										
35-54	4	7.5	6	6	6	7	9	11	11	11	1	4.0		4	4	4	4	4	4	4
55-74	2	10.0	32	6	6	10	14	14	14	14										
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	18	9.1	51	1	2	7	13	20	26	28	2	2.5	5	1	1	2	4	4	4	4
SUBTOTAL	**21**	**8.1**	**50**	**1**	**1**	**6**	**11**	**18**	**25**	**28**	**2**	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**4**	**4**
GRAND TOTAL	**47**	**9.4**	**94**	**1**	**2**	**6**	**13**	**25**	**30**	**43**	**7**	**3.1**	**2**	**1**	**1**	**4**	**4**	**5**	**5**	**5**

DEPENDENT PERSONALITY (301.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	2	9.5	1	9	9	9	10	10	10	10										
75 +																				
ALL AGES	3	9.0	1	8	8	9	10	10	10	10										
B. FEMALE																				
0-12 YRS.																				
13-17	2	28.0	1458	1	1	28	55	55	55	55										
18-20	1	3.0		3	3	3	3	3	3	3										
21-24																				
25-34	6	6.2	15	2	2	5	11	11	11	11										
35-54	1	38.0		38	38	38	38	38	38	38	1	11.0		11	11	11	11	11	11	11
55-74																				
75 +																				
ALL AGES	10	13.4	332	1	1	5	11	46	55	55	1	11.0		11	11	11	11	11	11	11
SUBTOTAL	**13**	**12.4**	**253**	**1**	**2**	**8**	**11**	**41**	**52**	**55**	**1**	**11.0**		**11**	**11**	**11**	**11**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	5	13.6	84	6	6	9	23	25	25	25	1	5.0		5	5	5	5	5	5	5
35-54	2	7.5	5	6	6	7	9	9	9	9										
55-74																				
75 +																				
ALL AGES	7	11.9	65	6	6	9	19	24	25	25	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	1	52.0		52	52	52	52	52	52	52										
18-20	1	14.0		14	14	14	14	14	14	14										
21-24																				
25-34	4	14.5	156	5	5	10	23	32	32	32										
35-54	5	9.8	42	2	2	10	15	18	18	18										
55-74	1	32.0		32	32	32	32	32	32	32	1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES	12	17.1	216	2	4	14	25	38	50	52	1	10.0		10	10	10	10	10	10	10
SUBTOTAL	**19**	**15.2**	**160**	**3**	**5**	**10**	**21**	**32**	**43**	**52**	**2**	**7.5**	**13**	**5**	**5**	**7**	**10**	**10**	**10**	**10**
GRAND TOTAL	**32**	**14.0**	**194**	**2**	**3**	**9**	**16**	**34**	**51**	**55**	**3**	**8.7**	**9**	**5**	**5**	**10**	**11**	**11**	**11**	**11**

ANTISOCIAL PERSONALITY (301.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	8.3	71	3	3	4	14	18	18	18										
18-20	3	13.7	288	1	1	7	26	33	33	33										
21-24	1	10.0		10	10	10	10	10	10	10										
25-34	3	7.3	73	1	1	4	14	17	17	17										
35-54	2	6.0	32	2	2	6	10	10	10	10										
55-74																				
75 +																				
ALL AGES	12	9.2	89	1	1	6	14	22	31	33										
B. FEMALE																				
0-12 YRS.																				
13-17											2	4.5	13	2	2	4	7	7	7	7
18-20																				
21-24																				
25-34	3	12.7	373	1	1	2	27	35	35	35										
35-54																				
55-74																				
75 +																				
ALL AGES	3	12.7	373	1	1	2	27	35	35	35	2	4.5	13	2	2	4	7	7	7	7
SUBTOTAL	**15**	**9.9**	**126**	**1**	**1**	**4**	**15**	**33**	**34**	**35**	**2**	**4.5**	**13**	**2**	**2**	**4**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	10.7	75	1	1	13	17	18	18	18										
18-20	5	4.4	9	2	2	3	7	9	9	9	1	1.0		1	1	1	1	1	1	1
21-24	1	34.0		34	34	34	34	34	34	34										
25-34	9	4.9	24	1	1	4	8	13	15	15										
35-54	3	9.0	7	7	7	8	11	12	12	12	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	21	7.6	62	1	1	6	10	16	25	34	2	2.0	2	1	1	1	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	8	8	8	8	8										
18-20																				
21-24																				
25-34	4	11.3	60	7	7	8	15	23	23	23										
35-54																				
55-74																				
75 +																				
ALL AGES	5	10.6	48	7	7	8	12	23	23	23										
SUBTOTAL	**26**	**8.2**	**58**	**1**	**1**	**7**	**10**	**18**	**25**	**34**	**2**	**2.0**	**2**	**1**	**1**	**1**	**3**	**3**	**3**	**3**
GRAND TOTAL	**41**	**8.8**	**81**	**1**	**1**	**7**	**11**	**20**	**33**	**35**	**4**	**3.3**	**6**	**1**	**1**	**2**	**5**	**7**	**7**	**7**

OTHER PERSONALITY DIS (301.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	8	16.6	487	1	1	9	22	55	66	66										
18-20	6	11.8	118	4	4	7	16	30	32	32										
21-24	7	12.6	228	2	2	5	25	36	37	37										
25-34	13	7.9	34	1	2	7	11	15	20	21										
35-54	8	15.0	206	1	2	11	21	39	45	45										
55-74	2	5.0	8	3	3	5	7	7	7	7										
75 +																				
ALL AGES	44	11.9	182	1	2	7	15	32	39	66										
B. FEMALE																				
0-12 YRS.																				
13-17	6	42.0	778	8	9	38	64	81	83	83										
18-20	9	6.7	37	2	2	4	7	18	20	20										
21-24	11	14.5	300	2	3	10	14	38	62	64										
25-34	31	7.8	50	1	1	7	10	20	26	26										
35-54	23	12.9	82	2	3	11	17	22	30	43										
55-74	3	7.0	28	3	3	5	11	13	13	13										
75 +																				
ALL AGES	83	12.4	207	2	2	8	14	25	43	77										
SUBTOTAL	**127**	**12.3**	**195**	**1**	**2**	**8**	**14**	**26**	**43**	**70**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	26.3	335	10	10	23	41	48	48	48										
18-20	7	20.9	208	1	2	23	25	42	46	46										
21-24	10	8.6	97	1	1	6	9	26	31	31										
25-34	18	6.6	49	1	1	3	11	14	22	27										
35-54	10	12.7	95	1	1	12	17	27	29	29	1	12.0		12	12	12	12	12	12	12
55-74	2	19.5	113	12	12	19	27	27	27	27										
75 +																				
ALL AGES	51	12.2	141	1	1	9	19	28	35	48	1	12.0		12	12	12	12	12	12	12
B. FEMALE																				
0-12 YRS.	1	38.0		38	38	38	38	38	38	38										
13-17	4	35.5	504	3	3	50	63	99 +	99 +	99 +	1	4.0		4	4	4	4	4	4	4
18-20	9	16.0	196	2	3	14	25	38	45	45	1	2.0		2	2	2	2	2	2	2
21-24	19	22.2	518	1	2	16	28	65	72	77										
25-34	38	10.9	134	1	1	7	13	26	36	54	1	7.0		7	7	7	7	7	7	7
35-54	16	14.8	396	1	2	7	16	58	63	64	2	6.0	8	4	4	6	8	8	8	8
55-74	4	10.3	118	1	1	7	18	25	25	25	1	4.0		4	4	4	4	4	4	4
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	92	15.6	306	1	2	8	23	46	63	90	6	4.8	5	2	2	4	7	8	8	8
SUBTOTAL	**143**	**14.4**	**248**	**1**	**1**	**8**	**22**	**37**	**52**	**78**	**7**	**5.9**	**11**	**2**	**2**	**4**	**8**	**11**	**12**	**12**
GRAND TOTAL	**270**	**13.4**	**224**	**1**	**2**	**8**	**17**	**32**	**48**	**75**	**7**	**5.9**	**11**	**2**	**2**	**4**	**8**	**11**	**12**	**12**

PERSONALITY DISORDER NOS (301.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
18-20	5	3.4	5	1	1	3	5	7	7	7										
21-24	4	10.0	53	2	2	10	16	18	18	18	1	2.0		2	2	2	2	2	2	2
25-34	5	5.4	32	1	1	2	11	13	13	13										
35-54	1	28.0		28	28	28	28	28	28	28										
55-74	1	5.0		5	5	5	5	5	5	5										
75 +											1	11.0		11	11	11	11	11	11	11
ALL AGES	17	6.9	57	1	1	4	11	17	24	28	3	5.0	27	2	2	2	9	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17	6	18.5	186	4	4	20	30	33	33	33										
18-20	5	7.2	20	1	1	9	11	11	11	11										
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	16	11.3	85	1	1	7	18	22	30	33	2	3.5	5	2	2	3	5	5	5	5
35-54	6	13.2	23	7	7	12	16	20	21	21										
55-74	1	6.0		6	6	6	6	6	6	6										
75 +																				
ALL AGES	35	11.9	85	1	2	10	17	29	32	33	2	3.5	5	2	2	3	5	5	5	5
SUBTOTAL	**52**	**10.3**	**79**	**1**	**1**	**7**	**15**	**24**	**30**	**33**	**5**	**4.4**	**15**	**2**	**2**	**2**	**6**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3	1	7.0		7	7	7	7	7	7	7
18-20	2	5.0	8	3	3	5	7	7	7	7										
21-24	6	10.8	47	1	2	10	13	21	22	22										
25-34	11	8.3	83	1	1	4	9	26	26	26										
35-54	7	13.9	85	1	2	14	21	27	28	28										
55-74	1	12.0		12	12	12	12	12	12	12										
75 +	1	44.0		44	44	44	44	44	44	44										
ALL AGES	29	11.1	106	1	1	9	14	26	29	44	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17	2	15.5	365	2	2	15	29	29	29	29										
18-20	3	20.3	259	5	5	19	32	37	37	37										
21-24	5	15.6	187	2	2	12	24	37	37	37	1	1.0		1	1	1	1	1	1	1
25-34	9	8.4	73	1	2	6	10	23	29	29	1	8.0		8	8	8	8	8	8	8
35-54	13	7.2	57	1	2	5	7	17	28	30	5	6.0	19	1	1	4	10	11	11	11
55-74	1	40.0		40	40	40	40	40	40	40										
75 +																				
ALL AGES	33	11.5	137	1	2	6	15	31	37	40	7	5.6	17	1	1	4	9	11	11	11
SUBTOTAL	**62**	**11.3**	**121**	**1**	**2**	**7**	**14**	**29**	**37**	**44**	**8**	**5.8**	**14**	**1**	**1**	**6**	**9**	**11**	**11**	**11**
GRAND TOTAL	**114**	**10.8**	**102**	**1**	**1**	**7**	**14**	**28**	**32**	**41**	**13**	**5.2**	**15**	**1**	**1**	**4**	**8**	**11**	**11**	**11**

PEDOPHILIA (302.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	13.0		13	13	13	13	13	13	13										
75 +																				
ALL AGES	1	13.0		13	13	13	13	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	13.0		13	13	13	13	13	13	13										
GRAND TOTAL	1	13.0		13	13	13	13	13	13	13										

TRANS-SEXUALISM (302.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	5.0	2	4	4	5	6	6	6	6										
35-54																				
55-74																				
75 +																				
ALL AGES	2	5.0	2	4	4	5	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	2	5.0	2	4	4	5	6	6	6	6										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	2	5.0	2	4	4	5	6	6	6	6										

PSYCHOSEX IDENTITY DIS (302.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	30.0		30	30	30	30	30	30	30										
SUBTOTAL	**1**	**30.0**		**30**	**30**	**30**	**30**	**30**	**30**	**30**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**										
GRAND TOTAL	**2**	**17.0**	**338**	**4**	**4**	**17**	**30**	**30**	**30**	**30**										

PSYCHOSEXUAL DYSFUNCTION (302.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											2	2.0	2	1	1	1	3	3	3	3
25-34	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
35-54	18	2.4	3	1	1	2	3	5	7	7	9	3.0	5	1	1	2	4	7	8	8
55-74	19	2.8	2	1	1	2	4	5	6	6	14	2.6	2	1	1	2	3	4	6	6
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	38	2.7	3	1	1	2	3	5	6	7	27	2.0	3	1	1	2	3	5	6	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**38**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**7**	**28**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**38**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**7**	**29**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**8**

PSYCHOSEXUAL DIS NEC (302.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74											1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	8	8	8	8	8										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8										
SUBTOTAL	**2**	**6.5**	**5**	**5**	**5**	**6**	**8**	**8**	**8**	**8**	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	30.0		30	30	30	30	30	30	30										
55-74																				
75 +																				
ALL AGES	1	30.0		30	30	30	30	30	30	30										
B. FEMALE																				
0-12 YRS.																				
13-17	1	17.0		17	17	17	17	17	17	17										
18-20																				
21-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74																				
75 +																				
ALL AGES	2	11.5	61	6	6	11	17	17	17	17										
SUBTOTAL	**3**	**17.7**	**143**	**6**	**6**	**17**	**27**	**30**	**30**	**30**										
GRAND TOTAL	**5**	**13.2**	**111**	**5**	**5**	**8**	**20**	**30**	**30**	**30**	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**

PSYCHOSEXUAL DIS NOS (302.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	5.0		5	5	5	5	5	5	5										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**										
GRAND TOTAL	**2**	**5.5**	**1**	**5**	**5**	**5**	**6**	**6**	**6**	**6**										

AC ALCOHOL INTOXICATION (303.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	1.0		1	1	1	1	1	1	1	4	1.3		1	1	1	1	2	2	2
18-20	2	1.5	1	1	1	1	2	2	2	2	5	1.6	1	1	1	1	2	3	3	3
21-24	6	4.5	9	1	1	4	8	8	8	8	1	1.0		1	1	1	1	1	1	1
25-34	47	6.6	50	1	1	4	8	19	22	28	16	3.4	4	1	1	3	4	6	7	8
35-54	104	6.3	53	1	1	4	6	15	23	34	93	3.6	16	1	1	3	4	6	7	25
55-74	87	6.7	34	2	2	5	7	17	20	28	72	4.3	13	1	1	3	6	8	11	20
75 +	9	7.9	18	2	2	7	12	13	13	13	6	4.0	12	1	1	3	5	10	10	10
ALL AGES	257	6.5	42	1	1	4	7	16	21	30	197	3.7	14	1	1	3	4	7	9	22
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
21-24	5	6.4	44	2	2	3	9	18	18	18	1	4.0		4	4	4	4	4	4	4
25-34	13	6.8	81	1	1	2	9	21	29	31	7	3.7	3	1	1	4	5	6	6	6
35-54	34	7.3	56	1	2	4	12	17	23	32	23	4.2	29	1	1	3	5	5	14	28
55-74	30	6.5	76	1	1	3	7	18	25	42	19	5.1	9	1	2	5	6	10	12	12
75 +											2	2.5	1	2	2	2	3	3	3	3
ALL AGES	83	6.8	64	1	1	3	8	18	24	39	54	4.3	16	1	1	4	5	6	11	27
SUBTOTAL	**340**	**6.5**	**48**	**1**	**1**	**4**	**7**	**17**	**22**	**31**	**251**	**3.9**	**13**	**1**	**1**	**3**	**5**	**7**	**9**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	16.0		16	16	16	16	16	16	16
13-17	6	23.7	224	1	2	27	33	41	42	42	5	14.0	395	1	1	1	27	46	46	46
18-20	6	26.3	344	1	1	33	42	42	42	42	4	6.0	38	2	2	4	10	15	15	15
21-24	24	13.8	140	1	2	9	22	29	38	42	11	19.3	257	1	1	30	30	37	44	45
25-34	101	14.9	159	1	2	9	28	34	36	41	78	9.9	136	1	1	4	15	30	31	41
35-54	275	9.2	79	2	2	5	11	28	28	34	224	8.5	107	1	1	4	8	30	30	39
55-74	152	10.6	102	2	3	6	13	28	28	57	156	7.6	65	1	2	4	8	21	29	30
75 +	8	9.5	57	3	4	8	10	22	27	27	16	11.1	147	3	3	6	13	29	42	47
ALL AGES	572	11.1	113	2	2	6	17	28	32	42	495	8.8	107	1	2	4	10	30	30	41
B. FEMALE																				
0-12 YRS.																				
13-17	5	29.8	58	21	21	28	33	42	42	42										
18-20	1	30.0		30	30	30	30	30	30	30	2	17.0	450	2	2	17	32	32	32	32
21-24	4	16.0	307	5	5	8	26	42	42	42	5	13.0	171	1	1	8	26	28	28	28
25-34	30	9.4	85	1	1	5	14	27	28	31	26	11.4	169	1	1	4	28	30	32	39
35-54	54	9.2	77	2	2	5	13	25	28	37	59	11.2	133	1	1	4	26	30	30	34
55-74	47	11.9	101	2	2	7	16	28	29	37	40	11.6	94	2	2	6	21	26	30	30
75 +	3	15.0	112	7	7	11	23	27	27	27	5	10.0	101	2	2	3	21	21	21	21
ALL AGES	144	11.3	106	2	2	7	16	28	30	42	137	11.5	126	1	2	5	21	30	30	35
SUBTOTAL	**716**	**11.1**	**112**	**2**	**2**	**6**	**17**	**28**	**32**	**42**	**632**	**9.4**	**112**	**1**	**2**	**4**	**13**	**30**	**30**	**39**
GRAND TOTAL	**1056**	**9.7**	**95**	**1**	**2**	**5**	**13**	**28**	**29**	**41**	**883**	**7.8**	**90**	**1**	**1**	**4**	**7**	**28**	**30**	**36**

ALCOHOL DEPEND NEC/NOS (303.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-17	11	25.4	216	4	4	27	38	43	48	48	11	19.4	182	1	1	21	28	37	39	39
18-20	15	15.1	82	2	3	18	23	24	28	30	9	32.3	188	20	22	28	33	56	65	65
21-24	48	13.5	135	1	1	9	28	30	30	32	24	19.7	197	2	3	28	30	35	38	42
25-34	287	13.8	138	1	2	9	27	29	30	37	165	20.8	166	2	3	28	29	35	40	44
35-54	638	11.9	115	1	2	6	22	28	30	35	454	19.0	164	2	3	25	28	34	39	45
55-74	297	11.6	91	1	2	7	18	28	29	33	252	17.4	169	2	3	14	28	35	39	42
75 +	21	12.3	74	2	3	12	18	25	26	27	11	17.6	207	1	2	17	29	38	42	42
ALL AGES	1318	12.5	116	1	2	7	22	28	30	36	926	19.0	170	2	3	24	28	35	39	44
B. FEMALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10	1	10.0		10	10	10	10	10	10	10
13-17	3	23.0	252	5	5	29	33	35	35	35	2	42.5	365	29	29	42	56	56	56	56
18-20	8	10.1	100	1	1	6	16	26	28	28	2	21.5	545	5	5	21	38	38	38	38
21-24	20	14.2	106	2	3	13	20	28	33	37	15	26.1	213	1	1	30	38	40	41	42
25-34	86	14.9	117	2	3	13	27	30	31	33	48	20.7	140	2	3	28	28	30	32	42
35-54	150	11.5	117	1	2	6	18	29	31	40	119	17.7	187	2	3	18	28	35	40	45
55-74	78	15.2	117	1	3	12	26	30	31	41	79	20.1	159	3	4	27	29	35	38	44
75 +	7	10.9	140	1	1	3	24	27	27	27	9	13.9	163	3	3	7	24	35	35	35
ALL AGES	353	13.4	118	1	2	9	24	29	31	38	275	19.4	179	2	3	27	29	35	39	44
SUBTOTAL	**1671**	**12.7**	**116**	**1**	**2**	**8**	**23**	**29**	**30**	**37**	**1201**	**19.1**	**172**	**2**	**3**	**25**	**28**	**35**	**39**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17	33	26.8	87	7	15	28	30	36	41	52	12	29.3	142	4	15	29	43	55	92	99 +
18-20	31	15.0	159	1	1	12	27	32	37	39	21	23.1	242	2	2	27	29	42	48	54
21-24	69	17.8	134	1	3	18	28	30	33	42	18	26.6	167	2	3	28	31	43	45	46
25-34	297	15.4	124	2	3	14	28	30	31	42	128	21.5	165	2	3	26	29	36	42	48
35-54	384	12.6	101	2	2	9	21	28	30	36	161	18.5	171	1	2	25	28	31	39	45
55-74	183	13.0	85	3	4	10	19	28	29	39	68	16.0	226	2	2	9	27	33	46	71
75 +	9	14.8	160	1	3	8	28	33	35	35	4	12.5	138	2	2	10	21	28	28	28
ALL AGES	1007	14.4	117	2	3	11	25	29	31	42	412	19.9	186	2	2	25	28	36	42	53
B. FEMALE																				
0-12 YRS.											1	26.0		26	26	26	26	26	26	26
13-17	11	17.9	209	1	2	10	28	38	46	47	1	4.0		4	4	4	4	4	4	4
18-20	19	24.6	273	2	3	24	33	50	57	58	9	29.4	227	4	5	30	42	43	44	44
21-24	18	9.3	104	1	2	5	8	27	33	37	6	22.3	167	1	2	28	28	35	36	36
25-34	102	15.9	152	2	3	12	28	32	36	51	44	19.0	194	2	3	26	29	33	42	49
35-54	122	12.1	102	1	2	9	20	28	29	40	45	16.1	189	1	2	12	27	36	40	47
55-74	65	17.5	209	2	3	14	26	40	43	61	21	21.2	177	4	5	25	29	36	45	52
75 +	8	15.5	119	5	5	12	23	33	35	35	2	6.5	5	5	5	6	8	8	8	8
ALL AGES	345	15.1	157	2	2	10	25	31	39	55	129	19.0	194	2	3	21	28	37	42	50
SUBTOTAL	**1352**	**14.6**	**126**	**2**	**3**	**11**	**25**	**29**	**32**	**43**	**541**	**19.7**	**187**	**2**	**3**	**25**	**28**	**36**	**42**	**52**
GRAND TOTAL	**3023**	**13.5**	**123**	**1**	**2**	**9**	**24**	**29**	**31**	**42**	**1742**	**19.3**	**176**	**2**	**3**	**25**	**28**	**35**	**41**	**46**

OPIOID TYPE DEPENDENCE (304.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	8.0	72	2	2	8	14	14	14	14	2	20.0	50	15	15	20	25	25	25	25
25-34	26	12.7	131	2	2	9	15	30	39	40	24	15.3	174	2	2	8	27	28	36	52
35-54	19	12.8	104	2	3	10	19	30	32	33	3	5.7	16	2	2	5	9	10	10	10
55-74	3	6.7	8	5	5	5	9	10	10	10	1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	50	12.2	110	2	2	9	15	30	33	40	30	14.4	153	2	2	9	26	28	29	52
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	12.0		12	12	12	12	12	12	12										
21-24	3	3.7	2	2	2	4	5	5	5	5	2	33.0	128	25	25	33	41	41	41	41
25-34	22	12.7	113	3	3	7	22	30	31	31	10	15.5	216	1	1	7	31	35	35	35
35-54	7	10.6	83	4	4	6	14	26	29	29	3	32.3	14	30	30	31	35	36	36	36
55-74	4	10.8	107	3	3	8	18	25	25	25										
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	38	11.2	93	3	3	7	16	29	30	31	15	21.2	219	1	2	28	34	36	40	41
SUBTOTAL	**88**	**11.8**	**101**	**2**	**3**	**7**	**15**	**29**	**31**	**40**	**45**	**16.7**	**180**	**2**	**2**	**10**	**28**	**35**	**37**	**52**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	7	12.7	86	3	3	8	20	27	28	28										
25-34	37	14.9	131	3	4	12	20	29	37	58	19	17.5	208	1	2	16	31	34	39	42
35-54	17	12.1	75	1	3	9	17	26	30	31	9	20.0	258	4	4	17	34	42	42	42
55-74											3	23.3	33	18	18	23	27	29	29	29
75 +											2	19.5	113	12	12	19	27	27	27	27
ALL AGES	61	13.8	111	2	4	11	19	28	32	56	33	18.8	192	2	3	18	30	36	42	42
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	4	13.3	123	2	2	11	21	28	28	28	1	25.0		25	25	25	25	25	25	25
25-34	22	14.1	133	2	3	10	22	30	40	42	3	22.3	152	8	8	28	30	31	31	31
35-54	9	13.1	87	5	5	11	17	29	30	30	6	25.2	220	10	10	22	41	44	44	44
55-74	4	14.0	109	3	3	12	21	28	28	28	7	11.7	74	4	4	9	15	26	29	29
75 +																				
ALL AGES	39	13.8	110	2	3	11	21	28	34	42	17	19.1	159	4	6	16	28	39	43	44
SUBTOTAL	**100**	**13.8**	**109**	**2**	**3**	**11**	**19**	**28**	**32**	**50**	**50**	**18.9**	**177**	**3**	**4**	**17**	**29**	**38**	**42**	**44**
GRAND TOTAL	**188**	**12.9**	**105**	**2**	**3**	**9**	**18**	**29**	**31**	**41**	**95**	**17.9**	**176**	**2**	**3**	**16**	**28**	**35**	**42**	**48**

BARBITURATE DEPENDENCE (304.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	26.0	21	21	21	27	29	30	30	30	2	1.5	1	1	1	1	2	2	2	2
35-54	5	21.6	241	3	3	25	35	38	38	38	1	8.0		8	8	8	8	8	8	8
55-74	2	17.0	200	7	7	17	27	27	27	27	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	10	22.0	145	3	5	26	30	36	38	38	4	4.0	10	1	1	3	6	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	4	21.5	368	1	1	20	36	45	45	45	3	16.3	498	2	2	5	33	42	42	42
35-54	8	16.8	69	5	7	14	25	28	28	28	6	18.5	221	3	3	18	30	36	37	37
55-74	6	20.8	73	10	10	23	28	29	29	29	8	19.9	89	6	7	24	27	29	29	29
75 +											1	29.0		29	29	29	29	29	29	29
ALL AGES	18	19.2	119	3	6	17	28	29	39	45	18	19.3	169	2	3	24	29	35	40	42
SUBTOTAL	**28**	**20.2**	**125**	**3**	**6**	**21**	**28**	**33**	**39**	**45**	**22**	**16.5**	**176**	**1**	**2**	**10**	**28**	**32**	**39**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	22.5	841	2	2	22	43	43	43	43	1	42.0		42	42	42	42	42	42	42
18-20	4	24.8	205	9	9	23	35	43	43	43	2	15.5	421	1	1	15	30	30	30	30
21-24	5	21.0	174	5	5	20	32	37	37	37										
25-34	7	22.4	115	5	6	28	28	30	31	31	2	7.0	2	6	6	7	8	8	8	8
35-54	7	16.4	153	1	1	17	25	34	35	35	4	25.5	274	2	2	30	36	40	40	40
55-74	3	25.3	137	13	13	27	34	36	36	36	1	27.0		27	27	27	27	27	27	27
75 +																				
ALL AGES	28	21.3	160	2	4	23	30	37	43	43	10	21.6	250	1	1	27	33	41	42	42
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	17.0		17	17	17	17	17	17	17	2	7.0	8	5	5	7	9	9	9	9
25-34	7	13.4	35	5	5	15	17	20	21	21	6	19.0	288	1	1	18	35	39	39	39
35-54	15	19.3	109	5	6	18	28	32	36	38	4	15.3	115	4	4	13	22	30	30	30
55-74	17	18.1	99	5	6	17	23	34	37	38	6	22.2	202	5	5	26	28	41	42	42
75 +	1	8.0		8	8	8	8	8	8	8	1	8.0		8	8	8	8	8	8	8
ALL AGES	41	17.4	92	5	6	16	23	31	36	38	19	17.4	182	2	3	13	28	37	41	42
SUBTOTAL	**69**	**19.0**	**121**	**5**	**5**	**18**	**28**	**35**	**38**	**43**	**29**	**18.8**	**203**	**1**	**2**	**14**	**30**	**40**	**42**	**42**
GRAND TOTAL	**97**	**19.4**	**119**	**4**	**5**	**18**	**28**	**35**	**38**	**44**	**51**	**17.8**	**189**	**1**	**2**	**13**	**29**	**38**	**42**	**42**

COCAINE DEPENDENCE (304.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	24.0		24	24	24	24	24	24	24
18-20	3	21.7	50	17	17	18	27	30	30	30	4	34.0	37	30	30	31	37	43	43	43
21-24	8	11.6	104	2	2	9	19	27	28	28	9	25.4	143	1	8	28	32	39	42	42
25-34	22	15.5	155	2	3	9	28	30	36	43	44	22.0	206	1	2	28	30	41	42	49
35-54	9	17.1	127	1	1	22	28	28	28	28	15	20.0	203	2	3	28	28	37	44	47
55-74	1	12.0		12	12	12	12	12	12	12										
75 +																				
ALL AGES	43	15.5	126	2	2	14	28	29	31	43	73	22.7	189	1	2	28	30	41	42	49
B. FEMALE																				
0-12 YRS.																				
13-17											1	30.0		30	30	30	30	30	30	30
18-20	1	7.0		7	7	7	7	7	7	7	3	36.7	113	29	29	32	45	49	49	49
21-24	5	8.0	19	3	3	7	12	13	13	13	8	18.6	128	3	3	22	28	29	30	30
25-34	14	14.0	28	4	6	15	16	21	21	21	12	26.9	221	3	4	30	36	44	48	49
35-54	1	8.0		8	8	8	8	8	8	8	6	25.2	83	10	11	28	29	35	36	36
55-74																				
75 +																				
ALL AGES	21	12.0	30	4	5	13	16	20	21	21	30	25.4	166	3	4	29	30	41	49	49
SUBTOTAL	**64**	**14.3**	**98**	**2**	**3**	**13**	**21**	**28**	**29**	**41**	**103**	**23.5**	**182**	**2**	**3**	**28**	**30**	**41**	**43**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	20.0	128	12	12	20	28	28	28	28	3	22.3	365	4	4	21	37	42	42	42
18-20	6	23.5	254	5	6	20	41	44	44	44	1	32.0		32	32	32	32	32	32	32
21-24	8	21.3	165	4	5	21	29	39	43	43	17	22.1	180	1	3	27	32	38	41	42
25-34	34	17.5	123	1	3	18	28	32	35	37	47	27.2	173	3	4	28	42	42	42	43
35-54	6	12.3	80	2	2	10	20	24	25	25	7	30.3	256	7	8	41	43	45	45	45
55-74	1	30.0		30	30	30	30	30	30	30										
75 +																				
ALL AGES	57	18.4	137	2	4	19	28	33	40	44	75	26.2	184	3	4	28	40	42	43	45
B. FEMALE																				
0-12 YRS.	1	15.0		15	15	15	15	15	15	15										
13-17	1	16.0		16	16	16	16	16	16	16										
18-20	2	27.5	5	26	26	27	29	29	29	29	3	13.3	122	7	7	7	21	26	26	26
21-24	6	13.7	88	2	2	12	22	26	27	27	10	35.2	55	25	26	35	41	45	48	48
25-34	22	16.6	158	1	3	15	18	34	42	52	18	20.0	259	1	2	19	34	42	42	42
35-54	2	16.0	50	11	11	16	21	21	21	21	1	27.0		27	27	27	27	27	27	27
55-74																				
75 +																				
ALL AGES	34	16.6	125	2	3	15	22	31	35	52	32	24.3	229	2	4	27	37	42	42	48
SUBTOTAL	**91**	**17.7**	**133**	**2**	**3**	**16**	**27**	**32**	**37**	**49**	**107**	**25.6**	**198**	**3**	**4**	**28**	**39**	**42**	**43**	**46**
GRAND TOTAL	**155**	**16.3**	**120**	**2**	**3**	**15**	**25**	**30**	**35**	**44**	**210**	**24.6**	**189**	**2**	**3**	**28**	**33**	**42**	**42**	**49**

CANNABIS DEPENDENCE (304.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	28.0	374	1	1	34	42	42	42	42	5	34.6	888	5	5	40	52	77	77	77
18-20	1	33.0		33	33	33	33	33	33	33	5	26.0	164	4	4	29	33	37	37	37
21-24	4	17.8	204	5	5	16	30	33	33	33	1	30.0		30	30	30	30	30	30	30
25-34	3	17.3	124	7	7	16	26	29	29	29	3	13.3	214	3	3	7	24	30	30	30
35-54											1	29.0		29	29	29	29	29	29	29
55-74																				
75 +																				
ALL AGES	12	22.3	219	1	4	27	33	42	42	42	15	26.8	393	3	4	29	36	44	69	77
B. FEMALE																				
0-12 YRS.																				
13-17											4	36.8	787	2	2	37	56	70	70	70
18-20																				
21-24											1	46.0		46	46	46	46	46	46	46
25-34											1	35.0		35	35	35	35	35	35	35
35-54											1	41.0		41	41	41	41	41	41	41
55-74																				
75 +																				
ALL AGES											7	38.4	413	2	8	41	45	65	70	70
SUBTOTAL	**12**	**22.3**	**219**	**1**	**4**	**27**	**33**	**42**	**42**	**42**	**22**	**30.5**	**410**	**3**	**4**	**31**	**41**	**53**	**73**	**77**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	7	17.1	186	3	4	15	23	39	43	43	5	49.6	204	31	31	46	59	70	70	70
18-20	2	17.0	392	3	3	17	31	31	31	31	2	40.5	1861	10	10	40	71	71	71	71
21-24	4	22.8	91	9	9	26	29	30	30	30	3	25.3	244	8	8	30	36	38	38	38
25-34	5	17.6	22	15	15	16	19	26	26	26	6	31.3	44	25	25	30	35	41	42	42
35-54	3	15.0	36	9	9	15	19	21	21	21										
55-74																				
75 +																				
ALL AGES	21	18.0	103	3	6	16	25	30	36	43	16	37.1	316	9	11	33	46	68	71	71
B. FEMALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14	1	58.0		58	58	58	58	58	58	58
18-20	6	20.0	160	8	8	16	28	40	41	41	2	23.0	72	17	17	23	29	29	29	29
21-24	1	27.0		27	27	27	27	27	27	27	1	35.0		35	35	35	35	35	35	35
25-34	3	21.7	210	5	5	28	31	32	32	32	1	25.0		25	25	25	25	25	25	25
35-54	1	29.0		29	29	29	29	29	29	29										
55-74																				
75 +																				
ALL AGES	12	21.3	123	5	7	23	29	35	40	41	5	32.8	241	17	17	29	41	58	58	58
SUBTOTAL	**33**	**19.2**	**109**	**4**	**7**	**16**	**28**	**31**	**40**	**43**	**21**	**36.0**	**295**	**9**	**14**	**32**	**46**	**63**	**70**	**71**
GRAND TOTAL	**45**	**20.0**	**137**	**3**	**5**	**18**	**29**	**33**	**42**	**43**	**43**	**33.2**	**352**	**4**	**6**	**32**	**43**	**60**	**71**	**77**

AMPHETAMINE DEPENDENCE (304.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											2	34.0	72	28	28	34	40	40	40	40
21-24	3	27.7	370	6	6	34	41	43	43	43	7	29.7	3	28	28	30	30	32	32	32
25-34	7	18.0	166	3	4	11	30	34	35	35	7	21.0	117	5	6	28	30	30	30	30
35-54											1	29.0		29	29	29	29	29	29	29
55-74																				
75 +																				
ALL AGES	10	20.9	215	3	4	20	34	39	43	43	17	26.6	73	6	10	29	30	32	37	40
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	32.0	32	28	28	32	36	36	36	36	1	28.0		28	28	28	28	28	28	28
21-24											3	31.3	15	28	28	31	34	35	35	35
25-34	2	22.5	181	13	13	22	32	32	32	32	3	21.7	206	5	5	30	30	30	30	30
35-54																				
55-74	1	28.0		28	28	28	28	28	28	28										
75 +																				
ALL AGES	5	27.4	76	13	13	28	33	36	36	36	7	26.7	98	5	10	30	31	34	35	35
SUBTOTAL	**15**	**23.1**	**169**	**4**	**6**	**28**	**33**	**36**	**41**	**43**	**24**	**26.6**	**78**	**5**	**9**	**29**	**30**	**32**	**36**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	24.3	427	1	1	32	38	40	40	40	1	43.0		43	43	43	43	43	43	43
18-20	6	30.3	245	1	4	35	41	42	42	42										
21-24	4	27.3	283	2	2	34	36	38	38	38	1	28.0		28	28	28	28	28	28	28
25-34	8	21.0	224	2	2	24	32	40	42	42	5	19.4	282	1	1	26	32	37	37	37
35-54	3	2.3	2	1	1	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	24	22.5	268	1	1	29	36	41	42	42	7	24.0	269	1	1	28	35	42	43	43
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	27.0		27	27	27	27	27	27	27	2	22.5	685	4	4	22	41	41	41	41
21-24	1	18.0		18	18	18	18	18	18	18										
25-34	10	31.4	211	1	9	32	41	49	56	56										
35-54	1	44.0		44	44	44	44	44	44	44										
55-74																				
75 +																				
ALL AGES	13	31.0	188	3	14	32	41	46	54	56	2	22.5	685	4	4	22	41	41	41	41
SUBTOTAL	**37**	**25.5**	**250**	**1**	**1**	**31**	**38**	**42**	**43**	**56**	**9**	**23.7**	**286**	**1**	**1**	**28**	**38**	**42**	**43**	**43**
GRAND TOTAL	**52**	**24.8**	**224**	**1**	**2**	**30**	**35**	**41**	**43**	**56**	**33**	**25.8**	**130**	**2**	**5**	**29**	**31**	**38**	**41**	**43**

HALLUCINOGEN DEPENDENCE (304.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	15.0		15	15	15	15	15	15	15										
35-54																				
55-74																				
75 +																				
ALL AGES	1	15.0		15	15	15	15	15	15	15										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	15.0		15	15	15	15	15	15	15										
GRAND TOTAL	1	15.0		15	15	15	15	15	15	15										

DRUG DEPENDENCE NEC (304.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	5	9.0	119	1	1	6	12	28	28	28	1	1.0		1	1	1	1	1	1	1
35-54	3	21.0	76	11	11	25	26	27	27	27	2	7.0	50	2	2	7	12	12	12	12
55-74	2	7.0	2	6	6	7	8	8	8	8										
75 +											1	14.0		14	14	14	14	14	14	14
ALL AGES	10	12.2	107	1	1	7	25	27	28	28	4	7.3	44	1	1	7	13	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-20	1	8.0		8	8	8	8	8	8	8										
21-24																				
25-34	3	16.7	128	4	4	20	24	26	26	26	1	6.0		6	6	6	6	6	6	6
35-54	1	7.0		7	7	7	7	7	7	7	4	11.8	150	3	3	7	19	30	30	30
55-74											2	7.5	25	4	4	7	11	11	11	11
75 +																				
ALL AGES	5	13.0	90	4	4	8	21	26	26	26	8	8.8	81	2	2	6	9	24	30	30
SUBTOTAL	**15**	**12.5**	**94**	**1**	**3**	**8**	**24**	**27**	**28**	**28**	**12**	**8.3**	**64**	**1**	**2**	**6**	**11**	**19**	**28**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	12.0		12	12	12	12	12	12	12	1	1.0		1	1	1	1	1	1	1
35-54	3	9.3	51	3	3	8	15	17	17	17	1	21.0		21	21	21	21	21	21	21
55-74	1	24.0		24	24	24	24	24	24	24	2	24.5	25	21	21	24	28	28	28	28
75 +																				
ALL AGES	5	12.8	66	3	3	12	19	24	24	24	4	17.8	133	1	1	21	25	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	8.0		8	8	8	8	8	8	8										
25-34	2	32.5	13	30	30	32	35	35	35	35	2	9.0	32	5	5	9	13	13	13	13
35-54	2	20.0	162	11	11	20	29	29	29	29	3	9.3	27	5	5	8	13	15	15	15
55-74	4	22.5	220	5	5	23	34	38	38	38										
75 +																				
ALL AGES	9	22.6	155	5	6	29	32	37	38	38	5	9.2	21	5	5	8	13	15	15	15
SUBTOTAL	**14**	**19.1**	**139**	**3**	**5**	**16**	**30**	**35**	**37**	**38**	**9**	**13.0**	**82**	**1**	**2**	**13**	**21**	**25**	**28**	**28**
GRAND TOTAL	**29**	**15.7**	**122**	**3**	**4**	**11**	**26**	**31**	**35**	**38**	**21**	**10.3**	**74**	**1**	**1**	**7**	**14**	**24**	**29**	**30**

OPIOID/OTHER DRUG DEPEND (304.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	28.0		28	28	28	28	28	28	28										
21 24	5	19.2	188	1	1	22	30	35	35	35	3	32.3	80	25	25	30	39	42	42	42
25-34	13	9.5	61	2	3	8	10	18	30	33	7	31.4	120	18	18	32	42	45	45	45
35-54	4	4.5	7	1	1	5	6	7	7	7	4	23.8	326	1	1	26	38	42	42	42
55-74											1	18.0		18	18	18	18	18	18	18
75 +																				
ALL AGES	23	11.5	106	1	2	8	13	29	34	35	15	28.7	152	5	18	30	40	44	45	45
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	28.0		28	28	28	28	28	28	28
21-24	8	8.8	78	2	3	5	10	24	29	29										
25-34	13	8.8	39	1	2	8	9	16	24	26	4	19.0	353	1	1	17	34	41	41	41
35-54	6	16.7	83	10	10	13	19	32	34	34										
55-74	1	7.0		7	7	7	7	7	7	7	1	48.0		48	48	48	48	48	48	48
75 +																				
ALL AGES	28	10.4	65	2	3	8	13	24	29	34	6	25.3	350	1	1	28	41	47	48	48
SUBTOTAL	**51**	**10.9**	**82**	**1**	**2**	**8**	**13**	**28**	**33**	**35**	**21**	**27.7**	**198**	**1**	**4**	**28**	**41**	**44**	**46**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	25.0		25	25	25	25	25	25	25										
21-24	3	18.7	127	6	6	22	26	28	28	28	1	23.0		23	23	23	23	23	23	23
25-34	9	13.6	117	4	5	7	23	31	31	31	2	18.5	421	4	4	18	33	33	33	33
35-54	6	24.2	39	13	14	26	29	30	30	30										
55-74																				
75 +																				
ALL AGES	19	18.3	104	5	6	21	28	30	31	31	3	20.0	217	4	4	23	30	33	33	33
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	6.5	13	4	4	6	9	9	9	9										
25-34	9	13.2	113	1	3	10	16	31	35	35	2	29.5	5	28	28	29	31	31	31	31
35-54	2	4.0	8	2	2	4	6	6	6	6										
55-74																				
75 +																				
ALL AGES	13	10.8	91	1	2	9	11	28	34	35	2	29.5	5	28	28	29	31	31	31	31
SUBTOTAL	**32**	**15.3**	**108**	**2**	**4**	**10**	**25**	**30**	**31**	**35**	**5**	**23.8**	**137**	**4**	**4**	**28**	**31**	**33**	**33**	**33**
GRAND TOTAL	**83**	**12.6**	**95**	**2**	**3**	**9**	**20**	**29**	**32**	**35**	**26**	**27.0**	**180**	**1**	**4**	**28**	**35**	**44**	**46**	**48**

COMB DRUG DEPENDENCE NEC (304.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											3	51.3	71	42	42	55	56	57	57	57
18-20	5	25.2	185	2	2	29	31	38	38	38	1	3.0		3	3	3	3	3	3	3
21-24	2	38.0	32	34	34	38	42	42	42	42	3	34.3	54	28	28	33	40	42	42	42
25-34	10	19.3	152	1	3	20	31	32	33	33	5	14.0	203	1	1	10	28	31	31	31
35-54	1	34.0		34	34	34	34	34	34	34	2	21.5	841	1	1	21	42	42	42	42
55-74																				
75 +																				
ALL AGES	18	23.8	170	1	3	29	33	37	40	42	14	26.6	410	1	1	29	42	55	57	57
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	1	7.0		7	7	7	7	7	7	7										
21-24	5	19.6	204	4	4	28	31	31	31	31	1	39.0		39	39	39	39	39	39	39
25-34	3	13.0	103	2	2	15	20	22	22	22										
35-54											1	28.0		28	28	28	28	28	28	28
55-74	3	14.0	93	3	3	18	20	21	21	21	1	44.0		44	44	44	44	44	44	44
75 +																				
ALL AGES	13	14.4	132	1	2	15	23	31	31	31	3	37.0	67	28	28	39	43	44	44	44
SUBTOTAL	**31**	**19.9**	**170**	**1**	**2**	**22**	**31**	**34**	**38**	**42**	**17**	**28.5**	**355**	**1**	**1**	**31**	**42**	**53**	**56**	**57**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	20.0	192	4	4	28	28	28	28	28	7	32.4	353	3	5	40	48	50	50	50
18-20	3	6.7	1	6	6	6	8	8	8	8	3	38.7	138	25	25	44	46	47	47	47
21-24	4	21.3	132	8	8	23	31	31	31	31	2	34.5	41	30	30	34	39	39	39	39
25-34	7	15.3	112	3	3	17	25	28	28	28	3	38.7	90	28	28	41	45	47	47	47
35-54	6	20.3	94	5	6	20	23	34	35	35										
55-74																				
75 +																				
ALL AGES	23	17.1	112	4	5	18	27	31	33	35	15	35.2	196	5	11	40	46	49	50	50
B. FEMALE																				
0-12 YRS.																				
13-17	2	18.5	221	8	8	18	29	29	29	29	3	49.0	109	37	37	54	55	56	56	56
18-20																				
21-24	1	30.0		30	30	30	30	30	30	30	1	42.0		42	42	42	42	42	42	42
25-34	4	9.3	28	5	5	7	13	17	17	17										
35-54	3	25.0	37	18	18	28	29	29	29	29										
55-74	2	29.5	85	23	23	29	36	36	36	36	1	27.0		27	27	27	27	27	27	27
75 +																				
ALL AGES	12	19.8	119	5	6	20	29	32	35	36	5	43.2	146	27	27	42	54	56	56	56
SUBTOTAL	**35**	**18.1**	**110**	**4**	**5**	**18**	**28**	**31**	**34**	**36**	**20**	**37.2**	**188**	**7**	**18**	**40**	**47**	**52**	**55**	**56**
GRAND TOTAL	**66**	**18.9**	**118**	**2**	**4**	**20**	**29**	**33**	**35**	**41**	**37**	**33.2**	**276**	**1**	**3**	**39**	**44**	**53**	**56**	**57**

DRUG DEPENDENCE NOS (304.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	18	32.7	167	14	18	31	41	44	58	66	3	36.3	58	28	28	39	41	42	42	42
18-20	4	29.0	383	1	1	36	42	43	43	43	3	23.0	325	3	3	28	35	38	38	38
21-24	5	13.8	209	1	1	5	29	31	31	31	4	21.8	171	2	2	28	29	29	29	29
25-34	10	17.2	216	1	1	17	28	35	42	42	6	20.8	164	4	4	28	28	32	32	32
35-54	4	6.8	5	4	4	6	8	10	10	10	8	19.4	157	3	4	18	29	37	39	39
55-74											1	2.0		2	2	2	2	2	2	2
75 +											1	30.0		30	30	30	30	30	30	30
ALL AGES	41	23.7	262	1	3	26	39	42	44	66	26	22.2	173	2	3	28	30	39	40	42
B. FEMALE																				
0-12 YRS.																				
13-17	4	34.3	32	29	29	33	39	42	42	42										
18-20																				
21-24	3	19.7	118	7	7	26	26	26	26	26	2	28.5	1	28	28	28	29	29	29	29
25-34	7	11.3	85	1	2	9	17	26	28	28	10	15.3	167	1	2	15	27	30	31	31
35-54	1	9.0		9	9	9	9	9	9	9	3	23.3	119	11	11	28	30	31	31	31
55-74	2	6.5	5	5	5	6	8	8	8	8	5	13.4	311	1	1	6	23	43	43	43
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	17	17.5	160	2	5	10	28	35	40	42	21	16.9	177	1	1	16	28	31	37	43
SUBTOTAL	**58**	**21.9**	**236**	**1**	**4**	**26**	**31**	**42**	**43**	**64**	**47**	**19.8**	**180**	**1**	**2**	**27**	**29**	**37**	**40**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	18	28.7	303	2	4	28	42	51	56	58										
18-20	1	29.0		29	29	29	29	29	29	29	1	1.0		1	1	1	1	1	1	1
21-24	5	15.2	133	1	1	18	24	29	29	29	6	5.7	28	1	1	3	9	14	15	15
25-34	14	19.3	174	2	3	28	30	34	35	35	3	2.0	3	1	1	1	3	4	4	4
35-54	4	14.0	110	5	5	11	22	28	28	28										
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	43	22.2	238	2	3	26	30	42	48	58	10	4.1	21	1	1	2	4	12	15	15
B. FEMALE																				
0-12 YRS.																				
13-17	11	32.5	179	4	10	36	39	47	52	52										
18-20	1	3.0		3	3	3	3	3	3	3										
21-24	1	18.0		18	18	18	18	18	18	18										
25-34	2	11.5	61	6	6	11	17	17	17	17	4	16.0	198	1	1	17	28	28	28	28
35-54	5	14.6	288	1	1	6	28	40	40	40	2	23.5	761	4	4	23	43	43	43	43
55-74	5	15.0	194	2	2	9	25	36	36	36	4	13.0	125	4	4	9	20	29	29	29
75 +																				
ALL AGES	25	22.0	254	2	2	22	36	40	46	52	10	16.3	208	1	2	10	28	36	43	43
SUBTOTAL	**68**	**22.1**	**241**	**2**	**3**	**23**	**35**	**42**	**46**	**57**	**20**	**10.2**	**148**	**1**	**1**	**4**	**13**	**29**	**36**	**43**
GRAND TOTAL	**126**	**22.0**	**237**	**2**	**3**	**25**	**34**	**42**	**44**	**60**	**67**	**17.0**	**185**	**1**	**1**	**15**	**28**	**32**	**40**	**43**

ALCOHOL ABUSE (305.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1	5	1.0		1	1	1	1	1	1	1
13-17	28	2.4	11	1	1	1	2	8	10	15	38	6.4	253	1	1	1	2	29	43	75
18-20	13	5.6	89	1	1	2	3	24	29	30	24	2.9	70	1	1	1	2	2	14	42
21-24	23	4.7	74	1	1	2	2	20	29	30	15	4.9	96	1	1	1	2	27	30	31
25-34	58	6.1	80	1	1	2	5	26	29	31	44	4.6	74	1	1	1	3	11	29	35
35-54	111	5.4	53	1	1	3	5	10	28	33	62	7.0	91	1	1	2	5	28	29	30
55-74	44	5.8	41	1	1	3	8	13	22	28	41	7.3	114	1	1	2	5	29	31	34
75 +	3	5.0	7	2	2	6	7	7	7	7	6	2.8	4	1	1	2	4	6	6	6
ALL AGES	282	5.2	55	1	1	2	5	13	28	31	235	5.7	112	1	1	2	3	27	30	42
B. FEMALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1	4	3.8	30	1	1	1	6	12	12	12
13-17	22	3.0	26	1	1	1	2	10	18	19	20	7.3	161	1	1	1	7	26	39	47
18-20	4	1.3		1	1	1	2	2	2	2	9	5.0	135	1	1	1	2	22	36	36
21-24	12	2.9	8	1	1	2	3	7	10	11	5	1.2		1	1	1	1	2	2	2
25-34	19	5.1	92	1	1	2	3	19	32	35	15	2.7	14	1	1	1	2	10	12	13
35-54	35	4.2	20	1	1	3	5	11	12	23	19	4.3	63	1	1	1	3	16	26	31
55-74	10	3.0	3	1	1	3	4	5	6	6	13	5.2	83	1	1	2	4	12	31	35
75 +	4	6.3	9	2	2	7	8	9	9	9	1	5.0		5	5	5	5	5	5	5
ALL AGES	108	3.8	29	1	1	2	4	9	13	32	86	4.7	80	1	1	1	3	13	31	43
SUBTOTAL	**390**	**4.8**	**48**	**1**	**1**	**2**	**5**	**11**	**26**	**31**	**321**	**5.4**	**104**	**1**	**1**	**1**	**3**	**22**	**30**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	14	11.4	262	1	1	3	18	39	43	44	8	30.1	604	1	1	43	48	55	56	56
18-20	12	12.8	204	1	1	4	30	32	35	36	5	3.8	27	1	1	2	5	13	13	13
21-24	21	10.1	114	1	1	6	16	29	31	33	5	6.6	143	1	1	1	8	28	28	28
25-34	38	6.8	84	1	1	4	6	19	30	42	12	6.3	104	1	1	2	4	28	28	28
35-54	56	6.8	53	1	1	4	7	17	26	34	17	3.2	8	1	1	3	3	8	10	11
55-74	25	6.1	14	1	2	6	7	12	14	16	14	8.8	97	2	2	5	8	29	31	32
75 +	3	4.7		4	4	5	5	5	5	5	1	4.0		4	4	4	4	4	4	4
ALL AGES	169	7.9	89	1	1	4	8	24	31	41	63	8.8	191	1	1	3	6	30	44	55
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	8	20.4	562	1	1	13	35	59	63	63	6	19.3	405	1	1	16	30	48	50	50
18-20	6	11.0	108	1	1	9	15	28	29	29	2	1.0		1	1	1	1	1	1	1
21-24	4	1.5	1	1	1	1	2	3	3	3	2	5.0	18	2	2	5	8	8	8	8
25-34	16	7.6	68	1	2	4	10	21	27	29	6	10.3	148	1	1	5	19	30	31	31
35-54	36	9.9	88	1	1	6	14	28	29	30	10	3.9	9	1	1	3	6	8	9	9
55-74	20	8.7	78	1	2	5	11	27	28	28	6	9.0	111	3	3	4	9	28	30	30
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	91	9.8	126	1	1	5	13	28	29	58	33	8.6	142	1	1	4	8	30	31	50
SUBTOTAL	**260**	**8.5**	**104**	**1**	**1**	**5**	**10**	**27**	**30**	**44**	**96**	**8.7**	**173**	**1**	**1**	**3**	**8**	**30**	**43**	**54**
GRAND TOTAL	**650**	**6.3**	**73**	**1**	**1**	**3**	**6**	**18**	**28**	**36**	**417**	**6.2**	**121**	**1**	**1**	**2**	**4**	**28**	**31**	**48**

TOBACCO USE DISORDER (305.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	14.0		14	14	14	14	14	14	14										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	2	8.5	61	3	3	8	14	14	14	14	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	3	4.7	14	2	2	3	7	9	9	9										
55-74																				
75 +																				
ALL AGES	4	4.3	10	2	2	3	6	9	9	9										
SUBTOTAL	**6**	**5.7**	**23**	**2**	**2**	**3**	**9**	**13**	**14**	**14**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**6**	**5.7**	**23**	**2**	**2**	**3**	**9**	**13**	**14**	**14**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

CANNABIS ABUSE (305.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-17	6	19.5	232	5	5	18	30	40	41	41	12	39.1	371	5	8	42	52	58	67	69
18-20	1	24.0		24	24	24	24	24	24	24	2	23.5	925	2	2	23	45	45	45	45
21-24	1	30.0		30	30	30	30	30	30	30	1	1.0		1	1	1	1	1	1	1
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	9	22.1	163	5	5	27	30	37	41	41	15	34.5	471	1	2	40	52	54	65	69
B. FEMALE																				
0-12 YRS.																				
13-17	1	42.0		42	42	42	42	42	42	42	7	44.3	99	34	34	43	54	59	59	59
18-20																				
21-24	1	29.0		29	29	29	29	29	29	29										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	35.5	85	29	29	35	42	42	42	42	7	44.3	99	34	34	43	54	59	59	59
SUBTOTAL	**11**	**24.5**	**170**	**5**	**5**	**28**	**30**	**41**	**42**	**42**	**22**	**37.6**	**366**	**2**	**4**	**41**	**52**	**58**	**63**	**69**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	7	26.1	343	4	4	30	43	49	49	49	6	33.8	149	18	18	35	42	49	50	50
18-20	3	29.0	67	20	20	31	35	36	36	36	4	8.3	80	1	1	5	14	21	21	21
21-24	3	31.7	107	21	21	32	39	42	42	42	1	1.0		1	1	1	1	1	1	1
25-34	7	17.0	120	2	3	18	26	31	32	32	1	28.0		28	28	28	28	28	28	28
35-54																				
55-74																				
75 +																				
ALL AGES	20	24.2	197	3	4	24	32	44	48	49	12	22.1	276	1	1	22	35	44	49	50
B. FEMALE																				
0-12 YRS.																				
13-17	4	27.3	216	14	14	26	40	42	42	42	1	42.0		42	42	42	42	42	42	42
18-20											1	21.0		21	21	21	21	21	21	21
21-24	1	7.0		7	7	7	7	7	7	7										
25-34	3	3.0	7	1	1	2	5	6	6	6										
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	8	15.6	253	1	1	10	26	41	42	42	3	21.3	422	1	1	21	37	42	42	42
SUBTOTAL	**28**	**21.8**	**217**	**2**	**3**	**20**	**32**	**42**	**47**	**49**	**15**	**21.9**	**279**	**1**	**1**	**21**	**37**	**42**	**48**	**50**
GRAND TOTAL	**39**	**22.5**	**204**	**2**	**4**	**24**	**32**	**42**	**45**	**49**	**37**	**31.2**	**385**	**1**	**1**	**35**	**44**	**54**	**58**	**69**

HALLUCINOGEN ABUSE (305.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14										
18-20	1	18.0		18	18	18	18	18	18	18										
21-24	2	1.5	1	1	1	1	2	2	2	2	2	1.0		1	1	1	1	1	1	1
25-34											1	3.0		3	3	3	3	3	3	3
35-54																				
55-74																				
75 +																				
ALL AGES	4	8.8	72	1	1	[illegible]	16	18	18	18	3	1.7	1	1	1	1	2	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**4**	**8.8**	**72**	**1**	**1**	**8**	**16**	**18**	**18**	**18**	**3**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20	1	5.0		5	5	5	5	5	5	5										
21-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54																				
55-74																				
75 +																				
ALL AGES	3	5.0	9	2	2	5	7	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	14.0		14	14	14	14	14	14	14	1	10.0		10	10	10	10	10	10	10
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	14.0		14	14	14	14	14	14	14	1	10.0		10	10	10	10	10	10	10
SUBTOTAL	**4**	**7.3**	**25**	**2**	**2**	**6**	**11**	**14**	**14**	**14**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**
GRAND TOTAL	**8**	**8.0**	**43**	**1**	**1**	**6**	**14**	**17**	**18**	**18**	**4**	**3.8**	**18**	**1**	**1**	**2**	**6**	**10**	**10**	**10**

BARBITURATE ABUSE (305.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54											1	4.0		4	4	4	4	4	4	4
55-74	1	6.0		6	6	6	6	6	6	6	2	14.5	265	3	3	14	26	26	26	26
75 +																				
ALL AGES	2	5.0	2	4	4	5	6	6	6	6	3	11.0	169	3	3	4	20	26	26	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	9.0	109	2	2	4	17	21	21	21	1	3.0		3	3	3	3	3	3	3
35-54	1	14.0		14	14	14	14	14	14	14	2	8.0	72	2	2	8	14	14	14	14
55-74	1	7.0		7	7	7	7	7	7	7	3	12.7	309	2	2	3	25	33	33	33
75 +											1	9.0		9	9	9	9	9	9	9
ALL AGES	5	9.6	61	2	2	7	16	21	21	21	7	9.4	129	2	2	3	13	29	33	33
SUBTOTAL	**7**	**8.3**	**46**	**2**	**2**	**6**	**12**	**20**	**21**	**21**	**10**	**9.9**	**124**	**2**	**2**	**4**	**14**	**29**	**33**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	22.0		22	22	22	22	22	22	22	1	15.0		15	15	15	15	15	15	15
25-34	5	20.2	128	3	3	24	29	30	30	30	2	2.0	2	1	1	2	3	3	3	3
35-54																				
55-74	3	8.3	37	2	2	9	13	14	14	14	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	9	16.4	112	2	2	15	25	30	30	30	4	5.5	41	1	1	3	9	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	15.5	421	1	1	15	30	30	30	30										
21-24																				
25-34	6	12.2	57	3	4	9	21	22	22	22	3	1.7	1	1	1	1	3	3	3	3
35-54	2	21.0	50	16	16	21	26	26	26	26	3	4.0	12	2	2	2	7	8	8	8
55-74	2	26.0	338	13	13	26	39	39	39	39	2	8.0	8	6	6	8	10	10	10	10
75 +																				
ALL AGES	12	16.5	130	1	2	14	24	33	38	39	8	4.1	12	1	1	3	7	9	10	10
SUBTOTAL	**21**	**16.5**	**115**	**1**	**2**	**15**	**24**	**30**	**34**	**39**	**12**	**4.6**	**19**	**1**	**1**	**3**	**7**	**11**	**14**	**15**
GRAND TOTAL	**28**	**14.4**	**110**	**2**	**2**	**13**	**22**	**30**	**31**	**39**	**22**	**7.0**	**70**	**1**	**1**	**3**	**9**	**18**	**29**	**33**

OPIOID ABUSE (305.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17																				
18-20																				
21-24	1	29.0		29	29	29	29	29	29	29										
25-34	3	13.3	118	1	1	18	20	21	21	21	3	13.0	208	1	1	9	24	29	29	29
35-54	4	10.3	182	1	1	5	19	30	30	30	3	24.0	351	3	3	30	37	39	39	39
55-74											1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	8	13.8	150	1	1	13	25	30	30	30	8	15.4	219	1	2	8	29	36	39	39
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	5.0		5	5	5	5	5	5	5
21-24											1	13.0		13	13	13	13	13	13	13
25-34	3	20.0	244	2	2	28	29	30	30	30	3	13.0	331	2	2	3	26	34	34	34
35-54	1	10.0		10	10	10	10	10	10	10	3	15.0	217	6	6	7	26	32	32	32
55-74	1	14.0		14	14	14	14	14	14	14	2	31.5	221	21	21	31	42	42	42	42
75 +																				
ALL AGES	5	16.8	143	2	2	14	28	30	30	30	10	16.5	217	2	2	10	32	38	42	42
SUBTOTAL	**13**	**14.9**	**139**	**1**	**1**	**14**	**28**	**30**	**30**	**30**	**18**	**16.0**	**206**	**1**	**2**	**8**	**30**	**37**	**41**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	23.0		23	23	23	23	23	23	23										
21-24	1	42.0		42	42	42	42	42	42	42										
25-34											1	41.0		41	41	41	41	41	41	41
35-54	1	10.0		10	10	10	10	10	10	10	2	6.0	8	4	4	6	8	8	8	8
55-74																				
75 +											1	21.0		21	21	21	21	21	21	21
ALL AGES	3	25.0	259	10	10	23	37	42	42	42	4	18.5	278	4	4	14	31	41	41	41
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	6.0		6	6	6	6	6	6	6										
25-34	4	5.3	10	2	2	5	8	9	9	9	2	5.5	5	4	4	5	7	7	7	7
35-54	5	16.6	88	4	4	17	23	29	29	29										
55-74											2	11.0	200	1	1	11	21	21	21	21
75 +																				
ALL AGES	10	11.0	78	2	2	8	17	25	29	29	4	8.3	77	1	1	5	14	21	21	21
SUBTOTAL	**13**	**14.2**	**140**	**2**	**3**	**10**	**21**	**32**	**40**	**42**	**8**	**13.4**	**182**	**1**	**2**	**7**	**21**	**35**	**41**	**41**
GRAND TOTAL	**26**	**14.6**	**133**	**1**	**2**	**11**	**23**	**30**	**33**	**42**	**26**	**15.2**	**192**	**1**	**2**	**8**	**29**	**38**	**41**	**42**

COCAINE ABUSE (305.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	8.0		8	8	8	8	8	8	8
13-17											1	30.0		30	30	30	30	30	30	30
18-20	3	12.0	243	3	3	3	23	30	30	30	5	10.6	140	3	3	3	18	30	30	30
21-24	13	13.1	144	1	2	6	27	28	28	28	14	15.3	158	3	3	9	28	30	30	30
25-34	29	11.7	148	1	1	5	26	28	35	35	31	15.1	147	1	3	8	29	30	30	30
35-54	7	16.6	141	1	2	20	28	28	28	28	14	18.4	159	2	2	24	30	31	32	32
55-74																				
75 +																				
ALL AGES	52	12.7	144	1	1	6	27	28	30	35	66	15.6	148	2	3	9	30	30	30	32
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	2	13.5	41	9	9	13	18	18	18	18	2	16.5	265	5	5	16	28	28	28	28
21-24	4	17.0	125	5	5	16	26	30	30	30	6	9.3	102	3	3	5	11	27	29	29
25-34	8	10.5	115	1	1	5	20	26	28	28	15	21.3	137	2	5	28	28	31	34	35
35-54	1	1.0		1	1	1	1	1	1	1	2	25.5	41	21	21	25	30	30	30	30
55-74																				
75 +																				
ALL AGES	16	11.3	105	1	1	7	20	27	29	30	25	18.4	144	2	3	27	28	30	32	35
SUBTOTAL	**68**	**12.4**	**133**	**1**	**1**	**6**	**27**	**28**	**30**	**35**	**91**	**16.4**	**146**	**2**	**3**	**13**	**29**	**30**	**30**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20	5	15.4	240	1	1	8	30	35	35	35	2	20.0	200	10	10	20	30	30	30	30
21-24	7	14.0	150	2	2	11	25	30	31	31	8	13.6	186	1	1	5	30	30	30	30
25-34	40	11.5	113	1	1	6	23	28	29	30	22	16.7	135	1	2	17	28	30	30	30
35-54	7	17.0	107	3	3	22	24	27	28	28	10	20.9	139	5	6	30	30	30	30	30
55-74																				
75 +																				
ALL AGES	60	12.6	123	1	1	7	24	29	30	35	42	17.3	141	1	2	17	30	30	30	30
B. FEMALE																				
0-12 YRS.																				
13-17	3	14.3	422	2	2	3	29	38	38	38										
18-20	1	9.0		9	9	9	9	9	9	9										
21-24	11	9.9	107	1	1	6	14	28	32	32	2	33.5	25	30	30	33	37	37	37	37
25-34	14	11.1	119	1	2	6	23	30	30	30	5	24.8	135	4	4	30	30	30	30	30
35-54	2	7.0	72	1	1	7	13	13	13	13										
55-74																				
75 +																				
ALL AGES	31	10.7	119	1	1	6	15	30	32	38	7	27.3	111	4	9	30	30	36	37	37
SUBTOTAL	**91**	**11.9**	**122**	**1**	**1**	**6**	**23**	**29**	**30**	**37**	**49**	**18.7**	**148**	**2**	**3**	**26**	**30**	**30**	**30**	**37**
GRAND TOTAL	**159**	**12.1**	**127**	**1**	**1**	**6**	**24**	**28**	**30**	**35**	**140**	**17.2**	**147**	**2**	**3**	**19**	**30**	**30**	**30**	**35**

AMPHETAMINE ABUSE (305.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											2	37.0	128	29	29	37	45	45	45	45
18-20																				
21-24																				
25-34	2	3.5	1	3	3	3	4	4	4	4	4	28.3	30	22	22	27	32	36	36	36
35-54																				
55-74																				
75 +																				
ALL AGES	2	3.5	1	3	3	3	4	4	4	4	6	31.2	64	22	22	28	36	44	45	45
B. FEMALE																				
0-12 YRS.																				
13-17											1	30.0		30	30	30	30	30	30	30
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	30.0		30	30	30	30	30	30	30
SUBTOTAL	**3**	**3.0**	**1**	**2**	**2**	**3**	**4**	**4**	**4**	**4**	**7**	**31.0**	**55**	**22**	**23**	**29**	**34**	**43**	**45**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	39.0		39	39	39	39	39	39	39
18-20																				
21-24	2	30.0	450	15	15	30	45	45	45	45										
25-34	3	32.0	43	26	26	31	37	39	39	39										
35-54	2	13.0	242	2	2	13	24	24	24	24										
55-74																				
75 +																				
ALL AGES	7	26.0	209	2	5	26	37	44	45	45	1	39.0		39	39	39	39	39	39	39
B. FEMALE																				
0-12 YRS.																				
13-17	3	29.0	475	4	4	39	43	44	44	44										
18-20	1	3.0		3	3	3	3	3	3	3	1	18.0		18	18	18	18	18	18	18
21-24	1	31.0		31	31	31	31	31	31	31										
25-34	1	28.0		28	28	28	28	28	28	28	2	13.5	313	1	1	13	26	26	26	26
35-54																				
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	7	23.3	270	3	3	28	37	43	44	44	3	15.0	163	1	1	18	24	26	26	26
SUBTOTAL	**14**	**24.6**	**226**	**2**	**3**	**27**	**39**	**44**	**45**	**45**	**4**	**21.0**	**253**	**1**	**1**	**22**	**32**	**39**	**39**	**39**
GRAND TOTAL	**17**	**20.8**	**255**	**2**	**2**	**24**	**33**	**43**	**45**	**45**	**11**	**27.4**	**132**	**2**	**11**	**28**	**34**	**41**	**45**	**45**

ANTIDEPRESSANT ABUSE (305.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES											2	2.0	2	1	1	2	3	3	3	3
SUBTOTAL											**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	1	28.0		28	28	28	28	28	28	28										
75 +																				
ALL AGES	2	16.0	288	4	4	16	28	28	28	28	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**3**	**12.0**	**192**	**4**	**4**	**4**	**22**	**28**	**28**	**28**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**
GRAND TOTAL	**3**	**12.0**	**192**	**4**	**4**	**4**	**22**	**28**	**28**	**28**	**4**	**1.8**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**3**

DRUG ABUSE NEC/NOS (305.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	9.7	176	1	1	3	19	25	25	25	1	5.0		5	5	5	5	5	5	5
13-17	38	22.9	224	1	2	18	39	42	45	50	7	25.4	622	1	1	28	47	58	60	60
18-20	19	11.5	95	1	1	9	16	28	29	29	6	2.7	6	1	1	2	4	7	7	7
21-24	19	11.8	135	1	1	5	26	28	29	29	3	18.0	175	3	3	23	27	28	28	28
25-34	52	11.8	117	1	2	7	20	28	30	42	24	16.0	196	1	2	9	28	31	43	47
35-54	27	9.9	85	2	2	7	14	25	29	39	10	12.3	131	2	3	6	23	30	32	32
55-74	6	7.2	48	1	1	4	10	19	20	20	4	6.5	7	4	4	6	8	10	10	10
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	165	13.8	156	1	2	9	23	30	40	45	55	14.3	221	1	1	6	28	32	46	60
B. FEMALE																				
0-12 YRS.																				
13-17	22	22.6	238	3	5	18	38	43	44	45	5	16.2	941	1	1	2	21	71	71	71
18-20	9	14.4	178	1	1	8	27	33	36	36	3	2.0	3	1	1	1	3	4	4	4
21-24	13	15.8	178	2	3	11	22	31	48	52	1	1.0		1	1	1	1	1	1	1
25-34	35	15.5	106	3	4	12	28	31	31	32	6	18.7	212	5	5	16	28	41	42	42
35-54	20	8.8	58	1	1	8	10	22	27	28	11	8.5	81	1	1	5	10	25	28	28
55-74	7	8.6	33	2	2	10	12	17	18	18	4	13.3	134	1	1	11	21	29	29	29
75 +	2	18.0	98	11	11	18	25	25	25	25	1	7.0		7	7	7	7	7	7	7
ALL AGES	108	15.2	150	2	3	11	24	32	42	48	31	11.4	233	1	1	5	12	29	41	71
SUBTOTAL	**273**	**14.4**	**152**	**1**	**2**	**10**	**23**	**31**	**41**	**45**	**86**	**13.2**	**226**	**1**	**1**	**6**	**24**	**29**	**43**	**67**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	29	24.9	171	3	11	26	32	42	44	53	6	5.2	68	1	1	2	3	20	22	22
18-20	10	10.4	176	1	1	3	23	32	36	36	2	23.5	85	17	17	23	30	30	30	30
21-24	18	16.8	141	1	2	15	28	32	34	36	1	4.0		4	4	4	4	4	4	4
25-34	33	16.2	206	1	2	11	26	36	41	58	12	13.9	138	1	2	8	26	29	31	31
35-54	21	8.2	44	1	1	7	13	19	20	21	6	13.7	132	2	2	12	21	29	30	30
55-74	5	13.4	107	4	4	14	19	29	29	29	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	116	16.4	179	1	2	14	27	36	42	55	28	11.9	125	1	1	5	22	29	30	31
B. FEMALE																				
0-12 YRS.																				
13-17	21	22.8	232	3	4	21	33	40	49	59	5	12.8	226	3	3	8	18	39	39	39
18-20	6	18.2	130	3	3	20	23	34	35	35	2	9.0	128	1	1	8	17	17	17	17
21-24	5	8.2	17	2	2	9	11	13	13	13	2	1.5	1	1	1	1	2	2	2	2
25-34	23	15.2	175	2	3	10	23	37	44	47	4	2.3	2	1	1	2	3	4	4	4
35-54	18	11.9	101	2	4	8	14	30	36	37	4	2.8	1	2	2	3	3	4	4	4
55-74	10	12.2	62	4	4	9	17	25	28	28	2	8.0	2	7	7	8	9	9	9	9
75 +	3	15.0	37	8	8	18	19	19	19	19										
ALL AGES	86	15.8	157	2	4	11	22	35	40	55	19	6.4	79	1	1	3	8	15	29	39
SUBTOTAL	**202**	**16.1**	**170**	**2**	**2**	**13**	**26**	**36**	**41**	**55**	**47**	**9.7**	**111**	**1**	**1**	**4**	**17**	**28**	**30**	**39**
GRAND TOTAL	**475**	**15.1**	**161**	**1**	**2**	**11**	**24**	**34**	**41**	**49**	**133**	**12.0**	**187**	**1**	**1**	**5**	**22**	**29**	**38**	**62**

PSYCHOGEN MUSCULSKEL DIS (306.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	5.0	32	1	1	5	9	9	9	9										
35-54	1	2.0		2	2	2	2	2	2	2	1	5.0		5	5	5	5	5	5	5
55-74																				
75 +																				
ALL AGES	3	4.0	19	1	1	2	7	9	9	9	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	2	6.5	61	1	1	6	12	12	12	12	1	3.0		3	3	3	3	3	3	3
18-20																				
21-24																				
25-34	1	7.0		7	7	7	7	7	7	7	1	7.0		7	7	7	7	7	7	7
35-54	2	6.0	8	4	4	6	8	8	8	8										
55-74	1	29.0		29	29	29	29	29	29	29										
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	7	9.9	82	1	1	8	11	26	29	29	3	4.0	7	2	2	3	6	7	7	7
SUBTOTAL	**10**	**8.1**	**68**	**1**	**1**	**7**	**9**	**20**	**29**	**29**	**4**	**4.3**	**4**	**2**	**2**	**4**	**6**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	29.0		29	29	29	29	29	29	29										
35-54											3	3.0	1	2	2	3	4	4	4	4
55-74	1	18.0		18	18	18	18	18	18	18	2	19.0	338	6	6	19	32	32	32	32
75 +																				
ALL AGES	2	23.5	61	18	18	23	29	29	29	29	5	9.4	162	2	2	4	12	32	32	32
SUBTOTAL	**2**	**23.5**	**61**	**18**	**18**	**23**	**29**	**29**	**29**	**29**	**5**	**9.4**	**162**	**2**	**2**	**4**	**12**	**32**	**32**	**32**
GRAND TOTAL	**12**	**10.7**	**96**	**1**	**1**	**8**	**15**	**29**	**29**	**29**	**9**	**7.1**	**90**	**2**	**2**	**4**	**6**	**22**	**32**	**32**

PSYCHOGENIC RESPIR DIS (306.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	3.0	2	2	2	3	4	4	4	4										
13-17	3	2.7	1	2	2	2	4	4	4	4										
18-20	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
21-24	2	1.0		1	1	1	1	1	1	1										
25-34	4	2.3	1	1	1	2	3	3	3	3	2	3.0		3	3	3	3	3	3	3
35-54	5	2.8	4	1	1	2	4	6	6	6	5	4.0	5	1	1	4	6	6	6	6
55-74	5	2.2	1	1	1	2	3	3	3	3										
75 +	4	10.0	81	3	3	7	16	23	23	23	2	3.5	13	1	1	3	6	6	6	6
ALL AGES	26	3.5	19	1	1	2	3	6	12	23	10	3.4	4	1	1	3	6	6	6	6
B. FEMALE																				
0-12 YRS.	2	2.5	1	2	2	2	3	3	3	3	3	1.7		1	1	2	2	2	2	2
13-17	2	3.0	2	2	2	3	4	4	4	4	4	1.5		1	1	1	2	2	2	2
18-20											2	4.5	1	4	4	4	5	5	5	5
21-24	3	3.3	5	1	1	4	5	5	5	5	1	2.0		2	2	2	2	2	2	2
25-34	4	3.3	6	2	2	2	5	7	7	7	7	3.6	10	1	1	1	7	8	8	8
35-54	14	3.6	5	1	2	3	4	5	10	11	18	2.9	2	1	1	3	4	5	6	6
55-74	16	3.9	4	1	1	4	5	7	8	8	6	4.5	6	3	3	4	5	9	9	9
75 +	7	2.9	3	1	1	3	4	6	6	6	5	2.8	9	1	1	2	4	8	8	8
ALL AGES	48	3.5	4	1	1	3	4	6	7	11	46	3.0	5	1	1	2	4	6	8	9
SUBTOTAL	**74**	**3.5**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**20**	**56**	**3.1**	**4**	**1**	**1**	**3**	**4**	**6**	**8**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17																				
18-20											1	1.0		1	1	1	1	1	1	1
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	1	1.0		1	1	1	1	1	1	1	2	2.0	2	1	1	2	3	3	3	3
35-54	3	3.3	1	3	3	3	4	4	4	4										
55-74	3	4.3	17	2	2	2	7	9	9	9	3	2.7	1	2	2	2	4	4	4	4
75 +	3	4.3	3	3	3	4	5	6	6	6	1	2.0		2	2	2	2	2	2	2
ALL AGES	11	3.5	5	1	1	3	4	7	9	9	8	2.1	1	1	1	2	3	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	1.0		1	1	1	1	1	1	1
21-24											2	3.5	5	2	2	3	5	5	5	5
25-34	5	3.8	6	2	2	3	5	8	8	8	3	1.7		1	1	2	2	2	2	2
35-54	7	2.9	3	1	1	2	5	5	5	5	8	2.9	1	1	1	3	4	5	5	5
55-74	5	2.2	2	1	1	2	3	4	4	4	11	3.7	4	1	1	4	5	6	6	6
75 +	3	3.3	11	1	1	2	6	7	7	7	4	5.8	24	2	2	4	9	13	13	13
ALL AGES	20	3.0	4	1	1	2	4	6	7	8	29	3.4	6	1	1	3	5	6	7	13
SUBTOTAL	**31**	**3.2**	**4**	**1**	**1**	**3**	**4**	**6**	**8**	**9**	**37**	**3.2**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**13**
GRAND TOTAL	**105**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**16**	**93**	**3.1**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

PSYCHOGEN CARDIOVASC DIS (306.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34											1	3.0		3	3	3	3	3	3	3
35-54	2	3.5	5	2	2	3	5	5	5	5										
55-74	1	2.0		2	2	2	2	2	2	2	3	7.7	80	2	2	3	14	18	18	18
75 +	1	14.0		14	14	14	14	14	14	14	3	4.3	2	3	3	5	5	5	5	5
ALL AGES	5	4.8	29	1	1	2	7	14	14	14	7	5.6	31	2	2	3	5	15	18	18
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34											1	4.0		4	4	4	4	4	4	4
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	3	3.0	3	1	1	4	4	4	4	4	2	9.5	61	4	4	9	15	15	15	15
75 +											2	2.5	1	2	2	2	3	3	3	3
ALL AGES	4	3.3	2	1	1	4	4	4	4	4	6	4.8	27	1	1	3	4	14	15	15
SUBTOTAL	**9**	**4.1**	**16**	**1**	**1**	**4**	**4**	**10**	**14**	**14**	**13**	**5.2**	**27**	**1**	**2**	**3**	**5**	**16**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34																				
35-54	2	3.0	2	2	2	3	4	4	4	4										
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	3	3.7	2	2	2	4	5	5	5	5	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	13.5	145	5	5	13	22	22	22	22	1	2.0		2	2	2	2	2	2	2
55-74	4	3.8	2	2	2	3	5	6	6	6	1	10.0		10	10	10	10	10	10	10
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	6	7.0	56	2	2	4	6	20	22	22	3	4.7	21	2	2	2	8	10	10	10
SUBTOTAL	**9**	**5.9**	**38**	**2**	**2**	**4**	**5**	**16**	**22**	**22**	**4**	**3.8**	**17**	**1**	**1**	**2**	**6**	**10**	**10**	**10**
GRAND TOTAL	**18**	**5.0**	**26**	**1**	**1**	**4**	**5**	**12**	**19**	**22**	**17**	**4.9**	**24**	**1**	**1**	**3**	**5**	**14**	**17**	**18**

PSYCHOGENIC SKIN DISEASE (306.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	83.0		83	83	83	83	83	83	83										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	83.0		83	83	83	83	83	83	83										
SUBTOTAL	**1**	**83.0**		**83**	**83**	**83**	**83**	**83**	**83**	**83**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**1**	**83.0**		**83**	**83**	**83**	**83**	**83**	**83**	**83**										

PSYCHOGENIC GI DISEASE (306.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	2.3	1	2	2	2	3	3	3	3										
13-17	1	2.0		2	2	2	2	2	2	2										
18-20	1	6.0		6	6	6	6	6	6	6										
21-24											1	1.0		1	1	1	1	1	1	1
25-34											1	3.0		3	3	3	3	3	3	3
35-54	2	7.5	13	5	5	7	10	10	10	10	2	9.0	72	3	3	9	15	15	15	15
55-74	5	4.0	7	1	1	3	6	8	8	8	1	3.0		3	3	3	3	3	3	3
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	12	4.2	7	1	1	3	6	9	10	10	6	4.5	27	1	1	3	3	14	15	15
B. FEMALE																				
0-12 YRS.	4	6.0	47	1	1	3	10	16	16	16	2	4.5	13	2	2	4	7	7	7	7
13-17	2	4.0	2	3	3	4	5	5	5	5	2	2.5	5	1	1	2	4	4	4	4
18-20											2	3.0		3	3	3	3	3	3	3
21-24											1	3.0		3	3	3	3	3	3	3
25-34	4	4.3	6	2	2	4	6	7	7	7	9	5.8	6	3	3	5	7	10	10	10
35-54	9	3.4	4	1	1	3	4	7	7	7	3	14.3	388	2	2	4	29	37	37	37
55-74	7	5.3	4	2	2	6	7	8	8	8	4	3.8	2	2	2	3	5	6	6	6
75 +	3	5.7	10	2	2	7	8	8	8	8	3	3.7	1	3	3	3	5	5	5	5
ALL AGES	29	4.6	10	1	2	4	6	8	9	16	26	5.5	46	2	2	4	6	9	15	37
SUBTOTAL	**41**	**4.5**	**9**	**1**	**2**	**4**	**6**	**8**	**9**	**16**	**32**	**5.3**	**42**	**1**	**2**	**4**	**5**	**9**	**14**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	—																			
18-20																				
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	3	5.7		5	5	6	6	6	6	6	1	2.0		2	2	2	2	2	2	2
55-74	1	6.0		6	6	6	6	6	6	6										
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	5	5.6		5	5	6	6	6	6	6	3	3.0	3	2	2	2	4	5	5	5
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	3	6.3	35	2	2	4	11	13	13	13	2	3.5	5	2	2	3	5	5	5	5
18-20	1	8.0		8	8	8	8	8	8	8										
21-24	1	4.0		4	4	4	4	4	4	4	4	4.8	10	2	2	5	7	8	8	8
25-34	2	4.5	5	3	3	4	6	6	6	6	1	4.0		4	4	4	4	4	4	4
35-54	3	8.3	5	6	6	9	10	10	10	10	7	8.9	102	2	2	6	9	27	31	31
55-74	2	5.0	2	4	4	5	6	6	6	6	8	3.3	2	1	1	3	5	5	5	5
75 +	2	8.5	1	8	8	8	9	9	9	9	1	1.0		1	1	1	1	1	1	1
ALL AGES	15	6.4	9	2	3	6	9	10	12	13	23	5.2	37	1	2	4	6	8	17	31
SUBTOTAL	**20**	**6.2**	**7**	**2**	**3**	**6**	**8**	**10**	**11**	**13**	**26**	**4.9**	**34**	**1**	**2**	**3**	**5**	**8**	**13**	**31**
GRAND TOTAL	**61**	**5.0**	**9**	**1**	**2**	**5**	**6**	**9**	**10**	**16**	**58**	**5.2**	**37**	**1**	**2**	**4**	**5**	**9**	**13**	**37**

PSYCHOGENIC GU DISEASE (306.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-20																				
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	1	2.0		2	2	2	2	2	2	2										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	5	3.2	6	1	1	2	5	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-20																				
21-24	2	2.5	1	2	2	2	3	3	3	3										
25-34	2	7.5	25	4	4	7	11	11	11	11										
35-54																				
55-74																				
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	5	4.4	14	2	2	3	6	11	11	11	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**10**	**3.8**	**9**	**1**	**1**	**3**	**4**	**9**	**11**	**11**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	10.0		10	10	10	10	10	10	10										
55-74																				
75 +																				
ALL AGES	2	6.0	32	2	2	6	10	10	10	10										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	8.0		8	8	8	8	8	8	8
21-24																				
25-34											1	5.0		5	5	5	5	5	5	5
35-54	1	14.0		14	14	14	14	14	14	14	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	1	14.0		14	14	14	14	14	14	14	3	5.0	9	2	2	5	7	3	8	8
SUBTOTAL	**3**	**8.7**	**36**	**2**	**2**	**10**	**13**	**14**	**14**	**14**	**3**	**5.0**	**9**	**2**	**2**	**5**	**7**	**8**	**8**	**8**
GRAND TOTAL	**13**	**4.9**	**18**	**1**	**1**	**3**	**8**	**12**	**14**	**14**	**4**	**4.5**	**7**	**2**	**2**	**4**	**6**	**8**	**8**	**8**

PSYCHOGEN ENDOCRINE DIS (306.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3	1	33.0		33	33	33	33	33	33	33
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	2	3.0		3	3	3	3	3	3	3	1	33.0		33	33	33	33	33	33	33
SUBTOTAL	**2**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**	**1**	**33.0**		**33**	**33**	**33**	**33**	**33**	**33**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**2**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**	**1**	**33.0**		**33**	**33**	**33**	**33**	**33**	**33**	**33**

PSYCHOGENIC DISORDER NEC (306.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	2.0		2	2	2	2	2	2	2										
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1	1	5.0		5	5	5	5	5	5	5
35-54																				
55-74																				
75 +																				
ALL AGES	3	1.7		1	1	2	2	2	2	2	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-20																				
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	4	3.3	2	1	1	3	4	5	5	5										
SUBTOTAL	**7**	**2.6**	**2**	**1**	**1**	**2**	**4**	**5**	**5**	**5**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	4.0		4	4	4	4	4	4	4
25-34																				
35-54											2	12.0		12	12	12	12	12	12	12
55-74	1	28.0		28	28	28	28	28	28	28										
75 +																				
ALL AGES	1	28.0		28	28	28	28	28	28	28	3	9.3	22	4	4	12	12	12	12	12
SUBTOTAL	**1**	**28.0**		**28**	**28**	**28**	**28**	**28**	**28**	**28**	**3**	**9.3**	**22**	**4**	**4**	**12**	**12**	**12**	**12**	**12**
GRAND TOTAL	**8**	**5.8**	**82**	**1**	**1**	**3**	**4**	**21**	**28**	**28**	**4**	**8.3**	**18**	**4**	**4**	**8**	**12**	**12**	**12**	**12**

PSYCHOGENIC DISORDER NOS (306.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17																				
18-20																				
21-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	3	2.0	1	1	1	2	3	3	3	3	1	2.0		2	2	2	2	2	2	2
13-17	4	4.3	20	2	2	2	7	11	11	11										
18-20											1	2.0		2	2	2	2	2	2	2
21-24																				
25-34											1	6.0		6	6	6	6	6	6	6
35-54	4	11.8	245	1	1	5	21	35	35	35	2	5.0	18	2	2	5	8	8	8	8
55-74											4	2.5	4	1	1	2	4	5	5	5
75 +																				
ALL AGES	11	6.4	99	1	1	2	6	21	34	35	9	3.3	6	1	1	2	5	7	8	8
SUBTOTAL	**12**	**6.2**	**90**	**1**	**1**	**3**	**6**	**18**	**33**	**35**	**10**	**3.1**	**6**	**1**	**1**	**2**	**5**	**7**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	21.5	685	3	3	21	40	40	40	40										
18-20																				
21-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	3	14.7	481	1	1	3	31	40	40	40										
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-20											1	3.0		3	3	3	3	3	3	3
21-24																				
25-34																				
35-54	6	13.2	80	1	2	12	13	27	29	29										
55-74	1	5.0		5	5	5	5	5	5	5	2	12.5	145	4	4	12	21	21	21	21
75 +																				
ALL AGES	8	11.0	74	1	2	11	13	24	29	29	3	9.3	103	3	3	4	17	21	21	21
SUBTOTAL	**11**	**12.0**	**151**	**1**	**1**	**11**	**13**	**33**	**39**	**40**	**3**	**9.3**	**103**	**3**	**3**	**4**	**17**	**21**	**21**	**21**
GRAND TOTAL	**23**	**9.0**	**122**	**1**	**1**	**4**	**12**	**30**	**37**	**40**	**13**	**4.5**	**29**	**1**	**1**	**3**	**5**	**11**	**19**	**21**

STAMMERING & STUTTERING (307.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**7.0**		7	7	7	7	7	7	7										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	10.0		10	10	10	10	10	10	10										
35-54																				
55-74																				
75 +																				
ALL AGES	1	10.0		10	10	10	10	10	10	10										
SUBTOTAL	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**										
GRAND TOTAL	**2**	**8.5**	**5**	**7**	**7**	**8**	**10**	**10**	**10**	**10**										

ANOREXIA NERVOSA (307.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	6.0		6	6	6	6	6	6	6
13-17											1	3.0		3	3	3	3	3	3	3
18-20	1	5.0		5	5	5	5	5	5	5										
21-24																				
25-34																				
35-54	1	11.0		11	11	11	11	11	11	11										
55-74																				
75 +																				
ALL AGES	3	5.7	25	1	1	5	9	11	11	11	2	4.5	5	3	3	4	6	6	6	6
B. FEMALE																				
0-12 YRS.	5	31.2	591	3	3	31	47	66	66	66										
13-17	12	34.8	696	2	6	30	48	74	88	90	2	4.0		4	4	4	4	4	4	4
18-20	8	24.9	252	5	7	28	40	81	99 +	99 +	1	8.0		8	8	8	8	8	8	8
21-24	11	21.7	78	3	11	23	27	32	36	36	1	2.0		2	2	2	2	2	2	2
25-34	11	16.3	164	1	1	13	30	58	94	99 +	6	30.3	995	1	1	26	48	74	77	77
35-54	5	10.4	76	3	3	10	24	92	99 +	99 +	2	7.5	5	6	6	7	9	9	9	9
55-74	1	8.0		8	8	8	8	8	8	8	1	5.0		5	5	5	5	5	5	5
75 +	1	10.0		10	10	10	10	10	10	10	1	3.0		3	3	3	3	3	3	3
ALL AGES	54	23.3	346	2	3	22	36	63	96	99 +	14	15.9	554	1	2	5	9	51	71	77
SUBTOTAL	**57**	**22.4**	**343**	**1**	**3**	**20**	**35**	**59**	**95**	**99 +**	**16**	**14.5**	**494**	**1**	**2**	**5**	**8**	**48**	**68**	**77**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	30.0		30	30	65	99 +	99 +	99 +	99 +										
18-20																				
21-24																				
25-34											1	10.0		10	10	10	10	10	10	10
35-54	1	9.0		9	9	9	9	9	9	9										
55-74	1	24.0		24	24	24	24	24	24	24	2	4.5	1	4	4	4	5	5	5	5
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	3	21.0	117	9	9	27	65	99 +	99 +	99 +	4	6.8	7	4	4	6	9	10	10	10
B. FEMALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17	9	23.0	525	3	3	20	43	86	99 +	99 +	3	11.3	13	8	8	11	14	15	15	15
18-20	4	18.3	92	10	10	15	25	32	32	32	4	15.3	366	5	5	6	25	44	44	44
21-24	5	9.0	171	1	1	5	12	32	32	32	2	11.5	85	5	5	11	18	18	18	18
25-34	12	25.3	501	2	4	18	45	81	96	99 +	6	11.3	46	2	2	12	16	19	19	19
35-54	12	20.3	290	3	5	16	28	46	58	60	6	8.2	35	3	3	7	9	18	19	19
55-74	2	24.0	648	6	6	24	42	42	42	42	2	10.5	41	6	6	10	15	15	15	15
75 +											1	18.0		18	18	18	18	18	18	18
ALL AGES	45	20.6	358	2	3	16	32	58	80	99 +	24	11.4	80	3	3	9	16	19	27	44
SUBTOTAL	**48**	**20.6**	**341**	**2**	**3**	**18**	**32**	**65**	**98**	**99 +**	**28**	**10.8**	**70**	**3**	**3**	**8**	**15**	**19**	**22**	**44**
GRAND TOTAL	**105**	**21.6**	**339**	**1**	**3**	**18**	**34**	**62**	**99**	**99 +**	**44**	**12.1**	**221**	**2**	**3**	**6**	**15**	**22**	**47**	**77**

TICS (307.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	4.2	19	1	1	3	6	11	12	12										
13-17	3	19.0	379	4	4	12	34	41	41	41										
18-20	1	14.0		14	14	14	14	14	14	14										
21-24	2	23.0	512	7	7	23	39	39	39	39										
25-34																				
35-54											1	4.0		4	4	4	4	4	4	4
55-74																				
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	13	11.3	181	1	1	6	13	39	41	41	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	1	4.0		4	4	4	4	4	4	4										
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	3	3.7		3	3	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**16**	**9.9**	**154**	**1**	**1**	**5**	**12**	**36**	**40**	**41**	**2**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	29.0		29	29	29	29	29	29	29										
13-17	1	17.0		17	17	17	17	17	17	17										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	23.0	72	17	17	23	29	29	29	29										
B. FEMALE																				
0-12 YRS.																				
13-17	2	29.5	13	27	27	29	32	32	32	32										
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	3	20.7	238	3	3	27	31	32	32	32										
SUBTOTAL	**5**	**21.6**	**140**	**3**	**3**	**27**	**30**	**32**	**32**	**32**										
GRAND TOTAL	**21**	**12.7**	**169**	**1**	**1**	**6**	**19**	**35**	**40**	**41**	**2**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

STEREOTYPED MOVEMENTS (307.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	33.7	2819	2	2	4	72	95	95	95										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	33.7	2819	2	2	4	72	95	95	95										
B. FEMALE																				
0-12 YRS.	2	2.0		2	2	2	2	2	2	2										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**5**	**21.0**	**1712**	**2**	**2**	**2**	**27**	**95**	**95**	**95**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**5**	**21.0**	**1712**	**2**	**2**	**2**	**27**	**95**	**95**	**95**										

NONORGANIC SLEEP DISORD (307.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	6	2.2	1	1	1	2	3	4	4	4											
13-17	1	1.0		1	1	1	1	1	1	1											
18-20																					
21-24																					
25-34	2	2.0		2	2	2	2	2	2	2											
35-54	1	2.0		2	2	2	2	2	2	2											
55-74																					
75 +	2	5.0	2	4	4	5	6	6	6	6											
ALL AGES	12	2.5	2	1	1	2	3	5	6	6											
B. FEMALE																					
0-12 YRS.	1	1.0		1	1	1	1	1	1	1		1	3.0		3	3	3	3	3	3	3
13-17																					
18-20																					
21-24	1	1.0		1	1	1	1	1	1	1											
25-34	1	2.0		2	2	2	2	2	2	2											
35-54	5	3.2	19	1	1	1	4	11	11	11											
55-74	1	2.0		2	2	2	2	2	2	2											
75 +																					
ALL AGES	9	2.4	11	1	1	1	2	8	11	11		1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**21**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**8**	**11**		**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	1	6.0		6	6	6	6	6	6	6											
13-17																					
18-20																					
21-24																					
25-34	1	2.0		2	2	2	2	2	2	2											
35-54	2	2.0		2	2	2	2	2	2	2											
55-74																					
75 +																					
ALL AGES	4	3.0	4	2	2	2	4	6	6	6											
B. FEMALE																					
0-12 YRS.	1	2.0		2	2	2	2	2	2	2											
13-17																					
18-20																					
21-24																					
25-34	3	2.3	1	2	2	2	3	3	3	3		1	3.0		3	3	3	3	3	3	3
35-54	1	4.0		4	4	4	4	4	4	4											
55-74	3	2.0		2	2	2	2	2	2	2											
75 +																					
ALL AGES	8	2.4		2	2	2	3	4	4	4		1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**12**	**2.6**	**1**	**2**	**2**	**2**	**3**	**5**	**6**	**6**		**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**33**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**11**		**2**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

EATING DISORDERS NEC/NOS (307.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	20.3	494	2	2	14	37	45	45	45	2	2.5	1	2	2	2	3	3	3	3
13-17	1	18.0		18	18	18	18	18	18	18										
18-20	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54											1	3.0		3	3	3	3	3	3	3
55-74											1	3.0		3	3	3	3	3	3	3
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	7	12.9	245	1	1	9	17	40	45	45	5	3.0	1	2	2	3	3	4	4	4
B. FEMALE																				
0-12 YRS.	5	24.8	849	5	5	8	40	74	74	74	2	3.0	8	1	1	3	5	5	5	5
13-17	11	24.4	209	5	9	22	34	45	54	55										
18-20	11	26.5	462	3	6	25	32	57	78	80	1	7.0		7	7	7	7	7	7	7
21-24	8	23.6	252	2	4	22	37	44	46	46	2	48.0	450	33	33	48	63	63	63	63
25-34	8	16.9	139	1	2	21	25	30	32	32	4	39.3	373	26	26	31	51	68	68	68
35-54	9	21.9	386	1	2	20	41	49	53	53										
55-74	2	18.0	200	8	8	18	28	28	28	28	1	9.0		9	9	9	9	9	9	9
75 +	2	4.5	1	4	4	4	5	5	5	5	1	6.0		6	6	6	6	6	6	6
ALL AGES	56	22.3	316	2	4	20	31	43	54	80	11	25.5	539	1	3	26	34	65	68	68
SUBTOTAL	**63**	**21.3**	**311**	**1**	**3**	**18**	**31**	**43**	**54**	**79**	**16**	**18.5**	**475**	**1**	**2**	**6**	**31**	**60**	**66**	**68**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	29.0		29	29	64	99+	99+	99+	99+										
18-20	1	4.0		4	4	4	4	4	4	4										
21-24																				
25-34	1	12.0		12	12	12	12	12	12	12	1	14.0		14	14	14	14	14	14	14
35-54											1	33.0		33	33	33	33	33	33	33
55-74											1	11.0		11	11	11	11	11	11	11
75 +																				
ALL AGES	3	15.0	163	4	4	20	64	99+	99+	99+	3	19.3	144	11	11	14	28	33	33	33
B. FEMALE																				
0-12 YRS.	2	13.0	32	9	9	13	17	17	17	17	1	3.0		3	3	3	3	3	3	3
13-17	19	27.5	367	4	7	28	41	84	99+	99+	2	3.5	1	3	3	3	4	4	4	4
18-20	11	26.3	186	11	11	23	35	48	53	53										
21-24	12	25.0	88	8	11	27	31	35	39	40	1	8.0		8	8	8	8	8	8	8
25-34	14	22.7	236	3	5	24	39	46	86	99+	4	18.5	414	1	1	15	35	42	42	42
35-54	9	21.7	132	2	3	24	29	34	38	38	5	4.2	5	2	2	3	6	7	7	7
55-74											6	11.0	104	1	1	7	20	26	27	27
75 +																				
ALL AGES	67	24.6	217	5	6	26	33	49	73	99+	19	9.4	132	1	1	4	8	28	36	42
SUBTOTAL	**70**	**24.2**	**215**	**4**	**6**	**26**	**33**	**53**	**94**	**99+**	**22**	**10.8**	**138**	**1**	**2**	**6**	**14**	**30**	**37**	**42**
GRAND TOTAL	**133**	**22.8**	**262**	**2**	**4**	**23**	**32**	**46**	**68**	**99+**	**38**	**14.0**	**287**	**1**	**2**	**6**	**26**	**34**	**55**	**68**

ENURESIS (307.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	27.0		27	27	27	27	27	27	27
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	27.0		27	27	27	27	27	27	27
B. FEMALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**1**	**27.0**		**27**	**27**	**27**	**27**	**27**	**27**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	1	5.0		5	5	5	5	5	5	5										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	3.5	5	2	2	3	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**3.5**	**5**	**2**	**2**	**3**	**5**	**5**	**5**	**5**										
GRAND TOTAL	**4**	**2.3**	**3**	**1**	**1**	**2**	**3**	**5**	**5**	**5**	**1**	**27.0**		**27**	**27**	**27**	**27**	**27**	**27**	**27**

ENCOPRESIS (307.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-17	1	3.0		3	3	3	3	3	3	3										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	1	32.0		32	32	32	32	32	32	32										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	17.5	421	3	3	17	32	32	32	32										
SUBTOTAL	**3**	**12.3**	**292**	**2**	**2**	**3**	**25**	**32**	**32**	**32**										
GRAND TOTAL	**4**	**10.0**	**215**	**2**	**2**	**3**	**18**	**32**	**32**	**32**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**

PSYCHALGIA (307.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	5.5	5	4	4	5	7	7	7	7	4	2.5		2	2	2	3	3	3	3
13-17	3	2.3	1	2	2	2	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
18-20	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
21-24																				
25-34	18	3.6	10	1	1	2	5	7	11	14	14	2.7	2	1	2	2	3	5	6	7
35-54	15	3.5	4	1	2	3	5	6	7	8	21	4.6	18	1	2	3	4	13	15	15
55-74	7	3.7	10	1	1	3	6	8	9	9	11	2.7	3	1	1	2	4	6	6	6
75 +																				
ALL AGES	46	3.6	7	1	1	3	5	7	8	14	53	3.4	9	1	1	2	3	6	11	15
B. FEMALE																				
0-12 YRS.	4	3.3	3	2	2	3	4	6	6	6	1	1.0		1	1	1	1	1	1	1
13-17	12	3.6	9	1	1	2	5	9	9	9	9	5.3	21	2	2	4	8	13	15	15
18-20	5	3.2	3	2	2	3	4	6	6	6	6	3.8	9	1	1	3	7	8	8	8
21-24	11	3.7	11	1	1	2	5	9	12	12	16	3.4	4	1	1	3	5	6	7	7
25-34	34	4.7	18	1	1	4	5	9	16	18	67	4.1	8	1	1	4	5	7	9	16
35-54	42	5.7	103	2	2	4	5	8	12	68	72	4.4	10	1	2	3	5	8	13	16
55-74	12	5.2	18	2	2	4	6	11	16	17	22	3.9	7	1	1	3	5	7	10	13
75 +	5	4.4	1	3	3	5	5	5	5	5	9	5.1	11	2	2	4	7	10	12	12
ALL AGES	125	4.8	43	1	2	3	5	8	12	30	202	4.2	9	1	1	3	5	7	10	16
SUBTOTAL	**171**	**4.5**	**33**	**1**	**1**	**3**	**5**	**8**	**10**	**18**	**255**	**4.0**	**9**	**1**	**1**	**3**	**5**	**7**	**11**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	3.0	1	2	2	3	4	4	4	4	1	2.0		2	2	2	2	2	2	2
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4	3	5.0	4	3	3	5	6	7	7	7
25-34	6	7.3	149	1	1	2	5	29	32	32	6	2.8	2	1	1	3	4	4	4	4
35-54	2	6.0	2	5	5	6	7	7	7	7	9	3.3	3	2	2	3	4	6	7	7
55-74	2	5.0	2	4	4	5	6	6	6	6	1	4.0		4	4	4	4	4	4	4
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	14	5.6	61	1	1	4	5	9	27	32	21	3.6	3	1	2	3	4	7	7	7
B. FEMALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6	1	1.0		1	1	1	1	1	1	1
13-17	2	3.0	2	2	2	3	4	4	4	4	2	3.5	1	3	3	3	4	4	4	4
18-20	1	13.0		13	13	13	13	13	13	13										
21-24	4	10.3	62	2	2	9	15	21	21	21	6	5.3	3	3	3	6	6	7	7	7
25-34	15	6.5	18	1	2	5	8	14	16	17	25	5.6	13	2	3	5	6	10	14	17
35-54	35	6.1	21	1	2	4	7	14	16	19	37	5.2	11	1	2	4	6	8	13	16
55-74	8	9.9	60	2	2	9	11	22	27	27	8	4.5	7	2	2	4	6	9	10	10
75 +	2	2.0		2	2	2	2	2	2	2	1	12.0		12	12	12	12	12	12	12
ALL AGES	68	6.7	29	1	2	5	9	14	17	26	80	5.3	10	2	3	4	6	9	12	17
SUBTOTAL	**82**	**6.5**	**34**	**1**	**2**	**5**	**8**	**14**	**18**	**30**	**101**	**4.9**	**10**	**1**	**2**	**4**	**6**	**8**	**11**	**16**
GRAND TOTAL	**253**	**5.1**	**35**	**1**	**2**	**4**	**6**	**10**	**14**	**27**	**356**	**4.3**	**9**	**1**	**2**	**3**	**5**	**8**	**11**	**16**

SPECIAL SYMPTOM NEC/NOS (307.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	1.5	1	1	1	1	2	3	3	3	1	1.0		1	1	1	1	1	1	1
13-17	1	2.0		2	2	2	2	2	2	2										
18-20																				
21-24																				
25-34	2	3.0	2	2	2	3	4	4	4	4	1	2.0		2	2	2	2	2	2	2
35-54	2	11.0	98	4	4	11	18	18	18	18	1	5.0		5	5	5	5	5	5	5
55-74											1	1.0		1	1	1	1	1	1	1
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	9	4.0	29	1	1	2	4	12	18	18	5	2.8	4	1	1	2	5	5	5	5
B. FEMALE																				
0-12 YRS.	3	3.3	3	2	2	3	4	5	5	5										
13-17	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
18-20																				
21-24																				
25-34																				
35-54											2	4.5	5	3	3	4	6	6	6	6
55-74	1	3.0		3	3	3	3	3	3	3	2	7.0	8	5	5	7	9	9	9	9
75 +	1	2.0		2	2	2	2	2	2	2	5	4.6	8	2	2	3	7	9	9	9
ALL AGES	6	2.7	2	1	1	2	3	5	5	5	10	4.9	7	2	2	4	6	9	9	9
SUBTOTAL	**15**	**3.5**	**17**	**1**	**1**	**2**	**4**	**5**	**15**	**18**	**15**	**4.2**	**6**	**1**	**1**	**3**	**6**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24											1	6.0		6	6	6	6	6	6	6
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6	2	5.0	2	4	4	5	6	6	6	6
55-74	1	9.0		9	9	9	9	9	9	9	1	31.0		31	31	31	31	31	31	31
75 +	3	5.3	3	4	4	5	6	7	7	7	1	8.0		8	8	8	8	8	8	8
ALL AGES	6	5.3	8	1	1	5	7	9	9	9	5	11.0	127	4	4	6	14	31	31	31
B. FEMALE																				
0-12 YRS.											1	15.0		15	15	15	15	15	15	15
13-17																				
18-20																				
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
35-54																				
55-74	2	6.0	8	4	4	6	8	8	8	8										
75 +	1	4.0		4	4	4	4	4	4	4	3	7.0	52	1	1	5	12	15	15	15
ALL AGES	4	4.8	4	3	3	4	6	8	8	8	5	7.4	51	1	1	5	15	15	15	15
SUBTOTAL	**10**	**5.1**	**6**	**1**	**1**	**5**	**7**	**8**	**9**	**9**	**10**	**9.2**	**83**	**1**	**1**	**6**	**15**	**23**	**31**	**31**
GRAND TOTAL	**25**	**4.1**	**13**	**1**	**1**	**3**	**5**	**8**	**11**	**18**	**25**	**6.2**	**41**	**1**	**1**	**5**	**7**	**15**	**19**	**31**

STRESS REACT, EMOTIONAL (308.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20											1	1.0		1	1	1	1	1	1	1
21-24																				
25-34	3	13.7	373	2	2	3	28	36	36	36										
35-54	5	4.0		4	4	4	4	4	4	4	8	1.8	1	1	1	1	2	4	4	4
55-74	1	16.0		16	16	16	16	16	16	16										
75 +																				
ALL AGES	10	7.8	115	1	1	4	4	26	36	36	9	1.7	1	1	1	1	2	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17											3	1.7	1	1	1	1	2	3	3	3
18-20	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
21-24											1	5.0		5	5	5	5	5	5	5
25-34	5	3.2	4	1	1	3	4	6	6	6	11	3.6	4	1	1	3	5	7	7	7
35-54	8	4.0	10	1	1	3	6	9	10	10	5	2.4	4	1	1	1	4	5	5	5
55-74	5	5.0	13	1	1	4	8	10	10	10	12	2.8	2	1	1	3	4	5	5	5
75 +	2	5.5	5	4	4	5	7	7	7	7	5	4.2	4	1	1	5	5	6	6	6
ALL AGES	21	4.0	9	1	1	3	6	9	10	10	38	3.1	3	1	1	3	4	5	6	7
SUBTOTAL	**31**	**5.3**	**43**	**1**	**1**	**4**	**6**	**10**	**16**	**36**	**47**	**2.8**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	13.0		13	13	13	13	13	13	13	1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	2	4.5	13	2	2	4	7	7	7	7	1	1.0		1	1	1	1	1	1	1
55-74	1	6.0		6	6	6	6	6	6	6										
75 +																				
ALL AGES	5	5.8	23	1	1	6	8	13	13	13	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											3	2.7	8	1	1	1	5	6	6	6
25-34	2	2.5	5	1	1	2	4	4	4	4	4	2.3		2	2	2	3	3	3	3
35-54	4	5.8	32	1	1	4	9	14	14	14	11	5.4	13	1	1	4	7	11	14	14
55-74	9	5.3	14	2	2	4	6	12	13	13	2	3.0		3	3	3	3	3	3	3
75 +	1	10.0		10	10	10	10	10	10	10	3	7.7	9	5	5	7	10	11	11	11
ALL AGES	16	5.4	17	1	1	4	8	13	14	14	23	4.6	11	1	1	4	6	9	12	14
SUBTOTAL	**21**	**5.5**	**17**	**1**	**1**	**4**	**8**	**13**	**14**	**14**	**25**	**4.3**	**11**	**1**	**1**	**4**	**6**	**9**	**12**	**14**
GRAND TOTAL	**52**	**5.3**	**33**	**1**	**1**	**4**	**6**	**11**	**14**	**36**	**72**	**3.3**	**7**	**1**	**1**	**3**	**5**	**6**	**7**	**13**

STRESS REACTION, FUGUE (308.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54											1	2.0		2	2	2	2	2	2	2
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	2	2.0		2	2	2	2	2	2	2
SUBTOTAL	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**2**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	12.0		12	12	12	12	12	12	12										
35-54																				
55-74																				
75 +																				
ALL AGES	1	12.0		12	12	12	12	12	12	12										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**2**	**7.0**	**50**	**2**	**2**	**7**	**12**	**12**	**12**	**12**										
GRAND TOTAL	**4**	**4.0**	**29**	**1**	**1**	**2**	**7**	**12**	**12**	**12**	**2**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

STRESS REACT, PSYCHOMOT (308.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	1	11.0		11	11	11	11	11	11	11										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	6.0	50	1	1	6	11	11	11	11										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	2.0		2	2	2	2	2	2	2
25-34																				
35-54																				
55-74																				
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES											2	4.5	13	2	2	4	7	7	7	7
SUBTOTAL	**2**	**6.0**	**50**	**1**	**1**	**6**	**11**	**11**	**11**	**11**	**2**	**4.5**	**13**	**2**	**2**	**4**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES											1	8.0		8	8	8	8	8	8	8
SUBTOTAL											**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**
GRAND TOTAL	**2**	**6.0**	**50**	**1**	**1**	**6**	**11**	**11**	**11**	**11**	**3**	**5.7**	**10**	**2**	**2**	**7**	**8**	**8**	**8**	**8**

ACUTE STRESS REACT NEC (308.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
18-20											2	2.5	1	2	2	2	3	3	3	3
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	4	9.5	89	1	1	7	15	23	23	23	2	2.0		2	2	2	2	2	2	2
35-54	4	3.3	2	1	1	3	4	5	5	5	3	3.7	4	2	2	3	5	6	6	6
55-74	2	7.5	41	3	3	7	12	12	12	12	4	4.0	3	2	2	4	5	6	6	6
75 +																				
ALL AGES	12	5.8	40	1	1	4	7	15	22	23	12	3.3	2	2	2	3	4	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	2	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
18-20	2	3.0	8	1	1	3	5	5	5	5	1	2.0		2	2	2	2	2	2	2
21-24	2	2.5	1	2	2	2	3	3	3	3	1	1.0		1	1	1	1	1	1	1
25-34	13	5.8	25	1	1	4	10	14	16	16	1	4.0		4	4	4	4	4	4	4
35-54	8	7.0	31	2	2	6	7	16	20	20	8	2.3	1	1	1	2	3	4	4	4
55-74	3	6.7	54	1	1	4	12	15	15	15	3	1.3		1	1	1	2	2	2	2
75 +	2	6.0	8	4	4	6	8	8	8	8	2	3.0	2	2	2	3	4	4	4	4
ALL AGES	32	5.5	24	1	1	4	7	14	16	20	17	2.2	1	1	1	2	3	4	4	4
SUBTOTAL	**44**	**5.6**	**27**	**1**	**1**	**4**	**7**	**13**	**17**	**23**	**29**	**2.6**	**2**	**1**	**1**	**2**	**3**	**5**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-20	2	24.0	72	18	18	24	30	30	30	30										
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	6	5.5	20	2	2	3	9	13	13	13	3	5.7	16	2	2	5	9	10	10	10
35-54	6	11.7	228	1	1	4	20	37	39	39	1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	16	9.8	130	1	2	4	15	29	36	39	4	5.3	11	2	2	4	7	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17	2	8.5	113	1	1	8	16	16	16	16	1	1.0		1	1	1	1	1	1	1
18-20											2	1.0		1	1	1	1	1	1	1
21-24	4	22.0	407	6	6	15	35	51	51	51	1	3.0		3	3	3	3	3	3	3
25-34	6	9.5	199	1	1	3	12	34	37	37	2	1.5	1	1	1	1	2	2	2	2
35-54	9	12.2	166	1	2	7	15	34	42	42	6	2.7	5	1	1	2	3	7	7	7
55-74	2	3.5	5	2	2	3	5	5	5	5	1	1.0		1	1	1	1	1	1	1
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	24	12.0	185	1	1	7	14	37	45	51	13	2.0	3	1	1	1	2	4	6	7
SUBTOTAL	**40**	**11.1**	**161**	**1**	**1**	**6**	**15**	**33**	**40**	**51**	**17**	**2.8**	**6**	**1**	**1**	**2**	**3**	**7**	**9**	**10**
GRAND TOTAL	**84**	**8.2**	**98**	**1**	**1**	**5**	**10**	**20**	**32**	**48**	**46**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

STRESS REACT, MIXED DIS (308.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5	1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	2	6.0	2	5	5	6	7	7	7	7	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											2	6.0	2	5	5	6	7	7	7	7
55-74																				
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	1	1.0		1	1	1	1	1	1	1	2	6.0	2	5	5	6	7	7	7	7
SUBTOTAL	**3**	**4.3**	**10**	**1**	**1**	**5**	**6**	**7**	**7**	**7**	**3**	**5.3**	**3**	**4**	**4**	**5**	**6**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	15.0	196	5	5	9	25	31	31	31										
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	4	12.3	159	4	4	7	20	31	31	31										
SUBTOTAL	**4**	**12.3**	**159**	**4**	**4**	**7**	**20**	**31**	**31**	**31**										
GRAND TOTAL	**7**	**8.9**	**101**	**1**	**2**	**5**	**8**	**27**	**31**	**31**	**3**	**5.3**	**3**	**4**	**4**	**5**	**6**	**7**	**7**	**7**

ACUTE STRESS REACT NOS (308.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	2.0	2	1	1	2	3	3	3	3	1	2.0		2	2	2	2	2	2	2
21-24	1	1.0		1	1	1	1	1	1	1										
25-34											2	2.5	5	1	1	2	4	4	4	4
35-54	6	1.8	1	1	1	2	2	3	3	3	4	3.8	12	1	1	2	6	9	9	9
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	10	2.3	3	1	1	2	3	5	7	7	7	3.1	8	1	1	2	4	8	9	9
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-20	1	7.0		7	7	7	7	7	7	7										
21-24	2	3.0	2	2	2	3	4	4	4	4										
25-34	3	5.0	28	1	1	3	9	11	11	11	1	23.0		23	23	23	23	23	23	23
35-54	4	2.8	1	2	2	3	3	4	4	4	5	3.8	4	2	2	3	5	7	7	7
55-74	2	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	13	3.7	7	1	2	3	4	8	10	11	6	7.0	64	2	2	4	7	21	23	23
SUBTOTAL	**23**	**3.1**	**6**	**1**	**1**	**3**	**3**	**7**	**9**	**11**	**13**	**4.9**	**35**	**1**	**1**	**3**	**5**	**12**	**21**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	2.0		2	2	2	2	2	2	2										
21-24	2	2.5	5	1	1	2	4	4	4	4										
25-34											1	5.0		5	5	5	5	5	5	5
35-54	2	10.5	25	7	7	10	14	14	14	14	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	5	5.6	27	1	1	4	9	14	14	14	2	4.0	2	3	3	4	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20	1	16.0		16	16	16	16	16	16	16										
21-24	1	5.0		5	5	5	5	5	5	5	2	4.0	2	3	3	4	5	5	5	5
25-34											1	3.0		3	3	3	3	3	3	3
35-54	3	7.7	17	3	3	9	10	11	11	11	4	3.5	3	2	2	3	5	5	5	5
55-74	1	5.0		5	5	5	5	5	5	5	3	5.3	7	3	3	5	7	8	8	8
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	6	8.2	23	3	3	7	11	15	16	16	12	3.8	3	1	2	3	5	6	8	8
SUBTOTAL	**11**	**7.0**	**24**	**1**	**1**	**5**	**10**	**15**	**16**	**16**	**14**	**3.8**	**3**	**1**	**2**	**3**	**5**	**6**	**7**	**8**
GRAND TOTAL	**34**	**4.4**	**14**	**1**	**1**	**3**	**5**	**11**	**13**	**16**	**27**	**4.3**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**23**

BRIEF DEPRESSIVE REACT (309.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	15.3	28	11	11	14	19	21	21	21										
13-17	61	13.1	214	1	2	8	17	38	52	96	4	2.8	5	1	1	2	4	6	6	6
18-20	20	4.9	26	1	1	3	6	10	17	23	2	2.0		2	2	2	2	2	2	2
21-24	34	3.8	14	1	1	3	6	8	11	17	4	8.3	157	1	1	2	15	27	27	27
25-34	82	4.8	16	1	1	3	7	11	13	19	11	1.6	1	1	1	2	2	3	3	3
35-54	85	7.1	52	1	1	4	9	17	22	36	15	5.3	16	1	1	4	8	11	13	14
55-74	24	10.0	41	1	2	9	15	19	20	21	10	3.1	3	1	1	3	4	5	6	6
75 +	4	10.3	94	1	1	8	16	24	24	24										
ALL AGES	313	7.5	78	1	1	5	9	18	24	51	46	3.8	21	1	1	2	4	9	12	27
B. FEMALE																				
0-12 YRS.	5	12.0	69	6	6	8	16	26	26	26	2	1.5	1	1	1	1	2	2	2	2
13-17	122	11.8	198	1	2	7	12	30	45	89	5	4.0	16	1	1	3	5	11	11	11
18-20	60	6.3	48	1	1	5	8	12	19	42	8	2.0	1	1	1	2	3	4	4	4
21-24	66	4.4	14	1	1	3	6	10	11	18	6	2.7	2	1	1	2	4	5	5	5
25-34	153	6.3	37	1	1	4	9	14	19	28	17	6.2	55	1	1	4	6	10	25	33
35-54	187	7.2	56	1	1	5	9	17	25	43	60	3.5	5	1	1	3	4	6	8	13
55-74	48	9.4	64	1	1	8	13	18	23	44	15	4.7	4	1	2	5	6	7	8	8
75 +	14	7.7	45	1	1	4	14	17	21	22	8	6.0	20	4	4	5	5	13	17	17
ALL AGES	655	7.7	78	1	1	5	10	17	24	49	121	4.0	14	1	1	3	5	7	10	22
SUBTOTAL	**968**	**7.6**	**78**	**1**	**1**	**5**	**10**	**17**	**24**	**48**	**167**	**4.0**	**16**	**1**	**1**	**3**	**5**	**7**	**10**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	33.0	1800	3	3	33	63	63	63	63										
13-17	29	13.1	203	1	2	9	21	37	65	99 +	3	2.0		2	2	2	2	2	2	2
18-20	24	7.6	42	1	1	6	11	18	22	23	2	4.5	1	4	4	4	5	5	5	5
21-24	37	7.7	64	1	1	5	9	24	27	30	2	5.5	5	4	4	5	7	7	7	7
25-34	72	8.2	75	1	2	5	9	20	27	46	3	3.0	3	1	1	4	4	4	4	4
35-54	62	8.5	45	2	3	6	13	18	27	91	7	3.1	3	1	1	3	5	5	5	5
55-74	17	12.2	126	3	4	8	15	23	40	49	2	3.5	13	1	1	3	6	6	6	6
75 +	6	13.3	27	8	8	12	16	21	22	22	2	3.0	8	1	1	3	5	5	5	5
ALL AGES	249	9.3	93	1	2	6	12	22	28	65	21	3.3	3	1	1	4	5	6	6	7
B. FEMALE																				
0-12 YRS.	4	37.3	249	20	20	36	50	56	56	56										
13-17	36	11.3	136	1	1	7	12	34	37	42	2	3.0	2	2	2	3	4	4	4	4
18-20	31	5.8	24	1	1	5	7	12	18	21										
21-24	47	7.4	36	1	1	6	11	15	20	29	3	2.3	3	1	1	2	3	4	4	4
25-34	115	10.3	101	1	2	7	14	23	26	49	8	3.8	5	1	1	3	5	7	8	8
35-54	108	8.0	59	1	2	6	10	17	23	40	22	5.2	15	1	2	4	6	9	13	19
55-74	28	7.6	23	2	2	7	10	15	18	19	4	2.0	2	1	1	2	3	4	4	4
75 +	7	14.9	90	1	2	14	23	27	27	27	2	5.0	2	4	4	5	6	6	6	6
ALL AGES	376	9.2	83	1	2	6	12	20	26	43	41	4.3	11	1	1	4	6	8	9	19
SUBTOTAL	**625**	**9.2**	**88**	**1**	**2**	**6**	**12**	**21**	**27**	**56**	**62**	**4.0**	**8**	**1**	**1**	**4**	**5**	**7**	**8**	**18**
GRAND TOTAL	**1593**	**8.3**	**81**	**1**	**1**	**6**	**10**	**19**	**26**	**53**	**229**	**4.0**	**13**	**1**	**1**	**3**	**5**	**7**	**10**	**21**

PROLONG DEPRESSIVE REACT (309.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	13.0		13	13	13	13	13	13	13
25-34	2	6.0		6	6	6	6	6	6	6										
35-54	4	10.0	54	6	6	7	14	21	21	21										
55-74	2	33.5	1513	6	6	33	61	61	61	61	1	5.0		5	5	5	5	5	5	5
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	9	13.9	336	6	6	6	10	45	61	61	2	9.0	32	5	5	9	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17	4	21.5	303	3	3	20	35	42	42	42	1	2.0		2	2	2	2	2	2	2
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	8	8.1	27	1	1	7	12	16	16	16										
35-54	8	10.8	54	1	1	11	17	19	20	20	5	4.6	8	2	2	4	7	8	8	8
55-74	6	8.8	38	3	3	7	16	16	16	16	5	7.6	35	2	2	5	14	14	14	14
75 +	2	12.5	25	9	9	12	16	16	16	16	1	4.0		4	4	4	4	4	4	4
ALL AGES	29	11.0	81	1	3	9	16	19	30	42	12	5.6	19	2	2	4	7	14	14	14
SUBTOTAL	**38**	**11.7**	**135**	**1**	**3**	**7**	**16**	**21**	**37**	**61**	**14**	**6.1**	**20**	**2**	**2**	**4**	**8**	**14**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-17																				
18-20	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
21-24	1	8.0		8	8	8	8	8	8	8										
25-34	2	7.0	18	4	4	7	10	10	10	10	2	5.5	1	5	5	5	6	6	6	6
35-54	1	10.0		10	10	10	10	10	10	10										
55-74	3	12.0	49	5	5	12	17	19	19	19	1	12.0		12	12	12	12	12	12	12
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	10	9.5	24	3	3	10	12	16	19	19	4	6.3	17	2	2	5	9	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	12.0		12	12	12	12	12	12	12										
21-24	1	14.0		14	14	14	14	14	14	14	1	2.0		2	2	2	2	2	2	2
25-34	3	8.0	43	1	1	9	13	14	14	14	2	5.0	18	2	2	5	8	8	8	8
35-54	5	9.6	55	3	3	10	13	21	21	21	3	8.0	61	3	3	4	14	17	17	17
55-74	1	1.0		1	1	1	1	1	1	1	6	5.5	15	1	1	6	7	11	11	11
75 +	3	15.7	80	7	7	15	22	25	25	25										
ALL AGES	14	10.4	53	1	1	10	14	21	24	25	12	5.8	22	1	1	5	8	13	16	17
SUBTOTAL	**24**	**10.0**	**40**	**1**	**3**	**10**	**14**	**19**	**22**	**25**	**16**	**5.9**	**20**	**1**	**1**	**5**	**8**	**12**	**15**	**17**
GRAND TOTAL	**62**	**11.0**	**99**	**1**	**3**	**9**	**15**	**20**	**27**	**59**	**30**	**6.0**	**19**	**1**	**2**	**5**	**8**	**13**	**14**	**17**

ADJUST REACT/OTH EMOTION (309.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	17.9	503	2	5	11	12	51	80	80										
13-17	31	12.4	131	1	3	9	14	28	32	56	2	11.5	145	3	3	11	20	20	20	20
18-20	8	5.3	14	2	2	4	7	11	13	13										
21-24	9	8.7	84	1	1	3	16	23	27	27	2	2.0	2	1	1	1	3	3	3	3
25-34	28	5.8	29	1	1	4	8	10	17	26	4	3.0	2	2	2	3	4	5	5	5
35-54	31	7.8	64	1	2	6	10	19	22	39	5	7.4	160	1	1	2	10	30	30	30
55-74	6	6.7	23	2	2	5	11	14	14	14										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	123	9.2	112	1	2	6	11	19	27	62	14	5.6	73	1	1	3	3	21	28	30
B. FEMALE																				
0-12 YRS.	10	15.3	237	3	3	9	15	43	45	45										
13-17	51	14.1	241	1	3	9	17	31	42	94	2	2.0	2	1	1	2	3	3	3	3
18-20	15	9.1	217	1	1	5	10	14	49	60	4	8.8	183	1	1	3	16	29	29	29
21-24	20	6.1	27	1	1	4	10	14	16	18	4	2.0	2	1	1	2	3	4	4	4
25-34	34	8.7	85	1	1	8	11	17	30	44	10	5.6	76	1	1	3	5	18	30	30
35-54	51	9.0	62	1	3	7	11	22	29	33	8	5.3	20	2	2	4	5	13	16	16
55-74	16	9.8	31	1	2	10	15	17	18	19	6	3.8	2	2	2	4	5	5	5	5
75 +	5	13.8	175	5	5	8	18	37	37	37	5	4.6	5	1	1	5	6	7	7	7
ALL AGES	202	10.4	132	1	1	8	12	20	32	57	39	4.9	40	1	1	4	5	7	23	30
SUBTOTAL	**325**	**10.0**	**123**	**1**	**1**	**7**	**12**	**20**	**32**	**57**	**53**	**5.1**	**48**	**1**	**1**	**3**	**5**	**9**	**28**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	10	20.4	224	4	4	16	29	44	45	45										
13-17	18	20.1	406	2	3	14	29	70	89	99 +										
18-20	4	14.0	98	1	1	15	20	25	25	25	1	4.0		4	4	4	4	4	4	4
21-24	6	4.7	7	1	1	4	8	8	8	8	1	11.0		11	11	11	11	11	11	11
25-34	23	7.3	52	1	2	5	9	18	25	29	2	4.0	2	3	3	4	5	5	5	5
35-54	22	10.5	85	1	2	8	14	26	31	35	2	8.0	72	2	2	8	14	14	14	14
55-74	8	5.8	3	3	3	6	7	8	9	9	1	16.0		16	16	16	16	16	16	16
75 +																				
ALL AGES	91	12.0	171	1	2	8	16	29	42	89	7	7.9	32	2	2	5	13	16	16	16
B. FEMALE																				
0-12 YRS.	4	23.8	441	1	1	21	37	52	52	52										
13-17	23	21.6	436	1	2	13	34	58	62	65										
18-20	4	9.0	15	5	5	8	12	14	14	14	1	70.0		70	70	70	70	70	70	70
21-24	20	10.5	38	1	2	10	13	18	23	26	1	2.0		2	2	2	2	2	2	2
25-34	39	7.3	51	1	1	5	9	20	24	24	2	4.5	1	4	4	4	5	5	5	5
35-54	52	9.2	50	1	2	8	12	18	26	35	8	7.1	33	2	2	6	8	16	20	20
55-74	13	18.5	115	3	5	21	28	30	33	34	2	5.0		5	5	5	5	5	5	5
75 +	5	13.2	65	7	7	12	16	27	27	27										
ALL AGES	160	11.9	141	1	2	8	15	27	34	61	14	10.6	312	2	2	5	7	25	60	70
SUBTOTAL	**251**	**12.0**	**150**	**1**	**2**	**8**	**15**	**28**	**35**	**65**	**21**	**9.7**	**214**	**2**	**2**	**5**	**9**	**18**	**42**	**70**
GRAND TOTAL	**576**	**10.8**	**137**	**1**	**2**	**8**	**13**	**25**	**33**	**62**	**74**	**6.4**	**97**	**1**	**1**	**4**	**5**	**16**	**27**	**60**

ADJUST REACT-CONDUCT DIS (309.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	22.5	13	20	20	22	25	25	25	25										
13-17	6	21.8	533	1	1	17	28	60	64	64										
18-20	1	8.0		8	8	8	8	8	8	8	1	3.0		3	3	3	3	3	3	3
21-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	10	18.7	346	1	2	17	25	46	64	64	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	13	9.7	114	1	1	9	11	28	35	37	1	13.0		13	13	13	13	13	13	13
18-20	2	3.0	8	1	1	3	5	5	5	5										
21-24	1	21.0		21	21	21	21	21	21	21										
25-34	1	1.0		1	1	1	1	1	1	1										
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	18	8.8	99	1	1	4	11	24	33	37	2	7.5	61	2	2	7	13	13	13	13
SUBTOTAL	**28**	**12.3**	**202**	**1**	**1**	**8**	**20**	**27**	**40**	**64**	**3**	**6.0**	**37**	**2**	**2**	**3**	**10**	**13**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	37.3	788	5	5	53	54	54	54	54										
13-17	5	24.6	89	8	8	29	30	30	30	30										
18-20	1	6.0		6	6	6	6	6	6	6										
21-24	1	6.0		6	6	6	6	6	6	6										
25-34	1	9.0		9	9	9	9	9	9	9										
35-54	2	5.0	2	4	4	5	6	6	6	6										
55-74																				
75 +																				
ALL AGES	13	20.5	323	4	5	9	30	53	54	54										
B. FEMALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17	2	8.0	8	6	6	8	10	10	10	10										
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +	2	11.0	32	7	7	11	15	15	15	15										
ALL AGES	7	10.4	95	1	1	7	14	27	30	30										
SUBTOTAL	**20**	**17.0**	**257**	**2**	**4**	**8**	**29**	**42**	**53**	**54**										
GRAND TOTAL	**48**	**14.3**	**224**	**1**	**1**	**8**	**23**	**30**	**53**	**64**	**3**	**6.0**	**37**	**2**	**2**	**3**	**10**	**13**	**13**	**13**

ADJ REACT-EMOTION/CONDUC (309.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	19.3	674	1	1	8	39	49	49	49										
13-17	39	25.5	453	1	2	21	36	56	73	87										
18-20	5	8.0	83	1	1	4	13	23	23	23	1	2.0		2	2	2	2	2	2	2
21-24	2	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
25-34	13	4.4	18	1	1	3	5	11	15	16	2	2.0	2	1	1	1	3	3	3	3
35-54	10	8.8	85	1	1	5	12	25	28	28										
55-74																				
75 +	2	6.5	13	4	4	6	9	9	9	9										
ALL AGES	74	16.9	365	1	1	10	23	43	60	84	4	2.0	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.	3	10.3	38	5	5	9	15	17	17	17	2	2.0		2	2	2	2	2	2	2
13-17	81	26.5	454	2	3	22	37	57	69	90										
18-20	7	8.7	111	1	1	5	13	27	30	30										
21-24	9	6.7	32	1	1	6	8	16	20	20	1	1.0		1	1	1	1	1	1	1
25-34	19	8.7	159	1	1	3	12	22	40	52	3	5.0	19	2	2	3	8	10	10	10
35-54	7	10.4	30	3	4	10	14	18	19	19	2	3.0	2	2	2	3	4	4	4	4
55-74	3	10.7	24	6	6	10	14	16	16	16										
75 +																				
ALL AGES	129	19.9	390	1	2	14	29	52	63	83	8	3.3	8	1	1	2	3	8	10	10
SUBTOTAL	**203**	**18.8**	**382**	**1**	**2**	**12**	**28**	**47**	**63**	**83**	**12**	**2.8**	**6**	**1**	**1**	**2**	**3**	**6**	**9**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	17.4	126	2	4	15	22	35	38	38										
13-17	16	19.7	198	3	8	16	26	31	53	62										
18-20	5	15.4	56	6	6	18	22	22	22	22										
21-24	9	8.1	113	1	1	2	14	26	27	27										
25-34	21	9.5	78	1	1	6	15	20	27	35	1	7.0		7	7	7	7	7	7	7
35-54	8	9.6	68	1	2	8	13	22	26	26										
55-74	1	6.0		6	6	6	6	6	6	6										
75 +	3	13.0	61	4	4	17	18	18	18	18										
ALL AGES	70	13.0	123	1	1	11	19	26	31	57	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.	2	12.5	5	11	11	12	14	14	14	14										
13-17	23	26.3	572	2	3	18	37	55	86	94										
18-20	5	10.4	69	1	1	15	16	19	19	19	1	1.0		1	1	1	1	1	1	1
21-24	9	5.7	24	2	2	3	7	14	18	18	3	8.3	25	5	5	6	12	14	14	14
25-34	15	11.8	391	1	3	7	10	16	65	82	2	10.5	113	3	3	10	18	18	18	18
35-54	8	8.0	37	1	1	7	12	17	18	18										
55-74	7	20.7	300	5	6	11	29	48	53	53										
75 +	2	8.0	8	6	6	8	10	10	10	10										
ALL AGES	71	16.0	360	1	2	10	18	41	53	91	6	7.8	45	1	1	5	14	18	18	18
SUBTOTAL	**141**	**14.5**	**243**	**1**	**2**	**10**	**18**	**29**	**46**	**83**	**7**	**7.7**	**37**	**1**	**1**	**6**	**12**	**17**	**18**	**18**
GRAND TOTAL	**344**	**17.0**	**330**	**1**	**2**	**11**	**23**	**42**	**54**	**82**	**19**	**4.6**	**22**	**1**	**1**	**3**	**6**	**12**	**16**	**18**

OTHER ADJUST REACTION (309.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	7.7	66	2	2	4	14	17	17	17										
13-17	2	5.5	41	1	1	5	10	10	10	10										
18-20	4	2.8	4	1	1	3	4	5	5	5										
21-24	2	2.0	2	1	1	2	3	3	3	3										
25-34	2	4.0	8	2	2	4	6	6	6	6	2	4.0	2	3	3	4	5	5	5	5
35-54	4	19.3	412	3	3	12	31	49	49	49	1	5.0		5	5	5	5	5	5	5
55-74	2	13.5	41	9	9	13	18	18	18	18										
75 +																				
ALL AGES	19	8.5	126	1	1	4	11	18	35	49	3	4.3	2	3	3	5	5	5	5	5
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	8	8.3	96	1	1	5	10	25	31	31										
18-20																				
21-24	1	38.0		38	38	38	38	38	38	38										
25-34	8	20.4	279	9	10	14	22	49	60	60										
35-54	10	8.5	53	1	1	7	18	51	96	99 +	2	5.5	25	2	2	5	9	9	9	9
55-74																				
75 +																				
ALL AGES	28	12.6	175	1	1	11	19	35	62	99 +	2	5.5	25	2	2	5	9	9	9	9
SUBTOTAL	**47**	**11.0**	**154**	**1**	**1**	**8**	**14**	**29**	**50**	**99 +**	**5**	**4.8**	**7**	**2**	**2**	**5**	**6**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	5	16.8	137	6	6	10	29	30	30	30										
18-20																				
21-24											3	2.7	1	2	2	2	4	4	4	4
25-34	8	14.6	410	1	2	6	15	50	62	62	1	2.0		2	2	2	2	2	2	2
35-54	19	13.3	148	1	1	11	17	33	38	40										
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	33	14.0	193	1	1	9	19	32	39	62	5	2.2	1	1	1	2	3	4	4	4
B. FEMALE																				
0-12 YRS.	4	16.0	195	4	4	12	25	36	36	36										
13-17	4	34.3	1314	5	5	25	63	81	81	81										
18-20	2	56.0	2312	22	22	56	90	90	90	90	2	4.0	8	2	2	4	6	6	6	6
21-24	3	8.7	36	2	2	0	13	14	14	14										
25-34	5	28.4	244	7	7	29	37	50	50	50										
35-54	10	14.3	83	2	3	14	24	26	27	27										
55-74																				
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	28	22.3	482	2	4	16	28	48	82	90	3	3.0	7	1	1	2	5	6	6	6
SUBTOTAL	**61**	**17.8**	**338**	**1**	**2**	**11**	**25**	**38**	**55**	**89**	**8**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**6**
GRAND TOTAL	**108**	**14.8**	**268**	**1**	**1**	**10**	**20**	**36**	**50**	**94**	**13**	**3.4**	**5**	**1**	**1**	**2**	**5**	**7**	**9**	**9**

ADJUSTMENT REACTION NOS (309.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	17.6	529	2	2	8	25	58	58	58	2	4.0	8	2	2	4	6	6	6	6
13-17	34	15.2	261	1	1	11	28	34	62	99 +	4	3.5	4	1	1	3	5	6	6	6
18-20	10	3.4	11	1	1	2	3	9	12	12	3	1.3		1	1	1	2	2	2	2
21-24	5	2.6	4	1	1	2	4	6	6	6	1	4.0		4	4	4	4	4	4	4
25-34	11	6.3	60	1	1	3	9	17	26	27	2	3.0	2	2	2	3	4	4	4	4
35-54	13	4.7	8	1	2	4	7	9	10	10	1	2.0		2	2	2	2	2	2	2
55-74	3	3.0	3	1	1	4	4	4	4	4	2	2.5	1	2	2	2	3	3	3	3
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	82	9.7	175	1	1	4	12	29	42	88	15	2.9	2	1	1	2	4	6	6	6
B. FEMALE																				
0-12 YRS.	4	18.8	286	7	7	12	28	44	44	44										
13-17	33	12.4	127	1	1	9	18	30	35	39	9	4.3	27	1	1	2	4	13	17	17
18-20	8	9.9	190	1	1	3	14	34	41	41	1	2.0		2	2	2	2	2	2	2
21-24	11	6.2	23	1	1	5	8	13	18	18	3	2.7	4	1	1	2	4	5	5	5
25-34	20	6.1	25	1	1	6	9	12	16	19	7	4.3	15	1	1	3	7	10	11	11
35-54	27	5.8	22	1	1	4	8	14	15	17	7	1.6	1	1	1	1	2	3	3	3
55-74	5	7.2	65	1	1	5	10	21	21	21	2	4.0		4	4	4	4	4	4	4
75 +	2	4.0		4	4	4	4	4	4	4										
ALL AGES	110	8.7	84	1	1	6	11	19	30	42	29	3.4	13	1	1	2	4	8	11	17
SUBTOTAL	**192**	**9.1**	**123**	**1**	**1**	**5**	**11**	**27**	**32**	**61**	**44**	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**9**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	10.0	42	2	2	11	14	19	19	19	1	2.0		2	2	2	2	2	2	2
13-17	30	23.2	250	1	4	27	31	43	53	58	2	1.0		1	1	1	1	1	1	1
18-20	8	11.4	81	2	2	12	15	25	29	29	4	2.3	2	1	1	2	3	4	4	4
21-24	9	6.9	63	1	1	3	11	20	25	25										
25-34	14	6.1	52	1	1	3	7	18	23	24	2	1.5	1	1	1	1	2	2	2	2
35-54	16	10.5	84	1	2	8	17	25	28	29	1	4.0		4	4	4	4	4	4	4
55-74	5	10.2	55	4	4	8	12	23	23	23										
75 +	1	1.0		1	1	1	1	1	1	1	1	6.0		6	6	6	6	6	6	6
ALL AGES	88	13.7	173	1	1	9	23	30	40	56	11	2.4	3	1	1	2	4	5	6	6
B. FEMALE																				
0-12 YRS.	4	26.0	11	22	22	26	47	99 +	99 +	99 +	1	1.0		1	1	1	1	1	1	1
13-17	32	18.1	323	2	2	13	30	36	41	87	3	1.3		1	1	1	2	2	2	2
18-20	9	5.1	19	1	1	3	9	11	12	12										
21-24	8	8.3	42	1	2	6	13	18	19	19										
25-34	30	7.2	38	1	1	5	10	15	22	23										
35-54	31	7.1	46	1	2	5	8	19	21	28	12	3.6	12	1	1	3	4	8	13	14
55-74	13	7.4	24	2	3	6	10	15	17	17	2	3.0	2	2	2	3	4	4	4	4
75 +	2	4.0	8	2	2	4	6	6	6	6										
ALL AGES	129	10.3	136	1	2	6	14	29	30	90	18	3.0	9	1	1	2	4	5	10	14
SUBTOTAL	**217**	**11.7**	**153**	**1**	**2**	**7**	**17**	**30**	**35**	**67**	**29**	**2.8**	**7**	**1**	**1**	**2**	**4**	**5**	**6**	**14**
GRAND TOTAL	**409**	**10.5**	**139**	**1**	**1**	**6**	**14**	**29**	**34**	**61**	**73**	**3.0**	**8**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

FRONTAL LOBE SYNDROME (310.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	2	10.0	18	7	7	10	13	13	13	13										
55-74																				
75 +																				
ALL AGES	3	8.3	18	5	5	7	11	13	13	13										
SUBTOTAL	**4**	**7.5**	**14**	**5**	**5**	**6**	**10**	**13**	**13**	**13**	1	5.0		5	5	5	5	5	5	5
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	1	24.0		24	24	24	24	24	24	24										
75 +																				
ALL AGES	2	13.5	221	3	3	13	24	24	24	24										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	8.0		8	8		8	8	8	8										
ALL AGES	1	8.0		8	8	8	8	8	8	8										
SUBTOTAL	**3**	**11.7**	**119**	**3**	**3**	**8**	**20**	**24**	**24**	**24**										
GRAND TOTAL	**7**	**9.3**	**52**	**3**	**3**	**7**	**12**	**22**	**24**	**24**	1	5.0		5	5	5	5	5	5	5

ORGANIC PERSONALITY SYND (310.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9	1	35.0		35	35	35	35	35	35	35
18-20	1	26.0		26	26	26	26	26	26	26										
21-24	2	9.5	113	2	2	9	17	17	17	17	1	34.0		34	34	34	34	34	34	34
25-34																				
35-54	5	19.0	197	5	5	13	29	40	40	40										
55-74	6	17.8	395	2	3	8	47	91	99+	99+	3	2.7	8	1	1	1	5	6	6	6
75 +	5	7.6	30	3	3	6	9	17	17	17	3	5.7	6	3	3	6	7	8	8	8
ALL AGES	20	14.7	190	2	3	9	26	45	74	99+	8	11.8	202	1	1	6	21	35	35	35
B. FEMALE																				
0-12 YRS.	2	11.5	221	1	1	11	22	22	22	22										
13-17	1	11.0		11	11	11	11	11	11	11										
18-20																				
21-24	3	26.3	1707	2	2	3	56	74	74	74										
25-34	3	26.3	675	8	8	15	46	56	56	56	1	6.0		6	6	6	6	6	6	6
35-54	3	18.3	216	5	5	16	29	34	34	34	1	11.0		11	11	11	11	11	11	11
55-74	2	26.5	685	8	8	26	45	45	45	45										
75 +	6	9.8	81	2	2	6	19	23	23	23	1	2.0		2	2	2	2	2	2	2
ALL AGES	20	18.0	397	1	2	10	22	50	65	74	3	6.3	21	2	2	6	10	11	11	11
SUBTOTAL	**40**	**16.3**	**290**	**2**	**2**	**9**	**24**	**48**	**64**	**99+**	**11**	**10.3**	**152**	**1**	**1**	**6**	**10**	**34**	**35**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											2	14.5	365	1	1	14	28	28	28	28
35-54	3	11.7	133	4	4	6	20	25	25	25	3	20.0	592	4	4	8	38	48	48	48
55-74											3	10.3	33	4	4	12	14	15	15	15
75 +	2	10.0	128	2	2	10	18	18	18	18	1	4.0		4	4	4	4	4	4	4
ALL AGES	5	11.0	100	2	2	6	20	25	25	25	9	13.8	232	1	1	8	18	40	48	48
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	11.0		11	11	11	11	11	11	11										
35-54																				
55-74											2	7.5	13	5	5	7	10	10	10	10
75 +	1	24.0		24	24	24	24	24	24	24										
ALL AGES	2	17.5	85	11	11	17	24	24	24	24	2	7.5	13	5	5	7	10	10	10	10
SUBTOTAL	**7**	**12.9**	**90**	**2**	**2**	**11**	**22**	**25**	**25**	**25**	**11**	**12.6**	**195**	**1**	**2**	**8**	**14**	**36**	**47**	**48**
GRAND TOTAL	**47**	**15.8**	**259**	**2**	**2**	**10**	**23**	**43**	**58**	**99+**	**22**	**11.5**	**165**	**1**	**1**	**6**	**12**	**34**	**40**	**48**

POSTCONCUSSION SYNDROME (310.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	15	3.3	26	1	1	1	2	12	16	18	20	1.7	1	1	1	1	2	3	4	5
13-17	9	1.7		1	1	2	2	3	3	3	16	1.3		1	1	1	2	2	3	3
18-20	11	2.3	1	1	1	2	3	4	4	4	8	2.4	10	1	1	1	2	8	10	10
21-24	12	16.4	760	1	1	3	16	67	84	87	15	3.8	20	1	1	2	5	9	15	17
25-34	23	7.1	136	1	1	4	8	24	70	99 +	25	2.4	3	1	1	2	3	5	6	9
35-54	15	8.9	140	1	1	6	9	25	40	45	14	3.5	14	1	1	2	4	7	13	15
55-74	7	3.4	11	1	1	2	7	8	8	8	9	3.1	6	1	1	2	4	7	8	8
75 +	5	8.6	14	4	4	7	12	13	13	13	2	6.5	41	2	2	6	11	11	11	11
ALL AGES	97	6.7	164	1	1	2	7	14	37	94	109	2.6	7	1	1	2	3	6	9	16
B. FEMALE																				
0-12 YRS.	9	1.9	2	1	1	1	3	4	4	4	13	1.1		1	1	1	1	2	2	2
13-17	2	4.5	1	4	4	4	5	5	5	5	6	1.8	1	1	1	2	2	3	3	3
18-20	8	2.1	1	1	1	2	3	3	3	3	3	1.3		1	1	1	2	2	2	2
21-24	7	4.1	9	1	1	3	5	9	10	10	3	2.3	3	1	1	2	3	4	4	4
25-34	13	3.5	4	1	1	3	4	6	8	9	18	2.7	4	1	1	2	3	4	8	10
35-54	14	4.4	8	1	2	3	7	9	9	9	14	3.5	11	1	1	2	4	10	12	12
55-74	10	6.9	99	1	1	3	7	22	34	34	3	4.3	9	1	1	6	6	6	6	6
75 +	2	5.5	25	2	2	5	9	9	9	9	4	8.0	65	1	1	6	14	19	19	19
ALL AGES	65	4.0	20	1	1	3	4	9	9	30	64	2.8	10	1	1	2	3	6	10	18
SUBTOTAL	**162**	**5.6**	**108**	**1**	**1**	**3**	**6**	**10**	**21**	**83**	**173**	**2.6**	**9**	**1**	**1**	**2**	**3**	**6**	**9**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
13-17	1	10.0		10	10	10	10	10	10	10										
18-20	1	14.0		14	14	14	14	14	14	14										
21-24																				
25-34	2	4.0	18	1	1	3	7	7	7	7	1	1.0		1	1	1	1	1	1	1
35-54	6	7.8	60	1	1	6	9	21	22	22	1	7.0		7	7	7	7	7	7	7
55-74	1	29.0		29	29	29	29	29	29	29										
75 +											1	9.0		9	9	9	9	9	9	9
ALL AGES	12	9.2	76	1	1	8	12	24	28	29	4	5.3	12	1	1	5	8	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17											2	2.0		2	2	2	2	2	2	2
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	1	8.0		8	8	8	8	8	8	8	1	16.0		16	16	16	16	16	16	16
25-34																				
35-54	2	10.5	25	7	7	10	14	14	14	14	1	3.0		3	3	3	3	3	3	3
55-74	2	8.5	61	3	3	8	14	14	14	14										
75 +	1	4.0		4	4	4	4	4	4	4	1	7.0		7	7	7	7	7	7	7
ALL AGES	7	7.3	26	1	1	7	12	14	14	14	5	6.0	36	2	2	3	9	16	16	16
SUBTOTAL	**19**	**8.5**	**56**	**1**	**1**	**7**	**13**	**19**	**26**	**29**	**9**	**5.7**	**22**	**1**	**1**	**4**	**8**	**13**	**16**	**16**
GRAND TOTAL	**181**	**5.9**	**103**	**1**	**1**	**3**	**7**	**12**	**22**	**78**	**182**	**2.8**	**9**	**1**	**1**	**2**	**3**	**6**	**9**	**17**

NONPSYCHOT BRAIN SYN NEC (310.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	24.0		24	24	24	24	24	24	24										
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	2	5.0	8	3	3	5	7	7	7	7										
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	5	10.4	76	3	3	7	16	24	24	24										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	74.0		74	74	74	74	74	74	74	1	8.0		8	8	8	8	8	8	8
35-54	1	4.0		4	4	4	4	4	4	4	1	7.0		7	7	7	7	7	7	7
55-74	1	4.0		4	4	4	4	4	4	4										
75 +	1	30.0		30	30	30	30	30	30	30	1	22.0		22	22	22	22	22	22	22
ALL AGES	4	28.0	1091	4	4	17	52	74	74	74	3	12.3	72	7	7	8	18	22	22	22
SUBTOTAL	**9**	**18.2**	**534**	**3**	**3**	**7**	**25**	**56**	**74**	**74**	**3**	**12.3**	**72**	**7**	**7**	**8**	**18**	**22**	**22**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	45.0		45	45	45	45	45	45	45										
21-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	3	17.0	588	3	3	3	35	45	45	45										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
SUBTOTAL	**4**	**14.5**	**417**	**3**	**3**	**5**	**26**	**45**	**45**	**45**										
GRAND TOTAL	**13**	**17.1**	**462**	**3**	**3**	**7**	**25**	**51**	**70**	**74**	**3**	**12.3**	**72**	**7**	**7**	**8**	**18**	**22**	**22**	**22**

NONPSYCHOT BRAIN SYN NOS (310.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	20.5	421	6	6	20	35	35	35	35										
18-20	2	2.5	5	1	1	2	4	4	4	4										
21-24	1	12.0		12	12	12	12	12	12	12										
25-34	4	5.5	12	2	2	5	8	9	9	9										
35-54	11	11.2	122	1	2	5	16	28	37	38	2	8.0	2	7	7	8	9	9	9	9
55-74	50	9.6	46	2	3	7	12	20	23	35	22	6.5	23	1	1	5	10	14	16	17
75 +	47	9.4	75	3	3	7	10	22	31	43	68	8.1	80	2	2	7	10	14	17	63
ALL AGES	117	9.6	68	2	3	7	12	21	29	40	92	7.7	65	1	2	6	10	13	17	50
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	52	99 +	99 +	99 +	99 +	1	2.0		2	2	2	2	2	2	2
13-17	5	13.2	54	4	4	16	19	21	21	21										
18-20																				
21-24	2	4.0	18	1	1	4	7	7	7	7										
25-34	3	10.0	39	3	3	12	14	15	15	15										
35-54	11	6.7	20	1	1	7	10	12	14	14	6	3.0	2	2	2	3	3	6	6	6
55-74	39	12.1	151	1	2	8	16	23	29	72	36	5.8	11	2	3	5	7	9	10	20
75 +	108	12.6	134	3	3	9	16	29	39	99 +	133	9.4	147	1	2	6	10	19	33	66
ALL AGES	169	11.9	126	2	3	9	15	25	36	99 +	176	8.4	117	1	2	5	9	16	28	59
SUBTOTAL	**286**	**11.0**	**102**	**2**	**3**	**8**	**14**	**24**	**34**	**92**	**268**	**8.2**	**98**	**1**	**2**	**6**	**9**	**14**	**21**	**60**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	6.0	8	4	4	8	8	8	8	8										
18-20	3	4.7	30	1	1	2	9	11	11	11										
21-24	3	4.0	7	2	2	3	6	7	7	7										
25-34	5	14.8	143	4	4	16	21	33	33	33										
35-54	9	11.0	151	2	2	5	17	31	40	40	2	2.0	2	1	1	2	3	3	3	3
55-74	25	12.0	117	2	2	10	14	21	34	54	11	5.9	16	3	3	5	7	11	17	17
75 +	29	10.3	80	2	4	8	12	19	26	48	15	11.5	61	3	4	9	18	23	27	28
ALL AGES	76	10.6	99	2	2	8	13	20	31	52	28	8.6	49	2	3	6	13	19	23	28
B. FEMALE																				
0-12 YRS.	1	51.0		51	51	51	51	51	51	51										
13-17	3	9.3	87	3	3	5	16	20	20	20										
18-20																				
21-24											1	6.0		6	6	6	6	6	6	6
25-34	3	4.7	8	3	3	3	7	8	8	8										
35-54	10	14.2	133	3	3	10	28	31	33	33										
55-74	41	15.6	178	3	5	11	19	26	45	74	14	12.4	221	2	2	8	12	40	50	53
75 +	42	13.2	189	1	2	9	15	38	59	99 +	23	7.3	14	3	3	7	8	12	15	20
ALL AGES	100	14.3	183	2	3	10	18	31	51	87	38	9.1	93	2	3	7	9	12	31	53
SUBTOTAL	**176**	**12.7**	**149**	**2**	**3**	**9**	**16**	**28**	**41**	**70**	**66**	**8.9**	**73**	**2**	**3**	**6**	**10**	**19**	**24**	**51**
GRAND TOTAL	**462**	**11.6**	**122**	**2**	**3**	**8**	**15**	**25**	**35**	**80**	**334**	**8.3**	**94**	**1**	**2**	**6**	**9**	**15**	**22**	**54**

DEPRESSIVE DISORDER NEC (311.)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	26.0	465	7	7	23	44	51	51	51										
13-17	18	11.3	179	1	1	5	18	34	43	46	3	2.3	3	1	1	2	3	4	4	4
18-20	7	7.4	19	3	3	7	11	13	14	14	4	5.0	9	2	2	5	7	8	8	8
21-24	17	5.7	35	1	1	5	7	10	21	26	2	1.5	1	1	1	1	2	2	2	2
25-34	42	9.6	137	1	1	4	14	24	43	99 +	22	6.3	41	1	1	4	8	14	22	28
35-54	96	9.7	114	1	2	6	12	23	29	60	42	5.7	17	1	2	5	7	11	15	20
55-74	51	9.6	81	2	2	6	11	23	33	38	33	6.6	24	2	3	5	7	13	19	22
75 +	22	9.1	107	2	2	6	9	17	34	50	13	7.8	43	1	1	5	14	19	19	19
ALL AGES	257	9.6	115	1	2	6	12	23	33	62	119	6.1	26	1	1	5	7	14	18	24
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5	1	29.0		29	29	29	29	29	29	29
13-17	23	10.6	122	1	1	6	19	29	30	30	7	2.6		2	2	2	3	4	4	4
18-20	19	6.5	62	1	1	5	7	18	26	32	4	2.3		2	2	2	3	3	3	3
21-24	32	6.1	33	1	1	4	9	14	21	22	17	2.8	6	1	1	2	3	5	9	11
25-34	124	8.0	62	1	1	5	11	18	25	40	62	6.7	72	1	1	4	7	15	27	46
35-54	208	9.6	64	1	2	8	14	20	27	38	109	5.2	15	1	2	4	7	10	12	23
55-74	159	12.0	129	2	2	9	15	26	32	64	83	6.4	17	1	2	6	8	12	14	20
75 +	45	10.8	66	2	2	10	15	23	27	30	39	8.6	64	1	2	7	11	20	25	40
ALL AGES	611	9.7	84	1	2	7	14	21	28	39	322	6.1	34	1	2	4	7	11	17	28
SUBTOTAL	**868**	**9.7**	**93**	**1**	**2**	**7**	**13**	**22**	**29**	**46**	**441**	**6.1**	**32**	**1**	**2**	**5**	**7**	**12**	**18**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	27.5	613	10	10	27	45	45	45	45	1	4.0		4	4	4	4	4	4	4
13-17	7	13.1	69	3	4	11	19	26	27	27	1	1.0		1	1	1	1	1	1	1
18-20	7	7.6	71	1	1	4	10	22	25	25	3	4.7	10	1	1	6	7	7	7	7
21-24	18	7.7	86	1	1	5	10	25	31	32	6	5.3	19	1	1	4	7	12	13	13
25-34	56	8.3	61	1	1	6	11	21	26	34	15	6.6	64	1	1	3	6	22	26	28
35-54	87	9.2	67	1	2	7	12	21	28	37	27	6.1	45	1	1	3	8	16	25	26
55-74	40	12.9	84	1	2	13	17	28	31	33	20	7.5	37	2	3	6	9	12	21	30
75 +	9	18.7	365	3	4	10	33	50	57	57	7	11.7	63	3	3	8	20	21	21	21
ALL AGES	226	10.1	90	1	1	7	14	25	29	40	80	6.8	45	1	1	5	8	18	23	29
B. FEMALE																				
0-12 YRS.	4	15.5	444	3	3	6	27	47	47	47										
13-17	23	18.1	415	1	2	9	20	53	67	71	5	4.8	10	2	2	4	6	10	10	10
18-20	9	14.9	91	6	6	13	17	31	36	36	7	4.9	5	2	2	5	6	8	9	9
21-24	21	8.7	76	1	1	4	15	28	58	99 +	3	3.3	2	2	2	4	4	4	4	4
25-34	84	11.8	134	1	2	8	16	28	36	87	41	7.8	51	1	2	5	10	16	23	35
35-54	98	9.9	67	1	2	8	14	21	23	44	51	6.8	24	2	2	6	9	12	16	23
55-74	66	13.0	121	3	4	9	17	28	38	55	33	8.6	143	1	2	6	9	13	17	72
75 +	20	11.3	76	2	2	10	16	21	29	36	10	8.6	43	4	4	6	11	19	25	25
ALL AGES	325	11.8	128	1	2	9	15	25	37	66	150	7.4	56	2	2	6	9	13	18	35
SUBTOTAL	**551**	**11.1**	**113**	**1**	**2**	**8**	**14**	**25**	**33**	**58**	**230**	**7.2**	**52**	**1**	**2**	**5**	**9**	**13**	**21**	**31**
GRAND TOTAL	**1419**	**10.3**	**100**	**1**	**2**	**7**	**14**	**23**	**30**	**51**	**671**	**6.5**	**39**	**1**	**2**	**5**	**8**	**12**	**19**	**28**

UNSOCIALIZED AGGRESSION (312.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	12	12.3	42	2	4	12	20	37	88	99+										
13-17	42	20.6	343	1	1	15	36	58	78	99+										
18-20	1	8.0		8	8	8	8	8	8	8										
21-24	3	6.3	35	2	2	4	11	13	13	13										
25-34	3	5.7	4	4	4	5	7	8	8	8										
35-54	1	5.0		5	5	5	5	5	5	5										
55-74	1	29.0		29	29	29	29	29	29	29										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	64	17.1	265	1	2	12	25	52	74	99+										
B. FEMALE																				
0-12 YRS.	10	14.3	50	3	4	15	21	22	22	22										
13-17	19	23.5	534	1	1	15	49	66	86	99+										
18-20																				
21-24																				
25-34	2	5.0	2	4	4	5	6	6	6	6										
35-54																				
55-74																				
75 +																				
ALL AGES	31	19.3	370	1	2	14	22	58	72	99+										
SUBTOTAL	**95**	**17.8**	**297**	**1**	**2**	**13**	**24**	**57**	**71**	**99+**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	15	25.3	515	2	8	21	35	91	99	99+										
13-17	23	25.6	721	1	2	17	41	78	82	86	1	5.0		5	5	5	5	5	5	5
18-20	1	4.0		4	4	4	4	4	4	4										
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74																				
75 +																				
ALL AGES	40	24.5	610	1	3	18	36	79	91	99+	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.	10	26.4	466	1	3	23	52	80	98	99+										
13-17	10	42.0	852	2	11	52	82	99+	99+	99+										
18-20	1	17.0		17	17	17	17	17	17	17										
21-24	1	16.0		16	16	16	16	16	16	16										
25-34																				
35-54																				
55-74																				
75 +											1	11.0		11	11	11	11	11	11	11
ALL AGES	22	32.6	650	1	4	29	61	99+	99+	99+	1	11.0		11	11	11	11	11	11	11
SUBTOTAL	**62**	**27.3**	**633**	**1**	**3**	**20**	**44**	**85**	**99+**	**99+**	**2**	**8.0**	**18**	**5**	**5**	**8**	**11**	**11**	**11**	**11**
GRAND TOTAL	**157**	**21.6**	**446**	**1**	**2**	**16**	**33**	**66**	**98**	**99+**	**2**	**8.0**	**18**	**5**	**5**	**8**	**11**	**11**	**11**	**11**

UNSOCIALIZ, UNAGGRESSIVE (312.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	18.2	521	1	1	10	26	58	58	58										
13-17	4	7.5	23	1	1	8	11	12	12	12										
18-20	1	10.0		10	10	10	10	10	10	10										
21-24																				
25-34	1	14.0		14	14	14	14	14	14	14										
35-54																				
55-74																				
75 +																				
ALL AGES	11	13.2	241	1	1	10	13	32	56	58										
B. FEMALE																				
0-12 YRS.	3	8.3	23	3	3	10	11	12	12	12										
13-17	8	37.6	774	10	10	29	63	78	80	80										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	11	29.6	734	3	7	16	48	76	80	80										
SUBTOTAL	**22**	**21.4**	**535**	**1**	**2**	**11**	**25**	**62**	**76**	**80**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	12.0		12	12	12	12	12	12	12										
13-17	12	37.4	1250	1	2	22	69	89	95	96										
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	14	33.1	1181	1	3	14	62	87	94	96										
B. FEMALE																				
0-12 YRS.	2	15.5	1	15	15	15	16	16	16	16										
13-17	9	23.0	849	1	1	13	30	70	95	95										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	11	21.6	690	1	2	15	26	57	92	95										
SUBTOTAL	**25**	**28.1**	**958**	**1**	**2**	**15**	**37**	**86**	**95**	**96**										
GRAND TOTAL	**47**	**25.0**	**753**	**1**	**2**	**12**	**31**	**76**	**87**	**96**										

SOCIALIZED CONDUCT DIS (312.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	28.5	322	9	9	29	37	55	57	57	1	2.0		2	2	2	2	2	2	2
13-17	63	24.8	371	3	7	21	35	64	90	99 +										
18-20	3	24.3	383	5	5	24	39	44	44	44										
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74	1	31.0		31	31	31	31	31	31	31										
75 +																				
ALL AGES	74	24.9	354	3	6	22	35	60	81	99 +	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	10	14.2	64	2	4	14	19	25	29	29										
13-17	72	21.3	351	3	3	17	30	51	80	99 +	2	12.5	221	2	2	12	23	23	23	23
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	83	20.2	321	3	3	17	28	47	70	99 +	2	12.5	221	2	2	12	23	23	23	23
SUBTOTAL	**157**	**22.4**	**341**	**3**	**4**	**18**	**31**	**57**	**76**	**99 +**	**3**	**9.0**	**147**	**2**	**2**	**2**	**18**	**23**	**23**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	29.0		29	29	64	99 +	99 +	99 +	99 +										
13-17	49	28.8	468	3	7	24	44	60	73	86	2	6.0	18	3	3	6	9	9	9	9
18-20	5	19.2	168	8	8	14	30	38	38	38	1	3.0		3	3	3	3	3	3	3
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	55	27.9	438	4	7	24	41	60	80	99	3	5.0	12	3	3	3	8	9	9	9
B. FEMALE																				
0-12 YRS.	10	25.0	202	6	7	26	34	45	52	52										
13-17	44	26.1	363	2	5	25	33	56	61	85	1	56.0		56	56	56	56	56	56	56
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34																				
35-54	1	15.0		15	15	15	15	15	15	15										
55-74																				
75 +																				
ALL AGES	56	25.3	328	2	5	24	33	52	60	84	1	56.0		56	56	56	56	56	56	56
SUBTOTAL	**111**	**26.6**	**380**	**2**	**5**	**24**	**38**	**57**	**69**	**91**	**4**	**17.8**	**656**	**3**	**3**	**6**	**32**	**56**	**56**	**56**
GRAND TOTAL	**268**	**24.1**	**362**	**3**	**5**	**21**	**32**	**57**	**70**	**99 +**	**7**	**14.0**	**400**	**2**	**2**	**3**	**19**	**49**	**56**	**56**

IMPULSE CONTROL DIS NEC (312.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	7.0	32	3	3	7	11	11	11	11										
13-17	5	8.2	8	5	5	9	10	12	12	12										
18-20	2	8.0	32	4	4	8	12	12	12	12										
21-24	4	4.3	6	3	3	3	6	8	8	8										
25-34	8	6.0	21	2	2	4	9	13	15	15										
35-54	3	4.0	19	1	1	2	7	9	9	9										
55-74	1	1.0		1	1	1	1	1	1	1										
75 +	1	5.0		5	5	5	5	5	5	5	1	6.0		6	6	6	6	6	6	6
ALL AGES	26	5.9	16	1	2	4	9	12	13	15	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	2	17.0	50	12	12	17	22	22	22	22										
18-20																				
21-24																				
25-34	2	12.0	162	3	3	12	21	21	21	21										
35-54																				
55-74																				
75 +																				
ALL AGES	4	14.5	79	3	3	16	21	22	22	22										
SUBTOTAL	**30**	**7.1**	**30**	**1**	**2**	**5**	**9**	**14**	**21**	**22**	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	7.6	37	1	1	8	13	15	15	15	1	2.0		2	2	2	2	2	2	2
18-20	2	17.5	421	3	3	17	32	32	32	32										
21-24	4	15.5	364	4	4	7	26	44	44	44										
25-34	2	6.5	41	2	2	6	11	11	11	11										
35-54	4	10.8	82	3	3	8	16	24	24	24	1	9.0		9	9	9	9	9	9	9
55-74																				
75 +																				
ALL AGES	17	11.2	139	1	2	8	13	30	40	44	2	5.5	25	2	2	5	9	9	9	9
B. FEMALE																				
0-12 YRS.	1	26.0		26	26	26	26	26	26	26										
13-17	1	20.0		20	20	20	20	20	20	20										
18-20																				
21-24																				
25-34	1	15.0		15	15	15	15	15	15	15										
35-54											1	3.0		3	3	3	3	3	3	3
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	4	17.0	65	7	7	17	23	26	26	26	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**21**	**12.3**	**127**	**1**	**2**	**8**	**16**	**28**	**37**	**44**	**3**	**4.7**	**14**	**2**	**2**	**3**	**7**	**9**	**9**	**9**
GRAND TOTAL	**51**	**9.2**	**75**	**1**	**2**	**8**	**12**	**21**	**26**	**44**	**4**	**5.0**	**10**	**2**	**2**	**4**	**7**	**9**	**9**	**9**

MIX DIS CONDUCT/EMOTION (312.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17	6	16.2	98	7	7	14	22	31	32	32										
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	7	14.3	107	3	4	9	21	30	32	32										
SUBTOTAL	**8**	**13.1**	**103**	**3**	**4**	**8**	**20**	**29**	**32**	**32**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	12.0		12	12	12	12	12	12	12										
75 +																				
ALL AGES	1	12.0		12	12	12	12	12	12	12										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**										
GRAND TOTAL	**9**	**13.0**	**90**	**3**	**4**	**9**	**20**	**28**	**32**	**32**										

OTHER CONDUCT DISTURB (312.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	3.5	1	3	3	3	4	4	4	4										
13-17	1	30.0		30	30	30	30	30	30	30										
18-20																				
21-24	1	17.0		17	17	17	17	17	17	17										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	13.5	162	3	3	10	23	30	30	30										
B. FEMALE																				
0-12 YRS.	4	8.5	54	2	2	6	13	19	19	19										
13-17	1	7.0		7	7	7	7	7	7	7										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	8.2	41	2	2	7	10	19	19	19										
SUBTOTAL	**9**	**10.6**	**88**	**2**	**2**	**7**	**17**	**26**	**30**	**30**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	9.0	50	4	4	9	14	14	14	14										
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	4	6.5	28	2	2	5	10	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-17	4	13.8	108	1	1	14	22	25	25	25										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	13.8	108	1	1	14	22	25	25	25										
SUBTOTAL	**8**	**10.1**	**75**	**1**	**1**	**8**	**16**	**23**	**25**	**25**										
GRAND TOTAL	**17**	**10.4**	**76**	**1**	**2**	**7**	**17**	**24**	**28**	**30**										

CONDUCT DISTURBANCE NOS (312.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	19.7	387	1	2	13	39	48	48	48	2	3.0	8	1	1	3	5	5	5	5
13-17	9	23.8	781	1	1	10	40	69	83	83	2	2.0		2	2	2	2	2	2	2
18-20	3	6.7	30	1	1	7	11	12	12	12	1	1.0		1	1	1	1	1	1	1
21-24																				
25-34	1	18.0		18	18	18	18	18	18	18										
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	2	8.0		8	8	8	8	8	8	8										
75 +	2	10.5	25	7	7	10	14	14	14	14										
ALL AGES	25	17.4	407	1	1	9	19	48	57	83	5	2.2	3	1	1	2	3	5	5	5
B. FEMALE																				
0-12 YRS.	5	4.6	29	1	1	3	6	14	14	14	3	1.7		1	1	2	2	2	2	2
13-17	14	19.9	665	1	1	9	50	80	95	99 +	1	1.0		1	1	1	1	1	1	1
18-20											1	3.0		3	3	3	3	3	3	3
21-24																				
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14										
55-74																				
75 +	2	16.0	98	9	9	16	23	23	23	23										
ALL AGES	22	15.8	463	1	1	9	21	61	87	99 +	5	1.8	1	1	1	2	2	3	3	3
SUBTOTAL	**47**	**16.6**	**426**	**1**	**1**	**9**	**20**	**53**	**80**	**99 +**	**10**	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	8.0	37	2	2	7	13	15	15	15	1	5.0		5	5	5	5	5	5	5
13-17	18	14.3	223	1	2	9	16	37	50	57										
18-20																				
21-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	23	12.8	186	1	2	7	15	35	45	57	2	5.5	1	5	5	5	6	6	6	6
B. FEMALE																				
0-12 YRS.	2	37.0	512	21	21	37	53	53	53	53										
13-17	8	14.4	115	2	2	13	24	28	29	29										
18-20																				
21-24																				
25-34	2	12.5	61	7	7	12	18	18	18	18										
35-54	2	12.5	1	12	12	12	13	13	13	13										
55-74																				
75 +																				
ALL AGES	14	17.1	178	2	2	14	23	31	48	53										
SUBTOTAL	**37**	**14.4**	**183**	**2**	**2**	**12**	**18**	**33**	**48**	**57**	**2**	**5.5**	**1**	**5**	**5**	**5**	**6**	**6**	**6**	**6**
GRAND TOTAL	**84**	**15.7**	**315**	**1**	**2**	**10**	**18**	**48**	**56**	**94**	**12**	**2.6**	**3**	**1**	**1**	**2**	**4**	**5**	**6**	**6**

OVERANXIOUS DISORDER (313.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	2	6.0	18	3	3	6	9	9	9	9											
13-17	1	8.0		8	8	8	8	8	8	8											
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	3	6.7	10	3	3	8	9	9	9	9											
B. FEMALE																					
0-12 YRS.	3	8.3	18	5	5	7	11	13	13	13											
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	3	8.3	18	5	5	7	11	13	13	13											
SUBTOTAL	**6**	**7.5**	**12**	**3**	**3**	**7**	**9**	**13**	**13**	**13**											
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	1	4.0		4	4	4	4	4	4	4											
13-17	1	45.0		45	45	45	45	45	45	45											
18-20	1	16.0		16	16	16	16	16	16	16											
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	3	21.7	442	4	4	16	38	45	45	45											
B. FEMALE																					
0-12 YRS.																					
13-17	1	25.0		25	25	25	25	25	25	25											
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	1	25.0		25	25	25	25	25	25	25											
SUBTOTAL	**4**	**22.5**	**299**	**4**	**4**	**20**	**35**	**45**	**45**	**45**											
GRAND TOTAL	**10**	**13.5**	**166**	**3**	**3**	**8**	**16**	**35**	**45**	**45**											

SENSITIVITY & WITHDRAWAL (313.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17	1	15.0		15	15	15	15	15	15	15										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	15.0		15	15	15	15	15	15	15										
SUBTOTAL	**2**	**9.5**	**61**	**4**	**4**	**9**	**15**	**15**	**15**	**15**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	23.0		23	23	23	23	23	23	23										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	23.0		23	23	23	23	23	23	23										
B. FEMALE																				
0-12 YRS.																				
13-17	1	18.0		18	18	18	18	18	18	18										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	18.0		18	18	18	18	18	18	18										
SUBTOTAL	**2**	**20.5**	**13**	**18**	**18**	**20**	**23**	**23**	**23**	**23**										
GRAND TOTAL	**4**	**15.0**	**65**	**4**	**4**	**16**	**20**	**23**	**23**	**23**										

RELATIONSHIP PROBLEMS (313.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
SUBTOTAL																					
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-20	1	2.0		2	2	2	2	2	2	2											
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES	1	2.0		2	2	2	2	2	2	2											
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-20																					
21-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**											
GRAND TOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**											

OTH EMOTIONAL DIS CHILD (313.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	28.6	775	4	5	14	46	74	80	80										
13-17	14	39.1	536	2	9	41	53	72	73	73										
18-20																				
21-24	1	25.0		25	25	25	25	25	25	25										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	22	35.1	584	2	8	33	52	72	76	80										
B. FEMALE																				
0-12 YRS.	11	23.0	467	1	2	21	28	50	78	81										
13-17	29	28.5	474	4	6	22	40	58	62	98										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	40	27.0	466	3	5	22	30	57	71	98										
SUBTOTAL	**62**	**29.9**	**513**	**3**	**5**	**24**	**45**	**62**	**76**	**96**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	14	23.5	191	8	10	23	26	35	58	65										
13-17	14	40.7	441	5	8	43	49	67	79	83										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	28	32.1	381	7	9	26	45	62	67	83										
B. FEMALE																				
0-12 YRS.	13	22.3	34	11	13	21	26	34	43	45										
13-17	16	27.6	504	5	6	25	40	80	94	99 +										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	29	25.2	314	5	7	23	31	58	84	99 +										
SUBTOTAL	**57**	**28.6**	**352**	**6**	**8**	**25**	**37**	**62**	**76**	**99**										
GRAND TOTAL	**119**	**29.3**	**431**	**4**	**7**	**25**	**41**	**62**	**76**	**99**										

EMOTIONAL DIS CHILD NOS (313.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	25.7	1295	1	1	9	52	67	67	67										
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	19.5	1017	1	1	5	38	67	67	67										
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	5	6.4	26	3	3	4	9	15	15	15										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	6.4	26	3	3	4	9	15	15	15	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**9**	**12.2**	**443**	**1**	**1**	**4**	**10**	**46**	**67**	**67**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	8	8	8	8	8										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17	4	3.8	7	1	1	3	6	7	7	7										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	3.8	7	1	1	3	6	7	7	7										
SUBTOTAL	**5**	**4.6**	**9**	**1**	**1**	**5**	**7**	**8**	**8**	**8**										
GRAND TOTAL	**14**	**9.5**	**289**	**1**	**1**	**4**	**8**	**20**	**57**	**67**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

ATTENTION DEFICIT DIS (314.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	45	11.2	248	1	1	4	11	41	47	66	4	3.8	2	2	2	4	5	5	5	5
13-17	8	17.5	263	4	4	11	25	45	51	51	1	2.0		2	2	2	2	2	2	2
18-20											1	2.0		2	2	2	2	2	2	2
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	54	12.0	247	1	1	4	11	41	49	65	6	3.2	2	2	2	3	5	5	5	5
B. FEMALE																				
0-12 YRS.	19	23.3	292	2	5	21	30	50	61	64	2	1.5	1	1	1	1	2	2	2	2
13-17	3	24.0	28	20	20	22	28	30	30	30										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	22	23.4	253	3	6	22	30	45	60	64	2	1.5	1	1	1	1	2	2	2	2
SUBTOTAL	**76**	**15.3**	**272**	**1**	**2**	**9**	**23**	**41**	**50**	**65**	**8**	**2.8**	**2**	**1**	**1**	**2**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	39	26.5	537	2	3	20	41	69	77	99 +	2	1.0		1	1	1	1	1	1	1
13-17	20	16.9	259	3	3	9	27	44	48	52										
18-20	1	9.0		9	9	9	9	9	9	9										
21-24																				
25-34																				
35-54	1	21.0		21	21	21	21	21	21	21										
55-74																				
75 +																				
ALL AGES	61	23.0	445	3	3	16	35	59	74	97	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	26	25.7	144	6	11	24	29	45	50	52	3	2.0	3	1	1	1	3	4	4	4
13-17	2	8.5	25	5	5	8	12	12	12	12										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	28	24.5	154	5	8	23	29	44	50	52	3	2.0	3	1	1	1	3	4	4	4
SUBTOTAL	**89**	**23.5**	**349**	**3**	**3**	**20**	**33**	**52**	**65**	**92**	**5**	**1.6**	**2**	**1**	**1**	**1**	**2**	**4**	**4**	**4**
GRAND TOTAL	**165**	**19.7**	**330**	**2**	**2**	**14**	**29**	**49**	**59**	**79**	**13**	**2.3**	**2**	**1**	**1**	**2**	**3**	**5**	**5**	**5**

HYPERKINET W DEVEL DELAY (314.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	1.0		1	1	1	1	1	1	1										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	1.0		1	1	1	1	1	1	1										

OTHER HYPERKINETIC SYND (314.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	24.0		24	24	24	24	24	24	24										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	24.0		24	24	24	24	24	24	24										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	24.0		24	24	24	24	24	24	24										
GRAND TOTAL	1	24.0		24	24	24	24	24	24	24										

HYPERKINETIC SYND NOS (314.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +											2	3.0		3	3	3	3	3	3	3
ALL AGES											3	3.0		3	3	3	3	3	3	3
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**3**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	12.0		12	12	12	12	12	12	12										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	2	6.0	18	3	3	6	9	9	9	9										
75 +																				
ALL AGES	2	6.0	18	3	3	6	9	9	9	9										
SUBTOTAL	**3**	**8.0**	**21**	**3**	**3**	**9**	**11**	**12**	**12**	**12**										
GRAND TOTAL	**4**	**6.5**	**23**	**2**	**2**	**6**	**10**	**12**	**12**	**12**	**3**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

ALL PSYCHIATRIC CODES

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	246	14.8	357	1	1	7	21	48	58	99+	60	2.9	14	1	1	2	3	6	8	25
13-17	685	18.7	324	1	1	13	29	46	63	99+	156	12.2	348	1	1	2	20	42	53	75
18-20	355	11.0	124	1	1	7	16	28	33	52	117	9.6	185	1	1	2	10	31	39	52
21-24	617	11.2	156	1	1	7	15	28	32	60	160	12.6	179	1	1	4	28	31	34	42
25-34	2169	11.0	113	1	1	7	15	28	31	51	685	11.9	169	1	1	4	27	30	35	45
35-54	3031	10.8	104	1	2	7	15	27	30	44	1233	11.4	141	1	2	5	21	28	34	43
55-74	1804	11.6	96	1	2	8	16	26	30	44	866	9.7	116	1	2	5	11	28	33	42
75 +	641	12.3	123	2	3	9	15	26	35	55	412	8.7	86	1	2	6	10	17	24	50
ALL AGES	9548	11.8	136	1	2	8	16	28	33	58	3689	10.7	146	1	1	5	16	29	35	45
B. FEMALE																				
0-12 YRS.	225	15.4	306	1	1	9	22	40	57	86	57	2.6	17	1	1	2	2	5	9	28
13-17	919	18.0	342	1	2	11	27	46	64	99+	160	8.0	205	1	1	2	5	30	43	69
18-20	381	10.4	153	1	1	6	13	28	36	79	92	6.2	94	1	1	2	5	22	29	44
21-24	700	10.8	116	1	2	7	15	24	31	53	178	9.1	154	1	1	4	7	30	38	52
25-34	2606	11.4	109	1	2	8	15	25	31	52	697	9.0	129	1	1	4	9	28	31	49
35-54	4260	12.2	114	1	2	9	16	26	32	55	1243	7.4	75	1	1	4	8	18	28	39
55-74	3056	14.7	153	2	3	12	20	30	38	63	1079	8.4	80	1	2	5	10	19	28	47
75 +	1262	13.7	164	2	3	10	18	29	39	78	760	8.5	92	1	2	6	9	17	28	50
ALL AGES	13409	13.1	150	1	2	10	17	28	37	66	4266	8.1	97	1	1	5	9	21	30	47
SUBTOTAL	**22957**	**12.6**	**144**	**1**	**2**	**9**	**17**	**28**	**35**	**63**	**7955**	**9.3**	**121**	**1**	**1**	**5**	**10**	**28**	**32**	**46**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	148	22.2	386	2	3	16	33	55	70	99+	11	3.6	19	1	1	2	4	9	15	16
13-17	573	23.5	389	2	3	20	35	56	74	99+	81	20.6	381	1	1	18	42	47	53	90
18-20	253	14.7	196	1	2	9	24	36	42	56	68	14.2	261	1	1	5	27	39	44	68
21-24	498	13.2	128	1	2	9	21	30	34	45	117	14.5	186	1	1	7	28	31	39	45
25-34	1685	12.5	132	1	2	8	19	29	33	49	532	14.0	178	1	2	7	27	31	41	44
35-54	2290	10.8	97	1	2	7	15	27	30	46	813	9.8	125	1	2	4	11	29	31	43
55-74	1141	12.9	119	2	3	9	18	28	34	53	501	8.8	85	2	2	5	10	23	29	38
75 +	273	13.1	122	2	3	10	17	28	33	55	154	10.6	134	1	2	7	13	22	30	59
ALL AGES	6861	13.3	159	1	2	9	19	30	37	64	2277	11.4	151	1	2	5	19	30	36	47
B. FEMALE																				
0-12 YRS.	136	22.2	211	1	3	22	30	46	53	99+	11	5.4	63	1	1	2	4	19	25	26
13-17	561	23.5	437	1	3	18	36	61	81	99+	68	9.9	242	1	1	3	9	38	54	58
18-20	250	15.4	217	1	2	11	22	36	44	68	64	13.3	269	1	1	6	20	41	44	68
21-24	454	12.5	150	1	2	9	17	29	34	63	119	10.0	134	1	1	5	10	29	37	44
25-34	1666	13.8	159	2	2	10	20	30	38	63	427	10.0	117	1	2	5	13	29	31	42
35-54	2314	13.3	134	2	3	10	19	28	35	60	722	8.1	67	1	2	5	9	20	28	38
55-74	1528	15.6	167	2	3	12	21	31	40	70	535	9.1	79	2	2	6	11	21	29	43
75 +	509	15.0	182	2	3	10	20	33	44	68	261	9.1	55	2	3	7	11	18	22	38
ALL AGES	7418	15.0	184	2	3	11	21	32	43	75	2207	9.1	94	1	2	6	11	25	30	44
SUBTOTAL	**14279**	**14.1**	**175**	**2**	**2**	**10**	**20**	**30**	**40**	**71**	**4484**	**10.2**	**126**	**1**	**2**	**5**	**12**	**28**	**32**	**46**
GRAND TOTAL	**37236**	**13.2**	**156**	**1**	**2**	**9**	**18**	**29**	**37**	**66**	**12439**	**9.7**	**122**	**1**	**1**	**5**	**11**	**28**	**32**	**46**

APPENDIX 1

HOSPITAL SERVICE TYPE DEFINITIONS

To define the two hospital categories used in the Psychiatric Length of Stay series, the following steps were accomplished:

All specialty or long-term care hospitals, e.g., substance-abuse, orthopedic, or psychiatric, were deleted so that only nonfederal, short-term general hospitals remained in the psychiatric length of stay database. The exception is pediatric hospitals, specialty institutions, whose data were included.

Hospitals were then grouped according to whether the following service codes were recorded:

A. Hospital-based psychiatric acute care

B. Psychiatric acute care not available

C. Psychiatric acute care provided by another hospital or provider

D. Hospital-based pediatric psychiatric acute care

E. Pediatric psychiatric acute care not available

F. Pediatric psychiatric acute care provided by another hospital or provider

G. Psychiatric acute care beds set up

Hospitals in A, D, and G above were separated and labeled: hospitals with a psychiatric unit/beds. Hospitals in B, C, E, and F above were labeled: hospitals without a psychiatric unit/beds.

In addition, however, both hospital service types may offer one or more of these services as defined in the *AHA Guide*, 1986 Edition:

Psychiatric outpatient services

Hospital services for the diagnosis and treatment of psychiatric outpatients.

Clinical psychology services

One or more clinical psychologists who provide diagnostic or therapeutic services on a regular full-time schedule or intermittently.

Psychiatric consultation and education services

Provision of interpretive psychiatric consultation and education services to community agencies and workers such as schools, police, courts, public health nurses, welfare agencies, clergy, and so forth.The pupose is to expand the mental health knowledge and competence of personnel not working in the mental health field and to promote good mental health through improved understanding, attitudes, and behavioral patterns.

Psychiatric foster and/or home care program

Planned postdischarge psychiatric observation and care in the patient's place of residence or in an approved foster home.

Psychiatric emergency services

Hospital facilities for the provision of unscheduled outpatient care to psychiatric patients whose conditions are considered to require immediate care. Staff must be available 24 hours a day.

Partial hospitalization program

Organized hospital facilities and services for day care and/or night care of psychiatric patients who do not require inpatient care 24 hours a day.

APPENDIX 2

CALCULATION OF PROGRAM INTENSITY INDEX

The (Ip) of Phillip and Hai (1976) is used to place hospitals in one of three levels of teaching status. The formula is presented below.

$$Ip = 9.9\,(JCA) + 14.0\,(CP) + 28.0\,(RES) + 14.7\,(MS) + 13.3\,(PNS) + 20.1\,(COT)$$

JCA: Accreditation by Joint Commission of Accredition of Hospitals

CP: Cancer Program approved by American College of Surgeons

RES: Residency approved by American Medical Association

MS: Medical School Affiliation reported by American Medical Association

PNS: Hospital-controlled professional nursing school, reported by National League for Nursing

COT: Member of Council of Teaching Hospitals of the Association of American Medical Colleges

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

In the hospital characteristic tables of the Psychiatric Length of Stay series, the following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution
Ip value 25.0-74.9	Minor Teaching Institution
Ip value 75.0+	Major Teaching Institution

APPENDIX 3

STATE INCLUSIONS BY REGION

Northeast	North Central	South	West
Connecticut	Illinois	Alabama	Alaska
Maine	Indiana	Arkansas	Arizona
Massachusetts	Iowa	Delaware	California
New Hampshire	Kansas	District of Columbia	Colorado
New Jersey	Michigan	Florida	Hawaii
New York	Minnesota	Georgia	Idaho
Pennsylvania	Missouri	Kentucky	Montana
Rhode Island	Nebraska	Louisiana	Nevada
Vermont	North Dakota	Maryland	New Mexico
	Ohio	Mississippi	Oregon
	South Dakota	North Carolina	Utah
	Wisconsin	Oklahoma	Washington
		South Carolina	Wyoming
		Tennessee	
		Texa	
		Virginia	
		West Virginia	

The number and percent of hospitals and total patients by census region and hospital type included in the psychiatric length of stay tables is shown below.

	Hospitals with a Psych Unit/Beds				Hospitals without a Psych Unit/Beds			
Region	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx	%	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx	%
Northeast	130	26.3	44,556	22.1	174	18.3	10,397	15.6
North Central	154	31.1	77,149	38.2	331	34.9	22,858	34.2
South	93	18.8	37,236	18.4	217	22.8	12,439	18.6
West	118	23.8	42,894	21.3	228	24.0	21,135	31.6
U.S.	495	100.0	201,835	100.0	950	100.0	66,829	100.0

Appendix 4

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	English Description	Page Number
290	**Senile and presenile organic psychotic conditions**	
290.0	Senile dementia, uncomplicated	1
290.1	Presenile dementia	2
290.10	Presenile dementia, uncomplicated	2
290.11	Presenile dementia with delirium	2
290.12	Presenile dementia with delusional features	2
290.13	Presenile dementia with depressive features	2
290.2	Senile dementia with delusional or depressive features	3
290.20	Senile dementia with delusional features	3
290.21	Senile dementia with depressive features	3
290.3	Senile dementia with delirium	4
290.4	Arteriosclerotic dementia	5
290.40	Arteriosclerotic dementia, uncomplicated	5
290.41	Arteriosclerotic dementia with delirium	5
290.42	Arteriosclerotic dementia with delusional features	5
290.43	Arteriosclerotic dementia with depressive features	5
290.8	Other specified senile psychotic conditions	6
290.9	Unspecified senile psychotic condition	7
291	**Alcoholic psychoses**	
291.0	Alcohol withdrawal delirium	8
291.1	Alcohol amnestic syndrome	9
291.2	Other alcoholic dementia	10
291.3	Alcohol withdrawal hallucinosis	11
291.4	Idiosyncratic alcohol intoxication	12
291.5	Alcoholic jealousy	13
291.8	Other specified alcoholic psychosis	14
291.9	Unspecified alcoholic psychosis	15
292	**Drug psychoses**	
292.0	Drug withdrawal syndrome	16
292.1	Paranoid and/or hallucinatory states induced by drugs	17
292.11	Drug-induced organic delusional syndrome	17
292.12	Drug-induced hallucinosis	17
292.2	Pathological drug intoxication	18
292.8	Other specified drug-induced mental disorders	19
292.81	Drug-induced delirium	19
292.82	Drug-induced dementia	19
292.83	Drug-induced amnestic syndrome	19
292.84	Drug-induced organic affective syndrome	19
292.89	Other	19
292.9	Unspecified drug-induced mental disorder	20
293	**Transient organic psychotic conditions**	
293.0	Acute delirium	21
293.1	Subacute delirium	22
293.8	Other specified transient organic mental disorders	23
293.81	Organic delusional syndrome	23
293.82	Organic hallucinosis syndrome	23
293.83	Organic affective syndrome	23
293.89	Other	23
293.9	Unspecified transient organic mental disorder	24

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
294	**Other organic psychotic conditions (chronic)**	
294.0	Amnestic syndrome	25
294.1	Dementia in conditions classified elsewhere	26
294.8	Other specified organic brain syndromes (chronic)	27
294.9	Unspecified organic brain syndrome (chronic)	28
295	**Schizophrenic disorders**	
	Fifth-digit subclassification for use with 295: 0 unspecified 1 subchronic 2 chronic 3 subchronic with acute exacerbation 4 chronic with acute exacerbation 5 in remission	
295.0	Simple type	29
295.1	Disorganized type	30
295.2	Catatonic type	31
295.3	Paranoid type	32
295.4	Acute schizophrenic episode	33
295.5	Latent schizophrenia	34
295.6	Residual schizophrenia	35
295.7	Schizo-affective type	36
295.8	Other specified types of schizophrenia	37
295.9	Unspecified schizophrenia	38
296	**Affective psychoses**	
	Fifth-digit subclassification for use with 296.0-296.6: 0 unspecified 1 mild 2 moderate 3 severe, without mention of psychotic behavior 4 severe, specified as with psychotic behavior 5 in partial or unspecified remission 6 in full remission	
296.0	Manic disorder, single episode	39
296.1	Manic disorder, recurrent episode	40
296.2	Major depressive disorder, single episode	41
296.3	Major depressive disorder, recurrent episode	42
296.4	Bipolar affective disorder, manic	43
296.5	Bipolar affective disorder, depressed	44
296.6	Bipolar affective disorder, mixed	45
296.7	Bipolar affective disorder, unspecified	46
296.8	Manic-depressive psychosis, other and unspecified	47
296.80	Manic-depressive psychosis, unspecified	47
296.81	Atypical manic disorder	47
296.82	Atypical depressive disorder	47
296.89	Other	47
296.9	Other and unspecified affective psychoses	48
296.90	Unspecified affective psychosis	48
296.99	Other specified affective psychoses	48
297	**Paranoid states**	
297.0	Paranoid state, simple	49
297.1	Paranoia	50
297.2	Paraphrenia	51
297.3	Shared paranoid disorder	52

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
297.8	Other specified paranoid states	53
297.9	Unspecified paranoid state	54
298	**Other nonorganic psychoses**	
298.0	Depressive type psychosis	55
298.1	Excitative type psychosis	56
298.2	Reactive confusion	57
298.3	Acute paranoid reaction	58
298.4	Psychogenic paranoid psychosis	59
298.8	Other and unspecified reactive psychosis	60
298.9	Unspecified psychosis	61
299	**Psychoses with origin specific to childhood**	
	Fifth-digit subclassification for use with 299:	
	0 current or active state	
	1 residual state	
299.0	Infantile autism	62
299.8	Other specified early childhood psychoses	63
299.9	Unspecified	64
300	**Neurotic disorders**	
300.0	Anxiety states	65
300.00	Anxiety state, unspecified	65
300.01	Panic disorder	65
300.02	Generalized anxiety disorder	65
300.09	Other	65
300.1	Hysteria	66
300.10	Hysteria, unspecified	66
300.11	Conversion disorder	66
300.12	Psychogenic amnesia	66
300.13	Psychogenic fugue	66
300.14	Multiple personality	66
300.15	Dissociative disorder or reaction, unspecified	66
300.16	Factitious illness with psychological symptoms	66
300.19	Other and unspecified factitious illness	66
300.2	Phobic disorders	67
300.20	Phobia, unspecified	67
300.21	Agoraphobia with panic attacks	67
300.22	Agoraphobia without mention of panic attacks	67
300.23	Social phobia	67
300.29	Other isolated or simple phobias	67
300.3	Obsessive-compulsive disorders	68
300.4	Neurotic depression	69
300.5	Neurasthenia	70
300.7	Hypochondriasis	71
300.8	Other neurotic disorders	72
300.81	Somatization disorder	72
300.89	Other	72
300.9	Unspecified neurotic disorder	73
301	**Personality disorders**	
301.0	Paranoid personality disorder	74
301.1	Affective personality disorder	75
301.10	Affective personality disorder, unspecified	75
301.11	Chronic hypomanic personality disorder	75

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
301.12	Chronic depressive personality disorder	75
301.13	Cyclothymic disorder	75
301.2	Schizoid personality disorder	76
301.20	Schizoid personality disorder, unspecified	76
301.21	Introverted personality	76
301.22	Schizotypal personality	76
301.3	Explosive personality disorder	77
301.4	Compulsive personality disorder	78
301.5	Histrionic personality disorder	79
301.50	Histrionic personality disorder, unspecified	79
301.51	Chronic factitious illness with physical symptoms	79
301.59	Other histrionic personality disorder	79
301.6	Dependent personality disorder	80
301.7	Antisocial personality disorder	81
301.8	Other personality disorders	82
301.81	Narcissistic personality	82
301.82	Avoidant personality	82
301.83	Borderline personality	82
301.84	Passive-aggressive personality	82
301.89	Other	82
301.9	Unspecified personality disorder	83
302	**Sexual deviations and disorders**	
302.2	Pedophilia	84
302.5	Trans-sexualism	85
302.50	With unspecified sexual history	85
302.51	With asexual history	85
302.52	With homosexual history	85
302.53	With heterosexual history	85
302.6	Disorders of psychosexual identity	86
302.7	Psychosexual dysfunction	87
302.70	Psychosexual dysfunction, unspecified	87
302.71	With inhibited sexual desire	87
302.72	With inhibited sexual excitement	87
302.73	With inhibited female orgasm	87
302.74	With inhibited male orgasm	87
302.75	With premature ejaculation	87
302.76	With functional dyspareunia	87
302.79	With other specified psychosexual dysfunctions	87
302.8	Other specified psychosexual disorders	88
302.81	Fetishism	88
302.82	Voyeurism	88
302.83	Sexual masochism	88
302.84	Sexual sadism	88
302.85	Gender identity disorder of adolescent or adult life	88
302.89	Other	88
302.9	Unspecified psychosexual disorder	89
303	**Alcohol dependence syndrome**	
	Fifth-digit subclassification for use with 303: 0 unspecified 1 continuous 2 episodic 3 in remission	

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
303.0	Acute alcoholic intoxication	90
303.9	Other and unspecified alcohol dependence	91
304	**Drug dependence**	
	Fifth-digit subclassification for use with 304:	
	0 unspecified	
	1 continuous	
	2 episodic	
	3 in remission	
304.0	Opioid type dependence	92
304.1	Barbiturate and similarly acting sedative or hypnotic dependence	93
304.2	Cocaine dependence	94
304.3	Cannabis dependence	95
304.4	Amphetamine and other psychostimulant dependence	96
304.5	Hallucinogen dependence	97
304.6	Other specified drug dependence	98
304.7	Combinations of opioid type drug with any other	99
304.8	Combinations of drug dependence excluding opioid type drug	100
304.9	Unspecified drug dependence	101
305	**Nondependent abuse of drugs**	
	Fifth-digit subclassification for use with 305:	
	0 unspecified	
	1 continuous	
	2 episodic	
	3 in remission	
305.0	Alcohol abuse	102
305.1	Tobacco use disorder	103
305.2	Cannabis abuse	104
305.3	Hallucinogen abuse	105
305.4	Barbiturate and similarly acting sedative or hypnotic abuse	106
305.5	Opioid abuse	107
305.6	Cocaine abuse	108
305.7	Amphetamine or related acting sympathomimetic abuse	109
305.8	Antidepressant type abuse	110
305.9	Other, mixed, or unspecified drug abuse	111
306	**Physiological malfunction arising from mental factors**	
306.0	Musculoskeletal	112
306.1	Respiratory	113
306.2	Cardiovascular	114
306.3	Skin	115
306.4	Gastrointestinal	116
306.5	Genitourinary	117
306.50	Psychogenic genitourinary malfunction, unspecified	117
306.51	Psychogenic vaginismus	117
306.52	Psychogenic dysmenorrhea	117
306.53	Psychogenic dysuria	117
306.59	Other	117
306.6	Endocrine	118
306.8	Other specified psychophysiological malfunction	119
306.9	Unspecified psychophysiological malfunction	120
307	**Special symptoms or syndromes, not elsewhere classified**	
307.0	Stammering and stuttering	121
307.1	Anorexia nervosa	122
307.2	Tics	123

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
307.20	Tic disorder, unspecified	123
307.21	Transient tic disorder of childhood	123
307.22	Chronic motor tic disorder	123
307.23	Gilles de la Tourette's disorder	123
307.3	Stereotyped repetitive movements	124
307.4	Specific disorders of sleep of nonorganic origin	125
307.40	Nonorganic sleep disorder, unspecified	125
307.41	Transient disorder of initiating or maintaining sleep	125
307.42	Persistent disorder of initiating or maintaining sleep	125
307.43	Transient disorder of initiating or maintaining wakefulness	125
307.44	Persistent disorder of initiating or maintaining wakefulness	125
307.45	Phase-shift disruption of 24-hour sleep-wake cycle	125
307.46	Somnambulism or night terrors	125
307.47	Other dysfunctions of sleep stages or arousal from sleep	125
307.48	Repetitive intrusions of sleep	125
307.49	Other	125
307.5	Other and unspecified disorders of eating	126
307.50	Eating disorder, unspecified	126
307.51	Bulimia	126
307.52	Pica	126
307.53	Psychogenic rumination	126
307.54	Psychogenic vomiting	126
307.59	Other	126
307.6	Enuresis	127
307.7	Encopresis	128
307.8	Psychalgia	129
307.80	Psychogenic pain, site unspecified	129
307.81	Tension headache	129
307.89	Other	129
307.9	Other and unspecified special symptoms or syndromes, not elsewhere classified	130
308	**Acute reaction to stress**	
308.0	Predominant disturbance of emotions	131
308.1	Predominant disturbance of consciousness	132
308.2	Predominant psychomotor disturbance	133
308.3	Other acute reactions to stress	134
308.4	Mixed disorders as reaction to stress	135
308.9	Unspecified acute reaction to stress	136
309	**Adjustment reaction**	
309.0	Brief depressive reaction	137
309.1	Prolonged depressive reaction	138
309.2	With predominant disturbance of other emotions	139
309.21	Separation anxiety disorder	139
309.22	Emancipation disorder of adolescence and early adult life	139
309.23	Specific academic or work inhibition	139
309.24	Adjustment reaction with anxious mood	139
309.28	Adjustment reaction with mixed emotional features	139
309.29	Other	139
309.3	With predominant disturbance of conduct	140
309.4	With mixed disturbance of emotions and conduct	141
309.8	Other specified adjustment reactions	142
309.81	Prolonged posttraumatic stress disorder	142
309.82	Adjustment reaction with physical symptoms	142

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
309.83	Adjustment reaction with withdrawal	142
309.89	Other	142
309.9	Unspecified adjustment reaction	143
310	**Specific nonpsychotic mental disorders due to organic brain damage**	
310.0	Frontal lobe syndrome	144
310.1	Organic personality syndrome	145
310.2	Postconcussion syndrome	146
310.8	Other specified nonpsychotic mental disorders following organic brain damage	147
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	148
311	**Depressive disorder, not elsewhere classified**	149
312	**Disturbance of conduct, not elsewhere classified** Fifth-digit subclassification for use with 312.0-312.2: 0 unspecified 1 mild 2 moderate 3 severe	
312.0	Undersocialized conduct disorder, aggressive type	150
312.1	Undersocialized conduct disorder, unaggressive type	151
312.2	Socialized conduct disorder	152
312.3	Disorders of impulse control, not elsewhere classified	153
312.30	Impulse control disorder, unspecified	153
312.31	Pathological gambling	153
312.32	Kleptomania	153
312.33	Pyromania	153
312.34	Intermittent explosive disorder	153
312.35	Isolated explosive disorder	153
312.39	Other	153
312.4	Mixed disturbance of conduct and emotions	154
312.8	Other specified disturbances of conduct, not elsewhere classified	155
312.9	Unspecified disturbance of conduct	156
313	**Disturbance of emotions specific to childhood and adolescence**	
313.0	Overanxious disorder	157
313.2	Sensitivity, shyness, and social withdrawal disorder	158
313.21	Shyness disorder of childhood	158
313.22	Introverted disorder of childhood	158
313.23	Elective mutism	158
313.3	Relationship problems	159
313.8	Other or mixed emotional disturbances of childhood or adolescence	160
313.81	Oppositional disorder	160
313.82	Identity disorder	160
313.83	Academic underachievement disorder	160
313.89	Other	160
313.9	Unspecified emotional disturbance of childhood or adolescence	161
314	**Hyperkinetic syndrome of childhood**	
314.0	Attention deficit disorder	162
314.00	Without mention of hyperactivity	162
314.01	With hyperactivity	162
314.1	Hyperkinesis with developmental delay	163
314.8	Other specified manifestations of hyperkinetic syndrome	164
314.9	Unspecified hyperkinetic syndrome	165
290-314.9	**All psychiatric diagnosis codes**	166

Appendix 5

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES

English Description	*ICD-9-CM* Code	Page Number
Academic underachievement disorder	313.83	160
Acute alcoholic intoxication	303.0	90
Acute delirium	293.0	21
Acute paranoid reaction	298.3	58
Acute schizophrenic episode	295.4	33
Adjustment reaction with anxious mood	309.24	139
Adjustment reaction with mixed emotional features	309.28	139
Adjustment reaction with physical symptoms	309.82	142
Adjustment reaction with withdrawal	309.83	142
Affective personality disorder	301.1	75
Affective psychoses	296.0-296.6	39-45
Fifth-digit subclassification for use with 296.0-296.6:		
0 unspecified		
1 mild		
2 moderate		
3 severe, without mention of psychotic behavior		
4 severe, specified as with psychotic behavior		
5 in partial or unspecified remission		
6 in full remission		
Agoraphobia with panic attacks	300.21	67
Agoraphobia without mention of panic attacks	300.22	67
Alcohol abuse	305.0	102
Alcohol amnestic syndrome	291.1	9
Alcohol dependence syndrome	303.0-303.9	90-91
Fifth-digit subclassification for use with 303:		
0 unspecified		
1 continuous		
2 episodic		
3 in remission		
Alcohol withdrawal delirium	291.0	8
Alcohol withdrawal hallucinosis	291.3	11
Alcoholic jealousy	291.5	13
Amnestic syndrome	294.0	25
Amphetamine and other psychostimulant dependence	304.4	96
Amphetamine or related acting sympathomimetic abuse	305.7	109
Anorexia nervosa	307.1	122
Antidepressant type abuse	305.8	110
Antisocial personality disorder	301.7	81
Anxiety state, unspecified	300.00	65
Anxiety states	300.0	65
Arteriosclerotic dementia	290.4	5
Arteriosclerotic dementia, uncomplicated	290.40	5
Arteriosclerotic dementia with delirium	290.41	5
Arteriosclerotic dementia with delusional features	290.42	5
Arteriosclerotic dementia with depressive features	290.43	5
Attention deficit disorder	314.0	162
Atypical depressive disorder	296.82	47
Atypical manic disorder	296.81	47
Avoidant personality	301.82	82

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Barbiturate and similarly acting sedative or hypnotic dependence	304.1	93
Barbiturate and similarly acting sedative or hypnotic abuse	305.4	106
Bipolar affective disorder, depressed	296.5	44
Bipolar affective disorder, manic	296.4	43
Bipolar affective disorder, mixed	296.6	45
Bipolar affective disorder, unspecified	296.7	46
Borderline personality	301.83	82
Brief depressive reaction	309.0	137
Bulimia	307.51	126
Cannabis abuse	305.2	104
Cannabis dependence	304.3	95
Cardiovascular-Physiological malfunction arising from mental factors	306.2	114
Catatonic type-Schizophrenic disorders	295.2	31
Chronic depressive personality disorder	301.12	75
Chronic factitious illness with physical symptoms	301.51	79
Chronic hypomanic personality disorder	301.11	75
Chronic motor tic disorder	307.22	123
Cocaine abuse	305.6	108
Cocaine dependence	304.2	94
Combinations of drug dependence excluding opioid type drug	304.8	100
Combinations of opioid type drug with any other	304.7	99
Compulsive personality disorder	301.4	78
Conversion disorder	300.11	66
Cyclothymic disorder	301.13	75
Dementia in conditions classified elsewhere	294.1	26
Dependent personality disorder	301.6	80
Depressive disorder, not elsewhere classified	311	149
Depressive type psychosis	298.0	55
Disorders of impulse control, not elsewhere classified	312.3	153
Disorders of psychosexual identity	302.6	86
Disorganized type-Schizophrenic disorders	295.1	30
Dissociative disorder or reaction, unspecified	300.15	66
Disturbance of conduct, not elsewhere classified	312.0-312.2	150-152
Fifth-digit subclassification for use with 312.0-312.2:		
0 unspecified		
1 mild		
2 moderate		
3 severe		
Drug dependence	304.0-304.9	92-101
Fifth-digit subclassification for use with 304:		
0 unspecified		
1 continuous		
2 episodic		
3 in remission		
Drug withdrawal syndrome	292.0	16
Drug-induced amnestic syndrome	292.83	19
Drug-induced delirium	292.81	19
Drug-induced dementia	292.82	19
Drug-induced hallucinosis	292.12	17
Drug-induced organic affective syndrome	292.84	19
Drug-induced organic delusional syndrome	292.11	17

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Eating disorder, unspecified	307.50	126
Elective mutism	313.23	158
Emancipation disorder of adolescence and early adult life	309.22	139
Encopresis	307.7	128
Endocrine-Physiological malfunction arising from mental factors	306.6	118
Enuresis	307.6	127
Excitative type psychosis	298.1	56
Explosive personality disorder	301.3	77
Factitious illness with psychological symptoms	300.16	66
Fetishism	302.81	88
Frontal lobe syndrome	310.0	144
Gastrointestinal-Physiological malfunction arising from mental factors	306.4	116
Gender identity disorder of adolescent or adult life	302.85	88
Generalized anxiety disorder	300.02	65
Genitourinary-Physiological malfuntion arising from mental factors	306.5	117
Gilles de la Tourette's disorder	307.23	123
Hallucinogen abuse	305.3	105
Hallucinogen dependence	304.5	97
Histrionic personality disorder	301.5	79
Histrionic personality disorder, unspecified	301.50	79
Hyperkinesis with developmental delay	314.1	163
Hypochondriasis	300.7	71
Hysteria	300.1	66
Hysteria, unspecified	300.10	66
Identity disorder	313.82	160
Idiosyncratic alcohol intoxication	291.4	12
Impulse control disorder, unspecified	312.30	153
Infantile autism	299.0	62
Intermittent explosive disorder	312.34	153
Introverted disorder of childhood	313.22	158
Introverted personality	301.21	76
Isolated explosive disorder	312.35	153
Kleptomania	312.32	153
Latent schizophrenia	295.5	34
Major depressive disorder, recurrent episode	296.3	42
Major depressive disorder, single episode	296.2	41
Manic disorder, recurrent episode	296.0	39
Manic disorder, single episode	296.1	40
Manic-depressive psychosis, other and unspecified	296.8	47
Manic-depressive psychosis, unspecified	296.80	47
Mixed disorders as reaction to stress	308.4	135
Mixed disturbance of conduct and emotions	312.4	154
Multiple personality	300.14	66
Musculoskeletal-Physiological malfunction arising from mental factors	306.0	112
Narcissistic personality	301.81	82
Neurasthenia	300.5	70
Neurotic depression	300.4	69
Nondependent abuse of drugs	305.0-305.9	102-111
Fifth-digit subclassification for use with 305:		
0 unspecified		
1 continuous		
2 episodic		
3 in remission		

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Nonorganic sleep disorder, unspecified	307.40	125
Obsessive-compulsive disorders	300.3	68
Opioid abuse	305.5	107
Opioid type dependence	304.0	92
Oppositional disorder	313.81	160
Organic affective syndrome	293.83	23
Organic delusional syndrome	293.81	23
Organic hallucinosis syndrome	293.82	23
Organic personality syndrome	310.1	145
Other-Genitourinary physiological malfuntion arising from mental factors	306.59	117
Other-Specific disorders of sleep of nonorganic origin	307.49	125
Other-Other and unspecified disorders of eating	307.59	126
Other-Psychalgia	307.89	129
Other-Adjustment reaction w/predominant disturbance of other emotions	309.29	139
Other-Other specified adjustment reactions	309.89	142
Other-Disorders of impulse control not elsewhere classified	312.39	153
Other-Other or mixed emotional disturbances of childhood or adolescence	313.89	160
Other-Other specified drug [illegible]ed mental disorders	292.89	19
Other-Other specified trans[illegible] organic mental disorders	293.89	23
Other-Manic-depressive psy[illegible]oses, other and specified	296.89	47
Other-Anxiety states	300.09	65
Other-Other neurotic disorders	300.89	72
Other-Other personality disorders	301.89	82
Other-Other specified psychosexual disorders	302.89	88
Other acute reactions to stress	308.3	134
Other alcoholic dementia	291.2	10
Other and unspecified affective psychoses	296.9	48
Other and unspecified alcohol dependence	303.9	91
Other and unspecified disorders of eating	307.5	126
Other and unspecified factitious illness	300.19	66
Other and unspecified reactive psychosis	298.8	60
Other and unspecified special symptoms or syndromes,not elsewhere classified	307.9	130
Other dysfunctions of sleep stages or arousal from sleep	307.47	125
Other histrionic personality disorder	301.59	79
Other isolated or simple phobias	300.29	67
Other, mixed, or unspecified drug abuse	305.9	111
Other neurotic disorders	300.8	72
Other or mixed emotional disturbances of childhood or adolescence	313.8	160
Other personality disorders	301.8	82
Other specified adjustment reactions	309.8	142
Other specified affective psychoses	296.99	48
Other specified alcoholic psychosis	291.8	14
Other specified disturbances of conduct, not elsewhere classified	312.8	155
Other specified drug dependence	304.6	98
Other specified drug-induced mental disorders	292.8	19
Other specified early childhood psychoses	299.8	63
Other specified manifestations of hyperkinetic syndrome	314.8	164
Other specified nonpsychotic mental disorders following organic brain damage	310.8	147
Other specified organic brain syndromes (chronic)	294.8	27
Other specified paranoid states	297.8	53
Other specified psychophysiological malfunction	306.8	119
Other specified psychosexual disorders	302.8	88
Other specified senile psychotic conditions	290.8	6

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Other specified transient organic mental disorders	293.8	23
Other specified types of schizophrenia	295.8	37
Overanxious disorder	313.0	157
Panic disorder	300.01	65
Paranoia	297.1	50
Paranoid and/or hallucinatory states induced by drugs	292.1	17
Paranoid state, simple	297.0	49
Paranoid type-Schizophrenic disorders	295.3	32
Paraphrenia	297.2	51
Passive-aggressive personality	301.84	82
Pathological drug intoxication	292.2	18
Pathological gambling	312.31	153
Pedophilia	302.2	84
Persistent disorder of initiating or maintaining wakefulness	307.44	125
Persistent disorder of initiating or maintaining sleep	307.42	125
Phase-shift disruption of 24-hour sleep-wake cycle	307.45	125
Phobia, unspecified	300.20	67
Phobic disorders	300.2	67
Pica	307.52	126
Postconcussion syndrome	310.2	146
Predominant disturbance of consciousness	308.1	132
Predominant disturbance of emotions	308.0	131
Predominant psychomotor disturbance	308.2	133
Presenile dementia	290.1	2
Presenile dementia, uncomplicated	290.10	2
Presenile dementia with delirium	290.11	2
Presenile dementia with delusional features	290.12	2
Presenile dementia with depressive features	290.13	2
Prolonged depressive reaction	309.1	138
Prolonged posttraumatic stress disorder	309.81	142
Psychalgia	307.8	129
Psychogenic amnesia	300.12	66
Psychogenic dysmenorrhea	306.52	117
Psychogenic dysuria	306.53	117
Psychogenic fugue	300.13	66
Psychogenic genitourinary malfunction, unspecified	306.50	117
Psychogenic pain, site unspecified	307.80	129
Psychogenic paranoid psychosis	298.4	59
Psychogenic rumination	307.53	126
Psychogenic vaginismus	306.51	117
Psychogenic vomiting	307.54	126
Psychoses with origin specific to childhood	299.0-299.9	62-64
Fifth-digit subclassification for use with 299:		
0 current or active state		
1 residual state		
Psychosexual dysfunction	302.7	87
Psychosexual dysfunction, unspecified	302.70	87
Pyromania	312.33	153
Reactive confusion	298.2	57
Relationship problems	313.3	159
Repetitive intrusions of sleep	307.48	125
Residual schizophrenia	295.6	35

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Respiratory-Physiological malfunction arising from mental factors	306.1	113
Schizo-affective type-Schizophrenic disorders	295.7	36
Schizoid personality disorder	301.2	76
Schizoid personality disorder, unspecified	301.20	76
Schizophrenic disorders	295.0-295.9	29-38
Fifth-digit subclassification for use with 295: 0 unspecified 1 subchronic 2 chronic 3 subchronic with acute exacerbation 4 chronic with acute exacerbation 5 in remission		
Schizotypal personality	301.22	76
Senile dementia, uncomplicated	290.0	1
Senile dementia with delirium	290.3	4
Senile dementia with delusional or depressive features	290.2	3
Senile dementia with delusional features	290.20	3
Senile dementia with depressive features	290.21	3
Sensitivity, shyness, and social withdrawal disorder	313.2	158
Separation anxiety disorder	309.21	139
Sexual masochism	302.83	88
Sexual sadism	302.84	88
Shared paranoid disorder	297.3	52
Shyness disorder of childhood	313.21	158
Simple type-Schizophrenic disorders	295.0	29
Skin-Physiological malfunction arising from mental factors	306.3	115
Social phobia	300.23	67
Socialized conduct disorder	312.2	152
Somatization disorder	300.81	72
Somnambulism or night terrors	307.46	125
Specific academic or work inhibition	309.23	139
Specific disorders of sleep of nonorganic origin	307.4	125
Stammering and stuttering	307.0	121
Stereotyped repetitive movements	307.3	124
Subacute delirium	293.1	22
Tension headache	307.81	129
Tic disorder, unspecified	307.20	123
Tics	307.2	123
Tobacco use disorder	305.1	103
Trans-sexualism	302.5	85
Transient disorder of initiating or maintaining wakefulness	307.43	125
Transient disorder of initiating or maintaining sleep	307.41	125
Transient tic disorder of childhood	307.21	123
Undersocialized conduct disorder, aggressive type	312.0	150
Undersocialized conduct disorder, unaggressive type	312.1	151
Unspecified-Psychoses with origin specific to childhood	299.9	64
Unspecified acute reaction to stress	308.9	136
Unspecified adjustment reaction	309.9	143
Unspecified affective psychosis	296.90	48
Unspecified alcoholic psychosis	291.9	15
Unspecified disturbance of conduct	312.9	156
Unspecified drug dependence	304.9	101

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Unspecified drug-induced mental disorder	292.9	20
Unspecified emotional disturbance of childhood or adolescence	313.9	161
Unspecified hyperkinetic syndrome	314.9	165
Unspecified neurotic disorder	300.9	73
Unspecified nonpsychotic mental disorder following organic brain damage	310.9	148
Unspecified organic brain syndrome (chronic)	294.9	28
Unspecified paranoid state	297.9	54
Unspecified personality disorder	301.9	83
Unspecified psychophysiological malfunction	306.9	120
Unspecified psychosexual disorder	302.9	89
Unspecified psychosis	298.9	61
Unspecified schizophrenia	295.9	38
Unspecified senile psychotic condition	290.9	7
Unspecified transient organic mental disorder	293.9	24
Voyeurism	302.82	88
With asexual history-Trans-sexualism	302.51	85
With functional dyspareunia-Psychosexual dysfunction	302.76	87
With heterosexual history-Trans-sexualism	302.53	85
With homosexual history-Trans-sexualism	302.52	85
With hyperactivity-Attention deficit disorder	314.01	162
With inhibited female orgasm-Psychosexual dysfunction	302.73	87
With inhibited male orgasm-Psychosexual dysfunction	302.74	87
With inhibited sexual desire-Psychosexual dysfunction	302.71	87
With inhibited sexual excitement-Psychosexual dysfunction	302.72	87
With mixed disturbance of emotions and conduct-Adjustment reaction	309.4	141
With other specified psychosexual dysfunctions-Psychosexual dysfunction	302.79	87
With predominant disturbance of conduct-Adjustment reaction	309.3	140
With predominant disturbance of other emotions-Adjustment reaction	309.2	139
With premature ejaculation-Psychosexual dysfunction	302.75	87
With unspecified sexual history-Trans-sexualism	302.50	85
Without mention of hyperactivity-Attention deficit disorder	314.00	162

APPENDIX 6

PATIENT CHARACTERISTIC DEFINITIONS USED IN GRAPHS

Complications and Comorbidities (CCs)

There are 2,979 *ICD-9-CM* diagnoses that have been distinguished by the Health Care Financing Administration (HCFA) as complications and comorbidities (CCs). These secondary diagnoses are used within the definitions of the Version 3 Diagnosis Related Group (DRG) classification system.

The HCFA definitions are:

A complication is a condition that arises during the hospital stay that prolongs length of stay by at least one day in approximately 75 percent of the cases.

A comorbidity is a preexisting condition that will, because of its presence with a specific diagnosis, cause an increase in length of stay by at least one day in approximately 75 percent of the cases.

To obtain a complete listing of the Version 3 DRG CCs, please contact 1-800-521-6210, Extension 3534.

Payor Categories

Insurance Company

Payment covered by any private or commercial insurance carrier except Blue Cross.

Self-Pay

Direct payment by the patient himself.

Other

Sources of payment not included in the other payor categories. Included here are payment by local or organized charities, such as Cerebral Palsy Foundation, or payment by relatives or friends of the patient.

Title V

Maternal and Child Health. Applies only to females age 60 or younger or males 21 or younger.

Other Government Agencies

Payment by local, state, or federal government agencies, except Medicare, Medicaid, and Title V.

R3850-25

LOS

PSYCHIATRIC

LENGTH OF STAY

CPHA PUBLICATIONS

by Diagnosis
United States, Western Region, 1986

Commission on Professional and Hospital Activities
Ann Arbor Michigan
December 1987

PSYCHIATRIC LENGTH OF STAY

This publication represents one volume in the first edition of the Psychiatric Length of Stay series:

Length of Stay by Psychiatric Diagnosis, United States, 1986
Length of Stay by Psychiatric Diagnosis, Northeastern Region, 1986
Length of Stay by Psychiatric Diagnosis, North Central Region, 1986
Length of Stay by Psychiatric Diagnosis, Southern Region, 1986
Length of Stay by Psychiatric Diagnosis, Western Region, 1986

The Length of Stay series has been published annually since 1964. The 1986 Length of Stay by Diagnosis and Operation books are available for the United States and for four geographic regions. In addition, the Length of Stay series includes the Geriatric Length of Stay by Diagnosis and Operation, United States, 1986 and Pediatric Length of Stay by Diagnosis and Operation, United States 1986. For further information, please write CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106 or call 800-521-6210 or 800-828-6762 in Michigan, Extension 3534.

CONTENTS

About CPHA and Publications iii

Preface iv

Description of the Database

Data Collection vi
Data Quality viii
Database Characteristics viii

Organization of Psychiatric Length of Stay Tables xiii

Explanation of Psychiatric Length of Stay Statistics xv

Application of Psychiatric Length of Stay Tables xvi

Complementary Data and Graphs xvii

Length of Stay Tables 1

Appendix 1: Hospital Service Type Definitions 169

Appendix 2: Teaching Intensity Program Calculation 170

Appendix 3: State Inclusions and Hospital Counts by Region 171

Appendix 4: *ICD-9-CM* Psychiatric Diagnosis Codes and English Descriptions 172

Appendix 5: English Descriptions and *ICD-9-CM* Psychiatric Diagnosis Codes 180

Appendix 6: Patient Characteristic Definitions Used in Graphs 187

ABOUT CPHA AND CPHA PUBLICATIONS

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and system development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of issue-oriented data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day-to-day activity of health care professionals in a variety of settings.

Copyright ©1987 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

PREFACE

The Psychiatric Length of Stay series represents the first edition of a new annual publication incorporating length of stay and accompanying facility and demographic data on psychiatric patients treated in nonfederal, short-term general hospitals in the United States.

CPHA initially developed its length of stay databases in 1964. Since then, the Length of Stay or LOS series, has become a well-known standard in the health care industry.

CPHA is committed to continuing its tradition of providing high quality normative data reference publications. CPHA recognizes that sustaining a tradition means responding to emerging information needs and issues important to long-time and new users. The new series makes it possible to focus on utilization and special length of stay issues for a particular hospital population: the psychiatric patient.

The growing number of people in the United States diagnosed with mental illness or psychiatric-related conditions make these volumes both timely and imperative.

PROJECT STAFF
1986 PSYCHIATRIC LENGTH OF STAY BOOKS

Jeanine A. DeLay, MA, Project Manager, Assistant Director
Joyce Beach, Senior Programmer
Lale A. Olson, Forms Analyst
James Chesney, PhD, Director

The Project Staff is indebted to many individuals who made this publication possible. Special thanks to other Research Services staff: Carol A. Prevost, BS, Research Associate, Linda E. Vanek, MSW, Product Manager, and Susan DesHarnais, PhD, Research Scientist, for publication design, research advice, and editing assistance, and Rhonda A. Gregory, Publications Assistant, for clerical assistance.

Appreciation is also extended to Sharon Glushyn, Steve Maggio, Margaret Price, and Cheryl V. Rafdal. Finally, we gratefully acknowledge the hospitals that support this book by making their data available.

DESCRIPTION OF THE DATABASE

DATA COLLECTION

Data in the Psychiatric Length of Stay books are compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, the books contain discharge data from hospitals participating in information systems other than PAS, including: Alabama Hospital Association, Colorado Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association.

The following steps describe the PAS method of storing and retrieving medical record data:

1. In each participating hospital, personnel transfer demographic and clinical data from the record of each discharged patient via microcomputer, magnetic tape, or PAS Case Abstract.

2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where its contents are entered into the computer system.

3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospital personnel.

4. Hospitals continually add data stored in the computer system's permanent history file dating back as far as 1955. Participating hospitals are given access to their own data through interactive systems, in-house computers, and paper reports. The stored aggregate data are standardized and maintained as custom databases, among them the length of stay database.

5. CPHA Publications uses this annually updated database to create the Psychiatric Length of Stay series and other normative data reference tools.

A graphic of the CPHA data collection system is shown on the next page.

CPHA'S DATA COLLECTION SYSTEM



CPHA's Database is maintained for:

- Print and electronic publications, e.g., 1986 Psychiatric Length of Stay series
- Contract research market analysis, forecasting, survey, and epidemiological investigations
- Policy research on major health care issues, e.g., cost containment, quality of care, equity
- On-line access and analysis by hospitals and other health industry groups

DATA QUALITY

Data quality is one of the primary concerns of CPHA. Although the hospital is ultimately responsible for the quality of its data, CPHA shares responsibility as the hospital's medical record processor. For this reason, CPHA goes to considerable length to prevent and correct errors by continually training hospital medical personnel in coding and abstracting methods, by routinely monitoring submitted data, and by carefully checking and editing the data for errors.

Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: sex-specific diagnosis with the wrong sex recorded, incalculable age or stay, and unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the psychiatric length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following record types are excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term general hospital
4. discharge to other short-term general hospital
5. discharge against medical advice

DATABASE CHARACTERISTICS

Data in the Psychiatric Length of Stay series are from 1,445 nonfederal, short-term general hospitals in the United States. Short-term hospitals have a median stay shorter than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term and specialty institutions, e.g., long-term psychiatric facilities and centers treating psychiatric patients exclusively, are excluded. The only specialty hospital data included in this series are from short-term pediatric hospitals.

The characteristics of all hospitals with discharge data included in the Psychiatric Length of Stay books are displayed in the tables on pages x-xii. Table definitions are as follows:

Public/Private Hospitals

A public hospital is a nonfederal government-operated hospital, e.g., state, county, city, or hospital authority. A private hospital includes both nongovernment investor or for-profit and not-for-profit owned or operated facilities.

Hospitals with or without a Psychiatric Unit or Beds

The 1985 Annual Survey of Hospitals compiled on magnetic tape by the American Hospital Association (1985 AHA magnetic tape), includes service and facility codes. Nonfederal, short-term general hospitals that recorded psychiatric or children's psychiatric acute care services, or claimed a facility with psychiatric acute care beds, are included in the hospitals with psychiatric unit/beds category. Nonfederal, short-term general hospitals that do not have psychiatric or children's psychiatric acute care services, and do not claim psychiatric beds, are included in the hospitals without a psychiatric unit/beds category. In addition, some hospitals in this group contract with another hospital or provider for psychiatric services.

Hospitals in both categories, however, can offer the following services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization. Appendix 1 includes definitions of these additional services.

Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1985 AHA magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Hospitals
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges.

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

Appendix 2 describes how the teaching intensity index is determined.

Average Occupancy

According to *AHA Hospital Statistics*, 1986 edition, the average occupancy of a hospital is "the ratio of the average daily census to the average number of beds, i.e., statistical beds, maintained during a particular reporting period."

Table 1
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

	PUBLIC HOSPITALS			PRIVATE HOSPITALS			UNKNOWN HOSPITALS*			TOTAL HOSPITALS		
	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL
Number of Hospitals												
Universe**	143	403	546	783	1,237	2,020	7	4	11	933	1,644	2,577
Sample	64	236	300	428	711	1,139	3	3	6	495	950	1,445
Hospitals as Percent of Universe												
Universe	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Sample	44.8	58.6	54.9	54.7	57.5	56.4	42.9	75.0	54.5	53.1	57.8	56.1
Number of Urban Hospitals												
Universe	77	90	167	565	702	1,267	5	0	5	647	792	1,439
Sample	25	54	79	281	364	645	0	0	0	306	418	724
Urban Hospitals as Percent of Universe												
Universe	53.8	22.3	30.6	72.2	56.8	62.7	71.4	0	45.5	69.3	48.2	55.8
Sample	17.5	13.4	14.5	35.9	29.4	31.9	0	0	0	32.8	25.4	28.1
Number of High/Medium Teaching Intensity Hospitals												
Universe	40	10	50	297	155	452	3	0	3	340	165	505
Sample	17	9	26	149	77	226	0	0	0	166	86	252
Number of High/Medium Teaching Intensity Hospitals as Percent of Universe												
Universe	28.0	2.5	9.2	37.9	12.5	22.4	42.9	0	27.3	36.4	10.0	19.6
Sample	11.9	2.2	4.8	19.0	6.2	11.2	0	0	0	17.8	5.2	9.8
Average Occupancy as Percent of Universe												
Universe	60.9	47.6	51.1	65.6	56.4	60.0	70.2	37.8	58.4	64.9	54.2	58.1
Sample	58.6	46.5	49.1	65.0	57.4	60.2	0	84.2	84.2	64.2	54.7	57.9

*The Unknown category means no information is available for the hospital characteristics.

**The Universe means all hospitals that have recorded the presence of a psychiatric unit or beds on the 1985 American Hospital Association magnetic tape. The Sample represents hospitals with these designations, i.e., presence of a psychiatric unit or beds, contributing data to the Psychiatric Length of Stay series.

Table 2
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

HOSPITALS WITH PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	495	100.0	201,835	100.0
Control				
Public	64	12.9	20,117	10.0
Private	428	86.5	180,799	89.6
Unknown***	3	.6	919	.4
Bedsize				
< 100 Beds	84	17.1	7,301	3.6
100-199	121	24.4	32,680	16.2
200-299	105	21.2	43,167	21.4
300-399	69	13.9	39,975	19.8
400-499	58	11.7	36,212	17.9
500+	55	11.1	41,581	20.6
Unknown	3	.6	919	.5
Teaching Intensity				
Low	329	66.5	101,008	50.0
Medium	105	21.2	65,292	32.4
High	61	12.3	35,535	17.6
Location				
Rural	173	35.0	37,036	18.3
Urban	306	61.8	161,416	80.0
Unknown	16	3.2	3,383	1.7

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percents is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

***The Unknown category means no information is available for the hospital characteristics.

Table 3
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	950	100.0	66,829	100.0
Control				
Public	236	24.8	11,401	17.1
Private	711	74.8	54,905	82.1
Unknown***	3	.4	523	.8
Bedsize				
< 100 Beds	522	55.0	16,903	25.3
100-199	244	25.7	20,535	30.8
200-299	99	10.4	12,663	18.9
300-399	47	4.9	9,558	14.3
400-499	18	1.9	3,265	4.9
500+	18	1.9	3,410	5.1
Unknown	2	.2	495	.7
Teaching Intensity				
Low	864	91.0	53,059	79.4
Medium	65	6.8	10,456	15.6
High	21	2.2	3,314	5.0
Location				
Rural	524	55.2	19,153	28.7
Urban	418	44.0	45,674	68.3
Unknown	8	.8	2,002	3.0

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percents is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

***The Unknown category means no information is available for the hospital characteristics.

ORGANIZATION OF THE PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series is divided into separate volumes by geographic region. There are five volumes: Northeastern, North Central, Southern, Western, and the United States. The map below defines each of the 4 census regions. Appendix 3 lists the states comprising each region, and the number of hospitals and patients included in each volume.

Diagnosis Classification Categories

The tables in each regional and national volume are categorized by the widely used classification system, the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).*[1] This system includes both diagnosis and procedure numerical codes of three to five digits. The psychiatric length of stay tables are categorized by *ICD-9-CM* diagnosis code, beginning with code 290 and ending with code 314.9, expressed to the fourth digit. Diagnosis codes within the specified range with five digits are collapsed and incorporated into the four digit *ICD-9-CM* diagnosis codes. Appendix 4 lists the *ICD-9-CM* diagnosis codes in the psychiatric length of stay tables, their accompanying English description, and the page number in the particular volume where a table is located. Appendix 5 lists, in alphabetic order, the psychiatric diagnosis English description and accompanying numerical codes. For *ICD-9-CM* codes between 290-314.9 where there are no data, no listing is included.

---

[1] *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Hospital Service Type

The tables are also categorized by hospital service and facility. The divisions are:

a. Hospitals with a Psychiatric (Psy.) Unit/Beds - Nonfederal, short-term general hospitals recording psychiatric or pediatric psychiatric acute care services or claiming a facility with psychiatric acute care beds.

b. Hospitals without a Psychiatric (Psy.) Unit/Beds - Nonfederal, short-term general hospitals that do not have psychiatric or pediatric psychiatric acute care services and do not claim psychiatric acute care beds. In addition, hospitals in this group may contract with another hospital or provider for psychiatric acute care services. Hospitals in both groups can offer the following additional services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

Psychiatric Length of Stay Patient Variables

The psychiatric length of stay data are divided into two patient groups, by sex, and by eight age ranges.

Patient Groups

Patients in the psychiatric length of stay tables are grouped by *ICD-9-CM* psychiatric principal diagnosis and by the presence or absence of a psychiatric secondary diagnosis. The principal diagnosis code is the diagnosis that after study explains why the patient was admitted to the hospital.

Psychiatric Principal Diagnosis, Without Any Psychiatric Secondary Diagnosis
(Psych Prin, No Psych 2nd Dx)

This group includes patients having a psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) only or patients having the specified psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) and a nonpsychiatric secondary diagnosis. For example, this group may include patients having the principal psychiatric diagnosis code specified in the table, as his/her only diagnosis. Alternatively, a patient having the principal psychiatric diagnosis specified in the table and diabetes (*ICD-9-CM* code 250.0), a nonpsychiatric secondary diagnosis, is also included in this category.

Psychiatric Principal Diagnosis, With One or More Psychiatric Secondary Diagnoses
(Psych Prin, Psych 2nd Dx(s)

This group includes patients having a psychiatric principal diagnosis code between the code ranges *ICD-9-CM* 290-314.9 and one or more psychiatric secondary diagnoses (*ICD-9-CM* 290-314.9). These are patients with multiple psychiatric diagnoses.

Sex

Patients are distinguished as either male or female.

Age

Patients are in one of the following age groups recorded in years:
Newborn or 0 to 12
13-17
18-20
21-24
25-34
35-54
55-74
75+

The "all ages" group summarizes all the age groups by sex.

EXPLANATION OF PSYCHIATRIC LENGTH OF STAY STATISTICS

The data are sequenced by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For the psychiatric length of stay tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in one of the two patient groups, including sex and age groups. The Grand Total represents the total number of patients in a psychiatric diagnosis category (*ICD-9-CM* codes 290-314.9) within one of the two hospital service type categories.

APPLICATION OF PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series can be used as a valuable reference source in a variety of health care settings. Use of stay data allows the health care professional to compare regional and national norms to his/her own institution or client. Like the LOS series, the Psychiatric Length of Stay publications assist in projecting extended stay reviews, while recommending the most effective use of psychiatric patient care services. In focusing on the length of stay for a singular population, norms which take into account special characteristics can be developed and refined. Moreover, annual publication of Psychiatric Length of Stay allows the establishment of baselines to determine the applicability of the norms in particular psychiatric service settings. In addition, the Psychiatric Length of Stay series helps in forecasting and service planning.

The following steps are intended to provide a guide in situations where a health care professional wishes to determine a reasonable length of stay by using one of the Psychiatric Length of Stay regional or national volumes:

Step 1: Consult Appendix 4 or 5 at the back of the appropriate Psychiatric Length of Stay book for the particular diagnosis to be reviewed.

Step 2: Find the corresponding table in the Psychiatric Length of Stay book. The *ICD-9-CM* psychiatric diagnosis code number follows the English title of each table.

Step 3: Depending on the purpose of the review, find the appropriate table category:
- Hospital Service Type
- Patient Group
- Sex
- Age

Step 4: Go to the 50th percentile of stay for patients under review at the point where the 50th percentile column (7) of the table intersects the horizontal line labeling the pertinent patient variables and find the number of days.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, with more specific applications, by health care professionals in many diverse settings. The psychiatric length of stay tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Increasing concern about quality care, costs, and the need for more sophisticated hospital population-specific data to perform these quality and cost reviews will make the psychiatric length of stay tables an important new tool in the health care industry.

COMPLEMENTARY DATA AND GRAPHS

Accessing a special database affords the opportunity to explore other topics discussed in the literature and research on psychiatric length of stay. The value of the psychiatric length of stay norms is enhanced if users examine the bar graphs displayed on the next few pages.

Three issues often cited in the literature are: transfer patterns and average stay of psychiatric patients by payor, length of stay differences by hospital ownership, and regional variations in stay for similar diagnoses.

The graphs which follow offer a data profile drawn from the psychiatric length of stay database. All graphs display data for the total United States, except those describing regional variations in stay for similar diagnoses.

Transfer Patterns of Psychiatric Patients by Payor and Hospital Service Type

The bar graphs on pages xix-xxxii display by payor, the percent of psychiatric patients with particular demographic or clinical characteristics transferred upon discharge to one of the following:

1. another short-term general hospital
2. skilled nursing facility
3. intermediate care facility
4. other facility
5. home health service

Graph 1 depicts all patients with psychiatric principal diagnoses (*ICD-9-CM* 290-314.9) transferred from one of the two hospital service types. Graph 2 shows the same group of patients over 74 years who were transferred. Graphs 3 and 4 present the same patient group, using two simple severity of illness indicators: patients with one or more HCFA-defined complications and comorbidities (CCs) as any secondary diagnosis, and patients with two or more psychiatric secondary diagnoses. Graph 5 describes the transfer patterns of a different group of patients: those without a psychiatric principal diagnosis who have one or more psychiatric secondary diagnoses. Definitions of the HCFA complications and comorbidities are included in Appendix 6.

While most payor definitions are self-explanatory, the no insurance category (NO INS) includes self-pay and no charge patients. The other (OTH) category incorporates Title V, other government, and worker compensation patients. Detailed definitions of payor categories are part of Appendix 6.

Average Lengths of Stay (ALOS) of Psychiatric Patients by Payor and Hospital Service Type

Graphs 6-10 display the average stay of the same patient categories depicted in Graphs 1-5.

Average Lengths of Stay of Psychiatric Patients with Selected Psychiatric Principal Diagnoses by Hospital Ownership

Graph 11 presents the average stays for all patients with 10 prevalent psychiatric principal diagnoses. The diagnoses highlighted are:

ICD-9-CM Code	English Description
291.8	Other Specified Alcoholic Psychosis
295.3	Schizophrenic-Paranoid Type
300.4	Neurotic Depression
301.8	Other Personality Disorders
303.9	Other and Unspecified Alcohol Dependence
304.2	Cocaine Dependence
306.1	Respiratory Physiological Malfunction Arising from Mental Factors

ICD-9-CM Code	English Description
307.1	Anorexia Nervosa
309.0	Brief Depressive Reaction
314.0	Attention Deficit Disorder

Definitions for the private (PRIV) and public (PUB) hospital ownership types can be found on page viii.

Average Lengths of Stay for Patients with Selected *ICD-9-CM* Psychiatric Principal Diagnoses by Census Region

Graphs 12-14 depict the average stays by census region for patients with the same diagnoses highlighted in graph 11.

All data for the graphs were drawn from the 1986 psychiatric length of stay database. The section beginning on page 1 includes the psychiatric length of stay tables.

GRAPH 1

PERCENT ALL PSYCH PATIENTS

TRANSFERRED BY PAYOR



GRAPH 2

PERCENT ALL PSYCH PATIENTS 74 + YEARS

TRANSFERRED BY PAYOR



GRAPH 3

PERCENT ALL PSYCH PATIENTS WITH 1 + 2ND CCs

TRANSFERRED BY PAYOR



GRAPH 4

PERCENT PATIENTS WITH MULTIPLE PSYCH DXs

TRANSFERRED BY PAYOR



GRAPH 5

PERCENT PATIENTS WITH PSYCH 2ND DXs ONLY



GRAPH 6

ALOS ALL PSYCH PATIENTS

TRANSFERRED BY PAYOR



GRAPH 7

ALOS PSYCH PATIENTS 74 + YEARS

BY PAYOR AND HOSPITAL SERVICE



GRAPH 8

ALOS PSYCH PATIENTS WITH 1 + 2ND CCs

BY PAYOR AND HOSPITAL SERVICE



GRAPH 9

ALOS PATIENTS WITH MULTIPLE PSYCH DXs

BY PAYOR AND HOSPITAL SERVICE



GRAPH 10

ALOS PATIENTS WITH PSYCH 2ND DXs ONLY

BY PAYOR AND HOSPITAL SERVICE



GRAPH 11
ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL OWNERSHIP



GRAPH 12
REGIONAL ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL SERVICE



XXX

GRAPH 13
REGIONAL ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL SERVICE



[XXX

GRAPH 14
REGIONAL ALOS PATIENTS WITH SELECTED *ICD-9-CM*

PSYCH PRIN DX BY HOSPITAL SERVICE



Psychiatric Length of Stay Diagnosis Tables

SENILE DEMENTIA UNCOMP (290.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	14	7.1	16	1	2	7	8	12	16	17	7	6.7	10	4	4	5	10	10	10	10
75 +	41	9.0	104	1	2	5	12	17	22	62	42	8.3	126	2	2	6	8	17	42	99 +
ALL AGES	55	8.5	82	1	2	6	11	17	21	60	49	8.1	109	2	2	6	9	15	26	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	10	14.2	451	2	2	7	14	45	73	73	15	8.5	27	2	3	6	14	15	16	16
75 +	73	6.0	29	1	2	4	8	11	16	32	53	6.4	32	1	2	5	9	12	16	35
ALL AGES	83	7.0	82	1	2	5	8	13	17	60	68	6.9	31	1	2	5	9	14	16	32
SUBTOTAL	**138**	**7.6**	**82**	**1**	**2**	**5**	**9**	**15**	**18**	**63**	**117**	**7.4**	**63**	**1**	**2**	**5**	**9**	**15**	**18**	**80**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	3	7.0	1	6	6	7	8	8	8	8	1	8.0		8	8	8	8	8	8	8
75 +	8	7.8	26	1	2	7	10	16	18	18	5	11.2	27	5	5	10	14	19	19	19
ALL AGES	11	7.5	20	1	3	7	10	13	18	18	6	10.7	23	5	5	9	13	18	19	19
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	4	7.3	2	5	5	7	8	9	9	9	3	9.0	7	6	6	10	11	11	11	11
75 +	10	9.9	67	1	2	7	18	22	25	25	9	8.3	26	2	2	7	13	15	15	15
ALL AGES	14	9.1	49	1	3	7	9	20	24	25	12	8.5	20	2	2	8	12	15	15	15
SUBTOTAL	**25**	**8.4**	**36**	**1**	**3**	**7**	**9**	**18**	**21**	**25**	**18**	**9.2**	**21**	**2**	**3**	**9**	**13**	**15**	**17**	**19**
GRAND TOTAL	**163**	**7.7**	**75**	**1**	**2**	**6**	**9**	**16**	**19**	**58**	**135**	**7.6**	**59**	**2**	**2**	**6**	**10**	**15**	**18**	**75**

PRESENILE DEMENTIA (290.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54	2	14.0	72	8	8	14	20	20	20	20	1	3.0		3	3	3	3	3	3	3
55-74	22	15.9	243	2	3	11	22	39	52	58	17	6.9	20	1	2	6	10	12	16	18
75 +	43	8.5	88	2	2	6	9	16	34	46	40	6.9	30	1	2	5	9	12	16	32
ALL AGES	67	11.1	147	2	2	7	13	29	37	56	59	6.7	27	1	2	5	9	12	16	31
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	21.0		21	21	21	21	21	21	21	1	2.0		2	2	2	2	2	2	2
35-54	2	6.0	50	1	1	11	78	99 +	99 +	99 +	1	1.0		1	1	1	1	1	1	1
55-74	19	9.3	43	1	2	7	14	19	23	24	18	10.6	183	2	2	6	12	21	46	60
75 +	60	9.3	72	2	3	7	12	18	26	47	65	5.9	18	1	2	5	9	10	14	22
ALL AGES	82	9.4	63	1	3	7	13	20	26	83	85	6.8	55	1	2	5	9	12	15	47
SUBTOTAL	**149**	**10.2**	**100**	**2**	**2**	**7**	**13**	**22**	**35**	**58**	**144**	**6.8**	**43**	**1**	**2**	**5**	**9**	**12**	**15**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	2.5	1	2	2	2	3	3	3	3										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	7	13.3	241	1	1	6	23	39	42	42	1	6.0		6	6	6	6	6	6	6
75 +	4	8.8	20	2	2	10	11	12	12	12	7	8.1	68	2	2	6	8	23	26	26
ALL AGES	14	9.7	135	1	2	5	12	28	39	42	8	7.9	57	2	3	6	8	21	26	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	23.0		23	23	23	23	23	23	23
55-74	12	14.4	302	1	2	8	13	46	57	59	7	5.9	4	3	3	6	8	9	9	9
75 +	13	10.6	34	3	4	8	14	18	22	23	5	4.8	6	3	3	4	5	9	9	9
ALL AGES	25	12.4	159	2	3	8	14	23	45	59	13	6.8	28	3	3	5	8	12	21	23
SUBTOTAL	**39**	**11.5**	**147**	**1**	**2**	**8**	**13**	**25**	**41**	**59**	**21**	**7.2**	**37**	**2**	**3**	**6**	**8**	**15**	**24**	**26**
GRAND TOTAL	**188**	**10.4**	**111**	**2**	**2**	**7**	**13**	**23**	**35**	**59**	**165**	**6.8**	**42**	**1**	**2**	**5**	**9**	**12**	**16**	**31**

SENILE DELUSION/DEPRESS (290.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	11	11.5	72	2	3	11	13	23	33	34	5	11.0	36	3	3	13	15	18	18	18
75 +	17	11.2	86	3	4	8	14	19	34	42	11	8.1	90	2	2	4	14	52	93	99+
ALL AGES	28	11.4	76	2	4	8	13	19	35	42	16	9.0	71	2	2	7	15	30	76	99+
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	10	16.0	131	6	7	13	15	33	47	47	2	2.5	1	2	2	2	3	3	3	3
75 +	55	13.5	177	3	5	9	18	24	31	88	18	9.4	91	2	2	6	12	24	33	37
ALL AGES	65	13.9	168	3	5	10	18	24	34	84	20	8.7	86	2	2	5	11	23	31	37
SUBTOTAL	**93**	**13.1**	**142**	**3**	**5**	**10**	**15**	**23**	**34**	**71**	**36**	**8.8**	**78**	**2**	**2**	**5**	**13**	**25**	**35**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	3	4.3	5	2	2	5	6	6	6	6	3	6.3	35	2	2	4	11	13	13	13
75 +	7	13.9	25	6	7	14	18	21	21	21	2	5.5	41	1	1	5	10	10	10	10
ALL AGES	10	11.0	40	2	3	11	15	20	21	21	5	6.0	28	1	1	4	11	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	6	9.8	26	4	4	10	13	17	17	17	4	7.8	31	4	4	6	11	16	16	16
75 +	15	16.8	110	2	4	18	22	32	37	39	4	4.5		4	4	4	5	5	5	5
ALL AGES	21	14.8	94	3	4	13	22	27	35	39	8	6.1	17	4	4	5	6	13	16	16
SUBTOTAL	**31**	**13.6**	**77**	**2**	**4**	**12**	**20**	**23**	**32**	**39**	**13**	**6.1**	**19**	**1**	**2**	**4**	**8**	**14**	**16**	**16**
GRAND TOTAL	**124**	**13.2**	**125**	**3**	**4**	**11**	**17**	**23**	**33**	**58**	**49**	**8.1**	**63**	**2**	**2**	**5**	**12**	**20**	**32**	**99+**

SENILE DELIRIUM (290.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	16	8.6	64	1	1	7	10	22	26	28	7	6.3	15	2	2	8	9	11	12	12
75 +	42	6.8	32	1	1	6	8	15	20	27	35	7.2	37	2	2	5	11	17	18	23
ALL AGES	58	7.3	41	1	1	6	9	16	22	28	42	7.0	34	2	2	5	11	17	18	23
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	16	7.4	28	2	3	6	9	16	19	21	8	15.4	622	2	2	4	17	60	73	73
75 +	71	7.4	33	1	2	6	10	14	19	30	52	6.0	18	2	2	4	8	13	16	18
ALL AGES	87	7.4	32	1	2	6	10	14	19	29	60	7.2	101	2	2	4	8	14	17	69
SUBTOTAL	**145**	**7.3**	**36**	**1**	**2**	**6**	**10**	**15**	**20**	**28**	**102**	**7.1**	**73**	**2**	**2**	**4**	**9**	**15**	**17**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	2	4.5	25	1	1	4	8	8	8	8	4	11.8	97	3	3	9	18	26	26	26
75 +	8	7.3	59	2	2	5	6	20	26	26	8	8.0	66	1	1	6	10	22	26	26
ALL AGES	10	6.7	50	1	1	5	7	17	26	26	12	9.3	71	1	2	7	11	26	26	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	31.0		31	31	31	31	31	31	31	1	1.0		1	1	1	1	1	1	1
55-74	1	7.0		7	7	7	7	7	7	7	4	8.0	33	3	3	6	12	16	16	16
75 +	19	14.1	189	4	4	10	15	27	46	62	9	4.6	5	2	2	4	6	8	9	9
ALL AGES	21	14.5	188	4	5	10	18	29	45	62	14	5.3	15	1	2	4	7	10	15	16
SUBTOTAL	**31**	**12.0**	**154**	**2**	**4**	**7**	**13**	**27**	**31**	**62**	**26**	**7.1**	**44**	**1**	**2**	**5**	**9**	**16**	**26**	**26**
GRAND TOTAL	**176**	**8.2**	**58**	**1**	**2**	**6**	**10**	**16**	**26**	**31**	**128**	**7.1**	**67**	**2**	**2**	**5**	**9**	**16**	**18**	**39**

ARTERIOSCLEROT DEMENTIA (290.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	20.0		20	20	20	20	20	20	20										
35-54																				
55-74	14	9.6	94	1	2	8	14	22	32	35	11	6.9	10	3	3	7	8	12	13	13
75 +	36	8.8	53	1	2	6	11	20	25	33	29	7.5	144	2	3	4	7	11	17	68
ALL AGES	51	9.2	65	1	2	7	12	20	27	35	40	7.3	107	2	3	5	8	11	13	68
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	1.5	1	1	1	1	2	2	2	2	1	6.0		6	6	6	6	6	6	6
55-74	8	9.6	29	3	4	8	12	18	20	20	16	8.0	63	3	4	5	8	16	29	34
75 +	43	7.6	26	1	2	7	10	15	18	24	47	6.8	18	2	2	6	9	13	15	20
ALL AGES	53	7.6	28	1	2	7	10	15	19	24	64	7.1	28	2	3	5	8	14	16	32
SUBTOTAL	**104**	**8.4**	**46**	**1**	**2**	**7**	**11**	**19**	**21**	**34**	**104**	**7.2**	**57**	**2**	**3**	**5**	**8**	**13**	**15**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	8	15.4	176	4	4	10	23	38	41	41	6	7.0	17	2	2	6	11	13	13	13
75 +	6	9.5	33	4	4	8	11	19	20	20	5	4.2	4	2	2	4	5	7	7	7
ALL AGES	14	12.9	116	4	4	9	16	31	39	41	11	5.7	13	2	2	5	7	12	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	12.0		12	12	12	12	12	12	12										
55-74	6	11.8	45	2	2	13	15	20	21	21	3	14.7	173	3	3	12	25	29	29	29
75 +	8	9.6	77	2	2	6	15	24	26	26	7	6.4	18	1	1	6	9	12	13	13
ALL AGES	15	10.7	55	2	2	10	15	21	25	26	10	8.9	66	1	2	7	12	21	29	29
SUBTOTAL	**29**	**11.7**	**84**	**2**	**3**	**10**	**15**	**24**	**31**	**41**	**21**	**7.2**	**39**	**1**	**2**	**5**	**10**	**13**	**20**	**29**
GRAND TOTAL	**133**	**9.1**	**56**	**1**	**2**	**7**	**12**	**20**	**24**	**36**	**125**	**7.2**	**54**	**2**	**3**	**5**	**8**	**13**	**15**	**42**

SENILE PSYCHOSIS NEC (290.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	17.0		17	17	17	17	17	17	17
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	17.0		17	17	17	17	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	2.0		2	2	2	2	2	2	2	1	17.0		17	17	17	17	17	17	17
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES										-										
SUBTOTAL																				
GRAND TOTAL	1	2.0		2	2	2	2	2	2	2	1	17.0		17	17	17	17	17	17	17

SENILE PSYCHOT COND NOS (290.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	2	15.0	98	8	8	15	22	22	22	22										
ALL AGES	2	15.0	98	8	8	15	22	22	22	22										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	10.0		10	10	10	10	10	10	10										
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	2	8.5	5	7	7	8	10	10	10	10										
SUBTOTAL	**4**	**11.8**	**47**	**7**	**7**	**9**	**16**	**22**	**22**	**22**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	1	9.0		9	9	9	9	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**										
GRAND TOTAL	**5**	**11.2**	**38**	**7**	**7**	**9**	**13**	**22**	**22**	**22**										

DELIRIUM TREMENS (291.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	1.0		1	1	1	1	1	1	1
25-34	12	5.1	32	1	1	3	6	13	20	21	10	2.4	1	1	1	2	3	4	5	5
35-54	27	3.5	5	1	1	3	5	6	8	9	31	3.5	6	1	1	2	4	8	9	10
55-74	17	6.8	81	1	2	4	5	25	31	31	13	6.0	34	2	2	4	5	16	21	22
75 +	4	6.3	13	3	3	6	9	10	10	10	2	7.0	50	2	2	7	12	12	12	12
ALL AGES	60	4.9	33	1	1	3	5	9	16	31	57	3.9	14	1	1	3	4	8	11	22
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	3	6.0	31	1	1	5	10	12	12	12	3	3.3	17	1	1	1	6	8	8	8
35-54	4	3.0	3	1	1	3	4	5	5	5	5	3.4	3	2	2	3	4	6	6	6
55-74	4	8.8	10	4	4	9	11	12	12	12	4	6.0	22	3	3	4	9	13	13	13
75 +	1	14.0		14	14	14	14	14	14	14	1	3.0		3	3	3	3	3	3	3
ALL AGES	13	6.3	21	1	1	5	10	13	14	14	13	4.2	10	1	1	3	5	9	12	13
SUBTOTAL	**73**	**5.2**	**30**	**1**	**1**	**4**	**6**	**10**	**14**	**31**	**70**	**4.0**	**13**	**1**	**1**	**3**	**4**	**8**	**12**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4	8	13.4	122	3	3	10	24	28	28	28
25-34	16	5.4	38	1	1	4	6	8	21	27	71	12.0	126	2	2	5	23	29	31	35
35-54	75	5.0	15	1	2	4	6	9	11	24	125	8.4	80	1	2	5	8	27	28	31
55-74	28	6.8	25	3	3	6	8	12	15	27	57	10.1	63	2	2	8	14	22	26	36
75 +	8	8.0	13	3	3	8	11	13	13	13	8	5.6	20	2	2	4	6	13	16	16
ALL AGES	128	5.6	20	1	2	4	7	10	13	27	269	9.7	91	2	2	5	16	27	29	32
B. FEMALE																				
0-12 YRS.																				
13-17											1	6.0		6	6	6	6	6	6	6
18-20											4	15.5	212	1	1	16	28	29	29	29
21-24											3	20.7	207	4	4	28	29	30	30	30
25-34	8	8.3	108	1	1	3	13	26	27	27	27	11.2	157	1	2	4	26	28	31	44
35-54	7	4.7	12	2	2	4	6	11	12	12	45	9.8	99	2	2	5	13	28	28	30
55-74	3	5.0	7	3	3	4	7	8	8	8	21	9.3	69	2	2	6	14	25	26	26
75 +											3	5.0	7	3	3	4	7	8	8	8
ALL AGES	18	6.3	54	1	2	4	6	20	25	27	104	10.4	112	1	2	5	20	28	29	37
SUBTOTAL	**146**	**5.7**	**24**	**1**	**2**	**4**	**7**	**11**	**13**	**27**	**373**	**9.9**	**97**	**2**	**2**	**5**	**16**	**28**	**29**	**32**
GRAND TOTAL	**219**	**5.5**	**26**	**1**	**1**	**4**	**6**	**10**	**13**	**28**	**443**	**9.0**	**87**	**1**	**2**	**5**	**11**	**27**	**28**	**32**

ALCOHOL AMNESTIC SYND (291.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4	2	13.5	221	3	3	13	24	24	24	24
55-74	1	1.0		1	1	1	1	1	1	1	4	11.8	107	3	3	9	19	26	26	26
75 +																				
ALL AGES	2	2.5	5	1	1	2	4	4	4	4	6	12.3	111	3	3	9	24	26	26	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	1.0		1	1	1	1	1	1	1
21-24																				
25-34																				
35-54																				
55-74	1	31.0		31	31	31	31	31	31	31	2	7.5	13	5	5	7	10	10	10	10
75 +											2	11.5	25	8	8	11	15	15	15	15
ALL AGES	1	31.0		31	31	31	31	31	31	31	5	7.8	28	1	1	8	11	15	15	15
SUBTOTAL	**3**	**12.0**	**273**	**1**	**1**	**4**	**24**	**31**	**31**	**31**	**11**	**10.3**	**71**	**1**	**2**	**8**	**14**	**25**	**26**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54	6	5.7	10	2	2	5	9	10	10	10	2	5.0		5	5	5	5	5	5	5
55-74	9	8.4	57	2	2	5	12	21	24	24	9	8.4	93	1	1	5	9	23	33	33
75 +	2	6.0		6	6	6	6	6	6	6	1	26.0		26	26	26	26	26	26	26
ALL AGES	18	6.8	34	1	2	5	9	14	21	24	12	9.3	97	1	2	5	9	28	32	33
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34																				
35-54											3	5.7	20	1	1	6	9	10	10	10
55-74	2	22.5	61	17	17	22	28	28	28	28	6	10.5	78	3	3	6	19	23	24	24
75 +											1	45.0		45	45	45	45	45	45	45
ALL AGES	3	15.3	186	1	1	17	25	28	28	28	10	12.5	183	1	2	7	19	34	45	45
SUBTOTAL	**21**	**8.0**	**57**	**1**	**1**	**5**	**10**	**20**	**26**	**28**	**22**	**10.8**	**131**	**1**	**2**	**6**	**10**	**28**	**38**	**45**
GRAND TOTAL	**24**	**8.5**	**75**	**1**	**1**	**5**	**10**	**24**	**29**	**31**	**33**	**10.6**	**109**	**1**	**2**	**6**	**13**	**26**	**32**	**45**

ALCOHOLIC DEMENTIA NEC (291.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	50	99+	99+	99+	99+
35-54											6	11.3	112	1	1	9	20	26	27	27
55-74	7	19.6	751	1	2	10	19	68	80	80	12	19.7	414	2	3	14	25	50	69	72
75 +	3	13.7	21	10	10	12	17	19	19	19	2	9.0	50	4	4	9	14	14	14	14
ALL AGES	11	16.4	485	1	2	10	17	45	77	80	21	15.4	288	1	2	11	22	50	83	99+
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	4.0		4	4	4	4	4	4	4
35-54	1	2.0		2	2	2	2	2	2	2	2	22.0	648	4	4	22	40	40	40	40
55-74	2	15.5	181	6	6	15	25	25	25	25	7	6.4	7	3	3	7	8	10	10	10
75 +	3	7.3	5	5	5	8	9	9	9	9	1	28.0		28	28	28	28	28	28	28
ALL AGES	6	9.2	65	2	2	7	9	23	25	25	11	11.0	141	3	3	7	10	33	39	40
SUBTOTAL	**17**	**13.8**	**338**	**1**	**2**	**9**	**14**	**24**	**61**	**80**	**32**	**13.9**	**236**	**1**	**2**	**8**	**22**	**40**	**67**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	7	8.4	153	1	1	3	12	30	34	34	3	7.7	44	2	2	6	13	15	15	15
35-54	8	9.9	186	1	1	6	8	33	43	43	13	7.9	60	1	1	3	15	19	22	23
55-74	16	9.6	131	1	1	5	12	24	39	45	22	6.8	24	1	1	6	9	15	16	16
75 +	3	10.0	61	5	5	6	16	19	19	19	2	26.0	200	16	16	26	36	36	36	36
ALL AGES	36	9.0	127	1	1	5	11	24	40	45	40	8.2	56	1	1	6	13	17	20	36
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	6.5	1	6	6	6	7	7	7	7	4	4.8	5	3	3	4	6	8	8	8
55-74	8	9.0	75	3	3	6	17	72	99+	99+	10	6.4	8	3	3	6	7	11	11	11
75 +	3	15.3	44	9	9	15	20	22	22	22	1	10.0		10	10	10	10	10	10	10
ALL AGES	13	10.1	60	3	4	7	15	36	86	99+	15	6.2	8	3	3	6	8	11	11	11
SUBTOTAL	**49**	**9.3**	**108**	**1**	**1**	**6**	**13**	**27**	**43**	**99+**	**55**	**7.7**	**42**	**1**	**2**	**6**	**11**	**16**	**18**	**35**
GRAND TOTAL	**66**	**10.5**	**166**	**1**	**1**	**6**	**13**	**25**	**43**	**97**	**87**	**9.9**	**122**	**1**	**2**	**6**	**13**	**23**	**36**	**89**

ALCOHOL HALLUCINOSIS (291.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	5	5.0	22	2	2	3	7	13	13	13	3	3.0	1	2	2	3	4	4	4	4
35-54	9	3.8	6	1	1	3	6	7	7	7	7	4.0	10	2	2	3	4	10	11	11
55-74	2	3.5	5	2	2	3	5	5	5	5										
75 +																				
ALL AGES	16	4.1	10	1	1	3	6	7	11	13	10	3.7	7	2	2	3	4	8	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
35-54	2	3.0	2	2	2	3	4	4	4	4	1	12.0		12	12	12	12	12	12	12
55-74	2	4.5	1	4	4	4	5	5	5	5	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	5	3.6	1	2	2	4	4	5	5	5	3	5.7	32	1	1	4	10	12	12	12
SUBTOTAL	**21**	**4.0**	**7**	**1**	**1**	**3**	**5**	**7**	**10**	**13**	**13**	**4.2**	**11**	**1**	**2**	**3**	**4**	**11**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-20																				
21-24	2	3.5	1	3	3	3	4	4	4	4										
25-34	9	3.8	2	2	2	4	5	6	6	6	14	3.1	5	1	1	2	5	7	7	7
35-54	22	7.0	21	2	3	6	8	13	19	20	29	4.5	68	1	1	2	4	6	16	45
55-74	7	10.6	151	1	1	5	19	31	33	33	9	6.3	17	2	2	5	8	13	13	13
75 +											2	1.5	1	1	1	1	2	2	2	2
ALL AGES	41	6.6	40	2	2	4	8	14	21	33	54	4.4	40	1	1	3	5	7	13	44
B. FEMALE																				
0-12 YRS.																				
13-17	2	1.5	1	1	1	1	2	2	2	2										
18-20																				
21-24	1	5.0		5	5	5	5	5	5	5	2	3.0	2	2	2	3	4	4	4	4
25-34	3	14.7	41	8	8	15	19	21	21	21	1	2.0		2	2	2	2	2	2	2
35-54	8	5.0	30	1	1	3	6	15	17	17	14	4.1	7	1	2	4	5	8	10	10
55-74	5	3.8	5	1	1	4	5	7	7	7	5	6.4	14	1	1	7	9	11	11	11
75 +																				
ALL AGES	19	5.8	34	1	1	4	8	16	19	21	22	4.5	8	1	1	4	6	9	10	11
SUBTOTAL	**60**	**6.4**	**37**	**1**	**2**	**4**	**8**	**16**	**20**	**32**	**76**	**4.4**	**31**	**1**	**1**	**3**	**5**	**8**	**12**	**37**
GRAND TOTAL	**81**	**5.8**	**30**	**1**	**2**	**4**	**7**	**12**	**19**	**30**	**89**	**4.3**	**29**	**1**	**1**	**3**	**5**	**8**	**12**	**33**

PATHOLOGIC ALCOHOL INTOX (291.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	4.0		4	4	4	4	4	4	4										
25-34	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
35-54	2	1.5	1	1	1	1	2	2	2	2										
55-74																				
75 +																				
ALL AGES	6	2.2	2	1	1	2	4	4	4	4	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**8**	**2.0**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**4**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**9**	**2.0**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**4**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

ALCOHOLIC JEALOUSY (291.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54																				
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES											1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.					-															
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	**2**	**4.5**	**1**	**4**	**4**	**4**	**5**	**5**	**5**	**5**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**3**	**5.3**	**3**	**4**	**4**	**5**	**6**	**7**	**7**	**7**	**2**	**3.5**	**1**	**3**	**3**	**3**	**4**	**4**	**4**	**4**

ALCOHOLIC PSYCHOSIS NEC (291.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	3	4.0	9	1	1	4	6	7	7	7	4	1.8		1	1	2	2	2	2	2
25-34	26	3.7	21	1	1	3	4	5	11	25	15	2.3	3	1	1	2	3	5	6	6
35-54	65	3.1	5	1	1	2	4	5	8	11	73	3.1	7	1	1	2	4	6	9	15
55-74	41	5.0	20	1	1	4	6	10	16	22	45	4.8	25	1	1	3	6	9	13	29
75 +	3	18.0	64	10	10	18	24	26	26	26	6	5.0	14	1	1	4	9	10	10	10
ALL AGES	138	4.1	18	1	1	3	5	8	11	25	143	3.6	13	1	1	2	4	7	10	20
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20											1	1.0		1	1	1	1	1	1	1
21-24	2	2.5	1	2	2	2	3	3	3	3										
25-34	10	4.5	9	2	2	3	4	10	11	11	10	2.1	2	1	1	2	3	4	5	5
35-54	25	3.6	7	1	1	3	5	6	10	12	16	3.0	4	1	1	3	4	6	7	7
55-74	15	5.5	18	1	2	4	7	12	15	16	12	5.1	5	2	2	4	7	8	8	8
75 +	1	2.0		2	2	2	2	2	2	2	2	3.5	5	2	2	3	5	5	5	5
ALL AGES	53	4.2	11	1	2	3	5	9	12	16	42	3.3	5	1	1	3	4	7	8	8
SUBTOTAL	**191**	**4.1**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**24**	**185**	**3.5**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17	1	5.0		5	5	5	5	5	5	5										
18-20	3	3.3	7	1	1	3	5	6	6	6	4	10.3	130	1	1	6	17	27	27	27
21-24	22	7.2	62	1	1	4	10	20	25	30	11	7.5	98	1	1	4	7	27	27	27
25-34	89	8.1	91	1	1	3	9	27	28	31	89	6.4	53	1	1	4	6	20	27	29
35-54	209	7.9	84	1	1	4	8	26	27	36	207	5.6	32	1	2	5	6	9	22	27
55-74	104	8.2	67	1	2	5	11	21	25	34	114	6.4	33	1	2	5	7	11	22	27
75 +	15	9.1	66	1	3	5	14	21	26	28	8	3.9	2	2	2	4	5	6	6	6
ALL AGES	443	8.0	78	1	1	4	9	25	27	31	434	6.0	38	1	2	5	6	10	27	27
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	2.0		2	2	2	2	2	2	2	1	6.0		6	6	6	6	6	6	6
21-24	6	10.7	136	1	1	5	24	27	27	27	4	15.3	182	3	3	15	27	27	27	27
25-34	37	7.6	96	1	1	4	7	28	28	31	33	9.1	93	1	1	6	9	27	31	33
35-54	65	8.6	86	1	1	4	10	24	28	33	72	6.9	51	2	2	6	7	11	29	35
55-74	30	9.7	84	2	3	7	12	22	23	43	44	5.0	17	1	2	4	6	8	10	27
75 +	3	2.7	1	2	2	2	4	4	4	4	6	5.7	12	1	1	5	8	11	11	11
ALL AGES	142	8.5	87	1	1	4	9	25	28	35	160	7.0	54	1	2	5	7	13	27	33
SUBTOTAL	**585**	**8.1**	**80**	**1**	**1**	**4**	**9**	**25**	**27**	**33**	**594**	**6.3**	**42**	**1**	**2**	**5**	**7**	**11**	**27**	**30**
GRAND TOTAL	**776**	**7.1**	**68**	**1**	**1**	**4**	**8**	**22**	**27**	**31**	**779**	**5.6**	**37**	**1**	**1**	**4**	**6**	**9**	**26**	**29**

ALCOHOLIC PSYCHOSIS NOS (291.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34											1	2.0		2	2	2	2	2	2	2
35-54	2	9.5	61	4	4	9	15	15	15	15										
55-74																				
75 +																				
ALL AGES	3	6.7	54	1	1	4	12	15	15	15	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**4**	**6.3**	**36**	**1**	**1**	**4**	**10**	**15**	**15**	**15**	**2**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	1.0		1	1	1	1	1	1	1
21-24	1	1.0		1	1	1	1	1	1	1										
25-34											1	3.0		3	3	3	3	3	3	3
35-54	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
55-74	3	12.0	39	7	7	10	17	19	19	19	2	2.5	1	2	2	2	3	3	3	3
75 +																				
ALL AGES	5	7.8	53	1	1	7	12	19	19	19	5	2.2	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	4.0	18	1	1	3	7	7	7	7										
35-54	4	3.8	2	2	2	3	5	6	6	6	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	6	3.8	6	1	1	3	6	7	7	7	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**11**	**5.6**	**29**	**1**	**1**	**4**	**7**	**14**	**19**	**19**	**6**	**2.3**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
GRAND TOTAL	**15**	**5.8**	**28**	**1**	**1**	**4**	**7**	**15**	**18**	**19**	**8**	**2.3**		**1**	**1**	**2**	**3**	**3**	**3**	**3**

DRUG WITHDRAWAL SYNDROME (292.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	1	5.0		5	5	5	5	5	5	5										
18-20																				
21-24											1	1.0		1	1	1	1	1	1	1
25-34	10	2.2	1	1	1	2	3	4	4	4	6	2.0	1	1	1	2	3	3	3	3
35-54	6	2.5	4	1	1	2	4	6	6	6	5	3.0	2	2	2	2	4	5	5	5
55-74	4	2.5	2	1	1	2	3	4	4	4	5	2.4	4	1	1	1	4	5	5	5
75 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	22	3.0	8	1	1	2	4	5	9	14	18	2.3	2	1	1	2	3	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	4.0		4	4	4	4	4	4	4
21-24	3	2.7		2	2	3	3	3	3	3	3	3.7	2	2	2	4	5	5	5	5
25-34	14	3.8	7	1	1	3	6	7	9	10	8	2.0	1	1	1	2	3	3	3	3
35-54	6	3.0	3	1	1	3	3	6	6	6	6	3.3	3	1	1	3	4	6	6	6
55-74	7	5.4	5	3	3	6	6	8	9	9	3	5.0	4	3	3	5	6	7	7	7
75 +											5	4.8	9	3	3	4	6	10	10	10
ALL AGES	30	3.9	5	1	1	3	6	7	9	10	26	3.5	4	1	1	3	4	6	8	10
SUBTOTAL	**52**	**3.5**	**7**	**1**	**1**	**3**	**5**	**6**	**9**	**14**	**44**	**3.0**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	13.8	95	1	1	16	21	22	22	22	2	1.5	1	1	1	1	2	2	2	2
18-20	4	17.5	81	4	4	22	22	22	22	22	19	7.8	47	3	4	6	7	19	27	28
21-24	12	16.0	105	2	3	22	24	27	27	27	35	11.3	87	3	4	7	14	29	29	30
25-34	39	9.5	85	1	2	5	18	26	27	28	135	8.8	60	2	3	6	7	24	28	30
35-54	23	8.3	51	2	2	5	12	21	24	27	68	7.7	54	1	2	6	7	14	27	38
55-74	6	12.5	52	3	4	10	19	23	23	23	2	8.0	50	3	3	8	13	13	13	13
75 +	3	2.7	1	2	2	2	4	4	4	4	4	3.5	4	2	2	3	5	6	6	6
ALL AGES	91	10.6	80	2	2	5	21	25	27	28	265	8.6	61	2	3	6	7	26	28	30
B. FEMALE																				
0-12 YRS.																				
13-17	2	5.0	32	1	1	5	9	9	9	9	1	3.0		3	3	3	3	3	3	3
18-20	3	10.7	199	2	2	3	21	27	27	27	12	6.9	49	1	2	5	7	15	26	28
21-24	12	10.6	72	1	2	9	16	24	26	26	24	7.1	34	2	3	6	7	12	22	28
25-34	38	10.3	102	1	2	6	18	29	30	31	87	8.9	66	2	3	6	8	25	30	34
35-54	40	8.5	75	1	2	4	13	24	28	28	29	9.9	89	2	2	7	10	26	29	41
55-74	17	10.5	119	2	2	5	15	28	36	39	15	7.7	49	2	3	6	10	12	26	30
75 +	7	12.9	75	2	2	12	21	23	23	23	2	3.5	5	2	2	3	5	5	5	5
ALL AGES	119	9.8	90	1	2	5	16	27	29	34	170	8.5	61	2	2	6	8	23	28	34
SUBTOTAL	**210**	**10.2**	**84**	**1**	**2**	**5**	**19**	**26**	**28**	**31**	**435**	**8.6**	**60**	**2**	**3**	**6**	**8**	**24**	**28**	**31**
GRAND TOTAL	**262**	**8.8**	**77**	**1**	**2**	**5**	**13**	**23**	**27**	**31**	**479**	**8.1**	**58**	**2**	**2**	**6**	**7**	**24**	**28**	**31**

DRUG PARANOID/HALLUCINOS (292.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	4.7	6	2	2	5	6	7	7	7	1	2.0		2	2	2	2	2	2	2
18-20	1	9.0		9	9	9	9	9	9	9	2	10.5	145	2	2	10	19	19	19	19
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	4	2.8	1	1	1	3	4	4	4	4	5	2.8	6	1	1	2	4	7	7	7
35-54	2	1.5	1	1	1	1	2	2	2	2										
55-74	4	8.3	46	1	1	7	13	17	17	17	3	3.0	1	2	2	3	4	4	4	4
75 +	4	6.0	11	2	2	6	8	10	10	10	1	3.0		3	3	3	3	3	3	3
ALL AGES	19	5.1	17	1	1	4	7	10	14	17	12	4.1	24	1	1	3	4	11	18	19
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24	3	6.3	71	1	1	2	12	16	16	16										
25-34	2	5.5	13	3	3	5	8	8	8	8										
35-54	4	7.5	74	1	1	4	13	20	20	20	1	3.0		3	3	3	3	3	3	3
55-74	12	7.9	20	2	3	8	11	15	15	15	8	10.1	171	1	2	6	10	33	41	41
75 +	5	5.0	27	1	1	4	7	14	14	14	8	5.9	27	2	2	4	8	15	17	17
ALL AGES	27	6.7	30	1	1	4	10	15	17	20	18	7.3	90	1	1	4	7	16	31	41
SUBTOTAL	**46**	**6.0**	**25**	**1**	**1**	**4**	**9**	**15**	**16**	**20**	**30**	**6.0**	**65**	**1**	**1**	**3**	**6**	**15**	**19**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	7.0	32	3	3	7	11	11	11	11	1	2.0		2	2	2	2	2	2	2
18-20	7	8.6	85	1	1	4	14	24	26	26	1	8.0		8	8	8	8	8	8	8
21-24	5	4.4	3	2	2	5	6	6	6	6	5	13.8	208	2	2	6	29	30	30	30
25-34	14	3.9	14	1	1	3	4	10	12	12	8	16.5	157	1	1	19	28	28	28	28
35-54	7	3.0	3	1	1	2	4	6	6	6	3	3.3	5	1	1	4	5	5	5	5
55-74	3	7.0	31	2	2	6	11	13	13	13	2	14.0	338	1	1	14	27	27	27	27
75 +	2	8.5	13	6	6	8	11	11	11	11	1	2.0		2	2	2	2	2	2	2
ALL AGES	40	5.3	25	1	1	4	6	12	14	26	21	12.0	144	1	1	6	27	29	29	30
B. FEMALE																				
0-12 YRS.																				
13-17	3	5.0	7	2	2	6	7	7	7	7										
18-20	2	21.0	800	1	1	21	41	41	41	41	3	4.0	7	2	2	3	6	7	7	7
21-24	2	11.0		11	11	11	11	11	11	11	1	4.0		4	4	4	4	4	4	4
25-34	6	6.5	27	1	1	5	10	14	15	15	4	8.5	111	1	1	4	15	24	24	24
35-54	4	5.0	9	2	2	4	7	9	9	9	2	4.5	5	3	3	4	6	6	6	6
55-74											2	2.5	5	1	1	2	4	4	4	4
75 +	3	9.0	39	4	4	7	14	16	16	16	3	5.3	3	4	4	5	6	7	7	7
ALL AGES	20	8.3	77	1	1	6	10	15	28	41	15	5.3	31	1	1	4	6	7	20	24
SUBTOTAL	**60**	**6.3**	**44**	**1**	**1**	**4**	**8**	**12**	**16**	**39**	**36**	**9.2**	**106**	**1**	**1**	**5**	**10**	**28**	**29**	**30**
GRAND TOTAL	**106**	**6.2**	**35**	**1**	**1**	**4**	**9**	**14**	**16**	**33**	**66**	**7.8**	**88**	**1**	**1**	**4**	**7**	**27**	**28**	**39**

PATHOLOGIC DRUG INTOX (292.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24																				
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74	2	8.5	41	4	4	8	13	13	13	13	1	13.0		13	13	13	13	13	13	13
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	3	6.0	39	1	1	4	11	13	13	13	3	6.0	39	1	1	4	11	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +											1	13.0		13	13	13	13	13	13	13
ALL AGES	2	3.0	8	1	1	3	5	5	5	5	1	13.0		13	13	13	13	13	13	13
SUBTOTAL	**5**	**4.8**	**24**	**1**	**1**	**4**	**7**	**13**	**13**	**13**	**4**	**7.8**	**37**	**1**	**1**	**8**	**13**	**13**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	2	5.5	1	5	5	5	6	6	6	6	3	16.0	343	2	2	9	30	37	37	37
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	3	4.0	7	1	1	5	6	6	6	6	4	12.8	269	2	2	6	23	37	37	37
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54											1	2.0		2	2	2	2	2	2	2
55-74	3	7.0	7	4	4	8	9	9	9	9	1	65.0		65	65	65	65	65	65	65
75 +	2	2.0		2	2	2	2	2	2	2	1	7.0		7	7	7	7	7	7	7
ALL AGES	6	4.5	10	2	2	3	8	9	9	9	3	24.7	1224	2	2	7	50	65	65	65
SUBTOTAL	**9**	**4.3**	**9**	**1**	**1**	**4**	**6**	**9**	**9**	**9**	**7**	**17.9**	**583**	**2**	**2**	**7**	**30**	**59**	**65**	**65**
GRAND TOTAL	**14**	**4.5**	**13**	**1**	**1**	**4**	**6**	**9**	**12**	**13**	**11**	**14.2**	**388**	**1**	**1**	**7**	**13**	**48**	**64**	**65**

OTHER DRUG MENTAL DIS (292.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
18-20	1	4.0		4	4	4	4	4	4	4	2	1.5	1	1	1	1	2	2	2	2
21-24	2	4.0	2	3	3	4	5	5	5	5										
25-34	4	3.3	6	1	1	3	5	6	6	6	6	2.8	4	1	1	2	3	6	6	6
35-54	8	7.1	60	1	1	4	10	20	24	24	5	5.4	25	1	1	4	7	14	14	14
55-74	10	3.6	5	1	1	4	5	7	8	8	13	4.8	12	1	1	5	7	8	12	13
75 +	17	4.7	9	1	1	5	6	8	11	13	13	4.7	4	2	2	4	6	8	9	9
ALL AGES	44	4.5	17	1	1	4	6	8	12	24	40	4.3	9	1	1	4	6	7	11	14
B. FEMALE																				
0-12 YRS.																				
13-17	1	13.0		13	13	13	13	13	13	13										
18-20	2	5.0	32	1	1	5	9	9	9	9	1	1.0		1	1	1	1	1	1	1
21-24	3	7.3	121	1	1	1	15	20	20	20	3	1.0		1	1	1	1	1	1	1
25-34	3	8.3	21	4	4	8	12	13	13	13	2	2.5	1	2	2	2	3	3	3	3
35-54	9	2.0	3	1	1	1	3	5	5	5	6	4.2	16	1	1	3	4	11	12	12
55-74	23	7.0	40	1	1	5	9	17	20	23	19	5.2	25	1	1	4	7	11	17	21
75 +	34	5.5	15	1	2	4	7	11	12	17	21	5.0	12	1	1	4	6	10	13	15
ALL AGES	75	5.8	27	1	1	4	8	13	17	22	52	4.6	17	1	1	4	6	10	13	21
SUBTOTAL	**119**	**5.3**	**23**	**1**	**1**	**4**	**7**	**12**	**17**	**23**	**92**	**4.5**	**13**	**1**	**1**	**4**	**6**	**9**	**13**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	2.5	5	1	1	2	4	4	4	4										
18-20	4	3.0	6	1	1	3	5	6	6	6	3	12.0	67	5	5	10	18	21	21	21
21-24	1	7.0		7	7	7	7	7	7	7	1	4.0		4	4	4	4	4	4	4
25-34	14	7.2	146	1	1	3	8	16	40	47	3	3.0	4	1	1	3	4	5	5	5
35-54	8	5.3	49	1	1	2	9	17	18	18	10	6.7	65	1	1	3	8	20	25	25
55-74	13	6.1	32	1	2	4	7	15	20	21	9	6.8	20	3	3	5	9	14	16	16
75 +	9	8.6	25	2	2	8	12	16	17	17	4	5.0	9	2	2	4	7	9	9	9
ALL AGES	51	6.3	60	1	1	4	8	15	18	47	30	6.6	36	1	1	5	8	16	21	25
B. FEMALE																				
0-12 YRS.																				
13-17	4	7.8	44	1	1	6	12	17	17	17	2	1.0		1	1	1	1	1	1	1
18-20	2	8.0	98	1	1	8	15	15	15	15										
21-24	2	2.0	2	1	1	1	3	3	3	3										
25-34	8	5.6	23	1	1	5	7	13	16	16	4	5.3	12	2	2	4	8	10	10	10
35-54	11	8.2	55	1	1	6	13	19	25	26	6	8.5	62	3	3	5	12	22	23	23
55-74	19	6.1	16	1	2	5	7	12	15	17	10	9.6	150	1	1	6	10	29	41	41
75 +	17	7.8	28	2	3	6	11	13	19	23	18	6.7	26	2	2	5	8	16	17	18
ALL AGES	63	6.9	29	1	1	6	10	14	17	26	40	7.3	59	1	1	4	9	17	21	41
SUBTOTAL	**114**	**6.6**	**43**	**1**	**1**	**5**	**9**	**14**	**17**	**34**	**70**	**7.0**	**48**	**1**	**1**	**5**	**9**	**16**	**21**	**38**
GRAND TOTAL	**233**	**6.0**	**33**	**1**	**1**	**4**	**8**	**13**	**17**	**24**	**162**	**5.5**	**31**	**1**	**1**	**4**	**7**	**12**	**16**	**25**

DRUG MENTAL DISORDER NOS (292.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	16.0	91	6	6	17	23	25	25	25										
18-20	6	4.3	5	1	1	4	6	7	7	7										
21-24	1	15.0		15	15	15	15	15	15	15	1	1.0		1	1	1	1	1	1	1
25-34	3	2.7	2	1	1	3	4	4	4	4	2	3.5	5	2	2	3	5	5	5	5
35-54	1	6.0		6	6	6	6	6	6	6										
55-74	1	3.0		3	3	3	3	3	3	3	4	8.8	134	1	1	4	15	26	26	26
75 +	2	9.5	61	4	4	9	15	15	15	15										
ALL AGES	17	7.4	43	1	1	5	9	17	22	25	7	6.1	80	1	1	3	5	22	26	26
B. FEMALE																				
0-12 YRS.																				
13-17	1	17.0		17	17	17	17	17	17	17	1	1.0		1	1	1	1	1	1	1
18-20	1	46.0		46	46	46	46	46	46	46										
21-24																				
25-34	3	8.0	31	3	3	7	12	14	14	14	2	4.5	1	4	4	4	5	5	5	5
35-54	3	3.3	3	2	2	3	4	5	5	5	3	16.0	471	2	2	5	32	41	41	41
55-74	3	7.7	58	1	1	6	13	16	16	16	6	3.3	11	1	1	2	3	9	10	10
75 +	4	13.5	81	6	6	12	21	24	24	24	1	9.0		9	9	9	9	9	9	9
ALL AGES	15	11.6	139	1	2	6	17	24	40	46	13	6.7	114	1	1	3	6	16	36	41
SUBTOTAL	**32**	**9.3**	**91**	**1**	**2**	**6**	**15**	**20**	**25**	**46**	**20**	**6.5**	**97**	**1**	**1**	**3**	**5**	**18**	**33**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											3	4.7	4	3	3	4	6	7	7	7
18-20	6	12.5	64	5	5	10	20	24	24	24	4	13.5	163	2	2	13	24	26	26	26
21-24	6	2.5	5	1	1	2	2	7	7	7	2	6.0	18	3	3	6	9	9	9	9
25-34	4	11.0	301	2	2	3	20	37	37	37	1	2.0		2	2	2	2	2	2	2
35-54	2	1.5	1	1	1	1	2	2	2	2	3	9.3	163	1	1	3	19	24	24	24
55-74	1	9.0	--	9	9	9	9	9	9	9										
75 +											3	3.0	1	2	2	3	4	4	4	4
ALL AGES	19	7.7	92	1	1	3	9	22	31	37	16	7.4	75	1	2	3	8	24	25	26
B. FEMALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-20	2	3.0	8	1	1	2	5	5	5	5										
21-24	1	4.0		4	4	4	4	4	4	4										
25-34	1	2.0		2	2	2	2	2	2	2	4	12.0	164	1	1	11	23	25	25	25
35-54	3	6.0	1	5	5	6	7	7	7	7	2	9.5	113	2	2	9	17	17	17	17
55-74	1	2.0		2	2	2	2	2	2	2	6	8.5	136	1	1	4	6	29	32	32
75 +	1	3.0		3	3	3	3	3	3	3	3	4.0	4	2	2	4	5	6	6	6
ALL AGES	9	3.9	4	1	1	4	5	7	7	7	16	8.4	94	1	1	4	12	25	30	32
SUBTOTAL	**28**	**6.5**	**66**	**1**	**1**	**4**	**7**	**18**	**25**	**37**	**32**	**7.9**	**82**	**1**	**1**	**4**	**8**	**24**	**26**	**32**
GRAND TOTAL	**60**	**8.0**	**80**	**1**	**1**	**5**	**8**	**19**	**25**	**45**	**52**	**7.4**	**86**	**1**	**1**	**4**	**7**	**24**	**26**	**41**

ACUTE DELIRIUM (293.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	1	3.0		3	3	3	3	3	3	3										
18-20	1	2.0		2	2	2	2	2	2	2	1	5.0		5	5	5	5	5	5	5
21-24	1	6.0		6	6	6	6	6	6	6										
25-34	4	2.3		2	2	2	3	3	3	3	3	1.3		1	1	1	2	2	2	2
35-54	7	2.7	5	1	1	2	4	6	7	7	5	4.6	4	1	1	5	6	6	6	6
55-74	27	6.7	81	1	1	3	7	13	34	38	28	4.6	21	1	1	3	6	11	15	19
75 +	22	6.4	60	1	2	3	7	17	25	34	32	5.6	34	1	1	3	7	15	19	20
ALL AGES	63	5.7	58	1	1	3	5	12	24	37	70	4.9	24	1	1	3	6	12	19	20
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-20											2	19.0	512	3	3	19	35	35	35	35
21-24																				
25-34	5	24.0	1212	2	2	5	40	84	84	84	1	4.0		4	4	4	4	4	4	4
35-54	5	4.2	25	1	1	3	6	13	13	13	3	2.7		2	2	3	3	3	3	3
55-74	39	5.6	26	1	2	4	7	12	13	28	26	4.7	11	1	1	4	6	10	11	13
75 +	45	5.8	13	1	2	5	8	11	14	16	43	5.5	19	1	2	4	8	10	15	22
ALL AGES	94	6.6	87	1	2	4	8	12	15	59	76	5.4	27	1	1	4	7	10	14	32
SUBTOTAL	**157**	**6.2**	**76**	**1**	**2**	**4**	**7**	**12**	**16**	**38**	**146**	**5.2**	**25**	**1**	**1**	**4**	**6**	**11**	**15**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-20											1	1.0		1	1	1	1	1	1	1
21-24	1	9.0		9	9	9	9	9	9	9										
25-34											2	1.5	1	1	1	1	2	2	2	2
35-54	7	6.3	31	1	1	5	7	16	18	18	3	4.7	30	1	1	2	9	11	11	11
55-74	13	7.4	23	1	2	6	11	14	16	16	7	3.4	2	2	2	4	4	5	5	5
75 +	12	7.3	27	1	1	7	12	14	14	14	4	3.5	9	1	1	3	6	7	7	7
ALL AGES	33	7.2	24	1	1	6	11	14	16	18	18	3.3	7	1	1	3	4	6	9	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	1.0		1	1	1	1	1	1	1	1	9.0		9	9	9	9	9	9	9
25-34	4	5.3	4	2	2	6	7	7	7	7	1	5.0		5	5	5	5	5	5	5
35-54	4	7.3	11	3	3	7	10	11	11	11	2	2.5	5	1	1	2	4	4	4	4
55-74	18	7.6	39	3	3	6	8	16	24	28	8	7.0	131	1	1	3	5	26	35	35
75 +	22	6.8	18	2	3	5	9	13	16	19	16	8.6	60	1	1	5	13	23	24	24
ALL AGES	50	6.8	24	2	2	6	8	12	18	28	28	7.6	70	1	1	4	10	22	25	35
SUBTOTAL	**83**	**6.9**	**24**	**1**	**2**	**6**	**9**	**13**	**17**	**25**	**46**	**5.9**	**49**	**1**	**1**	**4**	**6**	**14**	**24**	**35**
GRAND TOTAL	**240**	**6.5**	**57**	**1**	**2**	**5**	**8**	**13**	**16**	**34**	**192**	**5.4**	**30**	**1**	**1**	**4**	**6**	**12**	**17**	**30**

SUBACUTE DELIRIUM (293.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2	3	4.7	6	2	2	5	6	7	7	7
75 +	3	4.3	25	1	1	2	8	10	10	10	1	16.0		16	16	16	16	16	16	16
ALL AGES	4	3.8	17	1	1	2	6	10	10	10	4	7.5	36	2	2	6	11	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2	2	5.5	25	2	2	5	9	9	9	9
75 +	1	13.0		13	13	13	13	13	13	13	1	2.0		2	2	2	2	2	2	2
ALL AGES	2	7.5	61	2	2	7	13	13	13	13	3	4.3	17	2	2	2	7	9	9	9
SUBTOTAL	**6**	**5.0**	**26**	**1**	**1**	**2**	**10**	**13**	**13**	**13**	**7**	**6.1**	**27**	**2**	**2**	**5**	**8**	**15**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	3	3.7	9	1	1	3	6	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	6.0		6	6	6	6	6	6	6
55-74	1	3.0		3	3	3	3	3	3	3										
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	1	3.0		3	3	3	3	3	3	3	2	4.0	8	2	2	4	6	6	6	6
SUBTOTAL	**4**	**3.5**	**6**	**1**	**1**	**3**	**5**	**7**	**7**	**7**	**2**	**4.0**	**8**	**2**	**2**	**4**	**6**	**6**	**6**	**6**
GRAND TOTAL	**10**	**4.4**	**17**	**1**	**1**	**3**	**7**	**11**	**13**	**13**	**9**	**5.7**	**21**	**2**	**2**	**5**	**7**	**13**	**16**	**16**

OTH TRANSIENT ORG MENTAL (293.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14										
18-20																				
21-24	2	6.5	25	3	3	6	10	10	10	10										
25-34	4	3.3	2	1	1	3	4	5	5	5	3	9.7	43	4	4	8	15	17	17	17
35-54	6	11.5	90	2	2	9	18	26	27	27	3	11.7	40	7	7	9	16	19	19	19
55-74	9	20.0	408	6	6	15	23	55	67	67	6	22.3	650	1	1	16	34	62	65	65
75 +	7	17.6	65	5	7	16	25	28	28	28	2	4.5	1	4	4	4	5	5	5	5
ALL AGES	29	14.2	185	2	3	11	17	28	38	67	14	14.8	313	1	2	7	19	37	59	65
B. FEMALE																				
0-12 YRS.	1	46.0		46	46	46	46	46	46	46										
13-17	3	12.3	123	1	1	13	20	23	23	23	1	1.0		1	1	1	1	1	1	1
18-20	1	10.0		10	10	10	10	10	10	10										
21-24											1	3.0		3	3	3	3	3	3	3
25-34	5	10.4	65	4	4	6	16	23	23	23	1	4.0		4	4	4	4	4	4	4
35-54	11	10.7	51	1	3	9	16	21	23	23	5	6.4	88	1	1	3	9	23	23	23
55-74	14	18.4	116	4	7	19	23	31	42	45	4	6.3	22	1	1	6	10	12	12	12
75 +	10	12.0	316	2	3	6	9	37	62	62	2	12.0		12	12	12	12	12	12	12
ALL AGES	45	14.2	158	2	4	10	19	26	45	62	14	6.4	40	1	1	4	12	13	21	23
SUBTOTAL	**74**	**14.2**	**166**	**2**	**3**	**10**	**19**	**28**	**43**	**66**	**28**	**10.6**	**188**	**1**	**1**	**5**	**12**	**27**	**37**	**65**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-20	1	5.0		5	5	5	5	5	5	5										
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	5	12.6	77	6	6	8	19	26	26	26	2	7.5	25	4	4	7	11	11	11	11
35-54	8	7.0	25	1	2	5	11	14	15	15	6	6.8	27	2	2	6	10	14	15	15
55-74	7	10.3	119	2	3	6	11	30	34	34	1	7.0		7	7	7	7	7	7	7
75 +	3	11.3	33	5	5	13	15	16	16	16	1	4.0		4	4	4	4	4	4	4
ALL AGES	26	9.1	59	2	3	6	12	17	28	34	10	6.7	18	2	2	6	10	13	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	16.0	32	12	12	16	20	20	20	20										
21-24	2	12.0	72	6	6	12	18	18	18	18	1	4.0		4	4	4	4	4	4	4
25-34	7	11.7	155	2	2	7	14	33	38	38	4	3.8	4	2	2	4	5	6	6	6
35-54	9	8.2	51	2	2	6	8	20	26	26	5	3.2	5	1	1	3	5	6	6	6
55-74	9	11.7	72	1	1	13	18	23	25	25	1	25.0		25	25	25	25	25	25	25
75 +	3	20.3	304	7	7	14	33	40	40	40	1	14.0		14	14	14	14	14	14	14
ALL AGES	32	11.8	97	2	2	8	16	25	37	40	12	6.2	47	1	1	4	6	17	24	25
SUBTOTAL	**58**	**10.6**	**80**	**2**	**2**	**7**	**14**	**24**	**31**	**40**	**22**	**6.4**	**33**	**1**	**2**	**5**	**8**	**14**	**19**	**25**
GRAND TOTAL	**132**	**12.6**	**131**	**2**	**3**	**9**	**17**	**26**	**37**	**63**	**50**	**8.7**	**123**	**1**	**1**	**5**	**11**	**21**	**29**	**65**

TRANSIENT ORG MENTAL NOS (293.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24	1	6.0		6	6	6	6	6	6	6	1	5.0		5	5	5	5	5	5	5
25-34	3	5.7	65	1	1	1	12	15	15	15	1	3.0		3	3	3	3	3	3	3
35-54	4	3.8	18	1	1	2	6	10	10	10	3	4.0	13	1	1	3	7	8	8	8
55-74	4	11.0	53	1	1	12	16	18	18	18	10	3.3	6	1	1	3	5	7	8	8
75 +	4	10.8	283	1	1	3	20	36	36	36	6	3.5	7	1	1	3	6	7	7	7
ALL AGES	16	7.8	91	1	1	3	12	18	31	36	22	3.4	6	1	1	3	5	7	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	3.0		3	3	3	3	3	3	3
21-24																				
25-34	2	2.5	5	1	1	2	4	4	4	4	1	5.0		5	5	5	5	5	5	5
35-54											1	14.0		14	14	14	14	14	14	14
55-74	3	4.3	11	2	2	3	7	8	8	8	7	5.4	44	1	1	3	5	17	20	20
75 +	4	5.0	5	2	2	5	6	7	7	7	8	5.5	13	1	1	5	9	10	10	10
ALL AGES	9	4.2	6	1	1	4	6	8	8	8	18	5.8	25	1	1	4	9	13	18	20
SUBTOTAL	**25**	**6.5**	**62**	**1**	**1**	**3**	**8**	**15**	**22**	**36**	**40**	**4.5**	**15**	**1**	**1**	**3**	**6**	**9**	**12**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20											1	2.0		2	2	2	2	2	2	2
21-24	1	4.0		4	4	4	4	4	4	4										
25-34	3	6.7		6	6	7	7	7	7	7	2	3.5	1	3	3	3	4	4	4	4
35-54																				
55-74	5	11.4	236	1	1	5	18	38	38	38										
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	11	7.7	110	1	1	5	7	22	37	38	3	3.0	1	2	2	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	7.0		7	7	7	7	7	7	7										
21-24	2	5.5	1	5	5	5	6	6	6	6	1	3.0		3	3	3	3	3	3	3
25-34											1	11.0		11	11	11	11	11	11	11
35-54	1	24.0		24	24	24	24	24	24	24	1	1.0		1	1	1	1	1	1	1
55-74	3	13.0	124	1	1	15	21	23	23	23										
75 +	2	4.5	25	1	1	4	8	8	8	8	1	6.0		6	6	6	6	6	6	6
ALL AGES	9	10.0	76	1	1	7	17	24	24	24	4	5.3	18	1	1	4	8	11	11	11
SUBTOTAL	**20**	**8.8**	**90**	**1**	**1**	**6**	**9**	**23**	**31**	**38**	**7**	**4.3**	**11**	**1**	**1**	**3**	**5**	**10**	**11**	**11**
GRAND TOTAL	**45**	**7.5**	**74**	**1**	**1**	**5**	**9**	**18**	**27**	**38**	**47**	**4.4**	**15**	**1**	**1**	**3**	**6**	**9**	**11**	**20**

AMNESTIC SYNDROME (294.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1	1	7.0		7	7	7	7	7	7	7
55-74	1	5.0		5	5	5	5	5	5	5	5	1.2		1	1	1	2	2	2	2
75 +	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
ALL AGES	3	2.7	4	1	1	2	4	5	5	5	7	2.4	5	1	1	1	3	6	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	3	2.3	1	2	2	2	3	3	3	3	4	1.0		1	1	1	1	1	1	1
75 +	1	15.0		15	15	15	15	15	15	15	3	1.7		1	1	2	2	2	2	2
ALL AGES	4	5.5	40	2	2	3	9	15	15	15	7	1.3		1	1	1	2	2	2	2
SUBTOTAL	**7**	**4.3**	**24**	**1**	**1**	**2**	**4**	**13**	**15**	**15**	**14**	**1.9**	**3**	**1**	**1**	**1**	**2**	**4**	**6**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4	1	22.0		22	22	22	22	22	22	22
35-54	1	13.0		13	13	13	13	13	13	13										
55-74																				
75 +																				
ALL AGES	2	8.5	41	4	4	8	13	13	13	13	1	22.0		22	22	22	22	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	12.0		12	12	12	12	12	12	12
55-74																				
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	1	7.0		7	7	7	7	7	7	7	1	12.0		12	12	12	12	12	12	12
SUBTOTAL	**3**	**8.0**	**21**	**4**	**4**	**7**	**11**	**13**	**13**	**13**	**2**	**17.0**	**50**	**12**	**12**	**17**	**22**	**22**	**22**	**22**
GRAND TOTAL	**10**	**5.4**	**24**	**1**	**1**	**3**	**7**	**14**	**15**	**15**	**16**	**3.8**	**32**	**1**	**1**	**1**	**3**	**11**	**19**	**22**

DEMENTIA IN OTH DISEASES (294.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	27.0		27	27	27	27	27	27	27
35-54	2	2.0		2	2	2	2	2	2	2										
55-74	1	1.0		1	1	1	1	1	1	1	5	14.0	201	1	1	6	25	35	35	35
75 +	3	3.3	3	2	2	3	4	5	5	5	3	15.3	26	12	12	13	19	21	21	21
ALL AGES	6	2.5	2	1	1	2	3	5	5	5	9	15.9	124	1	3	13	23	32	35	35
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	1	10.0		10	10	10	10	10	10	10	2	3.0	8	1	1	3	5	5	5	5
55-74											3	4.3	10	1	1	5	6	7	7	7
75 +	3	8.7	21	5	5	7	12	14	14	14	1	31.0		31	31	31	31	31	31	31
ALL AGES	5	8.2	15	5	5	7	11	14	14	14	6	8.3	130	1	1	5	7	29	31	31
SUBTOTAL	**11**	**5.1**	**16**	**1**	**1**	**5**	**7**	**12**	**14**	**14**	**15**	**12.9**	**131**	**1**	**1**	**7**	**22**	**31**	**34**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	15.5	61	10	10	15	21	21	21	21	1	21.0		21	21	21	21	21	21	21
35-54																				
55-74	5	5.4	13	1	1	5	7	11	11	11	1	12.0		12	12	12	12	12	12	12
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	8	7.6	41	1	2	5	10	18	21	21	2	16.5	41	12	12	16	21	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13	2	25.5	25	22	22	25	29	29	29	29
55-74	2	8.0	2	7	7	8	9	9	9	9										
75 +	2	11.5	25	8	8	11	15	15	15	15	2	12.5	41	8	8	12	17	17	17	17
ALL AGES	5	10.4	12	7	7	9	13	15	15	15	4	19.0	78	8	8	19	25	29	29	29
SUBTOTAL	**13**	**8.7**	**29**	**1**	**3**	**8**	**11**	**16**	**20**	**21**	**6**	**18.2**	**55**	**8**	**8**	**19**	**22**	**28**	**29**	**29**
GRAND TOTAL	**24**	**7.0**	**26**	**1**	**2**	**6**	**10**	**14**	**17**	**21**	**21**	**14.4**	**112**	**1**	**1**	**12**	**22**	**30**	**33**	**35**

ORGANIC BRAIN SYND NEC (294.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12										
18-20											1	79.0		79	79	79	79	79	79	79
21-24	3	10.3	67	1	1	14	15	16	16	16										
25-34	3	10.3	43	4	4	10	15	17	17	17	3	12.7	5	10	10	13	14	15	15	15
35-54	2	7.5	1	7	7	7	8	8	8	8	2	41.0	722	22	22	41	60	60	60	60
55-74	7	7.1	17	1	1	7	10	12	12	12	3	13.3	14	10	10	15	58	99+	99+	99+
75 +	5	14.0	172	1	1	12	18	36	36	36	1	12.0		12	12	56	99+	99+	99+	99+
ALL AGES	21	10.0	57	1	1	9	12	16	26	36	10	25.1	580	10	10	16	69	99+	99+	99+
B. FEMALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14										
18-20	1	22.0		22	22	22	22	22	22	22										
21-24																				
25-34	2	12.0		12	12	12	12	12	12	12	2	56.5	2521	21	21	92	98	99+	99+	99+
35-54	1	6.0		6	6	6	6	6	6	6	2	6.5	5	5	5	6	8	8	8	8
55-74	4	5.8	13	2	2	5	8	11	11	11	2	14.5	181	5	5	14	24	24	24	24
75 +	6	11.5	65	5	5	9	12	25	27	27										
ALL AGES	15	10.5	46	3	5	11	12	22	26	27	6	25.8	1120	5	5	21	75	98	99+	99+
SUBTOTAL	**36**	**10.2**	**51**	**1**	**2**	**10**	**12**	**17**	**25**	**36**	**16**	**25.4**	**720**	**5**	**6**	**17**	**74**	**99+**	**99+**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	11.0		11	11	11	11	11	11	11										
13-17	2	26.5	481	11	11	26	42	42	42	42										
18-20	1	25.0		25	25	25	25	25	25	25	2	6.5	25	3	3	6	10	10	10	10
21-24	1	2.0		2	2	2	2	2	2	2	2	9.5	25	6	6	9	13	13	13	13
25-34	3	27.3	1015	7	7	11	51	64	64	64	3	7.0	27	4	4	9	56	99+	99+	99+
35-54	1	22.0		22	22	22	22	22	22	22	6	25.7	660	4	5	27	62	94	99+	99+
55-74	3	11.3	37	5	5	12	16	17	17	17	4	11.8	148	4	4	6	18	30	30	30
75 +	1	6.0		6	6	6	6	6	6	6	3	10.7	81	4	4	7	17	21	21	21
ALL AGES	13	18.1	302	2	4	11	23	46	61	64	20	14.3	273	3	4	7	27	79	99+	99+
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	10.0		10	10	10	10	10	10	10	1	10.0		10	10	10	10	10	10	10
25-34	4	9.8	44	3	3	10	15	16	16	16	1	17.0		17	17	17	17	17	17	17
35-54	3	7.7	30	2	2	8	12	13	13	13	1	3.0		3	3	3	3	3	3	3
55-74	5	11.8	52	4	4	9	16	23	23	23	3	15.3	123	8	8	10	23	28	28	28
75 +	2	10.5	25	7	7	10	14	14	14	14	1	4.0		4	4	4	4	4	4	4
ALL AGES	15	10.1	34	2	3	9	14	16	21	23	7	11.4	75	3	3	10	15	26	28	28
SUBTOTAL	**28**	**13.8**	**168**	**2**	**3**	**11**	**15**	**24**	**44**	**64**	**27**	**13.6**	**217**	**3**	**4**	**8**	**22**	**58**	**99+**	**99+**
GRAND TOTAL	**64**	**11.8**	**103**	**2**	**3**	**10**	**14**	**22**	**30**	**61**	**43**	**18.0**	**425**	**4**	**4**	**12**	**27**	**97**	**99+**	**99+**

ORGANIC BRAIN SYND NOS (294.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-20																				
21-24																				
25-34	7	3.9	6	1	1	4	6	7	7	7										
35-54	2	7.0	8	5	5	7	9	9	9	9	3	5.0	21	1	1	4	8	10	10	10
55-74	16	12.0	63	2	3	10	17	22	28	31	3	7.3	6	6	6	6	9	10	10	10
75 +	9	8.2	25	1	1	8	11	15	17	17	10	9.6	42	2	3	7	13	20	24	24
ALL AGES	35	8.9	46	1	2	7	10	20	22	31	16	8.3	33	1	2	7	10	16	22	24
B. FEMALE																				
0-12 YRS.																				
13-17	1	66.0		66	66	66	66	66	66	66										
18-20																				
21-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	2	6.5	41	2	2	6	11	11	11	11	4	28.3	526	7	7	22	42	61	61	61
55-74	9	17.2	191	3	3	20	23	37	45	45	4	9.8	34	5	5	8	14	18	18	18
75 +	9	13.0	313	3	3	7	11	42	59	59	5	5.4	12	2	2	4	8	10	10	10
ALL AGES	22	16.3	329	2	3	9	23	49	62	66	13	13.8	249	2	3	8	19	31	55	61
SUBTOTAL	**57**	**11.8**	**163**	**1**	**2**	**8**	**14**	**23**	**40**	**66**	**29**	**10.8**	**131**	**2**	**3**	**7**	**11**	**23**	**26**	**61**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	22.5	41	18	18	22	27	27	27	27										
21-24	1	14.0		14	14	14	14	14	14	14										
25-34	3	5.0	3	4	4	4	6	7	7	7	1	4.0		4	4	4	4	4	4	4
35-54	4	30.0	1245	8	8	15	52	82	82	82										
55-74	2	13.5	41	9	9	13	18	18	18	18	1	1.0		1	1	1	1	1	1	1
75 +	3	8.0	9	5	5	8	10	11	11	11	1	4.0		4	4	4	4	4	4	4
ALL AGES	15	16.3	378	4	4	9	18	27	68	82	3	3.0	3	1	1	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	12.5	113	5	5	12	20	20	20	20										
35-54	2	13.0	50	8	8	13	18	18	18	18	1	12.0		12	12	12	12	12	12	12
55-74	5	15.0	100	4	4	13	20	31	31	31	3	9.3	109	1	1	6	17	21	21	21
75 +	3	8.0	43	1	1	9	13	14	14	14	2	8.0	32	4	4	8	12	12	12	12
ALL AGES	12	12.5	67	1	3	12	17	23	30	31	6	9.3	53	1	1	9	12	20	21	21
SUBTOTAL	**27**	**14.6**	**236**	**3**	**4**	**11**	**18**	**26**	**39**	**82**	**9**	**7.2**	**44**	**1**	**1**	**4**	**12**	**17**	**21**	**21**
GRAND TOTAL	**84**	**12.7**	**186**	**2**	**2**	**9**	**16**	**23**	**35**	**77**	**38**	**9.9**	**112**	**1**	**2**	**7**	**12**	**22**	**24**	**61**

SIMPLE SCHIZOPHRENIA (295.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-20																				
21-24																				
25-34	2	7.5	85	1	1	7	14	14	14	14										
35-54																				
55-74	2	9.5	25	6	6	9	13	13	13	13										
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	4	8.5	38	1	1	9	13	14	14	14	2	6.0	8	4	4	6	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	17.5	5	16	16	17	19	19	19	19										
35-54	1	3.0		3	3	3	3	3	3	3	1	16.0		16	16	16	16	16	16	16
55-74	1	12.0		12	12	12	12	12	12	12										
75 +	4	10.3	25	5	5	9	14	17	17	17										
ALL AGES	8	11.4	33	3	4	11	16	18	19	19	1	16.0		16	16	16	16	16	16	16
SUBTOTAL	**12**	**10.4**	**34**	**1**	**2**	**11**	**15**	**18**	**19**	**19**	**3**	**9.3**	**38**	**4**	**4**	**8**	**14**	**16**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	28.0		28	28	28	28	28	28	28										
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	2	17.0	242	6	6	17	28	28	28	28										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**2**	**17.0**	**242**	**6**	**6**	**17**	**28**	**28**	**28**	**28**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**14**	**11.4**	**52**	**1**	**3**	**11**	**16**	**20**	**26**	**28**	**4**	**7.3**	**41**	**1**	**1**	**6**	**12**	**16**	**16**	**16**

HEBEPHRENIA (295.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	16.0		16	16	16	16	16	16	16										
13-17																				
18-20																				
21-24	3	8.3	3	7	7	8	9	10	10	10	1	19.0		19	19	19	19	19	19	19
25-34	8	19.3	786	2	2	7	23	68	85	85	5	22.6	331	7	7	17	37	49	49	49
35-54	2	4.5	1	4	4	4	5	5	5	5	5	13.8	61	2	2	17	19	21	21	21
55-74																				
75 +																				
ALL AGES	14	14.6	462	2	3	7	16	34	74	85	11	18.3	175	2	5	17	21	39	48	49
B. FEMALE																				
0-12 YRS.																				
13-17	4	19.5	124	4	4	22	27	30	30	30										
18-20	1	46.0		46	46	46	46	46	46	46										
21-24	4	18.8	478	3	3	11	34	50	50	50										
25-34	4	15.0	202	2	2	11	24	35	35	35	2	4.5	25	1	1	4	8	8	8	8
35-54	14	8.8	32	4	4	7	10	15	23	25	2	16.0	98	9	9	16	23	23	23	23
55-74	3	24.0	84	16	16	22	31	34	34	34										
75 +																				
ALL AGES	30	15.1	170	3	4	9	22	34	46	50	4	10.3	84	1	1	3	16	23	23	23
SUBTOTAL	**44**	**15.0**	**252**	**3**	**3**	**9**	**19**	**34**	**47**	**85**	**15**	**16.1**	**159**	**1**	**2**	**17**	**21**	**33**	**45**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	45.5	1201	21	21	45	70	70	70	70	1	11.0		11	11	11	11	11	11	11
25-34	1	6.0		6	6	6	6	6	6	6	1	13.0		13	13	13	13	13	13	13
35-54	6	4.8	18	1	1	4	7	11	12	12	1	2.0		2	2	2	2	2	2	2
55-74											1	14.0		14	14	14	14	14	14	14
75 +																				
ALL AGES	9	14.0	480	1	1	6	14	50	70	70	4	10.0	30	2	2	12	13	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	3	12.7	184	2	2	8	23	28	28	28	1	2.0		2	2	2	2	2	2	2
25-34	4	11.8	53	3	3	11	16	21	21	21	1	3.0		3	3	3	3	3	3	3
35-54	2	14.5	5	13	13	14	16	16	16	16										
55-74																				
75 +																				
ALL AGES	9	12.7	68	2	2	12	17	25	28	28	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	**18**	**13.3**	**260**	**1**	**2**	**9**	**16**	**26**	**53**	**70**	**6**	**7.5**	**33**	**2**	**2**	**7**	**13**	**14**	**14**	**14**
GRAND TOTAL	**62**	**14.5**	**251**	**2**	**3**	**9**	**18**	**31**	**48**	**83**	**21**	**13.7**	**133**	**1**	**2**	**11**	**19**	**27**	**40**	**49**

CATATONIC SCHIZOPHRENIA (295.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	3.0		3	3	3	3	3	3	3
21-24	4	12.3	5	10	10	11	14	16	16	16	2	32.0	722	13	13	32	51	51	51	51
25-34	6	10.7	51	4	4	8	19	20	20	20	3	17.3	391	4	4	8	32	40	40	40
35-54	7	11.4	58	3	3	9	19	22	22	22	3	10.3	47	5	5	8	15	18	18	18
55-74	1	50.0		50	50	50	50	50	50	50										
75 +																				
ALL AGES	18	13.5	120	3	4	11	19	22	39	50	9	16.7	295	3	3	8	23	47	51	51
B. FEMALE																				
0-12 YRS.	1	12.0		12	12	12	12	12	12	12										
13-17	1	78.0		78	78	78	78	78	78	78										
18-20																				
21-24	2	16.5	25	13	13	16	20	20	20	20	2	3.5	1	3	3	3	4	4	4	4
25-34	7	16.1	81	3	4	17	24	27	27	27	3	15.0	19	10	~~10~~	17	18	18	18	18
35-54	11	8.5	36	1	2	7	11	18	20	20	4	6.5	40	3	3	4	10	16	16	16
55-74	3	6.3	15	2	2	8	9	9	9	9	3	18.0	436	4	4	8	33	42	42	42
75 +																				
ALL AGES	25	14.0	229	2	3	10	18	25	40	78	12	11.0	129	3	3	6	16	25	40	42
SUBTOTAL	**43**	**13.8**	**179**	**2**	**3**	**10**	**19**	**23**	**35**	**78**	**21**	**13.4**	**199**	**3**	**3**	**8**	**17**	**41**	**46**	**51**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	2	4.0	2	3	3	4	5	5	5	5										
35-54	2	22.0	800	2	2	22	42	42	42	42	2	3.0		3	3	3	3	3	3	3
55-74	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	7	8.1	226	1	1	3	5	35	42	42	4	4.0	7	2	2	3	6	8	8	8
B. FEMALE																				
0-12 YRS.	1	51.0		51	51	51	51	51	51	51										
13-17																				
18-20																				
21-24																				
25-34	1	14.0		14	14	14	14	14	14	14										
35-54	1	25.0		25	25	25	25	25	25	25	2	5.0	18	2	2	5	8	8	8	8
55-74	3	32.3	2166	4	4	7	66	86	86	86										
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	7	27.9	916	4	5	14	44	79	86	86	2	5.0	18	2	2	5	8	8	8	8
SUBTOTAL	**14**	**18.0**	**633**	**1**	**1**	**6**	**25**	**54**	**79**	**86**	**6**	**4.3**	**9**	**2**	**2**	**3**	**8**	**8**	**8**	**8**
GRAND TOTAL	**57**	**14.8**	**286**	**1**	**3**	**10**	**19**	**27**	**51**	**85**	**27**	**11.4**	**169**	**2**	**3**	**8**	**15**	**36**	**43**	**51**

PARANOID SCHIZOPHRENIA (295.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	6.0		6	6	6	6	6	6	6
13-17	11	34.5	712	3	4	37	57	93	99	99+	13	11.1	288	1	1	7	14	25	57	65
18-20	58	11.1	81	2	2	7	16	25	31	35	19	10.3	72	1	2	7	12	20	31	38
21-24	111	11.8	182	1	2	7	15	23	36	78	47	12.4	131	1	2	8	18	28	37	51
25-34	591	10.3	82	2	2	8	13	21	30	48	180	12.2	168	1	2	8	16	27	33	76
35-54	412	10.1	105	2	2	7	12	22	29	52	143	11.1	123	1	2	7	15	27	33	47
55-74	52	10.2	50	2	3	9	13	20	26	33	7	9.6	36	3	4	7	15	19	19	19
75 +	4	16.8	359	4	4	9	27	45	45	45	2	5.5	5	4	4	5	7	7	7	7
ALL AGES	1239	10.6	109	2	2	7	14	23	31	54	412	11.6	144	1	2	7	15	27	34	67
B. FEMALE																				
0-12 YRS.	2	13.0	18	10	10	13	16	16	16	16	1	6.0		6	6	6	6	6	6	6
13-17	3	8.0	12	6	6	6	11	12	12	12	1	63.0		63	63	63	63	63	63	63
18-20	13	10.8	54	1	1	11	14	20	26	28	3	10.7	79	5	5	6	17	21	21	21
21-24	55	9.7	108	2	2	6	13	26	30	49	13	16.5	319	1	2	6	28	46	53	55
25-34	224	12.3	143	1	2	9	16	27	34	57	77	9.6	120	1	1	6	12	22	42	89
35-54	378	11.7	116	2	3	8	16	26	33	55	117	9.6	75	1	1	7	13	21	26	41
55-74	169	14.8	147	3	4	11	19	33	41	54	45	11.4	86	2	2	8	13	29	33	36
75 +	11	20.1	98	7	9	18	30	34	35	35	7	7.3	30	3	3	4	12	16	16	16
ALL AGES	855	12.4	130	2	3	9	16	28	35	56	264	10.4	111	1	2	7	13	24	33	61
SUBTOTAL	**2094**	**11.4**	**117**	**2**	**2**	**8**	**14**	**25**	**33**	**55**	**676**	**11.1**	**132**	**1**	**2**	**7**	**14**	**25**	**33**	**63**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	26.5	1301	1	1	26	52	52	52	52	1	7.0		7	7	7	7	7	7	7
13-17	5	11.8	117	1	1	7	21	27	27	27										
18-20	20	15.1	86	3	4	13	21	29	33	35	6	10.8	81	3	3	7	15	26	27	27
21-24	56	8.4	25	2	2	7	11	16	19	22	28	14.8	216	1	1	9	25	37	45	45
25-34	176	10.9	75	1	2	8	15	23	27	39	84	10.1	155	1	2	6	13	24	44	99+
35-54	131	11.7	105	1	2	8	16	23	28	52	69	12.1	187	2	2	7	15	27	48	62
55-74	18	11.1	39	2	3	11	14	21	23	24	5	10.2	111	1	1	4	18	26	26	26
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	409	11.1	82	1	2	8	15	22	27	39	193	11.5	171	1	2	6	15	30	44	92
B. FEMALE																				
0-12 YRS.																				
13-17	4	9.5	20	4	4	9	12	15	15	15										
18-20	6	15.5	162	1	1	14	22	34	35	35	1	2.0		2	2	2	2	2	2	2
21-24	20	14.3	53	3	5	16	20	22	26	30	7	6.0	17	2	2	4	9	12	13	13
25-34	76	13.2	174	2	2	9	16	32	38	69	28	9.5	97	1	3	6	10	18	27	52
35-54	78	12.2	105	1	2	9	17	28	35	42	26	8.9	42	2	2	7	11	18	24	30
55-74	38	16.2	137	2	3	12	26	36	43	99+	5	13.0	172	3	3	12	18	35	35	35
75 +	5	7.2	12	4	4	6	8	13	13	13	1	2.0		2	2	2	2	2	2	2
ALL AGES	227	13.3	128	2	2	10	19	29	36	61	68	8.9	71	2	2	6	11	18	25	49
SUBTOTAL	**636**	**11.9**	**99**	**2**	**2**	**9**	**17**	**25**	**32**	**46**	**261**	**10.8**	**146**	**1**	**2**	**6**	**14**	**27**	**40**	**79**
GRAND TOTAL	**2730**	**11.5**	**113**	**2**	**2**	**8**	**15**	**25**	**33**	**54**	**937**	**11.1**	**134**	**1**	**2**	**7**	**14**	**26**	**35**	**63**

AC SCHIZOPHRENIC EPISODE (295.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	7	31.6	331	14	14	26	42	60	64	64	2	41.0	2592	5	5	41	77	77	77	77
18-20	14	13.4	120	1	1	11	20	29	36	38	2	7.5	61	2	2	7	13	13	13	13
21-24	21	10.1	73	2	2	7	13	25	29	31	6	6.8	2	5	5	7	7	9	9	9
25-34	30	8.6	42	2	2	6	14	18	23	23	7	11.9	91	3	3	7	22	23	23	23
35-54	4	20.3	1429	1	1	2	39	77	77	77	8	8.0	22	2	2	9	11	14	15	15
55-74	1	2.0		2	2	2	2	2	2	2	4	4.3	6	2	2	3	6	8	8	8
75 +																				
ALL AGES	77	12.5	184	1	2	8	16	27	38	73	29	10.4	199	2	2	7	10	22	26	77
B. FEMALE																				
0-12 YRS.																				
13-17	6	11.3	201	1	1	5	16	36	38	38										
18-20	4	11.5	41	7	7	9	15	21	21	21	6	7.3	53	1	1	5	11	19	20	20
21-24	12	10.9	77	1	1	11	18	23	25	25	4	7.0	22	4	4	5	10	14	14	14
25-34	15	10.5	87	1	2	8	17	24	31	33	7	7.6	36	1	1	7	13	16	16	16
35-54	18	12.1	113	1	2	9	17	30	32	34	8	6.6	30	1	1	5	10	15	17	17
55-74	8	10.8	146	2	2	8	12	31	39	39	1	4.0		4	4	4	4	4	4	4
75 +	1	13.0		13	13	13	13	13	13	13										
ALL AGES	64	11.3	96	1	2	9	16	25	33	39	26	7.0	31	1	1	5	11	16	18	20
SUBTOTAL	**141**	**11.9**	**145**	**1**	**2**	**9**	**16**	**27**	**36**	**65**	**55**	**8.8**	**120**	**1**	**2**	**6**	**11**	**17**	**22**	**74**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	51.0		51	51	51	51	51	51	51										
18-20	7	11.0	53	1	1	11	17	19	19	19	4	8.5	48	2	2	7	13	18	18	18
21-24	4	6.3	24	1	1	5	9	13	13	13	3	7.3	35	3	3	5	12	14	14	14
25-34	15	9.3	80	1	1	7	11	21	31	34	3	7.3	18	4	4	6	10	12	12	12
35-54	9	10.2	129	1	2	7	10	28	39	39	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	36	10.7	122	1	1	7	13	21	37	51	11	7.4	27	2	2	5	11	16	18	18
B. FEMALE																				
0-12 YRS.																				
13-17	7	20.4	331	3	4	15	34	49	51	51										
18-20	4	6.8	6	3	3	7	8	9	9	9										
21-24	6	10.2	77	2	2	7	21	21	21	21	5	7.8	57	2	2	5	10	21	21	21
25-34	5	4.8	5	2	2	5	6	8	8	8	2	13.0	32	9	9	13	17	17	17	17
35-54	5	6.2	13	2	2	6	8	12	12	12	4	8.8	88	2	2	6	15	22	22	22
55-74	5	11.4	61	4	4	9	18	22	22	22	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	32	10.7	50	2	3	7	13	22	37	51	12	8.7	53	2	2	6	13	21	22	22
SUBTOTAL	**68**	**10.7**	**119**	**1**	**2**	**7**	**13**	**21**	**39**	**51**	**23**	**8.0**	**40**	**2**	**2**	**5**	**11**	**19**	**21**	**22**
GRAND TOTAL	**209**	**11.5**	**137**	**1**	**2**	**8**	**16**	**25**	**38**	**56**	**78**	**8.6**	**95**	**1**	**2**	**6**	**11**	**18**	**22**	**62**

LATENT SCHIZOPHRENIA (295.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	2	13.5	221	3	3	13	24	24	24	24										
55-74																				
75 +																				
ALL AGES	3	9.7	153	2	2	3	19	24	24	24	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**4**	**7.5**	**122**	**1**	**1**	**2**	**13**	**24**	**24**	**24**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	13.0		13	13	13	13	13	13	13										
35-54																				
55-74																				
75 +																				
ALL AGES	1	13.0		13	13	13	13	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	27.0		27	27	27	27	27	27	27										
25-34	1	56.0		56	56	56	56	56	56	56										
35-54																				
55-74																				
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	3	30.3	587	8	8	27	49	56	56	56										
SUBTOTAL	**4**	**26.0**	**465**	**8**	**8**	**20**	**41**	**56**	**56**	**56**										
GRAND TOTAL	**8**	**16.8**	**347**	**1**	**1**	**10**	**25**	**47**	**56**	**56**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**

RESIDUAL SCHIZOPHRENIA (295.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2	2	10.0	72	4	4	10	16	16	16	16
18-20	19	14.7	230	2	3	11	17	44	51	52	2	7.0	8	5	5	7	9	9	9	9
21-24	48	11.9	110	1	2	9	15	27	32	52	7	6.9	24	1	1	5	12	13	13	13
25-34	161	9.8	82	1	2	7	14	22	27	41	26	8.9	65	1	2	6	14	20	27	34
35-54	103	9.0	57	2	2	7	12	20	23	36	25	7.0	30	1	2	5	9	17	19	21
55-74	24	6.4	27	1	2	4	8	12	19	23	2	6.5	5	5	5	6	8	8	8	8
75 +	2	13.0	98	6	6	13	20	20	20	20										
ALL AGES	358	9.9	84	1	2	7	13	21	27	48	64	7.9	41	1	2	6	11	16	21	33
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	3	12.7	113	6	6	7	20	25	25	25	1	11.0		11	11	11	11	11	11	11
18-20	4	19.8	184	7	7	19	31	33	33	33	1	5.0		5	5	5	5	5	5	5
21-24	40	10.3	102	1	2	8	13	22	32	50	3	7.0	13	4	4	6	10	11	11	11
25-34	87	10.2	107	1	2	7	12	22	27	60	8	5.9	9	3	3	5	8	11	11	11
35-54	156	12.3	164	2	2	8	16	29	36	66	20	9.4	45	3	3	7	11	21	24	24
55-74	73	11.2	74	2	3	9	14	24	29	43	15	16.3	369	3	3	9	19	34	66	77
75 +	9	8.2	23	2	2	8	11	15	17	17	2	7.0	18	4	4	7	10	10	10	10
ALL AGES	373	11.3	123	2	2	8	14	25	33	60	50	10.6	142	3	3	7	11	22	27	77
SUBTOTAL	**731**	**10.6**	**105**	**2**	**2**	**7**	**14**	**23**	**30**	**52**	**114**	**9.1**	**86**	**2**	**2**	**6**	**11**	**19**	**24**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	41.0		41	41	41	41	41	41	41										
18-20	9	6.0	26	1	1	4	8	15	15	15	1	34.0		34	34	34	34	34	34	34
21-24	32	7.7	46	1	2	5	9	21	22	29	2	7.5	25	4	4	7	11	11	11	11
25-34	84	10.0	127	2	2	7	11	18	32	59	23	6.7	42	1	1	5	8	20	21	21
35-54	55	8.9	63	1	2	7	10	22	30	32	7	6.4	18	1	1	7	8	13	14	14
55-74	11	16.7	691	3	5	9	14	48	91	95	2	7.0		7	7	7	7	7	7	7
75 +	1	5.0		5	5	5	5	5	5	5	2	6.5	1	6	6	6	7	7	7	7
ALL AGES	193	9.6	128	1	2	7	10	19	29	58	37	7.5	48	1	1	6	8	19	21	34
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	3	8.7	65	3	3	5	15	18	18	18	1	5.0		5	5	5	5	5	5	5
21-24	9	12.8	96	2	2	10	19	29	31	31	2	17.5	365	4	4	17	31	31	31	31
25-34	34	7.7	48	1	2	6	9	18	22	32	12	7.8	96	1	2	5	7	18	35	38
35-54	41	10.8	174	1	2	7	14	20	35	74	7	5.0	7	2	2	4	7	9	9	9
55-74	22	15.5	186	4	5	11	22	26	45	64	5	18.8	327	2	2	9	34	45	45	45
75 +	3	10.7	25	5	5	12	14	15	15	15										
ALL AGES	112	10.9	128	2	2	7	15	23	31	68	27	9.7	136	2	2	5	9	31	39	45
SUBTOTAL	**305**	**10.1**	**127**	**1**	**2**	**7**	**12**	**22**	**30**	**62**	**64**	**8.4**	**85**	**1**	**2**	**6**	**8**	**21**	**32**	**44**
GRAND TOTAL	**1036**	**10.5**	**110**	**1**	**2**	**7**	**14**	**23**	**30**	**55**	**178**	**8.8**	**86**	**1**	**2**	**6**	**11**	**20**	**26**	**43**

SCHIZOAFFECTIVE TYPE (295.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	5	32.0	921	5	5	37	73	97	99+	99+	3	28.0	832	4	4	20	50	60	60	60
18-20	17	10.2	50	2	3	8	16	21	24	25	4	15.0	15	11	11	14	18	20	20	20
21-24	59	16.8	246	2	3	14	20	32	47	81	16	12.1	65	2	3	11	15	26	30	31
25-34	160	11.6	83	1	3	10	14	25	31	40	35	17.9	252	4	4	13	23	35	59	65
35-54	162	10.5	90	2	2	7	14	25	29	44	48	16.8	278	2	3	13	21	35	43	88
55-74	12	10.1	57	1	3	7	16	40	89	99+	2	30.0	392	16	16	30	44	44	44	44
75 +	2	11.5	221	1	1	11	22	22	22	22										
ALL AGES	418	12.0	123	2	3	9	15	26	35	73	108	16.9	243	3	4	13	20	35	58	78
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	9	21.0	431	2	2	19	29	56	63	63	1	49.0		49	49	49	49	49	49	49
18-20	13	24.2	410	2	4	25	33	45	71	77	2	9.0	72	3	3	9	15	15	15	15
21-24	52	11.9	124	2	3	9	14	24	28	69	6	15.7	133	2	3	14	19	34	36	36
25-34	196	12.5	146	2	3	10	16	24	34	65	33	10.8	75	2	2	8	14	19	31	41
35-54	232	13.1	142	2	3	10	17	28	36	56	75	15.9	177	2	4	13	21	33	46	66
55-74	62	15.7	153	3	4	12	19	31	40	62	26	18.7	159	3	4	16	27	40	42	48
75 +	3	21.0	469	8	8	9	37	46	46	46										
ALL AGES	568	13.5	156	2	3	10	17	28	36	68	143	15.3	160	2	3	12	19	34	41	52
SUBTOTAL	**986**	**12.9**	**142**	**2**	**3**	**10**	**16**	**27**	**36**	**70**	**251**	**16.0**	**195**	**2**	**3**	**13**	**19**	**35**	**44**	**70**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	62.0		62	62	62	62	62	62	62										
13-17	7	26.3	644	7	7	7	47	64	67	67	3	48.7	1615	3	3	64	75	79	79	79
18-20	6	25.3	511	4	4	19	37	62	65	65	4	13.5	132	3	3	11	22	29	29	29
21-24	38	13.1	157	2	2	10	17	29	34	65	8	17.0	135	2	3	17	26	31	33	33
25-34	80	10.7	89	1	2	8	13	25	33	85	21	17.8	244	3	4	13	22	43	55	62
35-54	59	12.2	111	2	3	7	21	28	36	40	19	14.8	174	3	3	10	18	38	45	49
55-74	12	15.0	309	2	3	9	17	38	62	66	1	17.0		17	17	17	17	17	17	17
75 +																				
ALL AGES	203	13.0	171	2	3	8	18	30	39	66	56	18.0	285	3	3	12	25	40	58	78
B. FEMALE																				
0-12 YRS.	2	33.5	221	23	23	33	44	44	44	44										
13-17	1	18.0		18	18	59	99+	99+	99+	99+										
18-20	10	16.7	516	3	3	7	11	59	62	62	2	14.0	242	3	3	14	25	25	25	25
21-24	19	18.5	149	3	4	14	29	35	37	38	5	12.4	157	2	2	9	17	34	34	34
25-34	85	12.6	97	2	3	9	18	27	31	46	19	19.2	134	3	5	19	24	38	43	44
35-54	100	13.3	107	2	3	11	19	26	31	79	20	14.3	138	1	2	13	17	37	40	41
55-74	24	20.0	250	5	6	17	23	34	62	68	6	12.2	87	2	2	11	16	27	28	28
75 +																				
ALL AGES	241	14.4	145	2	3	11	21	29	36	70	52	15.6	134	2	3	14	22	34	41	44
SUBTOTAL	**444**	**13.8**	**156**	**2**	**3**	**9**	**20**	**30**	**38**	**67**	**108**	**16.8**	**213**	**2**	**3**	**13**	**23**	**38**	**44**	**70**
GRAND TOTAL	**1430**	**13.2**	**146**	**2**	**3**	**10**	**17**	**28**	**37**	**68**	**359**	**16.3**	**198**	**2**	**3**	**13**	**20**	**35**	**44**	**70**

SCHIZOPHRENIA NEC (295.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	9.3	22	2	2	11	12	12	12	12										
18-20	3	13.7	64	5	5	15	19	21	21	21										
21-24	8	8.6	65	4	4	6	8	23	28	28	1	29.0		29	29	29	29	29	29	29
25-34	5	5.8	15	1	1	7	8	11	11	11	2	9.5	113	2	2	9	17	17	17	17
35-54	10	9.9	32	1	2	11	13	17	21	21	2	1.0		1	1	1	1	1	1	1
55-74	1	2.0		2	2	2	2	2	2	2	2	11.0	128	3	3	11	19	19	19	19
75 +																				
ALL AGES	31	8.9	40	1	2	7	12	17	21	28	7	10.3	127	1	1	3	18	27	29	29
B. FEMALE																				
0-12 YRS.																				
13-17	1	24.0		24	24	24	24	24	24	24										
18-20	1	7.0		7	7	7	7	7	7	7										
21-24	3	6.0	3	5	5	5	7	8	8	8										
25-34	5	11.6	47	5	5	11	16	22	22	22	2	20.0	512	4	4	20	36	36	36	36
35-54	16	12.5	163	1	2	7	20	33	42	46	6	7.0	54	1	1	4	9	20	21	21
55-74	7	10.9	83	1	1	7	20	23	23	23	2	25.0	1152	1	1	25	49	49	49	49
75 +	2	2.5	1	2	2	2	3	3	3	3										
ALL AGES	35	11.1	105	1	2	7	18	23	31	46	10	13.2	282	1	1	4	21	42	49	49
SUBTOTAL	**66**	**10.1**	**74**	**1**	**2**	**7**	**13**	**22**	**25**	**44**	**17**	**12.0**	**209**	**1**	**1**	**4**	**19**	**35**	**44**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-20	1	15.0		15	15	15	15	15	15	15	1	2.0		2	2	2	2	2	2	2
21-24	1	5.0		5	5	5	5	5	5	5	2	16.5	481	1	1	16	32	32	32	32
25-34	5	7.8	16	1	1	9	10	11	11	11	1	6.0		6	6	6	6	6	6	6
35-54	9	7.1	32	1	1	7	10	16	18	18	2	7.0	8	5	5	7	9	9	9	9
55-74	3	16.7	159	7	7	12	26	31	31	31										
75 +																				
ALL AGES	19	9.1	50	1	2	8	12	17	25	31	7	8.4	116	1	1	5	8	27	32	32
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	8.0	32	4	4	8	12	12	12	12										
21-24	4	7.0	31	2	2	6	11	14	14	14										
25-34	11	11.3	73	1	2	10	20	23	23	23	1	37.0		37	37	37	37	37	37	37
35-54	7	4.4	10	1	1	3	6	9	10	10	1	9.0		9	9	9	9	9	9	9
55-74	4	10.8	53	1	1	12	16	17	17	17	1	2.0		2	2	2	2	2	2	2
75 +	1	24.0		24	24	24	24	24	24	24										
ALL AGES	29	9.2	54	1	2	7	14	22	23	24	3	16.0	343	2	2	9	30	37	37	37
SUBTOTAL	**48**	**9.1**	**53**	**1**	**2**	**8**	**13**	**21**	**23**	**31**	**10**	**10.7**	**166**	**1**	**1**	**5**	**9**	**34**	**37**	**37**
GRAND TOTAL	**114**	**9.7**	**64**	**1**	**2**	**7**	**13**	**22**	**24**	**38**	**27**	**11.5**	**187**	**1**	**1**	**5**	**18**	**35**	**39**	**49**

SCHIZOPHRENIA NOS (295.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	32.0		32	32	32	32	32	32	32										
13-17	12	12.3	123	4	4	8	16	27	41	43	5	19.6	466	2	2	9	39	49	49	49
18-20	32	13.9	146	3	4	11	17	29	45	52	6	6.5	31	1	1	6	11	14	14	14
21-24	40	12.8	172	1	2	8	16	32	44	57	23	9.8	55	2	3	9	13	19	26	33
25-34	111	9.7	77	1	2	6	13	22	29	42	71	13.8	131	1	2	11	18	29	36	55
35-54	60	8.6	37	1	2	7	12	17	21	26	39	8.9	33	1	2	8	14	16	18	27
55-74	8	11.5	55	3	4	8	18	22	23	23	10	16.1	582	2	2	7	10	59	76	76
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	265	10.7	94	2	3	7	14	22	31	46	154	12.0	133	1	2	9	15	26	36	56
B. FEMALE																				
0-12 YRS.																				
13-17	10	20.1	605	2	3	11	48	84	99	99 +	4	16.8	21	11	11	17	20	22	22	22
18-20	9	10.8	72	1	3	10	13	24	31	31	1	13.0		13	13	13	13	13	13	13
21-24	21	11.6	89	2	2	9	15	31	32	32	4	2.0	2	1	1	1	3	4	4	4
25-34	69	8.1	46	2	2	5	12	17	21	35	18	10.9	280	1	1	5	13	28	54	70
35-54	85	11.8	89	3	4	8	16	24	31	48	40	17.5	349	2	3	12	22	34	62	91
55-74	24	10.5	36	1	3	10	14	20	21	24	15	17.1	314	1	2	10	27	49	55	57
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	219	10.8	95	2	2	8	14	21	31	62	82	15.1	299	1	2	10	19	32	52	87
SUBTOTAL	**484**	**10.7**	**95**	**2**	**3**	**8**	**14**	**22**	**31**	**52**	**236**	**13.1**	**191**	**1**	**2**	**9**	**17**	**28**	**38**	**76**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	10	17.0	318	1	1	11	22	47	59	59	3	29.0	1083	3	3	18	54	66	66	66
18-20	19	10.2	97	1	2	7	12	19	33	45	6	13.0	100	3	3	10	23	27	27	27
21-24	27	11.2	105	2	2	8	16	24	33	45	6	10.8	49	1	1	12	16	18	18	18
25-34	52	7.8	178	1	1	4	8	12	28	76	26	14.7	185	4	4	9	16	34	47	59
35-54	28	11.4	253	1	2	7	13	23	39	83	21	13.7	166	1	1	8	24	32	40	44
55-74	6	17.7	632	2	2	7	17	63	68	68	2	4.0	2	3	3	4	5	5	5	5
75 +																				
ALL AGES	142	10.5	196	1	2	6	12	22	39	77	64	14.2	187	2	2	9	20	29	44	65
B. FEMALE																				
0-12 YRS.	1	50.0		50	50	50	50	50	50	50										
13-17	5	14.8	313	4	4	9	46	95	99 +	99 +	1	7.0		7	7	7	7	7	7	7
18-20	5	6.8	12	3	3	6	9	12	12	12	3	16.3	263	7	7	7	28	35	35	35
21-24	14	10.9	96	1	2	8	18	26	29	30	5	15.0	57	7	7	11	22	24	24	24
25-34	32	12.0	107	2	3	9	15	25	41	45	9	7.8	38	1	1	6	14	17	17	17
35-54	37	9.4	62	2	2	6	12	22	29	31	11	20.1	415	2	3	13	35	52	63	64
55-74	4	6.0		6	6	6	6	6	6	6	3	19.7	832	2	2	4	41	53	53	53
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	99	10.8	104	2	3	7	13	27	36	75	32	15.0	251	2	2	8	17	42	52	64
SUBTOTAL	**241**	**10.7**	**156**	**1**	**2**	**7**	**12**	**24**	**38**	**77**	**96**	**14.5**	**205**	**2**	**2**	**9**	**18**	**35**	**44**	**65**
GRAND TOTAL	**725**	**10.7**	**115**	**2**	**2**	**7**	**14**	**23**	**31**	**60**	**332**	**13.5**	**195**	**1**	**2**	**9**	**17**	**29**	**43**	**71**

MANIC DIS, SINGL EPISODE (296.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	14.5	1	14	14	14	15	15	15	15	1	5.0		5	5	5	5	5	5	5
18-20																				
21-24	1	12.0		12	12	12	12	12	12	12										
25-34	8	15.3	277	1	2	8	25	43	45	45										
35-54	4	18.8	458	1	1	12	31	50	50	50	3	7.3	17	3	3	8	10	11	11	11
55-74	8	6.1	14	2	2	5	9	12	12	12	2	3.0	2	2	2	3	4	4	4	4
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	23	12.5	180	1	2	8	13	39	47	50	7	5.1	11	2	2	4	7	10	11	11
B. FEMALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19										
18-20	1	5.0		5	5	5	5	5	5	5										
21-24	6	8.7	16	2	2	9	11	14	14	14										
25-34	12	10.0	89	2	2	5	16	26	27	27										
35-54	18	9.9	87	2	3	7	12	26	33	35	5	9.6	93	2	2	6	14	26	26	26
55-74	17	11.2	75	2	3	9	16	26	27	27	2	2.5	5	1	1	2	4	4	4	4
75 +	4	9.3	50	1	1	9	15	17	17	17										
ALL AGES	59	10.2	69	2	2	7	14	25	27	34	7	7.6	74	1	1	4	9	23	26	26
SUBTOTAL	**82**	**10.8**	**101**	**2**	**2**	**7**	**14**	**25**	**31**	**48**	**14**	**6.4**	**40**	**1**	**2**	**4**	**8**	**12**	**23**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	10.0	50	5	5	10	15	15	15	15										
18-20	3	9.3	34	6	6	6	14	16	16	16										
21-24	5	14.8	13	10	10	14	17	20	20	20										
25-34	4	9.3	22	3	3	10	13	13	13	13	2	2.0	2	1	1	1	3	3	3	3
35-54	4	5.0	15	1	1	4	8	10	10	10										
55-74	2	4.5	1	4	4	4	5	5	5	5	1	4.0		4	4	4	4	4	4	4
75 +	1	77.0		77	77	77	77	77	77	77	1	3.0		3	3	3	3	3	3	3
ALL AGES	21	12.6	246	2	3	10	14	18	46	77	4	2.8	1	1	1	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	4.0		4	4	4	4	4	4	4										
21-24																				
25-34	5	12.2	129	4	4	7	16	32	32	32										
35-54	4	6.3	8	3	3	6	8	10	10	10	1	1.0		1	1	1	1	1	1	1
55-74	4	7.0	54	3	3	4	11	18	18	18	4	5.0	22	2	2	3	8	12	12	12
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	14	8.4	64	3	3	6	10	19	29	32	6	4.0	16	1	1	3	3	11	12	12
SUBTOTAL	**35**	**10.9**	**174**	**3**	**3**	**7**	**14**	**18**	**29**	**77**	**10**	**3.5**	**10**	**1**	**1**	**3**	**3**	**8**	**12**	**12**
GRAND TOTAL	**117**	**10.9**	**120**	**2**	**3**	**7**	**14**	**24**	**31**	**59**	**24**	**5.2**	**29**	**1**	**1**	**3**	**5**	**11**	**16**	**26**

MANIC, RECURRENT EPISODE (296.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	6.0	50	1	1	6	11	11	11	11										
21-24																				
25-34	7	5.7	15	2	2	3	9	11	12	12	2	1.0		1	1	1	1	1	1	1
35-54	9	8.1	61	2	2	4	15	21	23	23										
55-74	3	19.0	57	11	11	20	24	26	26	26										
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	22	9.1	58	1	2	6	14	21	24	26	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	15.0		15	15	15	15	15	15	15										
21-24	2	9.5	61	4	4	9	15	15	15	15										
25-34	11	9.8	135	1	2	6	10	31	37	38										
35-54	13	9.1	36	2	3	10	11	18	22	23	2	2.5	5	1	1	2	4	4	4	4
55-74	15	17.6	204	6	6	14	18	51	51	51	2	4.5	5	3	3	4	6	6	6	6
75 +	3	9.3	9	6	6	11	11	11	11	11										
ALL AGES	45	12.3	122	2	3	10	15	23	41	51	4	3.5	4	1	1	3	5	6	6	6
SUBTOTAL	**67**	**11.2**	**103**	**2**	**2**	**9**	**15**	**22**	**28**	**51**	**6**	**2.7**	**4**	**1**	**1**	**2**	**4**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	13.0		13	13	13	13	13	13	13										
25-34	6	7.8	39	3	3	6	8	19	20	20										
35-54	4	4.5	4	3	3	4	6	7	7	7										
55-74	2	21.5	313	9	9	21	34	34	34	34										
75 +																				
ALL AGES	13	9.3	78	3	3	6	10	23	32	34										
B. FEMALE																				
0-12 YRS.																				
13-17	1	20.0		20	20	20	20	20	20	20										
18-20																				
21-24																				
25-34	6	18.3	209	1	1	20	30	35	36	36										
35-54	9	11.0	53	5	5	8	12	24	28	28	1	3.0		3	3	3	3	3	3	3
55-74	3	18.3	214	3	3	20	29	32	32	32										
75 +	1	14.0		14	14	14	14	14	14	14	1	3.0		3	3	3	3	3	3	3
ALL AGES	20	14.9	114	2	3	12	23	31	34	36	2	3.0		3	3	3	3	3	3	3
SUBTOTAL	**33**	**12.7**	**104**	**3**	**3**	**8**	**20**	**30**	**34**	**36**	**2**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**100**	**11.7**	**103**	**2**	**3**	**9**	**15**	**25**	**33**	**51**	**8**	**2.8**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**6**

DEPR PSYCH, SINGL EPISOD (296.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS											HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)					5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	17	18.2	241	1	2	19	29	41	46	48		1	3.0		3	3	3	3	3	3	3
13-17	65	22.5	427	2	4	16	30	48	68	94		12	25.0	325	2	2	24	35	51	60	62
18-20	19	10.8	112	1	1	6	19	25	34	39		2	4.5	13	2	2	4	7	7	7	7
21-24	27	9.3	63	1	2	8	12	26	39	99+		8	6.8	48	1	1	4	11	18	19	19
25-34	108	9.0	71	1	2	6	13	22	28	38		19	7.0	52	1	1	5	9	15	25	31
35-54	191	11.2	103	1	2	8	16	23	30	45		40	10.3	211	1	1	4	12	26	35	79
55-74	124	13.4	126	2	3	11	17	28	37	56		55	8.6	134	1	1	3	10	25	34	61
75 +	48	17.2	170	4	6	12	21	35	42	66		14	15.2	189	2	3	8	29	37	40	41
ALL AGES	599	13.1	159	1	2	9	17	29	39	66		151	10.6	175	1	1	5	12	28	39	62
B. FEMALE																					
0-12 YRS.	18	30.7	219	14	16	28	43	63	85	99+		1	15.0		15	15	15	15	15	15	15
13-17	117	19.2	274	2	4	15	25	46	55	75		27	17.3	252	1	1	17	37	72	99+	99+
18-20	33	7.2	60	1	1	3	12	17	25	30		5	16.4	200	1	1	21	27	32	32	32
21-24	61	9.1	78	1	1	7	12	20	24	45		11	6.7	49	1	1	3	13	18	20	20
25-34	264	9.8	72	1	1	7	14	21	27	41		56	7.7	61	1	1	4	10	17	25	36
35-54	406	11.5	121	1	2	9	15	23	34	64		88	9.9	104	1	1	6	13	24	33	46
55-74	278	13.6	129	1	3	11	18	27	35	57		77	15.7	146	2	3	14	21	32	40	55
75 +	105	14.2	170	1	2	11	19	29	36	71		37	12.0	69	2	2	11	16	25	28	29
ALL AGES	1282	12.6	139	1	2	9	17	27	35	62		302	11.9	125	1	2	9	17	29	37	76
SUBTOTAL	**1881**	**12.7**	**147**	**1**	**2**	**9**	**17**	**28**	**36**	**64**		**453**	**11.5**	**141**	**1**	**1**	**7**	**17**	**29**	**37**	**62**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	28	39.4	415	11	14	43	56	81	99+	99+											
13-17	108	26.8	444	2	5	22	46	65	98	99+		8	18.1	264	1	1	28	36	76	99+	99+
18-20	27	12.4	143	2	2	9	15	29	34	56		4	6.5	26	3	3	4	9	14	14	14
21-24	47	12.3	202	1	2	6	17	37	53	99+		13	14.5	442	1	2	5	14	42	70	76
25-34	179	10.5	101	1	2	7	13	23	28	61		27	6.4	24	1	1	5	9	11	18	22
35-54	249	12.2	124	2	3	9	16	28	34	69		34	12.4	149	1	2	9	18	29	37	57
55-74	110	14.1	154	2	3	11	19	29	35	71		33	10.6	104	1	2	6	17	23	43	99+
75 +	35	15.3	92	1	3	16	23	28	30	37		6	19.7	230	5	5	16	32	41	42	42
ALL AGES	783	15.2	228	2	3	10	21	39	55	99+		125	11.4	152	1	2	6	16	31	41	99+
B. FEMALE																					
0-12 YRS.	14	35.3	387	5	6	43	58	96	99+	99+											
13-17	151	24.2	350	2	3	20	38	56	66	99+		19	18.1	413	1	2	11	32	61	81	99+
18-20	39	17.8	190	2	3	15	24	35	50	54		4	2.3	3	1	1	2	3	5	5	5
21-24	97	12.6	179	1	2	8	18	28	38	94		13	20.9	637	1	1	6	35	59	74	77
25-34	313	11.9	145	1	2	8	15	28	38	65		48	10.4	140	1	1	6	13	27	39	54
35-54	349	12.9	160	2	2	9	16	27	36	65		53	9.3	70	2	2	7	12	21	27	42
55-74	161	14.9	155	2	4	11	20	31	42	70		47	13.7	132	1	2	9	23	31	34	43
75 +	64	14.5	110	4	5	12	17	27	38	57		13	17.8	261	3	4	7	29	42	51	53
ALL AGES	1188	14.8	202	2	3	10	20	36	48	92		197	12.6	193	1	2	7	17	32	43	69
SUBTOTAL	**1971**	**15.0**	**211**	**2**	**3**	**10**	**20**	**37**	**50**	**99+**		**322**	**12.2**	**175**	**1**	**2**	**7**	**16**	**32**	**42**	**83**
GRAND TOTAL	**3852**	**13.9**	**181**	**1**	**2**	**10**	**19**	**31**	**44**	**79**		**775**	**11.7**	**157**	**1**	**2**	**7**	**16**	**30**	**39**	**77**

DEPR PSYCH, RECUR EPISOD (296.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	19.0	362	1	1	27	56	99+	99+	99+										
13-17	25	14.7	206	1	1	10	22	42	65	99+	6	35.2	857	3	3	33	63	72	73	73
18-20	13	15.3	351	1	1	7	27	39	60	65	1	15.0		15	15	15	15	15	15	15
21-24	26	10.1	92	1	1	6	15	25	32	34	4	17.8	523	4	4	7	30	52	52	52
25-34	85	9.6	59	1	2	7	13	23	25	32	17	10.7	90	1	1	7	16	24	31	34
35-54	165	11.4	84	1	2	9	16	26	30	38	29	11.9	158	1	1	7	19	30	44	45
55-74	124	16.0	102	3	4	14	22	31	35	62	34	17.6	175	2	2	15	26	34	42	56
75 +	26	18.1	358	3	4	12	29	45	91	99+	9	27.8	291	9	9	28	34	53	64	64
ALL AGES	468	12.9	122	1	2	10	19	29	35	84	100	16.7	246	1	2	11	25	38	48	68
B. FEMALE																				
0-12 YRS.	7	20.1	146	10	11	16	21	41	46	46										
13-17	53	12.5	123	1	2	11	18	29	40	98	13	26.6	733	1	1	25	46	65	83	87
18-20	26	6.7	134	1	1	2	7	19	34	53	1	1.0		1	1	1	1	1	1	1
21-24	42	8.4	76	1	1	5	13	20	27	39	8	3.0	8	1	1	2	4	8	9	9
25-34	219	10.8	107	1	2	8	14	22	30	56	21	10.4	141	1	1	5	15	28	38	45
35-54	416	12.6	115	2	3	10	17	28	33	48	60	13.0	221	2	2	8	16	31	43	84
55-74	378	16.0	123	2	4	14	22	31	38	50	80	19.0	259	2	3	15	25	44	55	68
75 +	139	19.4	237	3	5	15	25	39	54	72	36	20.0	230	2	4	18	25	37	70	99+
ALL AGES	1280	13.8	137	1	2	11	19	29	37	56	219	16.5	268	1	2	12	22	42	49	87
SUBTOTAL	**1748**	**13.6**	**132**	**1**	**2**	**11**	**19**	**29**	**36**	**56**	**319**	**16.6**	**259**	**1**	**2**	**12**	**23**	**41**	**49**	**85**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	36	20.4	525	1	2	12	30	62	75	83	4	21.8	620	6	6	11	35	59	59	59
18-20	22	12.0	114	2	2	10	15	35	64	99+	2	7.5	1	7	7	7	8	8	8	8
21-24	42	9.4	109	1	2	6	12	18	35	52	2	16.5	365	3	3	16	30	30	30	30
25-34	129	10.3	82	2	2	8	15	22	27	42	33	11.6	198	1	1	6	11	39	45	50
35-54	224	12.5	160	1	2	8	17	28	40	61	29	12.2	95	1	2	9	17	30	31	36
55-74	82	16.5	188	3	4	14	19	34	48	68	16	9.0	41	1	2	6	14	17	21	22
75 +	21	15.3	111	4	5	13	24	34	66	99+	10	22.8	439	4	4	18	27	53	77	77
ALL AGES	557	12.9	169	2	2	9	16	29	42	68	96	12.9	185	1	2	8	17	30	40	69
B. FEMALE																				
0-12 YRS.	2	25.5	41	21	21	25	30	30	30	30										
13-17	57	23.0	401	2	3	18	36	61	96	99+	12	10.1	145	2	2	6	12	25	42	45
18-20	52	13.3	230	1	2	8	18	33	44	77	7	8.4	79	1	1	4	14	23	25	25
21-24	111	12.5	211	2	3	7	14	28	50	94	4	10.8	167	2	2	5	18	30	30	30
25-34	357	13.0	171	2	2	8	18	32	43	79	39	10.5	125	1	2	8	12	25	38	49
35-54	480	14.1	148	2	3	11	19	30	39	70	52	8.7	85	1	2	6	11	20	26	45
55-74	188	16.9	205	3	4	13	22	34	46	94	32	14.7	131	2	3	11	23	32	39	40
75 +	57	20.3	243	4	5	16	28	39	49	86	19	19.7	174	5	6	16	30	34	45	54
ALL AGES	1304	14.7	192	2	3	10	20	33	45	89	165	11.7	128	2	2	8	14	27	36	49
SUBTOTAL	**1861**	**14.2**	**185**	**2**	**3**	**10**	**19**	**32**	**44**	**81**	**261**	**12.2**	**147**	**1**	**2**	**8**	**16**	**30**	**39**	**54**
GRAND TOTAL	**3609**	**13.9**	**160**	**2**	**3**	**10**	**19**	**30**	**39**	**73**	**580**	**14.6**	**214**	**1**	**2**	**9**	**21**	**34**	**45**	**72**

BIPOLAR AFFECTIVE, MANIC (296.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	47.0		47	47	47	47	47	47	47										
13-17	13	16.4	138	3	4	15	19	32	43	46										
18-20	18	9.4	38	2	3	8	15	19	21	21	1	37.0		37	37	37	37	37	37	37
21-24	36	10.6	48	1	3	10	14	18	22	36	13	9.2	94	1	2	4	12	26	31	32
25-34	111	10.3	69	2	2	8	14	21	24	46	34	8.9	108	1	2	5	10	26	37	41
35-54	144	10.9	72	2	3	8	15	20	26	50	34	8.4	33	1	2	7	12	16	21	22
55-74	67	13.8	153	1	3	10	19	28	36	59	9	8.3	66	2	3	6	8	21	29	29
75 +	4	10.3	140	3	3	5	17	28	28	28	3	11.3	31	5	5	14	15	15	15	15
ALL AGES	394	11.4	88	2	3	9	15	22	28	52	94	9.1	77	1	2	6	11	21	31	40
B. FEMALE																				
0-12 YRS.																				
13-17	8	19.1	433	1	2	9	46	83	99 +	99 +										
18-20	14	16.0	75	1	3	15	19	29	30	30	2	12.0	2	11	11	12	13	13	13	13
21-24	34	10.3	40	1	3	10	15	19	22	23	11	12.5	34	2	3	14	17	19	20	20
25-34	141	12.3	103	2	3	10	16	25	31	58	28	12.6	84	2	2	9	18	24	32	36
35-54	235	12.0	91	3	4	9	15	26	35	44	56	8.9	58	2	2	6	12	19	26	37
55-74	151	14.4	103	3	4	12	19	27	31	56	31	11.3	108	3	3	8	14	24	31	51
75 +	19	16.6	133	4	6	15	21	36	44	45	2	26.0	648	8	8	26	44	44	44	44
ALL AGES	602	12.9	101	2	3	10	16	26	33	52	130	10.9	81	2	3	8	15	22	30	45
SUBTOTAL	**996**	**12.3**	**96**	**2**	**3**	**10**	**16**	**25**	**31**	**52**	**224**	**10.1**	**81**	**2**	**2**	**7**	**14**	**22**	**30**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	63.0		63	63	63	63	63	63	63										
13-17	6	20.0	97	9	9	21	28	32	32	32										
18-20	6	7.8	23	1	1	7	11	15	15	15	3	11.3	263	1	1	3	23	30	30	30
21-24	9	10.8	47	3	4	9	13	22	26	26	6	13.0	197	2	2	5	30	32	32	32
25-34	47	13.3	164	2	2	11	19	26	33	70	21	8.1	39	2	3	7	10	16	23	28
35-54	70	12.4	76	2	3	10	18	26	32	86	26	5.7	8	2	2	5	7	11	12	13
55-74	19	16.3	86	2	4	15	22	28	33	38	5	9.8	159	3	3	3	14	32	32	32
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	158	13.5	117	2	2	11	19	27	32	69	62	7.8	57	2	2	6	8	15	30	32
B. FEMALE																				
0-12 YRS.																				
13-17	5	15.2	232	1	1	12	25	39	39	39	1	2.0		24	24	24	24	24	24	24
18-20	4	22.5	295	4	4	22	36	42	42	42	4	7.3	10	4	4	7	10	11	11	11
21-24	9	12.0	25	6	7	9	16	19	20	20	4	6.3	7	4	4	6	8	10	10	10
25-34	44	10.3	45	1	3	10	14	20	22	29	10	15.2	155	1	2	13	20	34	43	43
35-54	74	11.7	155	1	3	8	17	22	23	78	21	10.6	70	2	3	7	16	25	27	28
55-74	37	17.8	204	3	4	14	23	36	51	62	10	12.9	174	2	2	7	21	35	41	41
75 +	5	20.0	146	4	4	19	30	35	35	35	1	18.0		18	18	18	18	18	18	18
ALL AGES	178	13.2	142	2	3	11	18	26	35	61	51	11.8	90	2	3	8	17	26	29	43
SUBTOTAL	**336**	**13.3**	**131**	**2**	**3**	**11**	**18**	**27**	**34**	**64**	**113**	**9.6**	**79**	**2**	**3**	**6**	**12**	**24**	**30**	**42**
GRAND TOTAL	**1332**	**12.6**	**104**	**2**	**3**	**10**	**16**	**25**	**31**	**56**	**337**	**10.0**	**79**	**2**	**2**	**7**	**14**	**22**	**30**	**41**

BIPOLAR AFFECT, DEPRESS (296.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	32.0	589	5	5	39	49	52	52	52										
18-20	6	22.3	960	2	2	12	20	78	84	84										
21-24	5	13.8	137	6	6	8	19	34	34	34	1	2.0		2	2	2	2	2	2	2
25-34	32	12.3	129	1	2	9	15	25	41	51	5	16.8	135	3	3	15	25	33	33	33
35-54	39	10.6	171	1	2	6	13	29	40	63	11	9.5	69	1	2	8	14	24	24	24
55-74	32	14.0	120	1	3	10	23	33	36	37	1	10.0		10	10	10	10	10	10	10
75 +	6	19.8	86	7	7	22	28	29	29	29	1	45.0		45	45	45	45	45	45	45
ALL AGES	123	13.6	191	1	2	8	18	35	40	69	19	12.9	145	1	2	10	21	29	40	45
B. FEMALE																				
0-12 YRS.																				
13-17	3	11.0	7	9	9	10	13	14	14	14	1	3.0		3	3	3	3	3	3	3
18-20	5	7.4	65	1	1	7	20	92	99 +	99 +	1	6.0		6	6	6	6	6	6	6
21-24	6	8.2	36	3	3	7	7	19	20	20	2	4.5	1	4	4	4	5	5	5	5
25-34	52	15.8	181	3	5	11	20	32	51	64	9	12.6	131	2	2	7	27	28	28	28
35-54	89	10.9	117	2	2	7	13	22	29	57	9	12.4	134	1	1	11	17	30	38	38
55-74	56	16.1	297	2	3	11	19	39	65	99 +	11	21.2	254	3	6	17	29	48	55	56
75 +	12	16.3	115	2	5	14	23	30	39	40	1	8.0		8	8	8	8	8	8	8
ALL AGES	223	13.5	177	2	3	10	18	28	44	94	34	14.2	173	1	2	10	18	33	41	56
SUBTOTAL	**346**	**13.5**	**182**	**2**	**3**	**9**	**18**	**31**	**42**	**84**	**53**	**13.8**	**158**	**1**	**2**	**10**	**19**	**32**	**41**	**56**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17	4	18.3	438	2	2	11	31	49	49	49										
18-20	2	15.0	18	12	12	15	18	18	18	18	1	2.0		2	2	2	2	2	2	2
21-24	5	11.2	167	4	4	5	15	34	34	34	3	5.3	3	4	4	5	6	7	7	7
25-34	19	9.5	38	3	3	7	14	18	21	24	2	4.0	18	1	1	4	7	7	7	7
35-54	38	10.4	74	2	3	8	15	24	27	36	7	9.3	53	3	3	6	13	21	23	23
55-74	12	11.3	66	1	1	9	19	22	24	24	3	19.7	218	7	7	16	31	36	36	36
75 +	1	17.0		17	17	58	99 +	99 +	99 +	99 +	3	17.0	151	3	3	22	25	26	26	26
ALL AGES	82	11.2	84	2	3	8	16	24	31	83	19	10.6	94	1	2	7	15	25	31	36
B. FEMALE																				
0-12 YRS.	1	48.0		48	48	48	48	48	48	48										
13-17	2	50.5	685	32	32	69	92	99 +	99 +	99 +	1	6.0		6	6	6	6	6	6	6
18-20	5	16.2	71	9	9	15	20	30	30	30	1	4.0		4	4	4	4	4	4	4
21-24	7	21.6	328	7	7	11	36	50	52	52	2	7.0	18	4	4	7	10	10	10	10
25-34	33	11.8	154	1	2	9	16	27	35	63	6	18.3	49	10	10	19	21	28	29	29
35-54	77	11.8	125	2	2	8	16	28	35	52	8	11.9	72	1	2	9	18	25	26	26
55-74	29	14.6	99	4	5	10	19	30	37	39	7	29.3	407	3	3	42	44	50	51	51
75 +	7	17.4	36	10	10	17	23	24	24	24	2	18.5	1	18	18	18	19	19	19	19
ALL AGES	161	13.8	158	2	3	10	19	32	40	68	27	17.4	193	3	4	15	22	42	45	51
SUBTOTAL	**243**	**12.9**	**135**	**2**	**3**	**9**	**17**	**28**	**37**	**71**	**46**	**14.6**	**161**	**2**	**3**	**10**	**21**	**35**	**43**	**51**
GRAND TOTAL	**589**	**13.3**	**161**	**2**	**3**	**9**	**18**	**30**	**40**	**79**	**99**	**14.2**	**157**	**1**	**2**	**10**	**21**	**33**	**42**	**54**

BIPOLAR AFFECTIVE, MIXED (296.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	7.0	18	4	4	7	10	10	10	10										
18-20	1	10.0		10	10	10	10	10	10	10										
21-24	5	19.0	196	5	5	11	33	36	36	36	3	16.0	112	8	8	12	24	28	28	28
25-34	14	9.9	122	1	1	6	12	22	38	42	10	15.2	96	5	5	11	23	30	32	32
35-54	25	11.1	64	4	5	9	11	28	29	29	8	18.9	788	2	3	7	17	67	87	87
55-74	9	16.6	97	3	4	22	24	28	29	29	3	9.0	49	4	4	6	14	17	17	17
75 +	2	19.0	512	3	3	19	35	35	35	35	1	17.0		17	17	17	17	17	17	17
ALL AGES	58	12.4	104	2	3	9	19	29	34	42	25	15.8	289	3	5	10	19	28	46	87
B. FEMALE																				
0-12 YRS.																				
13-17	2	5.0	18	2	2	5	8	8	8	8										
18-20	8	6.5	24	2	2	5	8	14	17	17	1	14.0		14	14	14	14	14	14	14
21-24	3	12.3	167	3	3	7	22	27	27	27	1	10.0		10	10	10	10	10	10	10
25-34	41	10.4	58	2	3	9	15	21	24	34	5	10.4	51	4	4	10	14	22	22	22
35-54	71	13.9	175	3	4	9	18	27	43	71	27	14.0	228	3	5	9	15	30	60	63
55-74	29	18.6	338	3	5	14	17	36	77	80	13	22.6	339	2	7	18	25	56	65	67
75 +	9	22.3	283	4	6	18	46	74	99 +	99 +	2	17.5	5	16	16	17	19	19	19	19
ALL AGES	163	13.8	181	2	3	10	17	27	44	80	49	16.0	230	3	5	12	18	31	60	67
SUBTOTAL	**221**	**13.4**	**161**	**2**	**3**	**10**	**17**	**28**	**38**	**78**	**74**	**15.9**	**247**	**3**	**5**	**11**	**18**	**29**	**59**	**82**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	7.5	5	6	6	7	9	9	9	9										
18-20	4	34.3	1235	1	1	33	64	69	69	69										
21-24	6	15.7	41	10	10	12	23	25	25	25	2	7.0	32	3	3	7	11	11	11	11
25-34	14	14.6	555	2	3	8	12	30	80	94	2	8.0	8	6	6	8	10	10	10	10
35-54	20	11.7	112	2	4	9	13	26	38	46	10	14.7	186	1	2	9	20	38	43	43
55-74	6	11.2	101	1	1	9	14	27	29	29	4	28.0	762	5	5	19	45	68	68	68
75 +	2	18.5	41	14	14	18	23	23	23	23										
ALL AGES	54	14.6	297	1	3	10	15	29	57	93	18	16.1	286	2	3	10	20	40	58	68
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	19.0	338	6	6	19	32	32	32	32	1	2.0		2	2	2	2	2	2	2
21-24	1	7.0		7	7	7	7	7	7	7	1	4.0		4	4	4	4	4	4	4
25-34	16	12.9	163	2	3	8	16	39	43	44	10	11.1	63	4	4	8	16	23	29	29
35-54	30	10.4	80	1	2	7	14	25	28	37	9	7.8	13	3	4	7	11	13	14	14
55-74	12	15.0	239	2	3	12	17	36	55	58	2	5.5	13	3	3	5	8	8	8	8
75 +											1	18.0		18	18	18	18	18	18	18
ALL AGES	61	12.2	134	1	2	8	15	27	39	56	24	9.0	40	3	3	7	12	17	21	29
SUBTOTAL	**115**	**13.3**	**211**	**1**	**3**	**9**	**15**	**28**	**43**	**78**	**42**	**12.0**	**155**	**2**	**3**	**8**	**15**	**24**	**37**	**68**
GRAND TOTAL	**336**	**13.4**	**177**	**2**	**3**	**9**	**16**	**28**	**41**	**77**	**116**	**14.5**	**215**	**3**	**4**	**10**	**17**	**29**	**50**	**74**

BIPOLAR AFFECTIVE NOS (296.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	14.5	25	11	11	14	18	18	18	18										
18-20	6	18.5	94	5	6	19	25	30	31	31										
21-24	9	18.3	94	8	8	17	23	33	37	37	5	10.0	20	4	4	10	13	16	16	16
25-34	16	8.9	96	1	1	7	11	29	31	31	1	3.0		3	3	3	3	3	3	3
35-54	27	8.4	53	1	2	5	12	17	22	33	10	6.5	21	1	1	7	9	12	15	15
55-74	10	6.2	15	1	2	6	8	12	14	14	3	7.0	1	6	6	7	8	8	8	8
75 +	4	10.8	63	3	3	9	17	21	21	21	2	7.5	5	6	6	7	9	9	9	9
ALL AGES	74	10.6	77	1	1	8	15	24	31	36	21	7.3	17	1	2	8	9	13	15	16
B. FEMALE																				
0-12 YRS.																				
13-17	1	28.0		28	28	28	28	28	28	28										
18-20	1	3.0		3	3	3	3	3	3	3										
21-24	11	9.3	78	1	1	8	11	25	28	28	3	12.7	49	5	5	14	18	19	19	19
25-34	48	12.7	119	2	3	10	18	24	33	53	10	10.0	116	1	1	7	12	27	37	37
35-54	39	11.4	100	1	1	9	14	30	35	37	14	13.7	154	2	2	10	20	38	40	40
55-74	36	12.4	89	2	3	10	18	25	27	46	5	11.6	96	6	6	7	14	29	29	29
75 +	3	7.7	36	2	2	7	12	14	14	14	3	21.0	301	6	6	17	34	40	40	40
ALL AGES	139	11.9	101	1	2	9	16	26	32	47	35	12.9	130	1	2	9	17	37	39	40
SUBTOTAL	**213**	**11.5**	**91**	**1**	**2**	**9**	**15**	**25**	**31**	**45**	**56**	**10.8**	**94**	**1**	**2**	**8**	**14**	**21**	**38**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	42.0		42	42	42	42	42	42	42										
13-17	6	22.8	800	1	1	8	42	69	72	72										
18-20	1	16.0		16	16	16	16	16	16	16										
21-24	12	17.2	166	1	2	17	26	33	42	44	3	17.7	81	11	11	14	24	28	28	28
25-34	20	11.8	115	1	1	11	17	21	33	45	5	9.6	29	4	4	10	12	18	18	18
35-54	27	17.9	372	1	2	12	19	57	65	67	9	7.2	71	2	2	3	9	21	28	28
55-74	8	12.3	49	6	6	10	17	24	25	25	2	24.0	392	10	10	24	38	38	38	38
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	76	16.2	261	1	2	11	20	41	57	71	19	11.3	102	2	2	10	13	28	34	38
B. FEMALE																				
0-12 YRS.																				
13-17	3	38.0	93	27	27	42	44	45	45	45										
18-20	4	11.5	33	8	8	9	15	20	20	20										
21-24	13	12.7	73	2	4	12	16	28	30	31	3	3.7	2	2	2	4	5	5	5	5
25-34	35	10.4	232	1	1	5	11	18	51	73	10	9.4	42	2	2	8	16	17	18	18
35-54	33	12.8	119	2	3	11	17	25	29	58	6	10.2	55	2	2	11	16	19	19	19
55-74	15	15.7	55	6	6	13	21	28	29	30	6	12.7	91	2	2	11	19	26	27	27
75 +	3	13.0	13	10	10	12	16	17	17	17	1	3.0		3	3	3	3	3	3	3
ALL AGES	106	13.1	151	1	2	10	17	27	35	66	26	9.4	54	2	2	6	16	19	21	27
SUBTOTAL	**182**	**14.4**	**198**	**1**	**2**	**11**	**17**	**29**	**44**	**70**	**45**	**10.2**	**73**	**2**	**2**	**7**	**16**	**19**	**28**	**38**
GRAND TOTAL	**395**	**12.8**	**143**	**1**	**2**	**10**	**17**	**27**	**36**	**64**	**101**	**10.5**	**85**	**2**	**2**	**8**	**15**	**20**	**33**	**40**

MANIC-DEPRESSIVE NEC/NOS (296.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	11	10.9	74	1	2	8	19	49	93	99 +	7	23.7	366	1	3	19	34	54	58	58
18-20	2	11.5	25	8	8	11	15	15	15	15										
21-24	12	8.6	60	1	1	5	17	20	21	21	2	16.0	288	4	4	16	28	28	28	28
25-34	25	9.4	65	1	2	7	12	17	28	37	4	5.8	39	1	1	3	9	15	15	15
35-54	21	6.6	10	2	2	7	8	10	12	13	6	1.3		1	1	1	2	2	2	2
55-74	12	10.7	78	3	3	8	13	22	33	35	2	16.5	113	9	9	16	24	24	24	24
75 +	4	16.0	77	3	3	19	21	22	22	22										
ALL AGES	87	9.3	55	1	2	7	13	20	25	76	21	12.5	228	1	1	4	20	32	46	58
B. FEMALE																				
0-12 YRS.																				
13-17	6	17.8	190	2	2	20	28	34	35	35	9	26.4	515	6	7	17	49	61	61	61
18-20	5	12.6	119	2	2	8	21	29	29	29										
21-24	6	6.2	34	1	1	4	11	15	15	15	5	10.4	88	1	1	6	18	24	24	24
25-34	49	12.7	139	1	2	9	17	32	37	49	34	23.6	209	3	5	24	30	36	46	78
35-54	54	14.9	273	2	2	11	16	34	49	81	31	25.2	272	3	4	26	31	47	55	74
55-74	29	11.1	79	1	2	9	15	25	32	35	10	20.5	181	2	2	20	30	38	46	46
75 +	6	22.5	294	7	7	16	37	48	49	49	3	2.7	2	1	1	3	4	4	4	4
ALL AGES	155	13.5	179	1	2	10	17	32	37	75	92	22.7	257	2	3	21	30	43	55	76
SUBTOTAL	**242**	**12.0**	**138**	**1**	**2**	**8**	**16**	**27**	**35**	**76**	**113**	**20.8**	**266**	**1**	**2**	**18**	**30**	**40**	**55**	**75**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	60.0		60	60	60	60	60	60	60
13-17	9	23.3	682	4	4	19	23	66	89	89	4	16.8	618	3	3	30	99 +	99 +	99 +	99 +
18-20	4	24.3	1482	3	3	6	44	82	82	82	1	30.0		30	30	30	30	30	30	30
21-24	15	5.8	29	1	1	4	7	12	19	22	3	4.3	3	3	3	4	5	6	6	6
25-34	23	9.5	88	1	1	7	15	26	30	33	3	12.7	205	2	2	7	23	29	29	29
35-54	31	10.1	117	2	2	7	12	22	33	53	8	7.4	23	2	3	6	10	15	17	17
55-74	4	27.3	84	14	14	29	33	36	36	36	1	6.0		6	6	6	6	6	6	6
75 +											1	18.0		18	18	18	18	18	18	18
ALL AGES	86	12.0	230	1	2	7	14	30	34	86	22	13.2	265	2	3	7	23	64	99 +	99 +
B. FEMALE																				
0-12 YRS.	1	69.0		69	69	69	69	69	69	69	1	30.0		30	30	30	30	30	30	30
13-17	18	21.3	557	1	1	14	41	70	94	99 +	6	29.2	259	7	8	28	45	49	49	49
18-20	8	6.0	28	2	2	3	9	15	16	16										
21-24	10	8.9	159	1	1	3	8	31	39	39	4	21.5	191	6	6	20	31	39	39	39
25-34	53	14.4	305	1	2	8	20	32	48	97	14	19.6	319	2	4	13	30	64	91	99 +
35-54	50	14.4	155	1	2	9	23	32	36	56	19	13.8	91	3	4	13	23	25	30	33
55-74	14	12.9	57	2	5	12	14	25	28	29	11	14.9	170	1	1	10	27	34	38	38
75 +	11	14.6	183	3	3	10	17	39	43	43										
ALL AGES	165	14.6	256	1	2	9	21	37	44	96	55	18.1	197	2	4	15	28	39	48	98
SUBTOTAL	**251**	**13.7**	**248**	**1**	**2**	**8**	**18**	**33**	**44**	**89**	**77**	**16.7**	**218**	**2**	**3**	**13**	**28**	**44**	**62**	**99 +**
GRAND TOTAL	**493**	**12.9**	**193**	**1**	**2**	**8**	**17**	**31**	**39**	**85**	**190**	**19.1**	**251**	**1**	**2**	**17**	**29**	**42**	**58**	**99 +**

AFFECT PSYCHOSES NEC/NOS (296.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17																				
18-20																				
21-24	2	11.5	13	9	9	11	14	14	14	14										
25-34	5	8.0	20	2	2	10	11	13	13	13										
35-54	4	5.3	4	3	3	5	7	8	8	8										
55-74	3	9.3	61	3	3	7	15	18	18	18	2	25.5	13	23	23	25	28	28	28	28
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	16	7.6	21	2	3	6	10	14	17	18	2	25.5	13	23	23	25	28	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17	3	2.7	1	2	2	2	4	4	4	4										
18-20	1	15.0		15	15	15	15	15	15	15										
21-24																				
25-34	8	6.9	18	3	3	5	10	14	14	14	2	2.0	2	1	1	2	3	3	3	3
35-54	15	9.8	148	1	2	5	11	28	40	44	3	6.3	31	1	1	6	10	12	12	12
55-74	13	20.5	274	2	4	14	28	50	56	58	1	18.0		18	18	18	18	18	18	18
75 +	1	41.0		41	41	41	41	41	41	41	1	25.0		25	25	25	25	25	25	25
ALL AGES	41	13.0	194	2	2	7	15	34	46	58	7	9.4	87	1	1	6	16	24	25	25
SUBTOTAL	**57**	**11.5**	**150**	**2**	**2**	**7**	**14**	**28**	**43**	**57**	**9**	**13.0**	**117**	**1**	**1**	**12**	**23**	**27**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	1	29.0		29	29	29	29	29	29	29										
18-20	3	6.3	15	2	2	8	9	9	9	9										
21-24	3	6.0	12	2	2	8	8	8	8	8										
25-34	2	2.5	1	2	2	2	3	3	3	3										
35-54	4	12.0	170	1	1	8	21	30	30	30										
55-74	3	18.0	117	6	6	21	25	27	27	27										
75 +											1	9.0		9	9	9	9	9	9	9
ALL AGES	17	10.6	99	1	2	8	15	29	30	30	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17	3	25.7	527	3	3	25	43	49	49	49										
18-20	1	4.0		4	4	4	4	4	4	4										
21-24																				
25-34	9	10.3	43	5	5	9	13	63	99 +	99 +	1	4.0		4	4	4	4	4	4	4
35-54	16	9.1	77	1	1	6	13	22	28	30	4	4.0	10	1	1	3	6	8	8	8
55-74	8	15.5	93	3	4	13	23	30	31	31	3	15.3	536	1	1	3	32	42	42	42
75 +	1	25.0		25	25	25	25	25	25	25										
ALL AGES	38	12.3	116	1	3	10	20	29	41	99 +	8	8.3	190	1	1	3	6	32	42	42
SUBTOTAL	**55**	**11.8**	**108**	**1**	**2**	**8**	**20**	**29**	**31**	**97**	**9**	**8.3**	**168**	**1**	**1**	**4**	**8**	**29**	**42**	**42**
GRAND TOTAL	**112**	**11.6**	**129**	**2**	**2**	**8**	**14**	**28**	**39**	**73**	**18**	**10.7**	**139**	**1**	**1**	**5**	**18**	**27**	**36**	**42**

PARANOID STATE, SIMPLE (297.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +	2	3.0	2	2	2	3	4	4	4	4										
ALL AGES	3	2.3	3	1	1	2	3	4	4	4										
SUBTOTAL	**3**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**4**	**4**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	1	14.0		14	14	14	14	14	14	14										
SUBTOTAL	**1**	**14.0**		**14**	**14**	**14**	**14**	**14**	**14**	**14**										
GRAND TOTAL	**4**	**5.3**	**35**	**1**	**1**	**3**	**9**	**14**	**14**	**14**										

PARANOIA (297.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4										
25-34	7	18.7	524	3	3	7	39	54	55	55	1	1.0		1	1	1	1	1	1	1
35-54	5	5.0	28	1	1	3	7	14	14	14	3	13.7	199	5	5	6	24	30	30	30
55-74	3	15.0	49	10	10	12	20	23	23	23	4	10.5	75	2	2	9	17	21	21	21
75 +	3	7.0	28	3	3	5	11	13	13	13	3	5.0	9	2	2	5	7	8	8	8
ALL AGES	19	11.9	229	1	2	5	13	39	52	55	11	9.0	83	1	1	5	12	25	30	30
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34	6	9.5	76	2	2	7	11	24	26	26										
35-54	9	6.7	12	2	3	6	10	12	13	13	1	12.0		12	12	12	12	12	12	12
55-74	16	14.1	194	2	3	9	17	40	48	51	5	8.0	31	3	3	5	14	14	14	14
75 +	5	14.2	89	4	4	13	22	27	27	27	2	17.0	18	14	14	17	20	20	20	20
ALL AGES	36	11.5	118	2	3	8	14	25	37	51	9	9.7	42	1	2	12	14	18	20	20
SUBTOTAL	**55**	**11.6**	**154**	**2**	**3**	**7**	**13**	**26**	**47**	**55**	**20**	**9.3**	**62**	**1**	**1**	**6**	**14**	**20**	**25**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	3	12.3	2	12	12	12	13	13	13	13										
25-34	8	6.4	14	2	2	6	8	12	14	14	2	5.0	8	3	3	5	7	7	7	7
35-54	3	7.0	3	6	6	6	8	9	9	9										
55-74	4	9.3	31	3	3	9	14	15	15	15	3	9.0	37	5	5	6	13	16	16	16
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	18	8.1	17	2	3	7	12	14	15	15	6	7.0	21	3	3	6	7	15	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34	3	18.3	258	2	2	19	30	34	34	34	1	4.0		4	4	4	4	4	4	4
35-54	2	6.0	8	4	4	6	8	8	8	8	1	35.0		35	35	35	35	35	35	35
55-74	10	9.0	29	2	2	8	12	16	19	19										
75 +	2	10.5	5	9	9	10	12	12	12	12	2	15.0	98	8	8	15	22	22	22	22
ALL AGES	18	9.9	67	1	2	8	12	19	28	34	4	17.3	197	4	4	15	28	35	35	35
SUBTOTAL	**36**	**9.0**	**42**	**2**	**2**	**8**	**12**	**15**	**19**	**34**	**10**	**11.1**	**106**	**3**	**3**	**6**	**16**	**28**	**35**	**35**
GRAND TOTAL	**91**	**10.6**	**109**	**2**	**2**	**7**	**13**	**20**	**34**	**53**	**30**	**9.9**	**74**	**1**	**2**	**6**	**14**	**21**	**30**	**35**

PARAPHRENIA (297.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	9.0		9	9	9	9	9	9	9										
55-74	1	5.0		5	5	5	5	5	5	5	3	4.7	14	2	2	3	7	9	9	9
75 +																				
ALL AGES	2	7.0	8	5	5	7	9	9	9	9	3	4.7	14	2	2	3	7	9	9	9
SUBTOTAL	**3**	**5.0**	**16**	**1**	**1**	**5**	**8**	**9**	**9**	**9**	**3**	**4.7**	**14**	**2**	**2**	**3**	**7**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**3**	**5.0**	**16**	**1**	**1**	**5**	**8**	**9**	**9**	**9**	**3**	**4.7**	**14**	**2**	**2**	**3**	**7**	**9**	**9**	**9**

SHARED PARANOID DISORDER (297.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	5.5	5	4	4	5	7	7	7	7										
55-74											1	3.0		3	3	3	3	3	3	3
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	2	5.5	5	4	4	5	7	7	7	7	2	4.0	2	3	3	4	5	5	5	5
SUBTOTAL	**2**	**5.5**	**5**	**4**	**4**	**5**	**7**	**7**	**7**	**7**	**3**	**3.7**	**1**	**3**	**3**	**3**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**2**	**5.5**	**5**	**4**	**4**	**5**	**7**	**7**	**7**	**7**	**3**	**3.7**	**1**	**3**	**3**	**3**	**5**	**5**	**5**	**5**

PARANOID STATES NEC (297.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	7.0		7	7	7	7	7	7	7										
21-24																				
25-34	2	8.0		8	8	8	8	8	8	8										
35-54																				
55-74	1	8.0		8	8	8	8	8	8	8										
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	5	7.0	3	4	4	8	8	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	8.5	61	3	3	8	14	14	14	14										
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	3	7.0	37	3	3	4	11	14	14	14										
SUBTOTAL	**8**	**7.0**	**12**	**3**	**3**	**7**	**8**	**12**	**14**	**14**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	18.0		18	18	18	18	18	18	18										
75 +																				
ALL AGES	1	18.0		18	18	18	18	18	18	18										
SUBTOTAL	**1**	**18.0**		**18**	**18**	**18**	**18**	**18**	**18**	**18**										
GRAND TOTAL	**9**	**8.2**	**25**	**3**	**3**	**8**	**10**	**16**	**18**	**18**										

PARANOID STATE NOS (297.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	8	8	8	8	8										
18-20	2	2.0	2	1	1	2	3	3	3	3										
21-24	3	2.0	3	1	1	1	3	4	4	4										
25-34	13	8.8	56	2	3	7	10	20	27	29	2	4.5	25	1	1	4	8	8	8	8
35-54	13	6.4	19	1	3	4	8	13	15	16	7	17.4	314	6	7	10	15	49	57	57
55-74	5	16.2	271	5	5	10	22	45	45	45	2	7.0	50	2	2	7	12	12	12	12
75 +	2	9.0	72	3	3	9	15	15	15	15	2	3.0		3	3	3	3	3	3	3
ALL AGES	39	8.1	68	1	2	5	10	16	24	45	13	11.6	207	1	2	10	12	23	51	57
B. FEMALE																				
0-12 YRS.																				
13-17	1	25.0		25	25	25	25	25	25	25										
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2	1	34.0		34	34	34	34	34	34	34
25-34	11	7.0	49	1	1	4	13	18	22	22	1	15.0		15	15	15	15	15	15	15
35-54	25	8.1	66	2	2	5	9	19	24	38	3	9.7	71	1	1	10	16	18	18	18
55-74	15	8.6	40	1	1	9	11	16	23	25	9	13.6	46	1	3	14	18	22	23	23
75 +	11	18.3	395	5	5	11	21	43	72	75	10	12.0	50	3	3	11	20	21	21	21
ALL AGES	64	10.0	124	1	2	6	14	21	25	70	24	13.3	65	1	3	13	19	21	26	34
SUBTOTAL	**103**	**9.2**	**104**	**1**	**2**	**6**	**11**	**20**	**25**	**59**	**37**	**12.7**	**111**	**1**	**2**	**11**	**17**	**21**	**30**	**57**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	5	6.0	9	3	3	5	8	10	10	10	2	15.0	2	14	14	15	16	16	16	16
21-24	2	6.0	2	5	5	6	7	7	7	7										
25-34	16	9.4	95	1	1	7	11	27	34	36	3	4.3	11	2	2	3	7	8	8	8
35-54	9	9.4	66	1	2	8	12	23	27	27	1	13.0		13	13	13	13	13	13	13
55-74	9	6.2	12	2	2	7	9	11	11	11	3	20.3	238	10	10	13	32	38	38	38
75 +	4	12.8	115	1	1	11	20	27	27	27	2	10.5	85	4	4	10	17	17	17	17
ALL AGES	45	8.5	60	1	1	7	10	17	27	36	11	12.5	100	2	3	13	15	25	37	38
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	2	11.5	221	1	1	11	22	22	22	22										
21-24	1	6.0		6	6	6	6	6	6	6	1	28.0		28	28	28	28	28	28	28
25-34	9	5.7	15	1	1	6	7	12	12	12										
35-54	6	4.2	5	1	1	4	6	7	7	7	3	10.7	64	6	6	6	17	20	20	20
55-74	5	11.0	29	5	5	9	16	18	18	18	4	11.5	44	4	4	12	17	18	18	18
75 +	4	14.5	42	10	10	12	18	24	24	24	2	10.5	1	10	10	10	11	11	11	11
ALL AGES	28	7.8	39	1	1	6	11	17	22	24	10	12.7	58	4	5	10	18	24	28	28
SUBTOTAL	**73**	**8.3**	**50**	**1**	**1**	**7**	**10**	**17**	**26**	**34**	**21**	**12.6**	**76**	**3**	**3**	**11**	**16**	**23**	**32**	**38**
GRAND TOTAL	**176**	**8.8**	**82**	**1**	**1**	**6**	**11**	**19**	**25**	**43**	**58**	**12.7**	**96**	**1**	**3**	**11**	**17**	**21**	**32**	**55**

REACT DEPRESS PSYCHOSIS (298.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	43.0		43	43	43	43	43	43	43										
18-20											1	2.0		2	2	2	2	2	2	2
21-24	2	8.0	72	2	2	8	14	14	14	14										
25-34	1	10.0		10	10	10	10	10	10	10	1	2.0		2	2	2	2	2	2	2
35-54	3	3.0	7	1	1	2	5	6	6	6	2	6.5	1	6	6	6	7	7	7	7
55-74	3	7.0	63	1	1	4	13	16	16	16	1	1.0		1	1	1	1	1	1	1
75 +	1	16.0		16	16	16	16	16	16	16	1	6.0		6	6	6	6	6	6	6
ALL AGES	11	10.5	151	1	1	6	15	27	42	43	6	4.0	7	1	1	4	6	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	2	3.5	5	2	2	3	5	5	5	5	1	3.0		3	3	3	3	3	3	3
35-54	6	9.3	43	4	4	7	14	19	20	20										
55-74	4	17.8	50	7	7	21	22	22	22	22	5	13.0	114	2	2	13	22	26	26	26
75 +	2	30.5	1	30	30	30	31	31	31	31	2	12.5	1	12	12	12	13	13	13	13
ALL AGES	15	13.2	103	2	3	9	21	30	31	31	8	11.6	78	2	2	12	17	24	26	26
SUBTOTAL	**26**	**12.0**	**121**	**1**	**2**	**8**	**20**	**29**	**33**	**43**	**14**	**8.4**	**59**	**1**	**1**	**6**	**13**	**21**	**25**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	2.0		2	2	2	2	2	2	2										
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	3	18.0	163	4	4	21	27	29	29	29										
35-54	3	10.7	153	3	3	4	20	25	25	25										
55-74	1	7.0		7	7	7	7	7	7	7	1	8.0		8	8	8	8	8	8	8
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	9	10.8	119	2	2	4	22	27	29	29	2	5.0	18	2	2	5	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	1	18.0		18	18	18	18	18	18	18										
18-20	1	18.0		18	18	18	18	18	18	18										
21-24																				
25-34	4	14.8	553	1	1	4	27	50	50	50	2	2.5	1	2	2	2	3	3	3	3
35-54	4	16.8	210	5	5	12	25	38	38	38										
55-74											2	5.5	1	5	5	5	6	6	6	6
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	10	16.2	258	1	2	12	18	44	50	50	5	3.8	3	2	2	3	5	6	6	6
SUBTOTAL	**19**	**13.6**	**191**	**1**	**2**	**7**	**20**	**34**	**45**	**50**	**7**	**4.1**	**6**	**2**	**2**	**3**	**6**	**8**	**8**	**8**
GRAND TOTAL	**45**	**12.7**	**147**	**1**	**2**	**7**	**20**	**30**	**39**	**50**	**21**	**7.0**	**44**	**1**	**2**	**5**	**9**	**16**	**23**	**26**

EXCITATIV TYPE PSYCHOSIS (298.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	3	9.7	68	3	3	7	16	19	19	19										
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74											3	7.7	44	2	2	6	13	15	15	15
75 +											1	11.0		11	11	11	11	11	11	11
ALL AGES	4	8.8	48	3	3	6	13	19	19	19	4	8.5	32	2	2	8	13	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	1	1.0		1	1	1	1	1	1	1	2	3.5	13	1	1	3	6	6	6	6
21-24											1	8.0		8	8	8	8	8	8	8
25-34	2	2.0		2	2	2	2	2	2	2	1	5.0		5	5	5	5	5	5	5
35-54	5	11.4	78	6	6	7	14	27	27	27	2	5.0	8	3	3	5	7	7	7	7
55-74	4	8.0	31	3	3	6	11	16	16	16	3	4.0	3	2	2	5	5	5	5	5
75 +	2	11.0	50	6	6	11	16	16	16	16	3	4.0	1	3	3	4	5	5	5	5
ALL AGES	15	7.8	50	1	1	6	9	16	24	27	12	4.5	4	1	2	5	6	7	8	8
SUBTOTAL	**19**	**8.0**	**47**	**1**	**1**	**6**	**9**	**18**	**23**	**27**	**16**	**5.5**	**13**	**1**	**2**	**5**	**7**	**11**	**14**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12										
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	7.0		7	7	7	7	7	7	7	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	3	6.7	30	1	1	7	11	12	12	12	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-20																				
21-24											1	1.0		1	1	1	1	1	1	1
25-34	1	18.0		18	18	18	18	18	18	18	1	7.0		7	7	7	7	7	7	7
35-54	3	2.0	1	1	1	2	3	3	3	3										
55-74	1	12.0		12	12	12	12	12	12	12	1	4.0		4	4	4	4	4	4	4
75 +	3	9.3	3	8	8	9	10	11	11	11	1	3.0		3	3	3	3	3	3	3
ALL AGES	9	7.7	30	1	1	8	11	16	18	18	4	3.8	6	1	1	3	5	7	7	7
SUBTOTAL	**12**	**7.4**	**28**	**1**	**1**	**7**	**11**	**14**	**17**	**18**	**6**	**3.0**	**5**	**1**	**1**	**2**	**4**	**7**	**7**	**7**
GRAND TOTAL	**31**	**7.8**	**38**	**1**	**1**	**7**	**11**	**17**	**19**	**27**	**22**	**4.8**	**12**	**1**	**1**	**4**	**6**	**9**	**13**	**15**

REACTIVE CONFUSION (298.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											2	1.5	1	1	1	1	2	2	2	2
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES											4	2.3	1	1	1	2	3	4	4	4
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17																				
18-20																				
21-24																				
25-34	2	7.0	32	3	3	7	11	11	11	11	1	1.0		1	1	1	1	1	1	1
35-54	1	5.0		5	5	5	5	5	5	5										
55-74	1	30.0		30	30	30	30	30	30	30										
75 +	1	11.0		11	11	11	11	11	11	11	1	4.0		4	4	4	4	4	4	4
ALL AGES	5	12.0	114	3	3	11	16	30	30	30	3	2.3	3	1	1	2	3	4	4	4
SUBTOTAL	**5**	**12.0**	**114**	**3**	**3**	**11**	**16**	**30**	**30**	**30**	**7**	**2.3**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	16.0		16	16	16	16	16	16	16										
21-24											1	1.0		1	1	1	1	1	1	1
25-34																				
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
75 +	1	7.0		7	7	7	7	7	7	7	1	2.0		2	2	2	2	2	2	2
ALL AGES	3	9.0	39	4	4	7	14	16	16	16	3	2.0	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	40.0		40	40	40	40	40	40	40										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	3	14.7	480	2	2	2	31	40	40	40										
SUBTOTAL	**6**	**11.8**	**219**	**2**	**2**	**5**	**16**	**38**	**40**	**40**	**3**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
GRAND TOTAL	**11**	**11.9**	**155**	**2**	**2**	**7**	**15**	**34**	**39**	**40**	**10**	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**4**

ACUTE PARANOID REACTION (298.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	28.0		28	28	28	28	28	28	28										
25-34	5	8.8	65	3	3	6	11	23	23	23										
35-54	2	8.5	41	4	4	8	13	13	13	13	2	3.5	1	3	3	3	4	4	4	4
55-74	2	7.5	1	7	7	7	8	8	8	8	1	6.0		6	6	6	6	6	6	6
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	10	10.4	72	3	3	7	13	25	28	28	4	4.5	2	3	3	4	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20	1	7.0		7	7	7	7	7	7	7										
21-24											2	2.5	5	1	1	2	4	4	4	4
25-34	2	5.5	5	4	4	5	7	7	7	7										
35-54											2	4.0		4	4	4	4	4	4	4
55-74	4	8.5	42	4	4	6	12	18	18	18	2	3.5	1	3	3	3	4	4	4	4
75 +	1	31.0		31	31	31	31	31	31	31	4	5.3	24	1	1	5	9	10	10	10
ALL AGES	8	10.4	89	4	4	7	13	27	31	31	11	3.8	10	1	1	4	4	9	10	10
SUBTOTAL	**18**	**10.4**	**75**	**3**	**4**	**7**	**13**	**26**	**30**	**31**	**15**	**4.0**	**7**	**1**	**1**	**4**	**5**	**9**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	24.0		24	24	24	24	24	24	24										
21-24																				
25-34	5	4.2	9	1	1	5	7	7	7	7										
35-54	2	9.5	13	7	7	9	12	12	12	12										
55-74	1	8.0		8	8	8	8	8	8	8										
75 +	1	13.0		13	13	13	13	13	13	13										
ALL AGES	10	8.5	45	1	1	7	12	18	24	24										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3	1	10.0		10	10	10	10	10	10	10
25-34	2	4.0	8	2	2	4	6	6	6	6	2	5.0	2	4	4	5	6	6	6	6
35-54	2	6.5	1	6	6	6	7	7	7	7	2	10.0	18	7	7	10	13	13	13	13
55-74	4	9.8	71	1	1	10	17	18	18	18	1	14.0		14	14	14	14	14	14	14
75 +	2	17.0	72	11	11	17	23	23	23	23	1	4.0		4	4	4	4	4	4	4
ALL AGES	11	8.8	53	1	2	6	15	20	23	23	7	8.3	17	4	4	7	12	14	14	14
SUBTOTAL	**21**	**8.7**	**46**	**1**	**1**	**7**	**12**	**20**	**23**	**24**	**7**	**8.3**	**17**	**4**	**4**	**7**	**12**	**14**	**14**	**14**
GRAND TOTAL	**39**	**9.5**	**58**	**1**	**2**	**7**	**13**	**23**	**26**	**31**	**22**	**5.4**	**14**	**1**	**1**	**4**	**7**	**11**	**13**	**14**

PSYCHOGEN PARANOID PSYCH (298.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	32.0		32	32	32	32	32	32	32										
ALL AGES	1	32.0		32	32	32	32	32	32	32										
SUBTOTAL	**1**	**32.0**		**32**	**32**	**32**	**32**	**32**	**32**	**32**										
GRAND TOTAL	**1**	**32.0**		**32**	**32**	**32**	**32**	**32**	**32**	**32**										

REACT PSYCHOSIS NEC/NOS (298.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	1.3		1	1	1	1	2	2	2										
18-20	8	8.5	32	2	3	7	13	17	18	18	1	1.0		1	1	1	1	1	1	1
21-24	7	15.9	1042	2	2	3	6	73	89	89	2	2.0	2	1	1	2	3	3	3	3
25-34	8	3.9	15	1	1	3	4	11	13	13	5	3.2	4	1	1	3	4	6	6	6
35-54	10	5.6	17	1	1	4	9	11	12	12	5	3.4	9	1	1	2	6	8	8	8
55-74	7	7.7	6	4	4	8	10	11	11	11	3	2.3	3	1	1	2	3	4	4	4
75 +	2	6.5	5	5	5	6	8	8	8	8	1	5.0		5	5	5	5	5	5	5
ALL AGES	46	7.3	169	1	1	5	8	12	16	89	17	2.9	5	1	1	2	4	6	7	8
B. FEMALE																				
0-12 YRS.																				
13-17	4	5.8	20	1	1	5	9	11	11	11										
18-20	8	6.4	8	1	2	6	8	10	10	10										
21-24	8	7.8	28	1	2	7	9	16	19	19	2	9.5	13	7	7	9	12	12	12	12
25-34	28	5.7	44	1	1	4	6	13	19	33	6	6.7	42	1	1	4	12	16	17	17
35-54	28	7.1	35	1	2	6	9	13	18	29	9	4.8	9	2	2	5	6	10	11	11
55-74	13	6.9	21	2	3	5	8	12	18	20	3	3.0	1	2	2	3	4	4	4	4
75 +	1	12.0		12	12	12	12	12	12	12	1	39.0		39	39	39	39	39	39	39
ALL AGES	90	6.6	31	1	1	5	9	12	17	31	21	7.1	72	1	1	5	9	14	27	39
SUBTOTAL	**136**	**6.9**	**76**	**1**	**1**	**5**	**9**	**12**	**17**	**41**	**38**	**5.3**	**45**	**1**	**1**	**3**	**6**	**12**	**15**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	1.5	1	1	1	1	2	2	2	2										
18-20	4	5.0	6	3	3	5	7	8	8	8	1	2.0		2	2	2	2	2	2	2
21-24	6	1.5		1	1	1	2	2	2	2	3	3.7	2	2	2	4	5	5	5	5
25-34	21	5.8	47	1	1	3	5	16	25	26	4	4.5	6	2	2	4	6	8	8	8
35-54	11	5.4	16	1	1	5	7	11	15	15	3	23.0	301	8	8	19	36	42	42	42
55-74	2	8.5	61	3	3	8	14	14	14	14										
75 +	2	19.0	2	18	18	19	20	20	20	20										
ALL AGES	48	5.6	36	1	1	3	6	15	20	26	11	9.1	143	2	2	4	8	28	41	42
B. FEMALE																				
0-12 YRS.																				
13-17	10	9.4	189	1	1	5	8	30	47	47										
18-20	4	6.0	17	1	1	6	9	11	11	11										
21-24	7	5.9	24	1	1	4	11	13	13	13	2	6.0	8	4	4	6	8	8	8	8
25-34	30	5.7	43	1	1	3	6	12	19	33	1	3.0		3	3	3	3	3	3	3
35-54	23	6.8	65	1	1	4	7	19	29	30	7	11.9	42	3	4	11	18	20	20	20
55-74	5	9.8	77	2	2	7	15	24	24	24	1	5.0		5	5	5	5	5	5	5
75 +	2	13.5	5	12	12	13	15	15	15	15										
ALL AGES	81	6.9	65	1	1	4	8	15	26	43	11	9.4	38	3	3	7	15	19	20	20
SUBTOTAL	**129**	**6.4**	**54**	**1**	**1**	**4**	**8**	**15**	**24**	**36**	**22**	**9.2**	**87**	**2**	**2**	**6**	**11**	**19**	**29**	**42**
GRAND TOTAL	**265**	**6.7**	**65**	**1**	**1**	**4**	**8**	**14**	**19**	**33**	**60**	**6.7**	**63**	**1**	**1**	**4**	**8**	**17**	**19**	**42**

PSYCHOSIS NOS (298.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	1.7	1	1	1	1	3	3	3	3	1	1.0		1	1	1	1	1	1	1
13-17	15	12.2	173	1	1	7	27	39	82	99+	4	22.5	910	1	1	12	44	65	65	65
18-20	11	13.7	575	1	1	5	14	44	81	84	4	10.5	35	2	2	12	14	15	15	15
21-24	28	8.6	105	2	2	5	9	21	26	52	7	7.0	50	1	1	4	10	19	21	21
25-34	60	8.2	64	1	2	6	10	20	25	38	22	5.1	24	1	1	4	8	10	17	20
35-54	56	7.8	55	1	2	6	10	16	23	40	27	5.4	28	1	1	5	7	11	21	21
55-74	64	6.4	41	1	1	4	8	14	20	30	45	5.2	20	1	2	4	6	10	12	26
75 +	55	10.1	99	1	2	7	14	21	26	55	39	8.6	75	1	2	6	10	21	30	36
ALL AGES	292	8.5	92	1	2	5	11	19	27	54	149	6.8	64	1	1	5	8	16	21	36
B. FEMALE																				
0-12 YRS.																				
13-17	7	8.3	48	1	1	8	15	18	18	18										
18-20	15	11.8	129	1	1	8	17	22	39	45	1	9.0		9	9	9	9	9	9	9
21-24	18	7.7	32	1	1	6	12	14	19	23	5	1.4	1	1	1	1	2	3	3	3
25-34	66	7.7	49	2	2	5	10	14	22	33	18	7.8	26	1	2	8	11	15	16	17
35-54	75	8.8	67	1	2	6	13	17	28	42	24	7.4	33	1	2	6	10	17	21	22
55-74	112	8.0	56	1	2	6	9	16	24	38	79	6.5	26	1	1	5	9	14	18	22
75 +	123	9.4	137	1	1	6	10	18	36	62	95	7.0	38	1	2	5	8	13	20	33
ALL AGES	416	8.6	83	1	2	6	10	17	27	45	222	6.8	32	1	1	5	9	13	18	30
SUBTOTAL	**708**	**8.6**	**86**	**1**	**2**	**6**	**11**	**18**	**27**	**48**	**371**	**6.8**	**45**	**1**	**1**	**5**	**8**	**14**	**20**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	21.7	48	14	14	23	27	28	28	28										
13-17	16	24.8	410	3	4	16	42	56	64	67										
18-20	12	10.2	32	3	4	10	16	17	17	17	3	3.0	4	1	1	4	52	99+	99+	99+
21-24	16	8.6	78	1	1	7	10	20	30	34	9	5.8	10	1	2	7	8	10	11	11
25-34	58	7.6	79	1	1	5	10	20	24	44	12	9.4	63	2	3	6	18	41	89	99+
35-54	41	9.6	190	1	1	6	11	23	52	99+	19	4.6	12	1	1	4	7	12	57	99+
55-74	20	10.9	149	1	2	7	12	25	40	53	17	5.5	26	1	1	4	6	13	18	20
75 +	17	8.8	54	1	1	6	14	18	24	27	15	3.9	9	1	1	3	5	9	10	11
ALL AGES	183	10.5	153	1	1	6	14	23	37	78	75	5.5	24	1	1	4	7	14	24	99+
B. FEMALE																				
0-12 YRS.																				
13-17	7	27.9	885	3	5	16	33	80	91	91										
18-20	4	8.3	46	3	3	6	13	18	18	18										
21-24	15	8.5	19	1	3	8	11	14	18	19	6	9.8	73	1	1	8	15	23	24	24
25-34	53	8.8	86	1	1	6	10	25	31	37	15	5.6	26	1	1	4	7	14	17	18
35-54	51	8.5	36	1	3	8	12	15	18	35	19	6.8	51	1	1	4	7	20	25	25
55-74	44	9.4	54	1	2	7	12	21	23	34	25	10.6	190	2	3	7	11	18	33	73
75 +	45	10.1	85	2	3	7	14	21	32	46	29	6.7	26	2	2	5	8	15	17	22
ALL AGES	219	9.7	94	1	2	7	12	20	28	40	94	7.8	78	1	2	5	9	16	22	52
SUBTOTAL	**402**	**10.1**	**120**	**1**	**1**	**7**	**13**	**21**	**33**	**62**	**169**	**6.8**	**55**	**1**	**2**	**5**	**8**	**15**	**22**	**99+**
GRAND TOTAL	**1110**	**9.1**	**99**	**1**	**2**	**6**	**12**	**19**	**28**	**54**	**540**	**6.8**	**48**	**1**	**1**	**5**	**8**	**15**	**21**	**38**

INFANTILE AUTISM (299.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	25.4	186	8	8	27	36	42	42	42										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	25.4	186	8	8	27	36	42	42	42										
B. FEMALE																				
0-12 YRS.	1	23.0		23	23	23	23	23	23	23										
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	23.0		23	23	23	23	23	23	23	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**6**	**25.0**	**150**	**8**	**9**	**25**	**34**	**41**	**42**	**42**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	45.3	104	36	36	42	52	60	60	60										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	45.3	104	36	36	42	52	60	60	60										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**4**	**45.3**	**104**	**36**	**36**	**42**	**52**	**60**	**60**	**60**										
GRAND TOTAL	**10**	**33.1**	**229**	**8**	**12**	**35**	**42**	**52**	**60**	**60**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

EARLY CHLD PSYCHOSES NEC (299.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	24.3	282	7	7	24	38	42	42	42										
13-17	1	12.0		12	12	12	12	12	12	12										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	21.8	244	7	7	13	37	42	42	42										
B. FEMALE																				
0-12 YRS.	1	83.0		83	83	83	83	83	83	83	1	30.0		30	30	30	30	30	30	30
13-17	1	2.0		2	2	2	2	2	2	2	1	22.0		22	22	22	22	22	22	22
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	42.5	3281	2	2	42	83	83	83	83	2	26.0	32	22	22	26	30	30	30	30
SUBTOTAL	**7**	**27.7**	**812**	**2**	**3**	**13**	**40**	**75**	**83**	**83**	**2**	**26.0**	**32**	**22**	**22**	**26**	**30**	**30**	**30**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	30.7	283	7	8	41	43	89	99 +	99 +										
13-17	1	63.0		63	63	63	63	63	63	63										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	35.3	386	7	8	41	53	89	99 +	99 +										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**7**	**35.3**	**386**	**7**	**8**	**41**	**53**	**89**	**99 +**	**99 +**										
GRAND TOTAL	**14**	**31.5**	**569**	**3**	**7**	**39**	**44**	**83**	**96**	**99 +**	**2**	**26.0**	**32**	**22**	**22**	**26**	**30**	**30**	**30**	**30**

EARLY CHLD PSYCHOSIS NOS (299.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	49.5	113	42	42	57	89	99+	99+	99+										
13-17	1	42.0		42	42	42	42	42	42	42										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	47.0	75	42	42	50	78	99+	99+	99+										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**3**	**47.0**	**75**	**42**	**42**	**50**	**78**	**99+**	**99+**	**99+**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	73.8	612	47	47	95	96	99+	99+	99+										
13-17	1	8.0		8	8	8	8	8	8	8										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	60.6	1331	8	12	76	95	99+	99+	99+										
B. FEMALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	28.0		28	28	28	28	28	28	28										
SUBTOTAL	**6**	**55.2**	**1238**	**8**	**12**	**58**	**95**	**99**	**99+**	**99+**										
GRAND TOTAL	**9**	**52.4**	**817**	**9**	**20**	**57**	**95**	**99+**	**99+**	**99+**										

ANXIETY STATES (300.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8	1	2.0		2	2	2	2	2	2	2
13-17											1	1.0		1	1	1	1	1	1	1
18-20	4	13.5	163	2	2	11	23	30	30	30	1	2.0		2	2	2	2	2	2	2
21-24	7	3.7	24	1	1	1	5	12	14	14	2	1.5	1	1	1	1	2	2	2	2
25-34	22	3.4	20	1	1	2	4	7	13	21	17	2.2	2	1	1	2	3	5	6	6
35-54	41	4.0	25	1	1	2	4	10	17	23	31	2.6	5	1	1	2	3	8	9	99+
55-74	26	4.7	23	1	1	3	6	11	18	18	25	3.1	5	1	1	3	4	5	8	10
75 +	8	3.4	4	1	1	3	5	6	7	7	9	1.9	1	1	1	1	3	4	4	4
ALL AGES	109	4.4	28	1	1	2	5	10	18	26	87	2.6	4	1	1	2	3	5	8	66
B. FEMALE																				
0-12 YRS.	2	3.0		3	3	3	3	3	3	3										
13-17	6	13.8	544	1	1	5	9	56	61	61	1	4.0		4	4	4	4	4	4	4
18-20	3	2.7		2	2	3	3	3	3	3	4	6.3	36	1	1	4	10	15	15	15
21-24	9	9.1	98	1	1	5	17	25	29	29	5	1.6		1	1	2	2	2	2	2
25-34	58	6.2	40	1	1	4	8	16	18	31	26	3.0	16	1	1	2	3	6	13	20
35-54	59	5.5	59	1	1	3	5	11	19	44	49	2.0	2	1	1	2	2	4	6	6
55-74	75	6.0	61	1	1	3	8	14	18	50	54	3.2	7	1	1	2	4	7	9	12
75 +	20	4.3	8	1	2	3	6	8	11	13	29	3.6	13	1	1	2	4	10	11	16
ALL AGES	232	6.0	63	1	1	3	7	15	18	48	168	2.9	9	1	1	2	3	6	9	16
SUBTOTAL	**341**	**5.5**	**52**	**1**	**1**	**3**	**6**	**14**	**18**	**37**	**255**	**2.8**	**7**	**1**	**1**	**2**	**3**	**6**	**9**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	5	32.2	400	12	12	23	52	57	57	57	2	7.5	85	1	1	7	14	14	14	14
18-20	9	6.9	66	1	1	3	9	21	22	22	1	23.0		23	23	23	23	23	23	23
21-24	6	4.3	34	1	1	2	4	15	16	16	1	28.0		28	28	28	28	28	28	28
25-34	32	5.8	16	1	1	6	8	10	11	21	9	6.2	56	1	1	4	6	19	25	25
35-54	37	8.0	61	1	1	5	14	20	23	29	17	7.4	78	1	1	4	10	24	28	29
55-74	17	5.8	26	1	1	4	7	12	18	21	11	5.1	31	1	1	3	5	14	19	20
75 +	2	9.5	85	3	3	9	16	16	16	16	3	3.7	6	1	1	4	5	6	6	6
ALL AGES	108	7.8	83	1	1	5	10	20	22	53	45	7.0	66	1	1	4	9	23	26	29
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	8	16.3	349	1	1	10	20	47	59	59	1	1.0		1	1	1	1	1	1	1
18-20	7	13.7	164	2	2	9	19	34	38	38	3	5.0	13	1	1	6	7	8	8	8
21-24	21	12.9	464	1	2	6	10	29	61	99	4	5.0	3	3	3	5	6	7	7	7
25-34	61	9.5	81	1	1	7	14	24	27	34	23	7.5	72	1	1	4	8	24	27	31
35-54	94	10.9	185	1	1	6	15	30	41	90	34	7.0	70	1	1	4	7	20	27	37
55-74	44	8.4	45	1	1	6	14	18	21	23	29	4.6	19	1	1	3	6	10	17	17
75 +	16	10.1	112	2	3	6	15	20	36	43	5	4.0	8	1	1	5	6	7	7	7
ALL AGES	251	10.5	157	1	1	6	14	25	33	78	100	6.0	48	1	1	4	7	16	22	34
SUBTOTAL	**359**	**9.7**	**135**	**1**	**1**	**6**	**13**	**23**	**30**	**59**	**145**	**6.3**	**53**	**1**	**1**	**4**	**7**	**17**	**25**	**31**
GRAND TOTAL	**700**	**7.7**	**98**	**1**	**1**	**4**	**9**	**19**	**25**	**56**	**400**	**4.1**	**26**	**1**	**1**	**2**	**4**	**9**	**16**	**29**

HYSTERIA (300.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2	3	4.3	10	1	1	5	6	7	7	7
13-17	5	2.0	2	1	1	2	3	4	4	4	5	2.4	4	1	1	1	4	5	5	5
18-20	7	3.4	7	1	1	3	5	8	8	8	4	3.8	23	1	1	1	6	11	11	11
21-24	5	2.6	3	1	1	3	4	5	5	5	9	4.8	30	1	1	3	6	14	18	18
25-34	13	3.7	12	1	1	2	5	9	11	12	6	4.2	6	1	1	4	7	7	7	7
35-54	10	2.8	5	1	1	2	4	6	8	8	9	4.0	6	1	1	4	6	7	7	7
55-74	8	2.5	5	1	1	2	3	6	8	8	5	3.0	12	1	1	2	4	9	9	9
75 +	3	2.0	1	1	1	2	3	3	3	3	3	3.7		3	3	4	4	4	4	4
ALL AGES	53	2.9	6	1	1	2	4	7	8	12	44	3.9	11	1	1	3	5	7	10	18
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	3	2.7		2	2	3	3	3	3	3
13-17	16	15.0	410	1	1	4	21	55	58	59	9	2.6	10	1	1	1	2	8	11	11
18-20	8	2.4	4	1	1	2	3	6	7	7	6	3.5	4	1	1	3	5	6	6	6
21-24	15	4.0	9	1	1	3	6	8	10	11	12	2.9	15	1	1	1	3	8	13	14
25-34	38	8.0	229	1	1	5	7	18	61	99 +	36	6.8	153	1	1	2	5	20	41	56
35-54	36	4.9	27	1	1	4	6	7	17	26	24	4.6	33	1	1	3	6	9	47	99 +
55-74	17	4.2	13	1	1	3	5	10	12	13	22	4.1	21	1	1	3	4	9	14	21
75 +	5	5.0	15	1	1	4	7	11	11	11	6	4.0	10	1	1	3	5	9	10	10
ALL AGES	136	6.6	131	1	1	3	7	13	24	95	118	4.7	61	1	1	2	5	9	21	70
SUBTOTAL	**189**	**5.6**	**98**	**1**	**1**	**3**	**6**	**10**	**19**	**80**	**162**	**4.5**	**47**	**1**	**1**	**2**	**5**	**9**	**15**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	4	18.0	254	2	2	16	30	38	38	38										
18-20	4	6.8	23	2	2	7	11	11	11	11	1	3.0		3	3	3	3	3	3	3
21-24	5	5.4	16	1	1	5	9	10	10	10	5	5.6	25	1	1	4	8	14	14	14
25-34	9	6.4	30	1	1	5	12	14	14	14	4	10.8	113	2	2	8	19	25	25	25
35-54	15	12.7	146	1	1	7	20	30	34	35	3	1.0		1	1	1	1	1	1	1
55-74	4	5.0	32	1	1	3	9	13	13	13										
75 +																				
ALL AGES	42	9.5	98	1	1	5	14	25	32	38	13	5.9	52	1	1	3	8	16	23	25
B. FEMALE																				
0-12 YRS.	4	11.5	122	1	1	11	21	22	22	22										
13-17	9	4.7	10	2	2	4	6	10	12	12	3	4.3	6	3	3	3	6	7	7	7
18-20	6	6.7	52	2	2	4	7	20	21	21	1	4.0		4	4	4	4	4	4	4
21-24	11	17.0	512	1	1	7	20	51	75	77	8	7.1	84	1	1	3	9	23	28	28
25-34	45	14.2	308	1	1	4	19	37	55	74	20	4.0	6	1	1	3	6	8	9	9
35-54	48	12.6	271	1	1	7	14	27	56	78	21	3.7	13	1	1	3	4	8	13	17
55-74	10	5.7	16	1	1	4	8	12	13	13	8	5.9	42	1	1	4	6	17	21	21
75 +	2	11.5	113	4	4	11	19	19	19	19	2	3.0	8	1	1	3	5	5	5	5
ALL AGES	135	12.2	252	1	1	5	18	27	48	77	63	4.5	22	1	1	3	6	9	12	27
SUBTOTAL	**177**	**11.5**	**217**	**1**	**1**	**5**	**16**	**27**	**38**	**76**	**76**	**4.8**	**26**	**1**	**1**	**3**	**6**	**9**	**16**	**27**
GRAND TOTAL	**366**	**8.4**	**165**	**1**	**1**	**4**	**9**	**21**	**34**	**76**	**238**	**4.6**	**41**	**1**	**1**	**3**	**5**	**9**	**16**	**50**

PHOBIC DISORDERS (300.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34											1	4.0		4	4	4	4	4	4	4
35-54	1	12.0		12	12	12	12	12	12	12										
55-74																				
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	2	6.5	61	1	1	6	12	12	12	12	2	3.0	2	2	2	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-20																				
21-24	2	2.0	2	1	1	2	3	3	3	3										
25-34	4	3.5	6	1	1	3	5	6	6	6	2	3.5	1	3	3	3	4	4	4	4
35-54	7	11.0	79	3	3	6	18	24	25	25	3	4.3	13	1	1	4	7	8	8	8
55-74	5	5.0	8	2	2	5	7	9	9	9	1	19.0		19	19	19	19	19	19	19
75 +											2	9.5	1	9	9	9	10	10	10	10
ALL AGES	19	6.5	43	1	1	5	6	18	22	25	8	7.3	32	1	2	6	9	16	19	19
SUBTOTAL	**21**	**6.5**	**41**	**1**	**1**	**5**	**7**	**17**	**22**	**25**	**10**	**6.4**	**29**	**1**	**1**	**4**	**9**	**14**	**19**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	28.0		28	28	28	28	28	28	28
18-20	1	7.0		7	7	7	7	7	7	7										
21-24	2	7.0	8	5	5	7	9	9	9	9										
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	3	8.3	10	5	5	9	10	11	11	11	1	11.0		11	11	11	11	11	11	11
55-74	2	14.5	13	12	12	14	17	17	17	17										
75 +																				
ALL AGES	9	8.4	23	1	2	9	11	15	17	17	2	19.5	145	11	11	19	28	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17	1	29.0		29	29	29	29	29	29	29										
18-20																				
21-24	2	13.0	128	5	5	13	21	21	21	21										
25-34	6	19.7	497	1	1	10	33	56	59	59	3	3.0	4	1	1	3	4	5	5	5
35-54	11	11.8	193	2	2	6	15	38	42	42	6	9.2	31	1	1	10	14	15	15	15
55-74	2	5.0	2	4	4	5	6	6	6	6	1	13.0		13	13	13	13	13	13	13
75 +																				
ALL AGES	22	14.2	248	1	3	6	21	37	49	59	10	7.7	30	1	1	7	13	14	15	15
SUBTOTAL	**31**	**12.5**	**187**	**1**	**2**	**7**	**16**	**34**	**42**	**59**	**12**	**9.7**	**58**	**1**	**1**	**10**	**13**	**19**	**27**	**28**
GRAND TOTAL	**52**	**10.1**	**135**	**1**	**2**	**6**	**12**	**26**	**35**	**59**	**22**	**8.2**	**46**	**1**	**1**	**6**	**12**	**16**	**23**	**28**

OBSESSIVE-COMPULSIVE DIS (300.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	28.0		28	28	28	28	28	28	28	1	2.0		2	2	2	2	2	2	2
18-20	1	4.0		4	4	4	4	4	4	4										
21-24	1	7.0		7	7	7	7	7	7	7										
25-34	3	3.7	9	1	1	3	6	7	7	7	2	2.5	5	1	1	2	4	4	4	4
35-54																				
55-74																				
75 +																				
ALL AGES	6	8.3	99	1	1	5	7	26	28	28	3	2.3	3	1	1	2	3	4	4	4
B. FEMALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17																				
18-20																				
21-24	2	11.5	13	9	9	11	14	14	14	14										
25-34	2	3.5	5	2	2	3	5	5	5	5										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	1	18.0		18	18	18	18	18	18	18										
75 +																				
ALL AGES	6	8.5	41	2	2	7	14	18	18	18	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**12**	**8.4**	**64**	**1**	**2**	**6**	**11**	**21**	**27**	**28**	**4**	**2.8**	**2**	**1**	**1**	**3**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	31.0		31	31	31	31	31	31	31										
18-20	3	12.0	171	3	3	6	22	27	27	27	1	13.0		13	13	13	13	13	13	13
21-24	2	16.5	221	6	6	16	27	27	27	27										
25-34											2	22.0	338	9	9	22	35	35	35	35
35-54	1	15.0		15	15	15	15	15	15	15	2	13.5	61	8	8	13	19	19	19	19
55-74	1	5.0		5	5	5	5	5	5	5										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	9	13.7	134	3	3	6	27	29	31	31	5	16.3	122	8	8	13	23	35	35	35
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24	2	17.0	242	6	6	17	28	28	28	28										
25-34	2	24.0	72	18	18	24	30	30	30	30										
35-54	3	28.3	529	2	2	39	43	44	44	44	1	3.0		3	3	3	3	3	3	3
55-74	2	6.5	25	3	3	6	10	10	10	10										
75 +																				
ALL AGES	9	20.0	252	2	2	18	32	42	44	44	2	2.0	2	1	1	2	3	3	3	3
SUBTOTAL	**18**	**16.8**	**194**	**2**	**3**	**12**	**28**	**37**	**42**	**44**	**7**	**12.6**	**133**	**1**	**1**	**9**	**17**	**32**	**35**	**35**
GRAND TOTAL	**30**	**13.5**	**154**	**2**	**2**	**7**	**27**	**30**	**39**	**44**	**11**	**9.0**	**106**	**1**	**1**	**4**	**12**	**25**	**34**	**35**

NEUROTIC DEPRESSION (300.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	20.0	74	10	10	20	27	29	29	29	1	2.0		2	2	2	2	2	2	2
13-17	49	18.2	378	1	2	11	30	52	70	99+	8	31.5	797	1	6	23	37	80	94	94
18-20	10	9.5	112	1	1	5	14	28	31	31	1	1.0		1	1	1	1	1	1	1
21-24	17	5.5	41	1	1	2	8	15	21	23	1	1.0		1	1	1	1	1	1	1
25-34	69	5.8	87	1	1	3	7	11	13	64	7	3.3	15	1	1	2	3	10	12	12
35-54	88	8.0	57	1	1	6	10	20	24	35	17	3.2	7	1	1	2	5	8	8	8
55-74	31	8.2	53	1	2	8	11	14	27	34	15	4.5	9	2	2	3	6	8	11	12
75 +	18	6.6	35	1	2	4	10	15	20	22	6	5.7	21	2	2	4	9	13	13	13
ALL AGES	286	9.2	137	1	1	6	11	23	33	73	56	7.8	205	1	1	3	8	18	28	91
B. FEMALE																				
0-12 YRS.	9	27.4	110	11	12	29	37	71	99+	99+	1	4.0		4	4	4	4	4	4	4
13-17	105	16.3	314	1	2	8	24	46	55	86	17	15.4	470	1	1	7	24	34	69	88
18-20	29	5.6	30	1	1	3	9	14	17	18	6	11.5	380	1	1	4	7	47	51	51
21-24	48	5.2	50	1	1	3	6	10	16	45	5	1.8	1	1	1	2	2	3	3	3
25-34	174	8.1	101	1	1	5	10	17	27	49	34	6.0	56	1	1	3	8	17	25	32
35-54	201	7.5	62	1	1	5	9	15	23	45	66	6.8	94	1	1	4	7	14	19	59
55-74	92	9.4	86	1	2	7	11	19	28	52	44	5.7	50	1	1	4	6	12	15	45
75 +	33	10.8	238	2	2	7	12	19	32	87	18	6.3	14	2	2	5	9	12	13	14
ALL AGES	691	9.4	134	1	1	6	11	22	36	57	191	7.1	113	1	1	4	8	15	26	57
SUBTOTAL	**977**	**9.3**	**135**	**1**	**1**	**6**	**11**	**22**	**35**	**67**	**247**	**7.3**	**132**	**1**	**1**	**4**	**8**	**15**	**27**	**63**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	39	38.5	362	12	20	36	43	67	83	92	2	40.0	1682	11	11	69	92	99+	99+	99+
13-17	94	27.0	450	2	3	28	44	58	87	99+	19	25.6	530	1	1	18	46	59	64	68
18-20	25	6.0	33	1	1	4	8	17	18	22	7	1.9	1	1	1	2	3	3	3	3
21-24	49	5.7	30	1	1	4	8	13	16	29	9	6.2	38	1	1	4	8	17	21	21
25-34	136	7.6	63	1	1	5	10	17	22	44	24	4.1	13	1	1	3	6	9	12	15
35-54	124	7.6	43	1	1	5	11	17	21	30	32	6.7	73	1	1	4	7	13	29	41
55-74	41	10.3	64	2	2	8	14	21	28	35	12	4.0	10	1	1	3	6	9	10	10
75 +	7	18.6	190	5	5	13	31	39	40	40	5	4.2	7	2	2	3	6	8	8	8
ALL AGES	515	13.6	254	1	1	7	17	41	48	91	110	9.2	212	1	1	4	8	28	50	81
B. FEMALE																				
0-12 YRS.	8	27.6	386	7	7	29	47	84	99+	99+	2	34.0	1682	5	5	34	63	63	63	63
13-17	154	25.1	400	3	4	22	42	56	89	99+	19	17.5	444	2	2	17	29	99+	99+	99+
18-20	40	8.3	87	1	1	5	11	22	32	37	5	12.0	157	1	1	8	23	29	29	29
21-24	84	8.9	126	1	1	5	12	20	30	61	16	5.3	47	1	2	3	5	8	23	30
25-34	215	8.6	61	1	1	6	11	19	26	38	61	7.2	70	1	1	5	9	17	26	41
35-54	239	9.8	91	1	2	7	13	22	30	44	73	7.3	62	1	2	5	8	18	27	39
55-74	59	8.5	50	2	2	7	12	19	24	31	19	7.1	86	1	1	3	9	15	30	41
75 +	18	10.4	57	3	3	9	13	20	29	33	7	6.6	7	2	3	7	9	10	10	10
ALL AGES	817	12.3	184	1	2	7	16	32	44	93	202	8.4	123	1	1	5	9	21	35	99+
SUBTOTAL	**1332**	**12.8**	**212**	**1**	**2**	**7**	**16**	**36**	**45**	**91**	**312**	**8.7**	**153**	**1**	**1**	**5**	**9**	**24**	**41**	**99+**
GRAND TOTAL	**2309**	**11.3**	**183**	**1**	**2**	**7**	**14**	**30**	**43**	**79**	**559**	**8.1**	**144**	**1**	**1**	**4**	**8**	**20**	**34**	**91**

NEURASTHENIA (300.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1	1	8.0		8	8	8	8	8	8	8
55-74											1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	2	9.0	2	8	8	9	10	10	10	10
SUBTOTAL	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**4**	**5.0**	**22**	**1**	**1**	**5**	**9**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											2	11.5	13	9	9	11	14	14	14	14
55-74																				
75 +																				
ALL AGES											2	11.5	13	9	9	11	14	14	14	14
SUBTOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**	**2**	**11.5**	**13**	**9**	**9**	**11**	**14**	**14**	**14**	**14**
GRAND TOTAL	**3**	**2.3**	**6**	**1**	**1**	**1**	**4**	**5**	**5**	**5**	**6**	**7.2**	**26**	**1**	**1**	**8**	**10**	**14**	**14**	**14**

DEPERSONALIZATION SYND (300.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
SUBTOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	1.0		1	1	1	1	1	1	1
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**2**	**5.0**	**8**	**3**	**3**	**5**	**7**	**7**	**7**	**7**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

HYPOCHONDRIASIS (300.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74	1	15.0		15	15	15	15	15	15	15	2	26.5	1105	3	3	26	50	50	50	50
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	2	10.5	41	6	6	10	15	15	15	15	3	18.7	734	3	3	3	38	50	50	50
SUBTOTAL	**3**	**8.3**	**35**	**4**	**4**	**6**	**13**	**15**	**15**	**15**	**3**	**18.7**	**734**	**3**	**3**	**3**	**38**	**50**	**50**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	8.0	18	5	5	8	11	11	11	11										
55-74																				
75 +																				
ALL AGES	2	8.0	18	5	5	8	11	11	11	11										
B. FEMALE																				
0-12 YRS.	2	23.5	481	8	8	23	39	39	39	39										
13-17																				
18-20																				
21-24																				
25-34											1	21.0		21	21	21	21	21	21	21
35-54	1	10.0		10	10	10	10	10	10	10										
55-74	3	15.0	36	9	9	15	19	21	21	21										
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	7	16.1	123	8	8	11	19	35	39	39	1	21.0		21	21	21	21	21	21	21
SUBTOTAL	**9**	**14.3**	**107**	**5**	**6**	**11**	**16**	**32**	**39**	**39**	**1**	**21.0**		**21**	**21**	**21**	**21**	**21**	**21**	**21**
GRAND TOTAL	**12**	**12.8**	**92**	**4**	**5**	**10**	**15**	**26**	**37**	**39**	**4**	**19.3**	**490**	**3**	**3**	**12**	**35**	**50**	**50**	**50**

NEUROTIC DISORDERS NEC (300.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	2.0		2	2	2	2	2	2	2
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	1	8.0		8	8	8	8	8	8	8	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
18-20																				
21-24	2	6.0	8	4	4	6	8	8	8	8	1	1.0		1	1	1	1	1	1	1
25-34	1	1.0		1	1	1	1	1	1	1	1	8.0		8	8	8	8	8	8	8
35-54	6	3.7	7	1	1	3	7	7	7	7	5	8.2	90	2	2	4	11	25	25	25
55-74	4	12.0	44	5	5	11	16	21	21	21	2	23.5	613	6	6	23	41	41	41	41
75 +	1	8.0		8	8	8	8	8	8	8	1	19.0		19	19	19	19	19	19	19
ALL AGES	15	6.3	27	1	1	5	8	11	19	21	11	10.7	158	1	1	6	16	31	40	41
SUBTOTAL	**16**	**6.4**	**26**	**1**	**1**	**6**	**8**	**11**	**18**	**21**	**12**	**10.0**	**150**	**1**	**1**	**5**	**13**	**30**	**39**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	2.0		2	2	2	2	2	2	2
25-34																				
35-54	3	12.0	100	2	2	12	19	22	22	22	1	25.0		25	25	25	25	25	25	25
55-74	2	6.0	32	2	2	6	10	10	10	10										
75 +																				
ALL AGES	5	9.6	69	2	2	10	14	22	22	22	2	13.5	265	2	2	13	25	25	25	25
B. FEMALE																				
0-12 YRS.	2	14.0	50	9	9	14	19	19	19	19										
13-17	1	10.0		10	10	10	10	10	10	10										
18-20																				
21-24											1	6.0		6	6	6	6	6	6	6
25-34	3	6.3	47	1	1	4	11	14	14	14	2	16.5	421	2	2	16	31	31	31	31
35-54	6	15.0	354	5	5	7	12	49	53	53	1	5.0		5	5	5	5	5	5	5
55-74	4	12.8	62	4	4	12	18	23	23	23										
75 +																				
ALL AGES	16	12.4	150	2	4	9	14	23	44	53	4	11.0	181	2	2	5	18	31	31	31
SUBTOTAL	**21**	**11.7**	**129**	**1**	**2**	**10**	**14**	**22**	**36**	**53**	**6**	**11.8**	**164**	**2**	**2**	**5**	**25**	**30**	**31**	**31**
GRAND TOTAL	**37**	**9.4**	**90**	**1**	**2**	**8**	**11**	**21**	**23**	**53**	**18**	**10.6**	**146**	**1**	**2**	**5**	**19**	**29**	**37**	**41**

NEUROTIC DISORDER NOS (300.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	9	8.2	149	1	1	3	10	30	32	32	1	1.0		1	1	1	1	1	1	1
18-20	3	3.3	11	1	1	2	6	7	7	7	2	2.0	2	1	1	2	3	3	3	3
21-24	1	2.0		2	2	2	2	2	2	2	1	6.0		6	6	6	6	6	6	6
25-34	5	2.6	7	1	1	1	4	7	7	7	5	4.0	12	1	1	3	7	9	9	9
35-54	10	4.6	17	1	1	3	10	11	11	11	2	4.5	25	1	1	4	8	8	8	8
55-74	7	3.6	6	1	1	3	4	8	9	9	12	3.8	2	2	2	3	5	6	7	7
75 +	6	4.3	29	1	1	3	3	14	15	15	8	3.3	4	1	1	3	5	6	7	7
ALL AGES	42	4.7	42	1	1	3	4	10	20	32	31	3.6	5	1	1	3	5	7	8	9
B. FEMALE																				
0-12 YRS.																				
13-17	9	9.1	197	1	1	2	14	33	43	43	6	1.5	1	1	1	1	2	3	3	3
18-20	6	1.7	1	1	1	1	3	3	3	3	2	1.0		1	1	1	1	1	1	1
21-24	9	3.0	8	1	1	2	5	8	8	8	4	1.3		1	1	1	2	2	2	2
25-34	11	4.5	17	1	1	3	6	10	15	15	5	2.4	3	1	1	2	3	5	5	5
35-54	13	3.3	8	1	1	2	5	8	9	9	5	1.0		1	1	1	1	1	1	1
55-74	5	6.0	22	2	2	4	8	14	14	14	10	2.9	4	1	1	2	4	6	7	7
75 +	15	8.8	119	1	2	4	11	31	35	37	11	6.4	17	3	3	5	8	14	15	15
ALL AGES	68	5.5	62	1	1	3	6	13	18	42	43	3.1	9	1	1	2	4	7	10	15
SUBTOTAL	**110**	**5.2**	**54**	**1**	**1**	**3**	**6**	**13**	**17**	**39**	**74**	**3.3**	**8**	**1**	**1**	**3**	**5**	**7**	**8**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	11	4.2	28	1	1	2	5	11	18	19	2	1.0		1	1	1	1	1	1	1
18-20	10	2.8	8	1	1	2	3	7	10	10	10	7.6	292	1	1	1	5	31	56	56
21-24	15	2.6	6	1	1	2	3	8	8	8	7	4.7	27	1	1	2	8	13	14	14
25-34	45	2.2	5	1	1	1	3	5	7	11	25	2.8	4	1	1	2	4	6	6	7
35-54	34	4.3	28	1	1	2	4	16	16	18	11	3.9	17	1	1	3	4	9	15	16
55-74	14	5.5	62	1	1	3	6	10	27	32	7	6.6	6	5	5	5	8	11	11	11
75 +	2	3.5	5	2	2	3	5	5	5	5	4	2.8	3	1	1	2	4	5	5	5
ALL AGES	131	3.4	19	1	1	2	4	7	15	21	67	4.2	51	1	1	2	5	7	11	49
B. FEMALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1										
13-17	14	7.9	109	1	1	3	10	24	34	37	5	1.4		1	1	1	2	2	2	2
18-20	13	1.6	2	1	1	1	2	4	5	5	9	2.3	4	1	1	1	3	6	7	7
21-24	20	3.6	12	1	1	2	4	9	12	14	5	1.8	2	1	1	1	2	4	4	4
25-34	43	7.8	188	1	1	4	7	10	42	76	13	3.5	7	1	1	3	5	7	9	9
35-54	36	9.1	196	1	1	3	7	37	44	50	22	3.9	16	1	1	3	5	9	14	17
55-74	6	5.2	3	2	2	5	7	7	7	7	5	2.8	3	1	1	2	4	5	5	5
75 +	8	6.0	29	1	1	4	8	15	17	17	2	7.0	2	6	6	7	8	8	8	8
ALL AGES	142	6.7	124	1	1	3	7	13	37	52	61	3.2	9	1	1	2	4	7	8	16
SUBTOTAL	**273**	**5.1**	**77**	**1**	**1**	**2**	**5**	**10**	**18**	**45**	**128**	**3.7**	**31**	**1**	**1**	**2**	**5**	**7**	**10**	**26**
GRAND TOTAL	**383**	**5.1**	**70**	**1**	**1**	**2**	**5**	**10**	**18**	**44**	**202**	**3.6**	**22**	**1**	**1**	**2**	**5**	**7**	**9**	**16**

PARANOID PERSONALITY (301.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	11.0		11	11	11	11	11	11	11										
35-54	4	3.3	10	1	1	2	5	8	8	8	1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	5	4.8	20	1	1	2	9	11	11	11	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	17.0		17	17	17	17	17	17	17										
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	2	11.0	72	5	5	11	17	17	17	17										
SUBTOTAL	**7**	**6.6**	**34**	**1**	**1**	**5**	**10**	**16**	**17**	**17**	1	4.0		4	4	4	4	4	4	4
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	3.0		3	3	3	3	3	3	3										
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	1	7.0		7	7	7	7	7	7	7										
35-54	2	10.0		10	10	10	10	10	10	10	1	5.0		5	5	5	5	5	5	5
55-74	1	6.0		6	6	6	6	6	6	6										
75 +																				
ALL AGES	6	6.5	10	3	3	6	10	10	10	10	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	3	6.3	15	2	2	8	9	9	9	9										
SUBTOTAL	**9**	**6.4**	**10**	**2**	**2**	**7**	**9**	**10**	**10**	**10**	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**16**	**6.5**	**19**	**1**	**2**	**6**	**9**	**11**	**15**	**17**	2	4.5	1	4	4	4	5	5	5	5

AFFECTIVE PERSONALITY (301.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-20																				
21-24																				
25-34	2	13.5	41	9	9	13	18	18	18	18										
35-54	4	11.0	89	1	1	11	19	20	20	20	1	6.0		6	6	6	6	6	6	6
55-74	2	18.0	18	15	15	18	21	21	21	21										
75 +																				
ALL AGES	9	13.0	50	1	3	15	19	21	21	21	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7										
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	4	18.5	79	6	6	20	24	27	27	27	2	10.0	32	6	6	10	14	14	14	14
35-54																				
55-74	2	4.0	2	3	3	4	5	5	5	5										
75 +																				
ALL AGES	8	11.3	95	1	2	6	20	25	27	27	2	10.0	32	6	6	10	14	14	14	14
SUBTOTAL	**17**	**12.2**	**68**	**1**	**2**	**10**	**20**	**21**	**25**	**27**	**3**	**8.7**	**20**	**6**	**6**	**6**	**12**	**14**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	24.5	1105	1	1	24	48	48	48	48										
21-24																				
25-34	4	1.8	1	1	1	2	2	3	3	3	2	2.5	1	2	2	2	3	3	3	3
35-54	5	5.2	5	2	2	6	7	8	8	8	1	4.0		4	4	4	4	4	4	4
55-74											1	5.0		5	5	5	5	5	5	5
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	12	7.7	170	1	1	3	7	21	44	48	4	3.5	2	2	2	3	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	2	27.0	1058	4	4	27	50	50	50	50										
18-20	1	7.0		7	7	7	7	7	7	7										
21-24	3	21.0	97	10	10	24	28	29	29	29										
25-34	6	15.8	349	1	1	9	24	47	50	50	4	11.3	179	1	1	7	21	30	30	30
35-54	5	8.0	22	2	2	9	11	14	14	14	1	20.0		20	20	20	20	20	20	20
55-74	4	7.8	16	4	4	7	11	13	13	13										
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	22	13.9	190	1	2	9	15	35	50	50	5	13.0	151	1	1	12	22	30	30	30
SUBTOTAL	**34**	**11.7**	**187**	**1**	**1**	**7**	**13**	**31**	**49**	**50**	**9**	**8.8**	**101**	**1**	**1**	**4**	**14**	**26**	**30**	**30**
GRAND TOTAL	**51**	**11.8**	**147**	**1**	**1**	**8**	**17**	**25**	**47**	**50**	**12**	**8.8**	**77**	**1**	**2**	**5**	**13**	**23**	**29**	**30**

SCHIZOID PERSONALITY (301.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	35.5	61	30	30	35	41	41	41	41										
18-20	1	10.0		10	10	10	10	10	10	10										
21-24	3	4.3	10	1	1	5	6	7	7	7	1	17.0		17	17	17	17	17	17	17
25-34	3	9.3	27	5	5	8	13	15	15	15										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	10	12.5	169	1	2	7	15	35	41	41	1	17.0		17	17	17	17	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	3	9.3	41	2	2	13	13	13	13	13										
25-34	1	13.0		13	13	13	13	13	13	13	1	4.0		4	4	4	4	4	4	4
35-54	3	7.0	52	1	1	5	12	15	15	15										
55-74	1	12.0		12	12	12	12	12	12	12										
75 +																				
ALL AGES	8	9.3	31	1	1	12	13	14	15	15	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**18**	**11.1**	**104**	**1**	**1**	**9**	**13**	**26**	**37**	**41**	**2**	**10.5**	**85**	**4**	**4**	**10**	**17**	**17**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	27.0	777	4	4	20	49	63	63	63										
18-20																				
21-24	3	8.0	31	3	3	7	12	14	14	14										
25-34	8	11.0	197	2	3	6	10	35	45	45	1	23.0		23	23	23	23	23	23	23
35-54	3	13.7	133	6	6	8	22	27	27	27										
55-74																				
75 +																				
ALL AGES	18	14.5	288	2	3	7	14	42	56	63	1	23.0		23	23	23	23	23	23	23
B. FEMALE																				
0-12 YRS.																				
13-17	1	30.0		30	30	30	30	30	30	30	1	6.0		6	6	6	6	6	6	6
18-20																				
21-24																				
25-34	3	8.0	19	5	5	6	11	13	13	13										
35-54	1	2.0		2	2	2	2	2	2	2										
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	6	10.0	110	2	2	5	13	28	30	30	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**24**	**13.4**	**240**	**2**	**3**	**6**	**13**	**36**	**50**	**63**	**2**	**14.5**	**145**	**6**	**6**	**14**	**23**	**23**	**23**	**23**
GRAND TOTAL	**42**	**12.4**	**179**	**1**	**2**	**7**	**13**	**32**	**43**	**63**	**4**	**12.5**	**82**	**4**	**4**	**11**	**20**	**23**	**23**	**23**

EXPLOSIVE PERSONALITY (301.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	7.7	80	2	2	3	14	18	18	18										
35-54	5	5.2	10	2	2	6	7	9	9	9										
55-74											1	7.0		7	7	7	7	7	7	7
75 +	2	6.0	32	2	2	6	10	10	10	10										
ALL AGES	10	6.1	27	2	2	4	9	14	18	18	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17																				
18-20	2	18.0	338	5	5	18	31	31	31	31										
21-24																				
25-34																				
35-54																				
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	3	13.0	244	3	3	5	24	31	31	31	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**13**	**7.7**	**70**	**2**	**2**	**5**	**9**	**21**	**29**	**31**	**2**	**4.5**	**13**	**2**	**2**	**4**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	19.2	350	3	3	17	29	49	49	49										
18-20	1	16.0		16	16	16	16	16	16	16										
21-24																				
25-34	6	11.8	87	1	1	14	19	22	22	22										
35-54	3	12.3	44	6	6	12	17	19	19	19										
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	16	14.4	140	1	1	14	19	23	41	49										
B. FEMALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12										
18-20	1	4.0		4	4	4	4	4	4	4										
21-24																				
25-34	1	12.0		12	12	12	12	12	12	12										
35-54											2	2.0	2	1	1	1	3	3	3	3
55-74																				
75 +																				
ALL AGES	3	9.3	22	4	4	12	12	12	12	12	2	2.0	2	1	1	1	3	3	3	3
SUBTOTAL	**19**	**13.6**	**122**	**1**	**2**	**12**	**19**	**23**	**37**	**49**	**2**	**2.0**	**2**	**1**	**1**	**3**	**76**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**32**	**11.2**	**107**	**1**	**2**	**9**	**17**	**22**	**30**	**49**	**4**	**3.3**	**6**	**1**	**1**	**3**	**30**	**99 +**	**99 +**	**99 +**

COMPULSIVE PERSONALITY (301.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	4.3	7	2	2	4	6	7	7	7										
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	5	6.4	26	2	2	4	9	15	15	15										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	41.0		41	41	41	41	41	41	41										
35-54	1	8.0		8	8	8	8	8	8	8										
55-74																				
75 +																				
ALL AGES	2	24.5	545	8	8	24	41	41	41	41										
SUBTOTAL	**7**	**11.6**	**186**	**2**	**2**	**7**	**13**	**36**	**41**	**41**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	11.0	98	4	4	11	18	18	18	18										
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	2	7.5	1	7	7	7	8	8	8	8										
55-74	2	7.0	18	4	4	7	10	10	10	10										
75 +																				
ALL AGES	7	7.9	25	4	4	7	9	16	18	18										
B. FEMALE																				
0-12 YRS.																				
13-17	1	21.0		21	21	21	21	21	21	21										
18-20																				
21-24																				
25-34	2	4.5	1	4	4	4	5	5	5	5										
35-54	1	11.0		11	11	11	11	11	11	11										
55-74	2	7.0	18	4	4	7	10	10	10	10	1	17.0		17	17	17	17	17	17	17
75 +																				
ALL AGES	6	9.2	42	4	4	7	11	20	21	21	1	17.0		17	17	17	17	17	17	17
SUBTOTAL	**13**	**8.5**	**30**	**4**	**4**	**7**	**10**	**19**	**21**	**21**	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**
GRAND TOTAL	**20**	**9.6**	**80**	**3**	**4**	**7**	**11**	**19**	**31**	**41**	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**

HISTRIONIC PERSONALITY (301.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14	1	4.0		4	4	4	4	4	4	4
13-17																				
18-20																				
21-24	1	5.0		5	5	5	5	5	5	5										
25-34	1	5.0		5	5	5	5	5	5	5	1	6.0		6	6	6	6	6	6	6
35-54	1	4.0		4	4	4	4	4	4	4	2	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	4	7.0	22	4	4	5	10	14	14	14	4	3.0	6	1	1	3	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9										
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1	1	7.0		7	7	7	7	7	7	7
25-34	1	4.0		4	4	4	4	4	4	4	2	2.0	2	1	1	2	3	3	3	3
35-54	3	2.0	1	1	1	2	3	3	3	3	1	1.0		1	1	1	1	1	1	1
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	7	3.6	8	1	1	3	5	8	9	9	4	3.0	8	1	1	2	5	7	7	7
SUBTOTAL	**11**	**4.8**	**15**	**1**	**1**	**4**	**5**	**11**	**14**	**14**	**8**	**3.0**	**6**	**1**	**1**	**2**	**5**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	3.0		3	3	3	3	3	3	3
25-34	3	4.3	18	1	1	3	7	9	9	9										
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	3	4.3	18	1	1	3	7	9	9	9	2	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	2	6.0	50	1	1	6	11	11	11	11										
18-20																				
21-24	1	10.0		10	10	10	10	10	10	10	1	1.0		1	1	1	1	1	1	1
25-34	6	6.8	100	1	1	3	5	25	27	27										
35-54	8	4.1	3	2	2	4	5	6	7	7	1	5.0		5	5	5	5	5	5	5
55-74	2	12.5	5	11	11	12	14	14	14	14	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	19	6.4	39	1	1	5	9	13	21	27	3	3.3	5	1	1	4	5	5	5	5
SUBTOTAL	**22**	**6.1**	**36**	**1**	**1**	**4**	**9**	**12**	**19**	**27**	**5**	**3.2**	**2**	**1**	**1**	**3**	**4**	**5**	**5**	**5**
GRAND TOTAL	**33**	**5.7**	**28**	**1**	**1**	**4**	**7**	**12**	**14**	**27**	**13**	**3.1**	**4**	**1**	**1**	**3**	**4**	**6**	**7**	**7**

DEPENDENT PERSONALITY (301.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	3	1.3		1	1	1	2	2	2	2										
55-74																				
75 +																				
ALL AGES	4	1.3		1	1	1	1	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2	1	12.0		12	12	12	12	12	12	12
35-54	3	5.3	6	4	4	4	7	8	8	8										
55-74																				
75 +																				
ALL AGES	4	4.5	6	2	2	4	6	8	8	8	1	12.0		12	12	12	12	12	12	12
SUBTOTAL	**8**	**2.9**	**6**	**1**	**1**	**2**	**4**	**7**	**8**	**8**	**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	4.5	1	4	4	4	5	5	5	5										
21-24	2	9.0		9	9	9	9	9	9	9	1	1.0		1	1	1	1	1	1	1
25-34	9	6.0	80	1	1	2	6	21	29	29										
35-54	6	8.3	109	1	1	5	7	27	29	29										
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	20	6.8	64	1	1	5	7	19	29	29	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	3.5	1	3	3	3	4	4	4	4										
21-24	2	11.0	32	7	7	11	15	15	15	15										
25-34	6	3.3	9	1	1	2	7	7	7	7	1	4.0		4	4	4	4	4	4	4
35-54	12	12.3	136	2	3	9	15	26	43	46	3	12.3	323	1	1	3	25	33	33	33
55-74											3	1.7		1	1	2	2	2	2	2
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	23	8.8	90	1	2	7	11	17	27	46	7	6.6	137	1	1	2	4	27	33	33
SUBTOTAL	**43**	**7.9**	**77**	**1**	**1**	**6**	**9**	**17**	**29**	**46**	**8**	**5.9**	**121**	**1**	**1**	**2**	**3**	**24**	**33**	**33**
GRAND TOTAL	**51**	**7.1**	**69**	**1**	**1**	**5**	**8**	**16**	**28**	**46**	**9**	**6.6**	**110**	**1**	**1**	**2**	**6**	**25**	**33**	**33**

ANTISOCIAL PERSONALITY (301.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-20	2	3.0	8	1	1	3	5	5	5	5										
21-24	3	1.3		1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
25-34	1	3.0		3	3	3	3	3	3	3	1	11.0		11	11	11	11	11	11	11
35-54	2	2.5	5	1	1	2	4	4	4	4	1	6.0		6	6	6	6	6	6	6
55-74																				
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	10	2.3	2	1	1	2	3	4	5	5	3	6.0	25	1	1	6	10	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	1	7.0		7	7	7	7	7	7	7										
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	3	12.3	179	1	1	9	22	27	27	27										
55-74																				
75 +																				
ALL AGES	6	7.7	101	1	1	4	9	25	27	27										
SUBTOTAL	**16**	**4.3**	**42**	**1**	**1**	**2**	**4**	**9**	**22**	**27**	**3**	**6.0**	**25**	**1**	**1**	**6**	**10**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	12.3	129	1	1	10	20	28	28	28										
18-20	7	4.0	10	1	1	4	7	8	8	8	1	1.0		1	1	1	1	1	1	1
21-24	3	1.3		1	1	1	2	2	2	2	1	3.0		3	3	3	3	3	3	3
25-34	14	5.2	51	1	1	2	4	14	24	27	1	4.0		4	4	4	4	4	4	4
35-54	9	3.9	9	1	1	3	6	8	10	10										
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	38	5.1	39	1	1	3	6	11	21	28	3	2.7	2	1	1	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-20	1	9.0		9	9	9	9	9	9	9										
21-24											1	3.0		3	3	3	3	3	3	3
25-34	3	5.3	27	1	1	4	9	11	11	11										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	6	5.2	17	1	1	4	9	11	11	11	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**44**	**5.1**	**36**	**1**	**1**	**3**	**7**	**11**	**17**	**28**	**4**	**2.8**	**1**	**1**	**1**	**3**	**4**	**4**	**4**	**4**
GRAND TOTAL	**60**	**4.9**	**37**	**1**	**1**	**3**	**6**	**10**	**20**	**28**	**7**	**4.1**	**13**	**1**	**1**	**3**	**5**	**10**	**11**	**11**

OTHER PERSONALITY DIS (301.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	43.5	1405	17	17	43	70	70	70	70										
18-20	4	2.5	4	1	1	2	4	5	5	5										
21-24	10	3.2	5	1	1	3	4	6	8	8	2	4.0	2	3	3	4	5	5	5	5
25-34	18	5.0	16	1	1	4	8	11	13	14	2	1.5	1	1	1	1	2	2	2	2
35-54	13	6.9	58	1	1	4	7	20	26	27	4	1.8		1	1	2	2	2	2	2
55-74	2	9.0	18	6	6	9	12	12	12	12										
75 +																				
ALL AGES	49	6.7	112	1	1	4	7	13	18	70	8	2.3	1	1	1	2	3	4	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	10	8.3	155	1	1	5	11	65	97	99 +	1	40.0		40	40	40	40	40	40	40
18-20	10	4.0	9	1	1	3	7	8	9	9	4	3.3	4	1	1	3	5	6	6	6
21-24	22	8.8	46	1	2	7	13	20	23	26	3	3.0	12	1	1	1	6	7	7	7
25-34	56	7.9	98	1	1	4	8	14	38	42	6	3.7	6	1	1	3	6	7	7	7
35-54	37	5.6	23	1	2	4	6	12	16	24	2	4.5	5	3	3	4	6	6	6	6
55-74																				
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	136	7.1	67	1	1	4	8	14	30	50	16	5.8	88	1	1	3	6	7	30	40
SUBTOTAL	**185**	**7.0**	**78**	**1**	**1**	**4**	**8**	**14**	**26**	**60**	**24**	**4.6**	**61**	**1**	**1**	**3**	**5**	**7**	**17**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	82.0		82	82	82	82	82	82	82										
13-17	14	26.1	455	3	5	21	33	55	72	77										
18-20	12	8.4	128	1	1	4	9	30	34	35	1	26.0		26	26	26	26	26	26	26
21-24	23	6.0	29	1	2	5	7	11	17	26	2	26.0	1250	1	1	25	51	51	51	51
25-34	61	6.2	35	1	1	4	7	14	21	26	7	6.1	19	1	1	8	10	11	11	11
35-54	31	5.8	40	1	1	3	8	14	17	30	3	6.0	19	1	1	8	9	9	9	9
55-74	2	13.0	162	4	4	13	22	22	22	22										
75 +	1	6.0		6	6	6	6	6	6	6	1	6.0		6	6	6	6	6	6	6
ALL AGES	145	8.8	152	1	1	4	10	22	28	77	14	10.4	179	1	1	8	10	28	46	51
B. FEMALE																				
0-12 YRS.																				
13-17	9	20.8	903	1	1	7	24	75	87	87	2	4.0	2	3	3	4	5	5	5	5
18-20	10	13.1	310	1	2	7	16	39	61	61	1	6.0		6	6	6	6	6	6	6
21-24	41	10.9	147	1	2	7	14	27	30	65	3	3.3	5	1	1	4	5	5	5	5
25-34	99	9.7	153	1	1	5	12	22	32	70	12	6.2	36	1	1	4	7	18	20	20
35-54	51	11.1	109	1	1	7	14	24	35	79	8	6.9	7	2	3	7	8	10	11	11
55-74	2	7.0	2	6	6	7	8	8	8	8	1	1.0		1	1	1	1	1	1	1
75 +	1	7.0		7	7	7	7	7	7	7	1	8.0		8	8	8	8	8	8	8
ALL AGES	213	10.8	199	1	1	6	13	24	36	81	28	5.8	19	1	1	5	7	10	17	20
SUBTOTAL	**358**	**10.0**	**180**	**1**	**1**	**5**	**11**	**22**	**33**	**79**	**42**	**7.3**	**75**	**1**	**1**	**6**	**8**	**13**	**22**	**51**
GRAND TOTAL	**543**	**9.0**	**147**	**1**	**1**	**5**	**10**	**21**	**31**	**77**	**66**	**6.3**	**71**	**1**	**1**	**4**	**7**	**11**	**21**	**49**

PERSONALITY DISORDER NOS (301.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS									HOSPITALS WITHOUT PSY. UNIT/BEDS								
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	40.0	648	22	22	40	58	58	58	58	1	5.0		5	5	5	5	5	5	5
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	5	4.4	29	1	1	2	6	14	14	14	1	2.0		2	2	2	2	2	2	2
25-34	10	3.7	4	1	1	3	5	7	8	8	1	2.0		2	2	2	2	2	2	2
35-54	8	4.0	11	1	1	3	5	9	11	11	1	1.0		1	1	1	1	1	1	1
55-74	2	7.0	18	4	4	7	10	10	10	10										
75 +	2	4.0	8	2	2	4	6	6	6	6										
ALL AGES	30	6.5	115	1	1	3	6	12	22	58	4	2.5	3	1	1	2	4	5	5	5
B. FEMALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17	3	12.0	1	11	11	12	13	13	13	13										
18-20	2	3.5	1	3	3	3	4	4	4	4										
21-24	2	3.0	8	1	1	3	5	5	5	5	1	1.0		1	1	1	1	1	1	1
25-34	11	3.3	15	1	1	1	4	10	13	13										
35-54	10	12.3	690	1	1	3	5	51	86	86	2	3.5	5	2	2	3	5	5	5	5
55-74	2	14.5	313	2	2	14	27	27	27	27	1	9.0		9	9	9	9	9	9	9
75 +	1	1.0		1	1	1	1	1	1	1	1	6.0		6	6	6	6	6	6	6
ALL AGES	32	7.6	239	1	1	3	7	14	26	86	5	4.6	10	1	1	5	7	9	9	9
SUBTOTAL	**62**	**7.1**	**176**	**1**	**1**	**3**	**6**	**13**	**24**	**83**	**9**	**3.7**	**7**	**1**	**1**	**2**	**5**	**8**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	21.5	365	8	8	21	35	35	35	35										
13-17	4	5.0	24	1	1	4	9	11	11	11	1	3.0		3	3	3	3	3	3	3
18-20	3	3.3	11	1	1	2	6	7	7	7										
21-24	7	2.3	4	1	1	1	3	6	6	6	1	2.0		2	2	2	2	2	2	2
25-34	22	3.5	14	1	1	2	5	8	14	15	3	1.3		1	1	1	2	2	2	2
35-54	10	7.5	91	1	1	3	8	25	27	27	1	11.0		11	11	11	11	11	11	11
55-74	3	15.3	88	5	5	18	22	23	23	23	2	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	51	5.6	56	1	1	3	6	16	23	35	8	2.8	11	1	1	1	3	9	11	11
B. FEMALE																				
0-12 YRS.																				
13-17	4	5.3	6	3	3	4	7	9	9	9										
18-20	2	9.0	32	5	5	9	13	13	13	13	1	3.0		3	3	3	3	3	3	3
21-24	3	2.7		2	2	3	3	3	3	3										
25-34	20	6.6	156	1	1	3	6	8	34	59	1	2.0		2	2	2	2	2	2	2
35-54	16	8.3	46	2	3	6	10	22	23	23	2	6.5	1	6	6	6	7	7	7	7
55-74	3	5.0	13	1	1	6	7	8	8	8	2	5.5	1	5	5	5	6	6	6	6
75 +	1	18.0		18	18	18	18	18	18	18	1	7.0		7	7	7	7	7	7	7
ALL AGES	49	7.0	83	1	2	5	7	15	23	59	7	5.1	4	2	2	6	7	7	7	7
SUBTOTAL	**100**	**6.3**	**69**	**1**	**1**	**4**	**7**	**16**	**23**	**47**	**15**	**3.9**	**9**	**1**	**1**	**3**	**6**	**7**	**10**	**11**
GRAND TOTAL	**162**	**6.6**	**109**	**1**	**1**	**3**	**6**	**14**	**23**	**59**	**24**	**3.8**	**8**	**1**	**1**	**3**	**6**	**7**	**10**	**11**

HOMOSEXUALITY (302.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	2.0		2	2	2	2	2	2	2										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	1.0		1	1	1	1	1	1	1
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1

PEDOPHILIA (302.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	14.0	98	7	7	14	21	21	21	21										
25-34											2	6.5	25	3	3	6	10	10	10	10
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	2	14.0	98	7	7	14	21	21	21	21	3	4.7	22	1	1	3	8	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**14.0**	**98**	**7**	**7**	**14**	**21**	**21**	**21**	**21**	**3**	**4.7**	**22**	**1**	**1**	**3**	**8**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14										
18-20																				
21-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54																				
55-74											1	3.0		3	3	3	3	3	3	3
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	1	14.0		14	14	14	14	14	14	14	3	4.3	11	2	2	3	7	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
SUBTOTAL	**2**	**10.0**	**32**	**6**	**6**	**10**	**14**	**14**	**14**	**14**	**3**	**4.3**	**11**	**2**	**2**	**3**	**7**	**8**	**8**	**8**
GRAND TOTAL	**4**	**12.0**	**49**	**6**	**6**	**10**	**17**	**21**	**21**	**21**	**6**	**4.5**	**13**	**1**	**1**	**3**	**8**	**10**	**10**	**10**

TRANSVESTISM (302.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	1.0		1	1	1	1	1	1	1										
GRAND TOTAL	1	1.0		1	1	1	1	1	1	1										

EXHIBITIONISM (302.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	1	1.0		1	1	1	1	1	1	1										
GRAND TOTAL	1	1.0		1	1	1	1	1	1	1										

TRANS-SEXUALISM (302.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											3	5.7	10	2	2	7	8	8	8	8
25-34											2	3.5	5	2	2	3	5	5	5	5
35-54	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	7	4.1	7	2	2	3	6	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	9.0		9	9	9	9	9	9	9
21-24											10	7.5	7	2	2	9	9	9	9	9
25-34	1	5.0		5	5	5	5	5	5	5	69	8.3	5	2	3	9	9	10	10	11
35-54	2	6.5	5	5	5	6	8	8	8	8	49	8.2	7	2	3	9	9	9	10	14
55-74											4	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	3	6.0	3	5	5	5	7	8	8	8	133	8.2	6	2	3	9	9	9	10	12
SUBTOTAL	**4**	**4.8**	**8**	**1**	**1**	**5**	**7**	**8**	**8**	**8**	**140**	**8.0**	**7**	**2**	**3**	**9**	**9**	**9**	**10**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**4**	**4.8**	**8**	**1**	**1**	**5**	**7**	**8**	**8**	**8**	**140**	**8.0**	**7**	**2**	**3**	**9**	**9**	**9**	**10**	**12**

PSYCHOSEX IDENTITY DIS (302.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	33.0		33	33	33	33	33	33	33										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	33.0		33	33	33	33	33	33	33										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	33.0		33	33	33	33	33	33	33										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	33.0		33	33	33	33	33	33	33										

PSYCHOSEXUAL DYSFUNCTION (302.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	6	2.0	1	1	1	2	2	4	4	4	13	2.2	2	1	1	2	3	4	6	6
55-74	6	2.0	2	1	1	2	3	4	4	4	17	2.5	2	1	1	2	3	5	6	6
75 +																				
ALL AGES	12	2.0	1	1	1	2	3	4	4	4	30	2.4	2	1	1	2	3	4	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	13	2.0	1	1	1	2	3	4	4	4	30	2.4	2	1	1	2	3	4	6	6
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	13	2.0	1	1	1	2	3	4	4	4	30	2.4	2	1	1	2	3	4	6	6

PSYCHOSEXUAL DIS NEC (302.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	50.0		50	50	50	50	50	50	50										
13-17																				
18-20																				
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	1	14.0		14	14	14	14	14	14	14										
55-74																				
75 +																				
ALL AGES	3	23.0	567	5	5	14	41	50	50	50										
SUBTOTAL	**3**	**23.0**	**567**	**5**	**5**	**14**	**41**	**50**	**50**	**50**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	24.0		24	24	24	24	24	24	24
21-24																				
25-34	2	8.5	13	6	6	8	11	11	11	11										
35-54																				
55-74											1	14.0		14	14	14	14	14	14	14
75 +																				
ALL AGES	2	8.5	13	6	6	8	11	11	11	11	2	19.0	50	14	14	19	24	24	24	24
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**8.5**	**13**	**6**	**6**	**8**	**11**	**11**	**11**	**11**	**2**	**19.0**	**50**	**14**	**14**	**19**	**24**	**24**	**24**	**24**
GRAND TOTAL	**5**	**17.2**	**350**	**5**	**5**	**11**	**23**	**50**	**50**	**50**	**2**	**19.0**	**50**	**14**	**14**	**19**	**24**	**24**	**24**	**24**

PSYCHOSEXUAL DIS NOS (302.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	1.0		1	1	1	1	1	1	1
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											1	1.0		1	1	1	1	1	1	1

AC ALCOHOL INTOXICATION (303.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	10	1.6	1	1	1	1	2	3	4	4	14	1.2		1	1	1	1	2	3	3
18-20	4	1.3		1	1	1	2	2	2	2	3	1.0		1	1	1	1	1	1	1
21-24	17	5.4	72	1	1	2	4	23	28	28	3	1.0		1	1	1	1	1	1	1
25-34	72	3.6	23	1	1	2	4	7	12	26	41	5.0	53	1	1	2	4	15	25	30
35-54	177	4.8	42	1	1	3	5	10	22	28	128	5.8	68	1	1	3	5	19	29	37
55-74	87	5.1	35	1	1	3	5	11	21	33	81	6.3	71	1	1	3	5	22	29	34
75 +	11	5.3	27	1	1	3	6	14	18	18	5	6.4	68	1	1	3	8	21	21	21
ALL AGES	379	4.6	36	1	1	3	4	9	21	28	275	5.5	62	1	1	3	4	20	28	34
B. FEMALE																				
0-12 YRS.																				
13-17	12	2.3	4	1	1	1	3	6	7	7	2	1.0		1	1	1	1	1	1	1
18-20	4	1.3		1	1	1	1	2	2	2	1	1.0		1	1	1	1	1	1	1
21-24	4	2.3	2	1	1	2	3	4	4	4	2	1.0		1	1	1	1	1	1	1
25-34	20	4.0	26	1	1	2	4	10	16	22	13	3.5	39	1	1	2	3	8	21	24
35-54	59	4.1	31	1	1	2	4	10	17	29	43	5.3	63	1	1	2	4	23	26	31
55-74	30	4.3	14	1	1	3	6	7	10	21	25	3.8	19	1	1	3	4	6	11	23
75 +	8	10.9	221	1	1	4	16	37	43	43										
ALL AGES	137	4.2	35	1	1	2	4	9	18	32	86	4.3	44	1	1	2	4	8	24	30
SUBTOTAL	**516**	**4.5**	**36**	**1**	**1**	**3**	**4**	**9**	**21**	**28**	**361**	**5.2**	**58**	**1**	**1**	**3**	**4**	**15**	**27**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	8	14.6	314	1	1	3	32	39	42	42	27	23.3	299	1	1	27	34	39	60	61
18-20	12	10.2	153	1	1	3	22	30	32	32	13	17.4	269	1	1	18	28	40	48	50
21-24	34	6.5	98	1	1	2	6	29	29	31	47	13.7	127	1	1	14	21	30	35	40
25-34	158	8.1	105	1	1	3	8	29	29	31	253	11.8	97	1	2	8	21	28	30	33
35-54	298	8.2	90	1	1	4	9	29	30	32	455	11.1	105	1	2	5	21	28	30	33
55-74	158	7.9	66	1	2	4	10	21	28	31	209	9.0	93	1	2	4	11	23	28	42
75 +	14	8.4	67	1	1	6	11	18	29	32	30	8.1	46	2	2	6	11	19	21	29
ALL AGES	682	8.1	91	1	1	4	9	28	30	32	1034	11.3	112	1	2	6	21	28	30	38
B. FEMALE																				
0-12 YRS.																				
13-17	14	15.6	757	1	1	3	7	69	80	83	13	42.0	397	5	23	43	49	75	77	77
18-20	12	7.7	126	1	1	2	9	29	33	34	10	16.4	116	1	1	20	24	28	29	29
21-24	14	5.5	51	1	1	4	6	11	25	29	21	14.8	133	1	2	14	23	31	32	33
25-34	73	10.1	139	1	1	4	15	30	30	53	114	12.5	109	1	1	9	21	28	30	36
35-54	146	6.2	57	1	1	3	6	15	28	30	137	12.1	140	1	2	6	21	30	32	46
55-74	65	9.1	87	2	2	5	11	26	30	34	105	9.9	142	1	2	5	14	25	29	61
75 +	9	8.4	18	4	4	8	11	15	16	16	5	9.8	25	5	5	9	12	18	18	18
ALL AGES	333	8.1	113	1	1	4	9	27	30	45	405	12.8	167	1	2	6	21	30	34	52
SUBTOTAL	**1015**	**8.1**	**98**	**1**	**1**	**4**	**9**	**28**	**30**	**33**	**1439**	**11.7**	**128**	**1**	**2**	**6**	**21**	**29**	**31**	**43**
GRAND TOTAL	**1531**	**6.9**	**80**	**1**	**1**	**3**	**7**	**23**	**29**	**32**	**1800**	**10.4**	**121**	**1**	**1**	**5**	**19**	**28**	**30**	**40**

ALCOHOL DEPEND NEC/NOS (303.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	11.5	181	2	2	11	21	21	21	21										
13-17	14	24.0	408	1	1	27	44	45	45	45	7	26.9	308	1	3	28	31	53	59	59
18-20	13	15.4	143	1	1	22	26	28	28	28	26	22.0	136	3	4	23	28	39	44	49
21-24	35	19.6	113	1	2	23	28	30	30	30	43	20.9	141	1	2	23	29	38	40	43
25-34	235	17.5	128	1	2	21	28	30	32	35	321	15.7	126	2	2	18	27	30	31	35
35-54	575	15.6	120	1	2	19	26	28	30	35	643	14.6	126	1	2	15	25	29	30	35
55-74	329	15.7	105	2	3	19	24	28	30	33	329	14.9	122	2	2	17	23	30	31	38
75 +	14	12.2	175	1	1	5	21	30	42	45	25	14.6	112	2	3	10	25	28	30	34
ALL AGES	1217	16.1	124	1	2	20	27	29	31	37	1394	15.3	129	2	2	17	25	29	31	39
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	9	36.9	174	12	16	45	45	46	47	47	7	12.0	113	2	2	10	19	28	30	30
18-20	5	20.4	172	3	3	27	30	33	33	33	1	31.0		31	31	31	31	31	31	31
21-24	13	17.6	175	2	3	20	28	33	37	38	15	19.8	141	1	2	23	29	32	33	33
25-34	93	16.8	118	2	2	21	27	29	30	32	110	16.7	144	1	2	20	28	30	34	40
35-54	212	16.5	127	1	2	21	27	30	31	38	220	16.6	140	2	2	21	27	30	32	37
55-74	113	16.3	99	2	3	21	25	29	30	32	159	15.6	128	2	3	14	26	30	31	40
75 +	10	15.5	91	2	4	18	21	27	33	33	14	13.2	115	2	2	9	21	28	30	31
ALL AGES	455	17.0	126	2	2	21	27	30	31	45	527	16.2	138	2	2	20	27	30	32	38
SUBTOTAL	**1672**	**16.4**	**123**	**1**	**2**	**20**	**27**	**29**	**31**	**41**	**1921**	**15.6**	**130**	**2**	**2**	**18**	**26**	**30**	**31**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	29.0		29	29	29	29	29	29	29										
13-17	102	32.5	245	6	10	34	45	48	60	88	69	33.7	316	3	10	35	43	59	62	83
18-20	40	24.8	277	2	3	27	32	43	45	90	63	21.2	109	2	4	25	29	30	33	45
21-24	101	21.3	134	2	3	25	28	31	36	56	94	21.3	99	3	4	23	28	30	33	44
25-34	459	18.6	121	1	2	21	28	30	32	35	476	18.4	121	2	3	21	28	30	33	40
35-54	486	15.1	129	1	2	12	27	30	32	37	406	17.3	150	2	2	20	28	30	33	41
55-74	172	13.2	98	1	3	10	21	28	30	39	188	14.3	136	2	2	9	25	31	33	41
75 +	15	16.2	136	2	4	14	24	30	37	40	19	10.1	72	1	2	6	17	23	27	28
ALL AGES	1376	18.1	158	1	2	21	28	32	36	47	1315	18.5	156	2	3	21	28	31	36	50
B. FEMALE																				
0-12 YRS.	3	23.0	444	3	3	21	39	45	45	45										
13-17	62	32.4	205	6	13	34	44	48	57	97	49	33.0	334	3	5	32	42	49	60	95
18-20	23	17.1	295	1	1	7	29	46	50	55	22	20.2	192	1	2	21	29	37	49	51
21-24	33	20.8	131	1	1	25	28	33	35	35	26	25.6	58	6	18	27	29	33	36	39
25-34	140	16.3	135	1	2	19	28	30	32	35	148	18.5	144	1	2	23	28	30	32	43
35-54	184	15.4	137	1	2	12	27	31	33	42	155	17.6	137	2	3	20	28	30	33	40
55-74	93	18.0	124	3	3	21	28	32	36	39	90	16.0	137	2	3	18	25	30	35	44
75 +	3	5.7	6	3	3	6	7	8	8	8	8	16.0	162	4	4	13	24	35	38	38
ALL AGES	544	18.4	175	1	2	21	29	34	41	55	498	19.6	179	2	3	22	29	33	42	50
SUBTOTAL	**1920**	**18.2**	**162**	**1**	**2**	**21**	**28**	**32**	**37**	**50**	**1813**	**18.8**	**162**	**2**	**3**	**21**	**28**	**32**	**37**	**50**
GRAND TOTAL	**3592**	**17.3**	**147**	**1**	**2**	**21**	**28**	**30**	**34**	**46**	**3734**	**17.1**	**150**	**2**	**2**	**20**	**28**	**30**	**34**	**46**

OPIOID TYPE DEPENDENCE (304.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	8	8	8	8	8										
18-20	2	14.5	181	5	5	14	24	24	24	24	2	5.5	1	5	5	5	6	6	6	6
21-24	7	5.1	22	1	1	4	6	13	15	15	4	5.3	6	3	3	5	7	8	8	8
25-34	48	8.5	84	1	2	5	8	26	29	33	51	10.5	110	2	2	5	19	28	31	39
35-54	39	11.8	93	1	2	7	21	27	28	31	32	10.1	99	2	2	6	13	29	30	31
55-74	4	5.0	10	1	1	5	7	8	8	8	4	5.0	13	1	1	5	8	8	8	8
75 +																				
ALL AGES	101	9.5	84	1	2	6	12	26	28	32	93	9.8	96	2	2	5	11	29	30	37
B. FEMALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-20	1	5.0		5	5	5	5	5	5	5	1	31.0		31	31	31	31	31	31	31
21-24	8	12.1	176	2	2	6	21	34	35	35	3	4.3	2	3	3	5	5	5	5	5
25-34	35	9.7	95	1	2	6	10	28	28	41	37	13.3	150	1	2	6	26	30	36	41
35-54	14	11.6	120	3	4	7	15	28	39	42	13	15.2	118	1	3	13	26	28	31	32
55-74	1	4.0		4	4	4	4	4	4	4	6	19.3	206	6	6	15	31	40	41	41
75 +	1	4.0		4	4	4	4	4	4	4	2	15.5	61	10	10	15	21	21	21	21
ALL AGES	61	10.1	104	1	3	6	12	28	33	42	62	14.2	142	2	3	7	26	31	35	41
SUBTOTAL	**162**	**9.8**	**89**	**1**	**2**	**6**	**11**	**27**	**29**	**40**	**155**	**11.6**	**118**	**2**	**2**	**6**	**21**	**29**	**31**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2	3	16.3	116	4	4	22	23	23	23	23
18-20	5	15.2	140	5	5	8	27	30	30	30	4	10.5	138	3	3	5	17	28	28	28
21-24	10	9.4	95	1	1	5	16	26	27	27	11	10.3	120	1	2	5	19	29	31	31
25-34	95	12.2	135	2	3	7	21	29	34	46	86	13.6	142	2	2	7	25	31	33	46
35-54	67	11.7	110	2	3	7	18	29	30	45	73	13.1	167	1	3	7	21	29	31	69
55-74	3	9.3	58	4	4	6	15	18	18	18	5	10.8	184	4	4	5	13	35	35	35
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	181	11.9	119	2	3	7	18	29	31	46	183	13.0	149	1	3	6	24	30	32	46
B. FEMALE																				
0-12 YRS.																				
13-17											1	68.0		68	68	68	68	68	68	68
18-20	5	6.2	12	2	2	5	9	11	11	11	7	13.3	188	3	3	7	20	37	40	40
21-24	15	7.7	56	1	3	6	8	21	27	29	9	14.7	155	1	1	10	27	29	30	30
25-34	94	9.4	77	2	2	6	11	28	29	38	45	16.2	179	1	2	11	28	33	36	45
35-54	42	8.7	88	2	3	6	7	23	30	47	24	16.2	124	2	2	17	26	29	32	38
55-74	9	12.9	86	3	3	12	21	26	28	28	8	11.9	67	3	3	10	18	24	26	26
75 +	2	13.0	128	5	5	13	21	21	21	21	3	6.3	6	5	5	5	8	9	9	9
ALL AGES	167	9.2	76	2	3	6	10	24	29	39	97	15.7	176	1	2	10	27	31	37	57
SUBTOTAL	**348**	**10.6**	**100**	**2**	**3**	**6**	**14**	**28**	**30**	**45**	**280**	**14.0**	**158**	**1**	**2**	**7**	**25**	**30**	**34**	**49**
GRAND TOTAL	**510**	**10.3**	**98**	**2**	**2**	**6**	**13**	**28**	**30**	**44**	**435**	**13.1**	**146**	**1**	**2**	**7**	**24**	**30**	**33**	**42**

BARBITURATE DEPENDENCE (304.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	21.0		21	21	21	21	21	21	21	3	26.0	108	14	14	32	32	32	32	32
35-54	3	13.0	193	4	4	6	23	29	29	29	3	3.7		3	3	4	4	4	4	4
55-74	1	1.0		1	1	1	1	1	1	1	3	32.3	8	30	30	33	34	34	34	34
75 +																				
ALL AGES	5	12.2	148	1	1	6	23	29	29	29	9	20.7	197	3	3	30	32	34	34	34
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	5.0		5	5	5	5	5	5	5
25-34	4	11.8	83	2	2	12	19	21	21	21	6	17.5	192	1	2	17	28	34	35	35
35-54	6	19.7	121	5	5	21	24	35	36	36	7	13.6	73	3	4	12	17	28	30	30
55-74	7	20.1	127	1	4	21	24	35	38	38	3	16.3	18	14	14	14	19	21	21	21
75 +	2	5.5	5	4	4	5	7	7	7	7	2	22.0	162	13	13	22	31	31	31	31
ALL AGES	19	16.7	116	1	3	19	23	32	37	38	19	15.7	102	2	4	14	25	31	33	35
SUBTOTAL	**24**	**15.8**	**119**	**1**	**2**	**18**	**23**	**30**	**37**	**38**	**28**	**17.3**	**132**	**3**	**3**	**14**	**30**	**33**	**34**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	46.0		46	46	46	46	46	46	46										
13-17																				
18-20																				
21-24	1	7.0		7	7	7	7	7	7	7										
25-34	6	7.0	64	1	1	4	6	21	23	23	4	13.8	200	2	2	10	25	32	32	32
35-54	7	15.9	181	1	1	11	29	32	32	32	8	10.5	128	1	2	5	17	30	32	32
55-74	8	24.9	54	19	19	21	29	37	40	40	4	10.0	129	4	4	5	16	27	27	27
75 +	3	3.3	5	1	1	4	5	5	5	5	3	18.0	49	10	10	21	22	23	23	23
ALL AGES	26	16.0	174	1	1	15	27	32	41	46	19	12.3	118	1	2	5	22	30	32	32
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	23.0		23	23	23	23	23	23	23										
21-24	2	21.0	98	14	14	21	28	28	28	28										
25-34	8	12.4	81	1	2	10	20	24	26	26	9	9.8	56	3	3	7	14	22	23	23
35-54	17	16.6	122	2	3	16	27	30	35	38	29	17.8	122	4	5	21	28	30	32	34
55-74	18	22.5	94	4	9	22	28	33	41	45	15	25.9	114	3	8	27	32	39	42	43
75 +	1	7.0		7	7	7	7	7	7	7	2	14.0	128	6	6	14	22	22	22	22
ALL AGES	47	18.3	108	2	3	20	26	30	35	45	55	18.5	134	3	4	21	28	32	36	43
SUBTOTAL	**73**	**17.4**	**133**	**1**	**3**	**19**	**26**	**31**	**37**	**46**	**74**	**16.9**	**136**	**2**	**4**	**21**	**27**	**32**	**34**	**42**
GRAND TOTAL	**97**	**17.0**	**129**	**1**	**2**	**19**	**25**	**31**	**37**	**46**	**102**	**17.0**	**134**	**2**	**4**	**16**	**28**	**32**	**34**	**41**

COCAINE DEPENDENCE (304.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	44.0		44	44	44	44	44	44	44	3	17.7	607	1	1	6	36	46	46	46
18-20	9	22.2	129	2	3	28	29	31	31	31	17	15.4	103	1	2	18	22	29	30	31
21-24	18	20.4	106	2	4	24	28	31	34	36	44	15.9	108	1	2	19	25	28	29	33
25-34	69	18.3	108	1	2	21	28	29	29	30	95	17.5	126	2	2	21	28	30	32	40
35-54	29	16.1	120	1	2	20	26	29	30	35	28	19.5	118	1	2	24	28	29	30	31
55-74	1	29.0		29	29	29	29	29	29	29										
75 +																				
ALL AGES	127	18.7	114	1	2	21	28	29	30	38	187	17.2	124	1	2	21	27	29	31	41
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											8	18.9	76	2	6	20	25	28	29	29
21-24	26	17.2	143	1	2	21	28	29	32	37	22	19.2	92	4	5	22	28	29	30	30
25-34	30	13.8	124	1	1	9	26	30	31	33	40	12.8	147	1	2	6	25	30	33	42
35-54	7	13.9	175	1	1	5	28	28	28	28	7	10.6	129	2	2	3	19	28	30	30
55-74																				
75 +																				
ALL AGES	63	15.2	136	1	2	14	28	29	31	36	77	15.1	128	2	2	14	26	29	30	40
SUBTOTAL	**190**	**17.5**	**125**	**1**	**2**	**21**	**28**	**29**	**31**	**37**	**264**	**16.6**	**125**	**1**	**2**	**20**	**27**	**29**	**31**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	43.2	657	22	22	39	52	87	87	87	19	33.4	258	10	15	31	37	54	70	79
18-20	22	23.3	127	5	6	25	30	36	39	44	36	22.6	116	2	3	25	29	30	36	48
21-24	51	19.7	106	1	3	22	27	31	33	39	72	20.9	81	3	5	22	28	31	34	34
25-34	154	20.1	109	2	3	22	29	30	33	37	212	17.7	111	2	3	21	27	30	31	36
35-54	60	20.6	94	2	4	24	29	30	31	35	45	18.5	126	2	3	20	28	30	33	43
55-74											2	16.0	288	4	4	16	28	28	28	28
75 +																				
ALL AGES	292	20.8	121	2	3	23	29	31	34	41	386	19.6	127	2	3	22	28	31	34	44
B. FEMALE																				
0-12 YRS.																				
13-17	7	20.9	256	1	3	16	36	43	44	44	6	30.5	133	12	14	30	34	47	48	48
18-20	11	26.1	130	5	13	27	36	62	95	99 +	16	22.9	130	2	3	27	30	34	38	39
21-24	15	19.1	192	1	2	26	32	34	34	34	33	19.2	103	1	2	23	28	28	28	29
25-34	55	14.3	107	2	2	14	23	28	30	32	66	16.8	121	2	3	19	26	30	33	37
35-54	13	19.1	75	2	6	21	27	28	30	30	6	16.8	194	3	3	16	28	32	33	33
55-74	1	30.0		30	30	30	30	30	30	30										
75 +																				
ALL AGES	102	17.5	137	2	3	21	28	32	37	71	127	18.8	130	2	3	22	28	31	34	41
SUBTOTAL	**394**	**19.9**	**129**	**2**	**3**	**22**	**28**	**31**	**34**	**44**	**513**	**19.4**	**127**	**2**	**3**	**22**	**28**	**31**	**34**	**44**
GRAND TOTAL	**584**	**19.2**	**126**	**2**	**3**	**21**	**28**	**30**	**33**	**43**	**777**	**18.5**	**126**	**2**	**3**	**21**	**28**	**30**	**33**	**43**

CANNABIS DEPENDENCE (304.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	9	37.6	68	24	27	36	45	49	51	51	11	19.7	276	1	2	18	29	41	57	58
18-20	3	15.3	82	5	5	20	21	21	21	21	5	8.8	124	1	1	2	16	27	27	27
21-24	6	14.3	97	3	3	16	22	25	25	25	7	24.6	98	4	8	28	30	34	35	35
25-34	11	23.3	62	3	13	23	29	30	31	31	7	21.6	173	3	3	28	30	35	36	36
35-54	4	27.3	9	22	22	28	29	30	30	30	1	20.0		20	20	20	20	20	20	20
55-74																				
75 +																				
ALL AGES	33	25.3	135	3	5	25	31	39	46	51	31	19.5	188	1	2	22	29	32	36	58
B. FEMALE																				
0-12 YRS.																				
13-17	4	42.5	81	35	35	41	50	53	53	53	1	23.0		23	23	23	23	23	23	23
18-20											1	24.0		24	24	24	24	24	24	24
21-24	2	9.0	18	6	6	9	12	12	12	12	1	2.0		2	2	2	2	2	2	2
25-34	1	3.0		3	3	3	3	3	3	3	2	18.5	421	4	4	18	33	33	33	33
35-54											2	30.0	128	22	22	30	38	38	38	38
55-74																				
75 +																				
ALL AGES	7	27.3	407	3	4	35	44	52	53	53	7	20.9	181	2	2	23	31	37	38	38
SUBTOTAL	**40**	**25.7**	**171**	**3**	**4**	**25**	**33**	**45**	**49**	**53**	**38**	**19.7**	**185**	**1**	**2**	**22**	**29**	**34**	**37**	**58**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	16.0	338	3	3	16	29	29	29	29										
13-17	105	32.8	237	5	12	35	44	49	56	72	77	35.8	245	12	18	36	44	59	73	99 +
18-20	14	29.1	596	3	8	27	31	56	89	99	13	19.5	144	2	3	21	26	50	89	99 +
21-24	8	25.1	64	7	12	27	30	32	32	32	13	25.2	138	3	5	28	33	37	43	44
25-34	28	17.8	138	1	2	21	27	31	34	35	20	20.5	59	3	5	21	26	29	29	29
35-54	8	18.5	92	3	4	21	25	29	29	29	10	21.6	152	1	3	25	31	35	38	38
55-74	1	35.0		35	35	35	35	35	35	35										
75 +																				
ALL AGES	166	28.7	267	2	5	28	40	46	54	74	133	29.8	237	4	11	29	40	50	65	99 +
B. FEMALE																				
0-12 YRS.	1	24.0		24	24	24	24	24	24	24										
13-17	35	31.0	312	2	5	38	45	47	50	57	34	34.7	429	7	9	33	45	68	76	81
18-20	1	3.0		3	3	3	3	3	3	3	3	24.7	80	18	18	21	31	35	35	35
21-24	2	18.5	265	7	7	18	30	30	30	30	4	19.5	283	1	1	20	33	37	37	37
25-34	5	2.8	7	1	1	1	5	7	7	7	10	22.9	126	4	5	25	27	36	44	44
35-54											2	17.0	288	5	5	17	29	29	29	29
55-74																				
75 +																				
ALL AGES	44	26.5	348	1	2	29	45	46	50	57	53	30.1	360	4	7	27	40	61	70	81
SUBTOTAL	**210**	**28.2**	**285**	**2**	**4**	**28**	**42**	**46**	**52**	**72**	**186**	**29.9**	**270**	**4**	**9**	**29**	**40**	**52**	**68**	**99 +**
GRAND TOTAL	**250**	**27.8**	**267**	**2**	**4**	**28**	**40**	**46**	**52**	**70**	**224**	**28.2**	**267**	**3**	**5**	**28**	**38**	**49**	**63**	**99 +**

AMPHETAMINE DEPENDENCE (304.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	27.0		27	27	27	27	27	27	27										
18-20	2	2.0	2	1	1	1	3	3	3	3	1	1.0		1	1	1	1	1	1	1
21-24	4	17.0	247	1	1	18	30	31	31	31	5	16.8	187	1	1	25	26	30	30	30
25-34	8	14.9	118	1	1	18	23	27	28	28	9	17.0	118	1	3	14	28	28	28	28
35-54											2	11.5	181	2	2	11	21	21	21	21
55-74																				
75 +																				
ALL AGES	15	14.5	149	1	1	14	26	30	31	31	17	15.4	132	1	1	14	27	28	29	30
B. FEMALE																				
0-12 YRS.																				
13-17											1	7.0		7	7	7	7	7	7	7
18-20	1	27.0		27	27	27	27	27	27	27	4	22.3	292	2	2	25	36	37	37	37
21-24	2	1.5	1	1	1	1	2	2	2	2	3	3.0	4	1	1	3	4	5	5	5
25-34	6	10.8	151	1	1	4	26	27	27	27	9	16.9	139	2	2	17	26	32	34	34
35-54	1	1.0		1	1	1	1	1	1	1	4	25.0	377	1	1	25	38	48	48	48
55-74																				
75 +																				
ALL AGES	10	9.6	141	1	1	3	26	27	27	27	21	17.0	210	1	1	14	29	36	42	48
SUBTOTAL	**25**	**12.6**	**144**	**1**	**1**	**6**	**26**	**28**	**30**	**31**	**38**	**16.3**	**171**	**1**	**1**	**14**	**28**	**33**	**37**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	1	26.0		26	26	26	26	26	26	26	3	27.7	895	3	3	19	50	61	61	61
18-20	1	10.0		10	10	10	10	10	10	10	8	21.6	84	1	7	22	28	29	30	30
21-24	2	5.5	5	4	4	5	7	7	7	7	12	23.6	105	3	3	27	29	32	35	35
25-34	14	16.5	159	2	2	23	28	29	30	30	32	19.9	138	2	3	25	29	31	36	38
35-54	5	14.2	122	3	3	10	26	26	26	26	13	16.2	156	2	2	21	27	31	33	34
55-74																				
75 +																				
ALL AGES	23	15.2	132	2	2	10	26	28	29	30	69	20.1	156	2	2	23	28	31	35	57
B. FEMALE																				
0-12 YRS.																				
13-17	3	26.0	507	4	4	25	43	49	49	49	4	27.0	17	22	22	27	30	32	32	32
18-20	2	16.5	265	5	5	16	28	28	28	28	8	16.4	64	5	5	18	23	26	26	26
21-24	3	15.3	116	3	3	21	22	22	22	22	7	20.3	120	4	4	25	29	30	30	30
25-34	10	11.1	99	2	3	6	21	27	28	28	14	21.6	97	3	6	27	29	30	31	31
35-54	3	9.7	20	7	7	7	13	15	15	15	5	26.2	27	19	19	27	29	33	33	33
55-74	1	22.0		22	22	22	22	22	22	22										
75 +																				
ALL AGES	22	14.5	147	3	3	9	22	28	37	49	38	21.4	84	4	6	25	28	30	32	33
SUBTOTAL	**45**	**14.8**	**138**	**2**	**2**	**10**	**26**	**28**	**29**	**49**	**107**	**20.6**	**128**	**2**	**3**	**25**	**28**	**31**	**33**	**48**
GRAND TOTAL	**70**	**14.0**	**140**	**1**	**2**	**9**	**26**	**28**	**30**	**45**	**145**	**19.4**	**145**	**2**	**2**	**23**	**28**	**31**	**34**	**49**

HALLUCINOGEN DEPENDENCE (304.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	21.0		21	21	21	21	21	21	21										
35-54																				
55-74																				
75 +																				
ALL AGES	1	21.0		21	21	21	21	21	21	21										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**21.0**		**21**	**21**	**21**	**21**	**21**	**21**	**21**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	24.8	1836	1	1	4	47	89	89	89										
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	5	20.0	1492	1	1	3	27	89	89	89										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	29.0		29	29	29	29	29	29	29	1	5.0		5	5	5	5	5	5	5
21-24																				
25-34																				
35-54											1	6.0		6	6	6	6	6	6	6
55-74																				
75 +																				
ALL AGES	1	29.0		29	29	29	29	29	29	29	2	5.5	1	5	5	5	6	6	6	6
SUBTOTAL	**6**	**21.5**	**1207**	**1**	**1**	**4**	**29**	**83**	**89**	**89**	**2**	**5.5**	**1**	**5**	**5**	**5**	**6**	**6**	**6**	**6**
GRAND TOTAL	**7**	**21.4**	**1007**	**1**	**1**	**6**	**27**	**77**	**89**	**89**	**2**	**5.5**	**1**	**5**	**5**	**5**	**6**	**6**	**6**	**6**

DRUG DEPENDENCE NEC (304.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24	4	16.0	100	1	1	21	21	21	21	21	1	3.0		3	3	3	3	3	3	3
25-34	1	17.0		17	17	17	17	17	17	17	4	18.3	236	5	5	15	30	38	38	38
35-54	2	19.0	200	9	9	19	29	29	29	29										
55-74																				
75 +																				
ALL AGES	8	15.0	105	1	1	19	21	27	29	29	5	15.2	225	3	3	7	27	38	38	38
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34	4	13.0	168	1	1	12	24	27	27	27	6	9.8	64	3	3	7	14	23	24	24
35-54	2	9.0	8	7	7	9	11	11	11	11	3	7.7	41	3	3	5	12	15	15	15
55-74											4	14.5	210	1	1	14	27	28	28	28
75 +																				
ALL AGES	6	11.7	106	1	1	9	21	26	27	27	14	10.1	92	1	1	5	15	26	28	28
SUBTOTAL	**14**	**13.6**	**100**	**1**	**1**	**14**	**21**	**27**	**29**	**29**	**19**	**11.4**	**123**	**1**	**2**	**5**	**21**	**27**	**33**	**38**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2	2	23.5	5	22	22	23	25	25	25	25
18-20	1	21.0		21	21	21	21	21	21	21	2	19.0	648	1	1	19	37	37	37	37
21-24											2	23.0	32	19	19	23	27	27	27	27
25-34	6	22.3	116	3	5	24	29	33	34	34	3	23.7	330	4	4	27	37	40	40	40
35-54	7	11.1	118	2	2	6	19	28	30	30	1	43.0		43	43	43	43	43	43	43
55-74	1	9.0		9	9	9	9	9	9	9	1	7.0		7	7	7	7	7	7	7
75 +																				
ALL AGES	16	15.3	128	2	2	17	24	30	33	34	11	22.9	204	1	3	25	35	41	43	43
B. FEMALE																				
0-12 YRS.																				
13-17											1	41.0		41	41	41	41	41	41	41
18-20	1	2.0		2	2	2	2	2	2	2										
21-24	1	4.0		4	4	4	4	4	4	4										
25-34	4	10.8	151	2	2	6	18	29	29	29	5	14.8	177	2	2	10	29	29	29	29
35-54	7	15.1	131	5	5	14	21	32	35	35	4	20.3	218	3	3	20	31	38	38	38
55-74	3	8.7	153	1	1	2	18	23	23	23										
75 +																				
ALL AGES	16	11.3	121	1	2	5	21	28	33	35	10	19.6	216	2	2	20	29	39	41	41
SUBTOTAL	**32**	**13.3**	**124**	**2**	**2**	**8**	**22**	**29**	**34**	**35**	**21**	**21.3**	**204**	**2**	**3**	**25**	**31**	**40**	**42**	**43**
GRAND TOTAL	**46**	**13.4**	**114**	**1**	**2**	**10**	**21**	**29**	**31**	**35**	**40**	**16.6**	**186**	**1**	**2**	**14**	**27**	**38**	**40**	**43**

OPIOID/OTHER DRUG DEPEND (304.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	8.0		8	8	8	8	8	8	8
18-20	3	12.0	244	2	2	4	23	30	30	30	2	36.5	13	34	34	36	39	39	39	39
21-24	2	8.5	61	3	3	8	14	14	14	14	3	20.3	254	2	2	29	30	30	30	30
25-34	12	13.3	101	2	2	10	21	28	29	29	24	14.5	139	1	2	10	27	29	33	40
35-54	8	14.4	147	2	2	14	25	29	30	30	8	9.1	83	2	2	5	13	24	26	26
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	26	12.7	115	2	2	9	22	29	30	30	38	14.8	152	2	2	8	27	30	37	40
B. FEMALE																				
0-12 YRS.																				
13-17											1	15.0		15	15	15	15	15	15	15
18-20	1	33.0		33	33	33	33	33	33	33										
21-24	1	7.0		7	7	7	7	7	7	7	5	11.8	111	1	1	7	20	27	27	27
25-34	7	22.3	236	1	1	23	33	40	42	42	13	14.8	159	1	2	9	27	34	36	36
35-54	1	21.0		21	21	21	21	21	21	21	4	5.8	21	1	1	5	9	12	12	12
55-74																				
75 +											1	14.0		14	14	14	14	14	14	14
ALL AGES	10	21.7	197	1	1	22	33	38	42	42	24	12.6	118	1	1	8	19	28	34	36
SUBTOTAL	**36**	**15.2**	**149**	**2**	**2**	**12**	**25**	**32**	**33**	**42**	**62**	**14.0**	**136**	**1**	**2**	**8**	**27**	**30**	**35**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	16.0	333	4	4	7	29	37	37	37	1	41.0		41	41	41	41	41	41	41
18-20	3	18.7	182	3	3	26	27	27	27	27	2	15.5	113	8	8	15	23	23	23	23
21-24	3	10.7	179	1	1	5	21	26	26	26	3	13.0	147	6	6	6	22	27	27	27
25-34	10	22.8	185	1	3	27	35	38	41	41	13	27.2	73	7	19	27	32	37	39	39
35-54	7	16.9	164	3	3	20	23	35	38	38	6	17.0	144	3	3	15	30	31	31	31
55-74	1	18.0		18	18	18	18	18	18	18	2	25.0	8	23	23	25	27	27	27	27
75 +	1	21.0		21	21	21	21	21	21	21										
ALL AGES	28	18.6	166	1	3	20	28	36	38	41	27	22.8	125	4	6	26	30	37	39	41
B. FEMALE																				
0-12 YRS.																				
13-17											1	32.0		32	32	32	32	32	32	32
18-20											1	31.0		31	31	31	31	31	31	31
21-24	2	9.0		9	9	9	9	9	9	9	1	4.0		4	4	4	4	4	4	4
25-34	5	22.8	141	5	5	28	30	35	35	35	8	18.4	152	1	2	19	31	32	32	32
35-54	3	12.0	217	3	3	4	23	29	29	29										
55-74	1	46.0		46	46	46	46	46	46	46										
75 +																				
ALL AGES	11	19.5	213	3	4	17	29	39	45	46	11	19.5	159	1	3	20	31	32	32	32
SUBTOTAL	**39**	**18.8**	**176**	**2**	**3**	**20**	**29**	**36**	**40**	**46**	**38**	**21.8**	**135**	**3**	**5**	**25**	**31**	**35**	**38**	**41**
GRAND TOTAL	**75**	**17.1**	**163**	**2**	**2**	**18**	**28**	**35**	**38**	**45**	**100**	**17.0**	**148**	**1**	**3**	**17**	**27**	**32**	**37**	**40**

COMB DRUG DEPENDENCE NEC (304.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	39.0	1171	4	4	33	60	86	86	86	3	19.7	210	3	3	26	29	30	30	30
18-20	2	12.5	113	5	5	12	20	20	20	20	7	23.4	109	2	6	25	30	32	33	33
21-24	4	24.5	182	5	5	29	33	34	34	34	7	29.4	47	23	23	29	30	40	43	43
25-34	11	20.9	233	1	2	28	33	39	43	43	20	17.2	130	1	1	21	26	30	32	33
35-54	3	34.7	179	21	21	35	45	48	48	48	10	12.6	106	4	4	7	22	29	30	30
55-74	1	21.0		21	21	21	21	21	21	21	1	30.0		30	30	30	30	30	30	30
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	25	25.4	350	2	4	28	34	43	57	86	49	19.0	137	2	3	23	29	30	33	43
B. FEMALE																				
0-12 YRS.											1	21.0		21	21	21	21	21	21	21
13-17	2	69.5	1105	46	46	69	93	93	93	93	1	2.0		2	2	2	2	2	2	2
18-20											4	21.8	168	5	5	24	32	34	34	34
21-24	2	2.5	1	2	2	2	3	3	3	3	3	13.3	96	5	5	11	21	24	24	24
25-34	7	16.3	201	1	1	10	28	35	37	37	3	20.0	169	5	5	27	28	28	28	28
35-54	4	21.0	178	1	1	27	28	28	28	28	3	17.7	145	4	4	22	26	27	27	27
55-74																				
75 +											1	21.0		21	21	21	21	21	21	21
ALL AGES	15	22.8	596	1	1	27	28	46	81	93	16	17.8	114	3	4	21	27	30	33	34
SUBTOTAL	**40**	**24.4**	**432**	**1**	**2**	**27**	**34**	**44**	**67**	**93**	**65**	**18.7**	**130**	**2**	**3**	**22**	**28**	**30**	**33**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	33.0	13	29	29	34	35	36	36	36	6	13.5	136	3	3	9	27	29	29	29
18-20	4	23.3	490	4	4	20	42	48	48	48	12	19.5	148	1	2	25	29	31	34	35
21-24	10	23.7	146	1	6	25	29	40	43	43	4	30.3	56	20	20	31	36	38	38	38
25-34	15	19.3	107	2	2	22	28	29	31	32	13	23.2	139	2	2	29	29	31	34	35
35-54	5	21.6	268	4	4	28	33	41	41	41	4	21.8	101	8	8	24	29	30	30	30
55-74	1	5.0		5	5	5	5	5	5	5	1	27.0		27	27	27	27	27	27	27
75 +																				
ALL AGES	38	21.9	166	2	4	25	29	37	42	48	40	21.3	135	2	2	28	29	32	35	38
B. FEMALE																				
0-12 YRS.																				
13-17	3	21.7	54	14	14	22	27	29	29	29	2	21.5	265	10	10	21	33	33	33	33
18-20	2	14.0	338	1	1	14	27	27	27	27	2	13.0	72	7	7	13	19	19	19	19
21-24	6	18.2	96	4	5	18	25	31	32	32	5	22.4	211	6	6	22	32	43	43	43
25-34	12	24.9	80	8	12	25	29	38	38	38	6	19.3	160	3	3	25	29	30	30	30
35-54	9	9.4	87	2	2	6	13	26	28	28	3	19.0	217	2	2	27	28	28	28	28
55-74	1	12.0		12	12	12	12	12	12	12										
75 +																				
ALL AGES	33	18.1	121	2	3	20	27	30	37	38	18	19.7	148	2	3	22	29	32	39	43
SUBTOTAL	**71**	**20.1**	**148**	**2**	**4**	**22**	**29**	**36**	**38**	**47**	**58**	**20.8**	**137**	**2**	**3**	**27**	**29**	**32**	**35**	**43**
GRAND TOTAL	**111**	**21.7**	**250**	**2**	**2**	**22**	**29**	**37**	**43**	**89**	**123**	**19.7**	**133**	**2**	**3**	**23**	**29**	**30**	**34**	**43**

DRUG DEPENDENCE NOS (304.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	19.3	162	5	5	24	28	29	29	29	1	25.0		25	25	25	25	25	25	25
18-20											5	14.4	297	1	1	3	31	37	37	37
21-24	3	29.7	1	28	28	30	31	31	31	31	1	38.0		38	38	38	38	38	38	38
25-34	3	10.7	251	1	1	2	22	29	29	29	3	13.7	148	3	3	11	23	27	27	27
35-54	7	15.9	171	1	1	23	27	29	29	29	7	12.9	126	3	3	6	24	27	28	28
55-74																				
75 +																				
ALL AGES	16	18.1	166	1	1	24	29	30	31	31	17	15.6	183	1	2	11	27	35	38	38
B. FEMALE																				
0-12 YRS.																				
13-17	1	47.0		47	47	47	47	47	47	47										
18-20											2	15.5	313	3	3	15	28	28	28	28
21-24	1	3.0		3	3	3	3	3	3	3	2	17.0	162	8	8	17	26	26	26	26
25-34	5	15.0	184	1	1	9	29	30	30	30	2	10.0	98	3	3	10	17	17	17	17
35-54	2	17.5	313	5	5	17	30	30	30	30	2	19.5	685	1	1	19	38	38	38	38
55-74	1	24.0		24	24	24	24	24	24	24										
75 +																				
ALL AGES	10	18.4	244	1	2	16	30	39	47	47	8	15.5	193	1	2	12	27	35	38	38
SUBTOTAL	**26**	**18.2**	**188**	**1**	**1**	**24**	**29**	**30**	**34**	**47**	**25**	**15.6**	**178**	**1**	**2**	**11**	**27**	**37**	**38**	**38**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	31.0		31	31	31	31	31	31	31
18-20	2	18.5	221	8	8	18	29	29	29	29	1	2.0		2	2	2	2	2	2	2
21-24	2	10.5	145	2	2	10	19	19	19	19	1	6.0		6	6	6	6	6	6	6
25-34	5	5.0	80	1	1	1	6	21	21	21	6	12.2	109	2	2	9	21	27	28	28
35-54	2	11.0	200	1	1	11	21	21	21	21	5	23.0	167	1	1	26	30	35	35	35
55-74																				
75 +																				
ALL AGES	11	9.5	116	1	1	2	20	24	29	29	14	16.2	160	1	2	17	28	31	34	35
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4	1	7.0		7	7	7	7	7	7	7
18-20																				
21-24	2	5.5	25	2	2	5	9	9	9	9										
25-34	6	11.8	137	1	1	7	21	30	31	31	6	23.0	263	3	3	27	35	41	42	42
35-54	3	3.7	4	2	2	3	5	6	6	6	9	6.1	77	1	1	4	5	20	29	29
55-74	1	2.0		2	2	2	2	2	2	2	2	2.5	1	2	2	2	3	3	3	3
75 +																				
ALL AGES	13	7.6	77	1	2	4	8	23	29	31	18	11.4	186	1	1	4	24	33	39	42
SUBTOTAL	**24**	**8.5**	**91**	**1**	**1**	**4**	**14**	**22**	**30**	**31**	**32**	**13.5**	**175**	**1**	**2**	**5**	**27**	**32**	**35**	**42**
GRAND TOTAL	**50**	**13.6**	**161**	**1**	**1**	**7**	**28**	**30**	**31**	**47**	**57**	**14.4**	**175**	**1**	**2**	**6**	**27**	**34**	**37**	**42**

ALCOHOL ABUSE (305.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	1.3		1	1	1	2	2	2	2	6	1.2		1	1	1	1	2	2	2
13-17	67	2.7	46	1	1	1	1	2	9	36	55	1.1		1	1	1	1	2	2	3
18-20	19	3.7	64	1	1	1	1	14	26	30	17	2.8	49	1	1	1	1	2	20	30
21-24	19	1.4	2	1	1	1	1	2	5	7	12	3.4	70	1	1	1	1	10	27	30
25-34	44	2.1	15	1	1	1	2	3	4	27	32	8.5	137	1	1	1	19	29	29	30
35-54	46	3.8	27	1	1	2	3	9	21	22	32	4.5	58	1	1	2	4	10	30	32
55-74	20	3.8	23	1	1	1	4	12	16	17	23	5.0	70	1	1	2	4	17	30	31
75 +	5	5.6	30	1	1	3	11	12	12	12	5	1.6	1	1	1	1	2	3	3	3
ALL AGES	224	2.9	31	1	1	1	2	4	14	31	182	3.8	58	1	1	1	2	7	29	32
B. FEMALE																				
0-12 YRS.	7	1.1		1	1	1	1	2	2	2	2	1.0		1	1	1	1	1	1	1
13-17	51	2.5	76	1	1	1	1	2	2	61	43	5.9	139	1	1	1	2	31	39	43
18-20	12	1.3	1	1	1	1	1	3	3	3	13	1.6	1	1	1	1	2	3	5	5
21-24	11	1.1		1	1	1	1	2	2	2	9	1.1		1	1	1	1	2	2	2
25-34	23	1.7	3	1	1	1	2	3	5	9	22	5.3	97	1	1	1	3	29	30	30
35-54	20	3.5	16	1	1	2	4	10	13	16	11	1.7	2	1	1	1	2	4	4	4
55-74	13	2.3	2	1	1	2	3	4	6	6	10	4.8	99	1	1	2	2	18	33	33
75 +	3	6.0	21	2	2	5	9	11	11	11	5	4.2	37	1	1	2	5	15	15	15
ALL AGES	140	2.3	31	1	1	1	2	3	7	21	115	4.3	82	1	1	1	2	9	31	42
SUBTOTAL	**364**	**2.7**	**31**	**1**	**1**	**1**	**2**	**4**	**10**	**30**	**297**	**4.0**	**67**	**1**	**1**	**1**	**2**	**8**	**29**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	9.5	145	1	1	9	18	18	18	18	1	1.0		1	1	1	1	1	1	1
13-17	50	24.4	535	1	1	19	45	54	59	92	23	14.0	277	1	1	6	26	44	47	49
18-20	10	5.6	68	1	1	1	6	21	21	21	12	12.7	191	1	1	7	20	35	42	43
21-24	35	3.8	27	1	1	2	3	9	19	21	3	26.3	25	21	21	28	29	30	30	30
25-34	68	6.3	69	1	1	2	6	22	25	30	30	14.1	174	1	1	8	28	31	32	43
35-54	47	5.4	31	1	1	3	7	13	20	24	33	13.2	166	1	1	5	27	32	33	33
55-74	8	4.0	7	1	1	4	6	8	8	8	19	9.3	108	1	1	5	10	31	33	33
75 +	1	1.0		1	1	1	1	1	1	1	2	11.5	181	2	2	11	21	21	21	21
ALL AGES	221	9.7	219	1	1	3	10	29	45	61	123	13.1	178	1	1	7	27	32	35	47
B. FEMALE																				
0-12 YRS.																				
13-17	39	22.9	626	1	1	15	37	55	77	95	20	12.3	273	1	1	3	22	41	46	48
18-20	5	2.6	9	1	1	1	3	8	8	8	2	15.5	421	1	1	15	30	30	30	30
21-24	13	6.3	77	1	1	1	11	21	22	22	4	2.0	4	1	1	1	3	5	5	5
25-34	29	2.6	12	1	1	1	3	5	8	19	24	7.7	118	1	1	2	7	28	30	34
35-54	30	2.3	4	1	1	1	3	5	7	10	15	14.2	155	1	1	10	27	29	31	32
55-74	10	5.9	33	1	1	4	6	14	21	21	7	7.0	85	1	1	4	7	23	27	27
75 +											1	9.0		9	9	9	9	9	9	9
ALL AGES	126	9.4	289	1	1	2	7	32	43	86	73	10.1	166	1	1	3	21	30	34	47
SUBTOTAL	**347**	**9.6**	**244**	**1**	**1**	**3**	**8**	**30**	**45**	**70**	**196**	**12.0**	**174**	**1**	**1**	**5**	**25**	**32**	**34**	**47**
GRAND TOTAL	**711**	**6.1**	**146**	**1**	**1**	**1**	**4**	**20**	**31**	**59**	**493**	**7.2**	**124**	**1**	**1**	**1**	**6**	**29**	**32**	**43**

TOBACCO USE DISORDER (305.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54																				
55-74																				
75 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
SUBTOTAL											**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
GRAND TOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

CANNABIS ABUSE (305.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	5	27.2	217	1	1	34	35	35	35	35	3	27.7	350	11	11	24	42	48	48	48
18-20											3	9.7	224	1	1	1	20	27	27	27
21-24	2	18.5	545	2	2	18	35	35	35	35	1	30.0		30	30	30	30	30	30	30
25-34	1	23.0		23	23	23	23	23	23	23	6	22.5	108	2	4	26	29	29	29	29
35-54																				
55-74																				
75 +																				
ALL AGES	8	24.5	218	1	1	32	35	35	35	35	13	21.3	192	1	1	26	29	34	45	48
B. FEMALE																				
0-12 YRS.																				
13-17	3	6.0	75	1	1	1	12	16	16	16	2	24.0	882	3	3	24	45	45	45	45
18-20																				
21-24																				
25-34											1	28.0		28	28	28	28	28	28	28
35-54																				
55-74																				
75 +																				
ALL AGES	3	6.0	75	1	1	1	12	16	16	16	3	25.3	449	3	3	28	41	45	45	45
SUBTOTAL	**11**	**19.5**	**240**	**1**	**1**	**23**	**34**	**35**	**35**	**35**	**16**	**22.1**	**214**	**1**	**1**	**26**	**29**	**43**	**47**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	24.0		24	24	24	24	24	24	24										
13-17	22	30.5	336	2	3	34	42	50	60	69	11	31.9	245	6	7	40	44	47	49	49
18-20	1	3.0		3	3	3	3	3	3	3										
21-24											1	27.0		27	27	27	27	27	27	27
25-34	6	9.3	86	1	1	5	21	21	21	21	3	31.0	27	25	25	34	34	34	34	34
35-54											1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	30	25.1	350	1	2	23	38	48	54	69	16	29.7	214	5	6	34	42	46	48	49
B. FEMALE																				
0-12 YRS.																				
13-17	6	33.8	199	16	18	36	53	92	99 +	99 +	3	31.0	592	3	3	43	46	47	47	47
18-20																				
21-24	2	8.0	98	1	1	7	15	15	15	15										
25-34	1	1.0		1	1	1	1	1	1	1	2	25.0	32	21	21	25	29	29	29	29
35-54											2	22.5	5	21	21	22	24	24	24	24
55-74																				
75 +																				
ALL AGES	9	24.4	340	1	1	28	36	79	99 +	99 +	7	26.9	217	3	7	24	39	46	47	47
SUBTOTAL	**39**	**24.9**	**341**	**1**	**2**	**25**	**37**	**51**	**63**	**99 +**	**23**	**28.8**	**210**	**4**	**6**	**29**	**42**	**46**	**48**	**49**
GRAND TOTAL	**50**	**23.7**	**319**	**1**	**1**	**24**	**36**	**48**	**58**	**99 +**	**39**	**26.1**	**214**	**1**	**3**	**27**	**39**	**46**	**48**	**49**

HALLUCINOGEN ABUSE (305.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS								
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES					
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	7	1.9	1	1	1	2	2	4	4	4	2	1.0		1	1	1	1	1	1	1
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	9	1.7	1	1	1	1	2	3	4	4	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	2	1.0		1	1	1	1	1	1	1										
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	1.3		1	1	1	2	2	2	2										
SUBTOTAL	**12**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	12.5	265	1	1	12	24	24	24	24	4	9.8	109	1	1	8	18	22	22	22
18-20	2	3.5	13	1	1	3	6	6	6	6	1	1.0		1	1	1	1	1	1	1
21-24	1	25.0		25	25	25	25	25	25	25	1	1.0		1	1	1	1	1	1	1
25-34	2	8.5	41	4	4	8	13	13	13	13	4	7.3	99	1	1	3	13	22	22	22
35-54																				
55-74																				
75 +																				
ALL AGES	7	10.6	106	1	1	6	21	25	25	25	10	7.0	82	1	1	1	15	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**7**	**10.6**	**106**	**1**	**1**	**6**	**21**	**25**	**25**	**25**	**11**	**6.5**	**76**	**1**	**1**	**1**	**12**	**22**	**22**	**22**
GRAND TOTAL	**19**	**4.9**	**56**	**1**	**1**	**2**	**4**	**20**	**25**	**25**	**13**	**5.6**	**68**	**1**	**1**	**1**	**7**	**22**	**22**	**22**

BARBITURATE ABUSE (305.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	1.0		1	1	1	1	1	1	1
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	1.0		1	1	1	1	1	1	1	1	11.0		11	11	11	11	11	11	11
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	3	2.0	3	1	1	1	3	4	4	4	2	6.0	50	1	1	5	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34	1	1.0		1	1	1	1	1	1	1	2	12.5	145	4	4	12	21	21	21	21
35-54	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
55-74	2	9.0	72	3	3	9	15	15	15	15	1	26.0		26	26	26	26	26	26	26
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	7	3.7	26	1	1	2	3	13	15	15	4	13.0	153	1	1	12	23	26	26	26
SUBTOTAL	**10**	**3.2**	**18**	**1**	**1**	**2**	**3**	**9**	**15**	**15**	**6**	**10.7**	**114**	**1**	**1**	**7**	**21**	**25**	**26**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-20																				
21-24																				
25-34	2	8.0	50	3	3	8	13	13	13	13	1	3.0		3	3	3	3	3	3	3
35-54	2	7.0	50	2	2	7	12	12	12	12	4	9.3	118	1	1	5	16	25	25	25
55-74	1	9.0		9	9	9	9	9	9	9										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	6	7.0	24	2	2	6	12	13	13	13	6	7.2	81	1	1	3	8	23	25	25
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	5.0	32	1	1	5	9	9	9	9	2	4.0	18	1	1	4	7	7	7	7
35-54	4	7.0	67	1	1	4	12	19	19	19	1	20.0		20	20	20	20	20	20	20
55-74	1	13.0		13	13	13	13	13	13	13										
75 +											1	14.0		14	14	14	14	14	14	14
ALL AGES	7	7.3	46	1	1	5	12	18	19	19	4	10.5	68	1	1	10	17	20	20	20
SUBTOTAL	**13**	**7.2**	**32**	**1**	**1**	**5**	**12**	**14**	**18**	**19**	**10**	**8.5**	**71**	**1**	**1**	**5**	**14**	**22**	**25**	**25**
GRAND TOTAL	**23**	**5.4**	**30**	**1**	**1**	**3**	**9**	**14**	**16**	**19**	**16**	**9.3**	**82**	**1**	**1**	**5**	**17**	**25**	**26**	**26**

OPIOID ABUSE (305.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34	5	6.2	37	1	1	4	10	16	16	16	3	1.3		1	1	1	2	2	2	2
35-54	3	3.0	1	2	2	3	4	4	4	4	2	12.5	265	1	1	12	24	24	24	24
55-74																				
75 +																				
ALL AGES	9	4.6	23	1	1	3	5	13	16	16	6	5.2	85	1	1	1	2	22	24	24
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	4.5	1	4	4	4	5	5	5	5	2	3.5	1	3	3	3	4	4	4	4
35-54																				
55-74											2	5.5	25	2	2	5	9	9	9	9
75 +																				
ALL AGES	2	4.5	1	4	4	4	5	5	5	5	4	4.5	10	2	2	3	6	9	9	9
SUBTOTAL	**11**	**4.5**	**19**	**1**	**1**	**4**	**5**	**11**	**16**	**16**	**10**	**4.9**	**51**	**1**	**1**	**2**	**4**	**16**	**24**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20	1	49.0		49	49	49	49	49	49	49										
21-24	1	1.0		1	1	1	1	1	1	1	1	20.0		20	20	20	20	20	20	20
25-34	6	10.3	107	2	2	5	23	24	24	24	8	16.9	122	1	1	20	25	29	30	30
35-54	4	12.3	83	4	4	10	19	24	24	24	3	13.7	120	1	1	19	20	21	21	21
55-74	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	14	11.9	190	1	2	5	23	27	44	49	13	15.4	106	1	1	20	21	28	30	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	4.5	1	4	4	4	5	5	5	5										
21-24	1	8.0		8	8	8	8	8	8	8	2	2.0	2	1	1	2	3	3	3	3
25-34	5	4.2	3	2	2	4	5	7	7	7	7	6.9	55	2	2	4	8	20	23	23
35-54	8	5.3	2	3	3	5	7	8	8	8	2	4.5	5	3	3	4	6	6	6	6
55-74	1	11.0		11	11	11	11	11	11	11	1	2.0		2	2	2	2	2	2	2
75 +											2	13.5	1	13	13	13	14	14	14	14
ALL AGES	17	5.4	5	2	3	4	7	8	10	11	14	6.4	40	1	2	4	9	15	21	23
SUBTOTAL	**31**	**8.3**	**96**	**2**	**2**	**5**	**8**	**23**	**24**	**49**	**27**	**10.7**	**91**	**1**	**1**	**6**	**20**	**23**	**28**	**30**
GRAND TOTAL	**42**	**7.3**	**78**	**1**	**2**	**4**	**7**	**18**	**24**	**49**	**37**	**9.2**	**84**	**1**	**1**	**4**	**19**	**23**	**27**	**30**

COCAINE ABUSE (305.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	15.5	421	1	1	15	30	30	30	30	1	3.0		3	3	3	3	3	3	3
18-20	1	35.0		35	35	35	35	35	35	35	4	13.0	181	1	1	12	24	27	27	27
21-24	5	5.6	36	1	1	3	10	15	15	15	8	12.3	118	1	1	9	22	27	28	28
25-34	16	18.3	208	1	1	25	30	30	39	43	32	17.9	90	2	3	21	21	29	36	39
35-54	4	8.3	209	1	1	1	16	30	30	30	14	21.1	57	4	11	21	21	31	33	34
55-74											2	17.5	5	16	16	17	19	19	19	19
75 +																				
ALL AGES	28	15.0	204	1	1	8	29	30	36	43	61	17.3	94	1	2	21	21	29	32	39
B. FEMALE																				
0-12 YRS.																				
13-17											1	41.0		41	41	41	41	41	41	41
18-20	1	1.0		1	1	1	1	1	1	1	1	7.0		7	7	7	7	7	7	7
21-24	1	19.0		19	19	19	19	19	19	19	6	23.5	25	20	20	21	25	32	33	33
25-34	13	13.4	187	1	1	7	23	32	40	42	10	19.4	51	5	9	21	21	27	33	33
35-54	3	4.7	6	2	2	5	6	7	7	7	1	28.0		28	28	28	28	28	28	28
55-74																				
75 +																				
ALL AGES	18	11.6	152	1	1	6	21	29	37	42	19	21.6	73	6	9	21	24	33	38	41
SUBTOTAL	**46**	**13.7**	**182**	**1**	**1**	**7**	**29**	**30**	**36**	**43**	**80**	**18.3**	**92**	**2**	**3**	**21**	**22**	**29**	**34**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	6	32.2	28	27	27	30	37	41	41	41	4	13.5	146	1	1	13	23	27	27	27
18-20	3	25.7	323	7	7	27	39	43	43	43	8	11.9	125	1	1	7	22	28	30	30
21-24	6	12.5	118	2	2	12	21	25	25	25	12	20.8	92	2	3	22	27	31	32	32
25-34	14	15.2	133	1	2	18	28	29	30	30	47	18.5	105	2	3	21	27	29	31	39
35-54	8	9.1	121	1	1	4	16	27	28	28	8	13.5	115	1	1	14	23	27	27	27
55-74											1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	37	17.1	172	1	2	21	28	30	40	43	80	17.3	110	1	2	21	26	29	31	37
B. FEMALE																				
0-12 YRS.																				
13-17	7	22.3	359	1	1	23	41	45	45	45	6	18.2	412	1	1	12	38	45	46	46
18-20	1	27.0		27	27	27	27	27	27	27	5	25.8	11	21	21	27	28	29	29	29
21-24	5	17.6	104	2	2	21	24	29	29	29	8	6.3	85	1	1	2	9	23	26	26
25-34	11	14.2	146	1	2	11	25	33	35	35	15	18.3	191	1	1	21	29	33	40	42
35-54	3	10.7	251	1	1	2	22	29	29	29	3	10.7	132	4	4	4	19	24	24	24
55-74																				
75 +																				
ALL AGES	27	17.0	195	1	1	14	29	35	44	45	37	16.1	196	1	1	21	27	32	41	46
SUBTOTAL	**64**	**17.0**	**180**	**1**	**2**	**18**	**28**	**33**	**42**	**45**	**117**	**16.9**	**137**	**1**	**1**	**21**	**27**	**30**	**32**	**43**
GRAND TOTAL	**110**	**15.6**	**183**	**1**	**1**	**13**	**29**	**31**	**41**	**44**	**197**	**17.5**	**117**	**1**	**2**	**21**	**24**	**30**	**33**	**42**

AMPHETAMINE ABUSE (305.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7										
18-20	1	1.0		1	1	1	1	1	1	1	1	23.0		23	23	23	23	23	23	23
21-24											2	1.5	1	1	1	1	2	2	2	2
25-34	3	5.7	52	1	1	2	11	14	14	14	2	9.0	50	4	4	9	14	14	14	14
35-54	1	1.0		1	1	1	1	1	1	1	2	3.0	8	1	1	3	5	5	5	5
55-74																				
75 +																				
ALL AGES	6	4.3	28	1	1	2	7	13	14	14	7	7.1	70	1	1	4	12	21	23	23
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-20	2	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
21-24	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
25-34	2	12.5	5	11	11	12	14	14	14	14	4	2.0	4	1	1	1	3	5	5	5
35-54																				
55-74																				
75 +																				
ALL AGES	6	5.2	33	1	1	2	11	14	14	14	6	2.0	3	1	1	1	3	5	5	5
SUBTOTAL	**12**	**4.8**	**28**	**1**	**1**	**2**	**9**	**14**	**14**	**14**	**13**	**4.8**	**43**	**1**	**1**	**2**	**5**	**16**	**22**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	40.0		40	40	40	40	40	40	40	1	1.0		1	1	1	1	1	1	1
18-20											3	11.3	209	3	3	3	22	28	28	28
21-24	3	5.3	21	1	1	5	9	10	10	10	1	3.0		3	3	3	3	3	3	3
25-34	6	4.0	5	1	1	4	6	6	6	6	4	5.8	37	1	1	4	10	14	14	14
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	10	8.0	134	1	1	5	6	25	40	40	10	6.2	75	1	1	3	7	21	28	28
B. FEMALE																				
0-12 YRS.																				
13-17	2	33.5	545	17	17	33	50	50	50	50										
18-20	2	1.0		1	1	1	1	1	1	1	1	5.0		5	5	5	5	5	5	5
21-24	5	4.0	5	1	1	4	5	7	7	7	2	20.0	288	8	8	20	32	32	32	32
25-34	4	5.5	1	5	5	5	6	7	7	7	4	9.8	132	3	3	4	16	27	27	27
35-54	2	6.5	1	6	6	6	7	7	7	7	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	15	8.3	148	1	1	5	7	17	42	50	8	10.6	142	1	2	5	17	30	32	32
SUBTOTAL	**25**	**8.2**	**136**	**1**	**1**	**5**	**7**	**17**	**42**	**50**	**18**	**8.2**	**103**	**1**	**1**	**4**	**8**	**28**	**30**	**32**
GRAND TOTAL	**37**	**7.1**	**102**	**1**	**1**	**5**	**7**	**14**	**32**	**50**	**31**	**6.7**	**79**	**1**	**1**	**3**	**7**	**25**	**28**	**32**

ANTIDEPRESSANT ABUSE (305.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	2	8.5	61	3	3	8	14	14	14	14	1	12.0		12	12	12	12	12	12	12
55-74																				
75 +																				
ALL AGES	3	6.3	45	2	2	3	11	14	14	14	1	12.0		12	12	12	12	12	12	12
SUBTOTAL	**3**	**6.3**	**45**	**2**	**2**	**3**	**11**	**14**	**14**	**14**	**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**
GRAND TOTAL	**5**	**4.6**	**28**	**1**	**1**	**3**	**6**	**14**	**14**	**14**	**3**	**5.0**	**37**	**1**	**1**	**2**	**9**	**12**	**12**	**12**

DRUG ABUSE NEC/NOS (305.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	63.0		63	63	63	63	63	63	63										
13-17	23	24.6	238	1	1	30	37	40	43	47	3	13.7	184	3	3	9	24	29	29	29
18-20	11	7.6	115	1	1	1	11	28	28	28	2	5.5	41	1	1	5	10	10	10	10
21-24	10	11.4	152	1	1	5	21	28	35	35	2	3.0		3	3	3	3	3	3	3
25-34	8	13.9	75	2	2	18	21	21	21	21	23	9.7	89	1	1	5	15	27	28	28
35-54	14	9.6	140	1	1	2	21	29	33	34	7	7.1	76	1	1	3	11	22	24	24
55-74	1	3.0		3	3	3	3	3	3	3	1	30.0		30	30	30	30	30	30	30
75 +																				
ALL AGES	68	15.8	236	1	1	12	28	37	40	60	38	9.5	93	1	1	4	14	28	29	30
B. FEMALE																				
0-12 YRS.																				
13-17	16	28.3	247	2	4	28	38	49	52	53	7	9.6	278	1	1	3	7	39	47	47
18-20	4	15.8	255	1	1	13	28	36	36	36										
21-24	11	9.5	104	1	1	5	18	25	30	30	4	8.3	112	1	1	4	14	24	24	24
25-34	9	10.7	126	1	1	7	22	28	30	30	10	13.0	75	2	3	11	21	25	28	28
35-54	6	15.0	124	1	1	15	21	31	32	32	7	13.6	202	1	1	5	29	32	32	32
55-74	2	8.0	8	6	6	8	10	10	10	10	5	6.2	3	4	4	7	7	8	8	8
75 +	3	9.0	37	5	5	6	13	16	16	16	1	2.0		2	2	2	2	2	2	2
ALL AGES	51	16.7	211	1	1	12	28	35	48	53	34	10.5	129	1	1	6	15	28	32	47
SUBTOTAL	**119**	**16.2**	**223**	**1**	**1**	**12**	**28**	**36**	**42**	**56**	**72**	**10.0**	**108**	**1**	**1**	**5**	**15**	**28**	**30**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18										
13-17	68	33.2	256	9	12	30	46	58	65	95	12	16.2	182	1	2	14	31	54	91	99 +
18-20	4	8.8	70	2	2	6	14	21	21	21	4	20.5	329	3	3	18	35	43	43	43
21-24	8	10.0	148	1	1	4	28	72	99 +	99 +	2	9.0	50	4	4	9	14	14	14	14
25-34	25	9.0	70	1	1	5	16	21	24	29	13	10.2	70	1	1	7	18	21	22	22
35-54	14	10.2	104	1	1	7	21	27	29	30	9	7.0	46	1	1	6	12	17	19	19
55-74											4	16.8	41	7	7	19	20	21	21	21
75 +																				
ALL AGES	120	23.0	318	1	1	21	35	50	59	99 +	44	12.7	121	1	1	11	20	29	42	99 +
B. FEMALE																				
0-12 YRS.																				
13-17	27	33.2	357	1	2	30	43	62	64	67	14	16.4	324	1	2	11	21	34	62	70
18-20	2	19.5	5	18	18	19	21	21	21	21	6	7.0	109	1	1	3	6	26	28	28
21-24	8	8.4	38	1	2	7	15	16	16	16	3	6.0	49	1	1	3	11	14	14	14
25-34	25	9.0	56	1	3	6	13	20	27	29	15	7.7	68	1	1	5	10	21	26	28
35-54	7	8.0	47	3	3	6	10	20	22	22	5	13.0	246	2	2	3	25	37	37	37
55-74	6	9.8	143	1	1	3	22	27	28	28	1	21.0		21	21	21	21	21	21	21
75 +																				
ALL AGES	75	17.9	298	1	2	13	29	41	59	66	44	11.2	177	1	1	5	20	28	32	70
SUBTOTAL	**195**	**21.0**	**316**	**1**	**2**	**18**	**30**	**49**	**59**	**88**	**88**	**11.9**	**149**	**1**	**1**	**7**	**20**	**28**	**37**	**88**
GRAND TOTAL	**314**	**19.2**	**285**	**1**	**1**	**16**	**30**	**44**	**54**	**69**	**160**	**11.0**	**132**	**1**	**1**	**6**	**19**	**28**	**31**	**67**

PSYCHOGEN MUSCULSKEL DIS (306.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
25-34	3	1.7	1	1	1	1	3	3	3	3	1	2.0		2	2	2	2	2	2	2
35-54	1	2.0		2	2	2	2	2	2	2	3	5.3	25	2	2	3	9	11	11	11
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	5	2.2	2	1	1	2	3	4	4	4	6	4.0	12	2	2	3	4	10	11	11
SUBTOTAL	**6**	**2.7**	**2**	**1**	**1**	**2**	**4**	**5**	**5**	**5**	**8**	**3.4**	**10**	**1**	**1**	**2**	**3**	**9**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	5.0	32	1	1	5	9	9	9	9	2	6.0	18	3	3	6	9	9	9	9
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	3	5.0	16	1	1	5	8	9	9	9	2	6.0	18	3	3	6	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74											1	15.0		15	15	15	15	15	15	15
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1	1	15.0		15	15	15	15	15	15	15
SUBTOTAL	**5**	**3.4**	**13**	**1**	**1**	**1**	**6**	**9**	**9**	**9**	**3**	**9.0**	**36**	**3**	**3**	**9**	**13**	**15**	**15**	**15**
GRAND TOTAL	**11**	**3.0**	**7**	**1**	**1**	**2**	**5**	**7**	**9**	**9**	**11**	**4.9**	**21**	**1**	**1**	**3**	**8**	**13**	**15**	**15**

PSYCHOGENIC RESPIR DIS (306.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20	2	1.5	1	1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
21-24											1	10.0		10	10	10	10	10	10	10
25-34	6	1.0		1	1	1	1	1	1	1	2	1.0		1	1	1	1	1	1	1
35-54	5	1.8	2	1	1	1	2	4	4	4	7	1.4		1	1	1	2	2	2	2
55-74	5	2.4	1	1	1	3	3	3	3	3	6	3.0	7	1	1	2	4	8	8	8
75 +											3	2.7	1	2	2	2	4	4	4	4
ALL AGES	19	1.7	1	1	1	1	2	3	4	4	20	2.5	6	1	1	2	2	6	9	10
B. FEMALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-17											5	2.8	5	1	1	2	4	6	6	6
18-20	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
21-24	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
25-34	4	1.0		1	1	1	1	1	1	1	4	2.3	3	1	1	2	3	5	5	5
35-54	4	2.0	2	1	1	2	3	4	4	4	8	2.5	1	1	1	2	3	4	5	5
55-74	10	3.0	5	1	1	2	4	6	8	8	13	2.3	1	1	1	2	3	4	4	4
75 +	2	2.0		2	2	2	2	2	2	2	6	3.5	1	2	2	4	4	4	4	4
ALL AGES	23	2.1	3	1	1	1	3	4	6	8	39	2.6	2	1	1	2	4	5	5	6
SUBTOTAL	**42**	**1.9**	**2**	**1**	**1**	**1**	**2**	**4**	**5**	**8**	**59**	**2.5**	**3**	**1**	**1**	**2**	**4**	**5**	**6**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	3.0	8	1	1	3	5	5	5	5	1	1.0		1	1	1	1	1	1	1
18-20	2	2.5	5	1	1	2	4	4	4	4										
21-24	2	2.0	2	1	1	2	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
25-34	1	3.0		3	3	3	3	3	3	3	2	2.5	1	2	2	2	3	3	3	3
35-54											2	1.5	1	1	1	1	2	2	2	2
55-74	2	2.0		2	2	2	2	2	2	2	2	2.0	2	1	1	2	3	3	3	3
75 +											2	6.5	13	4	4	6	9	9	9	9
ALL AGES	9	2.4	2	1	1	2	3	5	5	5	11	2.6	6	1	1	2	3	6	9	9
B. FEMALE																				
0-12 YRS.																				
13-17	2	1.5	1	1	1	1	2	2	2	2	3	1.7		1	1	2	2	2	2	2
18-20	1	2.0		2	2	2	2	2	2	2										
21-24											3	3.3	3	2	2	3	4	5	5	5
25-34	3	2.0	1	1	1	2	3	3	3	3	4	1.8		1	1	2	2	2	2	2
35-54	6	2.5	1	1	1	2	3	4	4	4	6	4.0	4	1	1	4	6	6	6	6
55-74	2	3.5	5	2	2	3	5	5	5	5	7	2.9	1	1	1	3	3	5	5	5
75 +	2	2.5	5	1	1	2	4	4	4	4	6	3.7	3	1	1	4	5	6	6	6
ALL AGES	16	2.4	1	1	1	2	3	4	5	5	29	3.0	3	1	1	3	4	6	6	6
SUBTOTAL	**25**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**5**	**40**	**2.9**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**9**
GRAND TOTAL	**67**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**	**99**	**2.7**	**3**	**1**	**1**	**2**	**4**	**5**	**6**	**10**

PSYCHOGEN CARDIOVASC DIS (306.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54											1	1.0		1	1	1	1	1	1	1
55-74	2	2.0	2	1	1	2	3	3	3	3	4	2.5	2	1	1	2	3	4	4	4
75 +	3	1.7		1	1	2	2	2	2	2										
ALL AGES	6	1.8	1	1	1	2	2	3	3	3	5	2.2	2	1	1	2	3	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	6	2.3	2	1	1	2	3	4	4	4	5	2.2	1	1	1	2	3	3	3	3
75 +	3	2.3	1	2	2	2	3	3	3	3										
ALL AGES	9	2.3	1	1	1	2	3	4	4	4	5	2.2	1	1	1	2	3	3	3	3
SUBTOTAL	**15**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**10**	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	2.0	2	1	1	2	3	3	3	3	3	1.0		1	1	1	1	1	1	1
55-74	2	2.0		2	2	2	2	2	2	2	3	2.3	1	2	2	2	3	3	3	3
75 +																				
ALL AGES	4	2.0	1	1	1	2	3	3	3	3	6	1.7	1	1	1	2	2	3	3	3
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	1.5	1	1	1	1	2	2	2	2	1	2.0		2	2	2	2	2	2	2
55-74	2	3.0	8	1	1	3	5	5	5	5	2	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	5	2.6	3	1	1	2	4	5	5	5	3	2.7		2	2	3	3	3	3	3
SUBTOTAL	**9**	**2.3**	**2**	**1**	**1**	**2**	**3**	**5**	**5**	**5**	**9**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
GRAND TOTAL	**24**	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**5**	**19**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**4**

PSYCHOGENIC SKIN DISEASE (306.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +											1	13.0		13	13	13	13	13	13	13
ALL AGES											1	13.0		13	13	13	13	13	13	13
SUBTOTAL											**1**	**13.0**		**13**	**13**	**13**	**13**	**13**	**13**	**13**
GRAND TOTAL											**1**	**13.0**		**13**	**13**	**13**	**13**	**13**	**13**	**13**

PSYCHOGENIC GI DISEASE (306.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1										
13-17											1	4.0		4	4	4	4	4	4	4
18-20																				
21-24	1	10.0		10	10	10	10	10	10	10										
25-34											1	3.0		3	3	3	3	3	3	3
35-54	3	3.0	4	1	1	3	4	5	5	5	1	3.0		3	3	3	3	3	3	3
55-74	2	5.5	13	3	3	5	8	8	8	8	2	5.5	1	5	5	5	6	6	6	6
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	8	4.0	12	1	1	3	6	9	10	10	6	4.2	1	3	3	4	5	6	6	6
B. FEMALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2	2	1.0		1	1	1	1	1	1	1
13-17											1	9.0		9	9	9	9	9	9	9
18-20	1	4.0		4	4	4	4	4	4	4										
21-24	1	7.0		7	7	7	7	7	7	7	1	2.0		2	2	2	2	2	2	2
25-34	2	7.0		7	7	7	7	7	7	7										
35-54	9	3.6	9	1	1	3	4	8	11	11	7	4.4	15	1	1	4	6	11	12	12
55-74	1	13.0		13	13	13	13	13	13	13	6	4.0	7	1	1	3	4	9	9	9
75 +	1	3.0		3	3	3	3	3	3	3	2	2.0		2	2	2	2	2	2	2
ALL AGES	17	4.5	12	1	1	4	7	10	12	13	19	3.8	10	1	1	3	4	9	11	12
SUBTOTAL	**25**	**4.3**	**12**	**1**	**1**	**3**	**7**	**10**	**11**	**13**	**25**	**3.9**	**8**	**1**	**1**	**3**	**5**	**9**	**10**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-20																				
21-24																				
25-34	3	3.7	2	2	2	4	5	5	5	5	1	2.0		2	2	2	2	2	2	2
35-54	4	3.0	3	1	1	3	4	5	5	5	1	6.0		6	6	6	6	6	6	6
55-74	2	9.0	2	8	8	9	10	10	10	10	3	5.3	25	2	2	3	9	11	11	11
75 +	2	9.0	72	3	3	9	15	15	15	15	2	19.5	5	18	18	19	21	21	21	21
ALL AGES	12	5.4	16	1	2	4	7	11	14	15	7	9.0	62	2	2	6	16	20	21	21
B. FEMALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9										
18-20																				
21-24	2	3.5	1	3	3	3	4	4	4	4										
25-34	5	10.0	90	3	3	6	15	26	26	26	4	3.3	2	2	2	3	4	5	5	5
35-54	3	6.3	3	5	5	6	7	8	8	8	4	4.0	10	1	1	3	6	8	8	8
55-74	5	3.6	7	1	1	3	5	8	8	8	1	3.0		3	3	3	3	3	3	3
75 +	1	6.0		6	6	6	6	6	6	6	1	2.0		2	2	2	2	2	2	2
ALL AGES	17	6.4	33	1	2	5	8	11	21	26	10	3.4	4	1	1	3	5	7	8	8
SUBTOTAL	**29**	**6.0**	**25**	**1**	**2**	**5**	**8**	**11**	**16**	**26**	**17**	**5.7**	**34**	**1**	**2**	**3**	**6**	**17**	**20**	**21**
GRAND TOTAL	**54**	**5.2**	**19**	**1**	**1**	**4**	**7**	**10**	**13**	**26**	**42**	**4.6**	**19**	**1**	**1**	**3**	**5**	**10**	**14**	**21**

PSYCHOGENIC GU DISEASE (306.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54												1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES												1	1.0		1	1	1	1	1	1	1
SUBTOTAL												**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	2	4.5	25	1	1	4	8	8	8	8										
ALL AGES	2	4.5	25	1	1	4	8	8	8	8										
SUBTOTAL	**2**	**4.5**	**25**	**1**	**1**	**4**	**8**	**8**	**8**	**8**										
GRAND TOTAL	**2**	**4.5**	**25**	**1**	**1**	**4**	**8**	**8**	**8**	**8**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

PSYCHOGENIC DISORDER NEC (306.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											2	2.0		2	2	2	2	2	2	2
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	2	3.5	1	3	3	3	4	4	4	4										
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	4	6.3	26	3	3	4	9	14	14	14	2	2.0		2	2	2	2	2	2	2
SUBTOTAL	**4**	**6.3**	**26**	**3**	**3**	**4**	**9**	**14**	**14**	**14**	**2**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	2	3.0	8	1	1	3	5	5	5	5	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4	1	12.0		12	12	12	12	12	12	12
55-74																				
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	3	5.3	11	3	3	4	8	9	9	9	1	12.0		12	12	12	12	12	12	12
SUBTOTAL	**5**	**4.4**	**9**	**1**	**1**	**4**	**6**	**9**	**9**	**9**	**2**	**8.0**	**32**	**4**	**4**	**8**	**12**	**12**	**12**	**12**
GRAND TOTAL	**9**	**5.2**	**16**	**1**	**2**	**4**	**6**	**12**	**14**	**14**	**4**	**5.0**	**23**	**2**	**2**	**3**	**8**	**12**	**12**	**12**

PSYCHOGENIC DISORDER NOS (306.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	3	3.3	6	2	2	2	5	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	3.7	4	2	2	3	5	6	6	6	1	8.0		8	8	8	8	8	8	8
35-54	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
55-74	1	1.0		1	1	1	1	1	1	1										
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	5	2.8	4	1	1	2	4	6	6	6	3	4.3	13	1	1	4	7	8	8	8
SUBTOTAL	**8**	**3.0**	**4**	**1**	**1**	**2**	**4**	**6**	**6**	**6**	**3**	**4.3**	**13**	**1**	**1**	**4**	**7**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	25.0	512	9	9	25	41	41	41	41	1	5.0		5	5	5	5	5	5	5
35-54																				
55-74																				
75 +																				
ALL AGES	2	25.0	512	9	9	25	41	41	41	41	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5	1	3.0		3	3	3	3	3	3	3
18-20																				
21-24											1	14.0		14	14	14	14	14	14	14
25-34	2	5.0	8	3	3	5	7	7	7	7										
35-54											3	13.7	225	4	4	6	25	31	31	31
55-74	2	4.0	8	2	2	4	6	6	6	6	1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	5	4.6	4	2	2	5	6	7	7	7	6	11.2	109	3	3	7	14	29	31	31
SUBTOTAL	**7**	**10.4**	**188**	**2**	**2**	**6**	**8**	**35**	**41**	**41**	**7**	**10.3**	**97**	**3**	**3**	**6**	**13**	**28**	**31**	**31**
GRAND TOTAL	**15**	**6.5**	**96**	**1**	**2**	**3**	**6**	**9**	**33**	**41**	**10**	**8.5**	**76**	**1**	**2**	**5**	**9**	**22**	**31**	**31**

STAMMERING & STUTTERING (307.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	7.0		7	7	7	7	7	7	7										
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	2	5.0	8	3	3	5	7	7	7	7										
SUBTOTAL	**2**	**5.0**	**8**	**3**	**3**	**5**	**7**	**7**	**7**	**7**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**2**	**5.0**	**8**	**3**	**3**	**5**	**7**	**7**	**7**	**7**										

ANOREXIA NERVOSA (307.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	2	13.5	181	4	4	13	23	23	23	23										
18-20																				
21-24											1	1.0		1	1	1	1	1	1	1
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	3	10.7	113	4	4	5	18	23	23	23	3	2.7	8	1	1	1	5	6	6	6
B. FEMALE																				
0-12 YRS.	5	21.0	196	7	7	15	35	37	37	37	3	25.3	1369	3	3	5	52	68	68	68
13-17	28	27.5	317	3	4	28	39	60	64	99 +	10	38.0	844	1	3	43	62	74	80	80
18-20	17	31.1	724	1	3	25	48	77	85	86	7	16.7	176	3	3	18	28	35	36	36
21-24	5	5.0	9	3	3	4	6	10	10	10	17	8.6	171	1	1	4	9	25	44	52
25-34	20	21.7	371	1	3	11	40	51	54	56	11	13.9	297	2	3	4	15	44	56	57
35-54	6	9.5	183	3	3	4	6	34	37	37	7	13.9	203	2	2	12	21	38	41	41
55-74																				
75 +																				
ALL AGES	81	23.7	416	2	3	16	37	53	61	96	55	17.6	450	1	2	8	28	56	66	79
SUBTOTAL	**84**	**23.2**	**412**	**2**	**3**	**16**	**37**	**52**	**60**	**95**	**58**	**16.9**	**436**	**1**	**1**	**6**	**24**	**55**	**65**	**79**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	15.7	288	3	3	9	28	35	35	35										
13-17	2	36.5	221	26	26	36	47	47	47	47										
18-20	2	34.5	221	24	24	34	45	45	45	45										
21-24																				
25-34	2	5.0	2	4	4	5	6	6	6	6										
35-54																				
55-74																				
75 +																				
ALL AGES	9	22.1	307	3	3	24	37	46	47	47										
B. FEMALE																				
0-12 YRS.	2	56.0	578	39	39	56	73	73	73	73	2	10.0	32	6	6	10	14	14	14	14
13-17	24	25.3	296	3	5	22	35	49	63	64	7	56.3	348	33	38	54	75	98	99 +	99 +
18-20	16	25.9	262	3	7	20	41	50	52	53	6	29.2	543	1	1	34	48	53	54	54
21-24	22	19.4	459	1	2	13	31	50	67	86	4	40.0	1125	4	4	35	61	85	85	85
25-34	38	23.4	454	1	2	15	38	56	63	86	18	29.2	365	1	2	30	45	48	61	69
35-54	17	25.2	516	5	6	16	31	63	78	84	5	6.4	14	3	3	4	10	11	11	11
55-74	3	7.0	21	3	3	6	10	12	12	12	7	10.9	150	1	1	5	23	29	29	29
75 +																				
ALL AGES	122	23.8	408	2	3	18	35	53	64	86	49	28.2	556	1	2	29	46	55	85	99 +
SUBTOTAL	**131**	**23.7**	**398**	**2**	**3**	**19**	**35**	**52**	**64**	**86**	**49**	**28.2**	**556**	**1**	**2**	**29**	**46**	**55**	**85**	**99 +**
GRAND TOTAL	**215**	**23.5**	**402**	**2**	**3**	**18**	**36**	**52**	**62**	**86**	**107**	**22.1**	**517**	**1**	**2**	**11**	**39**	**55**	**68**	**97**

TICS (307.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-20																				
21-24																				
25-34	1	37.0		37	37	37	37	37	37	37										
35-54																				
55-74																				
75 +																				
ALL AGES	2	19.5	613	2	2	19	37	37	37	37										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**19.5**	**613**	**2**	**2**	**19**	**37**	**37**	**37**	**37**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-17	1	41.0		41	41	41	41	41	41	41										
18-20											1	2.0		2	2	2	2	2	2	2
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	30.5	221	20	20	30	41	41	41	41	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	2	30.0	722	11	11	30	49	49	49	49										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	42.0		42	42	42	42	42	42	42	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	3	34.0	409	11	11	42	47	49	49	49	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**5**	**32.6**	**263**	**11**	**11**	41	**44**	**49**	**49**	**49**	**2**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**7**	**28.9**	**316**	**2**	**4**	37	**42**	48	**49**	**49**	**2**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

NONORGANIC SLEEP DISORD (307.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34											3	7.7	133	1	1	1	16	21	21	21
35-54																				
55-74											1	6.0		6	6	6	6	6	6	6
75 +	1	6.0		6	6	6	6	6	6	6	1	1.0		1	1	1	1	1	1	1
ALL AGES	1	6.0		6	6	6	6	6	6	6	6	5.2	64	1	1	1	6	19	21	21
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	3	2.7	2	1	1	3	4	4	4	4										
SUBTOTAL	**4**	**3.5**	**4**	**1**	**1**	**3**	**5**	**6**	**6**	**6**	**6**	**5.2**	**64**	**1**	**1**	**1**	**6**	**19**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	4.0		4	4	4	4	4	4	4
35-54																				
55-74																				
75 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.											1	6.0		6	6	6	6	6	6	6
13-17																				
18-20											1	5.0		5	5	5	5	5	5	5
21-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	2	5.5	13	3	3	5	8	8	8	8	3	5.0	1	4	4	5	6	6	6	6
SUBTOTAL	**2**	**5.5**	**13**	**3**	**3**	**5**	**8**	**8**	**8**	**8**	**4**	**4.8**		**4**	**4**	**5**	**5**	**6**	**6**	**6**
GRAND TOTAL	**6**	**4.2**	**6**	**1**	**1**	**4**	**6**	**8**	**8**	**8**	**10**	**5.0**	**36**	**1**	**1**	**4**	**6**	**14**	**21**	**21**

EATING DISORDERS NEC/NOS (307.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	6.5	1	6	6	6	7	7	7	7	1	1.0		1	1	1	1	1	1	1
13-17	2	34.0	882	13	13	34	55	55	55	55	1	3.0		3	3	3	3	3	3	3
18-20											1	1.0		1	1	1	1	1	1	1
21-24											3	5.0	7	3	3	4	7	8	8	8
25-34	4	11.5	362	1	1	2	21	40	40	40	1	2.0		2	2	2	2	2	2	2
35-54	3	1.7	1	1	1	1	3	3	3	3	1	31.0		31	31	31	31	31	31	31
55-74											1	3.0		3	3	3	3	3	3	3
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	11	12.0	332	1	1	3	11	46	54	55	10	6.0	81	1	1	3	4	19	31	31
B. FEMALE																				
0-12 YRS.	4	15.0	317	3	3	12	56	99+	99+	99+	2	2.0	2	1	1	2	3	3	3	3
13-17	27	29.1	357	1	5	26	40	52	60	83	11	35.2	238	3	14	40	46	68	95	99+
18-20	21	27.8	327	4	5	26	40	52	64	65	12	30.1	308	1	2	36	43	47	48	48
21-24	26	28.2	256	2	3	32	35	43	60	63	12	29.9	419	3	3	35	46	55	56	56
25-34	30	27.1	133	2	10	30	32	37	43	55	17	31.1	346	1	2	32	39	51	67	74
35-54	10	26.3	104	11	12	27	33	38	42	42	12	19.9	467	2	2	5	37	55	56	56
55-74	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
75 +	2	24.5	145	16	16	24	33	33	33	33	1	2.0		2	2	2	2	2	2	2
ALL AGES	121	27.2	245	2	4	29	35	45	57	88	68	27.7	378	1	2	32	41	54	56	95
SUBTOTAL	**132**	**25.9**	**269**	**1**	**3**	**29**	**35**	**45**	**56**	**86**	**78**	**24.9**	**392**	**1**	**2**	**30**	**40**	**51**	**55**	**92**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	37.0		37	37	37	37	37	37	37	1	53.0		53	53	53	53	53	53	53
18-20	1	11.0		11	11	11	11	11	11	11										
21-24	3	17.7	51	13	13	14	23	26	26	26	2	34.0	128	26	26	34	42	42	42	42
25-34	3	10.0	21	5	5	11	13	14	14	14	3	4.3	1	4	4	4	5	5	5	5
35-54	5	18.4	134	4	4	15	28	33	33	33	3	11.3	109	3	3	8	19	23	23	23
55-74											2	3.5	1	3	3	3	4	4	4	4
75 +																				
ALL AGES	13	17.2	105	4	5	14	26	34	36	37	11	15.9	315	3	3	5	25	46	52	53
B. FEMALE																				
0-12 YRS.	2	29.0	450	14	14	29	44	44	44	44										
13-17	40	26.0	375	4	6	18	39	52	70	73	5	30.2	137	17	17	28	39	47	47	47
18-20	34	23.3	229	10	13	17	30	46	49	80	21	37.5	504	1	3	39	54	61	75	89
21-24	30	22.5	218	3	3	24	33	40	42	54	20	39.0	318	3	14	38	49	63	67	69
25-34	69	20.8	233	2	2	17	31	42	45	59	34	28.6	341	4	8	29	40	48	53	85
35-54	34	28.5	191	5	12	33	40	42	44	60	18	31.6	555	3	4	29	42	60	77	88
55-74	4	32.3	279	7	7	40	41	41	41	41	5	25.0	1008	1	1	3	57	65	65	65
75 +											2	7.0	8	5	5	7	9	9	9	9
ALL AGES	213	23.9	256	3	4	20	35	42	51	73	105	32.4	430	2	4	32	46	60	65	88
SUBTOTAL	**226**	**23.5**	**250**	**3**	**4**	**19**	**35**	**42**	**50**	**73**	**116**	**30.8**	**442**	**2**	**3**	**31**	**45**	**59**	**64**	**88**
GRAND TOTAL	**358**	**24.4**	**257**	**2**	**4**	**25**	**35**	**43**	**54**	**73**	**194**	**28.4**	**430**	**2**	**3**	**30**	**42**	**54**	**61**	**89**

ENCOPRESIS (307.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	1	80.0		80	80	80	80	80	80	80										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	44.0	2592	8	8	44	80	80	80	80										
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	**3**	**30.3**	**1859**	**3**	**3**	**8**	**62**	**80**	**80**	**80**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	51.0		51	51	51	51	51	51	51										
13-17	1	25.0		25	25	25	25	25	25	25	1	30.0		30	30	30	30	30	30	30
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	38.0	338	25	25	38	51	51	51	51	1	30.0		30	30	30	30	30	30	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**38.0**	**338**	**25**	**25**	**38**	**51**	**51**	**51**	**51**	**1**	**30.0**		**30**	**30**	**30**	**30**	**30**	**30**	**30**
GRAND TOTAL	**5**	**33.4**	**1030**	**3**	**3**	**25**	**58**	**80**	**80**	**80**	**1**	**30.0**		**30**	**30**	**30**	**30**	**30**	**30**	**30**

PSYCHALGIA (307.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	1	1.0		1	1	1	1	1	1	1										
18-20											1	5.0		5	5	5	5	5	5	5
21-24	2	8.5	61	3	3	8	14	14	14	14										
25-34	5	4.6	3	2	2	5	6	6	6	6	9	3.3	9	1	1	2	5	8	9	9
35-54	3	3.0	3	2	2	2	4	5	5	5	9	4.3	25	1	1	3	4	12	17	17
55-74	3	2.7		2	2	3	3	3	3	3	5	2.6	9	1	1	1	3	8	8	8
75 +	2	6.5	1	6	6	6	7	7	7	7	1	3.0		3	3	3	3	3	3	3
ALL AGES	16	4.4	10	1	2	4	6	7	12	14	26	3.6	13	1	1	2	5	8	11	17
B. FEMALE																				
0-12 YRS.	2	18.0	512	2	2	18	34	34	34	34										
13-17	5	2.4	1	1	1	2	3	4	4	4	2	2.0		2	2	2	2	2	2	2
18-20	3	4.0	27	1	1	1	8	10	10	10	1	2.0		2	2	2	2	2	2	2
21-24	4	2.3		2	2	2	3	3	3	3	5	4.0	6	2	2	3	5	8	8	8
25-34	23	4.1	32	1	1	2	4	7	17	28	19	3.0	12	1	1	2	4	5	11	16
35-54	25	4.2	8	1	1	3	6	9	10	11	29	3.9	9	1	1	3	5	8	9	15
55-74	4	3.3	2	1	1	3	4	5	5	5	12	2.9	2	1	1	3	4	5	6	6
75 +	2	13.5	221	3	3	13	24	24	24	24	4	4.5	6	2	2	4	6	7	7	7
ALL AGES	68	4.5	34	1	1	3	5	9	13	33	72	3.4	8	1	1	3	4	6	8	16
SUBTOTAL	**84**	**4.5**	**29**	**1**	**1**	**3**	**5**	**9**	**12**	**32**	**98**	**3.5**	**9**	**1**	**1**	**3**	**4**	**7**	**9**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17											1	13.0		13	13	13	13	13	13	13
18-20																				
21-24	2	4.0	8	2	2	4	6	6	6	6										
25-34	4	3.8	8	2	2	3	5	8	8	8	3	5.7	22	2	2	4	9	11	11	11
35-54	10	5.4	70	1	1	3	4	17	29	29	3	8.0	9	5	5	8	10	11	11	11
55-74	3	10.3	45	6	6	7	15	18	18	18	2	1.5	1	1	1	1	2	2	2	2
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	20	5.5	45	1	1	3	6	13	23	29	10	6.2	18	1	1	5	11	12	13	13
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
13-17	2	2.0		2	2	2	2	2	2	2	2	1.5	1	1	1	1	2	2	2	2
18-20	2	10.5	145	2	2	10	19	19	19	19	4	3.8	6	1	1	4	6	6	6	6
21-24	2	1.5	1	1	1	1	2	2	2	2	4	9.5	114	2	2	5	16	25	25	25
25-34	12	4.2	5	2	2	4	5	7	10	10	11	5.5	15	1	2	4	8	11	14	14
35-54	20	4.5	10	1	2	4	5	10	11	11	18	7.0	59	1	2	4	6	22	25	25
55-74	9	6.6	18	2	2	5	7	14	16	16	8	4.5	9	1	1	4	5	9	11	11
75 +	2	11.5	181	2	2	11	21	21	21	21	1	3.0		3	3	3	3	3	3	3
ALL AGES	50	5.1	19	2	2	4	6	11	16	21	49	5.8	36	1	1	4	6	13	24	25
SUBTOTAL	**70**	**5.2**	**26**	**1**	**2**	**4**	**6**	**11**	**18**	**27**	**59**	**5.9**	**33**	**1**	**1**	**4**	**7**	**13**	**22**	**25**
GRAND TOTAL	**154**	**4.8**	**28**	**1**	**1**	**3**	**5**	**10**	**16**	**29**	**157**	**4.4**	**19**	**1**	**1**	**3**	**5**	**9**	**14**	**25**

SPECIAL SYMPTOM NEC/NOS (307.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-20											1	1.0		1	1	1	1	1	1	1
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
35-54	1	9.0		9	9	9	9	9	9	9	1	6.0		6	6	6	6	6	6	6
55-74																				
75 +											2	6.5	13	4	4	6	9	9	9	9
ALL AGES	3	4.7	14	2	2	3	7	9	9	9	5	4.2	12	1	1	4	7	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	7.0		7	7	7	7	7	7	7										
21-24																				
25-34	5	3.8	9	1	1	4	6	8	8	8										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	1	7.0		7	7	7	7	7	7	7	2	3.0	2	2	2	3	4	4	4	4
75 +	3	5.0	7	3	3	4	7	8	8	8	1	3.0		3	3	3	3	3	3	3
ALL AGES	11	4.5	7	1	1	4	7	8	8	8	3	3.0	1	2	2	3	4	4	4	4
SUBTOTAL	**14**	**4.5**	**8**	**1**	**1**	**4**	**7**	**8**	**9**	**9**	**8**	**3.8**	**7**	**1**	**1**	**3**	**5**	**8**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	21.0		21	21	21	21	21	21	21										
21-24											1	26.0		26	26	26	26	26	26	26
25-34	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
35-54	2	13.0	2	12	12	13	14	14	14	14	1	1.0		1	1	1	1	1	1	1
55-74	1	27.0		27	27	27	27	27	27	27	1	6.0		6	6	6	6	6	6	6
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	6	13.3	95	1	1	13	21	26	27	27	4	8.5	142	1	1	3	16	26	26	26
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	1	5.0		5	5	5	5	5	5	5	3	1.7		1	1	2	2	2	2	2
75 +											2	4.5	13	2	2	4	7	7	7	7
ALL AGES	4	2.3	3	1	1	1	3	5	5	5	5	2.8	6	1	1	2	3	7	7	7
SUBTOTAL	**10**	**8.9**	**86**	**1**	**1**	**5**	**14**	**24**	**27**	**27**	**9**	**5.3**	**65**	**1**	**1**	**2**	**6**	**18**	**26**	**26**
GRAND TOTAL	**24**	**6.3**	**44**	**1**	**1**	**4**	**8**	**15**	**23**	**27**	**17**	**4.6**	**36**	**1**	**1**	**2**	**6**	**9**	**20**	**26**

STRESS REACT, EMOTIONAL (308.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	11.0		11	11	11	11	11	11	11
13-17											4	2.5	1	1	1	3	3	3	3	3
18-20																				
21-24	1	6.0		6	6	6	6	6	6	6										
25-34	2	2.0	2	1	1	2	3	3	3	3	1	11.0		11	11	11	11	11	11	11
35-54	9	2.3	2	1	1	2	3	5	5	5	5	2.4	5	1	1	1	4	6	6	6
55-74	5	2.0	2	1	1	1	3	4	4	4	4	2.0	1	1	1	2	3	3	3	3
75 +																				
ALL AGES	17	2.4	2	1	1	2	3	5	6	6	15	3.5	11	1	1	3	3	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17	3	28.3	579	1	1	38	44	46	46	46										
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	3	2.3	1	2	2	2	3	3	3	3										
25-34	6	2.3	1	1	1	2	3	4	4	4	6	1.8	3	1	1	1	2	5	5	5
35-54	11	4.2	26	1	1	2	5	11	18	19	15	2.1	1	1	1	2	3	3	5	5
55-74	9	2.4	3	1	1	2	3	5	6	6	11	2.6	2	1	1	2	4	5	5	5
75 +	2	3.0		3	3	3	3	3	3	3										
ALL AGES	35	5.2	95	1	1	2	3	6	33	46	32	2.2	2	1	1	2	3	4	5	5
SUBTOTAL	**52**	**4.3**	**66**	**1**	**1**	**2**	**3**	**6**	**18**	**46**	**47**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	1.3		1	1	1	2	2	2	2	4	2.3	2	1	1	2	3	4	4	4
35-54	1	6.0		6	6	6	6	6	6	6	3	3.3	5	1	1	4	5	5	5	5
55-74	4	2.5	4	1	1	2	4	5	5	5										
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	8	2.5	4	1	1	2	4	6	6	6	8	2.5	3	1	1	2	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	2	4.0	18	1	1	4	7	7	7	7										
18-20											1	1.0		1	1	1	1	1	1	1
21-24	1	1.0		1	1	1	1	1	1	1	1	24.0		24	24	24	24	24	24	24
25-34	7	5.0	14	1	1	3	7	11	12	12	7	10.7	105	1	1	8	20	25	26	26
35-54	9	5.4	15	1	1	5	9	11	11	11	7	2.1	2	1	1	2	3	4	4	4
55-74	5	5.2	13	1	1	5	7	11	11	11	5	2.4		2	2	2	3	3	3	3
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	25	4.9	12	1	1	4	7	11	11	12	21	6.0	66	1	1	3	5	23	25	26
SUBTOTAL	**33**	**4.3**	**11**	**1**	**1**	**3**	**6**	**10**	**11**	**12**	**29**	**5.1**	**50**	**1**	**1**	**3**	**4**	**19**	**24**	**26**
GRAND TOTAL	**85**	**4.3**	**44**	**1**	**1**	**2**	**5**	**8**	**11**	**43**	**76**	**3.6**	**23**	**1**	**1**	**2**	**3**	**6**	**13**	**25**

STRESS REACTION, FUGUE (308.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	7.0		7	7	7	7	7	7	7
55-74																				
75 +																				
ALL AGES											1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES											2	2.0	2	1	1	1	3	3	3	3
SUBTOTAL											**3**	**3.7**	**9**	**1**	**1**	**3**	**6**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	3.0		3	3	3	3	3	3	3										
21-24																				
25-34																				
35-54	2	12.5	221	2	2	12	23	23	23	23	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	3	9.3	141	2	2	3	18	23	23	23	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**3**	**9.3**	**141**	**2**	**2**	**3**	**18**	**23**	**23**	**23**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**3**	**9.3**	**141**	**2**	**2**	**3**	**18**	**23**	**23**	**23**	**4**	**3.5**	**6**	**1**	**1**	**3**	**5**	**7**	**7**	**7**

STRESS REACT, PSYCHOMOT (308.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	1.0		1	1	1	1	1	1	1
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	4.0		4	4	4	4	4	4	4
35-54	1	5.0		5	5	5	5	5	5	5										
55-74											1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	2	6.0	8	4	4	6	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	41.0		41	41	41	41	41	41	41										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	1	41.0		41	41	41	41	41	41	41	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	2	23.0	648	5	5	23	41	41	41	41	3	5.0	7	3	3	4	7	8	8	8
GRAND TOTAL	2	23.0	648	5	5	23	41	41	41	41	4	4.0	9	1	1	3	6	8	8	8

ACUTE STRESS REACT NEC (308.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	2	1.5	1	1	1	1	2	2	2	2										
21-24	4	3.8	14	1	1	2	6	9	9	9	1	6.0		6	6	6	6	6	6	6
25-34	6	3.0	6	1	1	2	3	7	8	8	4	4.8	12	1	1	4	7	9	9	9
35-54	7	7.9	148	1	1	2	12	29	33	33	3	1.0		1	1	1	1	1	1	1
55-74	2	8.0	2	7	7	8	9	9	9	9	1	9.0		9	9	9	9	9	9	9
75 +	2	1.5	1	1	1	1	2	2	2	2										
ALL AGES	24	4.6	50	1	1	2	5	10	20	33	9	4.1	12	1	1	3	7	9	9	9
B. FEMALE																				
0-12 YRS.	1	25.0		25	25	25	25	25	25	25										
13-17	5	20.4	340	3	3	10	37	45	45	45										
18-20	3	1.3		1	1	1	2	2	2	2	2	6.0	32	2	2	6	10	10	10	10
21-24	3	2.0	1	1	1	2	3	3	3	3	2	2.5	5	1	1	2	4	4	4	4
25-34	15	4.9	29	1	1	2	7	12	17	19	9	2.4	4	1	1	1	4	6	6	6
35-54	9	2.6	2	1	1	3	3	5	5	5	8	4.4	13	1	1	4	6	10	12	12
55-74	5	2.4	1	1	1	2	3	4	4	4	2	9.5	113	2	2	9	17	17	17	17
75 +																				
ALL AGES	41	6.0	87	1	1	3	5	15	29	45	23	4.0	17	1	1	2	5	10	14	17
SUBTOTAL	**65**	**5.5**	**73**	**1**	**1**	**2**	**5**	**12**	**27**	**43**	**32**	**4.1**	**15**	**1**	**1**	**2**	**6**	**9**	**12**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	43.0	12	41	41	41	46	47	47	47										
13-17	4	18.5	394	1	1	17	35	39	39	39	1	5.0		5	5	5	5	5	5	5
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34	5	5.8	64	1	1	2	8	20	20	20										
35-54	17	8.9	121	1	1	4	8	31	34	35	1	5.0		5	5	5	5	5	5	5
55-74																				
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	31	12.5	233	1	1	4	24	40	41	47	2	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	11	16.6	299	1	1	8	34	41	47	48	1	1.0		1	1	1	1	1	1	1
18-20	6	12.5	264	1	1	4	23	39	41	41										
21-24	7	9.6	42	1	1	9	14	19	20	20	1	2.0		2	2	2	2	2	2	2
25-34	18	8.8	82	1	1	5	16	18	27	33	1	3.0		3	3	3	3	3	3	3
35-54	14	7.5	57	1	1	4	13	20	25	26	4	2.8	2	2	2	2	4	5	5	5
55-74	2	1.0		1	1	1	1	1	1	1	3	3.0	1	2	2	3	4	4	4	4
75 +											4	4.3	6	2	2	4	6	7	7	7
ALL AGES	58	10.2	131	1	1	5	15	29	36	47	14	3.1	3	1	2	2	4	6	7	7
SUBTOTAL	**89**	**11.0**	**165**	**1**	**1**	**4**	**16**	**34**	**41**	**48**	**16**	**3.3**	**3**	**1**	**2**	**3**	**5**	**6**	**7**	**7**
GRAND TOTAL	**154**	**8.7**	**133**	**1**	**1**	**3**	**11**	**30**	**36**	**47**	**48**	**3.8**	**11**	**1**	**1**	**2**	**5**	**8**	**10**	**17**

STRESS REACT, MIXED DIS (308.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES											3	2.0	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**4**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14										
55-74																				
75 +																				
ALL AGES	1	14.0		14	14	14	14	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	1.0		1	1	1	1	1	1	1
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	21.0		21	21	21	21	21	21	21	1	10.0		10	10	10	10	10	10	10
55-74	1	6.0		6	6	6	6	6	6	6										
75 +																				
ALL AGES	3	9.7	99	2	2	6	17	21	21	21	2	5.5	41	1	1	5	10	10	10	10
SUBTOTAL	**4**	**10.8**	**70**	**2**	**2**	**10**	**17**	**21**	**21**	**21**	**2**	**5.5**	**41**	**1**	**1**	**5**	**10**	**10**	**10**	**10**
GRAND TOTAL	**5**	**9.0**	**69**	**2**	**2**	**6**	**16**	**21**	**21**	**21**	**6**	**3.0**	**12**	**1**	**1**	**2**	**3**	**9**	**10**	**10**

ACUTE STRESS REACT NOS (308.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
25-34	4	12.0	455	1	1	2	23	44	44	44	1	2.0		2	2	2	2	2	2	2
35-54	1	2.0		2	2	2	2	2	2	2	3	3.3	6	2	2	2	5	6	6	6
55-74	1	3.0		3	3	3	3	3	3	3	4	2.0	1	1	1	2	3	3	3	3
75 +	2	3.0		3	3	3	3	3	3	3	2	8.0	2	7	7	8	9	9	9	9
ALL AGES	9	6.7	196	1	1	2	3	28	44	44	11	3.4	7	1	1	2	5	8	9	9
B. FEMALE																				
0-12 YRS.																				
13-17	2	3.0		3	3	3	3	3	3	3										
18-20	2	3.5	13	1	1	3	6	6	6	6										
21-24											1	7.0		7	7	7	7	7	7	7
25-34	2	2.0	2	1	1	2	3	3	3	3	1	3.0		3	3	3	3	3	3	3
35-54	3	2.3	3	1	1	2	3	4	4	4	4	2.0	2	1	1	2	3	4	4	4
55-74	2	2.0	2	1	1	2	3	3	3	3	3	2.7	1	2	2	2	4	4	4	4
75 +																				
ALL AGES	11	2.5	3	1	1	3	3	5	6	6	9	2.9	4	1	1	2	4	6	7	7
SUBTOTAL	**20**	**4.4**	**89**	**1**	**1**	**2**	**3**	**5**	**25**	**44**	**20**	**3.2**	**5**	**1**	**1**	**2**	**4**	**7**	**8**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	1.0		1	1	1	1	1	1	1										
25-34	3	4.7	16	1	1	4	8	9	9	9	1	9.0		9	9	9	9	9	9	9
35-54	3	7.0	27	4	4	4	11	13	13	13										
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	9	4.2	18	1	1	4	5	11	13	13	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	2.0		2	2	2	2	2	2	2
25-34	4	10.0	120	2	2	6	17	26	26	26	2	5.5	1	5	5	5	6	6	6	6
35-54	3	21.0	592	5	5	9	39	49	49	49	2	2.0	2	1	1	2	3	3	3	3
55-74	2	7.0	72	1	1	6	13	13	13	13	1	3.0		3	3	3	3	3	3	3
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	9	13.0	240	1	1	8	16	40	49	49	7	3.1	3	1	1	3	5	6	6	6
SUBTOTAL	**18**	**8.6**	**142**	**1**	**1**	**4**	**9**	**22**	**40**	**49**	**8**	**3.9**	**7**	**1**	**1**	**3**	**5**	**8**	**9**	**9**
GRAND TOTAL	**38**	**6.4**	**115**	**1**	**1**	**3**	**5**	**13**	**37**	**49**	**28**	**3.4**	**5**	**1**	**1**	**2**	**5**	**7**	**9**	**9**

BRIEF DEPRESSIVE REACT (309.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	14.5	38	6	6	16	19	20	20	20										
13-17	43	5.6	41	1	1	3	7	14	22	27	6	10.8	184	2	2	4	14	35	37	37
18-20	22	2.4	3	1	1	2	3	5	7	7	7	5.3	78	1	1	1	4	21	25	25
21-24	26	1.9	2	1	1	2	2	3	6	8	6	2.2	2	1	1	2	3	5	5	5
25-34	78	3.7	15	1	1	2	4	9	13	20	16	3.4	3	1	1	3	5	6	6	6
35-54	66	4.7	47	1	1	2	5	10	16	41	18	2.2	3	1	1	2	2	4	6	8
55-74	30	8.8	194	1	1	4	8	19	45	67	5	2.6	9	1	1	1	3	8	8	8
75 +	7	5.9	13	3	3	4	10	11	11	11	6	6.5	33	2	2	5	10	15	16	16
ALL AGES	276	4.7	48	1	1	2	5	11	15	39	64	4.1	33	1	1	2	4	8	15	35
B. FEMALE																				
0-12 YRS.	6	15.7	454	1	1	7	24	52	55	55	1	3.0		3	3	3	3	3	3	3
13-17	80	6.6	58	1	1	4	8	18	22	36	12	3.8	16	1	1	2	4	12	13	13
18-20	45	2.6	8	1	1	2	3	5	9	14	9	4.9	38	1	1	2	6	15	20	20
21-24	46	4.7	24	1	1	3	6	13	15	21	11	3.5	7	1	1	2	6	8	8	8
25-34	130	3.6	14	1	1	2	4	7	10	21	23	3.0	10	1	1	2	3	6	11	15
35-54	153	6.6	87	1	1	4	7	14	23	50	25	3.9	18	1	1	3	4	11	14	16
55-74	29	5.7	18	1	1	5	8	12	13	18	14	3.7	8	1	1	3	6	7	10	11
75 +	15	7.0	65	1	1	3	9	21	27	29	6	7.3	19	1	1	9	11	11	11	11
ALL AGES	504	5.3	53	1	1	3	6	12	20	30	101	3.9	15	1	1	3	5	10	12	18
SUBTOTAL	**780**	**5.1**	**52**	**1**	**1**	**3**	**6**	**12**	**19**	**30**	**165**	**4.0**	**22**	**1**	**1**	**2**	**5**	**10**	**13**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	32.0	200	22	22	32	42	42	42	42										
13-17	36	7.9	53	1	2	5	11	17	27	28	2	7.0	72	1	1	7	13	13	13	13
18-20	30	4.3	25	1	1	2	4	12	13	23	11	2.9	4	1	1	2	5	6	6	6
21-24	38	5.4	34	1	1	3	7	13	19	26	11	1.7	1	1	1	1	2	3	4	4
25-34	152	4.8	18	1	1	3	7	11	14	18	38	4.4	33	1	1	3	5	8	17	30
35-54	128	5.4	40	1	1	3	6	10	16	33	20	3.6	9	1	1	3	5	7	10	13
55-74	18	10.4	127	1	1	8	13	21	39	49	5	5.0	17	2	2	4	7	12	12	12
75 +	3	7.3	35	3	3	5	12	14	14	14	2	9.0	98	2	2	9	16	16	16	16
ALL AGES	407	5.7	40	1	1	3	7	13	17	32	89	3.9	21	1	1	2	5	8	13	27
B. FEMALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17	65	10.8	202	1	2	5	11	29	39	76	6	2.7	1	1	1	3	4	4	4	4
18-20	49	7.2	118	1	1	4	7	14	26	59	4	1.5	1	1	1	1	2	3	3	3
21-24	46	8.5	117	1	1	4	10	20	37	52	9	4.8	54	1	1	2	5	16	24	24
25-34	183	6.0	64	1	1	3	7	15	20	35	26	4.3	30	1	1	3	5	8	12	29
35-54	144	5.9	46	1	1	3	8	12	19	35	31	5.4	46	1	1	3	5	15	25	25
55-74	33	5.5	32	1	1	3	8	12	18	26	11	5.0	9	1	1	5	7	9	10	10
75 +	12	6.5	14	2	2	7	10	11	11	11	3	3.0	7	1	1	2	5	6	6	6
ALL AGES	533	6.9	84	1	1	4	8	15	26	50	90	4.5	31	1	1	3	5	8	24	27
SUBTOTAL	**940**	**6.4**	**65**	**1**	**1**	**4**	**8**	**14**	**22**	**42**	**179**	**4.2**	**26**	**1**	**1**	**3**	**5**	**8**	**13**	**28**
GRAND TOTAL	**1720**	**5.8**	**59**	**1**	**1**	**3**	**7**	**13**	**20**	**38**	**344**	**4.1**	**24**	**1**	**1**	**3**	**5**	**9**	**13**	**26**

PROLONG DEPRESSIVE REACT (309.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	5.7	17	1	1	7	8	9	9	9										
18-20	5	5.8	13	1	1	7	9	9	9	9										
21-24	3	2.7	2	1	1	3	4	4	4	4										
25-34	7	3.9	6	1	1	3	6	8	8	8	5	2.8	4	1	1	2	4	6	6	6
35-54	12	5.6	16	1	1	5	9	12	13	13	2	5.5	1	5	5	5	6	6	6	6
55-74	3	12.0	76	6	6	8	18	22	22	22										
75 +	1	9.0		9	9	9	9	9	9	9	1	5.0		5	5	5	5	5	5	5
ALL AGES	34	5.7	19	1	1	5	8	10	13	22	8	3.8	3	1	1	4	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	7	11.6	81	1	2	9	18	25	26	26	2	19.5	181	10	10	19	29	29	29	29
18-20	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
21-24	3	10.0	27	7	7	7	14	16	16	16										
25-34	7	7.1	24	2	2	6	10	15	16	16	2	1.5	1	1	1	1	2	2	2	2
35-54	11	8.0	52	1	1	6	13	19	22	22	5	4.8	23	1	1	3	7	13	13	13
55-74	8	8.4	27	2	3	7	12	16	17	17	1	28.0		28	28	28	28	28	28	28
75 +	2	3.0		3	3	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
ALL AGES	39	8.3	42	1	1	7	13	17	21	26	12	8.3	103	1	1	3	11	28	29	29
SUBTOTAL	**73**	**7.1**	**32**	**1**	**1**	**6**	**9**	**16**	**19**	**25**	**20**	**6.5**	**66**	**1**	**1**	**3**	**6**	**20**	**28**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	37.0		37	37	37	37	37	37	37										
13-17	6	13.5	105	2	2	11	24	27	27	27	1	1.0		1	1	1	1	1	1	1
18-20	2	32.0	1682	3	3	32	61	61	61	61										
21-24	3	3.0	12	1	1	1	5	7	7	7										
25-34	9	6.6	26	1	2	5	8	15	18	18	1	3.0		3	3	3	3	3	3	3
35-54	19	9.2	160	1	2	4	9	19	40	56										
55-74											1	3.0		3	3	3	3	3	3	3
75 +	2	2.0		2	2	2	2	2	2	2										
ALL AGES	42	10.2	183	1	1	5	10	25	45	61	3	2.3	2	1	1	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	8	6.8	28	1	2	5	10	15	16	16										
18-20	3	6.3	3	5	5	6	7	8	8	8	1	4.0		4	4	4	4	4	4	4
21-24	2	3.5	5	2	2	3	5	5	5	5	2	19.0	392	5	5	19	33	33	33	33
25-34	23	9.5	45	1	2	9	14	19	22	23										
35-54	24	10.8	254	2	2	7	9	21	40	81	3	11.3	61	5	5	9	17	20	20	20
55-74	4	15.3	70	3	3	18	21	21	21	21	4	5.5	3	3	3	6	7	7	7	7
75 +	2	4.0		4	4	4	4	4	4	4	1	28.0		28	28	28	28	28	28	28
ALL AGES	60	9.5	118	2	2	7	13	20	21	72	11	11.5	110	3	4	6	17	30	33	33
SUBTOTAL	**108**	**9.8**	**141**	**1**	**2**	**6**	**12**	**21**	**24**	**69**	**14**	**9.5**	**100**	**1**	**2**	**5**	**9**	**28**	**32**	**33**
GRAND TOTAL	**181**	**8.7**	**99**	**1**	**1**	**6**	**10**	**18**	**22**	**59**	**34**	**7.7**	**80**	**1**	**1**	**5**	**7**	**28**	**29**	**33**

ADJUST REACT/OTH EMOTION (309.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	12.0	332	1	1	4	23	39	39	39										
13-17	25	7.5	111	1	1	3	8	19	38	42	1	1.0		1	1	1	1	1	1	1
18-20	10	3.4	10	1	1	2	4	9	10	10										
21-24	9	3.2	9	1	1	3	4	8	10	10	2	6.0	18	3	3	6	9	9	9	9
25-34	21	3.9	20	1	1	2	4	8	14	21	3	2.0	3	1	1	1	3	4	4	4
35-54	25	5.4	34	1	1	3	8	14	19	23	6	3.3	4	1	1	3	5	6	6	6
55-74	11	6.2	29	1	1	6	8	15	19	19	1	6.0		6	6	6	6	6	6	6
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	105	5.6	55	1	1	3	7	11	20	40	14	3.5	6	1	1	3	5	7	8	9
B. FEMALE																				
0-12 YRS.	3	7.3	51	1	1	6	13	15	15	15	3	37.7	1298	3	3	35	65	75	75	75
13-17	33	5.6	58	1	1	3	6	12	28	34	7	7.1	72	1	1	3	11	22	24	24
18-20	17	4.5	17	1	1	3	7	10	14	16	5	3.8	18	1	1	2	6	11	11	11
21-24	22	3.9	30	1	1	2	4	9	16	26	1	4.0		4	4	4	4	4	4	4
25-34	45	4.4	19	1	1	3	6	9	15	19	7	1.7	1	1	1	2	2	3	3	3
35-54	78	5.7	36	1	1	3	8	12	19	29	9	5.3	9	2	2	4	8	10	10	10
55-74	21	6.5	34	1	2	5	7	14	21	27	4	2.5		2	2	2	3	3	3	3
75 +	6	3.5	5	1	1	3	6	6	6	6	1	5.0		5	5	5	5	5	5	5
ALL AGES	225	5.2	33	1	1	3	7	12	16	29	37	7.1	176	1	1	3	5	13	31	75
SUBTOTAL	**330**	**5.3**	**40**	**1**	**1**	**3**	**7**	**11**	**18**	**35**	**51**	**6.1**	**131**	**1**	**1**	**3**	**5**	**10**	**23**	**75**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	8	29.4	272	4	5	34	42	46	47	47	1	2.0		2	2	2	2	2	2	2
13-17	24	11.2	89	2	3	8	15	24	33	37	1	21.0		21	21	21	21	21	21	21
18-20	8	9.1	116	1	1	4	14	28	31	31	2	6.5	61	1	1	6	12	12	12	12
21-24	14	6.6	55	1	1	4	8	15	25	28	1	9.0		9	9	9	9	9	9	9
25-34	50	6.2	38	1	1	4	8	13	20	30	15	2.8	5	1	1	2	4	5	8	9
35-54	41	4.8	24	1	1	3	6	11	17	22	10	3.5	11	1	1	3	4	8	12	12
55-74	11	8.6	32	3	3	7	11	17	22	22	2	1.0		1	1	1	1	1	1	1
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	157	8.1	85	1	1	5	10	21	31	43	32	3.9	19	1	1	2	4	10	12	21
B. FEMALE																				
0-12 YRS.	1	91.0		91	91	91	91	91	91	91	1	1.0		1	1	1	1	1	1	1
13-17	35	8.4	58	1	2	5	14	21	24	29	1	4.0		4	4	52	99 +	99 +	99 +	99 +
18-20	19	6.7	67	1	1	3	9	17	28	33	4	2.8	4	1	1	3	4	5	5	5
21-24	22	4.8	14	1	1	4	6	11	13	14	4	2.8	1	2	2	3	3	4	4	4
25-34	78	6.9	41	1	1	4	9	18	22	27	7	2.4	11	1	1	1	2	8	10	10
35-54	83	7.0	54	1	1	5	10	15	19	39	17	5.6	35	1	1	4	6	14	20	23
55-74	13	4.7	23	1	1	3	5	10	17	19	3	2.0	1	1	1	2	3	3	3	3
75 +	3	7.7	2	6	6	8	9	9	9	9	1	1.0		1	1	1	1	1	1	1
ALL AGES	254	7.2	73	1	1	4	9	16	22	36	38	3.8	21	1	1	2	5	11	19	99 +
SUBTOTAL	**411**	**7.5**	**78**	**1**	**1**	**5**	**9**	**18**	**24**	**41**	**70**	**3.9**	**19**	**1**	**1**	**2**	**5**	**11**	**15**	**84**
GRAND TOTAL	**741**	**6.6**	**61**	**1**	**1**	**4**	**8**	**15**	**22**	**37**	**121**	**4.8**	**67**	**1**	**1**	**3**	**5**	**10**	**17**	**82**

ADJUST REACT-CONDUCT DIS (309.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	31.8	588	6	6	30	51	60	60	60										
13-17	10	23.3	832	2	3	12	36	67	98	98	1	1.0		1	1	1	1	1	1	1
18-20	3	1.7		1	1	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
21-24	1	1.0		1	1	1	1	1	1	1	2	1.5	1	1	1	1	2	2	2	2
25-34	4	1.8	1	1	1	2	2	3	3	3	4	4.5	40	1	1	1	8	14	14	14
35-54	3	5.7	41	1	1	3	10	13	13	13										
55-74											4	5.8	55	2	2	2	10	17	17	17
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	26	15.7	514	1	1	7	18	42	68	98	12	3.8	31	1	1	2	5	34	87	99 +
B. FEMALE																				
0-12 YRS.											1	11.0		11	11	11	11	11	11	11
13-17	9	19.3	388	1	1	10	29	51	59	59										
18-20											1	6.0		6	6	6	6	6	6	6
21-24											1	2.0		2	2	2	2	2	2	2
25-34	2	2.0	2	1	1	2	3	3	3	3	1	1.0		1	1	1	1	1	1	1
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	12	15.3	335	1	1	7	24	46	57	59	4	5.0	21	1	1	4	8	11	11	11
SUBTOTAL	**38**	**15.6**	**446**	**1**	**1**	**7**	**18**	**42**	**60**	**98**	**16**	**4.1**	**27**	**1**	**1**	**2**	**7**	**16**	**71**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	30.7	78	22	22	30	37	40	40	40										
13-17	10	14.0	212	1	1	8	18	39	42	42	2	3.5	13	1	1	3	6	6	6	6
18-20	1	24.0		24	24	24	24	24	24	24										
21-24	1	1.0		1	1	1	1	1	1	1	4	5.0	54	1	1	1	9	16	16	16
25-34	2	3.0		3	3	3	3	3	3	3	4	2.0	2	1	1	2	3	4	4	4
35-54	5	9.6	85	2	2	8	14	25	25	25	1	2.0		2	2	2	2	2	2	2
55-74											2	2.0		2	2	2	2	2	2	2
75 +	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
ALL AGES	23	13.7	180	1	1	8	23	38	41	42	14	3.2	16	1	1	2	4	7	14	16
B. FEMALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-17	8	12.6	160	3	3	8	19	34	36	36										
18-20											1	2.0		2	2	2	2	2	2	2
21-24																				
25-34	2	5.0	18	2	2	5	8	8	8	8	1	2.0		2	2	2	2	2	2	2
35-54	2	2.0		2	2	2	2	2	2	2										
55-74	2	11.5	145	3	3	11	20	20	20	20										
75 +																				
ALL AGES	14	9.9	116	2	2	6	9	30	35	36	3	3.0	3	2	2	2	4	5	5	5
SUBTOTAL	**37**	**12.2**	**156**	**1**	**2**	**8**	**20**	**35**	**39**	**42**	**17**	**3.2**	**13**	**1**	**1**	**2**	**4**	**6**	**12**	**16**
GRAND TOTAL	**75**	**13.9**	**303**	**1**	**1**	**8**	**20**	**37**	**43**	**88**	**33**	**3.6**	**20**	**1**	**1**	**2**	**4**	**14**	**17**	**99 +**

ADJ REACT-EMOTION/CONDUC (309.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	30.1	191	13	14	27	35	52	56	56										
13-17	20	13.4	195	1	1	8	22	32	45	53	5	10.0	44	4	4	15	79	99 +	99 +	99 +
18-20	4	3.3	2	1	1	3	4	5	5	5										
21-24	4	6.8	34	1	1	5	10	15	15	15	1	2.0		2	2	2	2	2	2	2
25-34	12	5.3	42	1	1	3	6	18	19	19	8	5.4	8	3	3	5	6	10	12	12
35-54	9	2.7	3	1	1	2	3	6	6	6	6	4.8	7	2	2	5	6	9	9	9
55-74	3	3.7	4	2	2	3	5	6	6	6	1	6.0		6	6	6	6	6	6	6
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	60	10.4	163	1	1	5	15	27	36	56	21	6.2	19	2	2	5	8	35	99 +	99 +
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	35	12.9	152	1	2	8	18	35	39	47	8	14.4	575	1	1	2	23	56	63	63
18-20	6	9.8	233	1	1	3	11	37	40	40										
21-24	7	6.9	58	1	1	4	8	20	23	23	3	1.0		1	1	1	1	1	1	1
25-34	13	6.0	41	1	1	3	11	16	18	18	7	1.9	3	1	1	1	2	5	6	6
35-54	26	6.6	31	1	1	5	8	15	20	23	5	7.2	16	3	3	9	10	12	12	12
55-74	6	2.3	3	1	1	2	3	5	5	5	2	6.0		6	6	6	6	6	6	6
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	95	8.7	98	1	1	5	10	23	34	44	25	7.2	201	1	1	2	6	12	46	63
SUBTOTAL	**155**	**9.4**	**122**	**1**	**1**	**5**	**11**	**26**	**35**	**53**	**46**	**6.7**	**117**	**1**	**1**	**4**	**7**	**18**	**67**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	19.3	308	2	2	19	32	37	37	37										
13-17	26	13.0	247	1	2	7	17	35	45	71	3	22.0	876	2	2	8	44	56	56	56
18-20	5	4.2	10	1	1	4	6	9	9	9										
21-24	12	5.1	35	1	1	3	6	12	21	23	4	2.5	3	1	1	2	4	5	5	5
25-34	23	5.0	30	1	1	3	7	10	17	26	14	4.8	9	1	1	4	6	9	11	11
35-54	9	2.9	3	1	1	2	4	6	6	6	10	3.6	6	1	1	3	5	7	8	8
55-74	4	7.5	30	1	1	7	11	14	14	14	1	3.0		3	3	3	3	3	3	3
75 +	3	4.7	8	3	3	3	7	8	8	8										
ALL AGES	85	7.8	116	1	1	4	8	19	32	60	32	5.7	91	1	1	4	6	9	11	56
B. FEMALE																				
0-12 YRS.	1	23.0		23	23	23	23	23	23	23	1	1.0		1	1	1	1	1	1	1
13-17	25	13.4	189	1	2	8	25	41	56	99 +	4	8.5	12	5	5	8	11	13	13	13
18-20	6	6.7	29	1	1	6	10	14	15	15										
21-24	14	6.5	32	1	1	5	8	13	20	22	3	8.0	37	4	4	5	12	15	15	15
25-34	34	6.0	61	1	1	4	6	14	25	37	4	4.5	32	1	1	2	8	13	13	13
35-54	22	7.2	147	1	2	4	6	11	32	60	2	4.5	1	4	4	4	5	5	5	5
55-74	9	3.9	6	1	1	4	6	7	8	8	3	3.0		3	3	3	3	3	3	3
75 +	5	14.8	101	4	4	14	21	30	30	30										
ALL AGES	116	8.3	106	1	1	4	9	23	36	73	17	5.6	19	1	1	4	7	13	14	15
SUBTOTAL	201	8.1	109	1	1	4	9	22	34	65	49	5.7	65	1	1	4	6	10	13	56
GRAND TOTAL	356	8.6	116	1	1	5	10	23	35	56	95	6.2	89	1	1	4	6	13	33	99 +

OTHER ADJUST REACTION (309.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	6.0	8	4	4	6	8	8	8	8										
21-24	3	4.0	9	1	1	4	6	7	7	7										
25-34	4	5.5	9	4	4	4	7	10	10	10	1	2.0		2	2	2	2	2	2	2
35-54	7	2.0	1	1	1	2	3	4	4	4	2	1.5	1	1	1	1	2	2	2	2
55-74																				
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	16	3.8	7	1	1	4	4	8	9	10	4	2.8	5	1	1	2	4	6	6	6
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14	1	3.0		3	3	3	3	3	3	3
13-17	8	6.6	14	2	2	6	10	11	11	11	1	3.0		3	3	3	3	3	3	3
18-20	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
21-24	3	1.3		1	1	1	2	2	2	2										
25-34	6	14.2	137	1	1	12	22	32	33	33										
35-54	7	17.9	563	1	1	7	28	59	65	65										
55-74																				
75 +																				
ALL AGES	26	10.8	205	1	1	6	11	32	41	65	3	2.3	2	1	1	3	3	3	3	3
SUBTOTAL	**42**	**8.1**	**140**	**1**	**1**	**4**	**10**	**17**	**34**	**65**	**7**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5	2	7.5	1	7	7	7	8	8	8	8
13-17	8	27.4	962	1	1	14	46	79	88	88										
18-20	1	3.0		3	3	3	3	3	3	3	2	2.0	2	1	1	2	3	3	3	3
21-24																				
25-34	11	8.0	40	1	1	7	12	18	20	20	4	2.5	3	1	1	2	4	5	5	5
35-54	27	6.4	67	1	1	4	8	12	24	40	1	1.0		1	1	1	1	1	1	1
55-74	1	19.0		19	19	19	19	19	19	19										
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	50	10.3	241	1	1	5	11	20	40	88	9	3.3	7	1	1	2	5	8	8	8
B. FEMALE																				
0-12 YRS.	2	58.5	1985	27	27	90	97	99 +	99 +	99 +										
13-17	9	26.4	659	3	3	25	31	69	84	84	1	8.0		8	8	8	8	8	8	8
18-20	3	10.0	48	2	2	14	14	14	14	14	1	15.0		15	15	15	15	15	15	15
21-24	4	10.5	83	5	5	7	16	24	24	24										
25-34	13	19.5	574	3	3	7	28	66	67	67	1	7.0		7	7	7	7	7	7	7
35-54	4	8.5	129	1	1	4	16	25	25	25	1	3.0		3	3	3	3	3	3	3
55-74	1	5.0		5	5	5	5	5	5	5										
75 +	1	7.0		7	7	7	7	7	7	7	1	5.0		5	5	5	5	5	5	5
ALL AGES	37	19.6	551	2	3	9	26	67	88	99 +	5	7.6	21	3	3	7	10	15	15	15
SUBTOTAL	**87**	**14.3**	**388**	**1**	**1**	**7**	**15**	**44**	**69**	**96**	**14**	**4.9**	**15**	**1**	**1**	**4**	**7**	**9**	**14**	**15**
GRAND TOTAL	**129**	**12.3**	**314**	**1**	**1**	**6**	**14**	**33**	**65**	**92**	**21**	**4.1**	**12**	**1**	**1**	**3**	**6**	**8**	**11**	**15**

ADJUSTMENT REACTION NOS (309.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	19.0		19	19	19	19	19	19	19	1	1.0		1	1	1	1	1	1	1
13-17	12	3.8	17	1	1	3	4	9	15	16										
18-20	2	1.5	1	1	1	1	2	2	2	2	1	4.0		4	4	4	4	4	4	4
21-24	6	1.7	1	1	1	2	2	3	3	3										
25-34	11	2.0	1	1	1	2	3	3	3	3										
35-54	10	2.4	4	1	1	2	3	5	7	7	1	2.0		2	2	2	2	2	2	2
55-74											1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	42	3.0	12	1	1	2	3	5	11	19	4	4.0	13	1	1	3	6	9	9	9
B. FEMALE																				
0-12 YRS.	3	21.7	280	7	7	18	34	40	40	40										
13-17	29	6.0	69	1	1	3	6	18	23	37	2	6.0	50	1	1	6	11	11	11	11
18-20	11	6.5	141	1	1	1	6	23	39	41	2	3.0	8	1	1	3	5	5	5	5
21-24	8	1.9		1	1	2	2	3	3	3	1	2.0		2	2	2	2	2	2	2
25-34	23	3.1	4	1	1	2	5	6	7	8	2	1.5	1	1	1	1	2	2	2	2
35-54	10	2.7	7	1	1	2	3	7	10	10	2	4.0	18	1	1	4	7	7	7	7
55-74	3	6.0	16	2	2	6	9	10	10	10	3	4.7	10	1	1	6	7	7	7	7
75 +	1	19.0		19	19	19	19	19	19	19										
ALL AGES	88	5.2	62	1	1	2	5	12	19	41	12	3.8	11	1	1	2	7	29	87	99 +
SUBTOTAL	**130**	**4.5**	**47**	**1**	**1**	**2**	**4**	**11**	**18**	**40**	**16**	**3.8**	**11**	**1**	**1**	**2**	**7**	**11**	**69**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	29.8	466	10	10	30	48	49	49	49										
13-17	13	5.6	48	1	1	3	7	12	24	27	2	3.0	8	1	1	3	5	5	5	5
18-20	14	3.3	6	1	1	2	6	6	8	8										
21-24	19	2.1	3	1	1	2	2	4	7	8	1	2.0		2	2	2	2	2	2	2
25-34	32	3.8	15	1	1	2	4	9	13	17	6	6.8	37	1	1	7	12	13	13	13
35-54	18	3.4	6	1	1	2	5	8	9	9	4	7.0	23	2	2	7	11	12	12	12
55-74	4	3.5	14	1	1	2	6	9	9	9	2	10.0	50	5	5	10	15	15	15	15
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	104	4.5	54	1	1	2	5	8	13	48	16	6.1	28	1	1	4	12	13	14	15
B. FEMALE																				
0-12 YRS.	1	39.0		39	39	39	39	39	39	39										
13-17	24	8.0	122	1	1	3	9	27	59	99 +	1	1.0		1	1	1	1	1	1	1
18-20	14	3.2	12	1	1	2	3	8	12	13	2	1.0		1	1	1	1	1	1	1
21-24	23	5.1	16	1	1	4	7	11	13	16	3	3.3	1	3	3	3	4	4	4	4
25-34	29	4.9	29	1	1	2	7	13	15	24	2	3.0	8	1	1	3	5	5	5	5
35-54	32	4.7	37	1	1	2	4	15	20	26	3	4.7	9	2	2	4	7	8	8	8
55-74	6	7.0	20	1	1	7	9	13	14	14	1	4.0		4	4	4	4	4	4	4
75 +	3	3.7	1	3	3	3	5	5	5	5										
ALL AGES	132	5.6	52	1	1	3	7	14	24	54	12	3.1	4	1	1	3	4	6	8	8
SUBTOTAL	**236**	**5.1**	**53**	**1**	**1**	**3**	**6**	**12**	**19**	**48**	**28**	**4.8**	**19**	**1**	**1**	**3**	**7**	**12**	**13**	**15**
GRAND TOTAL	**366**	**4.9**	**50**	**1**	**1**	**2**	**5**	**11**	**18**	**44**	**44**	**4.5**	**16**	**1**	**1**	**3**	**7**	**12**	**13**	**99 +**

FRONTAL LOBE SYNDROME (310.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	4.0		4	4	4	4	4	4	4
21-24																				
25-34																				
35-54																				
55-74	1	13.0		13	13	13	13	13	13	13	1	7.0		7	7	7	7	7	7	7
75 +											1	18.0		18	18	18	18	18	18	18
ALL AGES	1	13.0		13	13	13	13	13	13	13	3	9.7	53	4	4	7	15	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	14.0		14	14	14	14	14	14	14
75 +											1	10.0		10	10	10	10	10	10	10
ALL AGES											2	12.0	8	10	10	12	14	14	14	14
SUBTOTAL	**1**	**13.0**		**13**	**13**	**13**	**13**	**13**	**13**	**13**	**5**	**10.6**	**31**	**4**	**4**	**10**	**15**	**18**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	32.0		32	32	32	32	32	32	32										
35-54																				
55-74																				
75 +																				
ALL AGES	1	32.0		32	32	32	32	32	32	32										
SUBTOTAL	**1**	**32.0**		**32**	**32**	**32**	**32**	**32**	**32**	**32**										
GRAND TOTAL	**2**	**22.5**	**181**	**13**	**13**	**22**	**32**	**32**	**32**	**32**	**5**	**10.6**	**31**	**4**	**4**	**10**	**15**	**18**	**18**	**18**

ORGANIC PERSONALITY SYND (310.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	42.8	61	36	36	39	48	55	55	55										
13-17											1	52.0		52	52	52	52	52	52	52
18-20											1	8.0		8	8	8	8	8	8	8
21-24																				
25-34	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
35-54	5	3.8	10	1	1	3	5	9	9	9	2	53.0	450	38	38	53	68	68	68	68
55-74	4	6.0	18	2	2	5	9	11	11	11	2	5.5	1	5	5	5	6	6	6	6
75 +	7	6.0	27	1	1	5	8	14	16	16	3	4.7	2	3	3	5	6	6	6	6
ALL AGES	22	13.9	282	1	1	7	16	41	50	55	10	19.2	587	1	2	6	38	60	68	68
B. FEMALE																				
0-12 YRS.																				
13-17	1	53.0		53	53	53	53	53	53	53										
18-20																				
21-24																				
25-34	2	13.5	113	6	6	13	21	21	21	21	2	13.5	265	2	2	13	25	25	25	25
35-54											2	7.0	32	3	3	7	11	11	11	11
55-74	7	8.6	35	4	4	7	10	19	21	21	5	7.0	32	1	1	6	10	16	16	16
75 +	7	8.9	90	1	1	7	10	25	29	29	13	5.9	14	2	2	5	8	11	14	15
ALL AGES	17	11.9	169	1	2	7	13	27	45	53	22	7.0	32	1	2	5	9	15	20	25
SUBTOTAL	**39**	**13.0**	**229**	**1**	**1**	**7**	**15**	**39**	**50**	**55**	**32**	**10.8**	**226**	**1**	**2**	**6**	**9**	**29**	**51**	**68**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	1	45.0		45	45	45	45	45	45	45										
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3	2	6.5	1	6	6	6	7	7	7	7
25-34	6	9.3	93	2	2	4	16	25	26	26	3	4.3	3	3	3	4	5	6	6	6
35-54	11	13.3	158	1	1	7	19	31	43	44	3	4.0	1	3	3	4	5	5	5	5
55-74	7	10.7	112	3	3	8	10	29	34	34	2	6.5	1	6	6	6	7	7	7	7
75 +	4	4.8	9	2	2	4	7	9	9	9	1	12.0		12	12	12	12	12	12	12
ALL AGES	31	11.4	139	1	2	7	16	29	43	45	11	5.7	7	3	3	6	7	9	12	12
B. FEMALE																				
0-12 YRS.	1	41.0		41	41	41	41	41	41	41										
13-17																				
18-20																				
21-24											1	25.0		25	25	25	25	25	25	25
25-34											1	6.0		6	6	6	6	6	6	6
35-54	1	11.0		11	11	11	11	11	11	11										
55-74	4	6.8	34	2	2	5	11	15	15	15	3	2.3	3	1	1	2	3	4	4	4
75 +	6	10.2	34	4	4	10	12	19	20	20										
ALL AGES	12	11.7	113	2	3	9	14	26	39	41	5	7.6	98	1	1	4	11	25	25	25
SUBTOTAL	**43**	**11.4**	**131**	**2**	**2**	**7**	**16**	**28**	**42**	**45**	**16**	**6.3**	**31**	**1**	**2**	**5**	**7**	**12**	**21**	**25**
GRAND TOTAL	**82**	**12.2**	**175**	**1**	**2**	**7**	**16**	**37**	**44**	**54**	**48**	**9.3**	**163**	**1**	**2**	**6**	**8**	**22**	**39**	**68**

POSTCONCUSSION SYNDROME (310.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	16	1.1		1	1	1	1	2	2	2	42	1.3		1	1	1	1	2	3	3
13-17	11	2.1	3	1	1	2	3	35	91	99+	21	3.4	68	1	1	1	2	5	21	39
18-20	9	16.6	1066	1	1	2	12	74	98	98	10	9.2	190	1	1	2	12	34	37	37
21-24	12	1.2		1	1	1	1	2	3	3	20	5.7	68	1	1	2	7	14	26	36
25-34	20	11.7	352	1	1	3	12	43	60	69	22	5.5	56	1	1	3	4	15	24	31
35-54	12	13.8	591	1	1	3	21	75	95	99+	22	5.8	51	1	1	3	7	14	22	32
55-74	9	4.6	5	2	2	4	6	8	8	8	9	5.3	81	1	1	2	4	19	29	29
75 +	3	3.7	5	1	1	5	5	5	5	5	4	7.8	66	3	3	4	12	20	20	20
ALL AGES	92	7.1	275	1	1	2	4	21	67	99+	150	4.4	56	1	1	1	4	11	20	37
B. FEMALE																				
0-12 YRS.	8	1.8	1	1	1	2	2	3	3	3	25	1.2		1	1	1	1	2	3	3
13-17	9	13.9	613	1	1	2	15	58	60	60	9	1.8	1	1	1	1	2	4	4	4
18-20											4	3.3	20	1	1	1	6	10	10	10
21-24	7	12.3	653	1	1	1	6	57	70	70	10	5.3	77	1	1	2	4	17	30	30
25-34	18	9.8	436	1	1	3	7	24	65	89	18	8.1	500	1	1	2	3	10	63	97
35-54	13	5.3	51	1	1	2	6	16	23	25	21	3.7	19	1	1	2	4	8	14	20
55-74	14	3.6	5	2	2	3	5	7	9	9	6	6.3	13	2	2	5	10	11	11	11
75 +	5	6.6	34	1	1	5	10	16	16	16	17	5.3	12	1	2	4	7	12	13	13
ALL AGES	74	7.5	250	1	1	2	6	14	50	84	110	4.2	97	1	1	2	4	8	11	57
SUBTOTAL	**166**	**7.3**	**262**	**1**	**1**	**2**	**5**	**15**	**60**	**99+**	**260**	**4.3**	**73**	**1**	**1**	**2**	**4**	**10**	**16**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	8.0		8	8	8	8	8	8	8
13-17																				
18-20	2	8.5	113	1	1	8	16	16	16	16	1	30.0		30	30	30	30	30	30	30
21-24	2	1.5	1	1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
25-34	10	5.0	10	2	2	4	6	10	12	12	2	5.0	2	4	4	5	6	6	6	6
35-54	6	12.7	212	1	1	6	24	36	37	37	5	9.6	47	3	3	9	14	20	20	20
55-74	4	5.0	8	1	1	6	7	7	7	7	1	4.0		4	4	4	4	4	4	4
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	25	7.0	68	1	1	4	8	16	27	37	11	9.2	75	1	2	6	11	24	29	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	8.0	32	4	4	8	12	12	12	12	1	2.0		2	2	2	2	2	2	2
21-24	1	8.0		8	8	8	8	8	8	8	2	7.0	50	2	2	7	12	12	12	12
25-34	5	17.2	408	2	2	5	35	46	46	46										
35-54	2	17.5	41	13	13	17	22	22	22	22	3	1.0		1	1	1	1	1	1	1
55-74	2	4.0	8	2	2	4	6	6	6	6	3	11.3	263	1	1	3	23	30	30	30
75 +											2	5.5	5	4	4	5	7	7	7	7
ALL AGES	12	12.8	187	2	2	7	17	35	44	46	11	5.8	76	1	1	2	6	19	29	30
SUBTOTAL	**37**	**8.9**	**110**	**1**	**1**	**5**	**10**	**24**	**35**	**46**	**22**	**7.5**	**75**	**1**	**1**	**4**	**9**	**23**	**30**	**30**
GRAND TOTAL	**203**	**7.6**	**233**	**1**	**1**	**2**	**6**	**19**	**52**	**99**	**282**	**4.6**	**73**	**1**	**1**	**2**	**4**	**11**	**19**	**37**

NONPSYCHOT BRAIN SYN NEC (310.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	12.0		12	12	12	12	12	12	12										
35-54											1	22.0		22	22	22	22	22	22	22
55-74	4	9.5	26	6	6	7	12	17	17	17										
75 +	2	11.0		11	11	11	11	11	11	11	4	12.0	63	4	4	10	17	23	23	23
ALL AGES	7	10.3	14	6	6	11	12	16	17	17	5	14.0	68	4	4	11	22	23	23	23
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +											3	8.7	21	5	5	7	12	14	14	14
ALL AGES	1	2.0		2	2	2	2	2	2	2	3	8.7	21	5	5	7	12	14	14	14
SUBTOTAL	**8**	**9.3**	**19**	**2**	**3**	**9**	**12**	**15**	**17**	**17**	**8**	**12.0**	**53**	**4**	**4**	**10**	**18**	**23**	**23**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	11.0		11	11	11	11	11	11	11	1	16.0		16	16	16	16	16	16	16
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	1	11.0		11	11	11	11	11	11	11	2	9.0	98	2	2	9	16	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	3	10.3	51	4	4	9	16	18	18	18										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	5	8.2	38	2	2	8	11	18	18	18	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**6**	**8.7**	**31**	**2**	**2**	**8**	**11**	**17**	**18**	**18**	**3**	**7.0**	**61**	**2**	**2**	**3**	**13**	**16**	**16**	**16**
GRAND TOTAL	**14**	**9.0**	**23**	**2**	**2**	**9**	**11**	**17**	**18**	**18**	**11**	**10.6**	**55**	**2**	**3**	**10**	**15**	**22**	**23**	**23**

NONPSYCHOT BRAIN SYN NOS (310.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	5.0	32	1	1	5	9	9	9	9										
13-17											1	1.0		1	1	1	1	1	1	1
18-20											1	40.0		40	40	40	40	40	40	40
21-24																				
25-34	1	6.0		6	6	6	6	6	6	6	1	20.0		20	20	20	20	20	20	20
35-54	7	9.4	137	1	1	4	18	28	30	30	6	7.5	18	2	2	7	8	14	15	15
55-74	28	10.2	187	1	2	5	16	23	73	99+	19	5.5	11	1	2	5	6	10	13	15
75 +	38	7.2	68	1	1	4	8	13	27	41	41	7.3	37	1	2	6	8	16	20	28
ALL AGES	76	8.4	115	1	1	5	11	20	31	92	69	7.4	45	1	2	6	8	16	20	38
B. FEMALE																				
0-12 YRS.											1	6.0		6	6	6	6	6	6	6
13-17																				
18-20																				
21-24	1	6.0		6	6	53	99+	99+	99+	99+	1	7.0		7	7	7	7	7	7	7
25-34																				
35-54	6	5.7	11	2	2	6	7	11	11	11	7	14.4	262	2	2	10	22	42	46	46
55-74	27	8.5	42	1	2	6	12	18	24	27	13	4.1	6	2	2	4	5	8	10	10
75 +	64	7.0	27	1	2	5	9	14	19	26	59	6.2	28	1	1	5	9	13	19	93
ALL AGES	98	7.3	30	1	2	6	10	15	21	64	81	6.6	47	1	2	5	8	12	22	83
SUBTOTAL	**174**	**7.8**	**67**	**1**	**2**	**5**	**10**	**17**	**25**	**93**	**150**	**7.0**	**45**	**1**	**2**	**5**	**8**	**15**	**20**	**46**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	15.3	160	2	2	17	24	27	27	27										
18-20																				
21-24	2	14.5	1	14	14	14	15	15	15	15	1	62.0		62	62	62	62	62	62	62
25-34	12	14.3	200	1	2	8	23	35	44	46	2	3.0	2	2	2	3	4	4	4	4
35-54	18	8.1	54	1	1	5	15	19	21	22	4	8.3	111	2	2	4	14	24	24	24
55-74	24	11.0	60	2	3	11	15	20	27	35	9	6.2	20	2	2	5	8	13	15	15
75 +	20	9.4	38	1	2	8	12	19	24	24	11	8.4	137	2	2	4	8	22	41	43
ALL AGES	79	10.7	76	1	2	9	15	23	26	43	27	9.2	186	2	2	4	8	22	46	62
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	5.0		5	5	5	5	5	5	5
21-24	2	1.0		1	1	1	1	1	1	1										
25-34	5	4.8	6	3	3	4	6	9	9	9										
35-54	6	13.7	173	5	5	9	13	37	40	40	1	2.0		2	2	2	2	2	2	2
55-74	20	8.1	19	4	4	7	11	17	56	99+	6	14.3	175	5	5	9	18	37	39	39
75 +	31	11.2	140	2	3	8	14	18	45	57	16	5.3	7	2	3	5	6	8	11	13
ALL AGES	64	9.6	95	2	3	7	12	17	41	94	24	7.4	60	2	3	5	7	14	24	39
SUBTOTAL	**143**	**10.2**	**84**	**1**	**2**	**8**	**14**	**21**	**28**	**60**	**51**	**8.4**	**124**	**2**	**2**	**5**	**8**	**16**	**38**	**62**
GRAND TOTAL	**317**	**8.9**	**76**	**1**	**2**	**6**	**12**	**19**	**26**	**80**	**201**	**7.3**	**66**	**1**	**2**	**5**	**8**	**15**	**23**	**54**

DEPRESSIVE DISORDER NEC (311.)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	6.0	39	1	1	4	11	13	13	13										
13-17	10	11.4	426	1	1	4	6	44	68	68	3	1.3		1	1	1	2	2	2	2
18-20	1	1.0		1	1	1	1	1	1	1	2	2.0	2	1	1	2	3	3	3	3
21-24	10	7.6	40	1	1	6	10	17	23	23	3	2.0	1	1	1	2	3	3	3	3
25-34	12	7.4	11	3	4	7	9	12	15	15	3	7.0	12	3	3	9	9	9	9	9
35-54	36	4.1	20	1	1	3	4	8	17	19	9	2.9	5	1	1	2	4	6	8	8
55-74	23	6.5	23	1	1	6	9	13	17	19	17	7.9	78	2	2	4	8	24	31	33
75 +	18	7.5	65	1	2	5	7	17	28	34	8	8.0	5	6	6	7	10	11	11	11
ALL AGES	113	6.5	64	1	1	4	7	14	19	47	45	5.8	38	1	1	4	8	11	17	33
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	38	11.9	340	1	1	3	14	38	56	81	5	9.8	201	1	1	2	17	34	34	34
18-20	7	3.4	24	1	1	1	4	12	14	14	4	26.8	1842	1	1	7	50	91	91	91
21-24	17	3.6	25	1	1	1	4	8	17	21	6	9.2	197	1	1	3	10	34	37	37
25-34	52	7.5	170	1	1	4	8	15	22	89	29	10.9	172	1	1	5	15	36	42	42
35-54	80	4.4	18	1	1	3	6	9	14	21	43	7.5	94	1	1	3	8	23	33	39
55-74	59	8.7	74	2	2	5	12	18	29	41	33	5.2	32	1	1	4	5	9	21	27
75 +	32	6.5	24	2	2	5	9	11	14	26	24	5.5	27	1	2	4	6	12	19	23
ALL AGES	286	7.0	106	1	1	4	8	15	25	57	144	8.0	139	1	1	4	8	23	33	45
SUBTOTAL	**399**	**6.9**	**93**	**1**	**1**	**4**	**8**	**15**	**22**	**55**	**189**	**7.5**	**115**	**1**	**1**	**4**	**8**	**21**	**33**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	86.0		86	86	93	99 +	99 +	99 +	99 +										
13-17	20	23.4	350	1	2	22	35	53	56	59	3	5.0	37	1	1	2	9	12	12	12
18-20	9	11.0	194	1	1	6	15	35	42	42										
21-24	16	4.8	27	1	1	3	5	13	18	20	1	3.0		3	3	3	3	3	3	3
25-34	74	6.7	36	1	1	5	9	14	20	26	5	2.4	4	1	1	2	3	6	6	6
35-54	64	8.4	86	1	2	6	11	19	24	53	16	6.6	52	1	1	4	8	15	25	29
55-74	19	6.5	20	2	3	4	9	13	16	18	8	4.4	7	1	1	4	7	8	8	8
75 +	5	10.2	85	1	1	8	15	25	25	25	2	2.0	2	1	1	1	3	3	3	3
ALL AGES	208	9.3	137	1	1	5	11	23	32	70	35	5.0	30	1	1	3	7	10	15	29
B. FEMALE																				
0-12 YRS.	1	68.0		68	68	68	68	68	68	68										
13-17	29	20.2	637	1	1	10	24	72	93	99 +	7	3.0	8	1	1	2	4	8	9	9
18-20	17	7.3	233	1	2	3	5	8	46	66	1	3.0		3	3	3	3	3	3	3
21-24	31	5.5	40	1	1	5	7	9	14	35	5	4.2	31	1	1	2	6	14	14	14
25-34	98	7.2	60	1	1	4	10	19	25	33	15	9.1	97	1	1	5	15	31	79	99 +
35-54	104	7.7	82	1	1	4	9	20	25	47	28	8.6	86	1	1	4	11	27	30	31
55-74	30	11.0	122	1	1	9	15	19	29	58	11	5.7	34	1	1	4	6	17	18	18
75 +	15	8.6	59	1	2	8	11	21	26	28	4	5.3		5	5	5	6	6	6	6
ALL AGES	325	9.0	152	1	1	5	10	21	32	72	71	7.1	65	1	1	4	10	21	30	85
SUBTOTAL	**533**	**9.1**	**146**	**1**	**1**	**5**	**11**	**22**	**32**	**72**	**106**	**6.4**	**54**	**1**	**1**	**4**	**8**	**16**	**29**	**61**
GRAND TOTAL	**932**	**8.1**	**126**	**1**	**1**	**4**	**9**	**19**	**28**	**68**	**295**	**7.1**	**93**	**1**	**1**	**4**	**8**	**18**	**30**	**42**

UNSOCIALIZED AGGRESSION (312.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	12	26.3	152	4	8	28	31	44	47	47	1	4.0		4	4	52	99+	99+	99+	99+
13-17	29	17.7	297	1	2	11	30	43	57	64	3	9.0	36	3	4	57	99+	99+	99+	99+
18-20																				
21-24																				
25-34	1	21.0		21	21	21	21	21	21	21	1	27.0		27	27	27	27	27	27	27
35-54	1	1.0		1	1	1	1	1	1	1	1	10.0		10	10	10	10	10	10	10
55-74																				
75 +																				
ALL AGES	43	19.8	261	1	2	16	30	43	50	64	6	11.3	79	3	3	21	99+	99+	99+	99+
B. FEMALE																				
0-12 YRS.	3	7.7	20	3	3	8	11	12	12	12	1	3.0		3	3	3	3	3	3	3
13-17	6	12.2	193	1	1	8	14	36	39	39	1	14.0		14	14	57	99+	99+	99+	99+
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	9	10.7	130	1	2	8	12	29	39	39	2	8.5	61	3	3	14	78	99+	99+	99+
SUBTOTAL	**52**	**18.2**	**248**	**1**	**2**	**13**	**29**	**42**	**47**	**64**	**8**	**10.6**	**67**	**3**	**3**	**15**	**99+**	**99+**	**99+**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	22	35.0	280	7	9	41	50	51	54	56	2	77.0	288	65	65	77	89	89	89	89
13-17	41	31.4	494	2	3	26	48	63	71	79	5	28.6	231	5	7	37	41	94	99+	99+
18-20																				
21-24																				
25-34	2	2.0		2	2	2	2	2	2	2	2	4.0	2	3	3	4	5	5	5	5
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	1	2.0		2	2	2	2	2	2	2	2	3.0	2	2	2	3	4	4	4	4
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	68	30.6	440	2	3	31	48	56	66	78	11	28.3	841	2	3	28	53	92	99	99+
B. FEMALE																				
0-12 YRS.	6	29.5	266	5	6	35	43	44	44	44										
13-17	9	35.2	412	3	5	38	53	83	99+	99+	1	42.0		42	42	42	42	42	42	42
18-20																				
21-24																				
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	15	32.9	340	4	5	37	45	66	90	99+	2	21.5	841	1	1	42	85	99+	99+	99+
SUBTOTAL	**83**	**31.0**	**419**	**2**	**3**	**34**	**48**	**57**	**68**	**93**	**13**	**27.2**	**780**	**1**	**2**	**35**	**59**	**99+**	**99+**	**99+**
GRAND TOTAL	**135**	**26.1**	**389**	**2**	**3**	**23**	**42**	**53**	**63**	**82**	**21**	**20.9**	**559**	**2**	**3**	**24**	**94**	**99+**	**99+**	**99+**

UNSOCIALIZ, UNAGGRESSIVE (312.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS									HOSPITALS WITHOUT PSY. UNIT/BEDS								
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	89.0		89	89	89	89	89	89	89										
13-17	5	18.4	145	6	6	14	29	34	34	34										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	30.2	944	6	6	21	34	83	89	89										
B. FEMALE																				
0-12 YRS.	2	23.0	882	2	2	23	44	44	44	44	1	1.0		1	1	1	1	1	1	1
13-17	6	21.3	474	1	1	25	48	90	99 +	99 +										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	21.8	461	1	1	25	46	80	99 +	99 +	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**14**	**25.4**	**630**	**1**	**2**	**25**	**45**	**89**	**97**	**99 +**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	19.3	192	1	1	22	30	32	32	32										
13-17	13	28.9	762	2	3	14	54	69	79	81										
18-20	1	4.0		4	4	4	4	4	4	4										
21-24																				
25-34																				
35-54	1	52.0		52	52	52	52	52	52	52										
55-74																				
75 +																				
ALL AGES	19	26.8	619	1	2	16	50	62	74	81										
B. FEMALE																				
0-12 YRS.	2	28.5	1513	1	1	28	56	56	56	56										
13-17	18	20.8	694	1	2	7	37	58	77	89	3	35.0	247	17	17	42	45	46	46	46
18-20											2	2.5	1	2	2	2	3	3	3	3
21-24																				
25-34	2	1.5	1	1	1	1	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	22	19.8	672	1	1	4	37	57	71	89	5	22.0	441	2	2	17	43	46	46	46
SUBTOTAL	**41**	**23.0**	**646**	**1**	**2**	**10**	**45**	**57**	**73**	**89**	**5**	**22.0**	**441**	**2**	**2**	**17**	**43**	**46**	**46**	**46**
GRAND TOTAL	**55**	**23.6**	**632**	**1**	**2**	**12**	**44**	**59**	**86**	**99**	**6**	**18.5**	**426**	**1**	**1**	**10**	**42**	**46**	**46**	**46**

SOCIALIZED CONDUCT DIS (312.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	35.3	318	3	7	41	48	52	54	54	2	21.5	761	2	2	21	41	41	41	41
13-17	38	18.8	283	1	2	15	28	42	45	74	11	6.5	55	1	1	3	12	18	23	23
18-20	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	47	21.3	321	2	2	16	38	45	50	74	14	8.5	131	1	1	3	14	25	37	41
B. FEMALE																				
0-12 YRS.	5	15.8	31	10	10	15	21	22	22	22	4	16.3	385	3	3	13	59	99 +	99 +	99 +
13-17	50	19.2	297	2	2	13	29	47	56	62	14	15.4	501	1	1	8	15	32	76	89
18-20											1	40.0		40	40	40	40	40	40	40
21-24											1	23.0		23	23	23	23	23	23	23
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	55	18.9	272	2	2	14	29	47	55	62	20	17.2	435	1	1	13	24	63	94	99 +
SUBTOTAL	**102**	**20.0**	**293**	**2**	**2**	**15**	**31**	**46**	**54**	**68**	**34**	**13.6**	**322**	**1**	**1**	**7**	**18**	**41**	**78**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	31	32.1	265	2	7	41	42	48	52	59	2	1.0		1	1	1	1	1	1	1
13-17	70	25.2	349	2	3	22	42	52	60	92	52	33.9	425	1	2	40	44	50	88	99 +
18-20	5	15.8	263	1	1	10	31	36	36	36	5	36.0	81	27	27	39	41	48	48	48
21-24																				
25-34											1	7.0		7	7	7	7	7	7	7
35-54																				
55-74																				
75 +																				
ALL AGES	106	26.8	329	2	3	27	42	51	56	79	60	32.5	423	1	2	39	44	49	76	99 +
B. FEMALE																				
0-12 YRS.	9	32.2	357	1	3	35	42	55	63	63	1	42.0		42	42	42	42	42	42	42
13-17	71	24.7	377	3	4	21	39	59	85	99 +	31	27.3	239	2	3	33	42	51	99 +	99 +
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	80	25.6	373	3	4	23	39	59	82	99 +	32	27.8	236	2	3	34	42	46	99 +	99 +
SUBTOTAL	**186**	**26.3**	**346**	**2**	**3**	**24**	**42**	**53**	**61**	**99 +**	**92**	**30.9**	**357**	**1**	**2**	**39**	**43**	**49**	**95**	**99 +**
GRAND TOTAL	**288**	**24.0**	**339**	**2**	**3**	**20**	**40**	**51**	**59**	**99 +**	**126**	**26.2**	**406**	**1**	**2**	**27**	**42**	**48**	**93**	**99 +**

IMPULSE CONTROL DIS NEC (312.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6	1	5.0		5	5	5	5	5	5	5
13-17	6	2.8	2	1	1	3	4	4	4	4	3	10.7	91	2	2	9	18	21	21	21
18-20																				
21-24	3	24.7	652	7	7	13	44	54	54	54										
25-34	3	30.3	427	7	7	38	44	46	46	46	1	5.0		5	5	5	5	5	5	5
35-54	4	1.8	2	1	1	1	3	4	4	4	1	5.0		5	5	5	5	5	5	5
55-74	2	8.0	18	5	5	8	11	11	11	11										
75 +																				
ALL AGES	19	11.1	259	1	1	4	10	43	50	54	6	7.8	47	2	2	5	9	20	21	21
B. FEMALE																				
0-12 YRS.	1	38.0		38	38	38	38	38	38	38										
13-17	2	12.0	128	4	4	12	20	20	20	20	1	1.0		1	1	1	1	1	1	1
18-20	1	19.0		19	19	19	19	19	19	19										
21-24	1	6.0		6	6	6	6	6	6	6										
25-34	1	40.0		40	40	40	40	40	40	40										
35-54	2	10.5	25	7	7	10	14	14	14	14										
55-74																				
75 +																				
ALL AGES	8	18.5	195	4	5	16	29	39	40	40	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**27**	**13.3**	**243**	**1**	**1**	**6**	**18**	**40**	**47**	**54**	**7**	**6.9**	**45**	**1**	**1**	**5**	**8**	**19**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	18.5	25	15	15	18	22	22	22	22										
13-17	12	9.8	91	1	1	5	17	24	27	28										
18-20	4	7.3	14	3	3	7	10	11	11	11	2	3.0	2	2	2	3	4	4	4	4
21-24	4	3.5	14	1	1	2	6	9	9	9	1	3.0		3	3	3	3	3	3	3
25-34	7	12.0	199	2	2	6	17	37	41	41	4	13.0	102	1	1	13	21	24	24	24
35-54	3	6.0	48	2	2	2	11	14	14	14	1	13.0		13	13	13	13	13	13	13
55-74	6	29.5	212	7	8	30	42	46	47	47										
75 +	3	7.0	3	5	5	8	8	8	8	8										
ALL AGES	41	12.1	151	1	1	7	20	30	41	47	8	9.3	70	1	1	6	15	22	24	24
B. FEMALE																				
0-12 YRS.																				
13-17	3	4.3	17	2	2	2	7	9	9	9										
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1	5	39.8	1396	4	4	43	57	98	98	98
25-34	2	5.0	2	4	4	5	6	6	6	6										
35-54	4	5.3	18	1	1	4	8	11	11	11										
55-74																				
75 +																				
ALL AGES	10	4.5	12	1	1	3	6	10	11	11	5	39.8	1396	4	4	43	57	98	98	98
SUBTOTAL	**51**	**10.6**	**133**	**1**	**1**	**6**	**15**	**29**	**40**	**47**	**13**	**21.0**	**746**	**1**	**2**	**10**	**29**	**55**	**90**	**98**
GRAND TOTAL	**78**	**11.6**	**168**	**1**	**1**	**6**	**15**	**36**	**42**	**52**	**20**	**16.1**	**532**	**1**	**1**	**7**	**19**	**43**	**71**	**98**

MIX DIS CONDUCT/EMOTION (312.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	21.0		21	21	21	21	21	21	21										
13-17	2	18.5	365	5	5	18	32	32	32	32										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	19.3	186	5	5	21	29	32	32	32										
B. FEMALE																				
0-12 YRS.																				
13-17	2	6.5	1	6	6	6	7	7	7	7										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	6.5	1	6	6	6	7	7	7	7										
SUBTOTAL	**5**	**14.2**	**142**	**5**	**5**	**7**	**24**	**32**	**32**	**32**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	20.0		20	20	20	20	20	20	20										
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34											1	3.0		3	3	3	3	3	3	3
35-54	1	28.0		28	28	28	28	28	28	28										
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	4	13.8	149	3	3	12	24	28	28	28	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	2	8.5	1	8	8	8	9	9	9	9										
18-20																				
21-24																				
25-34	2	2.5	5	1	1	2	4	4	4	4										
35-54																				
55-74																				
75 +																				
ALL AGES	4	5.5	14	1	1	6	8	9	9	9										
SUBTOTAL	**8**	**9.6**	**91**	**1**	**1**	**6**	**14**	**26**	**28**	**28**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**13**	**11.4**	**105**	**1**	**2**	**7**	**20**	**29**	**31**	**32**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

OTHER CONDUCT DISTURB (312.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	9.0	128	1	1	9	17	17	17	17										
18-20																				
21-24	2	3.5	13	1	1	3	6	6	6	6										
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	5	5.2	48	1	1	1	9	17	17	17										
B. FEMALE																				
0-12 YRS.	3	1.0		1	1	1	1	1	1	1										
13-17	2	11.0	162	2	2	11	20	20	20	20	3	2.0	1	1	1	2	3	3	3	3
18-20	1	2.0		2	2	2	2	2	2	2										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	4.5	58	1	1	2	2	18	20	20	3	2.0	1	1	1	2	3	3	3	3
SUBTOTAL	**11**	**4.8**	**49**	**1**	**1**	**1**	**5**	**18**	**20**	**20**	**3**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14										
18-20																				
21-24																				
25-34	1	6.0		6	6	6	6	6	6	6	1	9.0		9	9	9	9	9	9	9
35-54																				
55-74																				
75 +																				
ALL AGES	2	10.0	32	6	6	10	14	14	14	14	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.	1	27.0		27	27	27	27	27	27	27										
13-17																				
18-20	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	3	14.7	115	7	7	10	23	27	27	27	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**5**	**12.8**	**73**	**6**	**6**	**10**	**17**	**27**	**27**	**27**	**2**	**5.0**	**32**	**1**	**1**	**5**	**9**	**9**	**9**	**9**
GRAND TOTAL	**16**	**7.3**	**66**	**1**	**1**	**4**	**12**	**20**	**25**	**27**	**5**	**3.2**	**11**	**1**	**1**	**2**	**4**	**9**	**9**	**9**

CONDUCT DISTURBANCE NOS (312.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	18.0	385	1	1	12	27	50	53	53	1	5.0		5	5	5	5	5	5	5
13-17	21	23.5	491	2	2	15	36	59	68	77	4	4.5	4	2	2	4	6	7	7	7
18-20																				
21-24																				
25-34	2	1.5	1	1	1	1	2	2	2	2										
35-54	1	2.0		2	2	2	2	2	2	2	2	3.5	5	2	2	3	5	5	5	5
55-74																				
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	31	19.6	446	1	2	13	30	55	61	77	7	4.3	3	2	2	5	5	7	7	7
B. FEMALE																				
0-12 YRS.	4	32.5	1048	2	2	25	53	78	78	78										
13-17	15	14.3	324	1	1	7	15	53	56	57	2	17.5	545	1	1	34	83	99 +	99 +	99 +
18-20																				
21-24																				
25-34	1	9.0		9	9	9	9	9	9	9										
35-54	2	7.0	50	2	2	7	12	12	12	12										
55-74																				
75 +																				
ALL AGES	22	16.7	432	1	1	9	21	54	65	78	2	17.5	545	1	1	34	83	99 +	99 +	99 +
SUBTOTAL	**53**	**18.4**	**434**	**1**	**2**	**9**	**29**	**54**	**60**	**78**	**9**	**7.2**	**105**	**1**	**1**	**5**	**7**	**67**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	24.0	121	7	7	25	33	35	35	35										
13-17	27	18.7	374	1	3	13	19	55	70	71	4	1.5	1	1	1	1	27	99 +	99 +	99 +
18-20	2	3.0	8	1	1	3	5	5	5	5	1	5.0		5	5	5	5	5	5	5
21-24	1	15.0		15	15	15	15	15	15	15										
25-34	4	26.8	2011	2	2	5	50	94	94	94										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	40	18.9	446	1	2	13	21	50	70	94	6	2.8	5	1	1	5	99 +	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.	3	10.3	11	8	8	9	13	14	14	14										
13-17	12	12.8	93	1	2	11	21	27	28	28	1	22.0		22	22	22	22	22	22	22
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	19	10.3	76	1	1	3	16	25	27	28	1	22.0		22	22	22	22	22	22	22
SUBTOTAL	**59**	**16.1**	**341**	**1**	**1**	**12**	**19**	**34**	**65**	**92**	**7**	**5.6**	**56**	**1**	**1**	**5**	**99 +**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**112**	**17.2**	**382**	**1**	**2**	**10**	**23**	**47**	**61**	**84**	**16**	**6.5**	**79**	**1**	**1**	**5**	**28**	**99 +**	**99 +**	**99 +**

OVERANXIOUS DISORDER (313.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	47.0		47	47	47	47	47	47	47										
13-17	1	28.0		28	28	28	28	28	28	28										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	37.5	181	28	28	37	47	47	47	47										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**37.5**	**181**	**28**	**28**	**37**	**47**	**47**	**47**	**47**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	34.0	50	29	29	34	39	39	39	39										
13-17	3	27.3	532	4	4	28	44	50	50	50										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	30.0	291	4	4	29	42	50	50	50										
B. FEMALE																				
0-12 YRS.	1	40.0		40	40	40	40	40	40	40										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	40.0		40	40	40	40	40	40	40										
SUBTOTAL	**6**	**31.7**	**247**	**4**	**6**	**34**	**40**	**49**	**50**	**50**										
GRAND TOTAL	**8**	**33.1**	**213**	**4**	**11**	**34**	**43**	**49**	**50**	**50**										

MISERY & UNHAPPINESS DIS (313.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES										-										
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	59.0		59	59	59	59	59	59	59										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	59.0		59	59	59	59	59	59	59										
SUBTOTAL	**1**	**59.0**		**59**	**59**	**59**	**59**	**59**	**59**	**59**										
GRAND TOTAL	**1**	**59.0**		**59**	**59**	**59**	**59**	**59**	**59**	**59**										

SENSITIVITY & WITHDRAWAL (313.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	21.0		21	21	21	21	21	21	21										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	21.0		21	21	21	21	21	21	21										
B. FEMALE																				
0-12 YRS.	1	70.0		70	70	70	70	70	70	70										
13-17	1	2.0		2	2	2	2	2	2	2										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	36.0	2312	2	2	36	70	70	70	70										
SUBTOTAL	**3**	**31.0**	**1231**	**2**	**2**	**21**	**58**	**70**	**70**	**70**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	13.0		13	13	13	13	13	13	13
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	13.0		13	13	13	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	13.0		13	13	13	13	13	13	13
GRAND TOTAL	**3**	**31.0**	**1231**	**2**	**2**	**21**	**58**	**70**	**70**	**70**	1	13.0		13	13	13	13	13	13	13

RELATIONSHIP PROBLEMS (313.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	1.0		1	1	1	1	1	1	1										
GRAND TOTAL	1	1.0		1	1	1	1	1	1	1										

OTH EMOTIONAL DIS CHILD (313.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	15	39.8	635	2	2	42	44	81	92	96	1	7.0		7	7	7	7	7	7	7
13-17	18	18.1	85	4	7	16	26	30	33	35	2	45.0	578	28	28	45	62	62	62	62
18-20	2	2.0	2	1	1	1	3	3	3	3										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	35	26.5	454	2	2	22	40	45	73	96	3	32.3	774	7	7	28	53	62	62	62
B. FEMALE																				
0-12 YRS.	4	31.8	274	7	7	38	41	43	43	43										
13-17	30	18.5	238	2	3	13	29	42	49	54	7	13.7	136	1	1	10	25	30	30	30
18-20	1	2.0		2	2	2	2	2	2	2										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	35	19.5	257	2	2	14	36	43	48	54	7	13.7	136	1	1	10	25	30	30	30
SUBTOTAL	**70**	**23.0**	**363**	**2**	**2**	**16**	**39**	**44**	**49**	**93**	**10**	**19.3**	**343**	**1**	**1**	**13**	**28**	**46**	**62**	**62**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	21	37.6	194	4	12	41	45	53	74	99 +										
13-17	27	24.4	317	3	3	25	40	48	72	99 +	2	11.5	13	9	9	11	14	14	14	14
18-20	2	2.0	2	1	1	2	3	3	3	3										
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	51	28.5	329	2	3	36	43	50	67	99 +	2	11.5	13	9	9	11	14	14	14	14
B. FEMALE																				
0-12 YRS.	10	40.2	47	30	30	41	45	48	49	49										
13-17	31	25.9	467	3	4	20	39	53	66	93	4	24.5	194	11	11	25	36	37	37	37
18-20																				
21-24	1	22.0		22	22	22	22	22	22	22										
25-34	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
35-54																				
55-74																				
75 +																				
ALL AGES	43	28.6	398	2	5	28	44	51	59	93	5	20.0	247	2	2	14	36	37	37	37
SUBTOTAL	**94**	**28.5**	**359**	**2**	**3**	**31**	**43**	**51**	**64**	**99 +**	**7**	**17.6**	**182**	**2**	**3**	**14**	**31**	**37**	**37**	**37**
GRAND TOTAL	**164**	**26.2**	**363**	**2**	**3**	**25**	**42**	**49**	**55**	**99**	**17**	**18.6**	**262**	**1**	**2**	**14**	**29**	**37**	**53**	**62**

EMOTIONAL DIS CHILD NOS (313.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	2	2.0	2	1	1	2	3	3	3	3										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	2.0	2	1	1	2	3	3	3	3										
SUBTOTAL	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**										
GRAND TOTAL	**3**	**1.7**	**1**	**1**	**1**	**1**	**3**	**3**	**3**	**3**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

ATTENTION DEFICIT DIS (314.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	32.8	704	2	3	24	50	76	77	77										
13-17	4	25.0	205	11	11	24	87	41	41	41										
18-20	1	5.0		5	5	5	5	5	5	5										
21-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +																				
ALL AGES	16	27.4	550	3	4	23	37	73	77	77										
B. FEMALE																				
0-12 YRS.	2	3.5	5	2	2	3	5	5	5	5										
13-17	1	20.0		20	20	20	20	20	20	20										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	9.0	93	2	2	5	16	20	20	20										
SUBTOTAL	**19**	**24.5**	**516**	**2**	**3**	**20**	**32**	**66**	**77**	**77**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	32	35.0	400	5	9	37	45	60	72	83	5	14.8	597	1	1	7	58	96	99 +	99 +
13-17	18	25.6	328	6	7	22	50	55	80	99 +	5	27.8	318	3	3	30	42	48	48	48
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	50	31.6	389	5	8	31	46	57	73	99 +	10	21.3	454	1	1	18	46	75	98	99 +
B. FEMALE																				
0-12 YRS.	7	38.4	88	22	26	39	48	86	99 +	99 +										
13-17	3	28.7	209	12	12	35	38	39	39	39										
18-20																				
21-24																				
25-34	1	23.0		23	23	23	23	23	23	23										
35-54																				
55-74																				
75 +																				
ALL AGES	11	34.4	125	13	19	38	41	67	95	99 +										
SUBTOTAL	**61**	**32.1**	**340**	**6**	**9**	**35**	**45**	**56**	**78**	**99 +**	**10**	**21.3**	**454**	**1**	**1**	**18**	**46**	**75**	**98**	**99 +**
GRAND TOTAL	**80**	**30.3**	**386**	**4**	**6**	**29**	**44**	**57**	**76**	**99 +**	**10**	**21.3**	**454**	**1**	**1**	**18**	**46**	**75**	**98**	**99 +**

HYPERKINET W DEVEL DELAY (314.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
SUBTOTAL											**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

OTHER HYPERKINETIC SYND (314.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	4.0		4	4	4	4	4	4	4
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	31.0		31	31	31	31	31	31	31
13-17											2	27.0	1352	1	1	26	53	53	53	53
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											3	28.3	684	1	1	31	47	53	53	53
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**3**	**28.3**	**684**	**1**	**1**	**31**	**47**	**53**	**53**	**53**
GRAND TOTAL											**4**	**22.3**	**599**	**1**	**1**	**17**	**42**	**53**	**53**	**53**

HYPERKINETIC SYND NOS (314.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2										
13-17																				
18-20																				
21-24											1	5.0		5	5	5	5	5	5	5
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2	2	4.0	2	3	3	4	5	5	5	5
SUBTOTAL	**3**	**1.7**		**1**	**1**	**2**	**2**	**2**	**2**	**2**	**2**	**4.0**	**2**	**3**	**3**	**4**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**3**	**1.7**		**1**	**1**	**2**	**2**	**2**	**2**	**2**	**2**	**4.0**	**2**	**3**	**3**	**4**	**5**	**5**	**5**	**5**

ALL PSYCHIATRIC CODES

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	166	21.5	424	1	1	18	39	49	64	99+	70	2.5	25	1	1	1	3	6	11	99+
13-17	690	15.3	309	1	1	8	24	42	54	99	252	10.9	287	1	1	3	16	39	61	99+
18-20	412	10.1	152	1	1	5	15	26	31	57	183	11.6	164	1	1	6	21	29	37	47
21-24	759	10.6	136	1	1	7	15	27	31	56	365	11.8	129	1	1	7	21	29	32	43
25-34	2588	10.0	97	1	1	6	14	26	29	42	1326	12.0	134	1	1	7	21	29	31	44
35-54	2974	9.9	99	1	1	6	15	26	29	41	1727	10.5	123	1	1	5	19	28	30	40
55-74	1480	11.1	108	1	2	7	17	27	30	49	1025	9.7	111	1	1	5	15	27	30	41
75 +	601	9.5	102	1	2	6	12	21	30	49	464	8.1	78	1	2	5	10	20	28	70
ALL AGES	9670	10.7	130	1	1	7	15	27	31	54	5412	10.6	129	1	1	5	18	28	31	52
B. FEMALE																				
0-12 YRS.	122	17.9	335	1	1	13	31	46	72	99+	60	7.0	216	1	1	2	4	31	71	99+
13-17	945	14.7	277	1	1	8	21	44	53	83	271	13.5	340	1	1	3	22	45	62	99+
18-20	406	9.7	177	1	1	4	13	29	38	70	144	11.5	210	1	1	5	18	34	40	53
21-24	761	9.0	103	1	1	5	12	23	30	50	288	9.6	133	1	1	4	14	28	32	53
25-34	2673	10.1	115	1	1	6	14	24	30	50	1016	10.4	142	1	1	5	15	28	33	55
35-54	3701	10.6	112	1	2	7	14	25	30	51	1421	10.5	134	1	1	6	15	27	32	52
55-74	2324	12.2	118	1	2	9	17	26	33	51	1118	10.5	132	1	2	6	14	27	32	54
75 +	1164	10.8	134	1	2	7	14	23	33	59	789	7.6	55	1	2	5	10	16	22	37
ALL AGES	12096	11.1	135	1	1	7	15	26	34	58	5107	10.1	139	1	1	5	14	27	33	57
SUBTOTAL	**21766**	**10.9**	**133**	**1**	**1**	**7**	**15**	**27**	**33**	**56**	**10519**	**10.3**	**135**	**1**	**1**	**5**	**15**	**28**	**32**	**56**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	258	34.2	379	3	7	38	45	58	82	99+	23	19.2	766	1	1	8	64	99+	99+	99+
13-17	1138	24.7	392	1	2	21	41	53	64	99+	408	27.2	387	1	2	29	42	56	66	99+
18-20	486	12.5	193	1	1	7	19	30	38	68	306	15.3	159	1	1	14	27	30	37	53
21-24	910	10.4	115	1	1	6	16	27	30	49	500	15.6	148	1	2	14	27	30	34	45
25-34	3045	10.8	115	1	1	6	18	28	30	41	2042	13.2	126	1	2	8	23	29	31	40
35-54	3148	10.4	113	1	1	6	15	27	30	42	2002	11.3	123	1	2	6	20	29	31	42
55-74	1150	11.0	112	1	2	7	15	25	30	48	881	9.6	92	1	2	5	13	27	30	38
75 +	285	10.7	84	1	2	8	14	24	29	65	211	8.4	88	1	2	5	10	21	26	42
ALL AGES	10420	12.9	183	1	1	7	20	30	41	66	6373	13.1	160	1	2	7	23	30	35	59
B. FEMALE																				
0-12 YRS.	102	32.2	405	3	5	37	46	66	99+	99+	12	14.8	394	1	1	6	33	70	94	99+
13-17	1140	21.6	386	1	2	16	36	52	67	99+	312	23.5	415	1	1	22	42	53	75	99+
18-20	501	12.1	183	1	1	7	17	31	42	62	201	15.1	251	1	1	7	27	35	47	61
21-24	912	11.4	156	1	1	7	16	28	34	68	339	14.6	235	1	1	7	26	32	41	70
25-34	2998	10.9	138	1	1	7	15	28	33	59	1180	12.6	148	1	1	7	22	30	34	48
35-54	3214	11.1	131	1	2	7	15	27	34	55	1215	10.8	118	1	2	6	17	28	31	42
55-74	1329	12.8	135	2	3	9	18	29	35	68	723	10.6	133	1	2	6	15	28	33	49
75 +	512	12.1	109	2	3	9	15	24	34	52	261	8.6	73	2	2	5	10	19	27	44
ALL AGES	10708	12.7	180	1	2	8	18	30	41	73	4243	12.6	176	1	2	6	21	30	39	63
SUBTOTAL	**21128**	**12.8**	**182**	**1**	**2**	**8**	**19**	**30**	**41**	**69**	**10616**	**12.9**	**166**	**1**	**2**	**7**	**22**	**30**	**37**	**60**
GRAND TOTAL	**42894**	**11.8**	**159**	**1**	**1**	**7**	**17**	**29**	**37**	**63**	**21135**	**11.6**	**152**	**1**	**1**	**6**	**20**	**29**	**34**	**59**

APPENDIX 1

HOSPITAL SERVICE TYPE DEFINITIONS

To define the two hospital categories used in the Psychiatric Length of Stay series, the following steps were accomplished:

All specialty or long-term care hospitals, e.g., substance-abuse, orthopedic, or psychiatric, were deleted so that only nonfederal, short-term general hospitals remained in the psychiatric length of stay database. The exception is pediatric hospitals, specialty institutions, whose data were included.

Hospitals were then grouped according to whether the following service codes were recorded:

A. Hospital-based psychiatric acute care

B. Psychiatric acute care not available

C. Psychiatric acute care provided by another hospital or provider

D. Hospital-based pediatric psychiatric acute care

E. Pediatric psychiatric acute care not available

F. Pediatric psychiatric acute care provided by another hospital or provider

G. Psyc[illegible]ic acute care beds set up

Hospitals i[illegible] A, D, and G above were separated and labeled: hospitals with a psychiatric unit/beds. Hospitals in B, C, E, and F above were labeled: hospitals without a psychiatric unit/beds.

In addition, however, both hospital service types may offer one or more of these services as defined in the *AHA Guide*, 1986 Edition:

Psychiatric outpatient services

Hospital services for the diagnosis and treatment of psychiatric outpatients.

Clinical psychology services

One or more clinical psychologists who provide diagnostic or therapeutic services on a regular full-time schedule or intermittently.

Psychiatric consultation and education services

Provision of interpretive psychiatric consultation and education services to community agencies and workers such as schools, police, courts, public health nurses, welfare agencies, clergy, and so forth.The pupose is to expand the mental health knowledge and competence of personnel not working in the mental health field and to promote good mental health through improved understanding, attitudes, and behavioral patterns.

Psychiatric foster and/or home care program

Planned postdischarge psychiatric observation and care in the patient's place of residence or in an approved foster home.

Psychiatric emergency services

Hospital facilities for the provision of unscheduled outpatient care to psychiatric patients whose conditions are considered to require immediate care. Staff must be available 24 hours a day.

Partial hospitalization program

Organized hospital facilities and services for day care and/or night care of psychiatric patients who do not require inpatient care 24 hours a day.

APPENDIX 2

CALCULATION OF PROGRAM INTENSITY INDEX

The (Ip) of Phillip and Hai (1976) is used to place hospitals in one of three levels of teaching status. The formula is presented below.

$$Ip = 9.9\,(JCA) + 14.0\,(CP) + 28.0\,(RES) + 14.7\,(MS) + 13.3\,(PNS) + 20.1\,(COT)$$

JCA: Accreditation by Joint Commission of Accredition of Hospitals

CP: Cancer Program approved by American College of Surgeons

RES: Residency approved by American Medical Association

MS: Medical School Affiliation reported by American Medical Association

PNS: Hospital-controlled professional nursing school, reported by National League for Nursing

COT: Member of Council of Teaching Hospitals of the Association of American Medical Colleges

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

In the hospital characteristic tables of the Psychiatric Length of Stay series, the following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution
Ip value 25.0-74.9	Minor Teaching Institution
Ip value 75.0+	Major Teaching Institution

APPENDIX 3

STATE INCLUSIONS BY REGION

Northeast	North Central	South	West
Connecticut	Illinois	Alabama	Alaska
Maine	Indiana	Arkansas	Arizona
Massachusetts	Iowa	Delaware	California
New Hampshire	Kansas	District of Columbia	Colorado
New Jersey	Michigan	Florida	Hawaii
New York	Minnesota	Georgia	Idaho
Pennsylvania	Missouri	Kentucky	Montana
Rhode Island	Nebraska	Louisiana	Nevada
Vermont	North Dakota	Maryland	New Mexico
	Ohio	Mississippi	Oregon
	South Dakota	North Carolina	Utah
	Wisconsin	Oklahoma	Washington
		South Carolina	Wyoming
		Tennessee	
		Texa	
		Virginia	
		West Virginia	

The number and percent of hospitals and total patients by census region and hospital type included in the psychiatric length of stay tables is shown below.

	Hospitals with a Psych Unit/Beds				Hospitals without a Psych Unit/Beds			
Region	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx	%	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx	%
Northeast	130	26.3	44,556	22.1	174	18.3	10,397	15.6
North Central	154	31.1	77,149	38.2	331	34.9	22,858	34.2
South	93	18.8	37,236	18.4	217	22.8	12,439	18.6
West	118	23.8	42,894	21.3	228	24.0	21,135	31.6
U.S.	495	100.0	201,835	100.0	950	100.0	66,829	100.0

Appendix 4

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES

ICD-9-CM Code	English Description	Page Number
290	**Senile and presenile organic psychotic conditions**	
290.0	Senile dementia, uncomplicated	1
290.1	Presenile dementia	2
290.10	Presenile dementia, uncomplicated	2
290.11	Presenile dementia with delirium	2
290.12	Presenile dementia with delusional features	2
290.13	Presenile dementia with depressive features	2
290.2	Senile dementia with delusional or depressive features	3
290.20	Senile dementia with delusional features	3
290.21	Senile dementia with depressive features	3
290.3	Senile dementia with delirium	4
290.4	Arteriosclerotic dementia	5
290.40	Arteriosclerotic dementia, uncomplicated	5
290.41	Arteriosclerotic dementia with delirium	5
290.42	Arteriosclerotic dementia with delusional features	5
290.43	Arteriosclerotic dementia with depressive features	5
290.8	Other specified senile psychotic conditions	6
290.9	Unspecified senile psychotic condition	7
291	**Alcoholic psychoses**	
291.0	Alcohol withdrawal delirium	8
291.1	Alcohol amnestic syndrome	9
291.2	Other alcoholic dementia	10
291.3	Alcohol withdrawal hallucinosis	11
291.4	Idiosyncratic alcohol intoxication	12
291.5	Alcoholic jealousy	13
291.8	Other specified alcoholic psychosis	14
291.9	Unspecified alcoholic psychosis	15
292	**Drug psychoses**	
292.0	Drug withdrawal syndrome	16
292.1	Paranoid and/or hallucinatory states induced by drugs	17
292.11	Drug-induced organic delusional syndrome	17
292.12	Drug-induced hallucinosis	17
292.2	Pathological drug intoxication	18
292.8	Other specified drug-induced mental disorders	19
292.81	Drug-induced delirium	19
292.82	Drug-induced dementia	19
292.83	Drug-induced amnestic syndrome	19
292.84	Drug-induced organic affective syndrome	19
292.89	Other	19
292.9	Unspecified drug-induced mental disorder	20
293	**Transient organic psychotic conditions**	
293.0	Acute delirium	21
293.1	Subacute delirium	22
293.8	Other specified transient organic mental disorders	23
293.81	Organic delusional syndrome	23
293.82	Organic hallucinosis syndrome	23
293.83	Organic affective syndrome	23
293.89	Other	23
293.9	Unspecified transient organic mental disorder	24

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
294	**Other organic psychotic conditions (chronic)**	
294.0	Amnestic syndrome	25
294.1	Dementia in conditions classified elsewhere	26
294.8	Other specified organic brain syndromes (chronic)	27
294.9	Unspecified organic brain syndrome (chronic)	28
295	**Schizophrenic disorders**	
	Fifth-digit subclassification for use with 295: 0 unspecified 1 subchronic 2 chronic 3 subchronic with acute exacerbation 4 chronic with acute exacerbation 5 in remission	
295.0	Simple type	29
295.1	Disorganized type	30
295.2	Catatonic type	31
295.3	Paranoid type	32
295.4	Acute schizophrenic episode	33
295.5	Latent schizophrenia	34
295.6	Residual schizophrenia	35
295.7	Schizo-affective type	36
295.8	Other specified types of schizophrenia	37
295.9	Unspecified schizophrenia	38
296	**Affective psychoses**	
	Fifth-digit subclassification for use with 296.0-296.6: 0 unspecified 1 mild 2 moderate 3 severe, without mention of psychotic behavior 4 severe, specified as with psychotic behavior 5 in partial or unspecified remission 6 in full remission	
296.0	Manic disorder, single episode	39
296.1	Manic disorder, recurrent episode	40
296.2	Major depressive disorder, single episode	41
296.3	Major depressive disorder, recurrent episode	42
296.4	Bipolar affective disorder, manic	43
296.5	Bipolar affective disorder, depressed	44
296.6	Bipolar affective disorder, mixed	45
296.7	Bipolar affective disorder, unspecified	46
296.8	Manic-depressive psychosis, other and unspecified	47
296.80	Manic-depressive psychosis, unspecified	47
296.81	Atypical manic disorder	47
296.82	Atypical depressive disorder	47
296.89	Other	47
296.9	Other and unspecified affective psychoses	48
296.90	Unspecified affective psychosis	48
296.99	Other specified affective psychoses	48
297	**Paranoid states**	
297.0	Paranoid state, simple	49
297.1	Paranoia	50
297.2	Paraphrenia	51
297.3	Shared paranoid disorder	52

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
297.8	Other specified paranoid states	53
297.9	Unspecified paranoid state	54
298	**Other nonorganic psychoses**	
298.0	Depressive type psychosis	55
298.1	Excitative type psychosis	56
298.2	Reactive confusion	57
298.3	Acute paranoid reaction	58
298.4	Psychogenic paranoid psychosis	59
298.8	Other and unspecified reactive psychosis	60
298.9	Unspecified psychosis	61
299	**Psychoses with origin specific to childhood**	
	Fifth-digit subclassification for use with 299: 0 current or active state 1 residual state	
299.0	Infantile autism	62
299.8	Other specified early childhood psychoses	63
299.9	Unspecified	64
300	**Neurotic disorders**	
300.0	Anxiety states	65
300.00	Anxiety state, unspecified	65
300.01	Panic disorder	65
300.02	Generalized anxiety disorder	65
300.09	Other	65
300.1	Hysteria	66
300.10	Hysteria, unspecified	66
300.11	Conversion disorder	66
300.12	Psychogenic amnesia	66
300.13	Psychogenic fugue	66
300.14	Multiple personality	66
300.15	Dissociative disorder or reaction, unspecified	66
300.16	Factitious illness with psychological symptoms	66
300.19	Other and unspecified factitious illness	66
300.2	Phobic disorders	67
300.20	Phobia, unspecified	67
300.21	Agoraphobia with panic attacks	67
300.22	Agoraphobia without mention of panic attacks	67
300.23	Social phobia	67
300.29	Other isolated or simple phobias	67
300.3	Obsessive-compulsive disorders	68
300.4	Neurotic depression	69
300.5	Neurasthenia	70
300.6	Depersonalization syndrome	71
300.7	Hypochondriasis	72
300.8	Other neurotic disorders	73
300.81	Somatization disorder	73
300.89	Other	73
300.9	Unspecified neurotic disorder	74
301	**Personality disorders**	
301.0	Paranoid personality disorder	75
301.1	Affective personality disorder	76
301.10	Affective personality disorder, unspecified	76
301.11	Chronic hypomanic personality disorder	76

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
301.12	Chronic depressive personality disorder	76
301.13	Cyclothymic disorder	76
301.2	Schizoid personality disorder	77
301.20	Schizoid personality disorder, unspecified	77
301.21	Introverted personality	77
301.22	Schizotypal personality	77
301.3	Explosive personality disorder	78
301.4	Compulsive personality disorder	79
301.5	Histrionic personality disorder	80
301.50	Histrionic personality disorder, unspecified	80
301.51	Chronic factitious illness with physical symptoms	80
301.59	Other histrionic personality disorder	80
301.6	Dependent personality disorder	81
301.7	Antisocial personality disorder	82
301.8	Other personality disorders	83
301.81	Narcissistic personality	83
301.82	Avoidant personality	83
301.83	Borderline personality	83
301.84	Passive-aggressive personality	83
301.89	Other	83
301.9	Unspecified personality disorder	84
302	**Sexual deviations and disorders**	
302.0	Homosexuality	85
302.2	Pedophilia	86
302.3	Transvestism	87
302.4	Exhibitionism	88
302.5	Trans-sexualism	89
302.50	With unspecified sexual history	89
302.51	With asexual history	89
302.52	With homosexual history	89
302.53	With heterosexual history	89
302.6	Disorders of psychosexual identity	90
302.7	Psychosexual dysfunction	91
302.70	Psychosexual dysfunction, unspecified	91
302.71	With inhibited sexual desire	91
302.72	With inhibited sexual excitement	91
302.73	With inhibited female orgasm	91
302.74	With inhibited male orgasm	91
302.75	With premature ejaculation	91
302.76	With functional dyspareunia	91
302.79	With other specified psychosexual dysfunctions	91
302.8	Other specified psychosexual disorders	92
302.81	Fetishism	92
302.82	Voyeurism	92
302.83	Sexual masochism	92
302.84	Sexual sadism	92
302.85	Gender identity disorder of adolescent or adult life	92
302.89	Other	92
302.9	Unspecified psychosexual disorder	93

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
303	**Alcohol dependence syndrome**	
	Fifth-digit subclassification for use with 303:	
	0 unspecified	
	1 continuous	
	2 episodic	
	3 in remission	
303.0	Acute alcoholic intoxication	94
303.9	Other and unspecified alcohol dependence	95
304	**Drug dependence**	
	Fifth-digit subclassification for use with 304:	
	0 unspecified	
	1 continuous	
	2 episodic	
	3 in remission	
304.0	Opioid type dependence	96
304.1	Barbiturate and similarly acting sedative or hypnotic dependence	97
304.2	Cocaine dependence	98
304.3	Cannabis dependence	99
304.4	Amphetamine and other psychostimulant dependence	100
304.5	Hallucinogen dependence	101
304.6	Other specified drug dependence	102
304.7	Combinations of opioid type drug with any other	103
304.8	Combinations of drug dependence excluding opioid type drug	104
304.9	Unspecified drug dependence	105
305	**Nondependent abuse of drugs**	
	Fifth-digit subclassification for use with 305:	
	0 unspecified	
	1 continuous	
	2 episodic	
	3 in remission	
305.0	Alcohol abuse	106
305.1	Tobacco use disorder	107
305.2	Cannabis abuse	108
305.3	Hallucinogen abuse	109
305.4	Barbiturate and similarly acting sedative or hypnotic abuse	110
305.5	Opioid abuse	111
305.6	Cocaine abuse	112
305.7	Amphetamine or related acting sympathomimetic abuse	113
305.8	Antidepressant type abuse	114
305.9	Other, mixed, or unspecified drug abuse	115
306	**Physiological malfunction arising from mental factors**	
306.0	Musculoskeletal	116
306.1	Respiratory	117
306.2	Cardiovascular	118
306.3	Skin	119
306.4	Gastrointestinal	120
306.5	Genitourinary	121
306.50	Psychogenic genitourinary malfunction, unspecified	121
306.51	Psychogenic vaginismus	121
306.52	Psychogenic dysmenorrhea	121
306.53	Psychogenic dysuria	121
306.59	Other	121

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
306.8	Other specified psychophysiological malfunction	122
306.9	Unspecified psychophysiological malfunction	123
307	**Special symptoms or syndromes, not elsewhere classified**	
307.0	Stammering and stuttering	124
307.1	Anorexia nervosa	125
307.2	Tics	126
307.20	Tic disorder, unspecified	126
307.21	Transient tic disorder of childhood	126
307.22	Chronic motor tic disorder	126
307.23	Gilles de la Tourette's disorder	126
307.4	Specific disorders of sleep of nonorganic origin	127
307.40	Nonorganic sleep disorder, unspecified	127
307.41	Transient disorder of initiating or maintaining sleep	127
307.42	Persistent disorder of initiating or maintaining sleep	127
307.43	Transient disorder of initiating or maintaining wakefulness	127
307.44	Persistent disorder of initiating or maintaining wakefulness	127
307.45	Phase-shift disruption of 24-hour sleep-wake cycle	127
307.46	Somnambulism or night terrors	127
307.47	Other dysfunctions of sleep stages or arousal from sleep	127
307.48	Repetitive intrusions of sleep	127
307.49	Other	127
307.5	Other and unspecified disorders of eating	128
307.50	Eating disorder, unspecified	128
307.51	Bulimia	128
307.52	Pica	128
307.53	Psychogenic rumination	128
307.54	Psychogenic vomiting	128
307.59	Other	128
307.7	Encopresis	129
307.8	Psychalgia	130
307.80	Psychogenic pain, site unspecified	130
307.81	Tension headache	130
307.89	Other	130
307.9	Other and unspecified special symptoms or syndromes, not elsewhere classified	131
308	**Acute reaction to stress**	
308.0	Predominant disturbance of emotions	132
308.1	Predominant disturbance of consciousness	133
308.2	Predominant psychomotor disturbance	134
308.3	Other acute reactions to stress	135
308.4	Mixed disorders as reaction to stress	136
308.9	Unspecified acute reaction to stress	137
309	**Adjustment reaction**	
309.0	Brief depressive reaction	138
309.1	Prolonged depressive reaction	139
309.2	With predominant disturbance of other emotions	140
309.21	Separation anxiety disorder	140
309.22	Emancipation disorder of adolescence and early adult life	140
309.23	Specific academic or work inhibition	140
309.24	Adjustment reaction with anxious mood	140
309.28	Adjustment reaction with mixed emotional features	140
309.29	Other	140
309.3	With predominant disturbance of conduct	141
309.4	With mixed disturbance of emotions and conduct	142

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
309.8	Other specified adjustment reactions	143
309.81	Prolonged posttraumatic stress disorder	143
309.82	Adjustment reaction with physical symptoms	143
309.83	Adjustment reaction with withdrawal	143
309.89	Other	143
309.9	Unspecified adjustment reaction	144
310	**Specific nonpsychotic mental disorders due to organic brain damage**	
310.0	Frontal lobe syndrome	145
310.1	Organic personality syndrome	146
310.2	Postconcussion syndrome	147
310.8	Other specified nonpsychotic mental disorders following organic brain damage	148
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	149
311	**Depressive disorder, not elsewhere classified**	150
312	**Disturbance of conduct, not elsewhere classified**	
	Fifth-digit subclassification for use with 312.0-312.2:	
	0 unspecified	
	1 mild	
	2 moderate	
	3 severe	
312.0	Undersocialized conduct disorder, aggressive type	151
312.1	Undersocialized conduct disorder, unaggressive type	152
312.2	Socialized conduct disorder	153
312.3	Disorders of impulse control, not elsewhere classified	154
312.30	Impulse control disorder, unspecified	154
312.31	Pathological gambling	154
312.32	Kleptomania	154
312.33	Pyromania	154
312.34	Intermittent explosive disorder	154
312.35	Isolated explosive disorder	154
312.39	Other	154
312.4	Mixed disturbance of conduct and emotions	155
312.8	Other specified disturbances of conduct, not elsewhere classified	156
312.9	Unspecified disturbance of conduct	157
313	**Disturbance of emotions specific to childhood and adolescence**	
313.0	Overanxious disorder	158
313.1	Misery and unhappiness disorder	159
313.2	Sensitivity, shyness, and social withdrawal disorder	160
313.21	Shyness disorder of childhood	160
313.22	Introverted disorder of childhood	160
313.23	Elective mutism	160
313.3	Relationship problems	161
313.8	Other or mixed emotional disturbances of childhood or adolescence	162
313.81	Oppositional disorder	162
313.82	Identity disorder	162
313.83	Academic underachievement disorder	162
313.89	Other	162
313.9	Unspecified emotional disturbance of childhood or adolescence	163
314	**Hyperkinetic syndrome of childhood**	
314.0	Attention deficit disorder	164
314.00	Without mention of hyperactivity	164

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

ICD-9-CM Code	English Description	Page Number
314.01	With hyperactivity	164
314.1	Hyperkinesis with developmental delay	165
314.8	Other specified manifestations of hyperkinetic syndrome	166
314.9	Unspecified hyperkinetic syndrome	167
290-314.9	**All psychiatric diagnosis codes**	168

Appendix 5

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES

English Description	*ICD-9-CM* Code	Page Number
Academic underachievement disorder	313.83	162
Acute alcoholic intoxication	303.0	94
Acute delirium	293.0	21
Acute paranoid reaction	298.3	58
Acute schizophrenic episode	295.4	33
Adjustment reaction with anxious mood	309.24	140
Adjustment reaction with mixed emotional features	309.28	140
Adjustment reaction with physical symptoms	309.82	143
Adjustment reaction with withdrawal	309.83	143
Affective personality disorder	301.1	76
Affective psychoses	296.0-296.6	39-45
Fifth-digit subclassification for use with 296.0-296.6:		
0 unspecified		
1 mild		
2 moderate		
3 severe, without mention of psychotic behavior		
4 severe, specified as with psychotic behavior		
5 in partial or unspecified remission		
6 in full remission		
Agoraphobia with panic attacks	300.21	67
Agoraphobia without mention of panic attacks	300.22	67
Alcohol abuse	305.0	106
Alcohol amnestic syndrome	291.1	9
Alcohol dependence syndrome	303.0-303.9	94-95
Fifth-digit subclassification for use with 303:		
0 unspecified		
1 continuous		
2 episodic		
3 in remission		
Alcohol withdrawal delirium	291.0	8
Alcohol withdrawal hallucinosis	291.3	11
Alcoholic jealousy	291.5	13
Amnestic syndrome	294.0	25
Amphetamine and other psychostimulant dependence	304.4	100
Amphetamine or related acting sympathomimetic abuse	305.7	113
Anorexia nervosa	307.1	125
Antidepressant type abuse	305.8	114
Antisocial personality disorder	301.7	82
Anxiety state, unspecified	300.00	65
Anxiety states	300.0	65
Arteriosclerotic dementia	290.4	5
Arteriosclerotic dementia, uncomplicated	290.40	5
Arteriosclerotic dementia with delirium	290.41	5
Arteriosclerotic dementia with delusional features	290.42	5
Arteriosclerotic dementia with depressive features	290.43	5
Attention deficit disorder	314.0	164
Atypical depressive disorder	296.82	47
Atypical manic disorder	296.81	47
Avoidant personality	301.82	83

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Barbiturate and similarly acting sedative or hypnotic dependence	304.1	97
Barbiturate and similarly acting sedative or hypnotic abuse	305.4	110
Bipolar affective disorder, depressed	296.5	44
Bipolar affective disorder, manic	296.4	43
Bipolar affective disorder, mixed	296.6	45
Bipolar affective disorder, unspecified	296.7	46
Borderline personality	301.83	83
Brief depressive reaction	309.0	138
Bulimia	307.51	128
Cannabis abuse	305.2	108
Cannabis dependence	304.3	99
Cardiovascular-Physiological malfunction arising from mental factors	306.2	118
Catatonic type-Schizophrenic disorders	295.2	31
Chronic depressive personality disorder	301.12	76
Chronic factitious illness with physical symptoms	301.51	80
Chronic hypomanic personality disorder	301.11	76
Chronic motor tic disorder	307.22	126
Cocaine abuse	305.6	112
Cocaine dependence	304.2	98
Combinations of drug dependence excluding opioid type drug	304.8	104
Combinations of opioid type drug with any other	304.7	103
Compulsive personality disorder	301.4	79
Conversion disorder	300.11	66
Cyclothymic disorder	301.13	76
Dementia in conditions classified elsewhere	294.1	26
Dependent personality disorder	301.6	81
Depersonalization syndrome	300.6	71
Depressive disorder, not elsewhere classified	311	150
Depressive type psychosis	298.0	55
Disorders of impulse control, not elsewhere classified	312.3	154
Disorders of psychosexual identity	302.6	90
Disorganized type-Schizophrenic disorders	295.1	30
Dissociative disorder or reaction, unspecified	300.15	66
Disturbance of conduct, not elsewhere classified	312.0-312.2	151-153
Fifth-digit subclassification for use with 312.0-312.2:		
0 unspecified		
1 mild		
2 moderate		
3 severe		
Drug dependence	304.0-304.9	96-105
Fifth-digit subclassification for use with 304:		
0 unspecified		
1 continuous		
2 episodic		
3 in remission		
Drug withdrawal syndrome	292.0	16
Drug-induced amnestic syndrome	292.83	19
Drug-induced delirium	292.81	19
Drug-induced dementia	292.82	19
Drug-induced hallucinosis	292.12	17
Drug-induced organic affective syndrome	292.84	19
Drug-induced organic delusional syndrome	292.11	17

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Eating disorder, unspecified	307.50	128
Elective mutism	313.23	160
Emancipation disorder of adolescence and early adult life	309.22	140
Encopresis	307.7	129
Excitative type psychosis	298.1	56
Exhibitionism	302.4	88
Explosive personality disorder	301.3	78
Factitious illness with psychological symptoms	300.16	66
Fetishism	302.81	92
Frontal lobe syndrome	310.0	145
Gastrointestinal-Physiological malfunction arising from mental factors	306.4	120
Gender identity disorder of adolescent or adult life	302.85	92
Generalized anxiety disorder	300.02	65
Genitourinary-Physiological malfuntion arising from mental factors	306.5	121
Gilles de la Tourette's disorder	307.23	126
Hallucinogen abuse	305.3	109
Hallucinogen dependence	304.5	101
Histrionic personality disorder	301.5	80
Histrionic personality disorder, unspecified	301.50	80
Homosexuality	302.0	85
Hyperkinesis with developmental delay	314.1	165
Hypochondriasis	300.7	72
Hysteria	300.1	66
Hysteria, unspecified	300.10	66
Identity disorder	313.82	162
Idiosyncratic alcohol intoxication	291.4	12
Impulse control disorder, unspecified	312.30	154
Infantile autism	299.0	62
Intermittent explosive disorder	312.34	154
Introverted disorder of childhood	313.22	160
Introverted personality	301.21	77
Isolated explosive disorder	312.35	154
Kleptomania	312.32	154
Latent schizophrenia	295.5	34
Major depressive disorder, recurrent episode	296.3	42
Major depressive disorder, single episode	296.2	41
Manic disorder, recurrent episode	296.0	39
Manic disorder, single episode	296.1	40
Manic-depressive psychosis, other and unspecified	296.8	47
Manic-depressive psychosis, unspecified	296.80	47
Misery and unhappiness disorder	313.1	159
Mixed disorders as reaction to stress	308.4	136
Mixed disturbance of conduct and emotions	312.4	155
Multiple personality	300.14	66
Musculoskeletal-Physiological malfunction arising from mental factors	306.0	116
Narcissistic personality	301.81	83
Neurasthenia	300.5	70
Neurotic depression	300.4	69

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Nondependent abuse of drugs	305.0-305.9	106-115
Fifth-digit subclassification for use with 305:		
0 unspecified		
1 continuous		
2 episodic		
3 in remission		
Nonorganic sleep disorder, unspecified	307.40	127
Obsessive-compulsive disorders	300.3	68
Opioid abuse	305.5	111
Opioid type dependence	304.0	96
Oppositional disorder	313.81	162
Organic affective syndrome	293.83	23
Organic delusional syndrome	293.81	23
Organic hallucinosis syndrome	293.82	23
Organic personality syndrome	310.1	146
Other-Genitourinary physiological malfuntion arising from mental factors	306.59	121
Other-Specific disorders of sleep of nonorganic origin	307.49	127
Other-Other and unspecified disorders of eating	307.59	128
Other-Psychalgia	307.89	130
Other-Adjustment reaction w/predominant disturbance of other emotions	309.29	140
Other-Other specified adjustment reactions	309.89	143
Other-Disorders of impulse control not elsewhere classified	312.39	154
Other-Other or mixed emotional disturbances of childhood or adolescence	313.89	162
Other-Other specified drug-induced mental disorders	292.89	19
Other-Other specified transient organic mental disorders	293.89	23
Other-Manic-depressive psychoses, other and unspecified	296.89	47
Other-Anxiety states	300.09	65
Other-Other neurotic disorders	300.89	73
Other-Other personality disorders	301.89	83
Other-Other specified psychosexual disorders	302.89	92
Other acute reactions to stress	308.3	135
Other alcoholic dementia	291.2	10
Other and unspecified affective psychoses	296.9	48
Other and unspecified disorders of eating	307.5	128
Other and unspecified factitious illness	300.19	66
Other and unspecified reactive psychosis	298.8	60
Other and unspecified special symptoms or syndromes,not elsewhere classified	307.9	131
Other dysfunctions of sleep stages or arousal from sleep	307.47	127
Other histrionic personality disorder	301.59	80
Other isolated or simple phobias	300.29	67
Other, mixed, or unspecified drug abuse	305.9	115
Other neurotic disorders	300.8	73
Other or mixed emotional disturbances of childhood or adolescence	313.8	162
Other personality disorders	301.8	83
Other specified adjustment reactions	309.8	143
Other specified affective psychoses	296.99	48
Other specified alcoholic psychosis	291.8	14
Other specified disturbances of conduct, not elsewhere classified	312.8	156
Other specified drug dependence	304.6	102
Other specified drug-induced mental disorders	292.8	19
Other specified early childhood psychoses	299.8	63

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Other specified manifestations of hyperkinetic syndrome	314.8	166
Other specified nonpsychotic mental disorders following organic brain damage	310.8	148
Other specified organic brain syndromes (chronic)	294.8	27
Other specified paranoid states	297.8	53
Other specified psychophysiological malfunction	306.8	122
Other specified psychosexual disorders	302.8	92
Other specified senile psychotic conditions	290.8	6
Other specified transient organic mental disorders	293.8	23
Other specified types of schizophrenia	295.8	37
Overanxious disorder	313.0	158
Panic disorder	300.01	65
Paranoia	297.1	50
Paranoid and/or hallucinatory states induced by drugs	292.1	17
Paranoid state, simple	297.0	49
Paranoid type-Schizophrenic disorders	295.3	32
Paraphrenia	297.2	51
Passive-aggressive personality	301.84	83
Pathological drug intoxication	292.2	18
Pathological gambling	312.31	154
Pedophilia	302.2	86
Persistent disorder of initiating or maintaining wakefulness	307.44	127
Persistent disorder of initiating or maintaining sleep	307.42	127
Phase-shift disruption of 24-hour sleep-wake cycle	307.45	127
Phobia, unspecified	300.20	67
Phobic disorders	300.2	67
Pica	307.52	128
Postconcussion syndrome	310.2	147
Predominant disturbance of consciousness	308.1	133
Predominant disturbance of emotions	308.0	132
Predominant psychomotor disturbance	308.2	134
Presenile dementia	290.1	2
Presenile dementia, uncomplicated	290.10	2
Presenile dementia with delirium	290.11	2
Presenile dementia with delusional features	290.12	2
Presenile dementia with depressive features	290.13	2
Prolonged depressive reaction	309.1	139
Prolonged posttraumatic stress disorder	309.81	143
Psychalgia	307.8	130
Psychogenic amnesia	300.12	66
Psychogenic dysmenorrhea	306.52	121
Psychogenic dysuria	306.53	121
Psychogenic fugue	300.13	66
Psychogenic genitourinary malfunction, unspecified	306.50	121
Psychogenic pain, site unspecified	307.80	130
Psychogenic paranoid psychosis	298.4	59
Psychogenic rumination	307.53	128
Psychogenic vaginismus	306.51	121
Psychogenic vomiting	307.54	128
Psychoses with origin specific to childhood	299.0-299.9	62-64
Fifth-digit subclassification for use with 299:		
0 current or active state		
1 residual state		

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Psychosexual dysfunction	302.7	91
Psychosexual dysfunction, unspecified	302.70	91
Pyromania	312.33	154
Reactive confusion	298.2	57
Relationship problems	313.3	161
Repetitive intrusions of sleep	307.48	127
Residual schizophrenia	295.6	35
Respiratory-Physiological malfunction arising from mental factors	306.1	117
Schizo-affective type-Schizophrenic disorders	295.7	36
Schizoid personality disorder	301.2	77
Schizoid personality disorder, unspecified	301.20	77
Schizophrenic disorders	295.0-295.9	29-38
Fifth-digit subclassification for use with 295:		
0 unspecified		
1 subchronic		
2 chronic		
3 subchronic with acute exacerbation		
4 chronic with acute exacerbation		
5 in remission		
Schizotypal personality	301.22	77
Senile dementia, uncomplicated	290.0	1
Senile dementia with delirium	290.3	4
Senile dementia with delusional or depressive features	290.2	3
Senile dementia with delusional features	290.20	3
Senile dementia with depressive features	290.21	3
Sensitivity, shyness, and social withdrawal disorder	313.2	160
Separation anxiety disorder	309.21	140
Sexual masochism	302.83	92
Sexual sadism	302.84	92
Shared paranoid disorder	297.3	52
Shyness disorder of childhood	313.21	160
Simple type-Schizophrenic disorders	295.0	29
Skin-Physiological malfunction arising from mental factors	306.3	119
Social phobia	300.23	67
Socialized conduct disorder	312.2	153
Somatization disorder	300.81	73
Somnambulism or night terrors	307.46	127
Specific academic or work inhibition	309.23	140
Specific disorders of sleep of nonorganic origin	307.4	127
Stammering and stuttering	307.0	124
Subacute delirium	293.1	22
Tension headache	307.81	130
Tic disorder, unspecified	307.20	126
Tics	307.2	126
Tobacco use disorder	305.1	107
Trans-sexualism	302.5	89
Transient disorder of initiating or maintaining wakefulness	307.43	127
Transient disorder of initiating or maintaining sleep	307.41	127
Transient tic disorder of childhood	307.21	126
Transvestism	302.3	87
Undersocialized conduct disorder, aggressive type	312.0	151
Undersocialized conduct disorder, unaggressive type	312.1	152

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	*ICD-9-CM* Code	Page Number
Unspecified-Psychoses with origin specific to childhood	299.9	64
Unspecified acute reaction to stress	308.9	137
Unspecified adjustment reaction	309.9	144
Unspecified affective psychosis	296.90	48
Unspecified alcoholic psychosis	291.9	15
Unspecified disturbance of conduct	312.9	157
Unspecified drug dependence	304.9	105
Unspecified drug-induced mental disorder	292.9	20
Unspecified emotional disturbance of childhood or adolescence	313.9	163
Unspecified hyperkinetic syndrome	314.9	167
Unspecified neurotic disorder	300.9	74
Unspecified nonpsychotic mental disorder following organic brain damage	310.9	149
Unspecified organic brain syndrome (chronic)	294.9	28
Unspecified paranoid state	297.9	54
Unspecified personality disorder	301.9	84
Unspecified psychophysiological malfunction	306.9	123
Unspecified psychosexual disorder	302.9	93
Unspecified psychosis	298.9	61
Unspecified schizophrenia	295.9	38
Unspecified senile psychotic condition	290.9	7
Unspecified transient organic mental disorder	293.9	24
Voyeurism	302.82	92
With asexual history-Trans-sexualism	302.51	89
With functional dyspareunia-Psychosexual dysfunction	302.76	91
With heterosexual history-Trans-sexualism	302.53	89
With homosexual history-Trans-sexualism	302.52	89
With hyperactivity-Attention deficit disorder	314.01	164
With inhibited female orgasm-Psychosexual dysfunction	302.73	91
With inhibited male orgasm-Psychosexual dysfunction	302.74	91
With inhibited sexual desire-Psychosexual dysfunction	302.71	91
With inhibited sexual excitement-Psychosexual dysfunction	302.72	91
With mixed disturbance of emotions and conduct-Adjustment reaction	309.4	142
With other specified psychosexual dysfunctions-Psychosexual dysfunction	302.79	91
With predominant disturbance of conduct-Adjustment reaction	309.3	141
With predominant disturbance of other emotions-Adjustment reaction	309.2	140
With premature ejaculation-Psychosexual dysfunction	302.75	91
With unspecified sexual history-Trans-sexualism	302.50	89
Without mention of hyperactivity-Attention deficit disorder	314.00	164

APPENDIX 6

PATIENT CHARACTERISTIC DEFINITIONS USED IN GRAPHS

Complications and Comorbidities (CCs)

There are 2,979 *ICD-9-CM* diagnoses that have been distinguished by the Health Care Financing Administration (HCFA) as complications and comorbidities (CCs). These secondary diagnoses are used within the definitions of the Version 3 Diagnosis Related Group (DRG) classification system.

The HCFA definitions are:

A complication is a condition that arises during the hospital stay that prolongs length of stay by at least one day in approximately 75 percent of the cases.

A comorbidity is a preexisting condition that will, because of its presence with a specific diagnosis, cause an increase in length of stay by at least one day in approximately 75 percent of the cases.

To obtain a complete listing of the Version 3 DRG CCs, please contact 1-800-521-6210, Extension 3534.

Payor Categories

Insurance Company

Payment covered by any private or commercial insurance carrier except Blue Cross.

Self-Pay

Direct payment by the patient himself.

Other

Sources of payment not included in the other payor categories. Included here are payment by local or organized charities, such as Cerebral Palsy Foundation, or payment by relatives or friends of the patient.

Title V

Maternal and Child Health. Applies only to females age 60 or younger or males 21 or younger.

Other Government Agencies

Payment by local, state, or federal government agencies, except Medicare, Medicaid, and Title V.